

**RESCINDED BY
BUILDINGS BULLETIN 2022-016**



NYC Buildings Department
280 Broadway, New York, NY 10007

Rick D. Chandler, PE, Commissioner

**SUPERSEDED BY
2022 NYC CONSTRUCTION CODE
EFFECTIVE NOVEMBER 7, 2022**



**BUILDINGS BULLETIN 2015-006
OTCR**

Supersedes: OTCR Buildings Bulletin 2011-007

Issuer: Alan Price, P.E. *Alan Price*
Director, Office of Technical Certification and Research

Issuance Date: March 10, 2015

Purpose: This document establishes additional acceptance criteria for commercial dishwashers with integral gas-fired heating in accordance with the NYC Construction Codes.

Related Code/Zoning Section(s):

AC 113.2.3	PC 604.1	PC 802.1.7
PC 409	PC 604.3	FGC 402

Subject(s): Commercial dishwasher, integral heating. Dishwasher, commercial

Background: Section PC 409 requires commercial dishwashers to conform to ASSE 1004¹, which establishes backflow prevention requirements and NSF 3² which establishes minimum sanitary requirements. This bulletin addresses the safety performance of gas-fired commercial dishwashers.

Description: A commercial dishwasher with integral gas-fired heating is used to boost water temperatures during wash and rinse cycles. It is comprised of a self contained gas-fired hot water heater with standard dishwasher component.

Uses: Commercial dishwashers with integral gas fired heating are used to wash and sanitize pans, pots, racks and other utensils that are used in eating and drinking establishments.

Evaluation Scope: NYC Construction Codes

Evaluation Criteria: Pursuant to section AC 28-113, the Office of Technical Certification and Research recognizes commercial dishwashers with integral gas-fired heating tested, and evaluated in accordance with UL 921³ and NYC Construction Codes including ASSE 1004 and NSF 3. Acceptable commercial dishwashers with integral gas-fired heating shall be listed and labeled in accordance with section AC 113.2.3 and shall comply with the conditions of this bulletin.

Conditions of Acceptance: Commercial dishwashers with integral gas-fired heating shall be designed, and installed in accordance with the NYC Construction Codes and other applicable provisions including but not limited to the following:

A. Design

1. Commercial dishwashers with integral gas-fired heating shall be specified in accordance with the manufacturer's recommendation and the condition of the listing.

B. Installation Requirements

1. Installation requirements shall be in accordance with the manufacturer's instructions, the applicable listing agency, and the conditions of this bulletin.
2. Installation shall be performed by a licensed master plumber only.
3. Combustion air and ventilation shall be in accordance with applicable sections of the NYC Construction Codes, manufacturer's installation and the listing.
4. Commercial dishwashers with integral gas-fired heating shall be labeled as per section AC-113.4. All shipment and deliveries of materials shall be accompanied by a label certifying the material shipped or delivered are equivalent to those tested and approved.

**Referenced
Standard:**

1. ASSE 1004-90 – *“Performance Requirement for Backflow Prevention Requirement for Commercial Dishwashing Machine”*
2. NSF3 – 1996a *“Commercial Spray-Type Dishwashing and Glass Washing Machines”*
3. UL 921-06 – *“Commercial Dishwasher”*