

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	14	0.7
		2	13 years old	43	2.2
		3	14 years old	476	23.1
		4	15 years old	556	25.7
		5	16 years old	474	21.9
		6	17 years old	445	20.4
		7	18 years old or older	131	5.9
			Missing	9	
18-18	Q2	What is your sex?			
		1	Female	980	47.0
		2	Male	1,147	53.0
			Missing	21	
19-19	Q3	In what grade are you?			
		1	9th grade	582	29.1
		2	10th grade	606	27.0
		3	11th grade	468	23.1
		4	12th grade	460	20.5
		5	Ungraded or other grade	6	0.3
	Missing	26			
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,251	56.5
		2	No	824	43.5
		Missing	73		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	1	0.0
		G	1	0.1
		F	7	0.6
		E	242	15.1
		D	180	10.2
		DE	2	0.1
		C	718	54.7
		C H	1	0.1
		C E	20	1.0
		CD	14	0.6
		CDE	2	0.1
		B	148	9.5
		B E	10	0.2
		B D	2	0.1
		BC	12	0.4
		BC E	1	0.0
		A	89	5.2
		A E	5	0.3
		A D	2	0.1
		A DE	2	0.2
		A C	23	0.9
		A C E	3	0.2
		AB	3	0.1
		ABC E	1	0.0
		ABCD	1	0.0
		ABCDE	2	0.1
			656	
		DATA NOT AVAILABLE.		
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	1,653	80.8
		2 0 days	279	13.4
		3 1 or 2 days	32	1.7
		4 3 to 5 days	16	1.0
		5 6 to 9 days	9	0.4
		6 10 to 19 days	8	0.4
		7 20 to 29 days	9	0.4
		8 All 30 days	33	1.9
		Missing	109	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,779	90.6
		2 1 day	53	2.7
		3 2 or 3 days	42	2.2
		4 4 or 5 days	14	0.7
		5 6 or more days	74	3.8
		Missing	186	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,907	97.1
		2 1 day	17	1.0
		3 2 or 3 days	5	0.2
		4 4 or 5 days	4	0.2
		5 6 or more days	30	1.5
		Missing	185	
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	1,894	95.3
		2 1 day	25	1.3
		3 2 or 3 days	17	0.9
		4 4 or 5 days	14	0.8
		5 6 or more days	33	1.7
		Missing	165	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,786	89.5
		2	1 day	99	5.3
		3	2 or 3 days	57	3.1
		4	4 or 5 days	15	0.7
		5	6 or more days	28	1.5
		Missing	163		
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,830	91.6
		2	1 time	77	4.0
		3	2 or 3 times	40	2.0
		4	4 or 5 times	12	0.7
		5	6 or 7 times	6	0.5
		6	8 or 9 times	4	0.3
		7	10 or 11 times	0	0.0
		8	12 or more times	18	1.0
		Missing	161		
48-48	Q17	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,418	70.4
		2	1 time	205	10.7
		3	2 or 3 times	191	10.0
		4	4 or 5 times	68	3.5
		5	6 or 7 times	28	1.4
		6	8 or 9 times	17	0.9
		7	10 or 11 times	5	0.3
		8	12 or more times	51	2.7
		Missing	165		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	784	40.7
		2 0 times	931	50.2
		3 1 time	76	3.8
		4 2 or 3 times	54	2.9
		5 4 or 5 times	13	0.8
		6 6 or more times	32	1.5
		Missing	258	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	784	40.9
		2 0 times	975	52.5
		3 1 time	67	3.7
		4 2 or 3 times	23	1.2
		5 4 or 5 times	6	0.3
		6 6 or more times	28	1.4
		Missing	265	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	321	15.8
		2 No	1,750	84.2
		Missing	77	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	255	12.9
		2 No	1,840	87.1
		Missing	53	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	642	32.8
		2 No	1,291	67.2
		Missing	215	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	327	17.3
		2 No	1,618	82.7
		Missing	203	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,416	88.5
		2 1 time	112	6.7
		3 2 or 3 times	43	2.8
		4 4 or 5 times	17	1.2
		5 6 or more times	11	0.8
		Missing	549	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,392	89.4
		2 Yes	57	3.8
		3 No	106	6.7
		Missing	593	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	240	12.3
		2 No	1,774	87.7
		Missing	134	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,906	96.2
		2 1 or 2 days	22	1.1
		3 3 to 5 days	19	1.2
		4 6 to 9 days	5	0.3
		5 10 to 19 days	11	0.5
		6 20 to 29 days	2	0.1
		7 All 30 days	8	0.5
Missing	175			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,861	96.1
		2 Less than 1 cigarette per day	17	1.2
		3 1 cigarette per day	15	0.7
		4 2 to 5 cigarettes per day	21	1.3
		5 6 to 10 cigarettes per day	6	0.3
		6 11 to 20 cigarettes per day	4	0.2
		7 More than 20 cigarettes per day	4	0.2
	Missing	220		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?		
		1 0 days	1,659	83.1
		2 1 or 2 days	164	8.3
		3 3 to 5 days	49	2.5
		4 6 to 9 days	38	2.1
		5 10 to 19 days	27	1.3
		6 20 to 29 days	18	0.9
		7 All 30 days	37	1.9
	Missing	156		
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1 0 days	1,903	94.9
		2 1 or 2 days	41	2.4
		3 3 to 5 days	21	1.3
		4 6 to 9 days	12	0.8
		5 10 to 19 days	2	0.1
		6 20 to 29 days	3	0.2
		7 All 30 days	6	0.4
	Missing	160		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,863	94.1
		2 1 or 2 days	44	2.3
		3 3 to 5 days	28	1.5
		4 6 to 9 days	14	0.8
		5 10 to 19 days	9	0.5
		6 20 to 29 days	5	0.2
		7 All 30 days	12	0.6
	Missing	173		
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	967	52.4
		2 8 years old or younger	111	6.1
		3 9 or 10 years old	87	4.9
		4 11 or 12 years old	129	7.2
		5 13 or 14 years old	291	15.4
		6 15 or 16 years old	233	11.7
		7 17 years old or older	42	2.2
	Missing	288		
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,413	81.7
		2 1 or 2 days	181	9.6
		3 3 to 5 days	84	4.5
		4 6 to 9 days	38	2.2
		5 10 to 19 days	18	0.9
		6 20 to 29 days	5	0.2
		7 All 30 days	10	0.8
	Missing	399		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,380	81.2
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	29	1.8
		3	I bought it at a restaurant, bar, or club	19	1.1
		4	I bought it at a public event such as a concert or sporting event	12	0.7
		5	I gave someone else money to buy it for me	14	0.8
		6	Someone gave it to me	115	6.3
		7	I took it from a store or family member	61	3.3
		8	I got it some other way	83	4.7
		Missing	435		
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
		1	0 days	1,652	94.8
		2	1 day	34	1.5
		3	2 days	24	1.4
		4	3 to 5 days	17	1.1
		5	6 to 9 days	10	0.7
		6	10 to 19 days	2	0.1
		7	20 or more days	5	0.4
		Missing	404		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
		1	I did not drink alcohol during the past 30 days	1,370	84.5
		2	1 or 2 drinks	131	7.7
		3	3 drinks	25	1.5
		4	4 drinks	25	1.3
		5	5 drinks	20	1.2
		6	6 or 7 drinks	27	1.5
		7	8 or 9 drinks	12	0.8
		8	10 or more drinks	21	1.5
		Missing	517		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	Q47	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,344	70.3
		2	8 years old or younger	35	2.2
		3	9 or 10 years old	35	1.7
		4	11 or 12 years old	63	3.3
		5	13 or 14 years old	195	10.0
		6	15 or 16 years old	196	10.7
		7	17 years old or older	36	1.8
		Missing	244		
79-79	Q48	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,539	82.7
		2	1 or 2 times	101	5.1
		3	3 to 9 times	84	4.5
		4	10 to 19 times	60	3.2
		5	20 to 39 times	38	2.1
		6	40 or more times	46	2.4
		Missing	280		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,831	95.3
		2	1 or 2 times	33	2.0
		3	3 to 9 times	20	1.2
		4	10 to 19 times	5	0.2
		5	20 to 39 times	8	0.6
		6	40 or more times	11	0.8
		Missing	240		
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,828	95.6
		2	1 or 2 times	24	1.5
		3	3 to 9 times	16	1.0
		4	10 to 19 times	8	0.5
		5	20 to 39 times	9	0.8
		6	40 or more times	11	0.7
		Missing	252		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,775	94.9
		2	1 or 2 times	44	2.7
		3	3 to 9 times	16	1.1
		4	10 to 19 times	9	0.4
		5	20 to 39 times	7	0.4
		6	40 or more times	8	0.6
		Missing	289		
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	1,787	97.0
		2	1 time	31	1.9
		3	2 or more times	17	1.1
		Missing	313		
90-90	Q59	Have you ever had sexual intercourse?			
		1	Yes	504	33.5
		2	No	1,018	66.5
		Missing	626		
91-91	Q60	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	1,007	66.7
		2	11 years old or younger	42	2.8
		3	12 years old	34	2.2
		4	13 years old	60	3.8
		5	14 years old	119	8.1
		6	15 years old	113	7.4
		7	16 years old	93	6.6
		8	17 years old or older	35	2.3
		Missing	645		
92-92	Q61	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	993	66.9
		2	1 person	216	14.4
		3	2 people	97	6.5
		4	3 people	58	4.0
		5	4 people	34	2.3
		6	5 people	17	1.1
		7	6 or more people	65	4.9
		Missing	668		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	976	66.4
		2	I have had sexual intercourse, but not during the past 3 months	162	10.6
		3	1 person	257	17.8
		4	2 people	36	2.7
		5	3 people	13	0.8
		6	4 people	6	0.5
		7	5 people	1	0.1
		8	6 or more people	10	1.0
		Missing	687		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	976	67.0
		2	Yes	63	4.5
		3	No	413	28.5
		Missing	696		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	969	68.9
		2	Yes	249	17.8
		3	No	186	13.3
		Missing	744		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	964	68.6
		2	No method was used to prevent pregnancy	93	6.9
		3	Birth control pills	59	4.5
		4	Condoms	203	14.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	14	0.9
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	31	2.0
		7	Withdrawal or some other method	23	1.7
		8	Not sure	14	1.0
		Missing	747		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	840	51.3
		2 Females	416	25.7
		3 Males	287	18.0
		4 Females and males	83	5.1
		Missing	522	
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	1,495	75.0
		2 Gay or lesbian	60	3.1
		3 Bisexual	170	8.5
		4 Not sure	263	13.4
		Missing	160	
98-98	Q67a	Which of the following best describes you?		
		1 Heterosexual (straight)	685	75.0
		2 Gay or lesbian	30	3.1
		3 Bisexual	72	8.5
		4 Not sure	19	2.7
		5 I do not describe myself in any of these ways	86	9.2
6 I do not know what these answer options mean	15	1.5		
		Missing	160	
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	456	28.2
		2 1 to 3 times during the past 7 days	581	34.7
		3 4 to 6 times during the past 7 days	235	14.3
		4 1 time per day	75	4.1
		5 2 times per day	120	7.7
		6 3 times per day	74	5.0
		7 4 or more times per day	103	5.9
		Missing	504	
102-102	Q71	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	364	22.4
		2 1 to 3 times during the past 7 days	609	36.0
		3 4 to 6 times during the past 7 days	280	17.2
		4 1 time per day	124	7.4
		5 2 times per day	129	7.5
		6 3 times per day	65	3.9
		7 4 or more times per day	94	5.5
		Missing	483	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	464	29.3
		2 1 to 3 times during the past 7 days	661	40.2
		3 4 to 6 times during the past 7 days	197	11.8
		4 1 time per day	99	6.1
		5 2 times per day	81	4.9
		6 3 times per day	48	3.2
		7 4 or more times per day	77	4.5
	Missing	521		
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	527	34.0
		2 1 to 3 glasses during the past 7 days	522	32.1
		3 4 to 6 glasses during the past 7 days	190	11.7
		4 1 glass per day	155	9.7
		5 2 glasses per day	98	6.7
		6 3 glasses per day	43	2.7
		7 4 or more glasses per day	53	3.0
	Missing	560		
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	256	16.7
		2 1 day	137	9.1
		3 2 days	206	12.5
		4 3 days	145	9.3
		5 4 days	122	7.8
		6 5 days	112	6.8
		7 6 days	75	4.8
		8 7 days	519	33.1
	Missing	576		
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	318	22.4
		2 1 day	146	9.5
		3 2 days	174	11.5
		4 3 days	198	12.4
		5 4 days	150	9.6
		6 5 days	166	10.2
		7 6 days	100	6.7
		8 7 days	293	17.7
	Missing	603		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	524	33.5
		2 Less than 1 hour per day	248	15.9
		3 1 hour per day	162	10.4
		4 2 hours per day	216	13.7
		5 3 hours per day	159	10.5
		6 4 hours per day	87	5.8
		7 5 or more hours per day	157	10.3
	Missing	595		
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	342	22.3
		2 Less than 1 hour per day	133	9.1
		3 1 hour per day	136	9.6
		4 2 hours per day	178	10.9
		5 3 hours per day	180	11.6
		6 4 hours per day	149	9.7
		7 5 or more hours per day	419	26.6
	Missing	611		
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	162	10.6
		2 1 day	70	5.2
		3 2 days	378	26.8
		4 3 days	457	29.9
		5 4 days	103	6.4
		6 5 days	340	21.1
	Missing	638		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	362	25.0
		2 No	874	59.3
		3 Not sure	233	15.7
		Missing	679	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	955	65.1
		2 Between 12 and 24 months ago	186	13.8
		3 More than 24 months ago	90	6.5
		4 Never	39	3.0
		5 Not sure	169	11.7
Missing	709			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	410	27.7
		2 No	961	66.6
		3 Not sure	86	5.8
Missing	691			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	212	14.3
		2 5 hours	205	13.8
		3 6 hours	315	22.0
		4 7 hours	373	25.5
		5 8 hours	245	16.6
		6 9 hours	88	5.7
		7 10 or more hours	30	2.2
Missing	680			
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	1,940	91.3
		2 Brooklyn	24	1.3
		3 Manhattan	73	3.2
		4 Queens	87	3.6
		5 Staten Island	9	0.6
Missing	15			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
122-122	Q91	How long have you lived in the United States?			
		1	I have always lived in the United States	1,520	70.6
		2	Less than 1 year	46	2.5
		3	1 to 3 years	88	4.7
		4	4 to 6 years	118	6.0
		5	More than 6 years but not my whole life	343	16.2
		Missing	33		
123-123	Q92	Was either of your parents born outside of the United States?			
		1	Yes	1,428	68.0
		2	No	477	23.8
		3	Not sure	172	8.2
		Missing	71		
124-124	Q93	How often do the people in your home speak a language other than English?			
		1	Never	353	17.9
		2	Rarely	195	9.2
		3	Sometimes	463	21.4
		4	Most of the time	552	24.9
		5	Always	571	26.6
		Missing	14		
125-125	Q94	What sex is on your birth certificate?			
		1	Female	989	47.3
		2	Male	1,097	50.8
		3	Not sure	33	1.9
		Missing	29		
126-126	Q95	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?			
		1	No, I am not transgender	1,862	93.8
		2	Yes, I am transgender	34	1.6
		3	I am not sure if I am transgender	33	1.8
		4	I do not know what this question is asking	56	2.8
		Missing	163		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	317	17.6
		2 Mostly feminine	295	14.8
		3 Somewhat feminine	160	8.6
		4 Equally feminine and masculine	238	12.9
		5 Somewhat masculine	151	7.7
		6 Mostly masculine	284	14.6
		7 Very masculine	430	23.8
	Missing	273		
128-128	Q97	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,622	82.5
		2 1 time	149	7.6
		3 2 or 3 times	101	4.9
		4 4 or 5 times	38	2.0
		5 6 or more times	63	3.0
	Missing	175		
129-129	Q98	During the past 12 months, did you get help from a counselor, social worker or therapist at school for an emotional or personal issue that you could not face alone?		
		1 Yes	389	20.4
		2 No	1,413	73.3
		3 Not sure	116	6.3
	Missing	230		
130-130	Q99	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	76	3.9
		2 No	1,885	96.1
	Missing	187		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
131-131	Q100	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,712	89.5
		2	Less than 1 month ago	31	1.8
		3	1 to 3 months ago	24	1.2
		4	4 to 6 months ago	30	1.8
		5	7 to 12 months ago	21	1.4
		6	13 or more months ago	90	4.4
		Missing	240		
132-132	Q101	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,887	96.0
		2	I bought them in a store such as a convenience store, supermarket, or gas station	21	1.3
		3	I bought them on the Internet	11	0.5
		4	I bummed them	5	0.3
		5	Someone gave them to me or bought them for me	19	1.0
		6	I stole them	10	0.6
		7	I got them some other way	10	0.4
		Missing	185		
133-133	Q102	Which tobacco or nicotine product did you try first?			
		1	I have never tried any tobacco or nicotine product	1,394	75.3
		2	Cigarettes	70	3.8
		3	Cigars, cigarillos, or little cigars	33	1.7
		4	Electronic cigarettes or e-cigarettes	41	2.0
		5	Chewing tobacco, snuff, dip, or snus	7	0.6
		6	Hookah or shisha tobacco	248	13.3
		7	Some other tobacco or nicotine product	21	1.1
		8	Not sure	42	2.1
		Missing	292		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,801	95.1
		2 1 or 2 times	32	1.7
		3 3 to 9 times	22	1.5
		4 10 to 19 times	14	0.7
		5 20 to 39 times	5	0.3
		6 40 or more times	10	0.7
	Missing	264		
135-135	Q104	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,689	91.5
		2 1 or 2 times	62	3.6
		3 3 to 9 times	39	2.4
		4 10 to 19 times	24	1.4
		5 20 to 39 times	10	0.5
		6 40 or more times	10	0.6
	Missing	314		
136-136	Q105	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,750	94.5
		2 1 or 2 times	41	2.5
		3 3 to 9 times	20	1.2
		4 10 to 19 times	14	0.7
		5 20 to 39 times	4	0.3
		6 40 or more times	9	0.8
	Missing	310		
137-137	Q106	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,727	93.6
		2 1 or 2 times	52	2.9
		3 3 to 9 times	28	1.7
		4 10 to 19 times	13	0.8
		5 20 to 39 times	5	0.5
		6 40 or more times	9	0.5
	Missing	314		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,014	62.3
		2 No method was used to prevent pregnancy	106	6.7
		3 Birth control pills	53	3.3
		4 Condoms	373	23.5
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	7	0.5
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	13	0.7
		7 Withdrawal or some other method	31	2.1
		8 Not sure	15	1.0
	Missing	536		
139-139	Q108	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	981	62.3
		2 I have had sexual intercourse, but not during the past 3 months	148	8.7
		3 Never	114	7.9
		4 Rarely	69	4.9
		5 Sometimes	54	4.0
		6 Most of the time	61	4.0
		7 Always	131	8.3
	Missing	590		
140-140	Q109	The last time you used birth control, not including condoms, from where did you or your partner get it?		

DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	959	63.4
		2 Yes	69	4.7
		3 No	398	26.6
		4 Not sure	68	5.3
		Missing	654	
142-142	Q111	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	30	2.2
		2 No	1,436	92.8
		3 Not sure	72	5.0
		Missing	610	
143-143	Q112	In what grade were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	211	12.8
		2 6th grade or earlier	483	27.7
		3 7th grade	301	17.7
		4 8th grade	289	16.9
		5 9th grade	224	12.7
		6 10th grade	86	5.2
		7 11th or 12th grade	30	1.2
		8 Not sure	110	5.7
		Missing	414	
144-144	Q113	In what class were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	200	12.5
		2 Health Education	889	52.6
		3 Science	189	11.1
		4 Living Environment	88	4.9
		5 Physical Education	74	4.1
		6 Advisory	65	3.3
		7 Some other class	94	5.4
		8 Not sure	115	6.1
		Missing	434	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	394	24.9
		2 1 to 3 times during the past 7 days	593	36.3
		3 4 to 6 times during the past 7 days	265	15.7
		4 1 time per day	160	9.4
		5 2 times per day	104	6.5
		6 3 times per day	33	2.0
		7 4 or more times per day	95	5.3
	Missing	504		
146-146	Q115	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	111	7.6
		2 1 to 3 times during the past 7 days	213	13.9
		3 4 to 6 times during the past 7 days	238	14.0
		4 1 time per day	78	4.6
		5 2 times per day	170	10.9
		6 3 times per day	217	13.8
		7 4 or more times per day	596	35.2
	Missing	525		
147-147	Q116	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	455	28.4
		2 1 to 3 times during the past 7 days	662	41.2
		3 4 to 6 times during the past 7 days	198	12.7
		4 1 time per day	114	7.2
		5 2 times per day	66	3.9
		6 3 times per day	51	3.3
		7 4 or more times per day	58	3.5
	Missing	544		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	Q117	What kind of milk do you usually drink?		
		1 I do not drink milk	257	17.6
		2 Plain whole milk	438	27.1
		3 Plain 2% milk or reduced fat milk	272	17.2
		4 Plain 1% milk or low-fat milk	169	10.9
		5 Plain Skim milk or non-fat milk	40	2.2
		6 Chocolate milk	100	5.9
		7 Other milk (such as soy, almond, or rice milk)	121	7.1
		8 Not sure	189	12.2
	Missing	562		
149-149	Q118	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	370	25.1
		2 I ride a bike all the way to school	49	3.5
		3 I use public transportation, such as a subway or city bus	827	54.9
		4 I ride a school bus	108	6.9
		5 I drive or ride in a car or other private vehicle	159	9.7
	Missing	635		
150-150	Q119	Have you ever received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?		
		1 Yes	558	38.8
		2 No	420	29.3
		3 Not sure	471	31.9
	Missing	699		
151-151	Q120	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	890	61.0
		2 No	460	31.5
		3 Not sure	105	7.5
	Missing	693		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	608	41.8
		2 Yes	244	16.5
		3 No	552	37.8
		4 Not sure	54	3.8
		Missing	690	
153-153	Q122	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,321	89.9
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	68	4.7
		3 In a foster or group home	25	1.9
		4 In a shelter or emergency housing	15	1.1
		5 In a motel or hotel	2	0.3
		6 In a car, park, campground, or other public place	5	0.6
		7 I did not have a usual place to sleep	7	0.7
		8 Somewhere else	10	0.8
		Missing	695	
154-154	Q123	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	149	10.9
		2 No	1,249	89.1
		Missing	750	
155-155	Q124	Has your mother ever served time in jail or prison?		
		1 Yes	111	9.7
		2 No	1,138	85.0
		3 Not sure	74	5.3
		Missing	825	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Has your father ever served time in jail or prison?		
		1 Yes	250	19.6
		2 No	915	69.1
		3 Not sure	151	11.3
		Missing	832	
157-157	Q126	Have you ever gone to the nurse or clinic at this school?		
		1 Yes	900	64.0
		2 No	499	36.0
		Missing	749	
158-158	Q127	How would you describe your swimming ability?		
		1 I do not know how to swim	416	29.7
		2 I can swim a little and can float in shallow water	245	17.0
		3 I can swim somewhat well but cannot swim the entire length of a pool	337	23.6
		4 I can swim the entire length of a pool	451	29.7
		Missing	699	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	107	30.2
		2 No	279	69.8
		Missing	1,762	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	183	9.4
		2 No	1,779	90.6
		Missing	186	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	56	2.9
		2 No	1,907	97.1
		Missing	185	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	89	4.7
		2 No	1,894	95.3
		Missing	165	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	199	10.5
		2 No	1,786	89.5
		Missing	163	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	157	8.4
		2 No	1,830	91.6
		Missing	161	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	565	29.6
		2 No	1,418	70.4
		Missing	165	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	175	15.3
		2	No	931	84.7
			Missing	1,042	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	124	11.3
		2	No	975	88.7
			Missing	1,049	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	321	15.8
		2	No	1,750	84.2
			Missing	77	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)			
		1	Yes	255	12.9
		2	No	1,840	87.1
			Missing	53	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
		1	Yes	642	32.8
		2	No	1,291	67.2
			Missing	215	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	327	17.3
		2 No	1,618	82.7
		Missing	203	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	183	11.5
		2 No	1,416	88.5
		Missing	549	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	57	3.8
		2 No	1,498	96.2
		Missing	593	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	240	12.3
		2 No	1,774	87.7
		Missing	134	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	67	3.8
		2 No	1,906	96.2
		Missing	175	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	8	11.1
		2 No	56	88.9
		Missing	2,084	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	333	16.9
		2	No	1,659	83.1
			Missing	156	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)			
		1	Yes	85	5.1
		2	No	1,903	94.9
			Missing	160	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	112	5.9
		2	No	1,863	94.1
			Missing	173	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	327	18.3
		2	No	1,533	81.7
			Missing	288	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	336	18.3
		2	No	1,413	81.7
			Missing	399	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	109	32.5
		2 No	212	67.5
		Missing	1,827	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	92	5.2
		2 No	1,652	94.8
		Missing	404	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)		
		1 Yes	21	1.5
		2 No	1,610	98.5
		Missing	517	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	133	7.2
		2 No	1,771	92.8
		Missing	244	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	329	17.3
		2 No	1,539	82.7
		Missing	280	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	77	4.7
		2 No	1,831	95.3
		Missing	240	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	68	4.4
		2 No	1,828	95.6
		Missing	252	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	84	5.1
		2 No	1,775	94.9
		Missing	289	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	48	3.0
		2 No	1,787	97.0
		Missing	313	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	504	33.5
		2 No	1,018	66.5
		Missing	626	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	76	5.1
		2 No	1,427	94.9
		Missing	645	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	116	8.3
		2 No	1,364	91.7
		Missing	668	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	323	22.9
		2 No	1,138	77.1
		Missing	687	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	45	15.1
		2 No	264	84.9
		Missing	1,839	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	133	47.3
		2 No	149	52.7
		Missing	1,866	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	49	17.5
		2 No	233	82.5
		Missing	1,866	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	456	28.2
		2 No	1,188	71.8
		Missing	504	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	364	22.4
		2 No	1,301	77.6
		Missing	483	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	464	29.3
		2 No	1,163	70.7
		Missing	521	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	527	34.0
		2 No	1,061	66.0
		Missing	560	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	256	16.7
		2 No	1,316	83.3
		Missing	576	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	559	34.6
		2 No	986	65.4
		Missing	603	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	403	26.6
		2 No	1,150	73.4
		Missing	595	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)			
		1	Yes	748	48.0
		2	No	789	52.0
			Missing	611	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)			
		1	Yes	1,348	89.4
		2	No	162	10.6
			Missing	638	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)			
		1	Yes	362	25.0
		2	No	1,107	75.0
			Missing	679	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)			
		1	Yes	955	65.1
		2	No	484	34.9
			Missing	709	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma			
		1	Yes	410	27.7
		2	No	1,047	72.3
			Missing	691	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)			
		1	Yes	363	24.5
		2	No	1,105	75.5
			Missing	680	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,060	96.8
		2 No	73	3.2
		Missing	15	
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	46	2.5
		2 No	2,069	97.5
		Missing	33	
269-269	QN92	Percentage of students who reported that either one of their parents was born outside of the United States		
		1 Yes	1,428	68.0
		2 No	649	32.0
		Missing	71	
270-270	QN93	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	1,123	51.4
		2 No	1,011	48.6
		Missing	14	
271-271	QN94	Percentage of students who reported the sex that is on their birth certificate		
		1 Yes	2,086	98.1
		2 No	33	1.9
		Missing	29	
272-272	QN95	Percentage of students who are transgender		
		1 Yes	34	1.6
		2 No	1,951	98.4
		Missing	163	
273-273	QN96	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	238	12.9
		2 No	1,637	87.1
		Missing	273	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	351	17.5
		2 No	1,622	82.5
		Missing	175	
275-275	QN98	Percentage of students who got help from a counselor, social worker or therapist at school for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	389	20.4
		2 No	1,529	79.6
		Missing	230	
276-276	QN99	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	76	3.9
		2 No	1,885	96.1
		Missing	187	
277-277	QN100	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	106	6.1
		2 No	1,802	93.9
		Missing	240	
278-278	QN101	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	21	31.8
		2 No	55	68.2
		Missing	2,072	
279-279	QN102	Percentage of students who first tried cigarettes (among students who have ever tried any tobacco or nicotine product)		
		1 Yes	70	15.4
		2 No	392	84.6
		Missing	1,686	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	83	4.9
		2 No	1,801	95.1
		Missing	264	
281-281	QN104	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	145	8.5
		2 No	1,689	91.5
		Missing	314	
282-282	QN105	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	88	5.5
		2 No	1,750	94.5
		Missing	310	
283-283	QN106	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	107	6.4
		2 No	1,727	93.6
		Missing	314	
284-284	QN107	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	106	17.7
		2 No	492	82.3
		Missing	1,550	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	131	28.7
		2 No	298	71.3
		Missing	1,719	
286-286	QN109	Percentage of students who reported that the last time they used birth control, not including condoms, they or their partner got it from school-based health center, school nurse or school doctor (among students who have used birth control)		
		DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
287-287	QN110	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	69	12.9
		2 No	466	87.1
		Missing	1,613	
288-288	QN111	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	30	2.2
		2 No	1,508	97.8
		Missing	610	
289-289	QN112	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,523	87.2
		2 No	211	12.8
		Missing	414	
290-290	QN113	Percentage of students who were first taught about sexual health in Health Education class in school (among students who had been taught about sexual health in school)		
		1 Yes	889	60.0
		2 No	625	40.0
		Missing	634	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	392	23.1
		2 No	1,252	76.9
		Missing	504	
292-292	QN115	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	111	7.6
		2 No	1,512	92.4
		Missing	525	
293-293	QN116	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,149	71.6
		2 No	455	28.4
		Missing	544	
294-294	QN117	Percentage of students who usually drink plain 1% or low-fat milk or skim or non-fat milk		
		1 Yes	209	13.0
		2 No	1,377	87.0
		Missing	562	
295-295	QN118	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	419	28.5
		2 No	1,094	71.5
		Missing	635	
296-296	QN119	Percentage of students who have received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)		
		1 Yes	558	38.8
		2 No	891	61.2
		Missing	699	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who reported that the last time they had seen a doctor or nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	890	61.0
		2 No	565	39.0
		Missing	693	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	244	28.4
		2 No	606	71.6
		Missing	1,298	
299-299	QN122	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	68	4.7
		2 No	1,385	95.3
		Missing	695	
300-300	QN123	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	149	10.9
		2 No	1,249	89.1
		Missing	750	
301-301	QN124	Percentage of students who reported their mother had ever served time in jail or prison		
		1 Yes	111	9.7
		2 No	1,212	90.3
		Missing	825	
302-302	QN125	Percentage of students who reported their father had ever served time in jail or prison		
		1 Yes	250	19.6
		2 No	1,066	80.4
		Missing	832	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
303-303	QN126	Percentage of students who have ever gone to the nurse or clinic at the school		
		1 Yes	900	64.0
		2 No	499	36.0
		Missing	749	
304-304	QN127	Percentage of students who do not know how to swim		
		1 Yes	416	29.7
		2 No	1,033	70.3
		Missing	699	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	10	0.6
		2 No	1,963	99.4
		Missing	175	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	8	0.5
		2 No	1,965	99.5
		Missing	175	
352-352	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	141	7.7
		2 No	1,795	92.3
		Missing	212	
353-353	QNTOB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	180	9.9
		2 No	1,764	90.1
		Missing	204	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNTOB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	412	21.6
		2 No	1,529	78.4
		Missing	207	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	12	3.6
		2 No	270	96.4
		Missing	1,866	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	25	8.0
		2 No	257	92.0
		Missing	1,866	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	86	29.1
		2 No	196	70.9
		Missing	1,866	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	16	4.8
		2	No	261	95.2
			Missing	1,871	
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)			
		1	Yes	67	23.7
		2	No	215	76.3
			Missing	1,866	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	150	10.1
		2	No	1,472	89.9
			Missing	526	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	858	52.6
		2	No	764	47.4
			Missing	526	
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	473	28.9
		2	No	1,149	71.1
			Missing	526	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	312	19.2
		2	No	1,310	80.8
			Missing	526	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	305	18.7
		2	No	1,322	81.3
			Missing	521	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	206	12.6
		2	No	1,421	87.4
			Missing	521	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	125	7.6
		2	No	1,502	92.4
			Missing	521	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	349	22.2
		2	No	1,239	77.8
			Missing	560	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	194	12.5
		2	No	1,394	87.5
			Missing	560	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	96	5.8
		2 No	1,492	94.2
		Missing	560	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	519	33.1
		2 No	1,053	66.9
		Missing	576	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	318	22.4
		2 No	1,227	77.6
		Missing	603	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	293	17.7
		2 No	1,252	82.3
		Missing	603	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	340	21.1
		2 No	1,170	78.9
		Missing	638	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	39	3.0
		2 No	1,400	97.0
		Missing	709	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
382-382	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,061	64.5
		2 No	562	35.5
		Missing	525	
383-383	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	983	59.9
		2 No	640	40.1
		Missing	525	
384-384	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	813	49.0
		2 No	810	51.0
		Missing	525	
385-385	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	295	17.6
		2 No	1,446	82.4
		Missing	407	
386-386	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	329	18.8
		2 No	1,412	81.2
		Missing	407	
387-396	WEIGHT	Overall Analysis Weight		
397-399	STRATUM	Sampling Strata		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
400-405	PSU	Primary Sampling Unit		
409-413	BMIPCT	Body Mass Index Percentile		
414-415	RACEETH8	1 Am Indian/Alaska Native 2 Asian 3 Black or African American 4 Native Hawaiian/Other PI 5 White 6 Hispanic/Latino 7 Multiple - Hispanic 8 Multiple - Non-Hispanic Missing	16 127 482 27 86 584 660 55 111	0.5 6.3 29.9 0.7 4.4 26.1 31.0 1.1
416-418	Q6ORIG	Original unedited student height DATA NOT AVAILABLE.		
419-421	Q7ORIG	Original unedited student weight DATA NOT AVAILABLE.		
450-459	SSWEIGHT	Sub-site Analysis Weight		
460-460	S2	Sub-site - S2 0 1	2,009 139	96.7 3.3
		DATA NOT AVAILABLE.		
461-461	S3	Sub-site - S3 1	2,148	100.0
		DATA NOT AVAILABLE.		
462-462	S4	Sub-site - S4 0	2,148	100.0
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
463-463	S5	Sub-site - S5 0	2,148	100.0
		DATA NOT AVAILABLE.		
464-464	S6	Sub-site - S6 0	2,148	100.0
		DATA NOT AVAILABLE.		
465-465	S7	Sub-site - S7 0	2,148	100.0
		DATA NOT AVAILABLE.		
466-466	S9	Sub-site - S9 0	2,148	100.0
		DATA NOT AVAILABLE.		
467-467	S10	Sub-site - S10 0	2,148	100.0
		DATA NOT AVAILABLE.		
	S8	Sub-site - S8 0 1	1,216 932	51.4 48.6
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	86	4.4
		2 Black	482	29.9
		3 Hispanic	1,244	57.2
		4 Asian	127	6.3
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	98	2.2
		Missing	111	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	195	48.6
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	73	18.0
		3 EC only (any EC without condoms)	6	1.5
		4 Dual: condoms and HBC/LARC excluding exclusive EC	22	5.1
		5 Dual: condoms and EC (may include withdrawal)	20	4.6
		6 Withdrawal only	17	4.0
		7 No contraception	73	18.3
		Missing	1,742	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	195	48.6
		2 HBC/LARC only (any HBC/LARC without condoms)	79	19.5
		3 Dual: condoms and HBC/LARC (may include withdrawal)	42	9.7
		4 Withdrawal only	17	4.0
		5 No contraception	73	18.3
		Missing	1,742	