

SUBJECT INDEX
Title 27, Construction and Maintenance
CHAPTER 1, BUILDING CODE
AND REFERENCE STANDARDS, (RS)
 All references are to subchapter or section numbers.
 “27” is omitted from section numbers in this index.

A

Abandoned operations, see Discontinued operations
Abbreviations, 233
Absorption tests, masonry, 3.2.1(b) (RS 10-1A)
Academies, Occupancy Classification, Table 3-2 (G)
Acceptance requirements, construction materials,
 see Construction materials, acceptance requirements
Acceptance tests, boilers, 793(a)
 elevators, 997
Access, building, fire department, Subchapter 4,
 Art. 2, Subart.1
Access, building, for people with physical disabilities,
 Subchapter 4, Art. 2, Subart. 2
Access, building, wheelchairs, 308, 357(d)
Access panels, 292(a),292(c)
Access stairs, 375(i)(2)
Accessory additions, 109
Accessory buildings, Inside Fire Districts, 297(d)
Adjoining buildings, protection of, 1026(d)
Adjoining properties,
 caissons, 724
 cofferdams, 724
 construction required, 724
 excavations, 724, 1028
 filling operations,1028
 foundation operations, 1029
 inspection, 1026(b)
 license to enter, 1026(a)
 physical examination, 1026(b)
 protection of, Subchapter 19, Art. 3
 underpinning, 724
Adjoining structures, 1031(b)
 frost protection, 1031(b)(1)c
 license to enter, 1031(b)(1)
 protection of, 1037
Adjoining walls, protection of, 1026(c)
Admixtures, 608
Adsorption devices, mechanical ventilation, 755
Air blower systems, construction, 777(e)
Airborne noise, 769(a)
Air-conditioned rooms, 754(b)
Air conditioning systems, Subchapter 12, Art. 7, 771
 city water, use of, 777(g)
 construction, 777(a)
 installation, 756
 operation, 756
 permits, 775

plans, 774
 ventilating systems, 777(a)
Air cooling, 771
 permits, 775
 plans, 774
Air hammers, 700(c)(1)
Air heating, 771
 plans, 774
 permits, 755
Air Pollution Control Code, 1019(a)
Air supply, 807
 gas fuels, 807(b)
 oil fuels, 807(a)
 solid fuels, 807(c)
Air-supported structures, Subchapter 7, Art. 19, 524
 blowers for, 516(a)
 certificate of occupancy, 517
 construction, 514(b)
 flame resistance, 515(b)
 heat for, 516(a)
 height, 510
 location, 510
 pressurization system, 516
 separations, 511
Aisles, assembly spaces, 532
 capacity, 532(a)(1)
 lighting, 532(a)(9)
 steps, 532(a)(7)
 tapered, 532(a)(3)
 uniform, 532(a)(4)
 width, 532(a)(2)
Alarm systems, fire, see Fire Alarm systems, sprinkler
 systems, 957, see also Sprinkler systems
Alcoves, natural ventilation, 747
Alterations, 992, 1007, Subchapter 19, Art. 7,
 and repair slip, 175,184.1
 barricades, 1041
 between 30 and 60 percent of building value, 116
 of building value, 119
 cost, 119
 dumbwaiters, 992
 escalators, 992
 exceeding 60 percent of building value, 115
 high hazard occupancies, 123
 illegal, 118.1
 minor alterations, 124, 126
 multi-family dwellings, 731,120
 occupancy change, 118

Index

- requiring facilities for people with physical disabilities, 123.1
- permits, 148(b), 147
- residence buildings, 121
- seasonal to year-round, 122
- signs, 1041
- under 30 percent of building value, 117
- use, change in, 118
 - requiring facilities for people having physical disabilities, 123.1
- Aluminum, identification, 626**
 - inspection, materials and assemblies requirements, Table 10-1
 - inspection, methods of construction requirements, Table 10-2
 - quality control, 627
 - structural design, Subchapter 10, Art. 8
 - welding operations, 627(b)
- Amusement devices, (RS 18-10)**
- Amusement parks, 548(e)**
- Anchors, masonry 3.3 (RS 10-1A), 9 (RS 10-1A), Section 3 (RS 10-1B), 9.8 (RS 10-1B)**
- Anesthetic agents, storage, 405**
- Antenna supports, combustible construction, 338(j)**
- Antennas, cellular, list of permits, 191.1**
- Apartment houses, Occupancy Classification, Subchapter 3, Art. 11**
- Arches, flat, 12.1(RS 10-1A), 10.15.1.3 (RS 10-1B) Inside Fire Districts, 297(g)**
- Areas of refuge, doors, locking, 372(d)**
 - exits, 372(c)
 - floor area, 372(b)
 - separation, 372(a)
- Artificial lighting, see Lighting, artificial**
- Ash storage pits, 422**
 - boiler rooms, 422
- Assemblies, controlled inspection, Table 10-1**
- Assembly, places of; see Places of assembly**
- Assembly, classification Occupancy Group F**
 - places of assembly, 254
- Assembly Occupancy Classification, see Occupancy Classification, assembly**
- Assembly rooms, ventilation, 765(c)**
- Assembly spaces, aisles, 532**
 - bench seating, 531(a)(4)
 - bleacher seating, 531(a)(2) aisles, 531(2)c
 - box, 531(a)(1)
 - chair seating, 531(a)(1)
 - cross aisles, 532
 - counter seating, 531(a)(6)
 - curtains, 546(b)(9)
 - directional signs, 541
 - exit, 534(e)
 - emergency lighting, 542
 - exit doors, 534(f)
 - exit opening, 534
 - capacity, 534(a)
 - classification, 534(c)
 - distribution, 534(d)
 - location, 534(e)
 - width, 534(b)
 - exit signs, 541
 - loge, 531(a)(1)
 - movable chairs, 531(a)(1)
 - normal entry, 534, 534(c)
 - occupancy classification, Table 3-2 (F), Subchapter 3, Art. 8
 - pew seating, 531(a)(4)
 - platform seating, 531(a)(3)
 - posted capacity, 527
 - protective guards, 531(a)(8)
 - safe areas, 535
 - collecting, 535(a)(1)
 - dimensions, 535(a)(3)
 - doors, 535(a)(7)
 - exits, 535(a)(6)
 - lighting, 540(a)
 - near grade, 535(a)(4)
 - occupied load, 535(a)(2)
 - ramps and steps, 535(a)(5)
 - seating plans, 528(a)
 - standee areas, 531(a)(7)
 - table and chair seating, 531(a)(5)
 - travel distance, 533
 - vomitories, 532(a)(10)
- Assembly structures, moving live loads, 562(i)**
- Asylums, fire alarm systems, 972(e)**
- Atomic energy, Federal Regulations, 414**
- Atriums, Subchapter 7, Art. 21**
- Auditoria, ventilation, 765(c)**
- Automotive lifts, construction, 991(c)**
 - plans, 985
 - permits, 986
- Automotive repair shops, Subchapter 7, Art. 9**
 - boilers, 419(b)
 - classification, 444
 - heating equipment, 448
 - Occupancy Classification, Table 3-2 (D-1)
 - pits, 446(b)
 - sprinkler system, 447
 - ventilation, 446
- Automotive service stations, Subchapter 7, Art. 8**
 - classification, 439
 - gasoline pumps, canopy, 441
 - location, 441
 - gasoline storage, 440
 - heating equipment, 442
 - Occupancy Classification, Table 3-2 (E)
- Auxiliary spaces, stages, see Stages, auxiliary spaces**
- Awnings, canvas, 336(j)**
 - slow-burning plastic, 336(j)
- Axial loads, pile foundations, allowable, 700**

Index

B

- Backflow**, 901(s), P107.18 (RS 16)
- Baking plants, Occupancy Classification**, Table 3-2 (D-1)
- Balconies, construction**, 369(h)(2)
 - exit doors, 369(g)(4)
 - horizontal exits, 373(c)
 - lighting, 381(a)
 - live loads, 558(b)(1)
 - natural ventilation, 748
- Ballrooms, Occupancy Classification**, Table 3-2 (F-4)
- Bandstands, Occupancy Classification**, Table 3-2 (F-2)
- Banks, Occupancy Classification**, Table 3-2 (E)
- Banquet rooms, Occupancy Classification**, Table 3-2 (F-4)
- Barbecue grilles**, 826.01
- Barber shops, Occupancy Classification**, Table 3-2 (E)
- Barometric damper**, 881(a)
- Barricades**, 1041
 - alterations, 1041
 - dangerous areas, 1023(b)
 - repairs, 1041
 - vehicular traffic, control of, 1023(c)
 - walkways, 1020
- Basements**, automatic sprinkler requirements, 929(c), 954 (aa)
- Batching equipment, automated**, 605(b)(5), 606
- Batch inspection, concrete**, 605(a)(5)
- Batch plant**, 605(a)(5)
- Bathrooms, artificial lighting**, 738
 - minimum water closets, Subchapter 16, article 8
 - required plumbing fixtures, 901 (1)
 - ventilation, 759
- Batter piles**, 694(b)(6)
- Bay windows, combustible construction**, 336
 - Inside Fire Districts, 297(c)
- Beacons, flashing**, 1023(a)
- Beams, first protection**, 324
 - notches, 622(c)(3)
 - tail, 622(c)(4)b
- Bearing materials, nominally**
 - unsatisfactory, 677
 - report required, 679
 - satisfactory, 676
- Beauty shops, Occupancy Classification**, Table 3-2 (E)
- Belt conveyors**, 1057, 1058(a)
- Belt courses, combustible construction**, 335
- Bench seating**, 531(a)(4)
- Bent piles**, 691(c)
- Betatrons**, 416
- Bevatrons**, 416
- Billiard parlors, Occupancy Classification**, Table 3-2 (F-3)
 - occupant load, Table 6-2
- Bins, Inside Fire Districts**, 297(h)
 - loads, 571
 - material, Inside Fire Districts, 297(h)
- Blasting**, Subchapter 19, Art.12
- Bleachers, seating**, 531(a)(2)
- Blower systems, air, construction**, 777(e)
 - for air-supported structures, 516(a)
- Boiler breeching, noise control**, 770(b)(1)b
- Boiler piping, noise control**, 770(b)(1)b
- Boiler rooms**, Subchapter 7, Art. 5
 - ash storage pits, 422
 - enclosure, 419
 - exit requirements, 423
 - location, 420
 - noise control, 770(b)(1)a
 - Occupancy Classification, Table 3-2 (D-2)
 - ventilation, 424
- Boilers**, 793, Subchapter 14, Art. 14
 - acceptance tests, 793(a)
 - annual use statements, 793(c)
 - automotive repair shops, 419(b)
 - hot water,
 - fuel cut-off, (RS 14-5A)
 - inspection, 793(b), 798
 - noise control, 770(b)a
 - one-family dwellings, 419
 - operator's license, 795
 - public garages, 419(b)
 - two-family dwellings, 419
- Bonding**, 7 (RS 10-1A), 9.7 (RS 10-1B)
- Booster pumps, sprinkler systems**, 964
- Borings**, Subchapter 11, Art. 2
 - auger, 665(b)
 - boring data, 663(e)
 - core, 663(c)(2)
 - depth, 663(c)
 - inspections, 720
 - location, 663(b)
 - mud slurry, 665(a)
 - number required, 663
 - one-family dwellings, 663(a)(1)
 - probings, 666(a)
 - rock cores, 666(a)
 - report, 663(e)
 - report required, 720(a)
 - soil, 663(d)(1)
 - two-family dwellings, 663(a)(1)
 - uncased, 665(a)
- Borrowed lights**, 369(i)
- Bowling alleys, Occupancy Classification**, Table 3-2 (F-3)
 - occupant load, Table 6-2
- Bracing**, 592, 1035(c)(5)
 - demolition operations, 1039(e)(2)d
 - pile, 694(a), 694(b)
 - structural design, 592
- Breweries, Occupancy Classification**, Table 3-2 (D-1)
- Bridge rope**, 636(a)(3)
- Bridges, foot**, 1017(b), 1021(f)
 - lighting, 1021(f)(3)
 - live loads, 1021(f)(1)
 - horizontal exits, 373(c)
 - lighting, 381(a)
 - pedestrian, see Pedestrian bridges
- Bridge strand**, 636(a)(2)
- Bridging**, 622(a)(6), 622(c)(2)
- Bucket conveyors**, 1058(a)
- Bucket hoists**, 1056

Index

- Building access, fire department, 292**
 - fire department, Subchapter 4, Art. 2, Subart. 1
 - people with physical disabilities, Subchapter 4, Art. 2, Subart. 2
 - Building classifications, 234, 270**
 - building section, 240
 - fire divisions, 240
 - fire index, 239
 - Building code, effective date, option to comply with prior code, 105**
 - requirements, 105
 - enforcement by Commissioner of Buildings, 106
 - enforcement by Commissioner of Marine and Aviation, 106
 - enforcement by Fire Commissioner, 106
 - interpretation conflicting state and federal laws, 104
 - variations by Board of Standards and Appeals, 107
 - variations by Commissioner of Buildings, 107
 - Building limitations, Subchapter 4**
 - area limitations, Subchapter 4, Art. 6
 - fire department access, Subchapter 4, Art. 2
 - fire districts, Subchapter 4, Art. 3
 - general, Subchapter 4, Art. 1
 - general projection limitations, Subchapter 4, Art. 8
 - height limitations, 305
 - limitations inside the fire districts, Subchapter 4, Art. 4
 - limitations outside the fire districts, Subchapter 4, Art. 5
 - permissible projections beyond street lines, Subchapter 4, Art. 9
 - physical disabilities, people with access, Subchapter 4, Art. 2, Subart. 2
 - Building sections, area limitations, 301**
 - Bulkheads, construction, 338(b)**
 - roof structures, 338
 - Bumpers, live loads, 558(b)(4)**
 - open parking lots, 481(a)
 - Bunkers, loads, 571**
 - Business Classification, Occupancy Group E, 253**
 - Business Occupancy Classifications, see Occupancy Classifications, business**
- C**
- C-hooks, outrigger beams, 1050.1**
 - Cabarets, Occupancy Classification, Table 3-2 (F-4)**
 - fire protection, 549(a)(3), 549(b)
 - Cable, wire, see Wire Cable**
 - Cableways, 1057**
 - Cafeterias, Occupancy Classification, Table 3-2 (F-4)**
 - Caissons, 724**
 - drilled-in, 663(c)(2)
 - piles, 713
 - Canopies, combustible construction, 333(a)(2)(3)**
 - fire, 331(f)
 - gasoline pump, 441
 - Caps, chimney, 865**
 - Carbon Monoxide, Detecting Devices and Systems, 981.1, 981.2, 981.3, RS 17-13, RS-17-14**
 - Car frames, elevators, fire protection, 325**
 - “Casing-off,” 700(d)(7)**
 - Cast-in-place concrete piles, 709**
 - Catch platforms, 1022, 1039(e)(2)**
 - design, 1022(b)
 - material storage, 1022(d)
 - scaffolds, 1022(a)(1)
 - Ceilings, construction, 350**
 - fire protection, 327
 - firestopping, 327
 - joists, 622(c)(5)
 - luminous, see Luminous ceilings, 350(a)
 - openings, 327(a)
 - Ceiling spaces, firestopping, 345(d)**
 - Cellars, height limitations, see Subchapter 2, Definitions automatic sprinkler requirements, 929(c), 954 (aa)**
 - Cellular antennas, list of permits, 191.1**
 - Cement factor, concrete mixes, method I, 605**
 - method II, 605(b)(2)
 - method III, 605(c)
 - minimum, 605(a)(1)
 - Ceramic veneer, 3.2.1(RS 10-1A), 10.14 (RS 10-1B)**
 - Cereal mills, Occupancy Classification, Table 3-2 (A)**
 - Certificates of occupancy, 213, 214**
 - Certificates of occupancy, applications, 219**
 - Environmental protection administration, 219
 - Transportation administration, 219
 - Chains, 1055(f)**
 - Chairs, movable, 531(a)(1), 531(a)(5)**
 - Chair seating, 531(a)(1)**
 - Charging chutes, 834(a), 840,**
 - Subchapter 15, Art. 4
 - doors, 875(d)
 - incinerator, 834(a), 840, 875
 - noise control, 770(b)(2)
 - sizes, 875(c)
 - sprinkler heads, 875(b)(4)
 - Charging gates, 841**
 - Chases 10.1 (RS 10-1A), 9.9.1 & 10.1 (RS 10-1B)**
 - Chimney connectors, incinerator, 878**
 - Chimneys, 12.2 (RS 10-1A), Subchapter 15, Art. 2**
 - adjoining, 860
 - altering, 860
 - caps, 865
 - classifications, 857
 - cleanouts, 858
 - clearances, 867
 - condensation, 854(b)
 - connections, 871
 - connectors, see Connectors, chimneys
 - construction, 856(b), 863
 - corbelling, 866
 - draft protection, 860(b)
 - factory-built, 855, 869.01
 - flue size, reduction in, 869.03
 - fuels, appliance, changes in, 869.02
 - gas-fired equipment, 882
 - gas vents, 882, 883
 - height, 859
 - limitations, 306(d)

Index

- incinerator connectors, 878
- industrial incinerator, 877
- inspection and repair, 861(c)(2)
- limitations & tests, 863.01, Table 15-6.1
- locations, 859
- maintenance, 858
- materials, 862
- metal, 861
 - clearances, 861(b)
 - enclosure, 861(c)
- municipal incinerator, 877
- oil burner, 832
 - requirements, 856(a)
- service incinerators, 876
- smoke test, 856(e), 868
- standards, 850
- steel, 861(f),(g)
- supports, 864
- temperature, 854(a)
- test run, 856(d)
- Churches, Occupancy Classification**, Table 3-2 (F-1b)
- Chutes, charging**, see Charging chutes
- Chutes, waste material**, 1019(b)
- City Health Code**, radiological hazards, 414
- Civic administration buildings, Occupancy Classification**, Table 3-2 (E)
- Classrooms, occupant load**, Table 6-2
 - ventilation, 765(a)
- Clay**, 675(b)(3)
 - allowable bearing pressure, Table 11-2, Notes: (7)
- Cleanouts**, 858
 - doors, 870
- Clinics, Occupancy Classifications**, Table 3-2 (H-2)
- Coal bins, Inside Fire Districts**, 297(h)
- Coal pockets, Occupancy Classification**, Table 3-2 (B-1)
- Coatings**, 349
- Coffee houses, Occupancy Classification**, Table 3-2 (F-4)
- Cofferdams**, 724
- Column enclosures, firestopping**, 345
- Columns, fire protection**, 324
- Combustible appendages, exterior separation**, 336(c)
 - roof covering, 336(h)
- Combustible construction, bay windows**, 336
 - belt courses, 335
 - canopies, 333(a)(2)(3)
 - cornices, 335
 - enclosures, storm, 336
 - leaders, 335
 - porches, 336
 - porticos, 336
 - shutters, 335
 - storm enclosure, 336
 - roof coverings, 337
- Combustible materials**, 321
 - sign construction, 507
 - storage, 1019(c)
 - use of, 321, 507
- Combustible mixtures**, Subchapter 19, Art. 13
- Combustion chambers**, 886(a)
- Combustion equipment**, 787
 - clearances, Subchapter 14, Art. 8
 - reduction, 806
 - dampers, 808
 - foundation mountings, 804
 - high temperature, 803
 - low temperature, 801
 - medium temperature, 802
 - piping, 792
- Compacted concrete piles**, 710
- Compaction**, 679(a)(1)(d)
- Comparison piles**, 700(c)(3)a
- Composite piles**, 714
- Compressed gases**, Subchapter 19, Art. 13
- Compressors, noise control**, 770(b)(6)
- Concert halls, Occupancy Classification**, Table 3-2 (F-1b)
- Concrete**, Subchapter 10, Art. 5
 - admixtures, 608
 - batch inspection, 605(a)(5)
 - belt, 1058
 - cast-in-place-piles, 709
 - compacted piles, 710
 - controlled inspection, 607(a)
 - core tests, 596, 598
 - inspection, 607(a)
 - requirements, Table 10-1, Table 10-2
 - licensed testing laboratories, 609
 - lightweight aggregate, 605(b)(3)b
 - load test limitations, 599(b)(6)
 - pneumatically placed, 611
 - precast, 603, (RS 10-4)
 - preplaced aggregate, 613
 - quality control, 605(a)(5)
 - reinforced gypsum, Subchapter 10, Art. 9
 - inspection requirements, Table 10-1, Table 10-2
 - reinforcement identification, 604
 - short-span construction, 610
 - strength test, 607(a)(1)
 - test cylinder procedures, 607(a)(1)
- Concrete footings, design**, 684(d)(1)
- Concrete formwork**, 612, 1035
 - design, 1035(a)(3), 1035(c)
 - drawings required, 1035(b)(1)
 - inspection, 1035(b), 1035(d)(5)
 - record, 1035(b)(3)
 - live loads, 1035(c)(1)
 - removal, 1035(e)
 - slumps, Table 19-3, (Notes)
- Concrete mixes, documentation**, 606
 - cement factor, method I, 605(a)
 - method II, 605(b)
 - method III, 605(c)
 - method I, 605(a)
 - cement factor, 605(a)(1)
 - controlled inspection, 605(a)(3)

Index

- water-cement ratio, 605(a)(2)
- cylinder strength test, 605(a)(3)
- method II, 605(b)
 - automatic batching equipment, 605(b)(5)
 - cement factor, 605(b)(2)
 - materials, 605(b)(4)
 - quality control, 605(b)(6)
 - water-cement ratio, 605(b)(3)a
- method III, 605(c)
- on-site inspection, 607
- Concrete piles, cast-in-place**, 709
 - compacted, 710
 - precast, 708
- Condensation, gas vents**, 854(b)
- Conduits**, 1017(b)
 - embedment in fire protection, 324(a)
- Connections, chimney**, 871
 - cross, standpipe, 941
 - plumbing, to public water, 901(e)
 - to sewer systems, 901(e)
 - siamese, see Siamese connections
- Connectors, chimney**, Subchapter 15, Art. 3
 - construction, 870
 - underground, 873
 - gas vent, Subchapter 15, Art. 6
 - incinerator chimneys, 878
 - inspections, Subchapter 15, Art. 3, 874
- Conservation, water**, 901(c)
- Console lifts, construction**, 991(f)
- Construction**,
 - air blower systems, 777(e)
 - air conditioning systems, 777(a)
 - air-supported structures, 514(b)
 - automotive lifts, 991(c)
 - balconies, 369(h)(2)
 - building matters covered, 109
 - bulkheads, 338(b)
 - cable-supported, Subchapter 10, Art. 11
 - ceiling, 350
 - chimneys, 856(b), 863
 - classifications, Subchapter 3, Art. 14
 - combustible, see Combustible construction
 - concrete, core tests, 598
 - console lifts, 991(f)
 - conveyors, 991(e)
 - dry cleaning establishments, 427
 - dumbwaiters, 991(a)
 - elevators, 991(a),
 - uniform and concentrated live loads, (RS 9-2)
 - escalators, 991(a)
 - exhaust systems, 777(e)
 - exterior stairs, 376(c)
 - failure of performance, 597
 - fire escapes, 380(e)
 - fire-retardant scaffolds, 1042(f)
 - fire-retardant treated wood, 1019(b)(3)
 - folded-plate, Subchapter 10, Art. 10
 - footings, 687
 - foundation piers, 687
 - foundation walls, 687
 - fuel oil tanks, 828(a)(1)
 - buried, 828(a)(4)
 - furring, 346
 - grandstands, 548(b)(1)
 - heavy timber, 623
 - heliports, 434
 - hinged loading ramps, 991(d)
 - hoists, 991(g)
 - hoist towers, 1056(a)
 - inadequate, 597
 - incinerators, 843
 - industrial lifts, 991(d)
 - industrial failure, 597
 - laboratories using radioactive materials, 415(a)
 - landings, 375(h)
 - lift method, 1035(h)
 - live loads, 1035(h)(6)
 - mechanized parking garage equipment, 991(b)
 - moving walks, 991(a)
 - nailing schedule, Table 10-4
 - open parking structures, 462
 - partitions, 346
 - penthouses, 338
 - plans, approval, Subchapter 1, Art. 9
 - platforms, 375(h)
 - power-operated scaffolds, 991(h)
 - prestressed concrete, 1035(i)
 - public garages, 452
 - questionable construction, 597
 - radio and television towers, 496
 - refrigeration systems, 777(f)
 - risers, 375(h)
 - scissor stairs, 375(h)
 - service equipment, Subchapter 1, Art. 8
 - short-span concrete floor, 610
 - signs, combustible materials, 507
 - slow-burning plastics, 507(b)
 - site maintenance, Subchapter 19, Art. 2
 - skylights, 338(b)
 - slip form, 1035(g)
 - jacks, 1035(g)(4)
 - stage floor, 546(b)(2)
 - stage lifts, 991(f)
 - stages, 548(c)
 - stringers, 375(h)
 - swimming pools, 489
 - temporary, inspection, 1010
 - thin shell, Subchapter 10, Art. 10
 - treads, 375(h)
 - ventilating systems, 777(a)
 - warm air heating systems, Subchapter 14, Art. 11
- Construction classifications**, Subchapter 3, Art. 14, 269,
 - Table 3-4
 - reference standards, 235
- Construction elements, beams, fire-resistance ratings**, Table 3-4

Index

- bearing partitions, fire-resistance ratings, Table 3-4
- bearing walls, fire-resistance ratings, Table 3-4
- cable-supported rooms, fire-resistance ratings, Table 3-4
- columns, fire-resistance ratings, Table 3-4
- domes, fire-resistance ratings, Table 3-4
- exit passageways, fire-resistance ratings, Table 3-4
- exterior walls, fire-resistance ratings, Table 3-4
- floor construction, fire-resistance ratings, Table 3-4
- girders, fire-resistance ratings, Table 3-4
- hoistways, fire-resistance ratings, Table 3-4
- interior walls, fire-resistance ratings, Table 3-4
- roof construction, fire-resistance ratings, Table 3-4
- roof decks, fire-resistance ratings, Table 3-4
- shafts, fire-resistance ratings, Table 3-4
- shells, fire-resistance ratings, Table 3-4
- trusses, fire-resistance ratings, Table 3-4
- vertical exits, fire-resistance ratings, Table 3-4
- Construction Group I, noncombustible class,**
 - Subchapter 3, Art. 15
 - noncombustible classification, 274, Table 3-4
 - construction Class 1-A, 275
 - construction Class 1-B, 276
 - construction Class 1-C, 277
 - construction Class 1-D, 278
 - construction Class 1-E, 279
- Construction Group II, combustibles class,**
 - Subchapter 3, Art. 16
 - construction classification, 280, Table 3-4
 - construction Class II-A, heavy timber construction, 281
 - construction Class II-B, 282
 - construction Class II-C, 283
 - construction Class II-D, 284
 - construction Class II-E, 285
- Construction materials, acceptance requirements, 131**
 - acceptable laboratories, 131(c)
 - accepted materials, 131(b)
 - accepted materials certification, 131(f)
 - Board's resolution of approval, 131(a)(2)
 - code test method under engineer, 131(a)(1)
 - code test method, manufacturer's certificate, 131(a)(1)
 - code test method, test report, 131(a)(1)
 - code test method by testing laboratory, 131(a)(1)
 - code test method under architect, 131(a)(1)
 - material retesting, 131(g)
 - test results, conflicting, 131(h)
 - alternate materials, 133
 - equivalent materials, 133
 - general requirements, 130
 - inspection requirements, controlled inspection, special requirements, 132(a)
 - controlled inspection, statement of compliance, 132(a)
 - controlled inspection by architect, 132(a)
 - controlled inspection by engineer, 132(a)
 - off-site inspection, 132(c)
 - semicontrolled inspection, statement of compliance, 132(b)
 - semicontrolled inspection by architect, 132(b)
 - semicontrolled inspection by engineer, 132(b)
 - semicontrolled inspection by person superintending use of material, 132(b)
- Construction walkways, lighting, 1020(e)**
- Contractor offices, 1017(c)**
 - fire retardant wood, 1017(c)
- Contractor responsibility, 1009(a)**
- Contractor sheds, 1017(c)**
 - fire-retardant wood, 1017(c)
 - live loads, 1021(b)
 - sidewalk, 1021(a)(1), 1021(b)
 - lighting, 1021(b)(10)
- Control valves, 941(a)**
- Convention halls, Occupancy Classification, Table 3-2 (F-1b)**
- Convents, Occupancy Classification, Table 3-2 (J-3)**
- Conveying equipment, permits, 986**
 - plans, 985
- Conveyors, 1058**
 - belt, 1058(a)
 - bucket, 1058(a)
 - construction, 1058
 - guard rail, 1058(a)
 - inspection requirements, 999(c)
 - vertical, fire protection, 987(c)(1)
- Cooking equipment, restaurant, ventilation, 777(d)**
- Cooling towers, 338(i)**
 - inside Fire Districts, 297(g)
 - noise control, 770(b)(7)
- Corbelling, 10.2 (RS 10-1A), 10.4 (RS 10-1B)**
 - chimneys, 866
- Core borings, 663(c)(2)**
- Core drilling, 663(e)**
 - rock borings, 663(d)(2)
- Cores, rock, disposition, 663(f)**
- Core samples, rock borings, 663(d)(2)**
- Core test, concrete, 598**
- Cornices, combustible construction, 335**
 - firestopping, 332, 345(e)
- Corridor doors, 371(b), 371(j)(1)a**
 - locks, 371(j)(1)a.1.
 - louvers, 371(b)
 - mail slots, 371(b)
 - power operated, 371(l)
- Corridors, dead end, 369(d), length, Table 6-1**
 - exit capacity, Table 6-1
 - exit width, Table 6-1
 - exterior, construction, 369(f), 369(h)
 - as fire canopies, 369(f)
 - guards, 369(f)
 - parapets, 369(f)
 - interior construction, 369(h)
 - interior finish, 348(d), 369(k)
 - level changes, 369(e)
 - lighting, 381(a)
 - in places of assembly, Table 8-1
 - ventilation, 369(j), 761
 - wire glass, 369(i)
- Counter seating, 531(a)(6)**
- Court rooms, Occupancy Classification, Table 3-2 (F-1b)**

Index

Cranes, Testing Inspection, 1057
inspection, on-site, 1057(d)(1)
live loads, moving, 562(e)
special requirements, 1057(i)
Crawl spaces, ventilation, 762
Cross aisles, assembly spaces, 532
capacity, 532(a)(1)
lighting, 532(a)(9)
width, 532(a)(2)
Cross connections, standpipe, 941
Curb cuts, 109
open parking lots, 480
Curbs, open parking lots, 481(a)
Curtains, draft, Table 5-1 (Notes) (2)
stages in places of assembly, 546(b)(9)
Cyclotrons, 416

D

Dampers, barometric, 881(a)
combustion equipment, 808
fireplace, 848.07(e)
flue, 808
Dance floors, occupant load, Table 6-2
Dance halls, Occupancy Classification, Table 3-2 (F-4)
Dangerous areas, 1023(b)
barricades, 1023(b)
Day nurseries, Occupancy Classification, Table 3-2 (H-2)
Dead ends, corridors, 369(d)
length, 369(d)
measurement, 369(d)
Dead loads, building materials, RS 9-1, unit weights, 553
elevators, 555(b)
equivalent uniform loads, 555(b)
partitions, 555
service equipment, air conditioning, 554
equipment, 554
elevators, 554
flues, 554
heating equipment, 554
piping, 554
plumbing stacks, 554
reference to mechanical articles, 554
stairs, 555(b)
toilet rooms, 555(b)
Demolition Operations, 103, 1007,
Subchapter 19, Art. 6, 1039
bracing, 1039(e)(2)d.
building code, 109
catch platforms, 1022
derrick, use, report, 1039(c)
drainage, 1036(c)(3)
dust, 1039(f)
explosives, 1039(g)
inspection, 1012, 1036(d)
materials storage, 1039(e)(2)
mechanical, 1039(d)
permits, demolition applications, Subchapter 1, Art. 14
photographs required, 171
property examination, 1036(d)
sheet-piling, 1039(e)(2)d.
shoring, 1039(e)(2)d.
window boarding, 1036(c)(2)
Department inspections, completed buildings, administrative code, 211
final, 210
general provisions, 207
inspector identification, 206
preliminary, 208
reports, record, 212
writing requirement, 212
right of entry and inspection, 205
work progress, 209
Department stores, marquees, 313(a)(4)
Derricks, 1039(c), 1057
capacity chart, 1054(b)
inspection, 1012, 1057
special requirements, 1057(i)
Designs, drawings, 1015
specifications, 1015
structural, 596
Diesel hammers, 700(c)(1)
Diffusers, noise control, 770(d)
Diggers, mechanical, trench excavation, 1032(d)
Dining spaces, occupant load, Table 6-2
Dip finishing, Subchapter 7, Art. 3
Dipping spaces, sprinklers, 412
ventilation, 410
Dip tanks, 409(b)
Discharge openings, internal combustion engine, 869(b)
Discontinued operations, 1027
drainage, 1027(b), 1031(d)
fencing, 1027(a)
filling, 1027(b)
grading, 1027(b)
water accumulation, 1027(b)
Display structure, Subchapter 7, Art. 17
Distilleries, Occupancy Classification, 243
Diving Boards, 489(h)
Door assemblies, hoistway, fire protection, 987(c)
Door hardware, 371(j)
Door heights, 371(f)
Door openings, floor level, 371(h)
widths, 371(e)
Doors, charging chutes, 875(d)
Corridor, see Corridor doors
exit capacity, Table 6-1
exits, 371(a)
folding, partition, 347
hoistway, fire protection, 987(c)
horizontal exits, 371(d)
horizontally sliding, 371(d)
power-operated, 371(l)
prohibited, 371(d)
ramps, 377(c)(4)
revolving, 371(m)
safe areas, 535
inspection, 371(m)(3)

Index

- smoke stop, 371(c)
 - stair, 375(g)
 - trap, shafts, 343(e)
 - Door swings**, 371(g)
 - Dormers**, 338(g)
 - roof, 338(g)
 - Dormitory buildings, school, Occupancy Classifications**, Table 3-2 (J-2)
 - Doubtful occupancies classification**, 268
 - Draft control, incinerators**, 839
 - Draft curtains**, 342(b)
 - Table 5-2, Notes, d.(2)
 - Draft hoods**, 881
 - gas vents, 884
 - Draft protection**, 860(b)
 - Drainage, abandoned construction**, 1027(b)
 - below street level, 901(j)
 - demolition operations, 1036
 - design, 901(g)
 - discontinued operations, 1027(b)
 - excavations, 1027(b), 1031(d)
 - maintenance, 901(g)
 - open parking lots, 481(b)
 - permits, 909
 - sanitary, 896
 - general requirements, 901
 - permits, 900
 - plans, 899
 - standards, 897
 - swimming pools, 492
 - storm, 896
 - general requirements, 901
 - permits, 900
 - plans, 899
 - standards, 897
 - testing methods, 922
 - Drawings, A.E. approval required**, 590
 - Dressing facilities, swimming pools**, 490
 - Dressing rooms**, 546(b)(11)
 - occupant load, 546(b)(11)c
 - Drillings, core, records**, 663(e)
 - Drive-in theaters**, 548(c)(4)d
 - Occupancy Classification**, Table 3-2 (F-2)
 - projection machines, 548(c)(4)d
 - Driveways, building code**, 109
 - live loads, 558
 - Dry cleaning establishments, classification**, 426
 - construction requirements, 427
 - direct-fired dryers, 431
 - floor finish, 427(b)
 - high hazard, 426(a)
 - low hazard, 426(c)
 - machines, 427(d)
 - moderate hazard, 426(b)
 - sprinkler systems, 430
 - carbon dioxide system, 430
 - ventilation, 428
 - Dry cleaning units, coin-operated**,
 - ventilation, 429
 - Drying spaces, sprinklers**, 412
 - Duct connections, noise control, fan equipment**, 770(b)(9)
 - Duct linings**, 769(a)(5)
 - Ducts, embedment in fire protection**, 324(a)
 - noise control, 770(a)(3)
 - maximum permissible air velocities, 770(c)
 - piercing ceilings, 327(a)
 - through rated construction, 343
 - Duckboarding, combustible construction**, 338(j)
 - Dumbwaiters, alterations**, 992
 - construction, 991(a)
 - filing by owners, 1000
 - permits, 986
 - plans, 985
 - temporary use permits, 1002
 - work permits, 1001
 - Dust, demolition operations**, 1039(f)
 - Dwelling, unit doors, locks**, 371(j)(2)b
 - viewing devices, 371(j)(2)b
- ## E
- Earthquake loads**, 569 (b), (RS 9-6, RS 10-1A, RS 10-1B, RS 10-5C, RS 10-58)
 - Earthwork applications, permits**, Subchapter 1, Art. 13
 - Eaves, combustible construction**, 335
 - firestopping, 333, 345(e)
 - Eccentricity**, 671
 - Educational Occupancy Classifications**, Table 3-2 (G)
 - Egress, Means**, 530
 - photoluminescent exit path markings, RS 6-1, 6-1A
 - Electrical work, utilities**, 1013(c)
 - Electronic equipment in seating sections**, 546(a)(2)
 - Elevators, acceptance tests**, 997
 - alterations, 992
 - car frames, fire protection, 325
 - construction, 991(a)
 - dead loads, 554
 - emergency signal equipment, 987(f)
 - as exits, 987(g)
 - filing by owners, 1000
 - firemen service operation, 996.2
 - for fire department use, 953
 - freight, hand powered, 996
 - freight, retroactive provisions, 994(b)
 - grain, Occupancy Classification, Table 3-2 (A)
 - impact resistance, 987(c)
 - inspections, 998, 999, 1000
 - locks, 996.1
 - machinery, noise control, 770(b)(10)
 - manlifts, 988
 - mirrors, 987(e)
 - open parking structures, 471
 - operators, 1005
 - permits, 986
 - plans, 985
 - required, 368, 987(d)
 - retroactive provisions, 994
 - belt machines, 994(b)
 - car gate switches, 994(d)

Index

- chain-driven machines, 994(b)
- drum winding machines, 994(c)
- emergency interlock release switch, 994(a)
- emergency signal, 994(f)
 - hoistway-door interlocks, 994(e)
 - hydraulic landing doors, 994(e)
- sidewalk, 988
- smoke protection plan, 353.1
- temporary, fire protection, 1014(a)
- temporary use permits, 1002
- tests, acceptance, 997
- intervals, 998
- use by Fire Department, 989
- work permits, 1001
- Embankment, slope limitation**, 1032(a)
- Emergency control panel**,
 - F-1a Places of assembly, 546(b)(10)
 - F-1b Places of assembly, 547(b)(4)
 - F-2 Places of assembly, 548(c)(4)
- Emergency lighting, assembly spaces**, 542
- Emergency power**, Subchapter 6, Art. 11
- Emergency signal equipment, elevators**, 987(f)
- Emission control, incinerators**, 835
- Enclosures, boiler rooms**, 419
 - column, firestopping, 345
 - hoistways, fire protection, 987(c)
 - metal chimneys, 861(c)
 - in places of assembly, 529
 - stair, 375(i)
 - storm, combustible construction, 336
 - inside Fire Districts, 297(c)
 - swimming pools, 493(b)
 - walkways, 379(d)
- Engines, internal combustion**, 869
 - exhaust pipe, 869(a)
- Entrances, combustible construction**, 336
 - public garages, 453
- Entry, right of**, 205
- Equipment applications, permit requirements**, 180
- Equipment use applications, permits**, see Permits, equipment use applications
- Equipment use permits**, 148(h)
- Equipment work applications, permits**, see Permits, equipment work applications
- Equipment work permits**, 148(g)
- Equipment rooms, Occupancy Classification**, Table 3-2 (D-2)
- Equivalent outdoor air**, 754(b)(2)
- Erections**, 1007, Subchapter 19, Art. 5
- Escalators, alteration**, 992
 - capacity, 378(a)
 - construction, 991(a)
 - exit capacity, Table 6-1
 - as exits, 987(g)
 - filing by owners, 1000
 - inspection, 998, 999, 1000
 - lighting, 381(a)
 - permits, 986
 - in places of assembly, Table 8-1
 - plans, 985
 - smoke protection plan, 353.1
 - width, 378(a)
 - work permits, 1001
 - temporary use permits, 1002
- Essential services, disconnection of**, 1013(b)
 - maintaining, 1013(b)
 - utilities, 1013
- Established Market Area, marquees**, 313(a)(4)
- Evaporative Condensers, noise control**, 770(b)(8)
- Excavations**, 109, 660(b), 1007, Subchapter 19, Art. 4
 - adjoining properties, 724, 1028
 - building code, 109
 - drainage, 1027(b), 1031(d)
 - inspection, 1012
 - retaining structures, 1031(a)(1), 1032(a)
 - removal, 1031(a)(3)
 - seepage, 661(b)
 - sheeting, 1032(a)
 - shoring, 1032(a)
 - warning signs, lights, 1023(a)
- Exhaust flues**, 840
 - incinerator, 840
- Exhaust systems, construction**, 777(c)
 - cooking, construction, 777(c)
 - gas vents, 886(b), 886(c)
- Exhibition halls, Occupancy Classification**, Table 3-4 (F-3)
- Exhibition spaces, occupant load**, Table 6-2
- Exits, area of refuge**, 372(c)
 - from auxiliary stage spaces, 546(11)
 - balconies, 369(g)
 - doors, 369(g)(4)
 - guards, 369(g)(2)
 - parapets, 369(g)(2)
 - privacy screens, 369(g)(3)
 - capacity, 359
 - corridors, capacity, 369(a)
 - height, 369(b)
 - length, 369(c)
 - corridors, projections, 369(a)
 - width, 369(a)
 - discharge, 364
 - doors, 371(a)
 - assembly spaces, 534(f)
 - hardware, 371(j)(1)a
 - locks, 371(j)(1)a. 1 and (2)a
 - power-operated, 371(1)(c)
 - escalators, 378(a), 378(b)
 - false, 387
 - fire escapes, 368
 - fire exits, adjoining walls, 1026(c)
 - furnace rooms, 423
 - heliport, 436
 - horizontal, travel distance, 360(a)
 - inadequate, 356

Index

- interior finish, 348
 - lighting, Subchapter 6, Art. 6
 - in places of assembly, 540
 - location, Subchapter 6, Art. 3
 - moving walkways, 379
 - number, Subchapter 6, Art. 4
 - floors, 366
 - rooms, 365
 - spaces, 365
 - open parking structures, 469(a)
 - openings, assembly spaces, 540
 - assembly spaces, distribution of, 534(d)
 - assembly spaces, location of, 534(e)
 - capacity, 534(a)
 - classification, 534(c)
 - serving a stage, 546(b)(4)
 - width, 534(b)
 - party walls, 1037(b)
 - passageways, capacity, 370(a)
 - height, 370(c)
 - interior finish, 370(g)
 - level changes, 370(d)
 - lighting, 381(a)
 - openings, 370(f)
 - in places of assembly, 537
 - projections, 370(b)
 - width, 370(b)
 - projection booths, 543(d)
 - photoluminescent markings, 383
 - public garages, 457
 - reduction of, 367
 - requirements, Table 6-1
 - boiler rooms, 423
 - building access, wheelchairs, 357(d)
 - capacity, corridors, Table 6-1
 - capacity, doors, Table 6-1
 - capacity, escalators, Table 6-1
 - capacity, exit passageway, Table 6-1
 - capacity, horizontal exits, Table 6-1
 - capacity, ramps, Table 6-1
 - capacity, stairs, Table 6-1
 - corridors, dead end length, Table 6-1
 - corridors, width, Table 6-1
 - incidental occupancies, 357(b)
 - mixed occupancy, 357(a)
 - multiple occupancy, 357(c)
 - in places of assembly, 537
 - travel distance, Table 6-1
 - safe areas, 535(a)(6)
 - signs, Subchapter 6, Art. 7, 534(e), 541
 - directional, 386
 - obstruction, 499
 - retroactive, Subchapter 6, Art. 8
 - stage exits, 546(b)(4)
 - stairs, curving, 375(e)(4)
 - skewed stairs, 375(e)(4)
 - winders, 375(e)(3)
 - street floor lobbies, 370(h)
 - candy and tobacco stands, 370(h)(4)
 - doors, 370(h)(3)a
 - information booths, 370(h)(4)
 - newsstands, 370(h)(4)
 - openings between, 370(h)(3)
 - show windows, 370(h)(3)d.(c)
 - width of, 370(h)(2)
 - supplemental vertical, 374
 - tenant spaces, 362
 - types, Subchapter 6, Art. 5
 - vertical, 357
 - in places of assembly, 538
 - separation of, 364
 - travel distance, 360(a)
 - width, units of, 359
 - Expeditors,**
 - registration requirements, 140.1
 - Explosion hazard,** 401
 - Explosion powered tools,** Subchapter 19, Art. 11
 - Explosives,** Subchapter 19, Art. 12
 - demolition operations, 1039(g)
 - Exterior mechanical equipment, noise control,** Table 12-5
 - Exterior openings, permitted area,** Table 3-4
 - protection, Table 3-4
 - Exterior open parking structures,** 463
 - Exterior pilasters, combustible construction,** 335
 - Exterior spaces, lighting,** 540(b)
 - Exterior stairs, capacity,** 376(a)
 - construction, 376(c)
 - discharge, 376(f)
 - height, 376(b)
 - landings, 376(c)
 - location, 376(e)
 - openings, 376(d)
 - platforms, 376(c)
 - risers, 376(c)
 - travel distance, 360(a)
 - treads, 376(c)
 - Exterior trim,** 335
 - combustible, 335
 - exterior separation, 335(a)(2)
 - firestopping, 335(a)
 - Exterior wall openings,** Table 3-5, 331(a)
 - Exterior walls, opening protectives,** 331(b)
 - openings, 331(a), Table 3-5
 - parapets, 333
 - vertical spacing of openings, 331(f)
- F**
- Factories, fire alarm systems,** 972(c)
 - False exits,** 387
 - Fan coil units, noise control,** 770(d)
 - Fan, noise control,** 770(b)(4)
 - duct connections, 770(b)(9)
 - Fascias, combustible construction,** 335

Index

- Feed mills, Occupancy Classification, Table 3-2 (A)**
- Fencing, Subchapter 7, Art. 18, 1021(c)**
 - discontinued operations, 1027(a)
 - inside Fire Districts, 297(b)
 - Occupancy Classification, Table 3-2 (K)
 - parks, 509
 - permitted heights, 509
 - pubic playgrounds, 509
 - school yards, 509
 - on roofs, 334
 - viewing panels, 1021(c)
- Fiber rope, 1046(d), 1055(c)**
 - scaffolds, 1046(d)
- Fill, see Fill Materials**
- Filling, adjoining properties, 1028**
 - affecting adjoining property, 1028
 - building code, 109
 - discontinued operations, 1027(b)
- Fill materials, 678(a)(b)**
 - allowable soil bearing pressure, 678
 - controlled, 678(a)(1)
 - uncontrolled, 678(a)(2)
- Filters, ventilating systems, maintenance, 782**
- Finish, interior, 348**
- Finish flooring, 348(c), 351**
- Fire alarms, interior, Subchapter 17, Art. 5**
 - where required, 968
 - buildings, occupancy group E, 968(a)(9)
 - closed circuit electrically supervised, 968(a)
 - day care agencies, 968(a)(3)
 - department stores, retail sales establishments, 968(a)(5)
 - health clubs, bath houses, 968(a)(4)
 - hotels, motels, lodging houses, dormitories, single rooms, 968(a)(1)
 - permits, 927
 - plans, 926
 - public and private hospitals, sanitariums, nursing homes, homes for the aged, 968(a)(2)
 - public schools, 968(a)(6)
 - single and multi-tenant factory buildings, 968(a)(7)
 - standards, 924
- Fire alarm systems, 923, Subchapter 17, Art. 5, 972(h), 975**
 - approvals, 969
 - asylums, 972(e)
 - classification, 971
 - class C system, 971(i)
 - class J system, 971(j)
 - class J system, modified, 971(k)
 - class J-1 system, modified, 971(l)
 - class E system, 971(g)
 - class E system, modified, 971(h)
 - combination unit or zone, 971(e)
 - existing installations, 970
 - factory buildings, 972(c)
 - general requirements, 971
 - heliports, 437
 - hospitals, 972(e)
 - identification of equipment, 973(e)
 - individually coded, 971(c)
 - general, 971(c)
 - presignal, 971(d)
 - location of instructions, 973(c)
 - location of sending station, 973(a)
 - location of sounding device, 973(b)
 - master coded, 971(b)
 - mixed occupancy buildings, 973(e)
 - nursing homes, 972(e)
 - required for specific occupancies, 972
 - buildings, existing, 972(j)
 - buildings, group E, 100 feet or more, 972(f)
 - buildings, group E, less than 100 feet, 972(h)
 - buildings, group C, 972(k)
 - buildings, group C, high rise, 972(i)
 - buildings, group J-1, 972(l)
 - buildings, group J-1, existing, 972(m)
 - other occupancies, 972(n)
 - communication system and fire command station, 975
 - fire alarm communication systems, 972(g)
 - schools, 972(b)
 - special, 971(f)
 - standpipe fireline telephone and signaling system, 974(g)
 - subdivided occupancy buildings, 973(g)
 - uncoded, 971(a)
- Fire canopy, 333(a)(3)**
- Firecutting, 621(a)**
- Fire dampers, 327(a), 343(d)**
- Fire department access, Subchapter 4, Art. 2**
- Fire detection systems, 923**
 - permits, 927
 - standards, 924
- Fire districts, Bronx, 293(b)**
 - Brooklyn, 293(c)
 - limitations, Subchapter 4, Art. 4
 - Manhattan, 293(a)
 - mixed, 295
 - Queens, 293(d)
 - Richmond, 293(d)
- Fire divisions, 340**
 - building classifications, 239
 - firestopping, 340(i)
 - horizontal exit, 342(a)
 - mixed construction, 286
- Fire escapes, 368, 380**
 - access, 380(f)
 - capacity, 380(a)
 - construction, 380(e)
 - discharge, 380(g)
 - guards, 380(d)
 - handrails, 380(d)
 - landings, 380(c)
 - stairs, 380(b)
- Fire exit bolts, 371(k)(1)**
- Fire exits, 1026(c)**

Index

- Fire fighting equipment**, 1014
- Fire hydrants, private installation**, 948
- Fire index**, 237
- Fireline systems**, see Standpipe systems, Subchapter 17, Art. 3
 - building classifications, 239
- Fireplaces**, Subchapter 14, Art. 19
 - clearances, 848.06(g)
 - dampers, 848.06(e)
 - factory-built, 848.09
 - hearths, 848.09
 - heat exchangers, 848.10
 - imitation, 848.11
 - masonry, 848.07
 - precautionary requirements, 848.12
 - smoke detecting devices for, 848.12(a)
 - stovepipe, 848.09(e)(1)
 - stoves, 848.02(c), 848.03
- Fire prevention, utilities**, 1013(a)
- Fire protection**, 324, 326
 - beams, 324
 - cavity walls, structural members, 324(c)
 - ceilings, 327
 - columns, 324
 - door assemblies, 987(c)
 - elevator car frames, 325
 - elevators, temporary, 1014(a)
 - embedment in, 324(a)
 - filing requirements, special, Subchapter 1, Art. 26
 - fire fighting equipment, 1014
 - fueling, 1014
 - hoistway doors, 987(c)
 - hoistway enclosures, 987(c)
 - horizontal conveyors, 987(c)(3)
 - inclined conveyors, 987(c)(2)
 - lintels, 326
 - permits, 1014
 - sprayed-on, 324(f), (g)
 - sprinkler systems, 1014(4)
 - standpipe systems, 1014(b)
 - structural design, 587
 - structural members, 324
 - vertical conveyors, 987(c)(1)
- Fire-protection plan**, Subchapter 1, Art. 25
- Fire-protection rating, tests**, 322
- Fire pumps**, 946
 - automatic, 945(b)(5)
 - standpipe systems, see Standpipe systems, fire pumps
 - wiring, 5(b)(1)(RS 17-1), 2-5.5 (RS 17-2)
- Fire-rated construction, plumbing**, 901(z)(2)
- Fire-resistance ratings**,
 - beams, Table 3-4
 - bearing partitions, Table 3-4
 - bearing walls, Table 3-4
 - cable-supported roofs, Table 3-4
 - columns, Table 3-4
 - construction assemblies, 323
 - domes, Table 3-4
 - exit passageways, Table 3-4
 - exterior walls, Table 3-4
 - floor construction, Table 3-4
 - girders, Table 3-4
 - hoistways, Table 3-4
 - interior walls, Table 3-4
 - party wall, 332
 - roof construction, Table 3-4
 - roof decks, Table 3-4
 - shafts, Table 3-4
 - shells, Table 3-4
 - tests, 322, 323
 - trusses, Table 3-4
 - vertical exits, Table 3-4
- Fire-resistant construction, plumbing**, 903
 - scaffolds, 1042(f)
- Fire-retardant treatment, tests**, 322
- Fire-retardant treated wood**, 328, 1019(b)(3), Table 3-5
 - acceptance, 328(b)
 - allowable stresses, 328(c)
 - area increase, 328(e)
 - construction, 1019(b)(3)
 - in construction Group 1, 328(d)
 - contractor offices, 1017(c)
 - contractor sheds, 1017(c)
 - in construction Group 11, 328(e)
 - fabrication after treatment, 328(c)
 - furring, 328(d)
 - labelling, 328(b)
 - in lieu of untreated wood, 328(e)
 - partitions, 328(d)(2), 346
 - stage construction in F-2 places of assembly, 548(c)(2)
 - use, 328(a)(c)
 - where permitted, 328(d),(e)
- Fire segregation**, 339
 - compartmentation, 339(c)
 - divisions, 339(a)
 - separations, 339(b)
- Fire separations**, 341
 - horizontal exit, 342(a)
- Fire towers**, 376.1
- Firestopping**, 324(a), 345, 810
 - ceilings, 327
 - ceiling spaces, 345(d)
 - column enclosures, 345
 - combustible exterior trim, 335(a)
 - cornices, 332, 345(e)
 - eaves, 332
 - fire divisions, 340(i)
 - inspection, 345(g)
 - insulation, 335.1
 - materials, 345(a)
 - partitions, 345
 - pipe spaces, 345

Index

- roofs, 345
- smoke and heating venting, 353
- stairs, 345, 345(c)
- Fittings, rope**, 1055(e)
- Fixtures, plumbing**, see Plumbing, fixtures required, 901(1)
- Flagmen**, 1024
 - vehicular traffic control, 1023(c)
- Flagpoles, combustible construction**, 338(j)
- Flame resistance, air-supported structures**, 515(b)
 - tents, 515(a)
- Flame-spread rating, tests**, 322
- Flame-spread retardants**, 349
- Flammable mixtures**, Subchapter 19, Art. 13
- Flammable paints**, 406
 - storage, 405
- Flares, oil**, 1023(a)
- Flashing beacons**, 1023(a)
- Flat arches**, 12.1 (RS 10-1A), 10.15.1.3 (RS 10-1B)
- Flat plates, live loads**, 567
- Flat slabs**, 1035(f)(4)
 - live loads, 567
- Flood hazard areas**, 196, 288, Subchapter 4, Art. 10, 316, 316.1, 317, 317.1, 317.2, 550, 580, 652, 771, 787, 901(aa)
- Flood insurance rate map**, (RS 4 & RS 4-4)
- Floor finish, dry cleaning establishments**, 427(b)
- Floor furnaces**, Subchapter 14, Art. 13
- Floors, firestopping**, 345
 - laboratories using radioactive materials, 415(b)
 - live loads, 557
 - occupant, load, 357
 - private garages, 477
 - stage, 546(b)(2)
 - wood, 622(c)
- Flour mills, Occupancy Classification**, Table 3-2 (A)
- Flow control, fuel oil tanks**, 830(h)
- Flue dampers**, 808
- Flues**, 856(c)
 - dead loads, 554
 - exhaust, 840
 - incinerator, 840
 - size, reduction in, 869.03
- Fly galleries**, 546(b)(6)
- Folding doors**, 347
- Folding partitions**, 347
- Food waste disposals**, list (RS-16)
- Foot bridges**, 1017(b), 1021(f)
 - lighting, 1021(f)(3)
 - live loads, 1021(f)(1)
- Footings**, Subchapter 11, Art. 6
 - concrete, 684(d)(1)
 - construction, 687
 - masonry, 684(d)(2)
 - poles, 684(b)
 - wood, 684(a)
- Fork lift trucks**, 1061
 - rated capacity, 1061
- Formwork**, 612
 - concrete, 1035
 - inspection, 1035(d)(5)
 - design, 1035(c)
 - inspection, 1035(b)
 - live loads, 1035(c)(1)
 - removal, 1035(e)
 - slumps, Table 19-3 (Notes)
 - inspections, 1012
- Foundation and earthwork permits**, 148(c)
- Foundation applications, permit requirements**, 163
- Foundation mountings, combustion equipment**, 804
- Foundation piers**, Subchapter 11, Art. 6
 - construction, 687
 - design, 685
 - metal shells, 685(c)
- Foundations**, 1035(c)(6)
 - adjoining properties, 1029
 - affecting adjoining properties, 1029
 - construction, 661
 - cold weather, 661(a)
 - seepage, 661(b)
 - depth, 658
 - frost, 658(a)(5)
 - grade beams, 658(b)
 - piles, 658(a)(5)
 - different levels, 659
 - frost, 658(a)
 - loads, Subchapter 11, Art. 3
 - pavement, 658(a)(4)
 - pile, see Pile foundations
 - pole, 684(b)
 - portable buildings, 658(a)(4)
 - slabs on grade, 660
 - structural design, 591
- Foundation walls**, Subchapter 11, Art. 6
 - construction, 687
 - design, 686
- Foundries, Occupancy Classification**, Table 3-2 (D-1)
- Framework, inspection**, 1012
- Freight depots, Occupancy Classification**, Table 3-2 (B-1)
- Freight elevators**, 994(b)
- Frontage**, 291, 303
- Frontage space**, 291, 292(a)
- Frost protection, adjoining structures**, 1031(b)(1)c
- Fuel burning equipment inspections**, 798
 - inspection, 794(b)
 - instruction cards, 794(d)
 - temporary use permits, 794(c)
- Fueling, fire protection**, 1014
- Fuel oil equipment**, Subchapter 14, Art. 17
- Fuel oil heaters, piping**, 830
- Fuel oil storage, approval of**, 797
- Fuel oil tanks**, 828
- Fuel pumps, open parking structures**, 467
- Fuel storage**, 405
- Fuels, solid**, 807(c)
- Fuel storage equipment**, 787

Index

- field tests, 794(a)
 - piping, 792
 - Furnace rooms**, Subchapter 7, Art. 5
 - ash storage pits, 422
 - enclosure, 419
 - exit requirements, 423
 - location, 420
 - Occupancy Classification, Table 3-2 (D-2)
 - ventilation, 424
 - Furnaces**, 411, Subchapter 14, Art. 13
 - automotive repair shops, 419(b)
 - duct temperature, 821
 - floor, Subchapter 14, Art. 13
 - enclosures, 818
 - location, 817
 - pit clearances, 819(a)
 - pit waterproofing, 819(b)
 - supports, 819
 - public garages, 419(b)
 - Furring, construction**, 346
 - fire-retardant wood, 328(a), 328(e), 346
 - firestopping, 345
- G**
- Galleries, Occupancy Classification**, Table 3-2 (F-3)
 - Garage doors as exits**, 371(d)
 - Garages, concentrated live loads**, 561(d)(3)
 - occupant load, Table 6-2
 - private, Subchapter 7, Art. 12
 - public, 419(b), Subchapter 7, Art. 10
 - Gas burning equipment, standards**, 800
 - Gases, compressed, Subchapter 19, Art. 13
 - Gas-fired equipment**, Subchapter 14, Art. 16
 - chimneys, 882
 - Gas fuels**, 807(b)
 - air supply, 807(b)
 - Gasoline pumps, canopies**, 441
 - location, 441
 - open parking lots, 482(a)
 - Gasoline storage**, 440
 - Gas, establishing supply**, 904
 - Gas piping**, 896
 - general requirements, 901
 - installation, 826
 - outside gas service line valves, P 115.5(a)(RS-16)
 - permits, 900
 - plans, 899
 - pressure, 922(l)(b)
 - standards, 897
 - Gas meter rooms, existing**, 918
 - Gas systems, testing**, Subchapter 16, Art. 7
 - Gas vents**, Subchapter 15, Art. 5
 - adjoining, 889
 - altering, 889(a)
 - chimneys, 882, 883
 - condensation, 854(b)
 - connectors, Subchapter 15, Art. 6, 895
 - clearances, 893
 - draft hoods, 881
 - draft protection, 889(b)
 - equipment not vented, 880
 - exhaust systems, 886(c)
 - height, 888
 - installation, 879(c)
 - installation requirements, 887
 - labeling, 885
 - location, 888
 - prohibited terminations, 891
 - sealed combustion chambers, 886(a)
 - size, 895
 - special venting, 886
 - standards, 850
 - supports, 890
 - temperature, 854(a)
 - tests, 879(b)
 - thimbles, 894
 - types, 884
 - B and BW, 855
 - Gates, charging**, 841
 - Gauges**,
 - non-mercury, 922 (d)(4)
 - utilizing mercury, 902 (b)
 - Girders, fire protection**, 324
 - Glass block**, 10.5 (RS 10-1A), 10.13 (RS 10-1B)
 - Glass panels**, Subchapter 10, Art. 12
 - structural design, 643
 - Glazing, slow-burning plastic**, 331(e)
 - skylights, 338(d)(2)
 - Grade beams**, 658(b)
 - Grading, discontinuous operations**, 1027(b)
 - Grain elevators, Occupancy Classification**, Table 3-2 (A)
 - Grandstands**, 548(b)
 - construction, 548(b)(1)
 - live loads, moving, 562(i)
 - motor vehicle parking, 548(b)(4)
 - Occupancy Classification, Table 3-2 (F-2)
 - parking, 548(b)(4)
 - Gravity tanks**, 945(b)(3), 965
 - Greenhouses, glazing**, 338(e)
 - inside Fire Districts, 297(f)
 - Occupancy Classification, Table 3-2 (B-2)
 - roof structures, 338(e)
 - Greenrooms**, 546(b)(11)
 - Gridirons, places of assembly**, 546(b)(6)
 - Grillages**, 684(c)
 - Grilles, noise control**, 770(d)
 - Grist mills, Occupancy Classification**, Table 3-2 (A)
 - Ground signs**, 500, 506(a)
 - inside Fire districts, 297(i)
 - location, 500
 - supports, 500(c)
 - Ground water**, 661(b)
 - Group Homes (definition)**, 232, Table 3-2, 375(i)(1)(b), 380
 - Grout**, 3.4 (RS 10-1A), Section 4 (RS 10-1B)

Index

Grouted masonry, 8 (RS 10-1A), 2.2.3 (RS 10-1B)

Guard rails, conveyor, 1058(a)
multiple-point suspension scaffolds, 1047(f)(1)
outrigger scaffolds, 1044(d)
platforms, structural, 1052(b)
public garages, 454
scaffolds, 1042(g)
standard, 1021(a)(4), 1021(f)(1), 1032(b), 1050
scaffolds, 1050
suspended scaffold, standard, 1046(g)

Guards, fire escapes, 380(d)
interior stairs, 375(f)
protective assembly spaces, 531(a)(8)
standee areas, 531(a)(8)

Gutters, combustible construction, 335

Gymnasiums, Occupancy Classification, Table 3-2 (F-3)
occupant load, Table 6-2

H

Habitable rooms, natural ventilation, 746

Half-timber work, combustible construction, 335

Hammers, air, 700(c)(1)

diesel, 700(c)(1)
hydraulic, 700(c)(1)
steam, 700(c)(1)
testing, 690
vibrating, 700(c)(3)

Handrails, fire escapes, 380(d)

interior stairs, 375(f)

Hangers, 1046(b)

Hardpan, 675(b)(2)

Hardware, door, 371(j)

exit doors, 371(j)(1)a
panic, 371(k)
window, 371(j)

Headers, 622(a)(9), 622(c)(4)

Headroom, interior stairs, 375(c)

Health center, government operated, RS 3-3
(Occupancy Group)

Hearths, fireplace, 848.07(d)

Heat, 725

Heaters, fireplace, 816

recessed, 815
room, 848.02(d), 848.03
space, 419(d)
unit, Subchapter 14, Art. 12
supports, 814
water, safeguarding against explosion, 901(d)

Heating coils, fuel oil tanks, 830(g)

Heating equipment, 787

automatic service station, 442
clearances, 805
reduction, 806
dead loads, 554
foundation mountings, 804
piping, 792

public garages, 459

Heating requirements, 740

Heating systems, design, 744

warm air, Subchapter 14, Art. 11.

Heavy-duty scaffolds, 1042(b)(3)c

Heliports, Subchapter 7, Art. 7

classification, 433
construction, 434
exits, 436
fire protection, fire alarm facilities, 437
foam extinguishing equipment, 437
standpipe systems, 437(a)
live loads, 562(i)
Occupancy Classifications, 243
refueling facilities, 435

High hazard occupancies, Subchapter 7, Art. 2

Group A, 419(b)
location, 403
sprinkler requirements, 404

High hazard occupancy classifications, 243

Hinged loading ramps, construction, 991(d)

Hoist cars, 1056(b)

Hoisting equipment, Subchapter 19, Art. 10

fueling, 1054(b)
inspection, 1054(b)
loading, 1054(b)
operation, 1044(a)
permits, 986
plans, 985
testing inspection, power operated derricks and
cableways, 1057

Hoisting machines, 1045

scaffolds, 1045(a)

Hoisting ropes, inspection, 1012, 1055

Hoists, bucket, 1056

construction, 991(g)
filing by owners, 1056(a)(1)
inspection, 998(d)
platform, 1056
temporary use permits, 1002
work permits, 1001

Hoist towers, 1056(a)

back structures, uniform and concentrated live loads, (RS 9-2)
construction, 1056(a)

Hoistway doors, locks, 996.1

Homes for the aged, Occupancy Classification, Table 3-2 (H-2)

Hoods, draft, 881

Horizontal exits, balconies, 373(c)

bridges, 373(c)
capacity, 373
door requirements, 373(b)
travel distance, 360(a)
tunnels, 373(c)

Horizontal loads, load distribution, 579

shear walls, 579(a)
partitions, 579(d)
walls, 579(d)

Index

Horizontally sliding doors, 371(d)
Hose outlet valves, 942(a)
Hose stations, 942
 auxiliary, 942(d)
 hose quality, 942(c)
 hose size, 942(c)
 hose type, 942(c)6
 length of hose, 942(b)(1)
 location, 942(b)
 outlet valves, 942(a)
Hospitals, fire alarm systems, 972(e)
 Occupancy Classification, Table 3-2 (H-2)
 plumbing, 912
Hot water piping, Subchapter 14, Art. 10
Hotels, marquees, 313(a)(4)
 Occupancy Classifications, Table 3-2, (J-1)
Hydrants, yard, 933
Hydraulic hammers, 700(c)(1)
Hydrostatic pressures, lateral loads, 670(a)

I

Illuminated signs, 505
 ground signs, 505(a)
 marquee signs, 505(a)
 projecting signs, 505(a)
 roof signs, 505(a)
 wall signs, 505(a)
Impact Noise Rating (INR), 769(b)(1)
Impact protection, structural member, 324(b)
Incinerators, Subchapter 14, Art. 18
 auxiliary heat, 842
 charging chutes, 834(a), 840
 noise control, 770(b)(2)
 charging gates, 841
 chimney connectors, 878
 combined chimney, 876(c)
 connectors, chimneys, 878
 construction, 843
 draft control, 839
 emission control, 835
 emissions, 835
 exhaust flues, 840
 industrial chimneys, 877
 instruction posting, 848
 masonry, 843(a)
 municipal chimneys, 877
 performance, 836
 permitted types, 835
 required types, 835
 rooms, 837
 fixed ventilation, 838
 service, chimneys, 876
 steel-cased, 843(b)
Index pile, 700(c)(3)b
Induction units, noise control, 770(d)
Industrial Code Labor Law, 1007

Industrial incinerators, chimneys, 877
Industrial lifts, construction, 991(d)
 permits, 986
 plans, 985
Industrial Occupancy Classifications, see
 Occupancy Classifications, industrial
Industrial smoke houses, Occupancy Classification,
 Table 3-2 (A)
Industrial wastes, 896, 901(h)(2)
Inside Fire Districts, 293
 bay windows, 297(c)
 bins, 297(h)
 coal bins, 297(h)
 cooling towers, 297(g)
 parking lot offices, 297(d)
 roof signs, 297(i)
 roof structures, 297(g)
 storm enclosures, 297(c)
Inspection certificate, posting, 1004
Inspection failure, remedies and possibilities, 597
Inspections, foundations, Subchapter 11, Art. 13
 adjoining property, 1026(b)
 boilers, 793(b), 798
 boring operations, 720
 commissioner direction, 207
 concrete, 607(a)
 controlled, 607(a)
 requirements, Table 10-1, Table 10-2
 concrete formwork, 1035(b), 1035(d)(5)
 concrete mixes, 605
 construction materials, 132
 controlled, pilings, 721
 refrigeration systems, 781(a)
 report required 720(a)
 soil load bearing tests,
 Subchapter 11, Art. 5
 structural materials, Table 10-1
 conveyors, requirements, 999(c)
 cranes, 1012, 1057(d)(1)
 demolition operations, 1012, 1036(d)
 department, see Department Inspections
 derricks, 1012, 1057(d)(1)
 dumbwaiters, requirements, 999(a)
 elevators, 998
 agencies, 1000
 amusement, 998(c)
 car safeties, 998(a)(1)
 counterweight safeties, 998(a)(1)
 hydraulic, 998(a)(3)
 oil buffers, 998(a)(2)
 requirements, 999
 escalators, 998(b)
 agencies, 1000
 requirements, 999(a)
 excavation, 1012, 1032(a)
 exterior walls, 129(a)
 framework, 1012

Index

- fuel burning equipment, 794(b), 798
 - gas piping, 919
 - hoisting ropes, 1012, 1047(c)(3)
 - lifts, requirements, 999(c)
 - masonry requirements, Table 10-1
 - pilings, 721
 - plumbing, 919
 - notification, 920
 - power-operated scaffolds, 998(e), 1049
 - refrigeration systems, 781(a)
 - reports, commissioner acceptance, 207
 - retaining structures, 1010
 - revolving doors, 371(m)(3)
 - right of, 205
 - scaffolds, 1000, 1045(b)
 - shoring, 1010
 - signs, 508(b)
 - sprinkler systems, 967
 - standpipe systems, 951
 - steel requirements, Table 10-2
 - structural design, failure of performance, 597
 - subgrade, 723
 - suspended scaffolds, 1045(b)
 - temporary construction, 1010
 - test expense, 207
 - underpinning, 1010
 - unreinforced masonry requirements, Table 10-2
 - unsafe conditions, 1012
 - Inspector identification, 206**
 - Installation, sprinkler systems, 959(b)**
 - standards, 956
 - standpipe systems standards, 950
 - Installer license, oil-burning equipment, 796**
 - Institutional Occupancy Classification, Table 3-2 (H-1)**
 - Institutional plumbing, 912**
 - Insulation, combustible roof, 337(c)**
 - materials, 811
 - Interior finish, 348**
 - classification, 348(b)
 - Class II-A construction, 348(c)(3)
 - corridors, 348(c)(4)(d), 369(k)
 - exits, 348(d)
 - flame-spread rating, 348(b)
 - floor coverings, 348(c)(1)
 - flooring, 348(c)(1)
 - in place of assembly, 529
 - paint, 348(c)(2)
 - laboratories using radioactive materials, 415(f)
 - toxicity, 348(e)
 - wallpaper, 348(c)(2)
 - Interior stairs, 375**
 - capacity, 375(a)
 - guards, 375(f)
 - handrails, 375(f)
 - headroom, 375(c)
 - interior finish, 375(i)(3)
 - landings, 375(d)
 - platforms, 375(d)
 - width, 375(b)
 - Irritants, airborne, ventilation of rooms with, 766**
- J**
- Jacks, 1064**
 - rated capacity, 1064(a)
 - slip form construction, 1035(g)(4)
 - Jails, Occupancy Classification, Table 3-2 (H-1)**
 - Jetting, 705(b)**
 - Joists, steel, 1034(a)(2)**
 - ceiling, 622(c)(5)
 - open web steel, 614(c)
- K**
- Kindergartens, occupant load, Table 6-2**
 - Kitchens, industrial, Occupancy Classification, Table 3-2 (D-1)**
 - occupant load, Table 6-2
 - ventilation, 758
- L**
- Laboratories, industrial, Occupancy Classification, Table 3-2 (D-2)**
 - occupant load, Table 6-2
 - using radioactive materials, construction, 415(a)
 - electrical controls, 415(e)
 - floors, 415(b)
 - interior finish, 415(c)
 - plumbing, 415(g)
 - sprinkler protection, 415(d)
 - ventilation, 415(f)
 - Labor law, 1007**
 - Lacquers, 406**
 - Ladders, swimming pools, 489(c)**
 - Landings, construction, 375(h)**
 - exterior stairs, 376(c)
 - fire escape, 380(c)
 - interior stairs, 375(d)
 - lighting, 381(a)
 - Lanterns, 1023(a)**
 - Lateral loads, earth pressures, 670(a)**
 - hydrostatic pressures, 670(a)
 - piles, 701
 - surcharges, 670(a)
 - wind, 670(b)
 - Laundries, industrial, Occupancy Classification, Table 3-2 (D-2)**
 - Leaders, combustible construction, 335**
 - Lecture halls, Occupancy Classification, Table 3-2 (F-lb)**
 - Libraries, Occupancy Classification, Table 3-2 (G)**
 - occupant load, Table 6-2
 - Lift method construction, 1035(h)**
 - live loads, 1035(h)(6)

Index

- Lifts, automotive**, 991(c)
 - console, construction, 991(f)
 - industrial construction, 991(d)
 - stage, 546(b)(2)b, 991(f)
 - temporary use permits, 1002
 - work permits, 1001
- Light duty scaffolds**, 1042(b)(3)a
- Lighting**, 725
 - aisle, 532(a)(9)
 - artificial, Subchapter 12, Art. 4
 - bathrooms, 738
 - places of assembly, 737
 - toilet rooms, 738
 - balcony, 381(a)
 - borrowed, 369(i)
 - bridge, 381(a)
 - construction walkway, 1020
 - corridor, 381(a)
 - cross aisle, 532(a)(9)
 - emergency, assembly spaces, 542
 - escalator, 381(a)
 - exit, Subchapter 6, Art. 6
 - passageways, 381(a)
 - in places of assembly, 540
 - exterior space, 540(b)
 - footbridge, 1021(f)(3)
 - landings, 381(a)
 - motion picture projections, 543
 - natural, Subchapter 12, Art. 13
 - pedestrian bridges, 1021(f)(3)
 - platforms, 381(a)
 - projection machines, 543(b)
 - ramps, 381(a)
 - red, 1023(a)
 - safe areas, 540(a)
 - spotlights, 543(c)
 - stage, 546(b)(12)
 - in places of assembly, 547(b)(4)
 - stairs, 381(a)
 - temporary sidewalks, 1021(e)
 - tunnels, 381(a)
 - walkways, 1021(e)
 - warning, 1023
- Light projection**, 543
- Linear accelerators**, 416
- Lintels, fire protection**, 324, 326
 - stone, fire protection, 326
- Liquid-seal traps**, 901(o)
- Live loads**, Subchapter 9, Art. 3, 566
 - areaways, 558(b)(1)
 - balconies, 558(b)(1)
 - bumpers, 558(b)(4)
 - catch platforms, 1022(b)
 - concentrated, 557(b)
 - concrete formwork, 1035(c)(1)
 - construction elevator, (RS 9-2)
 - conformance, 557(d)
 - contractor sheds, 1021(b)
 - contributory floor areas, columns, 567(c)
 - flat plates, 567(b)
 - flat slabs, 567(b)
 - foundations, 568
 - girders, 567(c)
 - joists, 567(d)
 - minor framing, 567(d)
 - one-way slabs, 567(a)
 - ribbed slabs, 567(a)
 - trusses, 567(c)
 - two-way slabs, 567(a)
 - Department of Highways, 558(a)(1)
 - driveways, 558
 - flat plates, 566(c)
 - flat slabs, 566(c)
 - floor, 557
 - footbridges, 1021(f)(1)
 - garages, concentrated loads, 561(d)(3)
 - heliports, 562(j)
 - lift method construction, 1035(h)(6)
 - marquees, 561
 - material hoist tower back structures, (RS 9-2)
 - moving, 562, 563(b)
 - assembly structures, 562(i)
 - cranes, 562(e)
 - grandstands, 562(i)
 - machinery supports, 562(h)
 - monorails, 562(f)
 - railroad equipment, 562(d)
 - stadiums, 562(i)
 - truck, 562(c)
 - vehicles, 562(b)
 - nonconcurrence, 557(c)
 - parapets, 558(b)
 - parking areas, 559
 - partial loading, 563
 - load combination, 563(a)(1)b
 - pedestrian bridges, 1021(f)(1), 1021(f)(3)
 - places of assembly, 558(b)(1)
 - railings, 558, 558(b)
 - dwellings, 558(b)(1)
 - reduction of, Subchapter 9, Art. 4
 - contributory areas, 567
 - roofs, 558(b)(1), 561
 - service equipment, 557(b)(2)
 - sidewalks, 558
 - stairwells, 558(b)(1)
 - theaters, balconies, 558(b)(1)
 - scenery, 560
 - stage areas, 560
 - wind load, 561(b), 561(d), 562(i), 569(a)
- Load bearing tests**, see Test, load bearing
- Load distribution**, Subchapter 9, Art. 7
 - horizontal loads, 579
 - shear walls, 579(a)
 - piles, 700(a)(3)

Index

Loading, hoisting equipment, 1054

- ladder type platforms, 1046(f)(1)
- limitations, 1009(b)
- outrigger scaffolds, 1044
- platforms, load bearing tests, 682(b)(1)
- ramps, 1053
 - hinged construction, 991(d)
 - permits, 986
 - plans, 985
- runways, 1053
- scaffolds, 1042(b)(2)
- trucks, 1059
- wire rope, 1045(d)

Loads, axial, pile foundations, 700

- bin, 571
- bunker, 571
- dead, 553
- fire, building classifications, 239
- horizontal wall, 578(d)
- ice, 575
- lateral, see Lateral loads
- live, see Live Loads
- partition, 555
- pile, load, Subchapter 11, Art. 8
- pile foundation, Subchapter 11, Art. 8
- posting, 564
- scaffold, 1042(b)(2)
- standard, 1042(b)(3)
- shrinkage, 577
- thermal forces, 576

Load tests, 596, 599, 700(e)(2)a

- completed construction, 599(b)
- deflection requirement, 599(b)(2)
- concrete limitations, 599(b)(6)
- deflection requirement, 599(a)(4)
- models, 599(a)(5)
- prequalifying, 599(a)
- strength requirements, 599(a)(3)
- structural design, Subchapter 10, Art. 3
- unidentified materials, 588
- used materials, 588

Lobbies, street floor, candy and tobacco stand exits, 370(h)(4)

- exits, 370(h), 370(h)(3)a
- information booth exits, 370(h)(4)

Locker rooms, occupant load, 358(c), Table 6-2

- ventilation, 760

Lockers, ventilation, 765(b)

Locks, building entrance doors, 371(j)(2)a

- corridor doors, 371(j)(1)a
- dwelling unit doors, 371(j)(2)b
- exit doors, 371(j)(1) and (2)
- openable windows, 371(j)(2)c

Lodging houses, Occupancy Classifications, Table 3-2, (J-1)

Loges, 531(a)(1)

- seating in, 531(a)(1)

Lot survey, occupancy certificate application, 219

Louvers, corridor doors, 371(b)

Lumber, 617(a)

- and timber construction (RS 10-8)

glued-laminated, 617(c)

Luminous ceilings, 350(a)

- in exits, 350(a)(2)a

glass, 350(a)(1)a

- slow-burning plastic, 350(a)(2)d

M

Machine rooms, 344(f)

Machinery supports, moving live loads, 562(h)

Mail slots corridor doors, 371(b)

Mains, private yard, 945(b)(2)

Maintenance, 109

- chimney, 858

- construction site, 1018(a)

- exterior walls, 129

- plumbing system, 901(t)

- refrigeration system, Subchapter 13, Art. 3

- requirements, 127

- owner responsibility, 128

- sign, 508(a)

Malls, Subchapter 7, Art. 22

Manlifts, 988

Mansard roofs, 338(f)

Market area, established, 313(a)(4)

Markets, Occupancy Classification, Table 3-2(c)

Marquees, 313(a)(4)

- department store, 296(a)(4)

- hotel, 313(a)(4)

- live loads, 561

- market, 313(a)(4)

- multi-family dwelling, 313(a)(4)

- projection beyond street level, 313(a)(4)

- public building, 313(a)(4)

- skylights, 313(a)(4)

- supermarket, 313(a)(4)

- terminal, 313(a)(4)

- theater, 313(a)(4)

- warehouse, 313(a)(4)

Marquee signs, 504, 505(a)

- supports, 504(c)

Masonry, 1 (RS 10-1A), (RS 10-1B)

- absorption tests, 3.2.1(b) (RS 10-1A)

- allowable stresses, Table RS 10-1.5 (RS 10-1A),

- Tables 9.4.2 & 10.12.3 (RS 10-1B)

- anchors, 3.3 (RS 10-1A) 9. (RS 10-1A), Section 3 (RS 10-1B), 9.8 (RS 10-1B)

- bearing stresses, 4.7 (RS 10-1B), 5.12.2 (RS 10-1B)

- bonding, 7 (RS 10-1A), 9.7 (RS 10-1B)

- column design, 4.4 (RS 10-1A), 5.9 (RS 10-1B)

- compressive strength determination, 4.2.2 (RS 10-1A),

- 1.6 (RS 10-1B)

- design, 4 (RS 10-1A), Chapter 5 (RS 10-1B)

- empirical provisions, 6. (RS 10-1A), Chapter 9 (RS 10-1B)

Index

- filled cell, 8. (RS 10-1A)
- footings, 684(d)(2)
- frost protection, 10.14 (RS 10-1A), 2.3.2.2 (RS 10-1B)
- glass block, 10.5 (RS 10-1A), 10.13 (RS 10-1B)
- grouted, 8. (RS 10-1A), 2.2.3 (RS 10-1B)
- height limitations, 5.2 (RS 10-1A), 9.2 (RS 10-1B),
Tables 1.6.3.3(b), 1.6.3.3(c) (RS 10-1B)
- identification of units, 601(a)
- incinerators, 843(a)
- inspection requirements, Table 10-1, 1.5.1 (RS 10-1B)
- joint reinforcement, 3.3.1 (RS 10-1A),
3.2.1.1.2 (RS 10-1B)
- lateral support, 5. (RS 10-1A), 9.5 (RS 10-1B)
- minimum thickness, Table RS 10-1.3 (RS 10-1A),
Table 10.14.1.1 (RS 10-1B)
- prism tests, 4.2.2(a) (RS 10-1A), 1.63 (RS 10-1B)
- reinforced, 600(b), Chapter 7 (RS 10-1B)
inspection requirements, Table 10-2
- slenderness ratio, 4.4.1 (RS 10-1A)
- stack bond, 7.7 (RS 10-1A), 10.12 (RS 10-1B)
- thickness limitations, 5.2 (RS 10-1A), (9.6 of RS 10-1B)
- ties, 3.3 (RS 10-1A), (9 of RS 10-1B)
- units, 3.2 (RS 10-1A), (2.2.1 of RS 10-1B), 2.3.3.3
(RS 10-1B)
- unit tests, 4.2.2(b) (RS 10-1A), 1.6.2 (RS 10-1B)
- unreinforced, 600(a), Table 10-2, Chapter 6 (RS 10-1B)
inspection requirements, Table 10-2
- use of existing walls, 10.7 (RS 10-1A), 10.9 (RS 10-1B)
- vener, 11. (RS 10-1A), 10.14 (RS 10-1B)
- wall design, 4.4 (RS 10-1A), 5.8 (RS 10-1B)
- walls, 1022(a)(2), (10.6 of RS 10-1B), 9.6 (RS 10-1B)
- Material bins, inside Fire Districts, 297(h)**
- Materials, bearing, see Bearing materials**
 - chimney, 862
 - combustible, 321
 - sign construction, 507
 - storage, 1019(c)
 - construction, see Construction materials
 - fill, see Fill materials
 - insulation, 811
 - noncombustible, 321
 - nonconforming, 902 (a)(b)
 - plumbing, 901(q)
 - condemned, 901(r)
 - radioactive, see Radioactive materials
 - removal chutes, 1019(b)
 - slow burning plastic, 330
 - storage, 1019, 1039(e)(2)
 - catch platforms, 1022(d)
 - demolition operations, 1039(c)
 - structural, see Structural materials
 - structural elements, 586
 - ungraded, 588
 - unidentified, 588
 - used, 588
 - waste removal, 1019(a)
- Mechanical diggers, trench excavation, 1032(d)**
- Mechanical equipment, exterior, noise control, 770(a)(4), Table 12-5**
 - noise control, multiple dwellings, Subchapter 12, Art. 9
- Mechanical ventilation, Subchapter 12, Art. 7, 771**
 - adsorption devices, 755
 - air conditioning & refrigeration systems, RS 13-6
 - index for ventilation, 753
 - make-up air, 754(d)
 - noise control, 776(b)
 - outdoor air intakes, 754(f)
 - permits, 775
 - plans, 774
 - recirculated air, prohibited use, 754(e)
 - required exhaust, 754(c)
 - water closet compartments, 755(c)
- Mechanized parking garage equipment, 991(b)**
 - construction, 991(b)
 - permits, 1001
 - plans, 985
- Medium duty scaffolds, 1042(b)(3)b**
- Meeting rooms, occupant load, 358(c)**
- Mental institutions, Occupancy Classification, Table 3-2 (H-1)**
- Mercantile, Occupancy Classification, Table 3-2 (C)**
- Metal chimneys, 861**
- Metal signs, sprinkler systems, 959(a)(3)**
- Mills, cereal, Occupancy Classification, Table 3-2 (A)**
 - feed, Occupancy Classification, Table 3-2 (A)
 - flour, Occupancy Classification, Table. 3-2 (A)
 - grist, Occupancy Classification, Table 3-2 (A)
 - starch, Occupancy Classification, Table 3-2 (A)
 - sugar, Occupancy Classification, Table 3-2 (A)
- Minor alterations, 124**
- Mirrors, elevator, 987(e)**
- Mixed construction, building section, 286**
 - classifications, 286
 - fire divisions, 286
- Mixed districts, fire districts, 295**
- Mixing machines, 1063**
- Monorails, moving live loads, 562(f)**
- Mortar, 3.4 (RS 10-1A), 2.3.2.5 & 2.3.3.3 (RS 10-1B),**
 - types permitted, Table RS 10-1.2 (RS 10-1A), 2.2.2.1
(RS 10-1B)
- Motels, Occupancy Classification, Table 3-2 (J-1)**
- Motion picture film, RS-8**
- Motion picture projection, 543(b)**
- Motion picture projectors in seating section, 546(a)(2)**
- Motion picture screens, 544**
- Motion picture theaters, Occupancy Classification,**
Table 3-2 (F-1b)
- Motor vehicle parking at grandstands, 548(b)(4)**
- Moving walk, 379**
 - construction, 991(a)
 - permits, 986
 - plans, 985
 - temporary use permits, 1002
 - work permits, 1001
- Mud slurry, borings, 665(a)**
- Multi-family dwellings, alteration, 731**

Index

marquees, 313(a)(4)
Multiple dwellings, noise control, Subchapter 12, Art. 9
Multiple occupancy, 242
Municipal incinerators, chimneys, 877
Museums, Occupancy Classification, Table 3-2, (F-3)

N

Nailing schedule, Table 19-4
Nailing schedule, construction, Table 10-4
Natural lighting, Subchapter 12, Art. 3
Natural ventilation, Subchapter 12, Art. 6
alcoves, 747
balconies, 748
habitable rooms, 746
occupiable rooms, 745
sources, 749
ventilating openings, 749
Netting, safety, 1022
New building permits, 148(a)
Night clubs, Occupancy Classification, Table 3-2 (F-4)
Nitric acid, Subchapter 7, Art. 20
Noise, airborne, 769(a) structure-borne, 769(b)
Noise control, 725
airborne noise, 770(a)
boiler breeching, 770(b)(1)b
boiler piping, 770(b)(1)b
boiler rooms, 770(a)(1)
boilers, 770(b)(1)a
compressors, 770(b)(6)
cooling towers, 770(b)(7)
diffusers, 770(d)
duct connections, fan equipment, 770(b)(9)
ducts, 770(a)(3)
maximum permissible air velocities, 770(c)
elevator machinery, 770(b)(10)
evaporative condensers, 770(b)(8)
exterior mechanical equipment, 770(a)(4)
fan coil units, 770(d)
fan duct connections, 770(b)(9)
fans, 770(b)(4)
field testing, 768(a)
grilles, 770(d)
incinerator charging chutes, 770(b)(2)
induction units, 770(d)
mechanical equipment, 770
spaces, 770(a)(2)
mechanical ventilation, 776(b)
multiple dwellings, Subchapter 12, Art. 9
noise output limitations, exterior
mechanical equipment, Table 12-5
piping, 770(b)(3)
pumps, 770(b)(5)
pure tone generation, Table 12-3 (Notes)
registers, 770(d)
requirements, 771
sound power levels, Table 12-3

maximum permitted for exterior mechanical
equipment adjoining building, Table 12-4
structure-borne noise, 770(b)
vibration isolation, 770(b)

Noise output limitations, exterior mechanical equipment,
Table 12-5

Noncombustible materials, 321

Noncombustibles, tests, 322

Nursing homes, fire alarm systems, 972(e)
Occupancy Classification, Table 3-2, (H-2)

O

Obstructions, 1023(a)

service lines, 1013

sidewalks, 1020

street, 1019, 1020

Occupancy, high hazard, see High hazard occupancies

incidental exit requirements, 357(b)

mixed exit requirements, 357(a)

multiple, 242

exit requirements, 357

temporary, Occupancy Certificate, 218

Occupancy certificates, altered buildings, 215

applicant, 220

applications, lot survey, 219

waiver of lot survey, 219

change of occupancy, 217

change of use, 217

compliance statement, 221

contents, maximum permissible live load, 223(b)

occupancy group, 223(a)

record, 224

environmental protection administration, 219

existing buildings, 216

waterfront property, 216

general provisions, charter requirements, 213

issuance time, limitations, 222

new buildings, 214

separations, 240

temporary occupancy, certificate, 218

transportation administration, 219

Occupancy Classification, Subchapter 3, Art. 2

amusement, attractions, and devices, Table 3-2 (F-2)

ballroom, Table 3-2 (F-4)

bandstands, Table 3-2 (F-2)

banquet rooms, Table 3-2 (F-4)

billiard parlors, Table 3-2 (F-3)

bowling alleys, Table 3-2 (F-3)

cabarets, Table 3-2 (F-4)

cafeterias, Table 3-2 (F-4)

churches, Table 3-2 (F-1b)

coffee houses, Table 3-2 (F-4)

concert halls, Table 3-2 (F-1b)

convention halls, Table 3-2 (F-1b)

court rooms, Table 3-2 (F-1b)

dance halls, Table 3-2 (F-4)

Index

- drive-in-theaters, Table 3-2 (F-2)
- exhibition halls, Table 3-2 (F-3)
- galleries, Table 3-2 (F-3)
- grandstands, Table 3-2 (F-2)
- gymnasiums, Table 3-2 (F-3)
- lecture halls, Table 3-2 (F-1b)
- motion picture theaters, Table 3-2 (F-1b)
- museums, Table 3-2 (F-3)
- night clubs, Table 3-2 (F-4)
- opera houses, Table 3-2 (F-1a)
- passenger terminals, Table 3-2 (F-3)
- planetariums, Table 3-2 (F-1b)
- playhouses, Table 3-2 (F-1a)
- restaurants, Table 3-2 (F-4)
- skating rinks, Table 3-2 (F-2)
- snack bars, Table 3-2 (F-4)
- sports arenas, Table 3-2 (F-1b)
- taverns, Table 3-2 (F-4)
- theaters, Table 3-2 (F-1a)
- business, banks, Table 3-2 (E)
 - barber and beauty shops, Table 3-2 (E)
 - civic administration buildings, Table 3-2 (E)
 - office buildings, Table 3-2 (E)
 - radio and television stations, Table 3-2 (E)
 - telephone exchanges, Table 3-2 (E)
- doubtful, 268
- educational, academies, Table 3-2 (G)
 - libraries, Table 3-2 (G)
 - schools, Table 3-2 (G)
 - universities, Table 3-2 (G)
- high hazard, Subchapter 3, Art. 3
 - cereal mills, Table 3-2 (A)
 - distilleries, Table 3-2 (A)
 - explosion hazard, 401
 - feed mills, Table 3-2 (A)
 - flour mills, Table 3-2 (A)
 - grain elevators, Table 3-2 (A)
 - grist mills, Table 3-2 (A)
 - industrial smoke houses, Table 3-2 (A)
 - paint shops and storerooms, Table 3-2 (A)
 - starch mills, Table 3-2 (A)
 - sugar mills, Table 3-2 (A)
 - tanneries, Table 3-2 (A)
 - unlisted, 401
- industrial, automotive repair shops, Table 3-2 (D-1)
 - automotive service stations, Table 3-2 (D-1)
 - baking plants, Table 3-2 (D-1)
 - boiler and furnace rooms, Table 3-2 (D-2)
 - breweries, Table 3-2 (D-1)
 - equipment rooms, Table 3-2 (D-2)
 - foundries, Table 3-2 (D-1)
 - heliports, Table 3-2 (D-1)
 - kitchens, Table 3-2 (D-2)
 - laboratories, Table 3-2 (D-2)
 - laundries, Table 3-2 (D-2)
 - power plants, Table 3-2 (D-2)
 - scenery shops, Table 3-2 (D-1)
 - vocational training shops, Table 3-2 (D-2)
- institutional clinics, Table 3-2 (H-2)
 - day nurseries, Table 3-2 (H-2)
 - homes for the aged, Table 3-2 (H-2)
 - hospitals, Table 3-2 (H-2)
 - jails, Table 3-2 (H-2)
 - mental institutions, Table 3-2 (H-1)
 - nursing homes, Table 3-2 (H-2)
 - orphanages, Table 3-2 (H-2)
 - prisons, Table 3-2 (H-1)
 - reformatories, Table 3-2 (H-1)
 - sanitariums, Table 3-2 (H-2)
- mercantile markets, Table 3-2 (C)
 - retail stores, Table 3-2 (C)
 - sales rooms, Table 3-2 (C)
 - shops, Table 3-2 (C)
- miscellaneous, fences, Table 3-2 (K)
 - sheds, Table 3-2 (K)
 - signs, Table 3-2 (K)
- residential, apartment houses, Table 3-2 (J-2)
 - convents, Table 3-2 (J-3)
 - hotels, Table 3-2 (J-1)
 - lodging houses, Table 3-2 (J-1)
 - motels, Table 3-2 (J-1)
 - one-family dwellings, Table 3-2 (J-3)
 - rectories, Table 3-2 (J-3)
 - rooming houses, Table 3-2 (J-1)
 - school dormitory buildings, Table 3-2 (J-2)
 - two-family dwellings, Table 3-2 (J-3)
- storage, coal pockets, Table 3-2 (B-1)
 - freight depots, Table 3-2 (B-1)
 - greenhouses, Table 3-2 (B-2)
 - private garages, Table 3-2 (B-2)
 - public garages, Table 3-2 (B-2)
 - stables, Table 3-2 (B-1)
 - storerooms, Table 3-2 (B-1)
 - warehouses, Table 3-2 (B-1)
- Occupancy groups, 237**
 - assembly classification, places of assembly, 254
 - business classification, 253
 - education classification, 259
 - industrial classification, 249
 - institutional classification, 260
 - mercantile classification, 248
 - miscellaneous classification, 267
 - reference standards, 235
 - residential classification, 263
 - storage classification, 245
- Occupant load, 358**
 - billiard rooms, Table 6-2
 - bowling alleys, Table 6-2
 - classrooms, Table 6-2
 - dance floors, Table 6-2
 - dining spaces, Table 6-2
 - dressing rooms, 546(b)(11)c
 - employee cafeterias, 358(c)
 - exhibition spaces, Table 6-2

Index

- floors, 357
 - garages, Table 6-2
 - gymnasiums, Table 6-2
 - habitable rooms, Table 6-2
 - industrial shops, Table 6-2
 - institutional sleeping rooms, Table 6-2
 - kindergartens, Table 6-2
 - kitchens, Table 6-2
 - laboratories, Table 6-2
 - libraries, Table 6-2
 - locker rooms, 358(c), Table 6-2
 - meeting rooms, 358(c)
 - modifications, 358(b)
 - nonsimultaneous occupancy, 358(c)
 - offices, Table 6-2
 - open parking structures, Table 6-2
 - passenger terminals, Table 6-2
 - safe areas, 535(a)(2)
 - sales areas, Table 6-2
 - seating areas, Table 6-2
 - skating rinks, Table 6-2
 - standing room, Table 6-2
 - storage rooms, 358(c), Table 6-2
 - toilets, 358(c)
 - Odors, ventilation of rooms with, 766**
 - Office buildings, Occupancy Classification, Table 3-2 (E)**
 - Office buildings, signs, stair and elevator, Subchapter 6, Art. 9**
 - Offices, occupant load, Table 6-2**
 - open parking lots, 482
 - Oil burners, chimneys, 832**
 - controls, 831
 - operator, certificate of fitness, 797(a)
 - Oil burning equipment, certificates, 797**
 - installer license, 796
 - standards, 800
 - Oil flares, 1023(a)**
 - Oil fuels, 807(a)**
 - air supply, 807(a)
 - Oil level indicator, fuel oil tanks, 830(i)(1)(2)**
 - Oil storage, 405**
 - One-family dwellings, boilers, 419**
 - borings, 663(a)(1)
 - Occupancy Classification, 243**
 - Openable windows, locks, 371(j)(2)c**
 - Opening protectives, 329**
 - acceptance, 329
 - automatic sprinklers over, 331(b)
 - certification, 329
 - exterior walls, 331(b)
 - fire divisions, 342
 - in shafts, 344(b)
 - tests, 329
 - Openings, conveyor, 342(b)**
 - door widths, 371(e)
 - exit, 534
 - exterior wall, 331(a)
 - vertical separation, 331(f)
 - fire divisions, 342
 - in shafts, 344
 - stair enclosures, 375(j)
 - supplemental vertical exits, 374(d)
 - unprotected, 331(e)
 - construction, 331 (e)
 - Open parking lots, Subchapter 7, Art. 13**
 - bumpers, 481(a)
 - curb cuts, 480
 - curbs, 481(a)
 - drainage, 481(b)
 - gasoline pumps, 482(a)
 - offices, 482
 - Open parking structures, Subchapter 7, Art. 11**
 - area limitations, 461
 - bumpers, 464
 - construction, 462
 - curbs, 464
 - elevators, 471
 - exits, 469(a)
 - exterior walls, 463
 - floor openings, 466
 - height limitations, 461
 - mechanical parking, 468, 469(b)
 - motor fuel pumps, 467
 - railings, 465
 - ramps, 470
 - standpipes, 472
 - Opera houses, Occupancy Classifications, Table 3-2 (F-1a)**
 - Operators, elevator, 1005**
 - boiler, 795
 - oil burner, certificate of fitness, 797(a)
 - Oriel windows, combustible construction, 336**
 - Orphanages, Occupancy Classifications, Table 3-2 (H-2)**
 - Outdoor signs, Subchapter 7, Art. 17**
 - general requirements, 177
 - Outrigger beams, multiple point suspension scaffolds, 1047(b), 1050.1**
 - Outrigger scaffolds, 1044**
 - guard rails, 1044(d)
 - loading, 1044
 - Outrigger beams, 1044(a)**
 - Outside Fire Districts, 294**
 - limitations, Subchapter 4, Art. 5
 - Ovens, 411**
 - Overhead garage doors as exits, 371(d)**
 - Overstress, 585, 594**
 - structural design, 585, Subchapter 10, Art. 3
- P**
- Paints, flammable, 406**
 - Paint shops, Occupancy Classification, Table 3-2 (A)**
 - Panels, access, 292(a)**
 - fire department access, stair enclosures, 375(j)
 - glass, Subchapter 10, Art. 12
 - viewing, 1021(c)
 - Panic hardware, 371(k)**
 - Pantries, ventilations, 758(c)**

Index

- Parapets**, 333, 340(c)
 - exterior corridors, 369(f)
 - live loads, 558(b)
 - protective guards, 334
 - walls, height limitations, 306(e)
 - public garages, 454
- Parking, grandstand**, 548(b)(4)
 - mechanical open parking structures, 468, 469(b)
- Parking areas, live loads**, 559
- Parking lots, offices, Inside Fire Districts**, 297(d)
 - open, Subchapter 7, Art. 13
- Parking structures, open**, see Open parking structures, Subchapter 7, Art. 13
- Parks, amusement**, 548(e)
 - fencing, 509
- Particle accelerators**, 416
- Partitions, construction**, 346
 - dead loads, 555
 - fire-retardant wood, 328(c)(2)(3), 346
 - firestopping, 345
 - folding, 347
 - horizontal loads, 578(d)
 - loads, 555
 - wood, 622(a)
- Party walls**, 1031(c), 1037(a)(3)
 - exits, 1037(b)
 - fire-resistance rating, 332
- Passageways, exit, in places of assembly**, 537
- Passenger terminals, occupant load**, Table 6-2
 - Occupancy Classification, Table 3-2 (F-3)
- Patio covers, canvas**, 336(j)
 - slow burning plastic, 336(j)
- Pavement, foundations**, 658(a)(4)
- Pedestrian bridges**, 1017(b), 1021(f)
 - lighting, 1021(f)(3)
 - live loads, 1021(f)(1)
- Penetration resistance**, 700(d)(4)a
- Penetration-test piles**, 700(d)(4)a
- Penthouses, construction**, 338
 - roof structures, 338
 - roofs, 338(a)
- Permits**,
 - air conditioning, 180
 - air cooling, 180
 - air heating, 180
 - alterations, 148(b)
 - applicant, 151
 - applications, 150
 - amendments, 154
 - filing, 153
 - other requirements, 152
 - time limitation, 155
 - time limitation, extension by Commissioner, 155
 - alternative procedure for certain permits, subchapter 1, Art.27
 - building alterations, general requirements, 161
 - plans required, 162
 - building code, classifications, 148
 - burning at site, 1019(c)
 - cellular telephone antennas, 191.1
 - classifications, 148
 - conditions, application compliance, 201
 - where asbestos projects performed, 198.1
 - code compliance, 200
 - lot diagram adherence, 202
 - payment of fees, 199
 - plans appliance, 201
 - safety requirements compliance, 203
 - conveying equipment, 1001
 - demolition applications, adjoining properties, protection, 170
 - certification requirements, 168
 - general requirements, 167
 - lot protection, 170
 - notice to adjoining owners, 169
 - photographs required, 171
 - drainage systems, 909
 - earthwork application, general requirements, 163
 - notice to adjoining owners, 165
 - plans required, 164
 - protection of adjoining properties, 166
 - equipment applications, requirements, 180
 - equipment use, refrigeration systems, 778, 781
 - refrigeration systems, temporary, 781(b)
 - equipment use applications, air conditioning and ventilating system, 185(a)
 - boilers, 185(f)
 - dumbwaiters, 185(b)
 - elevators, 185(b)
 - escalators, 185(b)
 - fuel burning equipment, 185(c)
 - fuel oil storage equipment, 185(c)
 - heating systems, 185(e)
 - inspections, 187
 - moving walks, 185(b)
 - permit duration, 190
 - permit renewal, 190
 - refrigeration systems, 185(d)
 - requirements, 186
 - requirements, exemptions, 189
 - stairways, 185(b)
 - temporary use permit, 188
 - tests, 187
 - equipment work applications, air conditioning and ventilating systems, 180(a), 182(a)
 - boilers, 180(f), 182(f)
 - dumbwaiters, 180(b), 182(b)
 - elevators, 180(b), 182(b)
 - escalators, 180(b), 182(b)
 - fuel burning equipment, 180(c), 182(c)
 - fuel oil storage equipment, 180(c), 182(c)
 - heating systems, 180(e), 182(e)
 - moving walks, 180(b), 182(b)
 - permit requirements, exemptions, 184

Index

- plan requirements, exemption, 183
- refrigeration systems, 180(d), 182(d)
- requirements, 181
- sprinkler systems, 180(h), 182(h)
- stairways, 180(b), 182(b)
- standpipe systems, 180(g), 182(g)
- fire alarms, 927, Subchapter 17, Art. 5
- fire detection systems, 927, Subchapter 17, Art. 5
- fire protection, 1014
- flammable film, 543(a)
- foundation applications, general requirements, 163
 - notice to adjoining owners, 165
 - plans required, 164
 - protection of adjoining properties, 166
- issuance, application approval, 191
 - application in part approval, 192
 - commencement of work notice, 195
 - expiration, 196
 - posting of permit, 194
 - revocation, 197
 - signature to permit, 193
- lifts, temporary use, 1002
- loading ramps, 1001
- mechanical ventilation, 771, Subchapter 13, Art. 2
- mechanized parked garage equipment, 1001
 - moving walks, 1001
 - temporary use, 1002
- new building, 148, 148(a)
 - architectural plans, 157(a)
 - datum, 158
 - information required by Commissioner, 159
 - mechanical plans, 157(c)
 - plans required, 157
 - requirements, 156
 - requirements, Workmen's Compensation Law compliance, 156
 - structural plans, 157(b)
- plumbing, 148(e), 900
- plumbing applications, alteration slip, 175
 - exemptions, 176, 179
 - general requirements, 172
 - plans required, 173
 - plans required, exemption, 174
 - repair slip, 172
- power-operated scaffolds, 998(e)
- refrigeration, 771, 781
- removal applications, adjoining properties protection, 170
 - lot protection, 170
 - certification requirements, 168
 - general requirements, 167
 - notice to adjoining owners, 169
- separate permit requirements, 149
- sign, 148(f)
- sign applications, general requirements, 177
 - plans required, 178
- single room occupancy multiple dwellings, 198
 - conversion, alteration and demolition prohibited, 198.2
 - relocation of tenants, 198.3
 - sprinkler systems, 180(h), 928
 - standpipe systems, 180(g), 928
 - work, lifts, 1001
 - moving walks, 1001
- Pew seating**, 531(a)(4)
- Photographs required**, 171
- Photoluminescent markings**, 383 (b), RS 6-1, RS 6-1A
- Physical disabilities, people with**, 123.1, 232, 308, 357, 371(e)(7), 377(c)(7), 459.1, 472.1, 483, 493.1, 531(a)(1)h., RS 4-6, RS 16
 - facilities for, Subchapter 4, Art. 2, Subart. 2
 - facilities for required, 123.1
- Piers**, Subchapter 11, Art. 6
 - equivalent unbraced length, 685(a)
 - foundation, see Foundation piers
- Pilasters, exterior, combustible construction**, 335
- Pile caps, design**, 694(a)(4)
 - reinforcements, 694(a)(3)
 - slab-on-grade concrete, 694(b)(3)
- Pile driving equipment**, 704
- Pile driving operations**, Subchapter 11, Art. 9
- Pile foundations**, Subchapter 11, Art. 7
 - allowable axial load, 700
 - loads, Subchapter 11, Art. 8
- Pile materials, compressive strength allowable**, Table 11-3
 - protection, 696(c)
- Pile penetrations**, 689
- Piles**, 658(a)(5), 663(c)(2)
 - alternate methods, report required, 698
 - battered, 694(b)(6)
 - bearing capacity, 700(b)(1)
 - bearing pressure, allowable, 700(b)
 - bracing, 694(b)
 - caisson, 713
 - capacity, 700(c)
 - cast-in-place concrete, 709
 - compacted concrete, 710
 - comparison, 700(c)(3)a
 - composite, 714
 - concrete-filled pipe, 712
 - damaged, 696(b)
 - eccentricity, 691(b)
 - existing, 690
 - heaved, 705(d)
 - installation by jacking, 700(c)(2)
 - lateral loads, 701
 - load distribution, 700(a)(3)
 - loads, maximum allowable, 700(e)
 - nominal maximum, Table 11-6
 - load tests, procedure, 700(d)(4)
 - record to be filed, 700(d)(4)
 - minimum driving resistance & hammer energy, Table 11-4 and 11-5
 - minimum section, 693
 - penetration test, 700(d)(4)a
 - precast concrete, 708

Index

- plan to be filed, 688(a)
- record required, 688(b)
- spacing, 692
- steel, 711
 - end bearing, 711(b)
- timber, 707
- tolerances, 691
- types, Subchapter 11, Art. 10
- uncased concrete pile shafts, 697
- uplift, 702
- Pile splices**, 695
- Pilings, controlled inspection**, 721
 - inspection requirements, Table 10-2, 721
- Pipe piles, concrete-filled**, 712
- Pipe spaces, firestopping**, 345
- Piping, clearances**, 809
 - combustion equipment, 792
 - concrete-filled piles, 712
 - dead loads, 554
 - embedment in fire protection, 324(a)
 - fill, fuel oil tanks, 830(e)
 - fuel oil heaters, 830(c)
 - fuel oil tanks, 830
 - gas, 896
 - inspection, 919
 - installation, 827
 - testing, 921
 - hot water, Subchapter 14, Art. 10
 - installation, 901(z)
 - insulation, 809
 - noise control, 770(b)(3)
 - piercing ceilings, 327(a)
 - stair enclosures, 375(j)
 - steam, Subchapter 14, Art. 10
 - through rated construction, 343
 - weather protection, 901(w)
- Pit clearances**, 819(a)
- Pit waterproofing**, 819(b)
- Pits, ash storage**, 422
 - boiler rooms, 422
 - automotive repair shops, 446(b), 449
 - public garages, 456(a)
 - test, 664
- Places of assembly**, Subchapter 8, Art. 1, 525
 - approved seating plans, 528
 - artificial lighting, 737
 - corridors, 536
 - enclosure, 529
 - exit lighting, 540
 - exit passageways, 537
 - exit requirements, 530
 - fly galleries, 546(b)(6)
 - F-1, Subchapter 8, Art. 3
 - F-1a, performing area, 546(b)(1), stages, 546
 - F-1b, 547
 - F-2, Subchapter 8, Art. 4
 - F-3, 549
 - F-4, 549
 - gridirons, 546(b)(6)
 - interior finish, 529
 - live loads, 558(b)(1)
 - location, 526
 - outdoor, 548(a)
 - ramps, 538(d)
 - rigging lofts, 546(b)(6)
 - safe areas, 535
 - scenery, 546(a)(1), 546(b)(5)
 - seating plans, 528
 - seating requirements, 531(a)
 - seating sections, 546
 - stage lighting, 546(b)(12)
 - stairs, 538
- Plan approval, applicant**, 140
 - applicant's statement, 142
 - application examination, 143
 - architectural, structural and mechanical
 - drawings application, 139(d)
 - composite, 157
 - conditional, 145
 - content, 141
 - copies, 141
 - endorsement, 146
 - floor and roof plans application, 139(c)
 - forms, 141
 - foundation plans application, 139(b)
 - lot diagram application, 139(a)
 - plan examination, 143
 - time limitations, 144
- Planetariums, Occupancy Classification**, Table 3-2 (F-1b)
- Planking**, 1042(c) maximum permissible spans, Table 19-5
 - platforms, structural, 1052(a)
 - scaffold, 1043(c)
- Plans, air conditioning**, 774
 - air cooling, 774
 - air heating, 774
 - data required on, 590
 - fire alarms, 926
 - mechanical ventilation, 774
 - refrigeration, 774
 - sprinklers, 926
 - standpipe systems, 926
- Plastic, in skylights**, 338(d)(1)
 - slow burning, 330
- Platform hoists**, 1056
- Platforms, construction**, 375(h)
 - exterior stairs, 376(c)
 - interior stairs, 375(d)
 - lighting, 381(a)
 - loading, load bearing tests, 682(b)(1)
 - ramps, 377(c)(3)
 - seating, 531(a)(3)
 - in seating sections, 546(a)(2)
 - structural, 1052
 - guard rail, 1052(b)

Index

- planking, 1052(a)
- Playgrounds, public fencing**, 509
- Playhouses, Occupancy Classification**, Table 3-2 (Ia)
- Plumbing**, 896
 - condemned materials, 901(r)
 - connections, public water, 901(e)
 - sewer system, 901(e)
 - definitions, 898
 - existing, 916
 - fire-rated construction, 901(z)(2)
 - through fire-resistant construction, 903
 - fixtures, location, 901(n)
 - required, 901(l)
 - smooth-surfaced, 901(m)
 - general requirements, 901
 - hospital, 912
 - inspection, 919
 - notification, 920
 - installation limitation, 901(z)
 - institutional, 912
 - laboratories using radioactive materials, 415(g)
- Plumbing maintenance**, 901(u)
 - materials, 901(q)
 - condemned, 901(r)
 - nonconforming, 902
 - permits, see Permits plumbing and Permits,
 - plumbing applications
 - plans, 899
 - prohibited substances, 901(h)
 - required fixtures, 901(l)
 - stacks, dead loads, 554
 - standards, 897
 - single room occupancy multiple dwellings, 198
 - tests, 901(t), 921
 - water conservation, 901(c)
 - weather protection, 901(w)
- Plywood**, 617(b), RS 10-9
- Pole foundations**, 684(b)
- Poles, footings**, 684(b)
- Pole scaffolds**, see Scaffolds, pole
- Pollution control, air, Code**, 1019(a)
- Pools, requirement**, 913
 - swimming, see Swimming pools
- Porches, combustible construction**, 336
- Porticos, combustible construction**, 336
- Posted capacity**, 527
- Posting buildings, posted occupancy and use**, 225
 - posted signs replacement, 226
- Potable water**, 901(a)
 - identification, 908(b)
 - supply requirements, 901(b)
- Power buggies**, 1035(c)(8), 1053, 1059
- Power, emergency**, Subchapter 6, Art. 11
- Power lines, notice required**, 1013(c)
- Power-operated cranes & derricks**, RS 19-2
- Power-operated doors**, 371(l)
- Power-operated scaffolds, inspection**, 1012
- Power plants, Occupancy Classification**, Table 3-2 (D-2)
- Precast concrete**, 603
- Precast concrete piles**, 708
- Prestressed concrete**, 1035(i)
- Pressure tanks**, 945(b)(4), 965
 - sprinkler systems, 965
- Pressure vessels, unfired**, Subchapter 14, Art. 15
- Pressurization systems, air-supported structures**, 516
- Prestressed construction**, 1035(i)
- Prism tests, masonry**, 4.4.4 (RS 10-1A), 1.63 (RS 10-1B)
- Prisons, Occupancy Classification**, Table 3-2 (H-1)
- Private garages**, Subchapter 7, Art. 12
 - breezeway, 476
 - carport, 475
 - classification, 474
 - floors, 477
 - ventilation, 478
- Prohibited doors, folding doors**, 371(d)
 - rolling shutters, 371(d)
 - vertically sliding doors, 371(d)
- Projecting signs**, 502
 - location, 502(a)
 - supports, 502(d)
- Projection booths, exits**, 543(d)
 - ventilation, 543(d)
- Projection machines, drive-in theaters**, 548(c)(4)d
- Projections**, 109
 - beyond street lines, 307
 - above grade, 313
 - air conditioning unit, 313(a)(2)
 - awning, 313(b)
 - balcony, 313(a)(3)
 - band course, 313(a)(2)
 - base, 313(a)(2)
 - below grade, 314
 - bridge, 313(d)
 - door, 313(a)(1)
 - drop awning, 313(b)(2)
 - entrance details, 313(a)
 - existing, 311
 - existing alterations, 311(a)
 - fire escapes, 313(a)(3)
 - fixed, 313(a)
 - flagpole, 313(a)(6)
 - footing, 309, 314(a)
 - foundation wall, 314(b)
 - grill, 313(a)(2)
 - header, 313(a)(2)
 - light fixture, 313(a)(5)
 - main cornice, 313(a)(2)
 - marquee, 313(a)(4)
 - rake, 313(a)(2)
 - removable, 309
 - restrictions, 308
 - roof eave, 313(a)(2)
 - rustications, 313(a)(2)
 - sculpture, 313(a)(2)

Index

- sign, 313(a)(8)
- sill, 313(a)(2)
- step, 313(a)(1)
- store front awning, 313(b)(1)
- storm enclosure, 313(c)
- sun control device, 313(a)(2)
- tunnel, 314(d)
- vault, 314(c)
- vener, 313(a)
- wall sign, 313(a)(7)
- window, 313(a)(2)
- building code, 109
- Properties, adjoining**, see Adjoining properties
- Public address systems, fire control station**, 546(b)(10)c
- Public buildings, marquees**, 313(a)(4)
- Public garages**, 419(b), Subchapter 7, Art. 10
 - classification, 451
 - construction, floor, 452
 - entrances, 453
 - exits, 457
 - furnaces, 419(b)
 - heating equipment, 459
 - pits, 456(a),(d)
 - railings, 452
 - ramps, 458
 - roof parking, 454, 457(c)
 - guard rail, 454
 - parapet wall, 454
 - sprinkler systems, 455
 - ventilation, 456
- Public playgrounds, fencing**, 509
- Pump rooms, standpipe systems**, 946(b)
- Pumps, booster, sprinkler systems**, 964
 - fire, 946
 - automatic, 945(b)(5)
 - gasoline, 441
 - open parking lots, 482(a)
 - noise control, 770(b)(5)
 - transfer, fuel oil tanks, 829(b)(2)
- Putlogs**, 1043(c)(1)
- Q**
- Quality control, aluminum**, 627
 - concrete, 605(a)(5)
 - steel, 616
- R**
- Radiation machines**, 416
- Radiation-producing equipment**, see Subchapter 7, Art. 4
- Radiation protection, state industrial code**, 414
- Radioactive materials**, Subchapter 7, Art. 4
 - storage, 417
 - vaults, 417
- Radio and television towers, access**, 495
 - construction, 496
 - location, 495
- Radiological hazards, City Health Code**, 414
- Radio stations, Occupancy Classification**, Table 3-2 (E)
- Rafters, wood**, 622(c)(5)
- Railings, live loads**, 558, 558(b)
 - open parking structures, 465
 - public garages, 452
 - ramps, 377(c)(5)
 - roof, 334
 - around skylights, 338(d)(2)c.I.
 - standard guard, 1021(a)(4), 1021(f)(1), 1032(b)
 - swimming pools, 493
- Railroad equipment, live loads, moving**, 562(d)
- Ramps, capacity**, 377(a)
 - direction change, 377(c)(1)
 - doors, 377(c)(4)
 - exit capacities, see Table 6-1
 - guards, 377(c)(5)
 - length, 377(c)(2)
 - lighting, 381(a)
 - loading, 1053
 - maximum grade, 377(b)
 - parking structures, 470
 - in places of assembly, 538
 - platforms, 377(c)(3)
 - projection beyond street lines, 308
 - public garages, 458
 - safe areas, 535(a)(5)
 - structural, 1051(b)
 - railings, 377(c)(5)
 - guard rail, 1051(e)
 - surface, 377(c)(6)
- Rectories, Occupancy Classification**, Table 3-2 (J-3)
- Red lanterns, warning signs**, 1023(a)
- Reformatories, Occupancy Classification**, Table 3-2 (H-1)
- Refrigeration systems**, 771
 - construction, 777(f)
 - controlled inspection, 781(a)
 - equipment use permit, 778, 781
 - temporary, 781(b)
 - operation and maintenance, Subchapter 13, Art. 3
 - operator's qualifications, 786
 - plans, 774
 - safety standard, RS 13-6
 - test and inspection, 781(a)
 - use of city water, 777(g)
- Refueling facilities, heliports**, 435
- Refuge, area of**, see Areas of refuge
- Refuse chute, sign**, 848(b)
- Registered architects and professional engineers**,
 - probation, 143.1
 - sanctioning, 143.2
- Registers, noise control**, 770(d)
- Reinforced gypsum concrete**, Subchapter 10, Art. 9
 - inspection requirements, Table 10- 1, Table 10-2
- Removal applications**, 148(d)
- Repairs**, 1007, Subchapter 19, Art. 7
 - barricades, 1041
 - signs, 1041
- Repair shops, automotive**, Subchapter 7, Art. 9
 - Occupancy Classification, Table 3-2 (E)
- Reshoring**, 1035(f)

Index

Residential classification, Occupancy Group J, 263

Residential Occupancy Classifications, see
Occupancy Classifications, residential

Restaurants, cooking equipment ventilation, 777(d)

Occupancy Classification, Subchapter 3, Art. 2

Retail stores, Occupancy Classification, Table 3-2 (C)

Retaining structures, 1031(a)(1)

excavation, 1032(a)

inspection, 1010

removal, 1031(a)(3)

Retardants, admixtures, Table 19-3

Revolving doors, 371(m)

inspection, 371(m)(3)

Rigging lofts, automatic sprinkler system, 546(b)(7)

places of assembly, 546(b)(7)

Right of entry, 205

Right of inspection, 205

Risers, construction, 375(h)

exterior stairs, 376(c)

standpipe systems, see Standpipe systems, risers
and treads, 375(e)

Rock borings, core drilling, 663(d)(2)

core samples, 663(d)(2)

Rock characteristics, 675(a)

Rock cores, 663(f)

Rock socket, 713(c)

Roof access, 375(k)

Roof coverings, classification, 337

combustible appendages, 336(h)

combustible decking, 337(b)

combustible insulation, 337(c)

limitations of use, 337(a)

Roof framing, wood, 622(c)

Roof irons, 1046(c)

Roof monitors, 338(d)

Roof parking, public garages, see Public garages,
roof parking

Roofs, construction, abutting fire,

divisions, 340(a)

dormer, 338(g)

fencing, 334

firestopping, 345

live loads, 561

mansard, 338(f)

penthouses, 338(a)

railings, 334

sawtooth, 338(d)

Roof signs, 503, 505(a)

inside Fire Districts, 297(i)

location, 503(a)

supports, 503(c)

Roof stairs, 375(k)

Roof structures, 338

bulkheads, 338(b)

dormers, 338(g)

greenhouses, 338(e)

height limitations, 306(c)

inside Fire Districts, 297(g)

penthouses, 338(a)

scuttles, 338(c)

skylights, 338(d)

Roof tanks, height limitations, 306(a)

Roof vents, 353

Rooming houses, Occupancy Classifications, Table 3-2 (J-1)

Rooms, gas meter, existing, 918

Rooms, gas meter, RS-16, P115.5(c)

Rooms, habitable, natural ventilation, 746

occupant load, Table 6-2

machine, 344(f)

meeting, occupant load, 358(c)

occupiable, natural ventilation, 745

sleeping, institutional, occupant load, Table 6-2

Ropes, bridge, 636(a)(3)

fibre, 1046(d), 1055(c)

fittings, 1055(e)

hoisting, inspection, 1012, 1055

wire, 1055(b)

Runways, loading, 1051, 1053

in seating section, 546(a)(2)

structural, Subchapter 19, Art. 9

S

Safe areas, assembly spaces, see Assembly

spaces, safe areas

doors from, 535(a)(7)

lighting, 540(a)

Safety netting, see Netting, safety

Sales areas, occupant load, Table 6-2

Sales rooms, Occupancy Classification, Table 3-2(c)

Sanitariums, Occupancy Classification, Table 3-2 (H-2)

Sanitary drainage, 896, Subchapter 16, Art. 3

Scaffolds, Subchapter 19, Art. 8, 1042(b), 1022

c-hooks, 1050.1

design, 1042(b)(1)

fibre rope, 1046(d)

fire-retardant construction, 1042(f)

free-standing, 1043(g)

general provisions, 1042

guard rails, 1042(g)

heavy duty, 1042(b)(3)c

inspection, 1012, 1045(b)

light duty, 1042(b)(3)a

loading, 1042(b)(2)

manually-propelled free-standing, 1048

medium duty, 1042(b)(3)b

needle beam, 1046(e)(1)

outrigger, 1044, 1050.1

loading, 1044

planking, 1043(c)

pole, 1042(b)1, 1043

putlogs, 1043(e)

power-operated, construction, 991(h)

inspection, 998(c), 1012

permits, 986

plans, 985

Index

- power-operated free-standing, 1049
- required in structure demolition, 1022(a)(1)
- standard, 1042(b)(3)
 - heavy duty, 1042(b)(3)c
 - light duty, 1042(b)(3)a
 - medium duty, 1042(b)(3)b
- standard designs, 1043(i)
- standard guard rail, 1050
- standard toeboards, 1050
- tests, inspections, 1045(b)
- Scenery, storage**, 546(b)(2)
 - in places of assembly, 546(a)(1), 546(b)(5)
- Scenery shops, Occupancy Classification**, Table 3-2 (D-1)
- Schools, fire alarm systems**, 972(b)
 - Occupancy Classification, Table 3-2 (G)
 - ventilation, 765
- School yards, fencing**, 509
- Screens, motion picture**, 544
 - under skylights, 338(d)(4)
- Scissor stairs, construction**, 375(h)
- Scuttles**, 338(c)
 - roof structures, 338
- Seating bench**, 531(a)(4)
 - bleacher, 531(a)(2)
 - chair, 531(a)(1)
 - counter, 531(a)(6)
 - movable, 531(a)(1)c
 - platform, 531(a)(3)
 - requirements, 531
 - table and chair, 531(a)(5)
- Seating areas, occupant load**, Table 6-2
- Seating plans, approved**, 528
 - assembly spaces, 528(a)
 - in places of assembly, 528
 - safe areas, 528(b)
 - stage areas, 528(c)
- Seating requirements, in places of assembly**, 531
- Seating sections, in places of assembly**, 546
 - platforms, 546(a)(2)
 - runways, 546(a)(2)
- Seepage**, 661(b)
 - bearing pressure, 678, Table 11-2
 - disturbed soil, 679(a)
- Segregation, fire**, see Fire Segregation
- Sending station, fire alarm systems**, 973(a)
- Separations, air-supported structures**, 511
 - fire, see Fire separations
 - tents, 511
- Service equipment, acceptance**
 - requirements, 135
 - alternate equipment, 137
 - dead loads, 554
 - equivalent equipment, 137
 - general requirements, 134
 - inspection requirements, 136
 - live loads, 557(b)(2)
- Service facilities, embedment in fire protection**, 324(a)
- Service incinerators, chimneys**, 876
- Service lines, differential settlement**, 680
 - obstructions, 1017(b)
 - temporary, 1017(c)
 - utilities, 1013(a)
- Services, essential, maintaining**, 1013(b)
 - utilities, 1013
- Service stations, automotive**, Subchapter 7, Art. 8
 - Occupancy Classification, Table 3-2 (E)
- Settlements**, 1035(c)(7)
- Sewage, private disposals**, 910
- Sewer system:**
 - combined sewer, 901(e)(1)
 - connections to public water supply systems, 901(e)(1)
 - conveying sewage, 901(e)(1), (g)
 - design of system, 901(g)
 - disposal of storm water, 901(k)
 - Environmental Protection Administration, 901(e)(1), (k)
 - adequate capacity, 901(e)(1) 1.
 - elevation, 901(e)(1) 4.
 - location, 901(e)(1) 5.
 - physical obstacles, 901(e)(1) 3.
 - maintenance of system, 901(g)
- Sewer system, prevention of flooding**, 901(s)
 - private, 157(c)(4)
 - public, 157(c)(3), 901(e)(2)
- Shafts**, 344
 - openings, 344(c)
 - smoke venting, 344(d)
 - trap doors, 344(e)
 - vents, 344(d)(e)
- Shaft vents**, 344(e)
- Shear walls, load distribution**, 579(a)
- Sheaves**, 1055(d)
- Sheds, Occupancy Classification**, Table 3-2 (K)
- Sheeting, excavations**, 1032(a)
- Sheet-piling, demolition**, 1039(e)(2)d
- Shop drawings, A.E. approval required**, 590
- Shops, industrial, occupant load**, Table 6-2
 - mercantile, Occupancy Classification, Table 3-2 (C)
- Shores**, 1035(d)
- Shoring**, 1035(c)(5), 1035(e), 1036(d)
 - demolition, 1039(e)(2)d
 - excavations, 1032(a)
 - inspection, 1010
 - reshoring, 1035(f)
- Show windows**, 331(c)
- Shutters, combustible construction**, 335
- Siamese connections**, 940
 - sprinkler systems, 959
 - construction, 959(b)
 - installation, 959(b)
- Sidewalk elevators**, 988
- Sidewalks, contractor sheds**, 1021(a)(1)
 - live loads, 558
 - obstruction, 1020
 - protection of, 1021

Index

- Department of Highways, 1020, 1021(a)(3)
- temporary, 1021(a)(2), 1021(e)
- lighting, 1021(b)(10)
- Signal systems, standpipe**, 952
- Sign construction, combustible materials**, 507
 - slow-burning plastics, 507(b)
 - sign permits, 148(f)
- Sign permits**, 148(f)
- Signs**, 109, 292(c)
 - alterations, 1041
 - annual inspection, 508(b)
 - directional, assembly spaces, 541
 - exit assembly spaces, 534(e)
 - exit signs and other markings, 383, 383.1
 - fees, see Title 26 index
 - general requirements, 177
 - ground, 500
 - illuminated, see illuminated signs
 - lighted, 1023(a)
 - maintenance, 508(a)
 - marquee, 504, 505(a)
 - supports, 504(c)
 - metal, sprinkler systems, 959(a)(3)
 - Occupancy Classification, Table 3-2 (K)
 - office buildings, (high rise) stairs and elevator,
 - Subchapter 6, Art. 9
 - applicability, 390
 - elevator landings, 391
 - existing office buildings, 396
 - floor numbering, 392
 - identification, 393
 - materials, 395
 - reentry, 394
 - owner and general contractor, 1009(c)
 - power source, 384
 - projecting, see Projecting signs
 - refuse chutes, 839
 - repairs, 1041
 - roof, see Roof signs
 - sleeping rooms, Subchapter 6, Art. 10
 - stair and elevator, Subchapter 6, Art. 9
 - temporary, 506
 - vehicular traffic control, 1023(c)
 - wall, see Wall signs
 - warning, 1023, 1054(c)
 - red lights, 1023(a)
 - red lanterns, 1023(a)
 - walkways, 1023
- Silt**, 675(b)(4)
 - allowable bearing pressure, 678
 - varved, 675(b)(5)
- Single room occupancy multiple dwellings**, 198
 - conversion, alteration & demolition, 198.2
 - relocation of tenants, 198.3
- Skewed stairs**, 375(e)(4)
- Skylights, construction**, 338(d)
 - glass, 338(d)(1)
 - glass blocks, 338(d)(1)
 - glazing 338(d)(1), 338(d)(2)
 - marquees, 313(a)(4)
 - plastic, 338(d)(1)
 - railings, 338(d)(2)c.1.
 - roof structures, 338(d)
 - screens, 338(d)(4)
 - separation from structures, 338(d)(3)
- Skating rinks, Occupancy Classification**, Table 3-2 (F-2)
 - occupant load, Table 6-2
- Sleeping rooms, institutional, occupant load**, Table 6-2
- Sleeping rooms, signs in**, Subchapter 6, Art. 10
- Slide poles**, 344
- Slip forms, construction**, 1035(g)
 - jacks, 1035(g)(4)
- Slumps, concrete formwork**, Table 19-3
- Smoke and heat vents**, 353
 - shafts, 344(d)
- Smoke barriers**, 369(c)
- Smoke control requirements**, 777.1
- Smoke curtains**, 353
- Smoke density**, 348(d)
- Smoke detector**, 955
- Smoke houses, industrial, Occupancy Classification**, Table 3-2 (A)
- Smoke protection**, 353.1, 353.2, 353.3
- Smoke shaft requirements**, 353
- Smoke stop doors**, 371(c)
 - fire-retardant wood, 371(c)
 - wire glass, 371(c)
- Smoke test**, 856(e), 868
 - method, 868(b)
- Snack bars, Occupancy Classification**, Table 3-2 (F-4)
 - ventilation, 758(c)
- Soil bearing pressure**, 668
 - allowable, Subchapter 11, Art. 4, 678
- Soil borings**, 663(d)(1)
- Soil classification**, 675
- Soil load bearing tests**, Subchapter 11, Art. 5
 - controlled inspection, 720
- Soils, treatment**, 679(c)
 - nominally unsatisfactory, 679(c)
 - nominally satisfactory, 679(c)
- Soil samples**, 663(f)
 - recovery, 663(d)(1)
- Soil stacks, existing**, 917
- Solid fuels**, 807(c)
 - air supply, 807(c)
- Solvents, storage**, 405
- Sound power levels**, Table 12-3
 - maximum permitted for exterior mechanical equipment adjoining buildings, Table 12-4
- Sound Transmission Class (STC)**, 769 (a)(1), ratings, 769(a)(2)
- Spaces, area limitations**, 302
 - classifications, 234, 238, 270
- Special occupancies, ventilation**, 767

Index

- Spiral stairs**, 375(l)
- Sports arenas, Occupancy Classification**, Table 3-2 (F-1b)
- Spotlights**, 543(c)
- Spray booths**, 409(a)
 - automatic sprinkler system, 409(a)(2)
- Spray finishing**, Subchapter 7, Art. 3
- Spraying spaces, sprinkler systems**, 412
 - ventilation, 410
- Sprinkler alarm systems**, 957
- Sprinkler heads, charging chutes**, 875(b)(4)
 - protection, 966(b)
- Sprinkler systems**, 923
 - alarm system, 957
 - automatic, auxiliary stage spaces, 546(b)(11)d, 547(b)(2)(d)
 - over opening, 331(b)
 - rigging lofts, 546(b)(6)
 - spray booths, 409(a)(2)
 - stages in places of assembly, 546(b)(7)
 - automotive repair shops, 447
 - booster pumps, 964
 - carbon dioxide systems, dry cleaning establishments, 430
 - deluge, 546(b)(7)b
 - dipping spaces, 412
 - direct connection to public water, 963
 - domestic water supply, 962(c)
 - existing, 931
 - existing buildings, 123.2
 - fire department connection, 959(5)
 - fire protection, 1014(b)
 - gravity tanks required, 965
 - inspections, 967
 - installation in residential occupancies, (RS 17-2A)
 - installation in one-and two-family dwellings and installation systems, 959(b)
 - manufactured homes, (RS 17-2B)
 - metal signs, 959(a)(3)
 - nonautomatic, requirements for, 962(f)
 - partial protection, 959(a)(3)
 - permits, 927
 - plans, 926
 - pressure tanks required, 965
 - protection, 966
 - public garages, 455
 - requirements in spaces below grade, 929(c), 954(aa)
 - requirements systems, Subchapter 17, Art. 4, 954
 - siamese connections, 959
 - smoke detector alternate, 955
 - spraying spaces, 412
 - standards, 924
 - tests, 967
 - unsprinklered buildings and spaces, Table 4-1
 - water supply, automatic sources, 961(a)
 - auxiliary sources, 961(b)
 - classification, 961
 - combination sources, 961(c)
 - domestic, 962(d)
 - required conditions, 962(d)
 - nonautomatic sources, 961(d)
 - required sources, 962
- Stability**, Subchapter 11, Art. 12
 - factor of safety, 718
 - overturning, 718(a)
 - sliding, 718(b)
- Stabilized overburden pressure**, 680
- Stables, Occupancy Classification**, Table 3-2 (B-1)
- Stack bond**, 7.7 (RS 10-1A), 10.12 (RS 10-1B)
- Stadiums, live loads, moving**, 562(i)
- Stage areas, seating plan**, 528(c)
- Stage floor, construction**, 546(b)(2)
- Stage lifts**, 546(b)(2)b
 - construction, 991(f)
- Stage lighting**, 546(b)(12)
 - in places of assembly, 546(a)(2)
- Stages, auxiliary spaces**, 546(b)(11)
 - exits, 546(b)(11)b
 - sprinklers, 546(b)(11)d
 - construction, in F-2 places of assembly, 548(c)
 - exits, 546(b)(4)
 - in F-2 places of assembly, 548(c)(3)
 - fire control station, 546(b)(10)
 - F-3 or F-4 places of assembly, 549
 - occupant load, 546(b)(4)
 - F-2 places of assembly, 548(c)(3)
- Stair doors**, 375(g)
 - locks, 371(j)(1)
- Stair enclosures**, 375(i)
 - ducts, 375(j)
 - fire department access panels, 375(j)
 - openings, 375(j)
 - pipes, 375(j)
 - windows, 375(j)
- Stairs, access**, 375(i)(2)
 - dead loads, 555(b)
 - exit capacities, Table 6-1
 - exit, see exits, stairs,
 - exterior, see exterior stairs
 - fire escape, 380(b)
 - firestopping, 345, 345(c)
 - interior, see interior stairs
 - lighting, 381(a)
 - in places of assembly, 538
 - roof, 375(a), 375(k)
 - spiral, 375(l)
 - unenclosed, 375(i)(1)c
- Stairwells, live loads**, 558(b)(1)
- Standard scaffolds**, see scaffolds, standard
- Standee areas, assembly spaces**, 531(7)
 - protective guards, 531(a)(8)
- Standing room, occupant load**, Table 6-2
- Standpipes systems**, 923
 - automatic dry, 932(b)
 - connected to city water system, 945(b)(1), 962(g)

Index

- cross connections, 941
- devices used, 939
 - exempt buildings, 932(d)
- existing, 930(a)
- extension of building, 930(b)
- fireline systems, electrical tests, 977
 - communication system, 975
 - fire command station, 975
 - installation, 976
 - signaling systems, 974
 - telephone systems, where required, 974
- fire protection, 1014(b)
- fire pumps, 946
 - automatic, 945(b)(5)
 - power supply, 943(c)
 - water supply, 947(b)
- heliports, 437
- hose omission, 942(c)(5)
- inspection, 951
- installation standards, 950
- maximum pressure, 943
- nonautomatic, 932(b)
- occupancy, group E, 954(i)
- omission of service, 937
- open parking structures, 472
- permits, 927
- plans, 926
- pressure reducing valves, 944
- protection, 949
- pump rooms, 946(b)
- requirements, Subchapter 17, Art. 3, 932
- risers, high, 945(d)
 - location, 936
 - low, 945(c)
 - number of, 935
 - size of, 938
 - use for sprinkler systems, 945(d)
- siamese connections, 940
- signal systems, 952
- standards, 924
 - in structures being demolished, 934
 - in structures being erected, 934
- tests, 951
- three-way manifold, 942(a)(2)
- water supply, 945
 - additional, 946(a)
 - control valve, 947(a)
 - direct connection to, 947
 - primary, 945(a)
 - supplying, 945(b)
- wet, 932(a)
- Starch mills, Occupancy Classification, Table 3-2 (A)**
- State industrial code, radiation protection, 414**
- Steam piping, Subchapter 14, Art. 10**
- Steam hammers, 700(a)(1)**
- Steel, Subchapter 10, Art. 6**
 - identification, 615
 - inspection requirements, Table 10-2
 - light-gage cold-formed, 614(b)
 - open web steel joints, RS 10-7
 - quality control, 616
 - structural, 614(a), (RS 10-5A), (RS 10-5B)
 - structures resisting earthquake forces, (RS 10-5C)
 - welding, 616(b)
- Steel piles, 711**
 - end bearing, 711(b)
- Steps, in aisles, 532(a)(7)**
 - in safe areas, 535(a)(5)
- Stop-work order, notice, 227**
 - unlawful continuance, 228
- Storage material, see Materials, storage**
 - oil, 405
 - nitric acid, Subchapter 7, Art. 20
 - application, 518
 - construction requirements, 520
 - location, 519
 - ventilation, 521
 - scenery, 546(b)(2)
 - solvents, 405
- Storage classification, Occupancy Group B, 245**
- Storage occupancies, ventilation, 405**
- Storage Occupancy Classifications, see Occupancy Classifications, storage**
- Storage rooms, auxiliary stage space, 546(b)(11)**
 - occupant load, 358, Table 6-2
- Storerooms, paint, Occupancy Classifications, Table 3-2 (A)**
 - Occupancy Classification, Table 3-2
- Stores, retail, Occupancy Classifications, Table 3-2 (C)**
- Storm drainage, 896**
- Storm enclosures, Combustible construction, 336**
 - Inside Fire Districts, 297(c)
- Storm water, disposal, 901(k)**
- Streets, closing, 1020, 1021**
 - obstructions, 1020
- Stresses, increase of allowable,**
 - infrequent, 594
 - secondary, 593
- Stringers, construction, 375(h)**
- Structural design, adequacy, Subchapter 10, Art. 3**
 - aluminum, Subchapter 10, Art. 8
 - bracing, 592
 - deflection limitation, 595
 - foundation elements, 591
 - glass panels, Subchapter 10, Art. 12
 - inadequate construction, 597
 - infrequent stress conditions, 594
 - load tests, 599
 - overstress, 585
 - public safety, 585
 - secondary stresses, 593
 - stability, 591
 - wood, Subchapter 10, Art. 7
- Structural elements, fire-retardant wood, 328(a)**
 - materials, 586

Index

Structural materials, controlled inspection, Table 10-1
inspection requirements, Table 10-1

Structural members, in cavity walls, fire protection, 324(c)
exposed to outdoors, fire protection, 324(c)
fire protection, 324
impact protection, 324(b)

Structural platforms, see Platforms, structural

Structural steel, 614(a), (RS 10-5A, RS 10-5B)

Structure-borne noise, 769(b), 770(b)

Structures, adjoining, see adjoining structures

Structures, air-supported, see air-supported structures

Stud walls, wood, 622(a)

Sugar mills, Occupancy Classification, Table 3-2(A)

Supermarkets, marquees, 313(a)(4)

Supports,
antenna, combustible construction, 338(j)
chimney, 864
furnace floors, 819
gas vents, 890
ground signs, 500(c)
unit heaters, 814
wall signs, 501

Surcharges, lateral loads, 670(a)

Suspended scaffolds, 1045
hangers, 1046
inspection, 1045(b)
ladder type platforms, 1046(f)(1)
multiple-point suspension, 1047
needle-beam, 1046(e)(1)
roof irons, 1046(c)
tests required, 1045(b)
two-point suspension, 1046

Suspended structures, Subchapter 10, Art. 11

Suspenders, 636
bridge rope, 636(a)(3)
bridge strand, 636(a)(2)
bridge wire, 636(a)
tests, 637
wire cable, 636(a)
fittings, 640
protection, 642

Swimming pools, Subchapter 7, Art. 15
bottom slopes, 489(b)
construction, 489
drainage, 492
diving boards, 489(h)
dressing facilities, 490
enclosure, 493(b)
hand-holds, 489(e)
heating, 491
ladders, 489(c)
markings, 489(f)
people with physical disabilities, facilities, 493.1
railings, 493
requirements, 913
safety precautions, 493
spectator area, 489(g)
towers, 489(h)

ventilation, 491
walkways, 489(d)
walls, 489(a)
water circulation, 492
water treatment, 492

Synchrotrons, 416

T

Table and chair seating, 531(a)(5)

Tanks, fuel oil, 828(a)
along subway line, 829(f)
buried, construction, 828(a)(4)
coatings for, 828(a)(3)
construction, 828(a),(b)
cylindrical, 828(b)
design, 828(a)
fill pipes, 830(e)
flow control, 830(h)
heating coils, 830(g)
inside buildings, below ground, 829(c)
locations, 829
above the lowest floor, 829(b) piping to, 830(f)
on the lowest floor, 829(a)
minimum thickness, 828(d)(1), 828(e)(2)
oil level indicator, 830(i)(1)
openings in, 828(a)(6)
outside buildings, above ground, 829(e)
outside buildings, below ground, 829(d)
piping, 830
rectangular, 828(c)
transfer pump, 829(b)(2)
vent pipe, 830(d)
gravity, 945(b)(3), 965
inside Fire Districts, 297(h)
pressure, 945(b)(4), 965
water, supports for, 338(h)
heating devices, 901(d)

Tanneries, Occupation Classification, Table 3-2 (A)

Tapered aisles, 532(a)(3)

Taverns, Occupancy Classification, Table 3-2 (F-4)

Telephone exchanges, Occupancy Classification,
Table 3-2 (E)

Television stations, Occupancy Classification,
Table 3-2 (E)

Temporary occupancy, Occupancy Certificates, 218, 219

Temporary sidewalks, see Sidewalks, temporary

Temporary signs, 506
Inside Fire Districts, 297(h)

Temporary structures, Inside Fire Districts, 297(e)

Temporary use permits, fuel burning equipment, 794(e)
posting, 1003

Temporary walkways, 1021(e)

Tents, Subchapter 7, Art. 19, 524
flame resistance, 515(a)
height, 510
location, 510
separations, 511

Index

- Terminals, marquee**, 313(a)(4)
 - passenger, occupant load, Table 6-2
- Test load**, 588
- Test pits**, 664
- Tests, acceptance, elevators**, 997
 - boiler acceptance, 793(a)
 - bridge wire, 637
 - concrete, 598
 - fire protection, Subchapter 5, Art. 2
 - fuel burning installations, 794(a)
 - fuel storage installations, 794(a)
 - gas vent systems, 879(b)
 - load bearings, correlation of load test
 - behavior, 682(c)(1)
 - gross settlement, 682(c)(1)
 - load increments, 682(b)(2)
 - loading platform, 682(b)(1)
 - procedure, 682
 - report required, 682(c)(1)
 - test plate, 682(b)(1)
 - model, 599(a)(5)
 - opening protectives, 329
 - plumbing, 901(t), 921
 - settlement, 682(a)(9)
 - sketch required, 682
 - soil load bearing, Subchapter 11, Art. 5
 - sprinkler systems, 967
 - standpipe systems, 951
 - fireline, 974(g)
- Theaters, drive-in**, 548(c)(4)d
 - Occupancy Classification, Table 3-2 (F-2)
 - projection machine, 548(c)(4)d
 - live loads, see Live Loads, theaters
 - marquees, 313(a)(4)
 - motion picture, Occupancy Classification, Table 3-2 (F-1b)
 - Occupancy Classification, Table 3-2 (F-1a)
- Thimbles**, 894
 - ventilating, 861(c)(1)
- Ties, masonry**, 3.3 (RS 10-1A), 9.7.3 (RS 10-1B)
- Timber**, 617(a)
- Timber piles**, 707
 - end bearings, 707(a)(2)
 - inverted, 707(c)
 - lagging, 707(c)
- Tobacco Advertising**, Subchapter 7, Art. 17A
 - penalties, 508.7
- Toeboards**, 1042(g)
 - outrigger scaffolds, 1044(d)
 - standard, 1050
- Toilet rooms, artificial illumination**, 738
 - dead loads, 555(b)
 - ventilation, 759
- Toilets, occupant load**, 358(c)
- Tools, explosive powered**, Subchapter 19, Art. 11
 - operation, 1066
- Towers, cooling**, 338(i)
 - swimming pools, 489(h)
- Toxic substances, ventilation of rooms with**, 766
- Traffic control, flagmen**, 1023(c)
- Training shops, vocational, Occupancy Classification**, Table 3-2 (D-2)
- Transfer pump, fuel oil tanks**, 829(b)(2)
- Transoms**, 369(i)
- Trap doors, shafts**, 343(e)
- Traps, liquid-seal**, 901(o)
- Traps, stage floor**, 546(b)(2)
- Travel distance, within dwelling units**, 360(b)
 - exit requirements, Table 6-1
 - horizontal exit, 360(a)
 - interior stair, 360(a)
 - maximum, 360(a)
 - measurement, 360(c)
 - open exterior space, 360(a)
 - vertical exit, 360(a)
- Treads, exterior stairs**, 376(c)
 - construction, 375(h)
- Trees, protection of**, 1030
- Trellises, combustible construction**, 335
- Trench excavation, mechanical diggers**, 1032(d)
- Trestles, Inside Fire Districts**, 297(h)
- Trim, exterior**, see Exterior trim
 - fire-retardant treated wood, 328(a), 328(d)
- Trimmers**, 622(c)(4)
- Trucks**, 1059
 - fork lift, 1061
 - live loads, moving, 562(c)
 - loading, 1059(b)
- Trusses**, 1034(c)
 - fire protection, 324
 - horizontal exits, 373(c)
 - lighting, 381(a)
- Turnstiles**, 371(n)
- Two-family dwellings, boilers**, 419
 - borings, 663(a)(1)
 - Occupancy Classification, Table 3-2 (J-3)

U

- Uncased borings**, 665(a)
- Underpinning**, Subchapter 11, Art. 12
 - adjoining properties, 166
 - inspection, 1010
- Universities, Occupancy Classification**, Table 3-2 (G)
- Unsafe conditions, inspections**, 1012
- Uplift**, 672, 694(a)(2)
- Used materials**, 588
- Utilities**, 1013(c)
 - disconnection of, 1013(b)
 - electrical work, 1013(c)
 - essential services, 1013, 1013(b)
 - maintaining, 1013(b)
 - existing, 1013(a)
 - fire prevention facilities, maintaining, 1013(b)
 - notice required, 1013
 - power lines, 1013(c)
 - service lines, 1013(a)

Index

V

Vacating buildings, emergency measures, see article 8-A, Title C, Part I

Valves, control, 947(a)

bath and shower, P 107.6 (i)(RS 16)

fuel oil control, 830(h)

hose outlet, 942(a)

pressure reducing, 944

pressure mixing, P107.6(i) (RS-16)

Varnishes, 406

Vehicular traffic control, barricades, 1023(c)

signs, 1023(c)

Veneer, ceramic, 3.21 (RS 10-1A), 10.14.1 (RS 10-1B)

masonry, 3.2 (RS 10-1A), 10.14.3 (RS 10-1B)

Ventilating hoods, 884(e)

Ventilating systems, construction, 777(a)

controlled inspection, 779(a)

filter maintenance, 782

installation, 756

maintenance, Subchapter 13, Art. 3

operation, 756

required, 779

controlled inspection, 779(a)

equipment use permit, 778

owner's statement, 779(c)

tests and inspection requirements, 779

voluntary, equipment use permit, 780

fire extinguishing systems, 780(b)

owner's statement, 780(c)

test and inspection, 780

Ventilation, 725

assembly rooms, 765(c)

auditoria, 765(c)

automotive repair shops, 446

bathrooms, 759

boiler rooms, 424

classrooms, 765(a)

coin-operated dry cleaning units, 429

corridors, 369(j), 761

crawl spaces, 762

dipping spaces, 410

dry cleaning establishments, 428

emergency, in places of assembly, 546(b)(8)

equivalent outdoor air, 754(b)(2)

fixed, incinerator rooms, 838

furnace rooms, 424

J-1 buildings, existing, 777.2

kitchens, 758

laboratories using radioactive materials, 415(f)

locker rooms, 760

lockers, 765(b)

mechanical, see Mechanical ventilation

natural, see Natural ventilation

pantries, 758(c)

private garages, 478

projection booths, 543

public garages, 456

requirements, 776(a)

restaurant cooking equipment, 777(d)

rooms with airborne irritants, 766

rooms with excessive temperatures, 766

rooms with strong odors, 766

rooms with toxic substances, 766

schools, 765

snack bars, 758(c)

special occupancies, 767

special spaces, Subchapter 12, Art. 8

special uses, 767

spraying spaces, 410

storage occupancies, 405

swimming pools, 491

toilet rooms, 759

ventilating systems, 777(a)

wardrobes, 765(b)

water closet compartments, 755(c)

Vents, fuel oil tanks, 830(d)

gas, see Gas vents

heat, 353

to outdoor air, 901(p)

roof, 353

shaft, 344(d)(e)

smoke, 353

Vent shaft, 759(a)

Vent stacks, existing, 917

Vent systems, testing methods, 922

Vertical exits, 357

supplemental, capacity, 374(b)

construction, 374(c)

identification, 374(e)

openings, 374(d)

travel distance, 360(a)

Vibrating hammers, 700(c)(3)

Vibration isolation, noise control, 770(b)

Viewing devices, dwelling unit doors, 371(j)(2)(b)

Vocational training shops, Occupancy Classification,

Table 3-2 (D-1)

W

Walkways, barricades, 1021(a)(4)

capacity, 379(a)

enclosure, 379(d)

lighting, 1020, 1021(e)

temporary, 1021(e)

lighting 1021 (e)

warning signs, 1023(b)

Walkways, construction, lighting, 1021(e),(f)

swimming pools, 489(d)

temporary, 1021(e)

Walls, Subchapter 11, Art. 6

equivalent unbraced height, 686(a)

exterior, 331

firestopping, 345

horizontal loads, 579(d)

Index

- party, 332
 - Walls, adjoining, protection of**, 1026(c)
 - exterior, open parking structures, 463
 - foundation, Subchapter 11, Art. 6
 - horizontal loads, 578(d)
 - Wall openings, exterior**, Table 3-5, 331(a)
 - Wall signs**, 292(c), 501, 505(a)
 - Fire Department access, 501(d)
 - Inside Fire Districts, 297(i)
 - supports, 501(c)
 - Wall thickness, unbraced height**, 686(b)(2)
 - Wardrobes, ventilation**, 765(b)
 - Warehouses, marquees**, 313(a)(4)
 - Occupancy Classification, Table 3-2 (B-1)
 - Warning lights**, see Warning signs
 - Warning signs**, 1023
 - dangerous areas, 1023(b)
 - flashing beacons, 1023(a)
 - lighted signs, 1023(a)
 - obstructions and openings, 1023(a)
 - oil flares, 1023(a)
 - red lanterns, 1023(a)
 - red lights, 1023(a)
 - refueling, 1054(c)
 - Wastes, industrial**, 896, 901(h)(2)
 - material removal, 1019(a)
 - special, 896
 - Watchmen**, 1024
 - Water, accumulation, discontinued operations**, 1027(b)
 - city, in air conditioning systems, 777(g)
 - ground, 661(b)
 - potable, identification, 908(b)
 - private supply, 907
 - public supply, 901(e)(2), 906
 - storm, disposal, 901(k)
 - supply requirements, 901(b)
 - well, 901(f)
 - Water-cement ratio, method 1 concrete**, 605(a)(2)
 - method 11 concrete, 605(b)(3)a
 - Water circulation, swimming pools**, 492
 - Water closets, minimum in places of assembly**,
 - subchapter 16, article 8
 - required, 901 (1)
 - Water closet compartments, mechanical ventilation**, 755(c)
 - Water conservation**, 901(c)
 - Water curtain, for stages in places of assembly**, 546(b)(7)b
 - Waterfront property, Occupancy Certificates**, 216
 - Waterproofing, pit**, 819(b)
 - Water spray nozzles, at conveyor openings**, 342(b)
 - Water supply, cross-connection**, 908(a)
 - sprinkler systems, see Sprinkler systems, water supply
 - standpipe systems, see Standpipe system, water supply
 - testing, 922(c)
 - Water tanks**, 338(h)
 - Water towers, Inside Fire Districts**, 297(h)
 - Welding, aluminum**, 627(b)
 - steel, 616(b)
 - Well water**, 901(f)
 - Wheelchairs, building access**, 308, 357(d)
 - Window boarding, demolition operations**, 1036(c)(2)
 - Window hardware**, 371(j)
 - party, fire-resistance rating, 332
 - shear, load distribution, 579(a)
 - stud, 622(a)
 - swimming pools, 489(a)
 - Windows, bay**, 336
 - openable, locks, 371(j)(2)c
 - oriel, 336
 - in shafts, 344(c)
 - stair enclosures, 375(j)
 - Wind loads**, Subchapter 9, Art. 5, 569(a)
 - Wire cable**, 636, 1055(b)
 - fittings, 640
 - protection, 642
 - Wire rope**, 1055(b)
 - loading, 1045(d)
 - Wires, embedment in fire protection**, 324(a)
 - Wood**, Subchapter 10, Art. 7
 - empirical provisions, 622
 - firecutting, 621(a)
 - fire-retardant, see Fire-retardant wood
 - floors, 622(c)
 - identification, 618
 - inspection requirements, Table 10-1, Table 10-2
 - non-stress grade, 619
 - protection of members, 621(b)
 - quality control, 620
 - structural design, Subchapter 10, Art. 7
 - stud walls, 622(a)
 - Wood beams, notches**, 622(c)(3)
 - Wood burning appliances**, 848.08
 - clearances, 848.08(g)
 - location of, 848.08(c)
 - mounting for fireplace stoves and room heaters, 848.08(f)
 - Wood construction**, 624
 - bracing, 622(b)
 - bridging, 622(c)(2)
 - floors, 623(a)(2)
 - lumber and timber construction, RS 10-8
 - nailing schedule, 622(d)
 - plywood construction, RS 10-9
 - sheathing, 622(b)(1)
 - Wood footings**, 684(a)
 - Wood partitions**, 622(a)
 - Work shops**, 546(b)(11)
- X
- X-ray machines**, 416
- Y
- Yard hydrants**, 933
 - required, 933
 - with special equipment, 933(f)
 - Yard main, private**, 945(b)(2)

This page is intended to be left blank