

INDEX

Title 26, Housing and Buildings

CHAPTER 1, DEPARTMENT OF BUILDINGS

SUBCHAPTER 1 GENERAL PROVISIONS

SUBCHAPTER 2 LICENSES

SUBCHAPTER 3 BUILDING CONSTRUCTION

A

Affidavits, proofs and oaths, 26-106
Annual report, 26-109
Application for license, 26-132
Record of application, 26-129

B

Borough superintendents, 26-130

C

Certificate of commissioner, 26-121
Certificate of Occupancy, 26- 224
Issuance and filing of certificate of occupancy, 26- 224
Occupancy of existing buildings, 26-223
Requirement of certificate of occupancy, 26-222
Complaint book, 26-107
Contents of notices and orders, 26-116
Concrete testing laboratory license,
License applications, 26-201
License conditions, 26-204
License fees, 26-203
License qualifications, 26-202
Requirement of license, 26-200

D

Dangerous buildings, places and things;
nuisance, 26-127
Definitions, building, 26-101

E

Enforcement proceedings, 26-120
Environmental Control Board,
civil penalties, 26-126.1
proceedings, 26-126.2
order to certify correction, 26-126.2
penalty for failure to certify correction of violation,
26-126.3

power of commissioner to designate provisions enforceable
by environmental control board, 26-126.4
Examination of applicant, 26-134
Exemptions from examination, 26-135

F

False statements in certificates, forms, written statements,
applications or reports, 26-124
Falsely impersonating an officer, 26-112
Fees, 26-210
Computation, for work permits, 26-212
For approval of plans and work permits, 26-211
For cranes, derricks and cableways, testing, approval,
inspection and use, 26-215
For equipment use permits, 26-213
Liens on premises, 26-128
Requirement of fee, 26-210
Special fees, 26-214
Special fees, asbestos, 26-214.1
Testing, 26-215

H

**High-pressure boiler operating engineer and portable
high-pressure boiler operating engineer licenses**, 26-159
Definition, 26-160
License applications, 26-161
License conditions, 26-164
License fees, 26-163
Licensing of existing operating engineers, 26-165
License qualifications, 26-162
Requirement of license, 26-159
Hoisting machine operator license, 26-166
Classification of licenses, 26-168
License applications, 26-167
License conditions, 26-171
License fees, 26-170
License qualifications, 26-169

I

Illegal practices in the sale or use of lumber for
construction purposes prohibited, 26-251
Inspections, 26-216

Index

Of building work, 26-217
Of completed buildings, 26-218
Of construction machinery and equipment, etc. 26-219
Of signs, 26-220
Reports, 26-221
Right of entry and inspection, 26-216
Issuance of license, 26-136

L

Licenses, General, 26-131
Application, 26-132
Examination, 26-134
Exemptions from examination, 26-135
Fees, 26-146
Issuance, 26-136
Qualifications, 26-133
Renewal and term of, 26-137
Revocation of, 26-139
Violations and penalties, 26-140
Use of, 26-138
Licenses, Specific, see each category
Liens, upon building, 26-105
Lis pendens, 26-119
Lumber, prohibited, 26-251

M

Matters covered in Subchapter 3, 26-205
Master plumber license; Master Fire Suppression Piping Contractor License, 26-141
Business operation, 26-149
Certificate application, 26-145
Certificate of competence, 26-148
Definitions, 26-141
Examination waiver, 26-153.1
Exemption, 26-143
License
board, 26-144
expiration and renewal, 26-150
fees, 26-147
qualifications, 26-146
requirements, 26-142
suspension and revocation, 26-151
Practice without license, other violations, etc., 26-152
Publication of roster of licensees, 26-153
Renewals, 26-150.1
Multiple dwelling, defined, 26-101

N

New work to conform, 26-206
Non-compliance with orders: execution of work by department, 26-123
Punishments; penalty, 26-122

Notices and orders, 26-115

O

Oil-Burning equipment installer licenses, 26-192
Bond requirement, 26-197
Class A oil-burning equipment installer qualifications, 26-195
Class B oil-burning equipment installer qualifications, 26-196
Classification of oil-burning equipment installer licenses, 26-193
License applications, 26-194
License conditions, 26-199
License fees, 26-198
Requirement of license, 26-192
Orders, non-compliance with,
Execution of work, by dept., 26-123
Punishments; penalty, 26-122
Orders, judicial, 26-247
service of, 26-117
stop-work, 26-118
Outdoor advertising,
illegal outdoor signs, 26-127.3
regulation of outdoor signs, Chapter 1, Subchapter 4, Articles 1 and 2
Outside work, employment and financial interests prohibited, 26-114

P

Penalties,
Illegal apartment conversions, 26-125
Civil, Environmental Control Board, 26-126.1, 26-126.3
Work without a permit, 26-212.1
Permits,
Approval of plans, 26-208
Copies to tax dept., 26-130
Requirement of permit, 26-207
Signature to permit, 26-209
Projections beyond street line, 26-225
Existing projections beyond street line, 26-226
General restrictions on projections beyond street line, 26-225
Rules governing projections beyond street line, 26-227
Proofs, affidavits and oaths, 26-106
Publication of statistics and other data, 26-110

R

Record of applications, 26-129
Records in department, 26-103
Renewal of license, 26-137
Master Plumber and Fire
Suppression Piping Contractor License, 26-150.1
Reports from different institutions and agencies, 26-108
Revocation of licenses, 26-139
Rigger licenses, 26-172

Index

Bond requirements, 26-178
Classification of rigger licenses, 26-174
Exemptions, 26-173
License applications, 26-175
License conditions, 26-181
License fees, 26-180
Master rigger qualifications, 26-176
Requirement of license, 26-172
Special rigger qualifications, 26-177
Workmen's compensation, 26-179

S

Safety in building operations, 26-228

General safety requirements, 26-228
Maintenance and repair of protection fences and retaining walls, 26-233
Protection of roofs, skylights, etc., 26-230
Regulation of lots, 26-231
Report and inspection of unsafe buildings and property, 26-234
Retaining walls, 26-232
Safety requirements during excavation operations, 26-229
Seal; judicial notice, 26-102
Service equipment, defined, 26-101
Service of notices and orders, 26-117
Sidewalk sheds, fences, railings, etc., 26-252
Sign hanger licenses,
Bond requirements, 26-188
Classification of sign hanger licenses, 26-183
Exemptions, 26-184
License applications, 26-185
License conditions, 26-191
License fees, 26-190
Master sign hanger qualifications, 26-186
Requirement of license, 26-182
Special sign hanger qualifications, 26-187
Workmen's compensation, 26-189
Signs, fees, 26-212(6)a
Illegal outdoor signs, 26-127.3
Regulation of outdoor signs, Chapter 1, Subchapter 4, Articles 1 and 2
Stop-work notices and orders, 26-118
Subordinates; discipline of, 26-113

T

Taxpayers' requests for institution of actions, 26-105
Term of license: renewal, 26-137

U

Uniforms and badges, 26-111
Unsafe buildings and property, 26-243
Fallen structures and structures

imminently dangerous, 26-243
Judicial review of survey, 26-239
Provision for expense of executing precept, 26-241
Record and notice of unsafe structures or premises, 26-236
Removal or repair of structures, 26-235
Repair or removal under precept-a. Execution of precept, 26-240
Return of precept; reimbursement of city, 26-242
Survey, 26-238
Voluntary abatement of unsafe or dangerous conditions, 26-237

V

Violations and penalties, 26-140
Violations and punishments,
Appeal, 26-250
Emergency measures, 26-245
Judicial orders, 26-247
Judicial remedies, 26-246
Notices of requirements or of violations, 26-244
Punishments, 26-248
Violations of building laws: punishments; penalties, 26-125
Cranes; Derricks: illegal operation, 26-125.1
Violations of peremptory orders, 26-249
Violations of zoning resolutions, 26-126
Residential districts; public nuisance; order of closure, 26-127.2

W

Welders licenses, 26-154
License applications, 26-155
License conditions, 26-158
License fees, 26-157
License qualifications, 26-156
Requirement of license, 26-154

INDEX

Title 27, Construction and Maintenance

CHAPTER 1, BUILDING CODE

All references are to subchapter or section numbers.
“27” is omitted from section numbers in this index.

A

- Abandoned operations**, see Discontinued operations
- Abbreviations**, 233
- Absorption tests, masonry**, 3.2.1(b) (RS 10-1A)
- Academies, Occupancy Classification**, Table 3-2 (G)
- Acceptance requirements, construction materials**, see Construction materials, acceptance requirements
- Acceptance tests, boilers**, 793(a)
elevators, 997
- Access, building, fire department**, Subchapter 4, Art. 2, Subart.1
- Access, building, for people with physical disabilities**,
Subchapter 4, Art. 2, Subart. 2
- Access, building, wheelchairs**, 308, 357(d)
- Access panels**, 292(a),292(c)
- Access stairs**, 375(i)(2)
- Accessory additions**, 109
- Accessory buildings, Inside Fire Districts**, 297(d)
- Adjoining buildings, protection of**, 1026(d)
- Adjoining properties**,
caissons, 724
cofferdams, 724
construction required, 724
excavations, 724, 1028
filling operations, 1028
foundation operations, 1029
inspection, 1026(b)
license to enter, 1026(a)
physical examination, 1026(b)
protection of, Subchapter 19, Art. 3
underpinning, 724
- Adjoining structures**, 1031(b)
frost protection, 1031(b)(1)c
license to enter, 1031(b)(1)
protection of, 1037
- Adjoining walls, protection of**, 1026(c)
- Admixtures**, 608
- Adsorption devices, mechanical ventilation**, 755
- Air blower systems, construction**, 777(e)
- Airborne noise**, 769(a)
- Air-conditioned rooms**, 754(b)
- Air conditioning systems**, Subchapter 12, Art. 7, 771
city water, use of, 777(g)
construction, 777(a)
installation, 756
operation, 756
permits, 775
plans, 774
ventilating systems, 777(a)
- Air cooling**, 771
permits, 775
plans, 774
- Air hammers**, 700(c)(1)
- Air heating**, 771
plans, 774
permits, 755
- Air Pollution Control Code**, 1019(a)
- Air supply**, 807
gas fuels, 807(b)
oil fuels, 807(a)
solid fuels, 807(c)
- Air-supported structures**, Subchapter 7, Art. 19, 524
blowers for, 516(a)
certificate of occupancy, 517
construction, 514(b)
flame resistance, 515(b)
heat for, 516(a)
height, 510
location, 510
pressurization system, 516
separations, 511
- Aisles, assembly spaces**, 532
capacity, 532(a)(1)
lighting, 532(a)(9)
steps, 532(a)(7)
tapered, 532(a)(3)
uniform, 532(a)(4)
width, 532(a)(2)
- Alarm systems, fire**, see Fire Alarm systems, sprinkler systems, 957, see also Sprinkler systems
- Alcoves, natural ventilation**, 747
- Alterations**, 992, 1007, Subchapter 19, Art. 7,
and repair slip, 175,184.1
barricades, 1041
between 30 and 60 percent of building value, 116
of building value, 119
cost, 119
dumbwaiters, 992
escalators, 992
exceeding 60 percent of building value, 115
high hazard occupancies, 123
illegal, 118.1
minor alterations, 124, 126
multi-family dwellings, 731,120
occupancy change, 118
requiring facilities for people with physical disabilities, 123.1

Index

- permits, 148(b)
- residence buildings, 121
- seasonal to year-round, 122
- signs, 1041
- under 30 percent of building value, 117
- use, change in, 118
- requiring facilities for people having physical disabilities, 123.1
- Aluminum, identification**, 626
- inspection, materials and assemblies
- requirements, Table 10-1
- inspection, methods of construction
- requirements, Table 10-2
- quality control, 627
- structural design, Subchapter 10, Art. 8
- welding operations, 627(b)
- Amusement devices**, (RS 18-10)
- Amusement parks**, 548(e)
- Anchors, masonry** 3.3 (RS 10-1A), 9 (RS 10-1A), Section 3 (RS 10-1B), 9.8 (RS 10-1B)
- Anesthetic agents, storage**, 405
- Antenna supports, combustible construction**, 338(j)
- Apartment houses, Occupancy Classification**, Subchapter 3, Art. 11
- Arches, flat**, 12.1(RS 10-1A), 10.15.1.3 (RS 10-1B)
- Inside Fire Districts, 297(g)
- Areas of refuge, doors, locking**, 372(d)
- exits, 372(c)
- floor area, 372(b)
- separation, 372(a)
- Artificial lighting**, see Lighting, artificial
- Ash storage pits**, 422
- boiler rooms, 422
- Assemblies, controlled inspection**, Table 10-1
- Assembly, places of**; see Places of assembly
- Assembly, classification Occupancy Group F**
- places of assembly, 254
- Assembly Occupancy Classification**, see Occupancy Classification, assembly
- Assembly rooms, ventilation**, 765(c)
- Assembly spaces, aisles**, 532
- bench seating, 531(a)(4)
- bleacher seating, 531(a)(2) aisles, 531(2)c
- box, 531(a)(1)
- chair seating, 531(a)(1)
- cross aisles, 532
- counter seating, 531(a)(6)
- curtains, 546(b)(9)
- directional signs, 541
- exit, 534(e)
- emergency lighting, 542
- exit doors, 534(f)
- exit opening, 534
- capacity, 534(a)
- classification, 534(c)
- distribution, 534(d)
- location, 534(e)
- width, 534(b)
- exit signs, 541
- loge, 531(a)(1)
- movable chairs, 531(a)(1)
- normal entry, 534, 534(c)
- occupancy classification, Table 3-2 (F), Subchapter 3, Art. 8
- pew seating, 531(a)(4)
- platform seating, 531(a)(3)
- posted capacity, 527
- protective guards, 531(a)(8)
- safe areas, 535
- collecting, 535(a)(1)
- dimensions, 535(a)(3)
- doors, 535(a)(7)
- exits, 535(a)(6)
- lighting, 540(a)
- near grade, 535(a)(4)
- occupied load, 535(a)(2)
- ramps and steps, 535(a)(5)
- seating plans, 528(a)
- standee areas, 531(a)(7)
- table and chair seating, 531(a)(5)
- travel distance, 533
- vomitories, 532(a)(10)
- Assembly structures, moving live loads**, 562(i)
- Asylums, fire alarm systems**, 972(e)
- Atomic energy, Federal Regulations**, 414
- Atriums**, Subchapter 7, Art. 21
- Auditoria, ventilation**, 765(c)
- Automotive lifts, construction**, 991(c)
- plans, 985
- permits, 986
- Automotive repair shops**, Subchapter 7, Art. 9
- boilers, 419(b)
- classification, 444
- heating equipment, 448
- Occupancy Classification, Table 3-2 (D-1)
- pits, 446(b)
- sprinkler system, 447
- ventilation, 446
- Automotive service stations**, Subchapter 7, Art. 8
- classification, 439
- gasoline pumps, canopy, 441
- location, 441
- gasoline storage, 440
- heating equipment, 442
- Occupancy Classification, Table 3-2 (E)
- Auxiliary spaces, stages**, see Stages, auxiliary spaces
- Awnings, canvas**, 336(j)
- slow-burning plastic, 336(j)
- Axial loads, pile foundations, allowable**, 700

B

Backflow, 901(s), P107.18 (RS 16)

Index

- Baking plants, Occupancy Classification,** Table 3-2 (D-1)
- Balconies, construction,** 369(h)(2)
 - exit doors, 369(g)(4)
 - horizontal exits, 373(c)
 - lighting, 381(a)
 - live loads, 558(b)(1)
 - natural ventilation, 748
- Ballrooms, Occupancy Classification,** Table 3-2 (F-4)
- Bandstands, Occupancy Classification,** Table 3-2 (F-2)
- Banks, Occupancy Classification,** Table 3-2 (E)
- Banquet rooms, Occupancy Classification,** Table 3-2 (F-4)
- Barbecue grilles,** 826.01
- Barber shops, Occupancy Classification,** Table 3-2 (E)
- Barometric damper,** 881(a)
- Barricades,** 1041
 - alterations, 1041
 - dangerous areas, 1023(b)
 - repairs, 1041
 - vehicular traffic, control of, 1023(c)
 - walkways, 1020
- Basements,** automatic sprinkler requirements, 929(c), 954 (aa)
 - Batching equipment, automated,** 605(b)(5), 606
 - Batch inspection, concrete,** 605(a)(5)
 - Batch plant,** 605(a)(5)
 - Bathrooms, artificial lighting,** 738
 - ventilation, 759
 - Batter piles,** 694(b)(6)
 - Bay windows, combustible construction,** 336
 - Inside Fire Districts, 297(c)
 - Beacons, flashing,** 1023(a)
 - Beams, first protection,** 324
 - notches, 622(c)(3)
 - tail, 622(c)(4)b
 - Bearing materials, nominally**
 - unsatisfactory, 677
 - report required, 679
 - satisfactory, 676
 - Beauty shops, Occupancy Classification,** Table 3-2 (E)
 - Belt conveyors,** 1057, 1058(a)
 - Belt courses, combustible construction,** 335
 - Bench seating,** 531(a)(4)
 - Bent piles,** 691(c)
 - Betatrons,** 416
 - Bevatrons,** 416
 - Billiard parlors, Occupancy Classification,** Table 3-2 (F-3)
 - occupant load, Table 6-2
 - Bins, Inside Fire Districts,** 297(h)
 - loads, 571
 - material, Inside Fire Districts, 297(h)
 - Blasting,** Subchapter 19, Art. 12
 - Bleachers, seating,** 531(a)(2)
 - Blower systems, air, construction,** 777(e)
 - for air-supported structures, 516(a)
 - Boiler breeching, noise control,** 770(b)(1)b
 - Boiler piping, noise control,** 770(b)(1)b
 - Boiler rooms,** Subchapter 7, Art. 5
 - ash storage pits, 422
 - enclosure, 419
 - exit requirements, 423
 - location, 420
 - noise control, 770(b)(1)a
 - Occupancy Classification, Table 3-2 (D-2)
 - ventilation, 424
 - Boilers,** 793, Subchapter 14, Art. 14
 - acceptance tests, 793(a)
 - annual use statements, 793(c)
 - automotive repair shops, 419(b)
 - hot water,
 - fuel cut-off, (RS 14-5A)
 - inspection, 793(b), 798
 - noise control, 770(b)a
 - one-family dwellings, 419
 - operator's license, 795
 - public garages, 419(b)
 - two-family dwellings, 419
 - Bonding,** 7 (RS 10-1A), 9.7 (RS 10-1B)
 - Booster pumps, sprinkler systems,** 964
 - Borings,** Subchapter 11, Art. 2
 - auger, 665(b)
 - boring data, 663(e)
 - core, 663(c)(2)
 - depth, 663(c)
 - inspections, 720
 - location, 663(b)
 - mud slurry, 665(a)
 - number required, 663
 - one-family dwellings, 663(a)(1)
 - probings, 666(a)
 - rock cores, 666(a)
 - report, 663(e)
 - report required, 720(a)
 - soil, 663(d)(1)
 - two-family dwellings, 663(a)(1)
 - uncased, 665(a)
 - Borrowed lights,** 369(i)
 - Bowling alleys, Occupancy Classification,** Table 3-2 (F-3)
 - occupant load, Table 6-2
 - Bracing,** 592, 1035(c)(5)
 - demolition operations, 1039(e)(2)d
 - pile, 694(a), 694(b)
 - structural design, 592
 - Breweries, Occupancy Classification,** Table 3-2 (D-1)
 - Bridge rope,** 636(a)(3)
 - Bridges, foot,** 1017(b), 1021(f)
 - lighting, 1021(f)(3)
 - live loads, 1021(f)(1)

Index

horizontal exits, 373(c)
lighting, 381(a)
pedestrian, see Pedestrian bridges
Bridge strand, 636(a)(2)
Bridging, 622(a)(6), 622(c)(2)
Bucket conveyors, 1058(a)
Bucket hoists, 1056
Building access, fire department, 292
fire department, Subchapter 4, Art. 2, Subart. 1
people with physical disabilities, Subchapter 4, Art. 2, Subart. 2
Building classifications, 234, 270
building section, 240
fire divisions, 240
fire index, 239
Building code, effective date, option to comply with prior code, 105
requirements, 105
enforcement by Commissioner of Buildings, 106
enforcement by Commissioner of Marine and Aviation, 106
enforcement by Fire Commissioner, 106
interpretation conflicting state and federal laws, 104
variations by Board of Standards and Appeals, 107
variations by Commissioner of Buildings, 107
Building limitations, Subchapter 4
area limitations, Subchapter 4, Art. 6
fire department access, Subchapter 4, Art. 2
fire districts, Subchapter 4, Art. 3
general, Subchapter 4, Art. 1
general projection limitations, Subchapter 4, Art. 8
height limitations, 305
limitations inside the fire districts, Subchapter 4, Art. 4
limitations outside the fire districts, Subchapter 4, Art. 5
permissible projections beyond street lines, Subchapter 4, Art. 9
physical disabilities, people with access, Subchapter 4, Art. 2, Subart. 2
Building sections, area limitations, 301
Bulkheads, construction, 338(b)
roof structures, 338
Bumpers, live loads, 558(b)(4)
open parking lots, 481(a)
Bunkers, loads, 571
Business Classification, Occupancy Group E, 253
Business Occupancy Classifications, see Occupancy Classifications, business

C

Cabarets, Occupancy Classification, Table 3-2 (F-4)
fire protection, 549(a)(3), 549(b)
Cable, wire, see Wire Cable
Cableways, 1057
Cafeterias, Occupancy Classification, Table 3-2 (F-4)
Caissons, 724

drilled-in, 663(c)(2)
piles, 713
Canopies, combustible construction, 333(a)(2)(3)
fire, 331(f)
gasoline pump, 441
Caps, chimney, 865
Car frames, elevators, fire protection, 325
“Casing-off,” 700(d)(7)
Cast-in-place concrete piles, 709
Catch platforms, 1022, 1039(e)(2)
design, 1022(b)
material storage, 1022(d)
scaffolds, 1022(a)(1)
Ceilings, construction, 350
fire protection, 327
firestopping, 327
joists, 622(c)(5)
luminous, see Luminous ceilings, 350(a)
openings, 327(a)
Ceiling spaces, firestopping, 345(d)
Cellars, height limitations, see Subchapter 2, Definitions
automatic sprinkler requirements, 929(c), 954 (aa)
Cement factor, concrete mixes, method I, 605
method II, 605(b)(2)
method III, 605(c)
minimum, 605(a)(1)
Ceramic veneer, 3.2.1(RS 10-1A), 10.14 (RS 10-1B)
Cereal mills, Occupancy Classification, Table 3-2 (A)
Certificates of occupancy, 213, 214
Certificates of occupancy, applications, 219
Environmental protection administration, 219
Transportation administration, 219
Chains, 1055(f)
Chairs, movable, 531(a)(1), 531(a)(5)
Chair seating, 531(a)(1)
Charging chutes, 834(a), 840,
Subchapter 15, Art. 4
doors, 875(d)
incinerator, 834(a), 840, 875
noise control, 770(b)(2)
sizes, 875(c)
sprinkler heads, 875(b)(4)
Charging gates, 841
Chases 10.1 (RS 10-1A), 9.9.1 & 10.1 (RS 10-1B)
Chimney connectors, incinerator, 878
Chimneys, 12.2 (RS 10-1A), Subchapter 15, Art. 2
adjoining, 860
altering, 860
caps, 865
classifications, 857
cleanouts, 858
clearances, 867
condensation, 854(b)
connections, 871
connectors, see Connectors, chimneys

Index

- construction, 856(b), 863
 - corbelling, 866
 - draft protection, 860(b)
 - factory-built, 855, 869.01
 - flue size, reduction in, 869.03
 - fuels, appliance, changes in, 869.02
 - gas-fired equipment, 882
 - gas vents, 882, 883
 - height, 859
 - limitations, 306(d)
 - incinerator connectors, 878
 - industrial incinerator, 877
 - inspection and repair, 861(c)(2)
 - limitations & tests, 863.01, Table 15-6.1
 - locations, 859
 - maintenance, 858
 - materials, 862
 - metal, 861
 - clearances, 861(b)
 - enclosure, 861(c)
 - municipal incinerator, 877
 - oil burner, 832
 - requirements, 856(a)
 - service incinerators, 876
 - smoke test, 856(e), 868
 - standards, 850
 - steel, 861(f),(g)
 - supports, 864
 - temperature, 854(a)
 - test run, 856(d)
- Churches, Occupancy Classification**, Table 3-2 (F-1b)
- Chutes, charging**, see Charging chutes
- Chutes, waste material**, 1019(b)
- City Health Code**, radiological hazards, 414
- Civic administration buildings, Occupancy Classification**, Table 3-2 (E)
- Classrooms, occupant load**, Table 6-2
 - ventilation, 765(a)
- Clay**, 675(b)(3)
 - allowable bearing pressure, Table 11-2,
 - Notes: (7)
- Cleanouts**, 858
 - doors, 870
- Clinics, Occupancy Classifications**, Table 3-2 (H-2)
- Coal bins, Inside Fire Districts**, 297(h)
- Coal pockets, Occupancy Classification**, Table 3-2 (B-1)
- Coatings**, 349
- Coffee houses, Occupancy Classification**, Table 3-2 (F-4)
- Cofferdams**, 724
- Column enclosures, firestopping**, 345
- Columns, fire protection**, 324
- Combustible appendages, exterior separation**, 336(c)
 - roof covering, 336(h)
- Combustible construction, bay windows**, 336
 - belt courses, 335
 - canopies, 333(a)(2)(3)
 - cornices, 335
 - enclosures, storm, 336
 - leaders, 335
 - porches, 336
 - porticos, 336
 - shutters, 335
 - storm enclosure, 336
 - roof coverings, 337
- Combustible materials**, 321
 - sign construction, 507
 - storage, 1019(c)
 - use of, 321, 507
- Combustible mixtures**, Subchapter 19, Art. 13
- Combustion chambers**, 886(a)
- Combustion equipment**, 787
 - clearances, Subchapter 14, Art. 8
 - reduction, 806
 - dampers, 808
 - foundation mountings, 804
 - high temperature, 803
 - low temperature, 801
 - medium temperature, 802
 - pipng, 792
- Compacted concrete piles**, 710
- Compaction**, 679(a)(1)(d)
- Comparison piles**, 700(c)(3)a
- Composite piles**, 714
- Compressed gases**, Subchapter 19, Art. 13
- Compressors, noise control**, 770(b)(6)
- Concert halls, Occupancy Classification**, Table 3-2 (F-1b)
- Concrete**, Subchapter 10, Art. 5
 - admixtures, 608
 - batch inspection, 605(a)(5)
 - belt, 1058
 - cast-in-place-piles, 709
 - compacted piles, 710
 - controlled inspection, 607(a)
 - core tests, 596, 598
 - inspection, 607(a)
 - requirements, Table 10-1, Table 10-2
 - licensed testing laboratories, 609
 - lightweight aggregate, 605(b)(3)b
 - load test limitations, 599(b)(6)
 - pneumatically placed, 611
 - precast, 603, (RS 10-4)
 - preplaced aggregate, 613
 - quality control, 605(a)(5)
 - reinforced gypsum, Subchapter 10, Art. 9
 - inspection requirements, Table 10-1, Table 10-2
 - reinforcement identification, 604
 - short-span construction, 610
 - strength test, 607(a)(1)
 - test cylinder procedures, 607(a)(1)
- Concrete footings, design**, 684(d)(1)
- Concrete formwork**, 612, 1035
 - design, 1035(a)(3), 1035(c)
 - drawings required, 1035(b)(1)

Index

- inspection, 1035(b), 1035(d)(5)
- record, 1035(b)(3)
- live loads, 1035(c)(1)
- removal, 1035(e)
- slumps, Table 19-3, (Notes)
- Concrete mixes, documentation, 606**
- cement factor, method 1, 605(a)
- method II, 605(b)
- method III, 605(c)
- method I, 605(a)
- cement factor, 605(a)(1)
- controlled inspection, 605(a)(3)
- water-cement ratio, 605(a)(2)
- cylinder strength test, 605(a)(3)
- method II, 605(b)
- automatic batching equipment, 605(b)(5)
- cement factor, 605(b)(2)
- materials, 605(b)(4)
- quality control, 605(b)(6)
- water-cement ratio, 605(b)(3)a
- method III, 605(c)
- on-site inspection, 607
- Concrete piles, cast-in-place, 709**
- compacted, 710
- precast, 708
- Condensation, gas vents, 854(b)**
- Conduits, 1017(b)**
- embedment in fire protection, 324(a)
- Connections, chimney, 871**
- cross, standpipe, 941
- plumbing, to public water, 901(e)
- to sewer systems, 901(e)
- siamese, see Siamese connections
- Connectors, chimney, Subchapter 15, Art. 3**
- construction, 870
- underground, 873
- gas vent, Subchapter 15, Art. 6
- incinerator chimneys, 878
- inspections, Subchapter 15, Art. 3, 874
- Conservation, water, 901(c)**
- Console lifts, construction, 991(f)**
- Construction,**
- air blower systems, 777(e)
- air conditioning systems, 777(a)
- air-supported structures, 514(b)
- automotive lifts, 991(c)
- balconies, 369(h)(2)
- building matters covered, 109
- bulkheads, 338(b)
- cable-supported, Subchapter 10, Art. 11
- ceiling, 350
- chimneys, 856(b), 863
- classifications, Subchapter 3, Art. 14
- combustible, see Combustible construction
- concrete, core tests, 598
- console lifts, 991(f)
- conveyors, 991(e)
- dry cleaning establishments, 427
- dumbwaiters, 991(a)
- elevators, 991(a),
- uniform and concentrated live loads, (RS 9-2)
- escalators, 991(a)
- exhaust systems, 777(e)
- exterior stairs, 376(c)
- failure of performance, 597
- fire escapes, 380(e)
- fire-retardant scaffolds, 1042(f)
- fire-retardant treated wood, 1019(b)(3)
- folded-plate, Subchapter 10, Art. 10
- footings, 687
- foundation piers, 687
- foundation walls, 687
- fuel oil tanks, 828(a)(1)
- buried, 828(a)(4)
- furring, 346
- grandstands, 548(b)(1)
- heavy timber, 623
- heliports, 434
- hinged loading ramps, 991(d)
- hoists, 991(g)
- hoist towers, 1056(a)
- inadequate, 597
- incinerators, 843
- industrial lifts, 991(d)
- industrial failure, 597
- laboratories using radioactive materials, 415(a)
- landings, 375(h)
- lift method, 1035(h)
- live loads, 1035(h)(6)
- mechanized parking garage equipment, 991(b)
- moving walks, 991(a)
- nailing schedule, Table 10-4
- open parking structures, 462
- partitions, 346
- penthouses, 338
- plans, approval, Subchapter 1, Art. 9
- platforms, 375(h)
- power-operated scaffolds, 991(h)
- prestressed concrete, 1035(i)
- public garages, 452
- questionable construction, 597
- radio and television towers, 496
- refrigeration systems, 777(f)
- risers, 375(h)
- scissor stairs, 375(h)
- service equipment, Subchapter 1, Art. 8
- short-span concrete floor, 610
- signs, combustible materials, 507
- slow-burning plastics, 507(b)
- site maintenance, Subchapter 19, Art. 2
- skylights, 338(b)
- slip form, 1035(g)
- jacks, 1035(g)(4)
- stage floor, 546(b)(2)

Index

- stage lifts, 991(f)
- stages, 548(c)
- stringers, 375(h)
- swimming pools, 489
- temporary, inspection, 1010
- thin shell, Subchapter 10, Art. 10
- treads, 375(h)
- ventilating systems, 777(a)
- warm air heating systems, Subchapter 14, Art. 11
- Construction classifications**, Subchapter 3, Art. 14, 269, Table 3-4
- reference standards, 235
- Construction elements, beams, fire-resistance ratings**, Table 3-4
 - bearing partitions, fire-resistance ratings, Table 3-4
 - bearing walls, fire-resistance ratings, Table 3-4
 - cable-supported rooms, fire-resistance ratings, Table 3-4
 - columns, fire-resistance ratings, Table 3-4
 - domes, fire-resistance ratings, Table 3-4
 - exit passageways, fire-resistance ratings, Table 3-4
 - exterior walls, fire-resistance ratings, Table 3-4
 - floor construction, fire-resistance ratings, Table 3-4
 - girders, fire-resistance ratings, Table 3-4
 - hoistways, fire-resistance ratings, Table 3-4
 - interior walls, fire-resistance ratings, Table 3-4
 - roof construction, fire-resistance ratings, Table 3-4
 - roof decks, fire-resistance ratings, Table 3-4
 - shafts, fire-resistance ratings, Table 3-4
 - shells, fire-resistance ratings, Table 3-4
 - trusses, fire-resistance ratings, Table 3-4
 - vertical exits, fire-resistance ratings, Table 3-4
- Construction Group I, noncombustible class**, Subchapter 3, Art. 15
 - noncombustible classification, 274, Table 3-4
 - construction Class 1-A, 275
 - construction Class 1-B, 276
 - construction Class 1-C, 277
 - construction Class 1-D, 278
 - construction Class 1-E, 279
- Construction Group II, combustile class**, Subchapter 3, Art. 16
 - construction classification, 280, Table 3-4
 - construction Class II-A, heavy timber construction, 281
 - construction Class II-B, 282
 - construction Class II-C, 283
 - construction Class II-D, 284
 - construction Class II-E, 285
- Construction materials, acceptance requirements**, 131
 - acceptable laboratories, 131(c)
 - accepted materials, 131(b)
 - accepted materials certification, 131(f)
 - Board's resolution of approval, 131(a)(2)
 - code test method under engineer, 131(a)(1)
 - code test method, manufacturer's certificate, 131(a)(1)
 - code test method, test report, 131(a)(1)
 - code test method by testing laboratory, 131(a)(1)
 - code test method under architect, 131(a)(1)
 - material retesting, 131(g)
 - test results, conflicting, 131(h)
- alternate materials, 133
- equivalent materials, 133
- general requirements, 130
- inspection requirements, controlled
 - inspection, special requirements, 132(a)
 - controlled inspection, statement of compliance, 132(a)
 - controlled inspection by architect, 132(a)
 - controlled inspection by engineer, 132(a)
 - off-site inspection, 132(c)
 - semicontrolled inspection, statement of compliance, 132(b)
 - semicontrolled inspection by architect, 132(b)
 - semicontrolled inspection by engineer, 132(b)
 - semicontrolled inspection by person superintending use of material, 132(b)
- Construction walkways, lighting**, 1020(e)
- Contractor offices**, 1017(c)
 - fire retardant wood, 1017(c)
- Contractor responsibility**, 1009(a)
- Contractor sheds**, 1017(c)
 - fire-retardant wood, 1017(c)
 - live loads, 1021(b)
 - sidewalk, 1021(a)(1), 1021(b)
 - lighting, 1021(b)(10)
- Control valves**, 941(a)
- Convention halls, Occupancy Classification**, Table 3-2 (F-1b)
- Convents, Occupancy Classification**, Table 3-2 (J-3)
- Conveying equipment, permits**, 986
 - plans, 985
- Conveyors**, 1058
 - belt, 1058(a)
 - bucket, 1058(a)
 - construction, 1058
 - guard rail, 1058(a)
 - inspection requirements, 999(c)
 - vertical, fire protection, 987(c)(1)
- Cooking equipment, restaurant, ventilation**, 777(d)
- Cooling towers**, 338(i)
 - inside Fire Districts, 297(g)
 - noise control, 770(b)(7)
- Corbelling**, 10.2 (RS 10-1A), 10.4 (RS 10-1B)
 - chimneys, 866
- Core borings**, 663(c)(2)
- Core drilling**, 663(e)
 - rock borings, 663(d)(2)
- Cores, rock, disposition**, 663(f)
- Core samples, rock borings**, 663(d)(2)
- Core test, concrete**, 598
- Cornices, combustile construction**, 335
 - firestopping, 332, 345(e)
- Corridor doors**, 371(b), 371(j)(1)a
 - locks, 371(j)(1)a.1.
 - louvers, 371(b)
 - mail slots, 371(b)
 - power operated, 371(l)

Index

Corridors, dead end, 369(d), length, Table 6-1
exit capacity, Table 6-1
exit width, Table 6-1
exterior, construction, 369(f), 369(h)
as fire canopies, 369(f)
guards, 369(f)
parapets, 369(f)
interior construction, 369(h)
interior finish, 348(d), 369(k)
level changes, 369(e)
lighting, 381(a)
in places of assembly, Table 8-1
ventilation, 369(j), 761
wire glass, 369(i)

Counter seating, 531(a)(6)

Court rooms, Occupancy Classification, Table 3-2 (F-1b)

Cranes, Testing Inspection, 1057

inspection, on-site, 1057(d)(1)

live loads, moving, 562(e)

special requirements, 1057(i)

Crawl spaces, ventilation, 762

Cross aisles, assembly spaces, 532

capacity, 532(a)(1)

lighting, 532(a)(9)

width, 532(a)(2)

Cross connections, standpipe, 941

Curb cuts, 109

open parking lots, 480

Curbs, open parking lots, 481(a)

Curtains, draft, Table 5-1 (Notes) (2)

stages in places of assembly, 546(b)(9)

Cyclotrons, 416

D

Dampers, barometric, 881(a)

combustion equipment, 808

fireplace, 848.07(e)

flue, 808

Dance floors, occupant load, Table 6-2

Dance halls, Occupancy Classification,

Table 3-2 (F-4)

Dangerous areas, 1023(b)

barricades, 1023(b)

Day nurseries, Occupancy Classification,

Table 3-2 (H-2)

Dead ends, corridors, 369(d)

length, 369(d)

measurement, 369(d)

Dead loads, building materials, RS 9-1, unit weights, 553

elevators, 555(b)

equivalent uniform loads, 555(b)

partitions, 555

service equipment, air conditioning, 554

equipment, 554

elevators, 554

flues, 554

heating equipment, 554

pipng, 554

plumbing stacks, 554

reference to mechanical articles, 554

stairs, 555(b)

toilet rooms, 555(b)

Demolition Operations, 103, 1007,

Subchapter 19, Art. 6, 1039

bracing, 1039(e)(2)d.

building code, 109

catch platforms, 1022

derrick, use, report, 1039(c)

drainage, 1036(c)(3)

dust, 1039(f)

explosives, 1039(g)

inspection, 1012, 1036(d)

materials storage, 1039(e)(2)

mechanical, 1039(d)

permits, demolition applications, Subchapter 1, Art. 14

photographs required, 171

property examination, 1036(d)

sheet-piling, 1039(e)(2)d.

shoring, 1039(e)(2)d.

window boarding, 1036(c)(2)

Department inspections, completed buildings,

administrative code, 211

final, 210

general provisions, 207

inspector identification, 206

preliminary, 208

reports, record, 212

writing requirement, 212

right of entry and inspection, 205

work progress, 209

Department stores, marquees, 313(a)(4)

Derricks, 1039(c), 1057

capacity chart, 1054(b)

inspection, 1012, 1057

special requirements, 1057(i)

Designs, drawings, 1015

specifications, 1015

structural, 596

Diesel hammers, 700(c)(1)

Diffusers, noise control, 770(d)

Diggers, mechanical, trench excavation, 1032(d)

Dining spaces, occupant load, Table 6-2

Dip finishing, Subchapter 7, Art. 3

Dipping spaces, sprinklers, 412

ventilation, 410

Dip tanks, 409(b)

Discharge openings, internal combustion engine, 869(b)

Discontinued operations, 1027

drainage, 1027(b), 1031(d)

fencing, 1027(a)

filling, 1027(b)

grading, 1027(b)

water accumulation, 1027(b)

Index

- Display structure**, Subchapter 7, Art. 17
- Distilleries, Occupancy Classification**, 243
- Diving Boards**, 489(h)
- Door assemblies, hoistway, fire protection**, 987(c)
- Door hardware**, 371(j)
- Door heights**, 371(f)
- Door openings, floor level**, 371(h)
widths, 371(e)
- Doors, charging chutes**, 875(d)
Corridor, see Corridor doors
exit capacity, Table 6-1
exits, 371(a)
folding, partition, 347
hoistway, fire protection, 987(c)
horizontal exits, 371(d)
horizontally sliding, 371(d)
power-operated, 371(l)
prohibited, 371(d)
ramps, 377(c)(4)
revolving, 371(m)
safe areas, 535
inspection, 371(m)(3)
smoke stop, 371(c)
stair, 375(g)
trap, shafts, 343(e)
- Door swings**, 371(g)
- Dormers**, 338(g)
roof, 338(g)
- Dormitory buildings, school, Occupancy Classifications**, Table 3-2 (J-2)
- Doubtful occupancies classification**, 268
- Draft control, incinerators**, 839
- Draft curtains**, 342(b)
Table 5-2, Notes, d.(2)
- Draft hoods**, 881
gas vents, 884
- Draft protection**, 860(b)
- Drainage, abandoned construction**, 1027(b)
below street level, 901(j)
demolition operations, 1036
design, 901(g)
discontinued operations, 1027(b)
excavations, 1027(b), 1031(d)
maintenance, 901(g)
open parking lots, 481(b)
permits, 909
sanitary, 896
general requirements, 901
permits, 900
plans, 899
standards, 897
swimming pools, 492
storm, 896
general requirements, 901
permits, 900
plans, 899
standards, 897
- testing methods, 922
- Drawings, A.E. approval required**, 590
- Dressing facilities, swimming pools**, 490
- Dressing rooms**, 546(b)(11)
occupant load, 546(b)(11)c
- Drillings, core, records**, 663(e)
- Drive-in theaters**, 548(c)(4)d
- Occupancy Classification**, Table 3-2 (F-2)
projection machines, 548(c)(4)d
- Driveways, building code**, 109
live loads, 558
- Dry cleaning establishments, classification**, 426
construction requirements, 427
direct-fired dryers, 431
floor finish, 427(b)
high hazard, 426(a)
low hazard, 426(c)
machines, 427(d)
moderate hazard, 426(b)
sprinkler systems, 430
carbon dioxide system, 430
ventilation, 428
- Dry cleaning units, coin-operated**,
ventilation, 429
- Drying spaces, sprinklers**, 412
- Duct connections, noise control, fan equipment**, 770(b)(9)
- Duct linings**, 769(a)(5)
- Ducts, embedment in fire protection**, 324(a)
noise control, 770(a)(3)
maximum permissible air velocities, 770(c)
piercing ceilings, 327(a)
through rated construction, 343
- Duckboarding, combustible construction**, 338(j)
- Dumbwaiters, alterations**, 992
construction, 991(a)
filing by owners, 1000
permits, 986
plans, 985
temporary use permits, 1002
work permits, 1001
- Dust, demolition operations**, 1039(f)
- Dwelling, unit doors, locks**, 371(j)(2)b
viewing devices, 371(j)(2)b

E

- Earthquake loads**, 569 (b), (RS 9-6, RS 10-1A, RS 10-1B, RS 10-5C, RS 10-58)
- Earthwork applications, permits**,
Subchapter 1, Art. 13
- Eaves, combustible construction**, 335
firestopping, 333, 345(e)
- Eccentricity**, 671
- Educational Occupancy Classifications**, Table 3-2 (G)
- Egress, Means**, 530
- Electrical work, utilities**, 1013(c)

Index

- Electronic equipment in seating sections**, 546(a)(2)
- Elevators, acceptance tests**, 997
 - alterations, 992
 - car frames, fire protection, 325
 - construction, 991(a)
 - dead loads, 554
 - emergency signal equipment, 987(f)
 - as exits, 987(g)
 - filing by owners, 1000
 - firemen service operation, 996.2
 - for fire department use, 953
 - freight, hand powered, 996
 - freight, retroactive provisions, 994(b)
 - grain, Occupancy Classification, Table 3-2 (A)
 - inspections, 998, 999, 1000
 - locks, 996.1
 - machinery, noise control, 770(b)(10)
 - manlifts, 988
 - mirrors, 987(e)
 - open parking structures, 471
 - operators, 1005
 - permits, 986
 - plans, 985
 - required, 368, 987(d)
 - retroactive provisions, 994
 - belt machines, 994(b)
 - car gate switches, 994(d)
 - chain-driven machines, 994(b)
 - drum winding machines, 994(c)
 - emergency interlock release switch, 994(a)
 - emergency signal, 994(f)
 - hoistway-door interlocks, 994(e)
 - hydraulic landing doors, 994(e)
 - sidewalk, 988
 - smoke protection plan, 353.1
 - temporary, fire protection, 1014(a)
 - temporary use permits, 1002
 - tests, acceptance, 997
 - intervals, 998
 - use by Fire Department, 989
 - work permits, 1001
- Embankment, slope limitation**, 1032(a)
- Emergency control panel**,
 - F-1a Places of assembly, 546(b)(10)
 - F-1b Places of assembly, 547(b)(4)
 - F-2 Places of assembly, 548(c)(4)
- Emergency lighting, assembly spaces**, 542
- Emergency power**, Subchapter 6, Art. 11
- Emergency signal equipment, elevators**, 987(f)
- Emission control, incinerators**, 835
- Enclosures, boiler rooms**, 419
 - column, firestopping, 345
 - hoistways, fire protection, 987(c)
 - metal chimneys, 861(c)
 - in places of assembly, 529
 - stair, 375(i)
 - storm, combustible construction, 336
 - inside Fire Districts, 297(c)
 - swimming pools, 493(b)
 - walkways, 379(d)
- Engines, internal combustion**, 869
 - exhaust pipe, 869(a)
- Entrances, combustible construction**, 336
 - public garages, 453
- Entry, right of**, 205
- Equipment applications, permit requirements**, 180
- Equipment use applications, permits**, see Permits, equipment use applications
- Equipment use permits**, 148(h)
- Equipment work applications, permits**, see Permits, equipment work applications
- Equipment work permits**, 148(g)
- Equipment rooms, Occupancy Classification**, Table 3-2 (D-2)
 - Equivalent outdoor air**, 754(b)(2)
 - Erections**, 1007, Subchapter 19, Art. 5
 - Escalators, alteration**, 992
 - capacity, 378(a)
 - construction, 991(a)
 - exit capacity, Table 6-1
 - as exits, 987(g)
 - filing by owners, 1000
 - inspection, 998, 999, 1000
 - lighting, 381(a)
 - permits, 986
 - in places of assembly, Table 8-1
 - plans, 985
 - smoke protection plan, 353.1
 - width, 378(a)
 - work permits, 1001
 - temporary use permits, 1002
 - Essential services, disconnection of**, 1013(b)
 - maintaining, 1013(b)
 - utilities, 1013
 - Established Market Area, marquees**, 313(a)(4)
 - Evaporative Condensers, noise control**, 770(b)(8)
 - Excavations**, 109, 660(b), 1007, Subchapter 19, Art. 4
 - adjoining properties, 724, 1028
 - building code, 109
 - drainage, 1027(b), 1031(d)
 - inspection, 1012
 - retaining structures, 1031(a)(1), 1032(a)
 - removal, 1031(a)(3)
 - seepage, 661(b)
 - sheeting, 1032(a)
 - shoring, 1032(a)
 - warning signs, lights, 1023(a)
 - Exhaust flues**, 840
 - incinerator, 840
 - Exhaust systems, construction**, 777(c)
 - cooking, construction, 777(c)
 - gas vents, 886(b), 886(c)

Index

Exhibition halls, Occupancy Classification, Table 3-4 (F-3)

Exhibition spaces, occupant load, Table 6-2

Exits, area of refuge, 372(c)

from auxiliary stage spaces, 546(11)

balconies, 369(g)

doors, 369(g)(4)

guards, 369(g)(2)

parapets, 369(g)(2)

privacy screens, 369(g)(3)

capacity, 359

corridors, capacity, 369(a)

height, 369(b)

length, 369(c)

corridors, projections, 369(a)

width, 369(a)

discharge, 364

doors, 371(a)

assembly spaces, 534(f)

hardware, 371(j)(1)a

locks, 371(j)(1)a. 1 and (2)a

power-operated, 371(1)(c)

escalators, 378(a), 378(b)

false, 387

fire escapes, 368

fire exits, adjoining walls, 1026(c)

furnace rooms, 423

heliport, 436

horizontal, travel distance, 360(a)

inadequate, 356

interior finish, 348

lighting, Subchapter 6, Art. 6

in places of assembly, 540

location, Subchapter 6, Art. 3

moving walkways, 379

number, Subchapter 6, Art. 4

floors, 366

rooms, 365

spaces, 365

open parking structures, 469(a)

openings, assembly spaces, 540

assembly spaces, distribution of, 534(d)

assembly spaces, location of, 534(e)

capacity, 534(a)

classification, 534(c)

serving a stage, 546(b)(4)

width, 534(b)

party walls, 1037(b)

passageways, capacity, 370(a)

height, 370(c)

interior finish, 370(g)

level changes, 370(d)

lighting, 381(a)

openings, 370(f)

in places of assembly, 537

projections, 370(b)

width, 370(b)

projection booths, 543(d)

public garages, 457

reduction of, 367

requirements, Table 6-1

boiler rooms, 423

building access, wheelchairs, 357(d)

capacity, corridors, Table 6-1

capacity, doors, Table 6-1

capacity, escalators, Table 6-1

capacity, exit passageway, Table 6-1

capacity, horizontal exits, Table 6-1

capacity, ramps, Table 6-1

capacity, stairs, Table 6-1

corridors, dead end length, Table 6-1

corridors, width, Table 6-1

incidental occupancies, 357(b)

mixed occupancy, 357(a)

multiple occupancy, 357(c)

in places of assembly, 537

travel distance, Table 6-1

safe areas, 535(a)(6)

signs, Subchapter 6, Art. 7, 534(e), 541

directional, 386

obstruction, 499

retroactive, Subchapter 6, Art. 8

stage exits, 546(b)(4)

stairs, curving, 375(e)(4)

skewed stairs, 375(e)(4)

winders, 375(e)(3)

street floor lobbies, 370(h)

candy and tobacco stands, 370(h)(4)

doors, 370(h)(3)a

information booths, 370(h)(4)

newsstands, 370(h)(4)

openings between, 370(h)(3)

show windows, 370(h)(3)d.(c)

width of, 370(h)(2)

supplemental vertical, 374

tenant spaces, 362

types, Subchapter 6, Art. 5

vertical, 357

in places of assembly, 538

separation of, 364

travel distance, 360(a)

width, units of, 359

Expeditors,

registration requirements, 140.1

Explosion hazard, 401

Explosion powered tools, Subchapter 19, Art. 11

Explosives, Subchapter 19, Art. 12

demolition operations, 1039(g)

Exterior mechanical equipment, noise control, Table 12-5

Exterior openings, permitted area, Table 3-4

protection, Table 3-4

Exterior open parking structures, 463

Exterior pilasters combustible construction, 335

Exterior spaces, lighting, 540(b)

Index

Exterior stairs, capacity, 376(a)

construction, 376(c)
discharge, 376(f)
height, 376(b)
landings, 376(c)
location, 376(e)
openings, 376(d)
platforms, 376(c)
risers, 376(c)
travel distance, 360(a)
treads, 376(c)

Exterior trim, 335

combustible, 335
exterior separation, 335(a)(2)
firestopping, 335(a)

Exterior wall openings, Table 3-5, 331(a)

Exterior walls, opening protectives, 331(b)

openings, 331(a), Table 3-5
parapets, 333
vertical spacing of openings, 331(f)

F

Factories, fire alarm systems, 972(c)

False exits, 387

Fan coil units, noise control, 770(d)

Fan, noise control, 770(b)(4)

duct connections, 770(b)(9)

Fascias, combustible construction, 335

Feed mills, Occupancy Classification, Table 3-2 (A)

Fencing, Subchapter 7, Art. 18, 1021(c)

discontinued operations, 1027(a)

inside Fire Districts, 297(b)

Occupancy Classification, Table 3-2 (K)

parks, 509

permitted heights, 509

public playgrounds, 509

school yards, 509

on roofs, 334

viewing panels, 1021(c)

Fiber rope, 1046(d), 1055(c)

scaffolds, 1046(d)

Fill, see Fill Materials

Filling, adjoining properties, 1028

affecting adjoining property, 1028

building code, 109

discontinued operations, 1027(b)

Fill materials, 678(a)(b)

allowable soil bearing pressure, 678

controlled, 678(a)(1)

uncontrolled, 678(a)(2)

Filters, ventilating systems, maintenance, 782

Finish, interior, 348

Finish flooring, 348(c), 351

Fire alarms, interior, Subchapter 17, Art. 5

where required, 968

buildings, occupancy group E, 968(a)(9)

closed circuit electrically supervised, 968(a)

day care agencies, 968(a)(3)

department stores, retail sales

establishments, 968(a)(5)

health clubs, bath houses, 968(a)(4)

hotels, motels, lodging houses,

dormitories, single rooms, 968(a)(1)

permits, 927

plans, 926

public and private hospitals, sanatoriums,

nursing homes, homes for the aged, 968(a)(2)

public schools, 968(a)(6)

single and multi-tenant factory buildings, 968(a)(7)

standards, 924

Fire alarm systems, 923, Subchapter 17, Art. 5, 972(h), 975

approvals, 969

asylums, 972(e)

classification, 971

class C system, 971(i)

class J system, 971(j)

class J system, modified, 971(k)

class J-1 system, modified, 971(l)

class E system, 971(g)

class E system, modified, 971(h)

combination unit or zone, 971(e)

existing installations, 970

factory buildings, 972(c)

general requirements, 971

heliports, 437

hospitals, 972(e)

identification of equipment, 973(e)

individually coded, 971(c)

general, 971(c)

presignal, 971(d)

location of instructions, 973(c)

location of sending station, 973(a)

location of sounding device, 973(b)

master coded, 971(b)

mixed occupancy buildings, 973(e)

nursing homes, 972(e)

required for specific occupancies, 972

buildings, existing, 972(j)

buildings, group E, 100 feet or more, 972(f)

buildings, group E, less than 100 feet, 972(h)

buildings, group C, 972(k)

buildings, group C, high rise, 972(i)

buildings, group J-1, 972(l)

buildings, group J-1, existing, 972(m)

other occupancies, 972(n)

communication system and fire command station, 975

fire alarm communication systems, 972(g)

schools, 972(b)

special, 971(f)

standpipe fireline telephone and signaling system, 974(g)

subdivided occupancy buildings, 973(g)

uncoded, 971(a)

Fire canopy, 333(a)(3)

Index

- Firecutting**, 621(a)
- Fire dampers**, 327(a)
- Fire department access**, Subchapter 4, Art. 2
- Fire detection systems**, 923
 - permits, 927
 - standards, 924
- Fire districts, Bronx**, 293(b)
 - Brooklyn, 293(c)
 - limitations, Subchapter 4, Art. 4
 - Manhattan, 293(a)
 - mixed, 295
 - Queens, 293(d)
 - Richmond, 293(d)
- Fire divisions**, 340
 - building classifications, 239
 - firestopping, 340(i)
 - horizontal exit, 342(a)
 - mixed construction, 286
- Fire escapes**, 368, 380
 - access, 380(f)
 - capacity, 380(a)
 - construction, 380(e)
 - discharge, 380(g)
 - guards, 380(d)
 - handrails, 380(d)
 - landings, 380(c)
 - stairs, 380(b)
- Fire exit bolts**, 371(k)(1)
- Fire exits**, 1026(c)
- Fire fighting equipment**, 1014
- Fire hydrants, private installation**, 948
- Fire index**, 237
- Fireline systems**, see Standpipe systems, Subchapter 17, Art. 3
 - building classifications, 239
- Fireplaces**, Subchapter 14, Art. 19
 - clearances, 848.06(g)
 - dampers, 848.06(e)
 - factory-built, 848.09
 - hearths, 848.09
 - heat exchangers, 848.10
 - imitation, 848.11
 - masonry, 848.07
 - precautionary requirements, 848.12
 - smoke detecting devices for, 848.12(a)
 - stovepipe, 848.09(e)(1)
 - stoves, 848.02(c), 848.03
- Fire prevention, utilities**, 1013(a)
- Fire protection**, 324, 326
 - beams, 324
 - cavity walls, structural members, 324(c)
 - ceilings, 327
 - columns, 324
 - door assemblies, 987(c)
 - elevator car frames, 325
 - elevators, temporary, 1014(a)
 - embedment in, 324(a)
 - filing requirements, special, Subchapter 1, Art. 26
 - fire fighting equipment, 1014
 - fueling, 1014
 - hoistway doors, 987(c)
 - hoistway enclosures, 987(c)
 - horizontal conveyors, 987(c)(3)
 - inclined conveyors, 987(c)(2)
 - lintels, 326
 - permits, 1014
 - sprayed-on, 324(f)
 - sprinkler systems, 1014(4)
 - standpipe systems, 1014(b)
 - structural design, 587
 - structural members, 324
 - vertical conveyors, 987(c)(1)
- Fire-protection plan**, Subchapter 1, Art. 25
- Fire-protection rating, tests**, 322
- Fire pumps**, 946
 - automatic, 945(b)(5)
 - standpipe systems, see Standpipe systems, fire pumps
 - wiring, 5(b)(1)(RS 17-1), 2-5.5 (RS 17-2)
- Fire-rated construction, plumbing**, 901(z)(2)
- Fire-resistance ratings**,
 - beams, Table 3-4
 - bearing partitions, Table 3-4
 - bearing walls, Table 3-4
 - cable-supported roofs, Table 3-4
 - columns, Table 3-4
 - construction assemblies, 323
 - domes, Table 3-4
 - exit passageways, Table 3-4
 - exterior walls, Table 3-4
 - floor construction, Table 3-4
 - girders, Table 3-4
 - hoistways, Table 3-4
 - interior walls, Table 3-4
 - party wall, 332
 - roof construction, Table 3-4
 - roof decks, Table 3-4
 - shafts, Table 3-4
 - shells, Table 3-4
 - tests, 322, 323
 - trusses, Table 3-4
 - vertical exits, Table 3-4
- Fire-resistant construction, plumbing**, 903
 - scaffolds, 1042(f)
- Fire-retardant treatment, tests**, 322
- Fire-retardant treated wood**, 328, 1019(b)(3), Table 3-5
 - acceptance, 328(b)
 - allowable stresses, 328(c)
 - area increase, 328(e)
 - construction, 1019(b)(3)
 - in construction Group 1, 328(d)
 - contractor offices, 1017(c)
 - contractor sheds, 1017(c)

Index

- in construction Group 11, 328(e)
- fabrication after treatment, 328(c)
- furring, 328(d)
- labelling, 328(b)
- in lieu of untreated wood, 328(e)
- partitions, 328(d)(2), 346
- stage construction in F-2 places of assembly, 548(c)(2)
- use, 328(a)(c)
 - where permitted, 328(d),(e)
- Fire segregation**, 339
 - compartmentation, 339(c)
 - divisions, 339(a)
 - separations, 339(b)
- Fire separations**, 341
 - horizontal exit, 342(a)
- Firestopping**, 324(a), 345, 810
 - ceilings, 327
 - ceiling spaces, 345(d)
 - column enclosures, 345
 - combustible exterior trim, 335(a)
 - cornices, 332, 345(e)
 - eaves, 332
 - fire divisions, 340(i)
 - inspection, 345(g)
 - insulation, 335.1
 - materials, 345(a)
 - partitions, 345
 - pipe spaces, 345
 - roofs, 345
 - smoke and heating venting, 353
 - stairs, 345, 345(c)
- Fittings, rope**, 1055(e)
- Fixtures, plumbing**, see Plumbing, fixtures required, 901(1)
- Flagmen**, 1024
 - vehicular traffic control, 1023(c)
- Flagpoles, combustible construction**, 338(j)
- Flame resistance, air-supported structures**, 515(b)
 - tents, 515(a)
- Flame-spread rating, tests**, 322
- Flame-spread retardants**, 349
- Flammable mixtures**, Subchapter 19, Art. 13
- Flammable paints**, 406
 - storage, 405
- Flares, oil**, 1023(a)
- Flashing beacons**, 1023(a)
- Flat arches**, 12.1 (RS 10-1A), 10.15.1.3 (RS 10-1B)
- Flat plates, live loads**, 567
- Flat slabs**, 1035(f)(4)
 - live loads, 567
- Flood hazard areas**, 196, 288, Subchapter 4, Art. 10, 316, 316.1, 317, 317.1, 317.2, 550, 580, 652, 771, 787, 901(aa)
- Floor finish, dry cleaning establishments**, 427(b)
- Floor furnaces**, Subchapter 14, Art. 13
- Floors, firestopping**, 345
 - laboratories using radioactive materials, 415(b)
 - live loads, 557
- occupant, load, 357
- private garages, 477
- stage, 546(b)(2)
- wood, 622(c)
- Flour mills, Occupancy Classification**, Table 3-2 (A)
- Flow control, fuel oil tanks**, 830(h)
- Flue dampers**, 808
- Flues**, 856(c)
 - dead loads, 554
 - exhaust, 840
 - incinerator, 840
 - size, reduction in, 869.03
- Fly galleries**, 546(b)(6)
- Folding doors**, 347
- Folding partitions**, 347
- Food waste disposals**, list (RS-16)
- Foot bridges**, 1017(b), 1021(f)
 - lighting, 1021(f)(3)
 - live loads, 1021(f)(1)
- Footings**, Subchapter 11, Art. 6
 - concrete, 684(d)(1)
 - construction, 687
 - masonry, 684(d)(2)
 - poles, 684(b)
 - wood, 684(a)
- Fork lift trucks**, 1061
 - rated capacity, 1061
- Formwork**, 612
 - concrete, 1035
 - inspection, 1035(d)(5)
 - design, 1035(c)
 - inspection, 1035(b)
 - live loads, 1035(c)(1)
 - removal, 1035(e)
 - slumps, Table 19-3 (Notes)
 - inspections, 1012
- Foundation and earthwork permits**, 148(c)
- Foundation applications, permit requirements**, 163
- Foundation mountings, combustion equipment**, 804
- Foundation piers**, Subchapter 11, Art. 6
 - construction, 687
 - design, 685
 - metal shells, 685(c)
- Foundations**, 1035(c)(6)
 - adjoining properties, 1029
 - affecting adjoining properties, 1029
 - construction, 661
 - cold weather, 661(a)
 - seepage, 661(b)
 - depth, 658
 - frost, 658(a)(5)
 - grade beams, 658(b)
 - piles, 658(a)(5)
 - different levels, 659
 - frost, 658(a)
 - loads, Subchapter 11, Art. 3

Index

- pavement, 658(a)(4)
 - pile, see Pile foundations
 - pole, 684(b)
 - portable buildings, 658(a)(4)
 - slabs on grade, 660
 - structural design, 591
 - Foundation walls**, Subchapter 11, Art. 6
 - construction, 687
 - design, 686
 - Foundries, Occupancy Classification**, Table 3-2 (D-1)
 - Framework, inspection**, 1012
 - Freight depots, Occupancy Classification**, Table 3-2 (B-1)
 - Freight elevators**, 994(b)
 - Frontage**, 291, 303
 - Frontage space**, 291, 292(a)
 - Frost protection, adjoining structures**, 1031(b)(1)c
 - Fuel burning equipment inspections**, 798
 - inspection, 794(b)
 - instruction cards, 794(d)
 - temporary use permits, 794(c)
 - Fueling, fire protection**, 1014
 - Fuel oil equipment**, Subchapter 14, Art. 17
 - Fuel oil heaters, piping**, 830
 - Fuel oil storage, approval of**, 797
 - Fuel oil tanks**, 828
 - Fuel pumps, open parking structures**, 467
 - Fuel storage**, 405
 - Fuels, solid**, 807(c)
 - Fuel storage equipment**, 787
 - field tests, 794(a)
 - piping, 792
 - Furnace rooms**, Subchapter 7, Art. 5
 - ash storage pits, 422
 - enclosure, 419
 - exit requirements, 423
 - location, 420
 - Occupancy Classification, Table 3-2 (D-2)
 - ventilation, 424
 - Furnaces**, 411, Subchapter 14, Art. 13
 - automotive repair shops, 419(b)
 - duct temperature, 821
 - floor, Subchapter 14, Art. 13
 - enclosures, 818
 - location, 817
 - pit clearances, 819(a)
 - pit waterproofing, 819(b)
 - supports, 819
 - public garages, 419(b)
 - Furring, construction**, 346
 - fire-retardant wood, 328(a), 328(e), 346
 - firestopping, 345
- G**
- Galleries, Occupancy Classification**, Table 3-2 (F-3)
 - Garage doors as exits**, 371(d)
 - Garages, concentrated live loads**, 561(d)(3)
 - occupant load, Table 6-2
 - private, Subchapter 7, Art. 12
 - public, 419(b), Subchapter 7, Art. 10
 - Gas burning equipment, standards**, 800
 - Gases, compressed, Subchapter 19, Art. 13
 - Gas-fired equipment**, Subchapter 14, Art. 16
 - chimneys, 882
 - Gas fuels**, 807(b)
 - air supply, 807(b)
 - Gasoline pumps, canopies**, 441
 - location, 441
 - open parking lots, 482(a)
 - Gasoline storage**, 440
 - Gas, establishing supply**, 904
 - Gas piping**, 896
 - general requirements, 901
 - installation, 826
 - outside gas service line valves, P 115.5(a)(RS-16)
 - permits, 900
 - plans, 899
 - pressure, 922(l)(b)
 - standards, 897
 - Gas meter rooms, existing**, 918
 - Gas systems, testing**, Subchapter 16, Art. 7
 - Gas vents**, Subchapter 15, Art. 5
 - adjoining, 889
 - altering, 889(a)
 - chimneys, 882, 883
 - condensation, 854(b)
 - connectors, Subchapter 15, Art. 6, 895
 - clearances, 893
 - draft hoods, 881
 - draft protection, 889(b)
 - equipment not vented, 880
 - exhaust systems, 886(c)
 - height, 888
 - installation, 879(c)
 - installation requirements, 887
 - labeling, 885
 - location, 888
 - prohibited terminations, 891
 - sealed combustion chambers, 886(a)
 - size, 895
 - special venting, 886
 - standards, 850
 - supports, 890
 - temperature, 854(a)
 - tests, 879(b)
 - thimbles, 894
 - types, 884
 - B and BW, 855
 - Gates, charging**, 841
 - Gauges**,
 - non-mercury, 922 (d)(4)
 - utilizing mercury, 902 (b)
 - Girders, fire protection**, 324
 - Glass block**, 10.5 (RS 10-1A), 10.13 (RS 10-1B)

Index

- Glass panels**, Subchapter 10, Art. 12
 - structural design, 643
- Glazing, slow-burning plastic**, 331(e)
- skylights, 338(d)(2)
 - Grade beams**, 658(b)
 - Grading, discontinuous operations**, 1027(b)
 - Grain elevators, Occupancy Classification**, Table 3-2 (A)
- Grandstands**, 548(b)
 - construction, 548(b)(1)
 - live loads, moving, 562(i)
 - motor vehicle parking, 548(b)(4)
 - Occupancy Classification, Table 3-2 (F-2)
 - parking, 548(b)(4)
- Gravity tanks**, 945(b)(3), 965
- Greenhouses, glazing**, 338(e)
 - inside Fire Districts, 297(f)
 - Occupancy Classification, Table 3-2 (B-2)
 - roof structures, 338(e)
- Greenrooms**, 546(b)(11)
- Gridirons, places of assembly**, 546(b)(6)
- Grillages**, 684(c)
- Grilles, noise control**, 770(d)
- Grist mills, Occupancy Classification**, Table 3-2 (A)
- Ground signs**, 500, 506(a)
 - inside Fire districts, 297(i)
 - location, 500
 - supports, 500(c)
- Ground water**, 661(b)
- Group Homes (definition)**, 232, Table 3-2, 375(i)(1)(b), 380
- Grout**, 3.4 (RS 10-1A), Section 4 (RS 10-1B)
- Grouted masonry**, 8 (RS 10-1A), 2.2.3 (RS 10-1B)
- Guard rails, conveyor**, 1058(a)
 - multiple-point suspension scaffolds, 1047(f)(1)
 - outrigger scaffolds, 1044(d)
 - platforms, structural, 1052(b)
 - public garages, 454
 - scaffolds, 1042(g)
 - standard, 1021(a)(4), 1021(f)(1), 1032(b), 1050
 - scaffolds, 1050
 - suspended scaffold, standard, 1046(g)
- Guards, fire escapes**, 380(d)
 - interior stairs, 375(f)
 - protective assembly spaces, 531(a)(8)
 - standee areas, 531(a)(8)
- Gutters, combustible construction**, 335
- Gymnasiums, Occupancy Classification**, Table 3-2 (F-3)
 - occupant load, Table 6-2
- H**
- Habitable rooms, natural ventilation**, 746
- Half-timber work**, combustible construction, 335
- Hammers, air**, 700(c)(1)
 - diesel, 700(c)(1)
 - hydraulic, 700(c)(1)
 - steam, 700(c)(1)
 - testing, 690
 - vibrating, 700(c)(3)
- Handrails, fire escapes**, 380(d)
 - interior stairs, 375(f)
- Hangers**, 1046(b)
- Hardpan**, 675(b)(2)
- Hardware, door**, 371(j)
 - exit doors, 371(j)(1)a
 - panic, 371(k)
 - window, 371(j)
- Headers**, 622(a)(9), 622(c)(4)
- Headroom, interior stairs**, 375(c)
- Health center, government operated**, RS 3-3 (Occupancy Group)
- Hearths, fireplace**, 848.07(d)
- Heat**, 725
- Heaters, fireplace**, 816
 - recessed, 815
 - room, 848.02(d), 848.03
 - space, 419(d)
 - unit, Subchapter 14, Art. 12
 - supports, 814
 - water, safeguarding against explosion, 901(d)
- Heating coils, fuel oil tanks**, 830(g)
- Heating equipment**, 787
 - automatic service station, 442
 - clearances, 805
 - reduction, 806
 - dead loads, 554
 - foundation mountings, 804
 - pipng, 792
 - public garages, 459
- Heating requirements**, 740
- Heating systems, design**, 744
 - warm air, Subchapter 14, Art. 11.
- Heavy-duty scaffolds**, 1042(b)(3)c
- Heliports**, Subchapter 7, Art. 7
 - classification, 433
 - construction, 434
 - exits, 436
 - fire protection, fire alarm facilities, 437
 - foam extinguishing equipment, 437
 - standpipe systems, 437(a)
 - live loads, 562(i)
 - Occupancy Classifications, 243
 - refueling facilities, 435
- High hazard occupancies**, Subchapter 7, Art. 2
 - Group A, 419(b)
 - location, 403
 - sprinkler requirements, 404
- High hazard occupancy classifications**, 243
- Hinged loading ramps, construction**, 991(d)
- Hoist cars**, 1056(b)
- Hoisting equipment**, Subchapter 19, Art. 10
 - fueling, 1054(b)
 - inspection, 1054(b)
 - loading, 1054(b)
 - operation, 1044(a)

Index

permits, 986
plans, 985
testing inspection, power operated derricks and cableways, 1057

Hoisting machines, 1045

scaffolds, 1045(a)

Hoisting ropes, inspection, 1012, 1055

Hoists, bucket, 1056

construction, 991(g)
filing by owners, 1056(a)(1)
inspection, 998(d)
platform, 1056
temporary use permits, 1002
work permits, 1001

Hoist towers, 1056(a)

back structures, uniform and concentrated live loads, (RS 9-2)
construction, 1056(a)

Hoistway doors, locks, 996.1

Homes for the aged, Occupancy Classification, Table 3-2 (H-2)

Hoods, draft, 881

Horizontal exits, balconies, 373(c)

bridges, 373(c)
capacity, 373
door requirements, 373(b)
travel distance, 360(a)
tunnels, 373(c)

Horizontal loads, load distribution, 579

shear walls, 579(a)
partitions, 579(d)
walls, 579(d)

Horizontally sliding doors, 371(d)

Hose outlet valves, 942(a)

Hose stations, 942

auxiliary, 942(d)
hose quality, 942(c)
hose size, 942(c)
hose type, 942(c)6
length of hose, 942(b)(1)
location, 942(b)
outlet valves, 942(a)

Hospitals, fire alarm systems, 972(e)

Occupancy Classification, Table 3-2 (H-2)
plumbing, 912

Hot water piping, Subchapter 14, Art. 10

Hotels, marquees, 313(a)(4)

Occupancy Classifications, Table 3-2, (J-1)

Hydrants, yard, 933

Hydraulic hammers, 700(c)(1)

Hydrostatic pressures, lateral loads, 670(a)

I

Illuminated signs, 505

ground signs, 505(a)
marquee signs, 505(a)
projecting signs, 505(a)
roof signs, 505(a)

wall signs, 505(a)

Impact Noise Rating (INR), 769(b)(1)

Impact protection, structural member, 324(b)

Incinerators, Subchapter 14, Art. 18

auxiliary heat, 842
charging chutes, 834(a), 840
noise control, 770(b)(2)
charging gates, 841
chimney connectors, 878
combined chimney, 876(c)
connectors, chimneys, 878
construction, 843
draft control, 839
emission control, 835
emissions, 835
exhaust flues, 840
industrial chimneys, 877
instruction posting, 848
masonry, 843(a)
municipal chimneys, 877
performance, 836
permitted types, 835
required types, 835
rooms, 837
fixed ventilation, 838
service, chimneys, 876
steel-cased, 843(b)

Index pile, 700(c)(3)b

Induction units, noise control, 770(d)

Industrial Code Labor Law, 1007

Industrial incinerators, chimneys, 877

Industrial lifts, construction, 991(d)

permits, 986
plans, 985

Industrial Occupancy Classifications, see Occupancy Classifications, industrial

Industrial smoke houses, Occupancy Classification, Table 3-2 (A)

Industrial wastes, 896, 901(h)(2)

Inside Fire Districts, 293

bay windows, 297(c)
bins, 297(h)
coal bins, 297(h)
cooling towers, 297(g)
parking lot offices, 297(d)
roof signs, 297(i)
roof structures, 297(g)
storm enclosures, 297(c)

Inspection certificate, posting, 1004

Inspection failure, remedies and possibilities, 597

Inspections, foundations, Subchapter 11, Art. 13

adjoining property, 1026(b)
boilers, 793(b), 798
boring operations, 720
commissioner direction, 207
concrete, 607(a)
controlled, 607(a)

Index

requirements, Table 10-1, Table 10-2
concrete formwork, 1035(b), 1035(d)(5)
concrete mixes, 605
construction materials, 132
controlled, pilings, 721
refrigeration systems, 781(a)
report required 720(a)
soil load bearing tests,
Subchapter 11, Art. 5
structural materials, Table 10-1
conveyors, requirements, 999(c)
cranes, 1012, 1057(d)(1)
demolition operations, 1012, 1036(d)
department, see Department Inspections
derricks, 1012, 1057(d)(1)
dumbwaiters, requirements, 999(a)
elevators, 998
agencies, 1000
amusement, 998(c)
car safeties, 998(a)(1)
counterweight safeties, 998(a)(1)
hydraulic, 998(a)(3)
oil buffers, 998(a)(2)
requirements, 999
escalators, 998(b)
agencies, 1000
requirements, 999(a)
excavation, 1012, 1032(a)
exterior walls, 129(a)
framework, 1012
fuel burning equipment, 794(b), 798
gas piping, 919
hoisting ropes, 1012, 1047(c)(3)
lifts, requirements, 999(c)
masonry requirements, Table 10-1
pilings, 721
plumbing, 919
notification, 920
power-operated scaffolds, 998(e), 1049
refrigeration systems, 781(a)
reports, commissioner acceptance, 207
retaining structures, 1010
revolving doors, 371(m)(3)
right of, 205
scaffolds, 1000, 1045(b)
shoring, 1010
signs, 508(b)
sprinkler systems, 967
standpipe systems, 951
steel requirements, Table 10-2
structural design, failure of performance, 597
subgrade, 723
suspended scaffolds, 1045(b)
temporary construction, 1010
test expense, 207
underpinning, 1010
unreinforced masonry requirements, Table 10-2

unsafe conditions, 1012
Inspector identification, 206
Installation, sprinkler systems, 959(b)
standards, 956
standpipe systems standards, 950
Installer license, oil-burning equipment, 796
Institutional Occupancy Classification, Table 3-2 (H-1)
Institutional plumbing, 912
Insulation, combustible roof, 337(c)
materials, 811
Interior finish, 348
classification, 348(b)
Class II-A construction, 348(c)(3)
corridors, 348(c)(4)(d), 369(k)
exits, 348(d)
flame-spread rating, 348(b)
floor coverings, 348(c)(1)
flooring, 348(c)(1)
in place of assembly, 529
paint, 348(c)(2)
laboratories using radioactive materials, 415(f)
toxicity, 348(e)
wallpaper, 348(c)(2)
Interior stairs, 375
capacity, 375(a)
guards, 375(f)
handrails, 375(f)
headroom, 375(c)
interior finish, 375(i)(3)
landings, 375(d)
platforms, 375(d)
width, 375(b)
Irritants, airborne, ventilation of rooms with, 766

J

Jacks, 1064
rated capacity, 1064(a)
slip form construction, 1035(g)(4)
Jails, Occupancy Classification, Table 3-2 (H-1)
Jetting, 705(b)
Joists, steel, 1034(a)(2)
ceiling, 622(c)(5)
open web steel, 614(c)

K

Kindergartens, occupant load, Table 6-2
Kitchens, industrial, Occupancy Classification, Table 3-2 (D-1)
occupant load, Table 6-2
ventilation, 758

L

Index

Laboratories, industrial, Occupancy Classification,

Table 3-2 (D-2)
occupant load, Table 6-2
using radioactive materials, construction, 415(a)
electrical controls, 415(e)
floors, 415(b)
interior finish, 415(c)
plumbing, 415(g)
sprinkler protection, 415(d)
ventilation, 415(f)

Labor law, 1007

Lacquers, 406

Ladders, swimming pools, 489(c)

Landings, construction, 375(h)

exterior stairs, 376(c)
fire escape, 380(c)
interior stairs, 375(d)
lighting, 381(a)

Lanterns, 1023(a)

Lateral loads, earth pressures, 670(a)

hydrostatic pressures, 670(a)
piles, 701
surcharges, 670(a)
wind, 670(b)

Laundries, industrial, Occupancy Classification,

Table 3-2 (D-2)

Leaders, combustible construction, 335

Lecture halls, Occupancy Classification, Table

3-2 (F-1b)

Libraries, Occupancy Classification, Table 3-2 (G)

occupant load, Table 6-2

Lift method construction, 1035(h)

live loads, 1035(h)(6)

Lifts, automotive, 991(c)

console, construction, 991(f)
industrial construction, 991(d)
stage, 546(b)(2)b, 991(f)
temporary use permits, 1002
work permits, 1001

Light duty scaffolds, 1042(b)(3)a

Lighting, 725

aisle, 532(a)(9)
artificial, Subchapter 12, Art. 4
bathrooms, 738
places of assembly, 737
toilet rooms, 738
balcony, 381(a)
borrowed, 369(i)
bridge, 381(a)
construction walkway, 1020
corridor, 381(a)
cross aisle, 532(a)(9)
emergency, assembly spaces, 542
escalator, 381(a)
exit, Subchapter 6, Art. 6
passageways, 381(a)
in places of assembly, 540

exterior space, 540(b)
footbridge, 1021(f)(3)
landings, 381(a)
motion picture projections, 543
natural, Subchapter 12, Art. 13
pedestrian bridges, 1021(f)(3)
platforms, 381(a)
projection machines, 543(b)
ramps, 381(a)
red, 1023(a)
safe areas, 540(a)
spotlights, 543(c)
stage, 546(b)(12)
in places of assembly, 547(b)(4)
stairs, 381(a)
temporary sidewalks, 1021(e)
tunnels, 381(a)
walkways, 1021(e)
warning, 1023

Light projection, 543

Linear accelerators, 416

Lintels, fire protection, 324, 326

stone, fire protection, 326

Liquid-seal traps, 901(o)

Live loads, Subchapter 9, Art. 3, 566

areaways, 558(b)(1)
balconies, 558(b)(1)
bumpers, 558(b)(4)
catch platforms, 1022(b)
concentrated, 557(b)
concrete formwork, 1035(c)(1)
construction elevator, (RS 9-2)
conformance, 557(d)
contractor sheds, 1021(b)
contributory floor areas, columns, 567(c)
flat plates, 567(b)
flat slabs, 567(b)
foundations, 568
girders, 567(c)
joists, 567(d)
minor framing, 567(d)
one-way slabs, 567(a)
ribbed slabs, 567(a)
trusses, 567(c)
two-way slabs, 567(a)
Department of Highways, 558(a)(1)
driveways, 558
flat plates, 566(c)
flat slabs, 566(c)
floor, 557
footbridges, 1021(f)(1)
garages, concentrated loads, 561(d)(3)
heliports, 562(j)
lift method construction, 1035(h)(6)
marquees, 561
material hoist tower back structures, (RS 9-2)
moving, 562, 563(b)

Index

- assembly structures, 562(i)
 - cranes, 562(e)
 - grandstands, 562(i)
 - machinery supports, 562(h)
 - monorails, 562(f)
 - railroad equipment, 562(d)
 - stadiums, 562(i)
 - truck, 562(c)
 - vehicles, 562(b)
 - nonconcurrence, 557(c)
 - parapets, 558(b)
 - parking areas, 559
 - partial loading, 563
 - load combination, 563(a)(1)b
 - pedestrian bridges, 1021(f)(1), 1021(f)(3)
 - places of assembly, 558(b)(1)
 - railings, 558, 558(b)
 - dwelling, 558(b)(1)
 - reduction of, Subchapter 9, Art. 4
 - contributory areas, 567
 - roofs, 558(b)(1), 561
 - service equipment, 557(b)(2)
 - sidewalks, 558
 - stairwells, 558(b)(1)
 - theaters, balconies, 558(b)(1)
 - scenery, 560
 - stage areas, 560
 - wind load, 561(b), 561(d), 562(i), 569(a)
 - Load bearing tests**, see Test, load bearing
 - Load distribution**, Subchapter 9, Art. 7
 - horizontal loads, 579
 - shear walls, 579(a)
 - piles, 700(a)(3)
 - Loading, hoisting equipment**, 1054
 - ladder type platforms, 1046(f)(1)
 - limitations, 1009(b)
 - outrigger scaffolds, 1044
 - platforms, load bearing tests, 682(b)(1)
 - ramps, 1053
 - hinged construction, 991(d)
 - permits, 986
 - plans, 985
 - runways, 1053
 - scaffolds, 1042(b)(2)
 - trucks, 1059
 - wire rope, 1045(d)
 - Loads, axial, pile foundations**, 700
 - bin, 571
 - bunker, 571
 - dead, 553
 - fire, building classifications, 239
 - horizontal wall, 578(d)
 - ice, 575
 - lateral, see Lateral loads
 - live, see Live Loads
 - partition, 555
 - pile, load, Subchapter 11, Art. 8
 - pile foundation, Subchapter 11, Art. 8
 - posting, 564
 - scaffold, 1042(b)(2)
 - standard, 1042(b)(3)
 - shrinkage, 577
 - thermal forces, 576
 - Load tests**, 596, 599, 700(e)(2)a
 - completed construction, 599(b)
 - deflection requirement, 599(b)(2)
 - concrete limitations, 599(b)(6)
 - deflection requirement, 599(a)(4)
 - models, 599(a)(5)
 - prequalifying, 599(a)
 - strength requirements, 599(a)(3)
 - structural design, Subchapter 10, Art. 3
 - unidentified materials, 588
 - used materials, 588
 - Lobbies, street floor, candy and tobacco stand exits**, 370(h)(4)
 - exits, 370(h), 370(h)(3)a
 - information booth exits, 370(h)(4)
 - Locker rooms, occupant load**, 358(c), Table 6-2
 - ventilation, 760
 - Lockers, ventilation**, 765(b)
 - Locks, building entrance doors**, 371(j)(2)a
 - corridor doors, 371(j)(1)a
 - dwelling unit doors, 371(j)(2)b
 - exit doors, 371(j)(1) and (2)
 - openable windows, 371(j)(2)c
 - Logging houses, Occupancy Classifications**, Table 3-2, (J-1)
 - Loges**, 531(a)(1)
 - seating in, 531(a)(1)
 - Lot survey, occupancy certificate application**, 219
 - Louvers, corridor doors**, 371(b)
 - Lumber**, 617(a)
 - and timber construction (RS 10-8)
 - glued-laminated, 617(c)
 - Luminous ceilings**, 350(a)
 - in exits, 350(a)(2)a
 - glass, 350(a)(1)a
 - slow-burning plastic, 350(a)(2)d
- ## M
- Machine rooms**, 344(f)
 - Machinery supports, moving live loads**, 562(h)
 - Mail slots corridor doors**, 371(b)
 - Mains, private yard**, 945(b)(2)
 - Maintenance**, 109
 - chimney, 858
 - construction site, 1018(a)
 - exterior walls, 129
 - plumbing system, 901(t)
 - refrigeration system, Subchapter 13, Art. 3
 - requirements, 127
 - owner responsibility, 128

Index

- sign, 508(a)
- Malls**, Subchapter 7, Art. 22
- Manlifts**, 988
- Mansard roofs**, 338(f)
- Market area, established**, 313(a)(4)
- Markets, Occupancy Classification**, Table 3-2(c)
- Marquees**, 313(a)(4)
 - department store, 296(a)(4)
 - hotel, 313(a)(4)
 - live loads, 561
 - market, 313(a)(4)
 - multi-family dwelling, 313(a)(4)
 - projection beyond street level, 313(a)(4)
 - public building, 313(a)(4)
 - skylights, 313(a)(4)
 - supermarket, 313(a)(4)
 - terminal, 313(a)(4)
 - theater, 313(a)(4)
 - warehouse, 313(a)(4)
- Marquee signs**, 504, 505(a)
 - supports, 504(c)
- Masonry**, 1 (RS 10-1A), (RS 10-1B)
 - absorption tests, 3.2.1(b) (RS 10-1A)
 - allowable stresses, Table RS 10-1.5 (RS 10-1A), Tables 9.4.2 & 10.12.3 (RS 10-1B)
 - anchors, 3.3 (RS 10-1A) 9. (RS 10-1A), Section 3 (RS 10-1B), 9.8 (RS 10-1B)
 - bearing stresses, 4.7 (RS 10-1B), 5.12.2 (RS 10-1B)
 - bonding, 7 (RS 10-1A), 9.7 (RS 10-1B)
 - column design, 4.4 (RS 10-1A), 5.9 (RS 10-1B)
 - compressive strength determination, 4.2.2 (RS 10-1A), 1.6 (RS 10-1B)
 - design, 4 (RS 10-1A), Chapter 5 (RS 10-1B)
 - empirical provisions, 6. (RS 10-1A), Chapter 9 (RS 10-1B)
 - filled cell, 8. (RS 10-1A)
 - footings, 684(d)(2)
 - frost protection, 10.14 (RS 10-1A), 2.3.2.2 (RS 10-1B)
 - glass block, 10.5 (RS 10-1A), 10.13 (RS 10-1B)
 - grouted, 8. (RS 10-1A), 2.2.3 (RS 10-1B)
 - height limitations, 5.2 (RS 10-1A), 9.2 (RS 10-1B), Tables 1.6.3.3(b), 1.6.3.3(c) (RS 10-1B)
 - identification of units, 601(a)
 - incinerators, 843(a)
 - inspection requirements, Table 10-1, 1.5.1 (RS 10-1B)
 - joint reinforcement, 3.3.1 (RS 10-1A), 3.2.1.1.2 (RS 10-1B)
 - lateral support, 5. (RS 10-1A), 9.5 (RS 10-1B)
 - minimum thickness, Table RS 10-1.3 (RS 10-1A), Table 10.14.1.1 (RS 10-1B)
 - prism tests, 4.2.2(a) (RS 10-1A), 1.63 (RS 10-1B)
 - reinforced, 600(b), Chapter 7 (RS 10-1B)
 - inspection requirements, Table 10-2
 - slenderness ratio, 4.4.1 (RS 10-1A)
 - stack bond, 7.7 (RS 10-1A), 10.12 (RS 10-1B)
 - thickness limitations, 5.2 (RS 10-1A), (9.6 of RS 10-1B)
 - ties, 3.3 (RS 10-1A), (9 of RS 10-1B)
 - units, 3.2 (RS 10-1A), (2.2.1 of RS 10-1B), 2.3.3.3 (RS 10-1B)
 - unit tests, 4.2.2(b) (RS 10-1A), 1.6.2 (RS 10-1B)
 - unreinforced, 600(a), Table 10-2, Chapter 6 (RS 10-1B)
 - inspection requirements, Table 10-2
 - use of existing walls, 10.7 (RS 10-1A), 10.9 (RS 10-1B)
 - veneer, 11.(RS 10-1A), 10.14 (RS 10-1B)
 - wall design, 4.4 (RS 10-1A), 5.8 (RS 10-1B)
 - walls, 1022(a)(2), (10.6 of RS 10-1B), 9.6 (RS 10-1B)
 - Material bins, inside Fire Districts**, 297(h)
 - Materials, bearing**, see Bearing materials
 - chimney, 862
 - combustible, 321
 - sign construction, 507
 - storage, 1019(c)
 - construction, see Construction materials
 - fill, see Fill materials
 - insulation, 811
 - noncombustible, 321
 - nonconforming, 902 (a)(b)
 - plumbing, 901(q)
 - condemned, 901(r)
 - radioactive, see Radioactive materials
 - removal chutes, 1019(b)
 - slow burning plastic, 330
 - storage, 1019, 1039(e)(2)
 - catch platforms, 1022(d)
 - demolition operations, 1039(c)
 - structural, see Structural materials
 - structural elements, 586
 - ungraded, 588
 - unidentified, 588
 - used, 588
 - waste removal, 1019(a)
 - Mechanical diggers, trench excavation**, 1032(d)
 - Mechanical equipment, exterior, noise control**, 770(a)(4), Table 12-5
 - noise control, multiple dwellings, Subchapter 12, Art. 9
 - Mechanical ventilation**, Subchapter 12, Art. 7, 771
 - adsorption devices, 755
 - index for ventilation, 753
 - make-up air, 754(d)
 - noise control, 776(b)
 - permits, 775
 - plans, 774
 - recirculated air, prohibited use, 754(e)
 - required exhaust, 754(c)
 - water closet compartments, 755(c)
 - Mechanized parking garage equipment**, construction, 991(b)
 - permits, 1001
 - plans, 985
 - Medium duty scaffolds**, 1042(b)(3)b
 - Meeting rooms, occupant load**, 358(c)

Index

- Mental institutions, Occupancy Classification**, Table 3-2 (H-1)
Mercantile, Occupancy Classification, Table 3-2 (C)
Metal chimneys, 861
Metal signs, sprinkler systems, 959(a)(3)
Mills, cereal, Occupancy Classification, Table 3-2 (A)
feed, Occupancy Classification, Table 3-2 (A)
flour, Occupancy Classification, Table 3-2 (A)
grist, Occupancy Classification, Table 3-2 (A)
starch, Occupancy Classification, Table 3-2 (A)
sugar, Occupancy Classification, Table 3-2 (A)
Minor alterations, 124
Mirrors, elevator, 987(e)
Mixed construction, building section, 286
classifications, 286
fire divisions, 286
Mixed districts, fire districts, 295
Mixing machines, 1063
Monorails, moving live loads, 562(f)
Mortar, 3.4 (RS 10-1A), 2.3.2.5 & 2.3.3.3 (RS 10-1B), types permitted, Table RS 10-1.2 (RS 10-1A), 2.2.2.1 (RS 10-1B)
Motels, Occupancy Classification, Table 3-2 (J-1)
Motion picture film, RS-8
Motion picture projection, 543(b)
Motion picture projectors in seating section, 546(a)(2)
Motion picture screens, 544
Motion picture theaters, Occupancy Classification, Table 3-2 (F-1b)
Motor vehicle parking at grandstands, 548(b)(4)
Moving walk, 379
construction, 991(a)
permits, 986
plans, 985
temporary use permits, 1002
work permits, 1001
Mud slurry, borings, 665(a)
Multi-family dwellings, alteration, 731
marquees, 313(a)(4)
Multiple dwellings, noise control, Subchapter 12, Art. 9
Multiple occupancy, 242
Municipal incinerators, chimneys, 877
Museums, Occupancy Classification, Table 3-2, (F-3)
- N**
- Nailing schedule**, Table 19-4
Nailing schedule, construction, Table 10-4
Natural lighting, Subchapter 12, Art. 3
Natural ventilation, Subchapter 12, Art. 6
alcoves, 747
balconies, 748
habitable rooms, 746
occupiable rooms, 745
sources, 749
ventilating openings, 749
Netting, safety, 1022
- New building permits**, 148(a)
Night clubs, Occupancy Classification, Table 3-2 (F-4)
Nitric acid, Subchapter 7, Art. 20
Noise, airborne, 769(a) structure-borne, 769(b)
Noise control, 725
airborne noise, 770(a)
boiler breeching, 770(b)(1)b
boiler piping, 770(b)(1)b
boiler rooms, 770(a)(1)
boilers, 770(b)(1)a
compressors, 770(b)(6)
cooling towers, 770(b)(7)
diffusers, 770(d)
duct connections, fan equipment, 770(b)(9)
ducts, 770(a)(3)
maximum permissible air velocities, 770(c)
elevator machinery, 770(b)(10)
evaporative condensers, 770(b)(8)
exterior mechanical equipment, 770(a)(4)
fan coil units, 770(d)
fan duct connections, 770(b)(9)
fans, 770(b)(4)
field testing, 768(a)
grilles, 770(d)
incinerator charging chutes, 770(b)(2)
induction units, 770(d)
mechanical equipment, 770
spaces, 770(a)(2)
mechanical ventilation, 776(b)
multiple dwellings, Subchapter 12, Art. 9
noise output limitations, exterior
mechanical equipment, Table 12-5
piping, 770(b)(3)
pumps, 770(b)(5)
pure tone generation, Table 12-3 (Notes)
registers, 770(d)
requirements, 771
sound power levels, Table 12-3
maximum permitted for exterior
mechanical equipment adjoining
building, Table 12-4
structure-borne noise, 770(b)
vibration isolation, 770(b)
**Noise output limitations, exterior
mechanical equipment**, Table 12-5
Noncombustible materials, 321
Noncombustibles, tests, 322
Nursing homes, fire alarm systems, 972(e)
Occupancy Classification, Table 3-2, (H-2)
- O**
- Obstructions**, 1023(a)
service lines, 1013
sidewalks, 1020
street, 1019, 1020
Occupancy, high hazard, see High hazard occupancies

Index

- incidental exit requirements, 357(b)
- mixed exit requirements, 357(a)
- multiple, 242
- exit requirements, 357
- temporary, Occupancy Certificate, 218
- Occupancy certificates, altered buildings, 215**
 - applicant, 220
 - applications, lot survey, 219
 - waiver of lot survey, 219
 - change of occupancy, 217
 - change of use, 217
 - compliance statement, 221
 - contents, maximum permissible live load, 223(b)
 - occupancy group, 223(a)
 - record, 224
 - environmental protection administration, 219
 - existing buildings, 216
 - waterfront property, 216
 - general provisions, charter requirements, 213
 - issuance time, limitations, 222
 - new buildings, 214
 - separations, 240
 - temporary occupancy, certificate, 218
 - transportation administration, 219
- Occupancy Classification, Subchapter 3, Art. 2**
 - amusement, attractions, and devices, Table 3-2 (F-2)
 - ballroom, Table 3-2 (F-4)
 - bandstands, Table 3-2 (F-2)
 - banquet rooms, Table 3-2 (F-4)
 - billiard parlors, Table 3-2 (F-3)
 - bowling alleys, Table 3-2 (F-3)
 - cabarets, Table 3-2 (F-4)
 - cafeterias, Table 3-2 (F-4)
 - churches, Table 3-2 (F-1b)
 - coffee houses, Table 3-2 (F-4)
 - concert halls, Table 3-2 (F-1b)
 - convention halls, Table 3-2 (F-1b)
 - court rooms, Table 3-2 (F-1b)
 - dance halls, Table 3-2 (F-4)
 - drive-in-theaters, Table 3-2 (F-2)
 - exhibition halls, Table 3-2 (F-3)
 - galleries, Table 3-2 (F-3)
 - grandstands, Table 3-2 (F-2)
 - gymnasiums, Table 3-2 (F-3)
 - lecture halls, Table 3-2 (F-1b)
 - motion picture theaters, Table 3-2 (F-1b)
 - museums, Table 3-2 (F-3)
 - night clubs, Table 3-2 (F-4)
 - opera houses, Table 3-2 (F-1a)
 - passenger terminals, Table 3-2 (F-3)
 - planetariums, Table 3-2 (F-1b)
 - playhouses, Table 3-2 (F-1a)
 - restaurants, Table 3-2 (F-4)
 - skating rinks, Table 3-2 (F-2)
 - snack bars, Table 3-2 (F-4)
 - sports arenas, Table 3-2 (F-1b)
 - taverns, Table 3-2 (F-4)
 - theaters, Table 3-2 (F-1a)
 - business, banks, Table 3-2 (E)
 - barber and beauty shops, Table 3-2 (E)
 - civic administration buildings, Table 3-2 (E)
 - office buildings, Table 3-2 (E)
 - radio and television stations, Table 3-2 (E)
 - telephone exchanges, Table 3-2 (E)
 - doubtful, 268
 - educational, academies, Table 3-2 (G)
 - libraries, Table 3-2 (G)
 - schools, Table 3-2 (G)
 - universities, Table 3-2 (G)
 - high hazard, Subchapter 3, Art. 3
 - cereal mills, Table 3-2 (A)
 - distilleries, Table 3-2 (A)
 - explosion hazard, 401
 - feed mills, Table 3-2 (A)
 - flour mills, Table 3-2 (A)
 - grain elevators, Table 3-2 (A)
 - grist mills, Table 3-2 (A)
 - industrial smoke houses, Table 3-2 (A)
 - paint shops and storerooms, Table 3-2 (A)
 - starch mills, Table 3-2 (A)
 - sugar mills, Table 3-2 (A)
 - tanneries, Table 3-2 (A)
 - unlisted, 401
 - industrial, automotive repair shops, Table 3-2 (D-1)
 - automotive service stations, Table 3-2 (D-1)
 - baking plants, Table 3-2 (D-1)
 - boiler and furnace rooms, Table 3-2 (D-2)
 - breweries, Table 3-2 (D-1)
 - equipment rooms, Table 3-2 (D-2)
 - foundries, Table 3-2 (D-1)
 - heliports, Table 3-2 (D-1)
 - kitchens, Table 3-2 (D-2)
 - laboratories, Table 3-2 (D-2)
 - laundries, Table 3-2 (D-2)
 - power plants, Table 3-2 (D-2)
 - scenery shops, Table 3-2 (D-1)
 - vocational training shops, Table 3-2 (D-2)
 - institutional clinics, Table 3-2 (H-2)
 - day nurseries, Table 3-2 (H-2)
 - homes for the aged, Table 3-2 (H-2)
 - hospitals, Table 3-2 (H-2)
 - jails, Table 3-2 (H-2)
 - mental institutions, Table 3-2 (H-1)
 - nursing homes, Table 3-2 (H-2)
 - orphanages, Table 3-2 (H-2)
 - prisons, Table 3-2 (H-1)
 - reformatories, Table 3-2 (H-1)
 - sanitariums, Table 3-2 (H-2)
 - mercantile markets, Table 3-2 (C)
 - retail stores, Table 3-2 (C)
 - sales rooms, Table 3-2 (C)
 - shops, Table 3-2 (C)
 - miscellaneous, fences, Table 3-2 (K)
 - sheds, Table 3-2 (K)

Index

- signs, Table 3-2 (K)
- residential, apartment houses, Table 3-2 (J-2)
- convents, Table 3-2 (J-3)
- hotels, Table 3-2 (J-1)
- lodging houses, Table 3-2 (J-1)
- motels, Table 3-2 (J-1)
- one-family dwellings, Table 3-2 (J-3)
- rectories, Table 3-2 (J-3)
- rooming houses, Table 3-2 (J-1)
- school dormitory buildings, Table 3-2 (J-2)
- two-family dwellings, Table 3-2 (J-3)
- storage, coal pockets, Table 3-2 (B-1)
- freight depots, Table 3-2 (B-1)
- greenhouses, Table 3-2 (B-2)
- private garages, Table 3-2 (B-2)
- public garages, Table 3-2 (B-2)
- stables, Table 3-2 (B-1)
- storerooms, Table 3-2 (B-1)
- warehouses, Table 3-2 (B-1)
- Occupancy groups, 237**
 - assembly classification, places of assembly, 254
 - business classification, 253
 - education classification, 259
 - industrial classification, 249
 - institutional classification, 260
 - mercantile classification, 248
 - miscellaneous classification, 267
 - reference standards, 235
 - residential classification, 263
 - storage classification, 245
- Occupant load, 358**
 - billiard rooms, Table 6-2
 - bowling alleys, Table 6-2
 - classrooms, Table 6-2
 - dance floors, Table 6-2
 - dining spaces, Table 6-2
 - dressing rooms, 546(b)(11)c
 - employee cafeterias, 358(c)
 - exhibition spaces, Table 6-2
 - floors, 357
 - garages, Table 6-2
 - gymnasiums, Table 6-2
 - habitable rooms, Table 6-2
 - industrial shops, Table 6-2
 - institutional sleeping rooms, Table 6-2
 - kindergartens, Table 6-2
 - kitchens, Table 6-2
 - laboratories, Table 6-2
 - libraries, Table 6-2
 - locker rooms, 358(c), Table 6-2
 - meeting rooms, 358(c)
 - modifications, 358(b)
 - nonsimultaneous occupancy, 358(c)
 - offices, Table 6-2
 - open parking structures, Table 6-2
 - passenger terminals, Table 6-2
 - safe areas, 535(a)(2)
 - sales areas, Table 6-2
 - seating areas, Table 6-2
 - skating rinks, Table 6-2
 - standing room, Table 6-2
 - storage rooms, 358(c), Table 6-2
 - toilets, 358(c)
- Odors, ventilation of rooms with, 766**
- Office buildings, Occupancy Classification, Table 3-2 (E)**
- Office buildings, signs, stair and elevator, Subchapter 6, Art. 9**
- Offices, occupant load, Table 6-2**
 - open parking lots, 482
- Oil burners, chimneys, 832**
 - controls, 831
 - operator, certificate of fitness, 797(a)
- Oil burning equipment, certificates, 797**
 - installer license, 796
 - standards, 800
- Oil flares, 1023(a)**
- Oil fuels, 807(a)**
 - air supply, 807(a)
- Oil level indicator, fuel oil tanks, 830(i)(1)(2)**
- Oil storage, 405**
- One-family dwellings, boilers, 419**
 - borings, 663(a)(1)
 - Occupancy Classification, 243
- Openable windows, locks, 371(j)(2)c**
- Opening protectives, 329**
 - acceptance, 329
 - automatic sprinklers over, 331(b)
 - certification, 329
 - exterior walls, 331(b)
 - fire divisions, 342
 - in shafts, 344(b)
 - tests, 329
- Openings, conveyor, 342(b)**
 - door widths, 371(e)
 - exit, 534
 - exterior wall, 331(a)
 - vertical separation, 331(f)
 - fire divisions, 342
 - in shafts, 344
 - stair enclosures, 375(j)
 - supplemental vertical exits, 374(d)
 - unprotected, 331(e)
 - construction, 331 (e)
- Open parking lots, Subchapter 7, Art. 13**
 - bumpers, 481(a)
 - curb cuts, 480
 - curbs, 481(a)
 - drainage, 481(b)
 - gasoline pumps, 482(a)
 - offices, 482
- Open parking structures, Subchapter 7, Art. 11**
 - area limitations, 461
 - bumpers, 464
 - construction, 462
 - curbs, 464

Index

elevators, 471
exits, 469(a)
exterior walls, 463
floor openings, 466
height limitations, 461
mechanical parking, 468, 469(b)
motor fuel pumps, 467
railings, 465
ramps, 470
standpipes, 472

Opera houses, Occupancy Classifications, Table 3-2 (F-1a)

Operators, elevator, 1005

boiler, 795

oil burner, certificate of fitness, 797(a)

Oriel windows, combustible construction, 336

Orphanages, Occupancy Classifications, Table 3-2 (H-2)

Outdoor signs, Subchapter 7, Art. 17

Outrigger beams, multiple point suspension scaffolds, 1047(b)

Outrigger scaffolds, 1044

guard rails, 1044(d)

loading, 1044

Outrigger beams, 1044(a)

Outside Fire Districts, 294

limitations, Subchapter 4, Art. 5

Ovens, 411

Overhead garage doors as exits, 371(d)

Overstress, 585, 594

structural design, 585, Subchapter 10, Art. 3

P

Paints, flammable, 406

Paint shops, Occupancy Classification, Table 3-2 (A)

Panels, access, 292(a)

fire department access, stair enclosures, 375(j)

glass, Subchapter 10, Art. 12

viewing, 1021(c)

Panic hardware, 371(k)

Pantries, ventilations, 758(c)

Parapets, 333, 340(c)

exterior corridors, 369(f)

live loads, 558(b)

protective guards, 334

walls, height limitations, 306(e)

public garages, 454

Parking, grandstand, 548(b)(4)

mechanical open parking structures, 468, 469(b)

Parking areas, live loads, 559

Parking lots, offices, Inside Fire Districts, 297(d)

open, Subchapter 7, Art. 13

Parking structures, open, see Open parking structures, Subchapter 7, Art. 13

Parks, amusement, 548(e)

fencing, 509

Particle accelerators, 416

Partitions, construction, 346

dead loads, 555

fire-retardant wood, 328(c)(2)(3), 346

firestopping, 345

folding, 347

horizontal loads, 578(d)

loads, 555

wood, 622(a)

Party walls, 1031(c), 1037(a)(3)

exits, 1037(b)

fire-resistance rating, 332

Passageways, exit, in places of assembly, 537

Passenger terminals, occupant load, Table 6-2
Occupancy Classification, Table 3-2 (F-3)

Patio covers, canvas, 336(j)

slow burning plastic, 336(j)

Pavement, foundations, 658(a)(4)

Pedestrian bridges, 1017(b), 1021(f)

lighting, 1021(f)(3)

live loads, 1021(f)(1)

Penetration resistance, 700(d)(4)a

Penetration-test piles, 700(d)(4)a

Penthouses, construction, 338

roof structures, 338

roofs, 338(a)

Permits,

air conditioning, 180

air cooling, 180

air heating, 180

alterations, 148(b)

applicant, 151

applications, 150

amendments, 154

filing, 153

other requirements, 152

time limitation, 155

time limitation, extension by Commissioner, 155

alternative procedure for certain permits, subchapter 1,
Art. 27

building alterations, general requirements, 161

plans required, 162

building code, classifications, 148

burning at site, 1019(c)

classifications, 148

conditions, application compliance, 201

where asbestos projects performed, 198.1

code compliance, 200

lot diagram adherence, 202

payment of fees, 199

plans appliance, 201

safety requirements compliance, 203

conveying equipment, 1001

demolition applications, adjoining

properties, protection, 170

certification requirements, 168

general requirements, 167

lot protection, 170

notice to adjoining owners, 169

photographs required, 171

Index

- drainage systems, 909
- earthwork application, general requirements, 163
- notice to adjoining owners, 165
- plans required, 164
- protection of adjoining properties, 166
 - equipment applications, requirements, 180
 - equipment use, refrigeration systems, 778, 781
 - refrigeration systems, temporary, 781(b)
- equipment use applications, air conditioning and ventilating system, 185(a)
 - boilers, 185(f)
 - dumbwaiters, 185(b)
 - elevators, 185(b)
 - escalators, 185(b)
 - fuel burning equipment, 185(c)
 - fuel oil storage equipment, 185(c)
 - heating systems, 185(e)
 - inspections, 187
 - moving walks, 185(b)
 - permit duration, 190
 - permit renewal, 190
 - refrigeration systems, 185(d)
 - requirements, 186
 - requirements, exemptions, 189
 - stairways, 185(b)
 - temporary use permit, 188
 - tests, 187
- equipment work applications, air conditioning and ventilating systems, 180(a), 182(a)
 - boilers, 180(f), 182(f)
 - dumbwaiters, 180(b), 182(b)
 - elevators, 180(b), 182(b)
 - escalators, 180(b), 182(b)
 - fuel burning equipment, 180(c), 182(c)
 - fuel oil storage equipment, 180(c), 182(c)
 - heating systems, 180(e), 182(e)
 - moving walks, 180(b), 182(b)
 - permit requirements, exemptions, 184
 - plan requirements, exemption, 183
 - refrigeration systems, 180(d), 182(d)
 - requirements, 181
 - sprinkler systems, 180(h), 182(h)
 - stairways, 180(b), 182(b)
 - standpipe systems, 180(g), 182(g)
 - fire alarms, 927, Subchapter 17, Art. 5
 - fire detection systems, 927, Subchapter 17, Art. 5
 - fire protection, 1014
 - flammable film, 543(a)
 - foundation applications, general requirements, 163
 - notice to adjoining owners, 165
 - plans required, 164
 - protection of adjoining properties, 166
 - issuance, application approval, 191
 - application in part approval, 192
 - commencement of work notice, 195
 - expiration, 196
 - posting of permit, 194
 - revocation, 197
 - signature to permit, 193
 - lifts, temporary use, 1002
 - loading ramps, 1001
 - mechanical ventilation, 771, Subchapter 13, Art. 2
 - mechanized parked garage equipment, 1001
 - moving walks, 1001
 - temporary use, 1002
 - new building, 148, 148(a)
 - architectural plans, 157(a)
 - datum, 158
 - information required by Commissioner, 159
 - mechanical plans, 157(c)
 - plans required, 157
 - requirements, 156
 - requirements, Workmen's Compensation Law compliance, 156
 - structural plans, 157(b)
 - plumbing, 148(e), 900
 - plumbing applications, alteration slip, 175
 - exemptions, 176, 179
 - general requirements, 172
 - plans required, 173
 - plans required, exemption, 174
 - repair slip, 172
 - power-operated scaffolds, 998(e)
 - refrigeration, 771, 781
- removal applications, adjoining properties protection, 170
 - lot protection, 170
 - certification requirements, 168
 - general requirements, 167
 - notice to adjoining owners, 169
 - separate permit requirements, 149
 - sign, 148(f)
 - sign applications, general requirements, 177
 - plans required, 178
 - single room occupancy multiple dwellings, 198
 - conversion, alteration and demolition prohibited, 198.2
 - relocation of tenants, 198.3
 - sprinkler systems, 180(h), 928
 - standpipe systems, 180(g), 928
 - work, lifts, 1001
 - moving walks, 1001
 - Pew seating**, 531(a)(4)
 - Photographs required**, 171
 - Physical disabilities, people with**, 123.1, 232, 308, 357, 371(e)(7), 377(c)(7), 459.1, 472.1, 483, 493.1, 531(a)(1)h., RS 4-6, RS 16
 - facilities for, Subchapter 4, Art. 2, Subart. 2
 - facilities for required, 123.1
 - Piers**, Subchapter 11, Art. 6
 - equivalent unbraced length, 685(a)
 - foundation, see Foundation piers
 - Pilasters, exterior, combustible construction**, 335

Index

- Pile caps, design**, 694(a)(4)
- reinforcements, 694(a)(3)
- slab-on-grade concrete, 694(b)(3)
- Pile driving equipment**, 704
- Pile driving operations**, Subchapter 11, Art. 9
- Pile foundations**, Subchapter 11, Art. 7
- allowable axial load, 700
- loads, Subchapter 11, Art. 8
- Pile materials, compressive strength allowable**, Table 11-3
- protection, 696(c)
- Pile penetrations**, 689
- Piles**, 658(a)(5), 663(c)(2)
- alternate methods, report required, 698
- battered, 694(b)(6)
- bearing capacity, 700(b)(1)
- bearing pressure, allowable, 700(b)
- bracing, 694(b)
- caisson, 713
- capacity, 700(c)
- cast-in-place concrete, 709
- compacted concrete, 710
- comparison, 700(c)(3)a
- composite, 714
- concrete-filled pipe, 712
- damaged, 696(b)
- eccentricity, 691(b)
- existing, 690
- heaved, 705(d)
- installation by jacking, 700(c)(2)
- lateral loads, 701
- load distribution, 700(a)(3)
- loads, maximum allowable, 700(e)
- nominal maximum, Table 11-6
- load tests, procedure, 700(d)(4)
- record to be filed, 700(d)(4)
- minimum driving resistance & hammer energy, Table 11-4 and 11-5
- minimum section, 693
- penetration test, 700(d)(4)a
- precast concrete, 708
- plan to be filed, 688(a)
- record required, 688(b)
- spacing, 692
- steel, 711
- end bearing, 711(b)
- timber, 707
- tolerances, 691
- types, Subchapter 11, Art. 10
- uncased concrete pile shafts, 697
- uplift, 702
- Pile splices**, 695
- Pilings, controlled inspection**, 721
- inspection requirements, Table 10-2, 721
- Pipe piles, concrete-filled**, 712
- Pipe spaces, firestopping**, 345
- Piping, clearances**, 809
- combustion equipment, 792
- concrete-filled piles, 712
- dead loads, 554
- embedment in fire protection, 324(a)
- fill, fuel oil tanks, 830(e)
- fuel oil heaters, 830(c)
- fuel oil tanks, 830
- gas, 896
- inspection, 919
- installation, 827
- testing, 921
- hot water, Subchapter 14, Art. 10
- installation, 901(z)
- insulation, 809
- noise control, 770(b)(3)
- piercing ceilings, 327(a)
- stair enclosures, 375(j)
- steam, Subchapter 14, Art. 10
- through rated construction, 343
- weather protection, 901(w)
- Pit clearances**, 819(a)
- Pit waterproofing**, 819(b)
- Pits, ash storage**, 422
- boiler rooms, 422
- automotive repair shops, 446(b), 449
- public garages, 456(a)
- test, 664
- Places of assembly**, Subchapter 8, Art. 1, 525
- approved seating plans, 528
- artificial lighting, 737
- corridors, 536
- enclosure, 529
- exit lighting, 540
- exit passageways, 537
- exit requirements, 530
- fly galleries, 546(b)(6)
- F-1, Subchapter 8, Art. 3
- F-1a, performing area, 546(b)(1), stages, 546
- F-1b, 547
- F-2, Subchapter 8, Art. 4
- F-3, 549
- F-4, 549
- gridirons, 546(b)(6)
- interior finish, 529
- live loads, 558(b)(1)
- location, 526
- outdoor, 548(a)
- ramps, 538(d)
- rigging lofts, 546(b)(6)
- safe areas, 535
- scenery, 546(a)(1), 546(b)(5)
- seating plans, 528
- seating requirements, 531(a)
- seating sections, 546
- stage lighting, 546(b)(12)
- stairs, 538
- Plan approval, applicant**, 140
- applicant's statement, 142

Index

- application examination, 143
 - architectural, structural and mechanical drawings application, 139(d)
 - composite, 157
 - conditional, 145
 - content, 141
 - copies, 141
 - endorsement, 146
 - floor and roof plans application, 139(c)
 - forms, 141
 - foundation plans application, 139(b)
 - lot diagram application, 139(a)
 - plan examination, 143
 - time limitations, 144
- Planetariums, Occupancy Classification, Table 3-2 (F-1b)**
- Planking, 1042(c) maximum permissible spans, Table 19-5**
- platforms, structural, 1052(a)
 - scaffold, 1043(c)
- Plans, air conditioning, 774**
- air cooling, 774
 - air heating, 774
 - data required on, 590
 - fire alarms, 926
 - mechanical ventilation, 774
 - refrigeration, 774
 - sprinklers, 926
 - standpipe systems, 926
- Plastic, in skylights, 338(d)(1)**
- slow burning, 330
- Platform hoists, 1056**
- Platforms, construction, 375(h)**
- exterior stairs, 376(c)
 - interior stairs, 375(d)
 - lighting, 381(a)
 - loading, load bearing tests, 682(b)(1)
 - ramps, 377(c)(3)
 - seating, 531(a)(3)
 - in seating sections, 546(a)(2)
 - structural, 1052
 - guard rail, 1052(b)
 - planking, 1052(a)
- Playgrounds, public fencing, 509**
- Playhouses, Occupancy Classification, Table 3-2 (Ia)**
- Plumbing, 896**
- condemned materials, 901(r)
 - connections, public water, 901(e)
 - sewer system, 901(e)
 - definitions, 898
 - existing, 916
 - fire-rated construction, 901(z)(2)
 - through fire-resistant construction, 903
 - fixtures, location, 901(n)
 - required, 901(l)
 - smooth-surfaced, 901(m)
 - general requirements, 901
 - hospital, 912
 - inspection, 919
 - notification, 920
 - installation limitation, 901(z)
 - institutional, 912
 - laboratories using radioactive materials, 415(g)
- Plumbing maintenance, 901(u)**
- materials, 901(q)
 - condemned, 901(r)
 - nonconforming, 902
 - permits, see Permits plumbing and Permits, plumbing applications
 - plans, 899
 - prohibited substances, 901(h)
 - required fixtures, 901(l)
 - stacks, dead loads, 554
 - standards, 897
 - single room occupancy multiple dwellings, 198
 - tests, 901(t), 921
 - water conservation, 901(c)
 - weather protection, 901(w)
- Plywood, 617(b), RS 10-9**
- Pole foundations, 684(b)**
- Poles, footings, 684(b)**
- Pole scaffolds, see Scaffolds, pole**
- Pollution control, air, Code, 1019(a)**
- Pools, requirement, 913**
- swimming, see Swimming pools
- Porches, combustible construction, 336**
- Porticos, combustible construction, 336**
- Posted capacity, 527**
- Posting buildings, posted occupancy and use, 225**
- posted signs replacement, 226
- Potable water, 901(a)**
- identification, 908(b)
 - supply requirements, 901(b)
- Power buggies, 1035(c)(8), 1053, 1059**
- Power, emergency, Subchapter 6, Art. 11**
- Power lines, notice required, 1013(c)**
- Power-operated doors, 371(l)**
- Power-operated scaffolds, inspection, 1012**
- Power plants, Occupancy Classification, Table 3-2 (D-2)**
- Precast concrete, 603**
- Precast concrete piles, 708**
- Prestressed concrete, 1035(i)**
- Pressure tanks, 945(b)(4), 965**
- sprinkler systems, 965
- Pressure vessels, unfired, Subchapter 14, Art. 15**
- Pressurization systems, air-supported structures, 516**
- Prestressed construction, 1035(i)**
- Prism tests, masonry, 4.4.4 (RS 10-1A), 1.63 (RS 10-1B)**
- Prisons, Occupancy Classification, Table 3-2 (H-1)**
- Private garages, Subchapter 7, Art. 12**
- breezeway, 476
 - carport, 475
 - classification, 474

Index

floors, 477
ventilation, 478
Prohibited doors, folding doors, 371(d)
rolling shutters, 371(d)
vertically sliding doors, 371(d)
Projecting signs, 502
location, 502(a)
supports, 502(d)
Projection booths, exits, 543(d)
ventilation, 543(d)
Projection machines, drive-in theaters, 548(c)(4)d
Projections, 109
beyond street lines, 307
above grade, 313
air conditioning unit, 313(a)(2)
awning, 313(b)
balcony, 313(a)(3)
band course, 313(a)(2)
base, 313(a)(2)
below grade, 314
bridge, 313(d)
door, 313(a)(1)
drop awning, 313(b)(2)
entrance details, 313(a)
existing, 311
existing alterations, 311(a)
fire escapes, 313(a)(3)
fixed, 313(a)
flagpole, 313(a)(6)
footing, 309, 314(a)
foundation wall, 314(b)
grill, 313(a)(2)
header, 313(a)(2)
light fixture, 313(a)(5)
main cornice, 313(a)(2)
marquee, 313(a)(4)
rake, 313(a)(2)
removable, 309
restrictions, 308
roof eave, 313(a)(2)
rustications, 313(a)(2)
sculpture, 313(a)(2)
sign, 313(a)(8)
sill, 313(a)(2)
step, 313(a)(1)
store front awning, 313(b)(1)
storm enclosure, 313(c)
sun control device, 313(a)(2)
tunnel, 314(d)
vault, 314(c)
vener, 313(a)
wall sign, 313(a)(7)
window, 313(a)(2)
building code, 109
Properties, adjoining, see Adjoining properties
Public address systems, fire control station, 546(b)(10)c
Public buildings, marquees, 313(a)(4)

Public garages, 419(b), Subchapter 7, Art. 10
classification, 451
construction, floor, 452
entrances, 453
exits, 457
furnaces, 419(b)
heating equipment, 459
pits, 456(a),(d)
railings, 452
ramps, 458
roof parking, 454, 457(c)
guard rail, 454
parapet wall, 454
sprinkler systems, 455
ventilation, 456
Public playgrounds, fencing, 509
Pump rooms, standpipe systems, 946(b)
Pumps, booster, sprinkler systems, 964
fire, 946
automatic, 945(b)(5)
gasoline, 441
open parking lots, 482(a)
noise control, 770(b)(5)
transfer, fuel oil tanks, 829(b)(2)
Putlogs, 1043(c)(1)

Q

Quality control, aluminum, 627
concrete, 605(a)(5)
steel, 616

R

Radiation machines, 416
Radiation-producing equipment, see Subchapter 7, Art. 4
Radiation protection, state industrial code, 414
Radioactive materials, Subchapter 7, Art. 4
storage, 417
vaults, 417
Radio and television towers, access, 495
construction, 496
location, 495
Radiological hazards, City Health Code, 414
Radio stations, Occupancy Classification, Table 3-2 (E)
Rafters, wood, 622(c)(5)
Railings, live loads, 558, 558(b)
open parking structures, 465
public garages, 452
ramps, 377(c)(5)
roof, 334
around skylights, 338(d)(2)c.I.
standard guard, 1021(a)(4), 1021(f)(1), 1032(b)
swimming pools, 493
Railroad equipment, live loads, moving, 562(d)
Ramps, capacity, 377(a)
direction change, 377(c)(1)

Index

- doors, 377(c)(4)
- exit capacities, see Table 6-1
- guards, 377(c)(5)
- length, 377(c)(2)
- lighting, 381(a)
- loading, 1053
- maximum grade, 377(b)
- parking structures, 470
- in places of assembly, 538
- platforms, 377(c)(3)
- projection beyond street lines, 308
- public garages, 458
- safe areas, 535(a)(5)
- structural, 1051(b)
- railings, 377(c)(5)
- guard rail, 1051(e)
- surface, 377(c)(6)
- Rectories, Occupancy Classification**, Table 3-2 (J-3)
- Red lanterns, warning signs**, 1023(a)
- Reformatories, Occupancy Classification**, Table 3-2 (H-1)
- Refrigeration systems**, 771
 - construction, 777(f)
 - controlled inspection, 781(a)
 - equipment use permit, 778, 781
 - temporary, 781(b)
 - operation and maintenance, Subchapter 13, Art. 3
 - operator's qualifications, 786
 - plans, 774
 - test and inspection, 781(a)
 - use of city water, 777(g)
- Refueling facilities, heliports**, 435
- Refuge, area of**, see Areas of refuge
- Refuse chute, sign**, 848(b)
- Registers, noise control**, 770(d)
- Reinforced gypsum concrete**, Subchapter 10, Art. 9
 - inspection requirements, Table 10- 1, Table 10-2
- Removal applications**, 148(d)
- Repairs**, 1007, Subchapter 19, Art. 7
 - barricades, 1041
 - signs, 1041
- Repair shops, automotive**, Subchapter 7, Art. 9
 - Occupancy Classification, Table 3-2 (E)
- Reshoring**, 1035(f)
- Residential classification, Occupancy Group J**, 263
- Residential Occupancy Classifications**, see Occupancy Classifications, residential
- Restaurants, cooking equipment ventilation**, 777(d)
 - Occupancy Classification, Subchapter 3, Art. 2
- Retail stores, Occupancy Classification**, Table 3-2 (C)
- Retaining structures**, 1031(a)(1)
 - excavation, 1032(a)
 - inspection, 1010
 - removal, 1031(a)(3)
- Retardants, admixtures**, Table 19-3
- Revolving doors**, 371(m)
 - inspection, 371(m)(3)
- Rigging lofts, automatic sprinkler system**, 546(b)(7)
- places of assembly, 546(b)(7)
- Right of entry**, 205
- Right of inspection**, 205
- Risers, construction**, 375(h)
 - exterior stairs, 376(c)
- standpipe systems, see Standpipe systems, risers and treads, 375(e)
- Rock borings, core drilling**, 663(d)(2)
 - core samples, 663(d)(2)
- Rock characteristics**, 675(a)
- Rock cores**, 663(f)
- Rock socket**, 713(c)
- Roof access**, 375(k)
- Roof coverings, classification**, 337
 - combustible appendages, 336(h)
 - combustible decking, 337(b)
 - combustible insulation, 337(c)
 - limitations of use, 337(a)
- Roof framing, wood**, 622(c)
- Roof irons**, 1046(c)
- Roof monitors**, 338(d)
- Roof parking, public garages**, see Public garages, roof parking
- Roofs, construction, abutting fire**,
 - divisions, 340(a)
 - dormer, 338(g)
 - fencing, 334
 - firestopping, 345
 - live loads, 561
 - mansard, 338(f)
 - penthouses, 338(a)
 - railings, 334
 - sawtooth, 338(d)
- Roof signs**, 503, 505(a)
 - inside Fire Districts, 297(i)
 - location, 503(a)
 - supports, 503(c)
- Roof stairs**, 375(k)
- Roof structures**, 338
 - bulkheads, 338(b)
 - dormers, 338(g)
 - greenhouses, 338(e)
 - height limitations, 306(c)
 - inside Fire Districts, 297(g)
 - penthouses, 338(a)
 - scuttles, 338(c)
 - skylights, 338(d)
- Roof tanks, height limitations**, 306(a)
- Roof vents**, 353
- Rooming houses, Occupancy Classifications**, Table 3-2 (J-1)
- Rooms, gas meter, existing**, 918
- Rooms, gas meter, RS-16, P115.5(c)**
- Rooms, habitable, natural ventilation**, 746
 - occupant load, Table 6-2
 - machine, 344(f)
 - meeting, occupant load, 358(c)
 - occupiable, natural ventilation, 745

Index

sleeping, institutional, occupant load, Table 6-2
Ropes, bridge, 636(a)(3)
fibre, 1046(d), 1055(c)
fittings, 1055(e)
hoisting, inspection, 1012, 1055
wire, 1055(b)
Runways, loading, 1051, 1053
in seating section, 546(a)(2)
structural, Subchapter 19, Art. 9

S

Safe areas, assembly spaces, see Assembly spaces, safe areas
doors from, 535(a)(7)
lighting, 540(a)
Safety netting, see Netting, safety
Sales areas, occupant load, Table 6-2
Sales rooms, Occupancy Classification, Table 3-2(c)
Sanitariums, Occupancy Classification, Table 3-2 (H-2)
Sanitary drainage, 896, Subchapter 16, Art. 3
Scaffolds, Subchapter 19, Art. 8, 1042(b), 1022
design, 1042(b)(1)
fibre rope, 1046(d)
fire-retardant construction, 1042(f)
free-standing, 1043(g)
guard rails, 1042(g)
heavy duty, 1042(b)(3)c
inspection, 1012
light duty, 1042(b)(3)a
loading, 1042(b)(2)
manually-propelled free-standing, 1048
medium duty, 1042(b)(3)b
needle beam, 1046(e)(1)
outrigger, 1044
loading, 1044
planking, 1043(c)
pole, 1042(b)1, 1043
putlogs, 1043(e)
power-operated, construction, 991(h)
inspection, 998(c), 1012
permits, 986
plans, 985
power-operated free-standing, 1049
required in structure demolition, 1022(a)(1)
standard, 1042(b)(3)
heavy duty, 1042(b)(3)c
light duty, 1042(b)(3)a
medium duty, 1042(b)(3)b
standard designs, 1043(i)
standard guard rail, 1050
standard toeboards, 1050
tests, inspections, 1045(b)
Scenery, storage, 546(b)(2)
in places of assembly, 546(a)(1), 546(b)(5)

Scenery shops, Occupancy Classification, Table 3-2 (D-1)
Schools, fire alarm systems, 972(b)
Occupancy Classification, Table 3-2 (G)
ventilation, 765
School yards, fencing, 509
Screens, motion picture, 544
under skylights, 338(d)(4)
Scissor stairs, construction, 375(h)
Scuttles, 338(c)
roof structures, 338
Seating bench, 531(a)(4)
bleacher, 531(a)(2)
chair, 531(a)(1)
counter, 531(a)(6)
movable, 531(a)(1)c
platform, 531(a)(3)
requirements, 531
table and chair, 531(a)(5)
Seating areas, occupant load, Table 6-2
Seating plans, approved, 528
assembly spaces, 528(a)
in places of assembly, 528
safe areas, 528(b)
stage areas, 528(c)
Seating requirements, in places of assembly, 531
Seating sections, in places of assembly, 546
platforms, 546(a)(2)
runways, 546(a)(2)
Seepage, 661(b)
bearing pressure, 678, Table 11-2
disturbed soil, 679(a)
Segregation, fire, see Fire Segregation
Sending station, fire alarm systems, 973(a)
Separations, air-supported structures, 511
fire, see Fire separations
tents, 511
Service equipment, acceptance requirements, 135
alternate equipment, 137
dead loads, 554
equivalent equipment, 137
general requirements, 134
inspection requirements, 136
live loads, 557(b)(2)
Service facilities, embedment in fire protection, 324(a)
Service incinerators, chimneys, 876
Service lines, differential settlement, 680
obstructions, 1017(b)
temporary, 1017(c)
utilities, 1013(a)
Services, essential, maintaining, 1013(b)
utilities, 1013
Service stations, automotive, Subchapter 7, Art. 8
Occupancy Classification, Table 3-2 (E)
Settlements, 1035(c)(7)

Index

Sewage, private disposals, 910

Sewer system:

combined sewer, 901(e)(1)
connections to public water supply systems, 901(e)(1)
conveying sewage, 901(e)(1), (g)
design of system, 901(g)
disposal of storm water, 901(k)
Environmental Protection
Administration, 901(e)(1), (k)
adequate capacity, 901(e)(1) 1.
elevation, 901(e)(1) 4.
location, 901(e)(1) 5.
physical obstacles, 901(e)(1) 3.
maintenance of system, 901(g)

Sewer system, prevention of flooding, 901(s)

private, 157(c)(4)
public, 157(c)(3), 901(e)(2)

Shafts, 344

openings, 344(c)
smoke venting, 344(d)
trap doors, 344(e)
vents, 344(d)(e)

Shaft vents, 344(e)

Shear walls, load distribution, 579(a)

Sheaves, 1055(d)

Sheds, Occupancy Classification, Table 3-2 (K)

Sheeting, excavations, 1032(a)

Sheet-piling, demolition, 1039(e)(2)d

Shop drawings, A.E. approval required, 590

Shops, industrial, occupant load, Table 6-2
mercantile, Occupancy Classification, Table 3-2 (C)

Shores, 1035(d)

Shoring, 1035(c)(5), 1035(e), 1036(d)

demolition, 1039(e)(2)d
excavations, 1032(a)
inspection, 1010
reshoring, 1035(f)

Show windows, 331(c)

Shutters, combustible construction, 335

Siamese connections, 940

sprinkler systems, 959
construction, 959(b)
installation, 959(b)

Sidewalk elevators, 988

Sidewalks, contractor sheds, 1021(a)(1)

live loads, 558
obstruction, 1020
protection of, 1021
Department of Highways, 1020, 1021(a)(3)
temporary, 1021(a)(2), 1021(e)
lighting, 1021(b)(10)

Signal systems, standpipe, 952

Sign construction, combustible materials, 507

slow-burning plastics, 507(b)

sign permits, 148(f)

Sign permits, 148(f)

Signs, 109, 292(c)

alterations, 1041

annual inspection, 508(b)

directional, assembly spaces, 541

exit assembly spaces, 534(e)

fees, see Title 26 index

ground, 500

illuminated, see illuminated signs

lighted, 1023(a)

maintenance, 508(a)

marquee, 504, 505(a)

supports, 504(c)

metal, sprinkler systems, 959(a)(3)

Occupancy Classification, Table 3-2 (K)

office buildings, (high rise) stairs and elevator,
Subchapter 6, Art. 9

applicability, 390

elevator landings, 391

existing office buildings, 396

floor numbering, 392

identification, 393

materials, 395

reentry, 394

owner and general contractor, 1009(c)

projecting, see Projecting signs

refuse chutes, 839

repairs, 1041

roof, see Roof signs

sleeping rooms, Subchapter 6, Art. 10

stair and elevator, Subchapter 6, Art. 9

temporary, 506

vehicular traffic control, 1023(c)

wall, see Wall signs

warning, 1023, 1054(c)

red lights, 1023(a)

red lanterns, 1023(a)

walkways, 1023

Silt, 675(b)(4)

allowable bearing pressure, 678

varved, 675(b)(5)

Single room occupancy multiple dwellings, 198

conversion, alteration & demolition, 198.2

relocation of tenants, 198.3

Skewed stairs, 375(e)(4)

Skylights, construction, 338(d)

glass, 338(d)(1)

glass blocks, 338(d)(1)

glazing 338(d)(1), 338(d)(2)

marquees, 313(a)(4)

plastic, 338(d)(1)

railings, 338(d)(2)c.1.

roof structures, 338(d)

screens, 338(d)(4)

separation from structures, 338(d)(3)

Skating rinks, Occupancy Classification, Table 3-2 (F-2)

occupant load, Table 6-2

Sleeping rooms, institutional, occupant load, Table 6-2

Sleeping rooms, signs in, Subchapter 6, Art. 10

Index

- Slide poles**, 344
- Slip forms, construction**, 1035(g)
 - jacks, 1035(g)(4)
- Slumps, concrete formwork**, Table 19-3
- Smoke and heat vents**, 353
 - shafts, 344(d)
- Smoke barriers**, 369(c)
- Smoke control requirements**, 777.1
- Smoke curtains**, 353
- Smoke density**, 348(d)
- Smoke detector**, 955
- Smoke houses, industrial, Occupancy Classification**, Table 3-2 (A)
 - Smoke protection plan**, 353.1
 - Smoke shaft requirements**, 353
 - Smoke stop doors**, 371(c)
 - fire-retardant wood, 371(c)
 - wire glass, 371(c)
 - Smoke test**, 856(e), 868
 - method, 868(b)
 - Snack bars, Occupancy Classification**, Table 3-2 (F-4)
 - ventilation, 758(c)
 - Soil bearing pressure**, 668
 - allowable, Subchapter 11, Art. 4, 678
 - Soil borings**, 663(d)(1)
 - Soil classification**, 675
 - Soil load bearing tests**, Subchapter 11, Art. 5
 - controlled inspection, 720
 - Soils, treatment**, 679(c)
 - nominally unsatisfactory, 679(c)
 - nominally satisfactory, 679(c)
 - Soil samples**, 663(f)
 - recovery, 663(d)(1)
 - Soil stacks, existing**, 917
 - Solid fuels**, 807(c)
 - air supply, 807(c)
 - Solvents, storage**, 405
 - Sound power levels**, Table 12-3
 - maximum permitted for exterior mechanical equipment adjoining buildings, Table 12-4
- Sound Transmission Class (STC)**, 769 (a)(1), ratings, 769(a)(2)
 - Spaces, area limitations**, 302
 - classifications, 234, 238, 270
 - Special occupancies, ventilation**, 767
 - Spiral stairs**, 375(l)
- Sports arenas, Occupancy Classification**, Table 3-2 (F-1b)
- Spotlights**, 543(c)
- Spray booths**, 409(a)
 - automatic sprinkler system, 409(a)(2)
- Spray finishing**, Subchapter 7, Art. 3
- Spraying spaces, sprinkler systems**, 412
 - ventilation, 410
- Sprinkler alarm systems**, 957
- Sprinkler heads, charging chutes**, 875(b)(4)
 - protection, 966(b)
- Sprinkler systems**, 923
 - alarm system, 957
 - automatic, auxiliary stage spaces, 546(b)(11)d, 547(b)(2)(d)
 - over opening, 331(b)
 - rigging lofts, 546(b)(6)
 - spray booths, 409(a)(2)
 - stages in places of assembly, 546(b)(7)
 - automotive repair shops, 447
 - booster pumps, 964
 - carbon dioxide systems, dry cleaning establishments, 430
 - deluge, 546(b)(7)b
 - dipping spaces, 412
 - direct connection to public water, 963
 - domestic water supply, 962(c)
 - existing, 931
 - existing buildings, 123.2
 - fire department connection, 959(5)
 - fire protection, 1014(b)
 - gravity tanks required, 965
 - inspections, 967
 - installation in residential occupancies, (RS 17-2A)
 - installation in one-and two-family dwellings and installation systems, 959(b)
 - manufactured homes, (RS 17-2B)
 - metal signs, 959(a)(3)
 - nonautomatic, requirements for, 962(f)
 - partial protection, 959(a)(3)
 - permits, 927
 - plans, 926
 - pressure tanks required, 965
 - protection, 966
 - public garages, 455
 - requirements in spaces below grade, 929(c), 954(aa)
 - requirements systems, Subchapter 17, Art. 4, 954
 - siamese connections, 959
 - smoke detector alternate, 955
 - spraying spaces, 412
 - standards, 924
 - tests, 967
 - unsprinklered buildings and spaces, Table 4-1
 - water supply, automatic sources, 961(a)
 - auxiliary sources, 961(b)
 - classification, 961
 - combination sources, 961(c)
 - domestic, 962(d)
 - required conditions, 962(d)
 - nonautomatic sources, 961(d)
 - required sources, 962
 - Stability**, Subchapter 11, Art. 12
 - factor of safety, 718
 - overturning, 718(a)
 - sliding, 718(b)
 - Stabilized overburden pressure**, 680
 - Stables, Occupancy Classification**, Table 3-2 (B-1)
 - Stack bond**, 7.7 (RS 10-1A), 10.12 (RS 10-1B)

Index

- Stadiums, live loads, moving**, 562(i)
- Stage areas, seating plan**, 528(c)
- Stage floor, construction**, 546(b)(2)
- Stage lifts**, 546(b)(2)b
 - construction, 991(f)
- Stage lighting**, 546(b)(12)
 - in places of assembly, 546(a)(2)
- Stages, auxiliary spaces**, 546(b)(11)
 - exits, 546(b)(11)b
 - sprinklers, 546(b)(11)d
 - construction, in F-2 places of assembly, 548(c)
 - exits, 546(b)(4)
 - in F-2 places of assembly, 548(c)(3)
 - fire control station, 546(b)(10)
 - F-3 or F-4 places of assembly, 549
 - occupant load, 546(b)(4)
 - F-2 places of assembly, 548(c)(3)
- Stair doors**, 375(g)
 - locks, 371(j)(1)
- Stair enclosures**, 375(i)
 - ducts, 375(j)
 - fire department access panels, 375(j)
 - openings, 375(j)
 - pipes, 375(j)
 - windows, 375(j)
- Stairs, access**, 375(i)(2)
 - dead loads, 555(b)
 - exit capacities, Table 6-1
 - exit, see exits, stairs,
 - exterior, see exterior stairs
 - fire escape, 380(b)
 - firestopping, 345, 345(c)
 - interior, see interior stairs
 - lighting, 381(a)
 - in places of assembly, 538
 - roof, 375(a), 375(k)
 - spiral, 375(l)
 - unenclosed, 375(i)(1)c
- Stairwells, live loads**, 558(b)(1)
- Standard scaffolds**, see scaffolds, standard
- Standee areas, assembly spaces**, 531(7)
 - protective guards, 531(a)(8)
- Standing room, occupant load**, Table 6-2
- Standpipes systems**, 923
 - automatic dry, 932(b)
 - connected to city water system, 945(b)(1), 962(g)
 - cross connections, 941
 - devices used, 939
 - exempt buildings, 932(d)
 - existing, 930(a)
 - extension of building, 930(b)
 - fireline systems, electrical tests, 977
 - communication system, 975
 - fire command station, 975
 - installation, 976
 - signaling systems, 974
 - telephone systems, where required, 974
 - fire protection, 1014(b)
 - fire pumps, 946
 - automatic, 945(b)(5)
 - power supply, 943(c)
 - water supply, 947(b)
 - heliports, 437
 - hose omission, 942(c)(5)
 - inspection, 951
 - installation standards, 950
 - maximum pressure, 943
 - nonautomatic, 932(b)
 - occupancy, group E, 954(i)
 - omission of service, 937
 - open parking structures, 472
 - permits, 927
 - plans, 926
 - pressure reducing valves, 944
 - protection, 949
 - pump rooms, 946(b)
 - requirements, Subchapter 17, Art. 3, 932
 - risers, high, 945(c)
 - location, 936
 - low, 945(c)
 - number of, 935
 - size of, 938
 - use for sprinkler systems, 945(d)
 - siamese connections, 940
 - signal systems, 952
 - standards, 924
 - in structures being demolished, 934
 - in structures being erected, 934
 - tests, 951
 - three-way manifold, 942(a)(2)
 - water supply, 945
 - additional, 946(a)
 - control valve, 947(a)
 - direct connection to, 947
 - primary, 945(a)
 - supplying, 945(b)
 - wet, 932(a)
- Starch mills, Occupancy Classification**, Table 3-2 (A)
- State industrial code, radiation protection**, 414
- Steam piping**, Subchapter 14, Art. 10
- Steam hammers**, 700(a)(1)
- Steel**, Subchapter 10, Art. 6
 - identification, 615
 - inspection requirements, Table 10-2
 - light-gage cold-formed, 614(b)
 - quality control, 616
 - structural, 614(a), (RS 10-5A), (RS 10-5B)
 - structures resisting earthquake forces, (RS 10-5C)
 - welding, 616(b)
- Steel piles**, 711
 - end bearing, 711(b)
- Steps, in aisles**, 532(a)(7)
 - in safe areas, 535(a)(5)
- Stop-work order, notice**, 227

Index

- unlawful continuance, 228
- Storage material**, see Materials, storage
 - oil, 405
 - nitric acid, Subchapter 7, Art. 20
 - application, 518
 - construction requirements, 520
 - location, 519
 - ventilation, 521
 - scenery, 546(b)(2)
 - solvents, 405
- Storage classification, Occupancy Group B**, 245
- Storage occupancies, ventilation**, 405
- Storage Occupancy Classifications**, see Occupancy Classifications, storage
- Storage rooms, auxiliary stage space**, 546(b)(11)
 - occupant load, 358, Table 6-2
- Storerooms, paint, Occupancy Classifications**, Table 3-2 (A)
 - Occupancy Classification, Table 3-2
- Stores, retail, Occupancy Classifications**, Table 3-2 (C)
- Storm drainage**, 896
- Storm enclosures, Combustible construction**, 336
 - Inside Fire Districts, 297(c)
- Storm water, disposal**, 901(k)
- Streets, closing**, 1020, 1021
 - obstructions, 1020
- Stresses, increase of allowable**,
 - infrequent, 594
 - secondary, 593
- Stringers, construction**, 375(h)
- Structural design, adequacy**, Subchapter 10, Art. 3
 - aluminum, Subchapter 10, Art. 8
 - bracing, 592
 - deflection limitation, 595
 - foundation elements, 591
 - glass panels, Subchapter 10, Art. 12
 - inadequate construction, 597
 - infrequent stress conditions, 594
 - load tests, 599
 - overstress, 585
 - public safety, 585
 - secondary stresses, 593
 - stability, 591
 - wood, Subchapter 10, Art. 7
- Structural elements, fire-retardant wood**, 328(a)
 - materials, 586
- Structural materials, controlled inspection**, Table 10-1
 - inspection requirements, Table 10-1
- Structural members, in cavity walls, fire protection**, 324(c)
 - exposed to outdoors, fire protection, 324(c)
 - fire protection, 324
 - impact protection, 324(b)
- Structural platforms**, see Platforms, structural
- Structural steel**, 614(a), (RS 10-5A, RS 10-5B)
- Structure-borne noise**, 769(b), 770(b)
- Structures, adjoining**, see adjoining structures
- Structures, air-supported**, see air-supported structures
- Stud walls, wood**, 622(a)
- Sugar mills, Occupancy Classification**, Table 3-2(A)
- Supermarkets, marquees**, 313(a)(4)
- Supports**,
 - antenna, combustible construction, 338(j)
 - chimney, 864
 - furnace floors, 819
 - gas vents, 890
 - ground signs, 500(c)
 - unit heaters, 814
 - wall signs, 501
- Surcharges, lateral loads**, 670(a)
- Suspended scaffolds**, 1045
 - hangers, 1046
 - inspection, 1045(b)
 - ladder type platforms, 1046(f)(1)
 - multiple-point suspension, 1047
 - needle-beam, 1046(e)(1)
 - roof irons, 1046(c)
 - tests required, 1045(b)
 - two-point suspension, 1046
- Suspended structures**, Subchapter 10, Art. 11
- Suspenders**, 636
 - bridge rope, 636(a)(3)
 - bridge strand, 636(a)(2)
 - bridge wire, 636(a)
 - tests, 637
 - wire cable, 636(a)
 - fittings, 640
 - protection, 642
- Swimming pools**, Subchapter 7, Art. 15
 - bottom slopes, 489(b)
 - construction, 489
 - drainage, 492
 - diving boards, 489(h)
 - dressing facilities, 490
 - enclosure, 493(b)
 - hand-holds, 489(e)
 - heating, 491
 - ladders, 489(c)
 - markings, 489(f)
 - people with physical disabilities, facilities, 493.1
 - railings, 493
 - requirements, 913
 - safety precautions, 493
 - spectator area, 489(g)
 - towers, 489(h)
 - ventilation, 491
 - walkways, 489(d)
 - walls, 489(a)
 - water circulation, 492
 - water treatment, 492
- Synchrotrons**, 416

T

- Table and chair seating**, 531(a)(5)

Index

- Tanks, fuel oil**, 828(a)
 - along subway line, 829(f)
 - buried, construction, 828(a)(4)
 - coatings for, 828(a)(3)
 - construction, 828(a),(b)
 - cylindrical, 828(b)
 - design, 828(a)
 - fill pipes, 830(e)
 - flow control, 830(h)
 - heating coils, 830(g)
 - inside buildings, below ground, 829(c)
 - locations, 829
 - above the lowest floor, 829(b) piping to, 830(f)
 - on the lowest floor, 829(a)
 - minimum thickness, 828(d)(1), 828(e)(2)
 - oil level indicator, 830(i)(1)
 - openings in, 828(a)(6)
 - outside buildings, above ground, 829(e)
 - outside buildings, below ground, 829(d)
 - piping, 830
 - rectangular, 828(c)
 - transfer pump, 829(b)(2)
 - vent pipe, 830(d)
 - gravity, 945(b)(3), 965
 - inside Fire Districts, 297(h)
 - pressure, 945(b)(4), 965
 - water, supports for, 338(h)
 - heating devices, 901(d)
- Tanneries, Occupation Classification**, Table 3-2 (A)
- Tapered aisles**, 532(a)(3)
- Taverns, Occupation Classification**, Table 3-2 (F-4)
- Telephone exchanges, Occupation Classification**, Table 3-2 (E)
- Television stations, Occupation Classification**, Table 3-2 (E)
- Temporary occupancy, Occupation Certificates**, 218, 219
 - Temporary sidewalks**, see Sidewalks, temporary
 - Temporary signs**, 506
 - Inside Fire Districts, 297(h)
 - Temporary structures, Inside Fire Districts**, 297(e)
- Temporary use permits, fuel burning equipment**, 794(e)
 - posting, 1003
- Temporary walkways**, 1021(e)
- Tents**, Subchapter 7, Art. 19, 524
 - flame resistance, 515(a)
 - height, 510
 - location, 510
 - separations, 511
- Terminals, marquee**, 313(a)(4)
 - passenger, occupant load, Table 6-2
- Test load**, 588
- Test pits**, 664
- Tests, acceptance, elevators**, 997
 - boiler acceptance, 793(a)
 - bridge wire, 637
 - concrete, 598
 - fire protection, Subchapter 5, Art. 2
 - fuel burning installations, 794(a)
 - fuel storage installations, 794(a)
 - gas vent systems, 879(b)
 - load bearings, correlation of load test behavior, 682(c)(1)
 - gross settlement, 682(c)(1)
 - load increments, 682(b)(2)
 - loading platform, 682(b)(1)
 - procedure, 682
 - report required, 682(c)(1)
 - test plate, 682(b)(1)
 - model, 599(a)(5)
 - opening protectives, 329
 - plumbing, 901(t), 921
 - settlement, 682(a)(9)
 - sketch required, 682
 - soil load bearing, Subchapter 11, Art. 5
 - sprinkler systems, 967
 - standpipe systems, 951
 - fireline, 974(g)
- Theaters, drive-in**, 548(c)(4)d
 - Occupancy Classification, Table 3-2 (F-2)
 - projection machine, 548(c)(4)d
 - live loads, see Live Loads, theaters
 - marquees, 313(a)(4)
 - motionpicture, Occupancy Classification, Table 3-2 (F-lb)
 - Occupancy Classification, Table 3-2 (F-1a)
- Thimbles**, 894
 - ventilating, 861(c)(1)
- Ties, masonry**, 3.3 (RS 10-1A), 9.7.3 (RS 10-1B)
- Timber**, 617(a)
- Timber piles**, 707
 - end bearings, 707(a)(2)
 - inverted, 707(c)
 - lagging, 707(c)
- Tobacco Advertising**, Subchapter 7, Art. 17A
 - penalties, 508.7
- Toeboards**, 1042(g)
 - outrigger scaffolds, 1044(d)
 - standard, 1050
- Toilet rooms, artificial illumination**, 738
 - dead loads, 555(b)
 - ventilation, 759
- Toilets, occupant load**, 358(c)
- Tools, explosive powered**, Subchapter 19, Art. 11
 - operation, 1066
- Towers, cooling**, 338(i)
 - swimming pools, 489(h)
- Toxic substances, ventilation of rooms with**, 766
- Traffic control, flagmen**, 1023(c)
- Training shops, vocational, Occupation Classification**, Table 3-2 (D-2)
 - Transfer pump, fuel oil tanks**, 829(b)(2)
- Transoms**, 369(i)
- Trap doors, shafts**, 343(e)
- Traps, liquid-seal**, 901(o)

Index

Traps, stage floor, 546(b)(2)
Travel distance, within dwelling units, 360(b)
exit requirements, Table 6-1
horizontal exit, 360(a)
interior stair, 360(a)
maximum, 360(a)
measurement, 360(c)
open exterior space, 360(a)
vertical exit, 360(a)
Treads, exterior stairs, 376(c)
construction, 375(h)
Trees, protection of, 1030
Trellises, combustible construction, 335
Trench excavation, mechanical diggers, 1032(d)
Trestles, Inside Fire Districts, 297(h)
Trim, exterior, see Exterior trim
fire-retardant treated wood, 328(a), 328(d)
Trimmers, 622(c)(4)
Trucks, 1059
fork lift, 1061
live loads, moving, 562(c)
loading, 1059(b)
Trusses, 1034(c)
fire protection, 324
horizontal exits, 373(c)
lighting, 381(a)
Turnstiles, 371(n)
Two-family dwellings, boilers, 419
borings, 663(a)(1)
Occupancy Classification, Table 3-2 (J-3)

U

Uncased borings, 665(a)
Underpinning, Subchapter 11, Art. 12
adjoining properties, 166
inspection, 1010
Universities, Occupancy Classification, Table 3-2 (G)
Unsafe conditions, inspections, 1012
Uplift, 672, 694(a)(2)
Used materials, 588
Utilities, 1013(c)
disconnection of, 1013(b)
electrical work, 1013(c)
essential services, 1013, 1013(b)
maintaining, 1013(b)
existing, 1013(a)
fire prevention facilities, maintaining, 1013(b)
notice required, 1013
power lines, 1013(c)
service lines, 1013(a)

V

Vacating buildings, emergency measures, see article 8-A, Title C, Part I

Valves, control, 947(a)
bath and shower, P 107.6 (i)(RS 16)
fuel oil control, 830(h)
hose outlet, 942(a)
pressure reducing, 944
pressure mixing, P107.6(i) (RS-16)
Varnishes, 406
Vehicular traffic control, barricades, 1023(c)
signs, 1023(c)
Veneer, ceramic, 3.21 (RS 10-1A), 10.14.1 (RS 10-1B)
masonry, 3.2 (RS 10-1A), 10.14.3 (RS 10-1B)
Ventilating hoods, 884(e)
Ventilating systems, construction, 777(a)
controlled inspection, 779(a)
filter maintenance, 782
installation, 756
maintenance, Subchapter 13, Art. 3
operation, 756
required, 779
controlled inspection, 779(a)
equipment use permit, 778
owner's statement, 779(c)
tests and inspection requirements, 779
voluntary, equipment use permit, 780
fire extinguishing systems, 780(b)
owner's statement, 780(c)
test and inspection, 780
Ventilation, 725
assembly rooms, 765(c)
auditoria, 765(c)
automotive repair shops, 446
bathrooms, 759
boiler rooms, 424
classrooms, 765(a)
coin-operated dry cleaning units, 429
corridors, 369(j), 761
crawl spaces, 762
dipping spaces, 410
dry cleaning establishments, 428
emergency, in places of assembly, 546(b)(8)
equivalent outdoor air, 754(b)(2)
fixed, incinerator rooms, 838
furnace rooms, 424
J-1 buildings, existing, 777.2
kitchens, 758
laboratories using radioactive materials, 415(f)
locker rooms, 760
lockers, 765(b)
mechanical, see Mechanical ventilation
natural, see Natural ventilation
pantries, 758(c)
private garages, 478
projection booths, 543
public garages, 456
requirements, 776(a)
restaurant cooking equipment, 777(d)
rooms with airborne irritants, 766

Index

rooms with excessive temperatures, 766
rooms with strong odors, 766
rooms with toxic substances, 766
schools, 765
snack bars, 758(c)
special occupancies, 767
special spaces, Subchapter 12, Art. 8
special uses, 767
spraying spaces, 410
storage occupancies, 405
swimming pools, 491
toilet rooms, 759
ventilating systems, 777(a)
wardrobes, 765(b)
water closet compartments, 755(c)
Vents, fuel oil tanks, 830(d)
gas, see Gas vents
heat, 353
to outdoor air, 901(p)
roof, 353
shaft, 344(d)(e)
smoke, 353
Vent shaft, 759(a)
Vent stacks, existing, 917
Vent systems, testing methods, 922
Vertical exits, 357
supplemental, capacity, 374(b)
construction, 374(c)
identification, 374(e)
openings, 374(d)
travel distance, 360(a)
Vibrating hammers, 700(c)(3)
Vibration isolation, noise control, 770(b)
Viewing devices, dwelling unit doors, 371(j)(2)(b)
Vocational training shops, Occupancy Classification, Table 3-2 (D-1)

W

Walkways, barricades, 1021(a)(4)
capacity, 379(a)
enclosure, 379(d)
lighting, 1020, 1021(e)
temporary, 1021(e)
lighting 1021 (e)
warning signs, 1023(b)
Walkways, construction, lighting, 1021(e),(f)
swimming pools, 489(d)
temporary, 1021(e)
Walls, Subchapter 11, Art. 6
equivalent unbraced height, 686(a)
exterior, 331
firestopping, 345
horizontal loads, 579(d)
party, 332
Walls, adjoining, protection of, 1026(c)
exterior, open parking structures, 463

foundation, Subchapter 11, Art. 6
horizontal loads, 578(d)
Wall openings, exterior, Table 3-5, 331(a)
Wall signs, 292(c), 501, 505(a)
Fire Department access, 501(d)
Inside Fire Districts, 297(i)
supports, 501(c)
Wall thickness, unbraced height, 686(b)(2)
Wardrobes, ventilation, 765(b)
Warehouses, marquees, 313(a)(4)
Occupancy Classification, Table 3-2 (B-1)
Warning lights, see Warning signs
Warning signs, 1023
dangerous areas, 1023(b)
flashing beacons, 1023(a)
lighted signs, 1023(a)
obstructions and openings, 1023(a)
oil flares, 1023(a)
red lanterns, 1023(a)
red lights, 1023(a)
refueling, 1054(c)
Wastes, industrial, 896, 901(h)(2)
material removal, 1019(a)
special, 896
Watchmen, 1024
Water, accumulation, discontinued operations, 1027(b)
city, in air conditioning systems, 777(g)
ground, 661(b)
potable, identification, 908(b)
private supply, 907
public supply, 901(e)(2), 906
storm, disposal, 901(k)
supply requirements, 901(b)
well, 901(f)
Water-cement ratio, method 1 concrete, 605(a)(2)
method 11 concrete, 605(b)(3)a
Water circulation, swimming pools, 492
Water closet compartments, mechanical ventilation, 755(c)
Water conservation, 901(c)
Water curtain, for stages in places of assembly, 546(b)(7)b
Waterfront property, Occupancy Certificates, 216
Waterproofing, pit, 819(b)
Water spray nozzles, at conveyor openings, 342(b)
Water supply, cross-connection, 908(a)
sprinkler systems, see Sprinkler systems,
water supply
standpipe systems, see Standpipe system,
water supply testing, 922(c)
Water tanks, 338(h)
Water towers, Inside Fire Districts, 297(h)
Welding, aluminum, 627(b)
steel, 616(b)
Well water, 901(f)
Wheelchairs, building access, 308, 357(d)
Window boarding, demolition operations, 1036(c)(2)

Index

- Window hardware, 371(j)**
 - party, fire-resistance rating, 332
 - shear, load distribution, 579(a)
 - stud, 622(a)
 - swimming pools, 489(a)
 - Windows, bay, 336**
 - openable, locks, 371(j)(2)c
 - oriel, 336
 - in shafts, 344(c)
 - stair enclosures, 375(j)
 - Wind loads, Subchapter 9, Art. 5, 569(a)**
 - Wire cable, 636, 1055(b)**
 - fittings, 640
 - protection, 642
 - Wire rope, 1055(b)**
 - loading, 1045(d)
 - Wires, embedment in fire protection, 324(a)**
 - Wood, Subchapter 10, Art. 7**
 - empirical provisions, 622
 - firecutting, 621(a)
 - fire-retardant, see Fire-retardant wood
 - floors, 622(c)
 - identification, 618
 - inspection requirements, Table 10-1, Table 10-2
 - non-stress grade, 619
 - protection of members, 621(b)
 - quality control, 620
 - structural design, Subchapter 10, Art. 7
 - stud walls, 622(a)
 - Wood beams, notches, 622(c)(3)**
 - Wood burning appliances, 848.08**
 - clearances, 848.08(g)
 - location of, 848.08(c)
 - mounting for fireplace stoves and room heaters, 848.08(f)
 - Wood construction, 624**
 - bracing, 622(b)
 - bridging, 622(c)(2)
 - floors, 623(a)(2)
 - nailing schedule, 622(d)
 - sheathing, 622(b)(1)
 - Wood footings, 684(a)**
 - Wood partitions, 622(a)**
 - Work shops, 546(b)(11)**
- X**
- X-ray machines, 416**
- Y**
- Yard hydrants, 933**
 - required, 933
 - with special equipment, 933(f)
 - Yard main, private, 945(b)(2)**