



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2006

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	By UHF Neighborhood: Bronx	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		By UHF Neighborhood: Staten Island
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2006, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2011. Updated January 4, 2012. Accessed [access date] at <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4,157	100.0	3,230	77.7	927	22.3	3,802	100.0	102,153	100.0	2,419	100.0
SEX												
Male	3,050	73.4	2,343	72.5	707	76.3	2,654	69.8	71,502	70.0	1,697	70.2
Female	1,107	26.6	887	27.5	220	23.7	1,148	30.2	30,651	30.0	722	29.8
RACE/ETHNICITY												
Black	2,037	49.0	1,575	48.8	462	49.8	1,828	48.1	45,678	44.7	1,217	50.3
Hispanic	1,318	31.7	999	30.9	319	34.4	1,236	32.5	33,588	32.9	795	32.9
White	690	16.6	570	17.6	120	12.9	652	17.1	20,808	20.4	376	15.5
Asian/Pacific Islander	91	2.2	73	2.3	18	1.9	60	1.6	1,404	1.4	29	1.2
Native American	17	0.4	9	0.3	8	0.9	21	0.6	216	0.2	1	0.0
Multiracial	4	0.1	4	0.1	0	0.0	5	0.1	42	0.0	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	417	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	16	0.4	15	0.5	1	0.1	2	0.1	813	0.8	2	0.1
13-19	192	4.6	178	5.5	14	1.5	66	1.7	1,603	1.6	15	0.6
20-29	1,038	25.0	918	28.4	120	12.9	424	11.2	6,828	6.7	62	2.6
30-39	1,202	28.9	956	29.6	246	26.5	967	25.4	20,501	20.1	286	11.8
40-49	1,076	25.9	775	24.0	301	32.5	1,366	35.9	39,824	39.0	899	37.2
50-59	472	11.4	301	9.3	171	18.4	710	18.7	24,546	24.0	804	33.2
60+	161	3.9	87	2.7	74	8.0	267	7.0	8,038	7.9	351	14.5
BOROUGH OF RESIDENCE												
Bronx	881	21.2	682	21.1	199	21.5	897	23.6	21,897	21.4	637	26.3
Brooklyn	1,065	25.6	803	24.9	262	28.3	1,043	27.4	25,139	24.6	644	26.6
Manhattan	1,187	28.6	923	28.6	264	28.5	1,087	28.6	30,728	30.1	640	26.5
Queens	646	15.5	513	15.9	133	14.3	474	12.5	14,172	13.9	292	12.1
Staten Island	73	1.8	52	1.6	21	2.3	67	1.8	1,805	1.8	57	2.4
Outside NYC	278	6.7	230	7.1	48	5.2	227	6.0	7,704	7.5	144	6.0
Unknown	27	0.6	27	0.8	0	0.0	7	0.2	708	0.7	5	0.2
TRANSMISSION RISK												
Men who have sex with men	1,673	40.2	1,366	42.3	307	33.1	1,168	30.7	31,702	31.0	404	16.7
Injection drug use history	317	7.6	241	7.5	76	8.2	582	15.3	22,455	22.0	951	39.3
Heterosexual	1,005	24.2	776	24.0	229	24.7	889	23.4	18,948	18.5	389	16.1
Perinatal	17	0.4	15	0.5	2	0.2	50	1.3	2,484	2.4	18	0.7
Other	0	0.0	0	0.0	0	0.0	3	0.1	284	0.3	8	0.3
Unknown	1,145	27.5	832	25.8	313	33.8	1,110	29.2	26,280	25.7	649	26.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	41,193	40.3	329	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	60,960	59.7	2,090	86.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,050	100.0	2,343	76.8	707	23.2	2,654	100.0	71,502	100.0	1,697	100.0
RACE/ETHNICITY												
Black	1,339	43.9	1,012	43.2	327	46.3	1,152	43.4	28,050	39.2	780	46.0
Hispanic	980	32.1	735	31.4	245	34.7	859	32.4	23,455	32.8	581	34.2
White	637	20.9	524	22.4	113	16.0	573	21.6	18,381	25.7	311	18.3
Asian/Pacific Islander	77	2.5	61	2.6	16	2.3	50	1.9	1,115	1.6	23	1.4
Native American	13	0.4	7	0.3	6	0.8	17	0.6	152	0.2	1	0.1
Multiracial	4	0.1	4	0.2	0	0.0	3	0.1	30	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	319	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	9	0.3	8	0.3	1	0.1	2	0.1	371	0.5	1	0.1
13-19	132	4.3	122	5.2	10	1.4	36	1.4	834	1.2	10	0.6
20-29	799	26.2	704	30.0	95	13.4	307	11.6	4,564	6.4	38	2.2
30-39	904	29.6	704	30.0	200	28.3	674	25.4	13,886	19.4	177	10.4
40-49	772	25.3	544	23.2	228	32.2	956	36.0	27,769	38.8	618	36.4
50-59	320	10.5	201	8.6	119	16.8	493	18.6	17,985	25.2	588	34.6
60+	114	3.7	60	2.6	54	7.6	186	7.0	6,093	8.5	265	15.6
BOROUGH OF RESIDENCE												
Bronx	547	17.9	405	17.3	142	20.1	538	20.3	13,068	18.3	410	24.2
Brooklyn	723	23.7	536	22.9	187	26.4	684	25.8	15,751	22.0	424	25.0
Manhattan	996	32.7	773	33.0	223	31.5	860	32.4	24,776	34.7	495	29.2
Queens	481	15.8	377	16.1	104	14.7	345	13.0	9,906	13.9	214	12.6
Staten Island	50	1.6	37	1.6	13	1.8	42	1.6	1,140	1.6	34	2.0
Outside NYC	229	7.5	191	8.2	38	5.4	179	6.7	6,344	8.9	115	6.8
Unknown	24	0.8	24	1.0	0	0.0	6	0.2	517	0.7	5	0.3
TRANSMISSION RISK												
Men who have sex with men	1,673	54.9	1,366	58.3	307	43.4	1,168	44.0	31,702	44.3	404	23.8
Injection drug use history	249	8.2	184	7.9	65	9.2	418	15.7	15,887	22.2	680	40.1
Heterosexual	243	8.0	168	7.2	75	10.6	250	9.4	5,286	7.4	127	7.5
Perinatal	9	0.3	8	0.3	1	0.1	25	0.9	1,207	1.7	12	0.7
Other	0	0.0	0	0.0	0	0.0	1	0.0	144	0.2	6	0.4
Unknown	876	28.7	617	26.3	259	36.6	792	29.8	17,276	24.2	468	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28,304	39.6	243	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43,198	60.4	1,454	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,107	100.0	887	80.1	220	19.9	1,148	100.0	30,651	100.0	722	100.0
RACE/ETHNICITY												
Black	698	63.1	563	63.5	135	61.4	676	58.9	17,628	57.5	437	60.5
Hispanic	338	30.5	264	29.8	74	33.6	377	32.8	10,133	33.1	214	29.6
White	53	4.8	46	5.2	7	3.2	79	6.9	2,427	7.9	65	9.0
Asian/Pacific Islander	14	1.3	12	1.4	2	0.9	10	0.9	289	0.9	6	0.8
Native American	4	0.4	2	0.2	2	0.9	4	0.3	64	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	0.2	12	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	98	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	7	0.6	7	0.8	0	0.0	0	0.0	442	1.4	1	0.1
13-19	60	5.4	56	6.3	4	1.8	30	2.6	769	2.5	5	0.7
20-29	239	21.6	214	24.1	25	11.4	117	10.2	2,264	7.4	24	3.3
30-39	298	26.9	252	28.4	46	20.9	293	25.5	6,615	21.6	109	15.1
40-49	304	27.5	231	26.0	73	33.2	410	35.7	12,055	39.3	281	38.9
50-59	152	13.7	100	11.3	52	23.6	217	18.9	6,561	21.4	216	29.9
60+	47	4.2	27	3.0	20	9.1	81	7.1	1,945	6.3	86	11.9
BOROUGH OF RESIDENCE												
Bronx	334	30.2	277	31.2	57	25.9	359	31.3	8,829	28.8	227	31.4
Brooklyn	342	30.9	267	30.1	75	34.1	359	31.3	9,388	30.6	220	30.5
Manhattan	191	17.3	150	16.9	41	18.6	227	19.8	5,952	19.4	145	20.1
Queens	165	14.9	136	15.3	29	13.2	129	11.2	4,266	13.9	78	10.8
Staten Island	23	2.1	15	1.7	8	3.6	25	2.2	665	2.2	23	3.2
Outside NYC	49	4.4	39	4.4	10	4.5	48	4.2	1,360	4.4	29	4.0
Unknown	3	0.3	3	0.3	0	0.0	1	0.1	191	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history	68	6.1	57	6.4	11	5.0	164	14.3	6,568	21.4	271	37.5
Heterosexual	762	68.8	608	68.5	154	70.0	639	55.7	13,662	44.6	262	36.3
Perinatal	8	0.7	7	0.8	1	0.5	25	2.2	1,277	4.2	6	0.8
Other	0	0.0	0	0.0	0	0.0	2	0.2	140	0.5	2	0.3
Unknown	269	24.3	215	24.2	54	24.5	318	27.7	9,004	29.4	181	25.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,889	42.1	86	11.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,762	57.9	636	88.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,339	100.0	1,012	75.6	327	24.4	1,152	100.0	28,050	100.0	780	100.0
AGE GROUP (YEARS)												
0-12	6	0.4	5	0.5	1	0.3	1	0.1	237	0.8	1	0.1
13-19	83	6.2	77	7.6	6	1.8	21	1.8	478	1.7	5	0.6
20-29	339	25.3	299	29.5	40	12.2	139	12.1	2,029	7.2	26	3.3
30-39	330	24.6	255	25.2	75	22.9	266	23.1	4,958	17.7	84	10.8
40-49	353	26.4	238	23.5	115	35.2	410	35.6	10,282	36.7	262	33.6
50-59	180	13.4	112	11.1	68	20.8	232	20.1	7,550	26.9	276	35.4
60+	48	3.6	26	2.6	22	6.7	83	7.2	2,516	9.0	126	16.2
BOROUGH OF RESIDENCE												
Bronx	278	20.8	198	19.6	80	24.5	248	21.5	5,422	19.3	174	22.3
Brooklyn	464	34.7	345	34.1	119	36.4	416	36.1	9,164	32.7	249	31.9
Manhattan	328	24.5	243	24.0	85	26.0	283	24.6	7,400	26.4	213	27.3
Queens	166	12.4	137	13.5	29	8.9	127	11.0	3,536	12.6	82	10.5
Staten Island	13	1.0	12	1.2	1	0.3	13	1.1	382	1.4	11	1.4
Outside NYC	77	5.8	64	6.3	13	4.0	63	5.5	1,950	7.0	49	6.3
Unknown	13	1.0	13	1.3	0	0.0	2	0.2	196	0.7	2	0.3
TRANSMISSION RISK												
Men who have sex with men	598	44.7	474	46.8	124	37.9	392	34.0	9,053	32.3	153	19.6
Injection drug use history	101	7.5	71	7.0	30	9.2	172	14.9	6,572	23.4	295	37.8
Heterosexual	133	9.9	94	9.3	39	11.9	143	12.4	2,859	10.2	69	8.8
Perinatal	6	0.4	5	0.5	1	0.3	12	1.0	678	2.4	7	0.9
Other	0	0.0	0	0.0	0	0.0	1	0.1	46	0.2	3	0.4
Unknown	501	37.4	368	36.4	133	40.7	432	37.5	8,842	31.5	253	32.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,652	38.0	112	14.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,398	62.0	668	85.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	698	100.0	563	80.7	135	19.3	676	100.0	17,628	100.0	437	100.0
AGE GROUP (YEARS)												
0-12	4	0.6	4	0.7	0	0.0	0	0.0	267	1.5	0	0.0
13-19	38	5.4	36	6.4	2	1.5	17	2.5	452	2.6	2	0.5
20-29	145	20.8	128	22.7	17	12.6	68	10.1	1,418	8.0	16	3.7
30-39	192	27.5	161	28.6	31	23.0	173	25.6	3,936	22.3	61	14.0
40-49	182	26.1	141	25.0	41	30.4	242	35.8	6,789	38.5	172	39.4
50-59	107	15.3	74	13.1	33	24.4	128	18.9	3,713	21.1	132	30.2
60+	30	4.3	19	3.4	11	8.1	48	7.1	1,053	6.0	54	12.4
BOROUGH OF RESIDENCE												
Bronx	175	25.1	149	26.5	26	19.3	172	25.4	4,345	24.6	115	26.3
Brooklyn	258	37.0	202	35.9	56	41.5	262	38.8	6,448	36.6	166	38.0
Manhattan	111	15.9	88	15.6	23	17.0	123	18.2	3,283	18.6	86	19.7
Queens	101	14.5	83	14.7	18	13.3	74	10.9	2,478	14.1	46	10.5
Staten Island	19	2.7	14	2.5	5	3.7	14	2.1	310	1.8	11	2.5
Outside NYC	31	4.4	24	4.3	7	5.2	30	4.4	655	3.7	13	3.0
Unknown	3	0.4	3	0.5	0	0.0	1	0.1	109	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history	36	5.2	28	5.0	8	5.9	85	12.6	3,221	18.3	140	32.0
Heterosexual	479	68.6	385	68.4	94	69.6	384	56.8	7,906	44.8	172	39.4
Perinatal	4	0.6	4	0.7	0	0.0	11	1.6	738	4.2	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	75	0.4	1	0.2
Unknown	179	25.6	146	25.9	33	24.4	196	29.0	5,688	32.3	122	27.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,637	43.3	51	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,991	56.7	386	88.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	980	100.0	735	75.0	245	25.0	859	100.0	23,455	100.0	581	100.0
AGE GROUP (YEARS)												
0-12	3	0.3	3	0.4	0	0.0	1	0.1	109	0.5	0	0.0
13-19	41	4.2	37	5.0	4	1.6	15	1.7	299	1.3	4	0.7
20-29	295	30.1	252	34.3	43	17.6	120	14.0	1,665	7.1	11	1.9
30-39	316	32.2	228	31.0	88	35.9	242	28.2	5,048	21.5	67	11.5
40-49	217	22.1	152	20.7	65	26.5	299	34.8	9,244	39.4	237	40.8
50-59	78	8.0	52	7.1	26	10.6	131	15.3	5,312	22.6	193	33.2
60+	30	3.1	11	1.5	19	7.8	51	5.9	1,778	7.6	69	11.9
BOROUGH OF RESIDENCE												
Bronx	237	24.2	181	24.6	56	22.9	260	30.3	6,860	29.2	202	34.8
Brooklyn	159	16.2	113	15.4	46	18.8	161	18.7	4,083	17.4	130	22.4
Manhattan	278	28.4	207	28.2	71	29.0	240	27.9	6,668	28.4	139	23.9
Queens	221	22.6	165	22.4	56	22.9	143	16.6	3,986	17.0	80	13.8
Staten Island	13	1.3	9	1.2	4	1.6	11	1.3	293	1.2	5	0.9
Outside NYC	62	6.3	50	6.8	12	4.9	43	5.0	1,414	6.0	23	4.0
Unknown	10	1.0	10	1.4	0	0.0	1	0.1	151	0.6	2	0.3
TRANSMISSION RISK												
Men who have sex with men	524	53.5	421	57.3	103	42.0	344	40.0	8,762	37.4	94	16.2
Injection drug use history	113	11.5	88	12.0	25	10.2	189	22.0	7,188	30.6	291	50.1
Heterosexual	80	8.2	53	7.2	27	11.0	79	9.2	1,813	7.7	38	6.5
Perinatal	3	0.3	3	0.4	0	0.0	13	1.5	442	1.9	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	36	0.2	1	0.2
Unknown	260	26.5	170	23.1	90	36.7	234	27.2	5,214	22.2	153	26.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,503	36.3	73	12.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,952	63.7	508	87.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	338	100.0	264	78.1	74	21.9	377	100.0	10,133	100.0	214	100.0
AGE GROUP (YEARS)												
0-12	2	0.6	2	0.8	0	0.0	0	0.0	156	1.5	1	0.5
13-19	20	5.9	18	6.8	2	2.7	10	2.7	259	2.6	3	1.4
20-29	76	22.5	70	26.5	6	8.1	41	10.9	684	6.8	7	3.3
30-39	82	24.3	69	26.1	13	17.6	103	27.3	2,104	20.8	35	16.4
40-49	107	31.7	79	29.9	28	37.8	132	35.0	4,081	40.3	86	40.2
50-59	36	10.7	19	7.2	17	23.0	62	16.4	2,164	21.4	60	28.0
60+	15	4.4	7	2.7	8	10.8	29	7.7	685	6.8	22	10.3
BOROUGH OF RESIDENCE												
Bronx	149	44.1	121	45.8	28	37.8	172	45.6	4,132	40.8	101	47.2
Brooklyn	68	20.1	52	19.7	16	21.6	81	21.5	2,273	22.4	40	18.7
Manhattan	61	18.0	45	17.0	16	21.6	77	20.4	1,981	19.5	44	20.6
Queens	46	13.6	36	13.6	10	13.5	31	8.2	1,147	11.3	16	7.5
Staten Island	2	0.6	1	0.4	1	1.4	7	1.9	164	1.6	5	2.3
Outside NYC	12	3.6	9	3.4	3	4.1	9	2.4	381	3.8	8	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	55	0.5	0	0.0
TRANSMISSION RISK												
Injection drug use history	27	8.0	25	9.5	2	2.7	63	16.7	2,578	25.4	98	45.8
Heterosexual	239	70.7	184	69.7	55	74.3	210	55.7	4,550	44.9	70	32.7
Perinatal	3	0.9	2	0.8	1	1.4	11	2.9	457	4.5	4	1.9
Other	0	0.0	0	0.0	0	0.0	2	0.5	34	0.3	1	0.5
Unknown	69	20.4	53	20.1	16	21.6	91	24.1	2,514	24.8	41	19.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,973	39.2	24	11.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,160	60.8	190	88.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	637	100.0	524	82.3	113	17.7	573	100.0	18,381	100.0	311	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
13-19	6	0.9	6	1.1	0	0.0	0	0.0	46	0.3	1	0.3
20-29	152	23.9	141	26.9	11	9.7	44	7.7	761	4.1	1	0.3
30-39	216	33.9	184	35.1	32	28.3	141	24.6	3,430	18.7	22	7.1
40-49	175	27.5	138	26.3	37	32.7	222	38.7	7,608	41.4	110	35.4
50-59	55	8.6	34	6.5	21	18.6	117	20.4	4,828	26.3	114	36.7
60+	33	5.2	21	4.0	12	10.6	49	8.6	1,691	9.2	63	20.3
BOROUGH OF RESIDENCE												
Bronx	25	3.9	21	4.0	4	3.5	24	4.2	665	3.6	29	9.3
Brooklyn	91	14.3	70	13.4	21	18.6	97	16.9	2,245	12.2	44	14.1
Manhattan	358	56.2	298	56.9	60	53.1	312	54.5	10,013	54.5	133	42.8
Queens	64	10.0	54	10.3	10	8.8	51	8.9	1,980	10.8	46	14.8
Staten Island	24	3.8	16	3.1	8	7.1	18	3.1	447	2.4	16	5.1
Outside NYC	74	11.6	64	12.2	10	8.8	68	11.9	2,877	15.7	42	13.5
Unknown	1	0.2	1	0.2	0	0.0	3	0.5	154	0.8	1	0.3
TRANSMISSION RISK												
Men who have sex with men	499	78.3	426	81.3	73	64.6	397	69.3	13,163	71.6	149	47.9
Injection drug use history	30	4.7	22	4.2	8	7.1	50	8.7	2,032	11.1	90	28.9
Heterosexual	22	3.5	16	3.1	6	5.3	21	3.7	479	2.6	15	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	66	0.4	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	56	0.3	2	0.6
Unknown	86	13.5	60	11.5	26	23.0	105	18.3	2,585	14.1	54	17.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,284	45.1	55	17.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,097	54.9	256	82.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	53	100.0	46	86.8	7	13.2	79	100.0	2,427	100.0	65	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	1.3	46	1.9	0	0.0
20-29	14	26.4	14	30.4	0	0.0	5	6.3	121	5.0	1	1.5
30-39	18	34.0	16	34.8	2	28.6	14	17.7	441	18.2	12	18.5
40-49	11	20.8	9	19.6	2	28.6	31	39.2	1,023	42.2	22	33.8
50-59	8	15.1	6	13.0	2	28.6	24	30.4	600	24.7	21	32.3
60+	2	3.8	1	2.2	1	14.3	4	5.1	181	7.5	9	13.8
BOROUGH OF RESIDENCE												
Bronx	5	9.4	3	6.5	2	28.6	13	16.5	289	11.9	11	16.9
Brooklyn	13	24.5	12	26.1	1	14.3	12	15.2	545	22.5	12	18.5
Manhattan	18	34.0	16	34.8	2	28.6	25	31.6	591	24.4	14	21.5
Queens	10	18.9	10	21.7	0	0.0	16	20.3	500	20.6	13	20.0
Staten Island	2	3.8	0	0.0	2	28.6	4	5.1	182	7.5	7	10.8
Outside NYC	5	9.4	5	10.9	0	0.0	9	11.4	300	12.4	8	12.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.8	0	0.0
TRANSMISSION RISK												
Injection drug use history	5	9.4	4	8.7	1	14.3	16	20.3	738	30.4	33	50.8
Heterosexual	29	54.7	28	60.9	1	14.3	35	44.3	1,002	41.3	18	27.7
Perinatal	0	0.0	0	0.0	0	0.0	1	1.3	70	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	1.0	0	0.0
Unknown	19	35.8	14	30.4	5	71.4	27	34.2	593	24.4	14	21.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,003	41.3	11	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,424	58.7	54	83.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	77	100.0	61	79.2	16	20.8	50	100.0	1,115	100.0	23	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19	2	2.6	2	3.3	0	0.0	0	0.0	5	0.4	0	0.0
20-29	10	13.0	9	14.8	1	6.3	2	4.0	84	7.5	0	0.0
30-39	37	48.1	34	55.7	3	18.8	20	40.0	339	30.4	3	13.0
40-49	21	27.3	14	23.0	7	43.8	15	30.0	423	37.9	8	34.8
50-59	4	5.2	0	0.0	4	25.0	10	20.0	196	17.6	5	21.7
60+	3	3.9	2	3.3	1	6.3	3	6.0	64	5.7	7	30.4
BOROUGH OF RESIDENCE												
Bronx	4	5.2	3	4.9	1	6.3	2	4.0	63	5.7	5	21.7
Brooklyn	6	7.8	6	9.8	0	0.0	7	14.0	194	17.4	1	4.3
Manhattan	29	37.7	23	37.7	6	37.5	21	42.0	425	38.1	9	39.1
Queens	25	32.5	18	29.5	7	43.8	17	34.0	337	30.2	6	26.1
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	1	4.3
Outside NYC	13	16.9	11	18.0	2	12.5	3	6.0	86	7.7	1	4.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men	45	58.4	40	65.6	5	31.3	26	52.0	602	54.0	7	30.4
Injection drug use history	4	5.2	2	3.3	2	12.5	4	8.0	58	5.2	4	17.4
Heterosexual	7	9.1	5	8.2	2	12.5	5	10.0	114	10.2	4	17.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	21	27.3	14	23.0	7	43.8	15	30.0	327	29.3	8	34.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	494	44.3	3	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	621	55.7	20	87.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	12	85.7	2	14.3	10	100.0	289	100.0	6	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
13-19	2	14.3	2	16.7	0	0.0	1	10.0	6	2.1	0	0.0
20-29	3	21.4	2	16.7	1	50.0	1	10.0	30	10.4	0	0.0
30-39	5	35.7	5	41.7	0	0.0	2	20.0	94	32.5	1	16.7
40-49	3	21.4	2	16.7	1	50.0	3	30.0	88	30.4	1	16.7
50-59	1	7.1	1	8.3	0	0.0	3	30.0	51	17.6	3	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	18	6.2	1	16.7
BOROUGH OF RESIDENCE												
Bronx	4	28.6	3	25.0	1	50.0	1	10.0	30	10.4	0	0.0
Brooklyn	2	14.3	1	8.3	1	50.0	2	20.0	72	24.9	2	33.3
Manhattan	0	0.0	0	0.0	0	0.0	2	20.0	56	19.4	1	16.7
Queens	7	50.0	7	58.3	0	0.0	5	50.0	107	37.0	3	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Outside NYC	1	7.1	1	8.3	0	0.0	0	0.0	19	6.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	14	4.8	0	0.0
Heterosexual	12	85.7	10	83.3	2	100.0	5	50.0	151	52.2	2	33.3
Perinatal	0	0.0	0	0.0	0	0.0	1	10.0	5	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.4	0	0.0
Unknown	2	14.3	2	16.7	0	0.0	4	40.0	115	39.8	4	66.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	152	52.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	137	47.4	6	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	7	53.8	6	46.2	17	100.0	152	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
20-29	2	15.4	2	28.6	0	0.0	1	5.9	9	5.9	0	0.0
30-39	4	30.8	2	28.6	2	33.3	5	29.4	47	30.9	1	100.0
40-49	5	38.5	1	14.3	4	66.7	8	47.1	59	38.8	0	0.0
50-59	2	15.4	2	28.6	0	0.0	3	17.6	26	17.1	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	10	6.6	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	23.1	2	28.6	1	16.7	4	23.5	27	17.8	0	0.0
Brooklyn	3	23.1	2	28.6	1	16.7	3	17.6	27	17.8	0	0.0
Manhattan	2	15.4	1	14.3	1	16.7	3	17.6	53	34.9	1	100.0
Queens	4	30.8	2	28.6	2	33.3	5	29.4	30	19.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	1	7.7	0	0.0	1	16.7	2	11.8	10	6.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men	4	30.8	2	28.6	2	33.3	6	35.3	63	41.4	1	100.0
Injection drug use history	1	7.7	1	14.3	0	0.0	3	17.6	24	15.8	0	0.0
Heterosexual	1	7.7	0	0.0	1	16.7	2	11.8	15	9.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0
Unknown	7	53.8	4	57.1	3	50.0	6	35.3	48	31.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	68	44.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	84	55.3	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	2	50.0	2	50.0	4	100.0	64	100.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	25.0	1	50.0	0	0.0	0	0.0	2	3.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
20-29	1	25.0	0	0.0	1	50.0	1	25.0	4	6.3	0	0.0
30-39	1	25.0	1	50.0	0	0.0	1	25.0	16	25.0	0	0.0
40-49	1	25.0	0	0.0	1	50.0	2	50.0	27	42.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	11	17.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	3	4.7	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	25.0	1	50.0	0	0.0	1	25.0	14	21.9	0	0.0
Brooklyn	1	25.0	0	0.0	1	50.0	2	50.0	24	37.5	0	0.0
Manhattan	1	25.0	1	50.0	0	0.0	0	0.0	10	15.6	0	0.0
Queens	1	25.0	0	0.0	1	50.0	1	25.0	11	17.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	6.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	10	15.6	0	0.0
Heterosexual	3	75.0	1	50.0	2	100.0	4	100.0	32	50.0	0	0.0
Perinatal	1	25.0	1	50.0	0	0.0	0	0.0	3	4.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	28.1	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30	46.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	53.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	8	88.9	1	11.1	2	100.0	371	100.0	1	100.0
RACE/ETHNICITY												
Black	6	66.7	5	62.5	1	100.0	1	50.0	237	63.9	1	100.0
Hispanic	3	33.3	3	37.5	0	0.0	1	50.0	109	29.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	17	4.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
BOROUGH OF RESIDENCE												
Bronx	5	55.6	5	62.5	0	0.0	0	0.0	113	30.5	0	0.0
Brooklyn	3	33.3	2	25.0	1	100.0	1	50.0	133	35.8	1	100.0
Manhattan	1	11.1	1	12.5	0	0.0	0	0.0	55	14.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	37	10.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.6	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	50.0	21	5.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	1.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	9	100.0	8	100.0	1	100.0	2	100.0	371	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	307	82.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	64	17.3	1	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	7	100.0	7	100.0	0	0.0	0	0.0	442	100.0	1	100.0
RACE/ETHNICITY												
Black	4	57.1	4	57.1	0	0.0	0	0.0	267	60.4	0	0.0
Hispanic	2	28.6	2	28.6	0	0.0	0	0.0	156	35.3	1	100.0
White	0	0.0	0	0.0	0	0.0	0	0.0	15	3.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Native American	1	14.3	1	14.3	0	0.0	0	0.0	2	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	42.9	3	42.9	0	0.0	0	0.0	163	36.9	1	100.0
Brooklyn	1	14.3	1	14.3	0	0.0	0	0.0	121	27.4	0	0.0
Manhattan	2	28.6	2	28.6	0	0.0	0	0.0	70	15.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	51	11.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	13	2.9	0	0.0
Outside NYC	1	14.3	1	14.3	0	0.0	0	0.0	18	4.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	1.4	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	7	100.0	7	100.0	0	0.0	0	0.0	442	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	362	81.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	80	18.1	1	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,041	100.0	2,335	76.8	706	23.2	2,652	100.0	71,131	100.0	1,696	100.0
RACE/ETHNICITY												
Black	1,333	43.8	1,007	43.1	326	46.2	1,151	43.4	27,813	39.1	779	45.9
Hispanic	977	32.1	732	31.3	245	34.7	858	32.4	23,346	32.8	581	34.3
White	637	20.9	524	22.4	113	16.0	573	21.6	18,364	25.8	311	18.3
Asian/Pacific Islander	77	2.5	61	2.6	16	2.3	50	1.9	1,111	1.6	23	1.4
Native American	13	0.4	7	0.3	6	0.8	17	0.6	152	0.2	1	0.1
Multiracial	4	0.1	4	0.2	0	0.0	3	0.1	28	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	317	0.4	0	0.0
AGE GROUP (YEARS)												
13-19	132	4.3	122	5.2	10	1.4	36	1.4	834	1.2	10	0.6
20-29	799	26.3	704	30.1	95	13.5	307	11.6	4,564	6.4	38	2.2
30-39	904	29.7	704	30.1	200	28.3	674	25.4	13,886	19.5	177	10.4
40-49	772	25.4	544	23.3	228	32.3	956	36.0	27,769	39.0	618	36.4
50-59	320	10.5	201	8.6	119	16.9	493	18.6	17,985	25.3	588	34.7
60+	114	3.7	60	2.6	54	7.6	186	7.0	6,093	8.6	265	15.6
BOROUGH OF RESIDENCE												
Bronx	542	17.8	400	17.1	142	20.1	538	20.3	12,955	18.2	410	24.2
Brooklyn	720	23.7	534	22.9	186	26.3	683	25.8	15,618	22.0	423	24.9
Manhattan	995	32.7	772	33.1	223	31.6	860	32.4	24,721	34.8	495	29.2
Queens	481	15.8	377	16.1	104	14.7	345	13.0	9,869	13.9	214	12.6
Staten Island	50	1.6	37	1.6	13	1.8	42	1.6	1,134	1.6	34	2.0
Outside NYC	229	7.5	191	8.2	38	5.4	178	6.7	6,323	8.9	115	6.8
Unknown	24	0.8	24	1.0	0	0.0	6	0.2	511	0.7	5	0.3
TRANSMISSION RISK												
Men who have sex with men	1,673	55.0	1,366	58.5	307	43.5	1,168	44.0	31,702	44.6	404	23.8
Injection drug use history	249	8.2	184	7.9	65	9.2	418	15.8	15,887	22.3	680	40.1
Heterosexual	243	8.0	168	7.2	75	10.6	250	9.4	5,286	7.4	127	7.5
Perinatal	0	0.0	0	0.0	0	0.0	23	0.9	836	1.2	11	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.0	144	0.2	6	0.4
Unknown	876	28.8	617	26.4	259	36.7	792	29.9	17,276	24.3	468	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27,997	39.4	243	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43,134	60.6	1,453	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,100	100.0	880	80.0	220	20.0	1,148	100.0	30,209	100.0	721	100.0
RACE/ETHNICITY												
Black	694	63.1	559	63.5	135	61.4	676	58.9	17,361	57.5	437	60.6
Hispanic	336	30.5	262	29.8	74	33.6	377	32.8	9,977	33.0	213	29.5
White	53	4.8	46	5.2	7	3.2	79	6.9	2,412	8.0	65	9.0
Asian/Pacific Islander	14	1.3	12	1.4	2	0.9	10	0.9	287	1.0	6	0.8
Native American	3	0.3	1	0.1	2	0.9	4	0.3	62	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	0.2	12	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	98	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	60	5.5	56	6.4	4	1.8	30	2.6	769	2.5	5	0.7
20-29	239	21.7	214	24.3	25	11.4	117	10.2	2,264	7.5	24	3.3
30-39	298	27.1	252	28.6	46	20.9	293	25.5	6,615	21.9	109	15.1
40-49	304	27.6	231	26.3	73	33.2	410	35.7	12,055	39.9	281	39.0
50-59	152	13.8	100	11.4	52	23.6	217	18.9	6,561	21.7	216	30.0
60+	47	4.3	27	3.1	20	9.1	81	7.1	1,945	6.4	86	11.9
BOROUGH OF RESIDENCE												
Bronx	331	30.1	274	31.1	57	25.9	359	31.3	8,666	28.7	226	31.3
Brooklyn	341	31.0	266	30.2	75	34.1	359	31.3	9,267	30.7	220	30.5
Manhattan	189	17.2	148	16.8	41	18.6	227	19.8	5,882	19.5	145	20.1
Queens	165	15.0	136	15.5	29	13.2	129	11.2	4,215	14.0	78	10.8
Staten Island	23	2.1	15	1.7	8	3.6	25	2.2	652	2.2	23	3.2
Outside NYC	48	4.4	38	4.3	10	4.5	48	4.2	1,342	4.4	29	4.0
Unknown	3	0.3	3	0.3	0	0.0	1	0.1	185	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history	68	6.2	57	6.5	11	5.0	164	14.3	6,568	21.7	271	37.6
Heterosexual	762	69.3	608	69.1	154	70.0	639	55.7	13,662	45.2	262	36.3
Perinatal	1	0.1	0	0.0	1	0.5	25	2.2	835	2.8	5	0.7
Other	0	0.0	0	0.0	0	0.0	2	0.2	140	0.5	2	0.3
Unknown	269	24.5	215	24.4	54	24.5	318	27.7	9,004	29.8	181	25.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,527	41.5	86	11.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,682	58.5	635	88.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	547	100.0	405	74.0	142	26.0	538	100.0	13,068	100.0	410	100.0
RACE/ETHNICITY												
Black	278	50.8	198	48.9	80	56.3	248	46.1	5,422	41.5	174	42.4
Hispanic	237	43.3	181	44.7	56	39.4	260	48.3	6,860	52.5	202	49.3
White	25	4.6	21	5.2	4	2.8	24	4.5	665	5.1	29	7.1
Asian/Pacific Islander	4	0.7	3	0.7	1	0.7	2	0.4	63	0.5	5	1.2
Native American	3	0.5	2	0.5	1	0.7	4	0.7	27	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	5	0.9	5	1.2	0	0.0	0	0.0	113	0.9	0	0.0
13-19	14	2.6	14	3.5	0	0.0	12	2.2	235	1.8	3	0.7
20-29	137	25.0	120	29.6	17	12.0	62	11.5	914	7.0	10	2.4
30-39	155	28.3	113	27.9	42	29.6	125	23.2	2,380	18.2	47	11.5
40-49	148	27.1	106	26.2	42	29.6	187	34.8	4,952	37.9	153	37.3
50-59	69	12.6	39	9.6	30	21.1	116	21.6	3,433	26.3	138	33.7
60+	19	3.5	8	2.0	11	7.7	36	6.7	1,041	8.0	59	14.4
TRANSMISSION RISK												
Men who have sex with men	200	36.6	165	40.7	35	24.6	131	24.3	3,287	25.2	59	14.4
Injection drug use history	54	9.9	44	10.9	10	7.0	123	22.9	4,171	31.9	187	45.6
Heterosexual	65	11.9	36	8.9	29	20.4	64	11.9	1,282	9.8	31	7.6
Perinatal	5	0.9	5	1.2	0	0.0	13	2.4	375	2.9	3	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Unknown	223	40.8	155	38.3	68	47.9	207	38.5	3,929	30.1	130	31.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,905	37.5	66	16.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,163	62.5	344	83.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	334	100.0	277	82.9	57	17.1	359	100.0	8,829	100.0	227	100.0
RACE/ETHNICITY												
Black	175	52.4	149	53.8	26	45.6	172	47.9	4,345	49.2	115	50.7
Hispanic	149	44.6	121	43.7	28	49.1	172	47.9	4,132	46.8	101	44.5
White	5	1.5	3	1.1	2	3.5	13	3.6	289	3.3	11	4.8
Asian/Pacific Islander	4	1.2	3	1.1	1	1.8	1	0.3	30	0.3	0	0.0
Native American	1	0.3	1	0.4	0	0.0	1	0.3	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.9	3	1.1	0	0.0	0	0.0	163	1.8	1	0.4
13-19	25	7.5	24	8.7	1	1.8	9	2.5	225	2.5	2	0.9
20-29	78	23.4	73	26.4	5	8.8	38	10.6	695	7.9	7	3.1
30-39	86	25.7	69	24.9	17	29.8	114	31.8	1,987	22.5	34	15.0
40-49	87	26.0	72	26.0	15	26.3	127	35.4	3,479	39.4	89	39.2
50-59	41	12.3	29	10.5	12	21.1	51	14.2	1,738	19.7	70	30.8
60+	14	4.2	7	2.5	7	12.3	20	5.6	542	6.1	24	10.6
TRANSMISSION RISK												
Injection drug use history	18	5.4	17	6.1	1	1.8	49	13.6	1,894	21.5	87	38.3
Heterosexual	237	71.0	196	70.8	41	71.9	186	51.8	3,739	42.3	72	31.7
Perinatal	3	0.9	3	1.1	0	0.0	8	2.2	401	4.5	2	0.9
Other	0	0.0	0	0.0	0	0.0	1	0.3	29	0.3	2	0.9
Unknown	76	22.8	61	22.0	15	26.3	115	32.0	2,766	31.3	64	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,847	43.6	36	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,982	56.4	191	84.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	723	100.0	536	74.1	187	25.9	684	100.0	15,751	100.0	424	100.0
RACE/ETHNICITY												
Black	464	64.2	345	64.4	119	63.6	416	60.8	9,164	58.2	249	58.7
Hispanic	159	22.0	113	21.1	46	24.6	161	23.5	4,083	25.9	130	30.7
White	91	12.6	70	13.1	21	11.2	97	14.2	2,245	14.3	44	10.4
Asian/Pacific Islander	6	0.8	6	1.1	0	0.0	7	1.0	194	1.2	1	0.2
Native American	3	0.4	2	0.4	1	0.5	3	0.4	27	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.4	2	0.4	1	0.5	1	0.1	133	0.8	1	0.2
13-19	45	6.2	43	8.0	2	1.1	9	1.3	267	1.7	2	0.5
20-29	195	27.0	172	32.1	23	12.3	92	13.5	1,188	7.5	13	3.1
30-39	184	25.4	134	25.0	50	26.7	153	22.4	3,068	19.5	41	9.7
40-49	182	25.2	116	21.6	66	35.3	254	37.1	5,836	37.1	142	33.5
50-59	87	12.0	53	9.9	34	18.2	126	18.4	3,892	24.7	153	36.1
60+	27	3.7	16	3.0	11	5.9	49	7.2	1,367	8.7	72	17.0
TRANSMISSION RISK												
Men who have sex with men	352	48.7	276	51.5	76	40.6	278	40.6	5,530	35.1	82	19.3
Injection drug use history	60	8.3	40	7.5	20	10.7	104	15.2	3,810	24.2	158	37.3
Heterosexual	68	9.4	51	9.5	17	9.1	79	11.5	1,469	9.3	39	9.2
Perinatal	3	0.4	2	0.4	1	0.5	6	0.9	381	2.4	3	0.7
Other	0	0.0	0	0.0	0	0.0	1	0.1	30	0.2	1	0.2
Unknown	240	33.2	167	31.2	73	39.0	216	31.6	4,531	28.8	141	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,903	37.5	51	12.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,848	62.5	373	88.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	342	100.0	267	78.1	75	21.9	359	100.0	9,388	100.0	220	100.0
RACE/ETHNICITY												
Black	258	75.4	202	75.7	56	74.7	262	73.0	6,448	68.7	166	75.5
Hispanic	68	19.9	52	19.5	16	21.3	81	22.6	2,273	24.2	40	18.2
White	13	3.8	12	4.5	1	1.3	12	3.3	545	5.8	12	5.5
Asian/Pacific Islander	2	0.6	1	0.4	1	1.3	2	0.6	72	0.8	2	0.9
Native American	1	0.3	0	0.0	1	1.3	2	0.6	24	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	121	1.3	0	0.0
13-19	12	3.5	10	3.7	2	2.7	10	2.8	222	2.4	0	0.0
20-29	71	20.8	63	23.6	8	10.7	38	10.6	759	8.1	8	3.6
30-39	97	28.4	86	32.2	11	14.7	85	23.7	2,004	21.3	35	15.9
40-49	94	27.5	70	26.2	24	32.0	114	31.8	3,633	38.7	91	41.4
50-59	48	14.0	27	10.1	21	28.0	77	21.4	2,041	21.7	62	28.2
60+	19	5.6	10	3.7	9	12.0	35	9.7	608	6.5	24	10.9
TRANSMISSION RISK												
Injection drug use history	23	6.7	17	6.4	6	8.0	52	14.5	1,815	19.3	62	28.2
Heterosexual	244	71.3	188	70.4	56	74.7	211	58.8	4,317	46.0	88	40.0
Perinatal	1	0.3	1	0.4	0	0.0	6	1.7	360	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	41	0.4	0	0.0
Unknown	74	21.6	61	22.8	13	17.3	90	25.1	2,855	30.4	70	31.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,886	41.4	22	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,502	58.6	198	90.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	996	100.0	773	77.6	223	22.4	860	100.0	24,776	100.0	495	100.0
RACE/ETHNICITY												
Black	328	32.9	243	31.4	85	38.1	283	32.9	7,400	29.9	213	43.0
Hispanic	278	27.9	207	26.8	71	31.8	240	27.9	6,668	26.9	139	28.1
White	358	35.9	298	38.6	60	26.9	312	36.3	10,013	40.4	133	26.9
Asian/Pacific Islander	29	2.9	23	3.0	6	2.7	21	2.4	425	1.7	9	1.8
Native American	2	0.2	1	0.1	1	0.4	3	0.3	53	0.2	1	0.2
Multiracial	1	0.1	1	0.1	0	0.0	1	0.1	9	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	208	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	55	0.2	0	0.0
13-19	35	3.5	31	4.0	4	1.8	9	1.0	165	0.7	2	0.4
20-29	255	25.6	229	29.6	26	11.7	72	8.4	1,257	5.1	6	1.2
30-39	321	32.2	255	33.0	66	29.6	227	26.4	4,676	18.9	56	11.3
40-49	257	25.8	183	23.7	74	33.2	322	37.4	9,761	39.4	184	37.2
50-59	80	8.0	50	6.5	30	13.5	157	18.3	6,430	26.0	165	33.3
60+	47	4.7	24	3.1	23	10.3	73	8.5	2,432	9.8	82	16.6
TRANSMISSION RISK												
Men who have sex with men	669	67.2	549	71.0	120	53.8	489	56.9	14,278	57.6	151	30.5
Injection drug use history	71	7.1	49	6.3	22	9.9	109	12.7	4,257	17.2	193	39.0
Heterosexual	50	5.0	38	4.9	12	5.4	47	5.5	1,144	4.6	31	6.3
Perinatal	1	0.1	1	0.1	0	0.0	3	0.3	204	0.8	2	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	1	0.2
Unknown	205	20.6	136	17.6	69	30.9	212	24.7	4,871	19.7	117	23.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,336	41.7	78	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,440	58.3	417	84.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	191	100.0	150	78.5	41	21.5	227	100.0	5,952	100.0	145	100.0
RACE/ETHNICITY												
Black	111	58.1	88	58.7	23	56.1	123	54.2	3,283	55.2	86	59.3
Hispanic	61	31.9	45	30.0	16	39.0	77	33.9	1,981	33.3	44	30.3
White	18	9.4	16	10.7	2	4.9	25	11.0	591	9.9	14	9.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	0.9	56	0.9	1	0.7
Native American	1	0.5	1	0.7	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.0	2	1.3	0	0.0	0	0.0	70	1.2	0	0.0
13-19	11	5.8	11	7.3	0	0.0	5	2.2	147	2.5	2	1.4
20-29	43	22.5	36	24.0	7	17.1	21	9.3	360	6.0	3	2.1
30-39	54	28.3	45	30.0	9	22.0	48	21.1	1,200	20.2	19	13.1
40-49	55	28.8	39	26.0	16	39.0	90	39.6	2,395	40.2	49	33.8
50-59	20	10.5	14	9.3	6	14.6	47	20.7	1,362	22.9	51	35.2
60+	6	3.1	3	2.0	3	7.3	16	7.0	418	7.0	21	14.5
TRANSMISSION RISK												
Injection drug use history	9	4.7	8	5.3	1	2.4	29	12.8	1,566	26.3	67	46.2
Heterosexual	129	67.5	101	67.3	28	68.3	126	55.5	2,432	40.9	53	36.6
Perinatal	2	1.0	2	1.3	0	0.0	4	1.8	225	3.8	2	1.4
Other	0	0.0	0	0.0	0	0.0	1	0.4	26	0.4	0	0.0
Unknown	51	26.7	39	26.0	12	29.3	67	29.5	1,703	28.6	23	15.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,338	39.3	14	9.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,614	60.7	131	90.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	481	100.0	377	78.4	104	21.6	345	100.0	9,906	100.0	214	100.0
RACE/ETHNICITY												
Black	166	34.5	137	36.3	29	27.9	127	36.8	3,536	35.7	82	38.3
Hispanic	221	45.9	165	43.8	56	53.8	143	41.4	3,986	40.2	80	37.4
White	64	13.3	54	14.3	10	9.6	51	14.8	1,980	20.0	46	21.5
Asian/Pacific Islander	25	5.2	18	4.8	7	6.7	17	4.9	337	3.4	6	2.8
Native American	4	0.8	2	0.5	2	1.9	5	1.4	30	0.3	0	0.0
Multiracial	1	0.2	1	0.3	0	0.0	2	0.6	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	37	0.4	0	0.0
13-19	24	5.0	22	5.8	2	1.9	3	0.9	93	0.9	2	0.9
20-29	129	26.8	105	27.9	24	23.1	53	15.4	703	7.1	4	1.9
30-39	158	32.8	133	35.3	25	24.0	100	29.0	2,144	21.6	23	10.7
40-49	111	23.1	77	20.4	34	32.7	113	32.8	3,932	39.7	78	36.4
50-59	47	9.8	33	8.8	14	13.5	59	17.1	2,306	23.3	82	38.3
60+	12	2.5	7	1.9	5	4.8	17	4.9	691	7.0	25	11.7
TRANSMISSION RISK												
Men who have sex with men	273	56.8	222	58.9	51	49.0	151	43.8	4,307	43.5	62	29.0
Injection drug use history	41	8.5	31	8.2	10	9.6	54	15.7	2,107	21.3	76	35.5
Heterosexual	43	8.9	31	8.2	12	11.5	41	11.9	948	9.6	18	8.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	136	1.4	1	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.3	2	0.9
Unknown	124	25.8	93	24.7	31	29.8	99	28.7	2,383	24.1	55	25.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,777	38.1	21	9.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,129	61.9	193	90.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	165	100.0	136	82.4	29	17.6	129	100.0	4,266	100.0	78	100.0
RACE/ETHNICITY												
Black	101	61.2	83	61.0	18	62.1	74	57.4	2,478	58.1	46	59.0
Hispanic	46	27.9	36	26.5	10	34.5	31	24.0	1,147	26.9	16	20.5
White	10	6.1	10	7.4	0	0.0	16	12.4	500	11.7	13	16.7
Asian/Pacific Islander	7	4.2	7	5.1	0	0.0	5	3.9	107	2.5	3	3.8
Native American	1	0.6	0	0.0	1	3.4	1	0.8	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	1.6	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	51	1.2	0	0.0
13-19	7	4.2	6	4.4	1	3.4	3	2.3	111	2.6	1	1.3
20-29	34	20.6	33	24.3	1	3.4	11	8.5	292	6.8	1	1.3
30-39	39	23.6	33	24.3	6	20.7	29	22.5	957	22.4	11	14.1
40-49	53	32.1	39	28.7	14	48.3	56	43.4	1,662	39.0	30	38.5
50-59	29	17.6	23	16.9	6	20.7	23	17.8	931	21.8	24	30.8
60+	3	1.8	2	1.5	1	3.4	7	5.4	262	6.1	11	14.1
TRANSMISSION RISK												
Injection drug use history	12	7.3	10	7.4	2	6.9	21	16.3	841	19.7	35	44.9
Heterosexual	115	69.7	96	70.6	19	65.5	80	62.0	2,143	50.2	31	39.7
Perinatal	1	0.6	0	0.0	1	3.4	3	2.3	174	4.1	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.6	0	0.0
Unknown	37	22.4	30	22.1	7	24.1	25	19.4	1,082	25.4	11	14.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,775	41.6	5	6.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,491	58.4	73	93.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	37	74.0	13	26.0	42	100.0	1,140	100.0	34	100.0
RACE/ETHNICITY												
Black	13	26.0	12	32.4	1	7.7	13	31.0	382	33.5	11	32.4
Hispanic	13	26.0	9	24.3	4	30.8	11	26.2	293	25.7	5	14.7
White	24	48.0	16	43.2	8	61.5	18	42.9	447	39.2	16	47.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	1	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
13-19	2	4.0	1	2.7	1	7.7	1	2.4	21	1.8	0	0.0
20-29	10	20.0	8	21.6	2	15.4	4	9.5	75	6.6	0	0.0
30-39	12	24.0	10	27.0	2	15.4	9	21.4	178	15.6	1	2.9
40-49	14	28.0	10	27.0	4	30.8	17	40.5	478	41.9	16	47.1
50-59	8	16.0	7	18.9	1	7.7	7	16.7	293	25.7	12	35.3
60+	4	8.0	1	2.7	3	23.1	4	9.5	89	7.8	5	14.7
TRANSMISSION RISK												
Men who have sex with men	18	36.0	14	37.8	4	30.8	13	31.0	370	32.5	7	20.6
Injection drug use history	6	12.0	5	13.5	1	7.7	10	23.8	332	29.1	20	58.8
Heterosexual	6	12.0	4	10.8	2	15.4	4	9.5	94	8.2	2	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	20	40.0	14	37.8	6	46.2	15	35.7	310	27.2	5	14.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	455	39.9	1	2.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	685	60.1	33	97.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	15	65.2	8	34.8	25	100.0	665	100.0	23	100.0
RACE/ETHNICITY												
Black	19	82.6	14	93.3	5	62.5	14	56.0	310	46.6	11	47.8
Hispanic	2	8.7	1	6.7	1	12.5	7	28.0	164	24.7	5	21.7
White	2	8.7	0	0.0	2	25.0	4	16.0	182	27.4	7	30.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	2.0	0	0.0
13-19	2	8.7	2	13.3	0	0.0	0	0.0	10	1.5	0	0.0
20-29	3	13.0	1	6.7	2	25.0	5	20.0	42	6.3	2	8.7
30-39	7	30.4	7	46.7	0	0.0	5	20.0	131	19.7	6	26.1
40-49	2	8.7	2	13.3	0	0.0	5	20.0	289	43.5	9	39.1
50-59	8	34.8	2	13.3	6	75.0	9	36.0	151	22.7	4	17.4
60+	1	4.3	1	6.7	0	0.0	1	4.0	29	4.4	2	8.7
TRANSMISSION RISK												
Injection drug use history	4	17.4	3	20.0	1	12.5	5	20.0	150	22.6	11	47.8
Heterosexual	10	43.5	7	46.7	3	37.5	9	36.0	292	43.9	7	30.4
Perinatal	0	0.0	0	0.0	0	0.0	1	4.0	27	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Unknown	9	39.1	5	33.3	4	50.0	10	40.0	187	28.1	5	21.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	290	43.6	5	21.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	375	56.4	18	78.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,673	100.0	1,366	81.6	307	18.4	1,168	100.0	31,702	100.0	404	100.0
RACE/ETHNICITY												
Black	598	35.7	474	34.7	124	40.4	392	33.6	9,053	28.6	153	37.9
Hispanic	524	31.3	421	30.8	103	33.6	344	29.5	8,762	27.6	94	23.3
White	499	29.8	426	31.2	73	23.8	397	34.0	13,163	41.5	149	36.9
Asian/Pacific Islander	45	2.7	40	2.9	5	1.6	26	2.2	602	1.9	7	1.7
Native American	4	0.2	2	0.1	2	0.7	6	0.5	63	0.2	1	0.2
Multiracial	3	0.2	3	0.2	0	0.0	3	0.3	18	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	104	6.2	96	7.0	8	2.6	12	1.0	155	0.5	2	0.5
20-29	585	35.0	520	38.1	65	21.2	208	17.8	3,098	9.8	18	4.5
30-39	544	32.5	439	32.1	105	34.2	375	32.1	8,047	25.4	78	19.3
40-49	320	19.1	237	17.3	83	27.0	391	33.5	12,369	39.0	161	39.9
50-59	81	4.8	49	3.6	32	10.4	134	11.5	5,871	18.5	78	19.3
60+	39	2.3	25	1.8	14	4.6	48	4.1	2,162	6.8	67	16.6
BOROUGH OF RESIDENCE												
Bronx	200	12.0	165	12.1	35	11.4	131	11.2	3,287	10.4	59	14.6
Brooklyn	352	21.0	276	20.2	76	24.8	278	23.8	5,530	17.4	82	20.3
Manhattan	669	40.0	549	40.2	120	39.1	489	41.9	14,278	45.0	151	37.4
Queens	273	16.3	222	16.3	51	16.6	151	12.9	4,307	13.6	62	15.3
Staten Island	18	1.1	14	1.0	4	1.3	13	1.1	370	1.2	7	1.7
Outside NYC	151	9.0	130	9.5	21	6.8	102	8.7	3,702	11.7	42	10.4
Unknown	10	0.6	10	0.7	0	0.0	4	0.3	228	0.7	1	0.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,265	45.0	51	12.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,437	55.0	353	87.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	249	100.0	184	73.9	65	26.1	418	100.0	15,887	100.0	680	100.0
RACE/ETHNICITY												
Black	101	40.6	71	38.6	30	46.2	172	41.1	6,572	41.4	295	43.4
Hispanic	113	45.4	88	47.8	25	38.5	189	45.2	7,188	45.2	291	42.8
White	30	12.0	22	12.0	8	12.3	50	12.0	2,032	12.8	90	13.2
Asian/Pacific Islander	4	1.6	2	1.1	2	3.1	4	1.0	58	0.4	4	0.6
Native American	1	0.4	1	0.5	0	0.0	3	0.7	24	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	1.2	3	1.6	0	0.0	0	0.0	6	0.0	0	0.0
20-29	34	13.7	31	16.8	3	4.6	21	5.0	267	1.7	2	0.3
30-39	51	20.5	38	20.7	13	20.0	59	14.1	1,506	9.5	33	4.9
40-49	83	33.3	60	32.6	23	35.4	160	38.3	5,867	36.9	256	37.6
50-59	71	28.5	48	26.1	23	35.4	143	34.2	6,644	41.8	312	45.9
60+	7	2.8	4	2.2	3	4.6	35	8.4	1,597	10.1	77	11.3
BOROUGH OF RESIDENCE												
Bronx	54	21.7	44	23.9	10	15.4	123	29.4	4,171	26.3	187	27.5
Brooklyn	60	24.1	40	21.7	20	30.8	104	24.9	3,810	24.0	158	23.2
Manhattan	71	28.5	49	26.6	22	33.8	109	26.1	4,257	26.8	193	28.4
Queens	41	16.5	31	16.8	10	15.4	54	12.9	2,107	13.3	76	11.2
Staten Island	6	2.4	5	2.7	1	1.5	10	2.4	332	2.1	20	2.9
Outside NYC	12	4.8	10	5.4	2	3.1	18	4.3	1,110	7.0	43	6.3
Unknown	5	2.0	5	2.7	0	0.0	0	0.0	100	0.6	3	0.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,748	23.6	76	11.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,139	76.4	604	88.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	57	83.8	11	16.2	164	100.0	6,568	100.0	271	100.0
RACE/ETHNICITY												
Black	36	52.9	28	49.1	8	72.7	85	51.8	3,221	49.0	140	51.7
Hispanic	27	39.7	25	43.9	2	18.2	63	38.4	2,578	39.3	98	36.2
White	5	7.4	4	7.0	1	9.1	16	9.8	738	11.2	33	12.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	11	16.2	11	19.3	0	0.0	8	4.9	134	2.0	3	1.1
30-39	14	20.6	13	22.8	1	9.1	28	17.1	912	13.9	36	13.3
40-49	23	33.8	19	33.3	4	36.4	80	48.8	3,015	45.9	97	35.8
50-59	18	26.5	13	22.8	5	45.5	40	24.4	2,152	32.8	113	41.7
60+	2	2.9	1	1.8	1	9.1	8	4.9	354	5.4	22	8.1
BOROUGH OF RESIDENCE												
Bronx	18	26.5	17	29.8	1	9.1	49	29.9	1,894	28.8	87	32.1
Brooklyn	23	33.8	17	29.8	6	54.5	52	31.7	1,815	27.6	62	22.9
Manhattan	9	13.2	8	14.0	1	9.1	29	17.7	1,566	23.8	67	24.7
Queens	12	17.6	10	17.5	2	18.2	21	12.8	841	12.8	35	12.9
Staten Island	4	5.9	3	5.3	1	9.1	5	3.0	150	2.3	11	4.1
Outside NYC	2	2.9	2	3.5	0	0.0	8	4.9	268	4.1	9	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.5	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,739	26.5	20	7.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,829	73.5	251	92.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	243	100.0	168	69.1	75	30.9	250	100.0	5,286	100.0	127	100.0
RACE/ETHNICITY												
Black	133	54.7	94	56.0	39	52.0	143	57.2	2,859	54.1	69	54.3
Hispanic	80	32.9	53	31.5	27	36.0	79	31.6	1,813	34.3	38	29.9
White	22	9.1	16	9.5	6	8.0	21	8.4	479	9.1	15	11.8
Asian/Pacific Islander	7	2.9	5	3.0	2	2.7	5	2.0	114	2.2	4	3.1
Native American	1	0.4	0	0.0	1	1.3	2	0.8	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	1.6	4	2.4	0	0.0	0	0.0	6	0.1	0	0.0
20-29	32	13.2	30	17.9	2	2.7	11	4.4	193	3.7	4	3.1
30-39	79	32.5	53	31.5	26	34.7	70	28.0	1,088	20.6	10	7.9
40-49	86	35.4	60	35.7	26	34.7	98	39.2	2,280	43.1	52	40.9
50-59	30	12.3	14	8.3	16	21.3	53	21.2	1,242	23.5	41	32.3
60+	12	4.9	7	4.2	5	6.7	18	7.2	477	9.0	20	15.7
BOROUGH OF RESIDENCE												
Bronx	65	26.7	36	21.4	29	38.7	64	25.6	1,282	24.3	31	24.4
Brooklyn	68	28.0	51	30.4	17	22.7	79	31.6	1,469	27.8	39	30.7
Manhattan	50	20.6	38	22.6	12	16.0	47	18.8	1,144	21.6	31	24.4
Queens	43	17.7	31	18.5	12	16.0	41	16.4	948	17.9	18	14.2
Staten Island	6	2.5	4	2.4	2	2.7	4	1.6	94	1.8	2	1.6
Outside NYC	8	3.3	5	3.0	3	4.0	15	6.0	322	6.1	6	4.7
Unknown	3	1.2	3	1.8	0	0.0	0	0.0	27	0.5	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,995	37.7	23	18.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,291	62.3	104	81.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	762	100.0	608	79.8	154	20.2	639	100.0	13,662	100.0	262	100.0
RACE/ETHNICITY												
Black	479	62.9	385	63.3	94	61.0	384	60.1	7,906	57.9	172	65.6
Hispanic	239	31.4	184	30.3	55	35.7	210	32.9	4,550	33.3	70	26.7
White	29	3.8	28	4.6	1	0.6	35	5.5	1,002	7.3	18	6.9
Asian/Pacific Islander	12	1.6	10	1.6	2	1.3	5	0.8	151	1.1	2	0.8
Native American	3	0.4	1	0.2	2	1.3	4	0.6	32	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.2	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	51	6.7	48	7.9	3	1.9	7	1.1	83	0.6	1	0.4
20-29	171	22.4	152	25.0	19	12.3	72	11.3	1,202	8.8	12	4.6
30-39	190	24.9	162	26.6	28	18.2	159	24.9	3,326	24.3	43	16.4
40-49	220	28.9	164	27.0	56	36.4	228	35.7	5,534	40.5	108	41.2
50-59	101	13.3	65	10.7	36	23.4	129	20.2	2,597	19.0	62	23.7
60+	29	3.8	17	2.8	12	7.8	44	6.9	920	6.7	36	13.7
BOROUGH OF RESIDENCE												
Bronx	237	31.1	196	32.2	41	26.6	186	29.1	3,739	27.4	72	27.5
Brooklyn	244	32.0	188	30.9	56	36.4	211	33.0	4,317	31.6	88	33.6
Manhattan	129	16.9	101	16.6	28	18.2	126	19.7	2,432	17.8	53	20.2
Queens	115	15.1	96	15.8	19	12.3	80	12.5	2,143	15.7	31	11.8
Staten Island	10	1.3	7	1.2	3	1.9	9	1.4	292	2.1	7	2.7
Outside NYC	26	3.4	19	3.1	7	4.5	27	4.2	657	4.8	11	4.2
Unknown	1	0.1	1	0.2	0	0.0	0	0.0	82	0.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,844	42.8	37	14.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,818	57.2	225	85.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	18	90.0	2	10.0	16	100.0	513	100.0	6	100.0
SEX												
Male	12	60.0	10	55.6	2	100.0	12	75.0	339	66.1	5	83.3
Female	8	40.0	8	44.4	0	0.0	4	25.0	174	33.9	1	16.7
RACE/ETHNICITY												
Black	11	55.0	10	55.6	1	50.0	6	37.5	171	33.3	1	16.7
Hispanic	5	25.0	4	22.2	1	50.0	9	56.3	244	47.6	4	66.7
White	4	20.0	4	22.2	0	0.0	1	6.3	90	17.5	1	16.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	1.0	0	0.0
13-19	1	5.0	1	5.6	0	0.0	0	0.0	11	2.1	0	0.0
20-29	8	40.0	6	33.3	2	100.0	4	25.0	33	6.4	2	33.3
30-39	3	15.0	3	16.7	0	0.0	6	37.5	82	16.0	0	0.0
40-49	4	20.0	4	22.2	0	0.0	3	18.8	180	35.1	1	16.7
50-59	2	10.0	2	11.1	0	0.0	2	12.5	158	30.8	3	50.0
60+	2	10.0	2	11.1	0	0.0	1	6.3	44	8.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	7	35.0	6	33.3	1	50.0	6	37.5	138	26.9	1	16.7
Injection drug use history	2	10.0	2	11.1	0	0.0	2	12.5	114	22.2	4	66.7
Heterosexual	7	35.0	7	38.9	0	0.0	4	25.0	103	20.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	20.0	3	16.7	1	50.0	4	25.0	141	27.5	1	16.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	204	39.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	309	60.2	6	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	74	100.0	53	71.6	21	28.4	65	100.0	1,552	100.0	36	100.0
SEX												
Male	51	68.9	38	71.7	13	61.9	36	55.4	877	56.5	25	69.4
Female	23	31.1	15	28.3	8	38.1	29	44.6	675	43.5	11	30.6
RACE/ETHNICITY												
Black	57	77.0	42	79.2	15	71.4	44	67.7	989	63.7	24	66.7
Hispanic	12	16.2	7	13.2	5	23.8	18	27.7	448	28.9	10	27.8
White	4	5.4	4	7.5	0	0.0	1	1.5	103	6.6	1	2.8
Asian/Pacific Islander	1	1.4	0	0.0	1	4.8	2	3.1	7	0.5	1	2.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	2.7	2	3.8	0	0.0	0	0.0	17	1.1	0	0.0
13-19	2	2.7	2	3.8	0	0.0	2	3.1	39	2.5	0	0.0
20-29	17	23.0	16	30.2	1	4.8	7	10.8	121	7.8	1	2.8
30-39	17	23.0	11	20.8	6	28.6	20	30.8	310	20.0	4	11.1
40-49	19	25.7	15	28.3	4	19.0	19	29.2	596	38.4	9	25.0
50-59	9	12.2	5	9.4	4	19.0	9	13.8	344	22.2	15	41.7
60+	8	10.8	2	3.8	6	28.6	8	12.3	125	8.1	7	19.4
TRANSMISSION RISK												
Men who have sex with men	17	23.0	14	26.4	3	14.3	7	10.8	234	15.1	3	8.3
Injection drug use history	4	5.4	4	7.5	0	0.0	3	4.6	295	19.0	13	36.1
Heterosexual	17	23.0	10	18.9	7	33.3	22	33.8	384	24.7	5	13.9
Perinatal	2	2.7	2	3.8	0	0.0	2	3.1	60	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	34	45.9	23	43.4	11	52.4	31	47.7	576	37.1	15	41.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	667	43.0	5	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	885	57.0	31	86.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	136	100.0	110	80.9	26	19.1	152	100.0	3,907	100.0	100	100.0
SEX												
Male	84	61.8	63	57.3	21	80.8	97	63.8	2,403	61.5	69	69.0
Female	52	38.2	47	42.7	5	19.2	55	36.2	1,504	38.5	31	31.0
RACE/ETHNICITY												
Black	71	52.2	57	51.8	14	53.8	59	38.8	1,570	40.2	41	41.0
Hispanic	59	43.4	48	43.6	11	42.3	81	53.3	2,125	54.4	50	50.0
White	5	3.7	4	3.6	1	3.8	11	7.2	182	4.7	8	8.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.5	1	1.0
Native American	1	0.7	1	0.9	0	0.0	1	0.7	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	49	1.3	0	0.0
13-19	5	3.7	5	4.5	0	0.0	3	2.0	64	1.6	0	0.0
20-29	35	25.7	33	30.0	2	7.7	18	11.8	315	8.1	4	4.0
30-39	38	27.9	32	29.1	6	23.1	39	25.7	824	21.1	13	13.0
40-49	40	29.4	29	26.4	11	42.3	59	38.8	1,574	40.3	35	35.0
50-59	11	8.1	7	6.4	4	15.4	24	15.8	867	22.2	37	37.0
60+	7	5.1	4	3.6	3	11.5	9	5.9	214	5.5	11	11.0
TRANSMISSION RISK												
Men who have sex with men	31	22.8	27	24.5	4	15.4	29	19.1	707	18.1	9	9.0
Injection drug use history	9	6.6	7	6.4	2	7.7	35	23.0	986	25.2	37	37.0
Heterosexual	50	36.8	41	37.3	9	34.6	37	24.3	915	23.4	23	23.0
Perinatal	0	0.0	0	0.0	0	0.0	3	2.0	124	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.7	3	0.1	0	0.0
Unknown	46	33.8	35	31.8	11	42.3	47	30.9	1,172	30.0	31	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,602	41.0	18	18.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,305	59.0	82	82.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	141	100.0	107	75.9	34	24.1	149	100.0	3,334	100.0	92	100.0
SEX												
Male	93	66.0	68	63.6	25	73.5	94	63.1	1,954	58.6	64	69.6
Female	48	34.0	39	36.4	9	26.5	55	36.9	1,380	41.4	28	30.4
RACE/ETHNICITY												
Black	67	47.5	53	49.5	14	41.2	68	45.6	1,311	39.3	37	40.2
Hispanic	64	45.4	46	43.0	18	52.9	71	47.7	1,737	52.1	42	45.7
White	8	5.7	7	6.5	1	2.9	9	6.0	257	7.7	12	13.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.6	1	1.1
Native American	2	1.4	1	0.9	1	2.9	1	0.7	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	30	0.9	0	0.0
13-19	5	3.5	5	4.7	0	0.0	1	0.7	92	2.8	1	1.1
20-29	36	25.5	32	29.9	4	11.8	14	9.4	254	7.6	1	1.1
30-39	42	29.8	34	31.8	8	23.5	41	27.5	602	18.1	13	14.1
40-49	32	22.7	23	21.5	9	26.5	53	35.6	1,332	40.0	34	37.0
50-59	24	17.0	12	11.2	12	35.3	35	23.5	802	24.1	31	33.7
60+	2	1.4	1	0.9	1	2.9	5	3.4	222	6.7	12	13.0
TRANSMISSION RISK												
Men who have sex with men	36	25.5	28	26.2	8	23.5	24	16.1	560	16.8	8	8.7
Injection drug use history	9	6.4	5	4.7	4	11.8	27	18.1	873	26.2	36	39.1
Heterosexual	46	32.6	33	30.8	13	38.2	44	29.5	782	23.5	14	15.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.3	128	3.8	1	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Unknown	50	35.5	41	38.3	9	26.5	52	34.9	977	29.3	33	35.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,340	40.2	20	21.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,994	59.8	72	78.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	170	100.0	132	77.6	38	22.4	168	100.0	4,293	100.0	133	100.0
SEX												
Male	102	60.0	77	58.3	25	65.8	96	57.1	2,497	58.2	81	60.9
Female	68	40.0	55	41.7	13	34.2	72	42.9	1,796	41.8	52	39.1
RACE/ETHNICITY												
Black	81	47.6	61	46.2	20	52.6	79	47.0	1,942	45.2	57	42.9
Hispanic	80	47.1	65	49.2	15	39.5	79	47.0	2,226	51.9	70	52.6
White	6	3.5	3	2.3	3	7.9	7	4.2	99	2.3	6	4.5
Asian/Pacific Islander	2	1.2	2	1.5	0	0.0	0	0.0	9	0.2	0	0.0
Native American	1	0.6	1	0.8	0	0.0	3	1.8	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	60	1.4	0	0.0
13-19	12	7.1	12	9.1	0	0.0	3	1.8	88	2.0	2	1.5
20-29	41	24.1	37	28.0	4	10.5	23	13.7	302	7.0	2	1.5
30-39	44	25.9	32	24.2	12	31.6	43	25.6	799	18.6	14	10.5
40-49	45	26.5	36	27.3	9	23.7	51	30.4	1,700	39.6	63	47.4
50-59	22	12.9	13	9.8	9	23.7	35	20.8	1,001	23.3	34	25.6
60+	5	2.9	1	0.8	4	10.5	13	7.7	343	8.0	18	13.5
TRANSMISSION RISK												
Men who have sex with men	40	23.5	34	25.8	6	15.8	17	10.1	538	12.5	14	10.5
Injection drug use history	17	10.0	15	11.4	2	5.3	38	22.6	1,307	30.4	66	49.6
Heterosexual	63	37.1	47	35.6	16	42.1	42	25.0	985	22.9	14	10.5
Perinatal	1	0.6	1	0.8	0	0.0	4	2.4	156	3.6	2	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	0.8
Unknown	49	28.8	35	26.5	14	36.8	67	39.9	1,297	30.2	36	27.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,680	39.1	17	12.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,613	60.9	116	87.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	192	100.0	152	79.2	40	20.8	180	100.0	4,629	100.0	156	100.0
SEX												
Male	109	56.8	81	53.3	28	70.0	101	56.1	2,709	58.5	95	60.9
Female	83	43.2	71	46.7	12	30.0	79	43.9	1,920	41.5	61	39.1
RACE/ETHNICITY												
Black	104	54.2	79	52.0	25	62.5	104	57.8	2,417	52.2	86	55.1
Hispanic	83	43.2	68	44.7	15	37.5	73	40.6	2,067	44.7	63	40.4
White	2	1.0	2	1.3	0	0.0	3	1.7	115	2.5	5	3.2
Asian/Pacific Islander	3	1.6	3	2.0	0	0.0	0	0.0	21	0.5	2	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.0	2	1.3	0	0.0	0	0.0	63	1.4	1	0.6
13-19	12	6.3	11	7.2	1	2.5	9	5.0	93	2.0	1	0.6
20-29	46	24.0	43	28.3	3	7.5	17	9.4	337	7.3	0	0.0
30-39	52	27.1	39	25.7	13	32.5	50	27.8	985	21.3	30	19.2
40-49	49	25.5	34	22.4	15	37.5	60	33.3	1,652	35.7	58	37.2
50-59	26	13.5	20	13.2	6	15.0	36	20.0	1,116	24.1	46	29.5
60+	5	2.6	3	2.0	2	5.0	8	4.4	383	8.3	20	12.8
TRANSMISSION RISK												
Men who have sex with men	41	21.4	35	23.0	6	15.0	26	14.4	645	13.9	16	10.3
Injection drug use history	16	8.3	13	8.6	3	7.5	30	16.7	1,290	27.9	64	41.0
Heterosexual	67	34.9	58	38.2	9	22.5	52	28.9	1,070	23.1	28	17.9
Perinatal	2	1.0	2	1.3	0	0.0	7	3.9	158	3.4	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	1	0.6
Unknown	66	34.4	44	28.9	22	55.0	65	36.1	1,457	31.5	46	29.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,783	38.5	23	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,846	61.5	133	85.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	131	100.0	96	73.3	35	26.7	138	100.0	2,940	100.0	91	100.0
SEX												
Male	84	64.1	58	60.4	26	74.3	84	60.9	1,809	61.5	59	64.8
Female	47	35.9	38	39.6	9	25.7	54	39.1	1,131	38.5	32	35.2
RACE/ETHNICITY												
Black	52	39.7	38	39.6	14	40.0	49	35.5	1,024	34.8	36	39.6
Hispanic	77	58.8	58	60.4	19	54.3	83	60.1	1,833	62.3	50	54.9
White	1	0.8	0	0.0	1	2.9	5	3.6	65	2.2	5	5.5
Asian/Pacific Islander	1	0.8	0	0.0	1	2.9	1	0.7	7	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	3	2.3	3	3.1	0	0.0	0	0.0	45	1.5	0	0.0
13-19	1	0.8	1	1.0	0	0.0	3	2.2	66	2.2	1	1.1
20-29	27	20.6	21	21.9	6	17.1	14	10.1	205	7.0	3	3.3
30-39	41	31.3	28	29.2	13	37.1	37	26.8	611	20.8	4	4.4
40-49	40	30.5	33	34.4	7	20.0	53	38.4	1,112	37.8	32	35.2
50-59	15	11.5	8	8.3	7	20.0	20	14.5	705	24.0	38	41.8
60+	4	3.1	2	2.1	2	5.7	11	8.0	196	6.7	13	14.3
TRANSMISSION RISK												
Men who have sex with men	24	18.3	17	17.7	7	20.0	18	13.0	375	12.8	5	5.5
Injection drug use history	11	8.4	11	11.5	0	0.0	24	17.4	978	33.3	45	49.5
Heterosexual	48	36.6	33	34.4	15	42.9	43	31.2	654	22.2	13	14.3
Perinatal	3	2.3	3	3.1	0	0.0	3	2.2	120	4.1	1	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	45	34.4	32	33.3	13	37.1	50	36.2	802	27.3	27	29.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,164	39.6	13	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,776	60.4	78	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	36	87.8	5	12.2	27	100.0	947	100.0	13	100.0
SEX												
Male	37	90.2	32	88.9	5	100.0	21	77.8	699	73.8	9	69.2
Female	4	9.8	4	11.1	0	0.0	6	22.2	248	26.2	4	30.8
RACE/ETHNICITY												
Black	8	19.5	8	22.2	0	0.0	10	37.0	188	19.9	4	30.8
Hispanic	18	43.9	14	38.9	4	80.0	10	37.0	485	51.2	8	61.5
White	15	36.6	14	38.9	1	20.0	7	25.9	261	27.6	1	7.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
13-19	2	4.9	2	5.6	0	0.0	2	7.4	14	1.5	0	0.0
20-29	17	41.5	15	41.7	2	40.0	5	18.5	91	9.6	0	0.0
30-39	13	31.7	12	33.3	1	20.0	9	33.3	211	22.3	0	0.0
40-49	9	22.0	7	19.4	2	40.0	7	25.9	387	40.9	8	61.5
50-59	0	0.0	0	0.0	0	0.0	3	11.1	180	19.0	4	30.8
60+	0	0.0	0	0.0	0	0.0	1	3.7	57	6.0	1	7.7
TRANSMISSION RISK												
Men who have sex with men	25	61.0	23	63.9	2	40.0	11	40.7	329	34.7	0	0.0
Injection drug use history	2	4.9	2	5.6	0	0.0	2	7.4	235	24.8	4	30.8
Heterosexual	7	17.1	6	16.7	1	20.0	7	25.9	140	14.8	3	23.1
Perinatal	0	0.0	0	0.0	0	0.0	2	7.4	24	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	7	17.1	5	13.9	2	40.0	5	18.5	216	22.8	6	46.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	358	37.8	1	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	589	62.2	12	92.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	74	73.3	27	26.7	108	100.0	2,863	100.0	65	100.0
SEX												
Male	85	84.2	63	85.1	22	81.5	83	76.9	2,119	74.0	50	76.9
Female	16	15.8	11	14.9	5	18.5	25	23.1	744	26.0	15	23.1
RACE/ETHNICITY												
Black	48	47.5	34	45.9	14	51.9	54	50.0	1,291	45.1	31	47.7
Hispanic	26	25.7	19	25.7	7	25.9	25	23.1	788	27.5	22	33.8
White	25	24.8	19	25.7	6	22.2	27	25.0	738	25.8	12	18.5
Asian/Pacific Islander	2	2.0	2	2.7	0	0.0	1	0.9	34	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.8	0	0.0
13-19	3	3.0	3	4.1	0	0.0	0	0.0	30	1.0	0	0.0
20-29	26	25.7	24	32.4	2	7.4	8	7.4	147	5.1	1	1.5
30-39	26	25.7	19	25.7	7	25.9	25	23.1	575	20.1	3	4.6
40-49	27	26.7	17	23.0	10	37.0	45	41.7	1,159	40.5	25	38.5
50-59	12	11.9	6	8.1	6	22.2	20	18.5	689	24.1	20	30.8
60+	7	6.9	5	6.8	2	7.4	10	9.3	240	8.4	16	24.6
TRANSMISSION RISK												
Men who have sex with men	58	57.4	43	58.1	15	55.6	53	49.1	1,140	39.8	18	27.7
Injection drug use history	6	5.9	5	6.8	1	3.7	12	11.1	627	21.9	24	36.9
Heterosexual	13	12.9	10	13.5	3	11.1	19	17.6	440	15.4	7	10.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	59	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	24	23.8	16	21.6	8	29.6	24	22.2	594	20.7	16	24.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,088	38.0	8	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,775	62.0	57	87.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	266	100.0	196	73.7	70	26.3	261	100.0	6,219	100.0	165	100.0
SEX												
Male	184	69.2	134	68.4	50	71.4	167	64.0	3,793	61.0	100	60.6
Female	82	30.8	62	31.6	20	28.6	94	36.0	2,426	39.0	65	39.4
RACE/ETHNICITY												
Black	227	85.3	169	86.2	58	82.9	214	82.0	5,114	82.2	133	80.6
Hispanic	27	10.2	18	9.2	9	12.9	31	11.9	798	12.8	30	18.2
White	9	3.4	8	4.1	1	1.4	13	5.0	258	4.1	2	1.2
Asian/Pacific Islander	1	0.4	1	0.5	0	0.0	0	0.0	26	0.4	0	0.0
Native American	2	0.8	0	0.0	2	2.9	3	1.1	17	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	73	1.2	1	0.6
13-19	16	6.0	14	7.1	2	2.9	6	2.3	122	2.0	0	0.0
20-29	71	26.7	59	30.1	12	17.1	35	13.4	525	8.4	3	1.8
30-39	59	22.2	49	25.0	10	14.3	53	20.3	1,239	19.9	19	11.5
40-49	73	27.4	51	26.0	22	31.4	89	34.1	2,260	36.3	60	36.4
50-59	37	13.9	18	9.2	19	27.1	56	21.5	1,497	24.1	55	33.3
60+	10	3.8	5	2.6	5	7.1	22	8.4	503	8.1	27	16.4
TRANSMISSION RISK												
Men who have sex with men	85	32.0	68	34.7	17	24.3	70	26.8	1,281	20.6	15	9.1
Injection drug use history	15	5.6	9	4.6	6	8.6	30	11.5	1,382	22.2	53	32.1
Heterosexual	84	31.6	63	32.1	21	30.0	70	26.8	1,445	23.2	39	23.6
Perinatal	0	0.0	0	0.0	0	0.0	2	0.8	191	3.1	1	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.4	16	0.3	0	0.0
Unknown	82	30.8	56	28.6	26	37.1	88	33.7	1,904	30.6	57	34.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,465	39.6	15	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,754	60.4	150	90.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	120	100.0	96	80.0	24	20.0	96	100.0	2,462	100.0	77	100.0
SEX												
Male	72	60.0	57	59.4	15	62.5	52	54.2	1,330	54.0	49	63.6
Female	48	40.0	39	40.6	9	37.5	44	45.8	1,132	46.0	28	36.4
RACE/ETHNICITY												
Black	89	74.2	71	74.0	18	75.0	64	66.7	1,567	63.6	57	74.0
Hispanic	27	22.5	21	21.9	6	25.0	31	32.3	785	31.9	17	22.1
White	1	0.8	1	1.0	0	0.0	1	1.0	74	3.0	2	2.6
Asian/Pacific Islander	2	1.7	2	2.1	0	0.0	0	0.0	21	0.9	1	1.3
Native American	1	0.8	1	1.0	0	0.0	0	0.0	10	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	1	1.0	0	0.0	0	0.0	36	1.5	0	0.0
13-19	12	10.0	11	11.5	1	4.2	3	3.1	64	2.6	0	0.0
20-29	24	20.0	22	22.9	2	8.3	11	11.5	207	8.4	3	3.9
30-39	37	30.8	30	31.3	7	29.2	25	26.0	496	20.1	10	13.0
40-49	30	25.0	21	21.9	9	37.5	29	30.2	929	37.7	27	35.1
50-59	11	9.2	9	9.4	2	8.3	17	17.7	537	21.8	22	28.6
60+	5	4.2	2	2.1	3	12.5	11	11.5	193	7.8	15	19.5
TRANSMISSION RISK												
Men who have sex with men	29	24.2	24	25.0	5	20.8	14	14.6	329	13.4	9	11.7
Injection drug use history	8	6.7	5	5.2	3	12.5	16	16.7	581	23.6	26	33.8
Heterosexual	40	33.3	35	36.5	5	20.8	36	37.5	677	27.5	15	19.5
Perinatal	1	0.8	1	1.0	0	0.0	2	2.1	97	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	42	35.0	31	32.3	11	45.8	28	29.2	773	31.4	27	35.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	983	39.9	13	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,479	60.1	64	83.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	21	65.6	11	34.4	35	100.0	740	100.0	18	100.0
SEX												
Male	20	62.5	11	52.4	9	81.8	26	74.3	507	68.5	13	72.2
Female	12	37.5	10	47.6	2	18.2	9	25.7	233	31.5	5	27.8
RACE/ETHNICITY												
Black	6	18.8	4	19.0	2	18.2	7	20.0	105	14.2	0	0.0
Hispanic	23	71.9	16	76.2	7	63.6	21	60.0	486	65.7	12	66.7
White	3	9.4	1	4.8	2	18.2	5	14.3	115	15.5	5	27.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	5.7	32	4.3	1	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	2.9	17	2.3	0	0.0
20-29	11	34.4	9	42.9	2	18.2	7	20.0	51	6.9	1	5.6
30-39	13	40.6	7	33.3	6	54.5	10	28.6	158	21.4	2	11.1
40-49	4	12.5	3	14.3	1	9.1	7	20.0	288	38.9	6	33.3
50-59	4	12.5	2	9.5	2	18.2	6	17.1	163	22.0	7	38.9
60+	0	0.0	0	0.0	0	0.0	4	11.4	60	8.1	2	11.1
TRANSMISSION RISK												
Men who have sex with men	8	25.0	5	23.8	3	27.3	10	28.6	180	24.3	1	5.6
Injection drug use history	9	28.1	5	23.8	4	36.4	10	28.6	232	31.4	10	55.6
Heterosexual	8	25.0	6	28.6	2	18.2	8	22.9	160	21.6	3	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	7	21.9	5	23.8	2	18.2	7	20.0	143	19.3	4	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	264	35.7	3	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	476	64.3	15	83.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	30	76.9	9	23.1	38	100.0	923	100.0	24	100.0
SEX												
Male	24	61.5	17	56.7	7	77.8	28	73.7	632	68.5	20	83.3
Female	15	38.5	13	43.3	2	22.2	10	26.3	291	31.5	4	16.7
RACE/ETHNICITY												
Black	11	28.2	7	23.3	4	44.4	10	26.3	287	31.1	7	29.2
Hispanic	15	38.5	10	33.3	5	55.6	19	50.0	319	34.6	5	20.8
White	11	28.2	11	36.7	0	0.0	7	18.4	286	31.0	11	45.8
Asian/Pacific Islander	2	5.1	2	6.7	0	0.0	2	5.3	31	3.4	1	4.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	3	7.7	3	10.0	0	0.0	0	0.0	19	2.1	1	4.2
20-29	11	28.2	10	33.3	1	11.1	5	13.2	63	6.8	0	0.0
30-39	7	17.9	4	13.3	3	33.3	12	31.6	172	18.6	1	4.2
40-49	17	43.6	12	40.0	5	55.6	12	31.6	358	38.8	10	41.7
50-59	1	2.6	1	3.3	0	0.0	6	15.8	244	26.4	9	37.5
60+	0	0.0	0	0.0	0	0.0	3	7.9	65	7.0	3	12.5
TRANSMISSION RISK												
Men who have sex with men	13	33.3	11	36.7	2	22.2	10	26.3	255	27.6	5	20.8
Injection drug use history	2	5.1	1	3.3	1	11.1	9	23.7	224	24.3	8	33.3
Heterosexual	15	38.5	11	36.7	4	44.4	13	34.2	221	23.9	5	20.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.3	1	4.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	9	23.1	7	23.3	2	22.2	6	15.8	199	21.6	5	20.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	360	39.0	3	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	563	61.0	21	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	197	100.0	144	73.1	53	26.9	177	100.0	4,019	100.0	81	100.0
SEX												
Male	126	64.0	92	63.9	34	64.2	103	58.2	2,401	59.7	53	65.4
Female	71	36.0	52	36.1	19	35.8	74	41.8	1,618	40.3	28	34.6
RACE/ETHNICITY												
Black	176	89.3	129	89.6	47	88.7	151	85.3	3,367	83.8	65	80.2
Hispanic	12	6.1	10	6.9	2	3.8	13	7.3	446	11.1	12	14.8
White	9	4.6	5	3.5	4	7.5	12	6.8	162	4.0	4	4.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	40	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.6	3	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	0	0.0	1	1.9	1	0.6	41	1.0	0	0.0
13-19	9	4.6	9	6.3	0	0.0	0	0.0	87	2.2	0	0.0
20-29	42	21.3	37	25.7	5	9.4	24	13.6	350	8.7	2	2.5
30-39	45	22.8	34	23.6	11	20.8	35	19.8	814	20.3	11	13.6
40-49	58	29.4	40	27.8	18	34.0	67	37.9	1,450	36.1	22	27.2
50-59	31	15.7	19	13.2	12	22.6	33	18.6	963	24.0	31	38.3
60+	11	5.6	5	3.5	6	11.3	17	9.6	314	7.8	15	18.5
TRANSMISSION RISK												
Men who have sex with men	51	25.9	39	27.1	12	22.6	44	24.9	794	19.8	11	13.6
Injection drug use history	14	7.1	10	6.9	4	7.5	17	9.6	554	13.8	20	24.7
Heterosexual	68	34.5	48	33.3	20	37.7	63	35.6	1,110	27.6	14	17.3
Perinatal	1	0.5	0	0.0	1	1.9	1	0.6	113	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	1	1.2
Unknown	63	32.0	47	32.6	16	30.2	52	29.4	1,431	35.6	35	43.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,517	37.7	9	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,502	62.3	72	88.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	51	73.9	18	26.1	65	100.0	1,154	100.0	22	100.0
SEX												
Male	41	59.4	25	49.0	16	88.9	43	66.2	635	55.0	15	68.2
Female	28	40.6	26	51.0	2	11.1	22	33.8	519	45.0	7	31.8
RACE/ETHNICITY												
Black	52	75.4	40	78.4	12	66.7	50	76.9	874	75.7	17	77.3
Hispanic	13	18.8	10	19.6	3	16.7	7	10.8	144	12.5	2	9.1
White	3	4.3	1	2.0	2	11.1	6	9.2	121	10.5	3	13.6
Asian/Pacific Islander	1	1.4	0	0.0	1	5.6	2	3.1	11	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	16	1.4	0	0.0
13-19	4	5.8	4	7.8	0	0.0	0	0.0	32	2.8	0	0.0
20-29	14	20.3	14	27.5	0	0.0	8	12.3	110	9.5	1	4.5
30-39	16	23.2	12	23.5	4	22.2	15	23.1	257	22.3	4	18.2
40-49	19	27.5	9	17.6	10	55.6	26	40.0	403	34.9	11	50.0
50-59	11	15.9	8	15.7	3	16.7	11	16.9	250	21.7	5	22.7
60+	5	7.2	4	7.8	1	5.6	5	7.7	86	7.5	1	4.5
TRANSMISSION RISK												
Men who have sex with men	14	20.3	10	19.6	4	22.2	14	21.5	181	15.7	0	0.0
Injection drug use history	5	7.2	4	7.8	1	5.6	6	9.2	179	15.5	1	4.5
Heterosexual	25	36.2	21	41.2	4	22.2	21	32.3	352	30.5	10	45.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	25	36.2	16	31.4	9	50.0	24	36.9	391	33.9	11	50.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	491	42.5	1	4.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	663	57.5	21	95.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	12	63.2	7	36.8	28	100.0	491	100.0	16	100.0
SEX												
Male	16	84.2	10	83.3	6	85.7	21	75.0	350	71.3	12	75.0
Female	3	15.8	2	16.7	1	14.3	7	25.0	141	28.7	4	25.0
RACE/ETHNICITY												
Black	1	5.3	1	8.3	0	0.0	2	7.1	63	12.8	3	18.8
Hispanic	4	21.1	2	16.7	2	28.6	10	35.7	149	30.3	4	25.0
White	14	73.7	9	75.0	5	71.4	15	53.6	258	52.5	9	56.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.6	21	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	5.3	1	8.3	0	0.0	0	0.0	5	1.0	0	0.0
20-29	6	31.6	5	41.7	1	14.3	4	14.3	36	7.3	0	0.0
30-39	10	52.6	5	41.7	5	71.4	9	32.1	108	22.0	2	12.5
40-49	0	0.0	0	0.0	0	0.0	8	28.6	190	38.7	5	31.3
50-59	2	10.5	1	8.3	1	14.3	7	25.0	123	25.1	6	37.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	28	5.7	3	18.8
TRANSMISSION RISK												
Men who have sex with men	14	73.7	9	75.0	5	71.4	11	39.3	172	35.0	6	37.5
Injection drug use history	1	5.3	0	0.0	1	14.3	7	25.0	128	26.1	5	31.3
Heterosexual	2	10.5	2	16.7	0	0.0	4	14.3	92	18.7	2	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	2	10.5	1	8.3	1	14.3	6	21.4	91	18.5	3	18.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	194	39.5	1	6.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	297	60.5	15	93.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	16	61.5	10	38.5	53	100.0	1,046	100.0	36	100.0
SEX												
Male	14	53.8	8	50.0	6	60.0	31	58.5	635	60.7	23	63.9
Female	12	46.2	8	50.0	4	40.0	22	41.5	411	39.3	13	36.1
RACE/ETHNICITY												
Black	10	38.5	6	37.5	4	40.0	23	43.4	402	38.4	17	47.2
Hispanic	8	30.8	2	12.5	6	60.0	18	34.0	350	33.5	13	36.1
White	8	30.8	8	50.0	0	0.0	11	20.8	268	25.6	6	16.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.9	22	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	3.8	1	6.3	0	0.0	0	0.0	10	1.0	0	0.0
13-19	1	3.8	0	0.0	1	10.0	4	7.5	22	2.1	0	0.0
20-29	6	23.1	4	25.0	2	20.0	7	13.2	79	7.6	0	0.0
30-39	6	23.1	6	37.5	0	0.0	8	15.1	205	19.6	5	13.9
40-49	7	26.9	2	12.5	5	50.0	22	41.5	392	37.5	12	33.3
50-59	2	7.7	0	0.0	2	20.0	10	18.9	256	24.5	17	47.2
60+	3	11.5	3	18.8	0	0.0	2	3.8	82	7.8	2	5.6
TRANSMISSION RISK												
Men who have sex with men	7	26.9	6	37.5	1	10.0	9	17.0	206	19.7	4	11.1
Injection drug use history	1	3.8	1	6.3	0	0.0	14	26.4	278	26.6	19	52.8
Heterosexual	11	42.3	5	31.3	6	60.0	12	22.6	260	24.9	6	16.7
Perinatal	1	3.8	1	6.3	0	0.0	3	5.7	31	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	6	23.1	3	18.8	3	30.0	15	28.3	264	25.2	7	19.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	360	34.4	5	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	686	65.6	31	86.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	137	100.0	111	81.0	26	19.0	133	100.0	3,363	100.0	102	100.0
SEX												
Male	90	65.7	74	66.7	16	61.5	93	69.9	2,069	61.5	62	60.8
Female	47	34.3	37	33.3	10	38.5	40	30.1	1,294	38.5	40	39.2
RACE/ETHNICITY												
Black	85	62.0	69	62.2	16	61.5	78	58.6	1,799	53.5	63	61.8
Hispanic	46	33.6	37	33.3	9	34.6	50	37.6	1,385	41.2	39	38.2
White	5	3.6	4	3.6	1	3.8	5	3.8	153	4.5	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Native American	1	0.7	1	0.9	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	1	0.9	0	0.0	0	0.0	33	1.0	0	0.0
13-19	5	3.6	5	4.5	0	0.0	3	2.3	56	1.7	1	1.0
20-29	34	24.8	32	28.8	2	7.7	16	12.0	244	7.3	9	8.8
30-39	44	32.1	38	34.2	6	23.1	31	23.3	665	19.8	15	14.7
40-49	30	21.9	22	19.8	8	30.8	45	33.8	1,290	38.4	40	39.2
50-59	19	13.9	12	10.8	7	26.9	29	21.8	805	23.9	28	27.5
60+	4	2.9	1	0.9	3	11.5	9	6.8	270	8.0	9	8.8
TRANSMISSION RISK												
Men who have sex with men	41	29.9	31	27.9	10	38.5	30	22.6	543	16.1	10	9.8
Injection drug use history	15	10.9	11	9.9	4	15.4	26	19.5	980	29.1	39	38.2
Heterosexual	34	24.8	28	25.2	6	23.1	31	23.3	728	21.6	18	17.6
Perinatal	1	0.7	1	0.9	0	0.0	2	1.5	95	2.8	1	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	46	33.6	40	36.0	6	23.1	44	33.1	1,012	30.1	34	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,291	38.4	11	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,072	61.6	91	89.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	189	100.0	128	67.7	61	32.3	159	100.0	3,610	100.0	60	100.0
SEX												
Male	154	81.5	105	82.0	49	80.3	118	74.2	2,687	74.4	41	68.3
Female	35	18.5	23	18.0	12	19.7	41	25.8	923	25.6	19	31.7
RACE/ETHNICITY												
Black	73	38.6	47	36.7	26	42.6	61	38.4	1,427	39.5	32	53.3
Hispanic	96	50.8	64	50.0	32	52.5	81	50.9	1,691	46.8	23	38.3
White	20	10.6	17	13.3	3	4.9	16	10.1	458	12.7	5	8.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.6	22	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.8	0	0.0	0	0.0	30	0.8	0	0.0
13-19	3	1.6	2	1.6	1	1.6	2	1.3	59	1.6	0	0.0
20-29	50	26.5	43	33.6	7	11.5	17	10.7	261	7.2	0	0.0
30-39	62	32.8	45	35.2	17	27.9	42	26.4	791	21.9	8	13.3
40-49	51	27.0	26	20.3	25	41.0	61	38.4	1,306	36.2	22	36.7
50-59	12	6.3	7	5.5	5	8.2	22	13.8	846	23.4	25	41.7
60+	10	5.3	4	3.1	6	9.8	15	9.4	317	8.8	5	8.3
TRANSMISSION RISK												
Men who have sex with men	79	41.8	59	46.1	20	32.8	55	34.6	1,280	35.5	7	11.7
Injection drug use history	7	3.7	4	3.1	3	4.9	19	11.9	695	19.3	22	36.7
Heterosexual	42	22.2	28	21.9	14	23.0	36	22.6	642	17.8	13	21.7
Perinatal	1	0.5	1	0.8	0	0.0	1	0.6	93	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.6	9	0.2	0	0.0
Unknown	60	31.7	36	28.1	24	39.3	47	29.6	891	24.7	18	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,451	40.2	11	18.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,159	59.8	49	81.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	209	100.0	156	74.6	53	25.4	176	100.0	4,055	100.0	135	100.0
SEX												
Male	149	71.3	113	72.4	36	67.9	116	65.9	2,600	64.1	92	68.1
Female	60	28.7	43	27.6	17	32.1	60	34.1	1,455	35.9	43	31.9
RACE/ETHNICITY												
Black	148	70.8	115	73.7	33	62.3	129	73.3	3,054	75.3	106	78.5
Hispanic	36	17.2	22	14.1	14	26.4	25	14.2	658	16.2	23	17.0
White	24	11.5	18	11.5	6	11.3	21	11.9	299	7.4	5	3.7
Asian/Pacific Islander	1	0.5	1	0.6	0	0.0	1	0.6	26	0.6	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	40	1.0	0	0.0
13-19	13	6.2	13	8.3	0	0.0	3	1.7	79	1.9	0	0.0
20-29	55	26.3	48	30.8	7	13.2	14	8.0	290	7.2	5	3.7
30-39	52	24.9	37	23.7	15	28.3	46	26.1	805	19.9	14	10.4
40-49	47	22.5	31	19.9	16	30.2	53	30.1	1,463	36.1	41	30.4
50-59	26	12.4	18	11.5	8	15.1	44	25.0	1,032	25.5	51	37.8
60+	15	7.2	8	5.1	7	13.2	16	9.1	346	8.5	24	17.8
TRANSMISSION RISK												
Men who have sex with men	81	38.8	64	41.0	17	32.1	51	29.0	1,010	24.9	20	14.8
Injection drug use history	14	6.7	10	6.4	4	7.5	17	9.7	957	23.6	63	46.7
Heterosexual	56	26.8	41	26.3	15	28.3	46	26.1	824	20.3	19	14.1
Perinatal	1	0.5	1	0.6	0	0.0	1	0.6	119	2.9	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	1	0.7
Unknown	57	27.3	40	25.6	17	32.1	61	34.7	1,138	28.1	31	23.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,561	38.5	19	14.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,494	61.5	116	85.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	123	100.0	102	82.9	21	17.1	112	100.0	2,899	100.0	81	100.0
SEX												
Male	88	71.5	69	67.6	19	90.5	73	65.2	1,881	64.9	55	67.9
Female	35	28.5	33	32.4	2	9.5	39	34.8	1,018	35.1	26	32.1
RACE/ETHNICITY												
Black	67	54.5	59	57.8	8	38.1	61	54.5	1,440	49.7	39	48.1
Hispanic	40	32.5	29	28.4	11	52.4	39	34.8	1,223	42.2	37	45.7
White	13	10.6	11	10.8	2	9.5	12	10.7	208	7.2	5	6.2
Asian/Pacific Islander	2	1.6	2	2.0	0	0.0	0	0.0	16	0.6	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	11	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.7	0	0.0
13-19	10	8.1	9	8.8	1	4.8	3	2.7	65	2.2	2	2.5
20-29	37	30.1	32	31.4	5	23.8	12	10.7	173	6.0	1	1.2
30-39	40	32.5	34	33.3	6	28.6	29	25.9	591	20.4	9	11.1
40-49	25	20.3	18	17.6	7	33.3	40	35.7	1,101	38.0	30	37.0
50-59	11	8.9	9	8.8	2	9.5	19	17.0	710	24.5	27	33.3
60+	0	0.0	0	0.0	0	0.0	9	8.0	238	8.2	12	14.8
TRANSMISSION RISK												
Men who have sex with men	54	43.9	46	45.1	8	38.1	28	25.0	619	21.4	4	4.9
Injection drug use history	15	12.2	10	9.8	5	23.8	25	22.3	902	31.1	33	40.7
Heterosexual	29	23.6	27	26.5	2	9.5	25	22.3	609	21.0	22	27.2
Perinatal	0	0.0	0	0.0	0	0.0	1	0.9	81	2.8	1	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	25	20.3	19	18.6	6	28.6	33	29.5	679	23.4	21	25.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,104	38.1	11	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,795	61.9	70	86.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	94	100.0	74	78.7	20	21.3	83	100.0	3,170	100.0	56	100.0
SEX												
Male	81	86.2	66	89.2	15	75.0	64	77.1	2,669	84.2	47	83.9
Female	13	13.8	8	10.8	5	25.0	19	22.9	501	15.8	9	16.1
RACE/ETHNICITY												
Black	30	31.9	21	28.4	9	45.0	21	25.3	910	28.7	25	44.6
Hispanic	22	23.4	17	23.0	5	25.0	24	28.9	873	27.5	15	26.8
White	41	43.6	36	48.6	5	25.0	36	43.4	1,326	41.8	15	26.8
Asian/Pacific Islander	1	1.1	0	0.0	1	5.0	2	2.4	40	1.3	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	4	4.3	4	5.4	0	0.0	0	0.0	18	0.6	0	0.0
20-29	17	18.1	14	18.9	3	15.0	9	10.8	112	3.5	1	1.8
30-39	25	26.6	21	28.4	4	20.0	15	18.1	486	15.3	10	17.9
40-49	21	22.3	17	23.0	4	20.0	26	31.3	1,195	37.7	20	35.7
50-59	17	18.1	12	16.2	5	25.0	26	31.3	986	31.1	17	30.4
60+	10	10.6	6	8.1	4	20.0	7	8.4	367	11.6	8	14.3
TRANSMISSION RISK												
Men who have sex with men	59	62.8	52	70.3	7	35.0	39	47.0	1,665	52.5	14	25.0
Injection drug use history	5	5.3	4	5.4	1	5.0	10	12.0	565	17.8	24	42.9
Heterosexual	10	10.6	8	10.8	2	10.0	10	12.0	312	9.8	4	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	20	21.3	10	13.5	10	50.0	24	28.9	595	18.8	14	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,206	38.0	7	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,964	62.0	49	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	30	69.8	13	30.2	40	100.0	1,377	100.0	27	100.0
SEX												
Male	38	88.4	25	83.3	13	100.0	38	95.0	1,203	87.4	22	81.5
Female	5	11.6	5	16.7	0	0.0	2	5.0	174	12.6	5	18.5
RACE/ETHNICITY												
Black	14	32.6	8	26.7	6	46.2	11	27.5	290	21.1	9	33.3
Hispanic	7	16.3	7	23.3	0	0.0	6	15.0	268	19.5	3	11.1
White	20	46.5	13	43.3	7	53.8	23	57.5	781	56.7	12	44.4
Asian/Pacific Islander	2	4.7	2	6.7	0	0.0	0	0.0	33	2.4	3	11.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.3	0	0.0	1	7.7	1	2.5	9	0.7	0	0.0
20-29	13	30.2	12	40.0	1	7.7	1	2.5	54	3.9	0	0.0
30-39	14	32.6	10	33.3	4	30.8	10	25.0	213	15.5	2	7.4
40-49	8	18.6	5	16.7	3	23.1	17	42.5	540	39.2	8	29.6
50-59	5	11.6	1	3.3	4	30.8	8	20.0	372	27.0	10	37.0
60+	2	4.7	2	6.7	0	0.0	3	7.5	186	13.5	7	25.9
TRANSMISSION RISK												
Men who have sex with men	26	60.5	18	60.0	8	61.5	27	67.5	824	59.8	10	37.0
Injection drug use history	6	14.0	3	10.0	3	23.1	5	12.5	164	11.9	8	29.6
Heterosexual	4	9.3	4	13.3	0	0.0	2	5.0	115	8.4	4	14.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	16.3	5	16.7	2	15.4	6	15.0	261	19.0	5	18.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	550	39.9	3	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	827	60.1	24	88.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	205	100.0	173	84.4	32	15.6	194	100.0	5,603	100.0	100	100.0
SEX												
Male	194	94.6	162	93.6	32	100.0	185	95.4	5,128	91.5	86	86.0
Female	11	5.4	11	6.4	0	0.0	9	4.6	475	8.5	14	14.0
RACE/ETHNICITY												
Black	24	11.7	18	10.4	6	18.8	37	19.1	1,096	19.6	30	30.0
Hispanic	52	25.4	43	24.9	9	28.1	47	24.2	1,248	22.3	25	25.0
White	114	55.6	101	58.4	13	40.6	99	51.0	3,116	55.6	43	43.0
Asian/Pacific Islander	15	7.3	11	6.4	4	12.5	10	5.2	101	1.8	2	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.5	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	5	2.4	5	2.9	0	0.0	0	0.0	27	0.5	1	1.0
20-29	51	24.9	47	27.2	4	12.5	13	6.7	263	4.7	1	1.0
30-39	74	36.1	62	35.8	12	37.5	59	30.4	1,170	20.9	15	15.0
40-49	64	31.2	53	30.6	11	34.4	79	40.7	2,457	43.9	45	45.0
50-59	7	3.4	4	2.3	3	9.4	31	16.0	1,259	22.5	28	28.0
60+	4	2.0	2	1.2	2	6.3	12	6.2	425	7.6	10	10.0
TRANSMISSION RISK												
Men who have sex with men	163	79.5	141	81.5	22	68.8	133	68.6	3,777	67.4	39	39.0
Injection drug use history	12	5.9	9	5.2	3	9.4	13	6.7	712	12.7	40	40.0
Heterosexual	8	3.9	7	4.0	1	3.1	12	6.2	278	5.0	6	6.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	1	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	22	10.7	16	9.2	6	18.8	36	18.6	815	14.5	14	14.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,565	45.8	20	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,038	54.2	80	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	95	100.0	75	78.9	20	21.1	91	100.0	2,096	100.0	43	100.0
SEX												
Male	88	92.6	69	92.0	19	95.0	75	82.4	1,877	89.6	40	93.0
Female	7	7.4	6	8.0	1	5.0	16	17.6	219	10.4	3	7.0
RACE/ETHNICITY												
Black	26	27.4	19	25.3	7	35.0	27	29.7	503	24.0	16	37.2
Hispanic	27	28.4	20	26.7	7	35.0	30	33.0	495	23.6	9	20.9
White	42	44.2	36	48.0	6	30.0	34	37.4	1,049	50.0	18	41.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	39	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	2.1	2	2.7	0	0.0	1	1.1	7	0.3	0	0.0
20-29	24	25.3	22	29.3	2	10.0	9	9.9	97	4.6	0	0.0
30-39	28	29.5	23	30.7	5	25.0	14	15.4	361	17.2	2	4.7
40-49	31	32.6	22	29.3	9	45.0	39	42.9	777	37.1	16	37.2
50-59	6	6.3	5	6.7	1	5.0	19	20.9	591	28.2	17	39.5
60+	4	4.2	1	1.3	3	15.0	9	9.9	259	12.4	8	18.6
TRANSMISSION RISK												
Men who have sex with men	60	63.2	50	66.7	10	50.0	42	46.2	1,195	57.0	16	37.2
Injection drug use history	7	7.4	5	6.7	2	10.0	13	14.3	371	17.7	18	41.9
Heterosexual	8	8.4	6	8.0	2	10.0	10	11.0	137	6.5	2	4.7
Perinatal	0	0.0	0	0.0	0	0.0	1	1.1	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	20	21.1	14	18.7	6	30.0	25	27.5	378	18.0	7	16.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	854	40.7	8	18.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,242	59.3	35	81.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	56	82.4	12	17.6	56	100.0	2,046	100.0	36	100.0
SEX												
Male	65	95.6	54	96.4	11	91.7	52	92.9	1,960	95.8	30	83.3
Female	3	4.4	2	3.6	1	8.3	4	7.1	86	4.2	6	16.7
RACE/ETHNICITY												
Black	10	14.7	8	14.3	2	16.7	8	14.3	344	16.8	9	25.0
Hispanic	12	17.6	11	19.6	1	8.3	9	16.1	361	17.6	9	25.0
White	42	61.8	34	60.7	8	66.7	34	60.7	1,278	62.5	18	50.0
Asian/Pacific Islander	2	2.9	2	3.6	0	0.0	3	5.4	54	2.6	0	0.0
Native American	*	*	*	*	*	*	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	2.9	2	3.6	0	0.0	0	0.0	5	0.2	0	0.0
20-29	12	17.6	11	19.6	1	8.3	5	8.9	69	3.4	0	0.0
30-39	31	45.6	26	46.4	5	41.7	13	23.2	396	19.4	5	13.9
40-49	17	25.0	14	25.0	3	25.0	26	46.4	862	42.1	13	36.1
50-59	4	5.9	2	3.6	2	16.7	9	16.1	514	25.1	10	27.8
60+	2	2.9	1	1.8	1	8.3	3	5.4	199	9.7	8	22.2
TRANSMISSION RISK												
Men who have sex with men	45	66.2	38	67.9	7	58.3	38	67.9	1,428	69.8	13	36.1
Injection drug use history	2	2.9	2	3.6	0	0.0	2	3.6	215	10.5	12	33.3
Heterosexual	5	7.4	4	7.1	1	8.3	5	8.9	74	3.6	1	2.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	16	23.5	12	21.4	4	33.3	11	19.6	327	16.0	10	27.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	871	42.6	4	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,175	57.4	32	88.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	94	100.0	71	75.5	23	24.5	110	100.0	3,145	100.0	59	100.0
SEX												
Male	83	88.3	62	87.3	21	91.3	90	81.8	2,566	81.6	47	79.7
Female	11	11.7	9	12.7	2	8.7	20	18.2	579	18.4	12	20.3
RACE/ETHNICITY												
Black	19	20.2	14	19.7	5	21.7	22	20.0	646	20.5	11	18.6
Hispanic	25	26.6	19	26.8	6	26.1	35	31.8	1,101	35.0	28	47.5
White	46	48.9	35	49.3	11	47.8	47	42.7	1,273	40.5	16	27.1
Asian/Pacific Islander	4	4.3	3	4.2	1	4.3	5	4.5	105	3.3	3	5.1
Native American	0	0.0	0	0.0	0	0.0	*	*	9	0.3	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	2	2.1	2	2.8	0	0.0	2	1.8	29	0.9	1	1.7
20-29	25	26.6	24	33.8	1	4.3	8	7.3	161	5.1	0	0.0
30-39	26	27.7	20	28.2	6	26.1	31	28.2	550	17.5	6	10.2
40-49	30	31.9	21	29.6	9	39.1	43	39.1	1,321	42.0	19	32.2
50-59	7	7.4	3	4.2	4	17.4	15	13.6	790	25.1	15	25.4
60+	4	4.3	1	1.4	3	13.0	11	10.0	287	9.1	18	30.5
TRANSMISSION RISK												
Men who have sex with men	60	63.8	45	63.4	15	65.2	56	50.9	1,502	47.8	18	30.5
Injection drug use history	6	6.4	5	7.0	1	4.3	20	18.2	741	23.6	22	37.3
Heterosexual	9	9.6	7	9.9	2	8.7	15	13.6	329	10.5	8	13.6
Perinatal	0	0.0	0	0.0	0	0.0	2	1.8	39	1.2	1	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	19	20.2	14	19.7	5	21.7	17	15.5	528	16.8	10	16.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,192	37.9	6	10.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,953	62.1	53	89.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	15	88.2	2	11.8	14	100.0	423	100.0	6	100.0
SEX												
Male	15	88.2	13	86.7	2	100.0	11	78.6	348	82.3	4	66.7
Female	2	11.8	2	13.3	0	0.0	3	21.4	75	17.7	2	33.3
RACE/ETHNICITY												
Black	3	17.6	3	20.0	0	0.0	6	42.9	101	23.9	3	50.0
Hispanic	6	35.3	5	33.3	1	50.0	5	35.7	108	25.5	2	33.3
White	6	35.3	5	33.3	1	50.0	3	21.4	193	45.6	1	16.7
Asian/Pacific Islander	1	5.9	1	6.7	0	0.0	0	0.0	17	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	5.9	1	6.7	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.9	1	6.7	0	0.0	1	7.1	8	1.9	0	0.0
20-29	3	17.6	3	20.0	0	0.0	1	7.1	22	5.2	0	0.0
30-39	5	29.4	4	26.7	1	50.0	3	21.4	92	21.7	1	16.7
40-49	6	35.3	6	40.0	0	0.0	6	42.9	179	42.3	2	33.3
50-59	2	11.8	1	6.7	1	50.0	3	21.4	101	23.9	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	21	5.0	1	16.7
TRANSMISSION RISK												
Men who have sex with men	12	70.6	10	66.7	2	100.0	5	35.7	219	51.8	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	4	28.6	72	17.0	5	83.3
Heterosexual	1	5.9	1	6.7	0	0.0	3	21.4	46	10.9	1	16.7
Perinatal	0	0.0	0	0.0	0	0.0	1	7.1	8	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	23.5	4	26.7	0	0.0	1	7.1	78	18.4	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	213	50.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	210	49.6	6	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	67	81.7	15	18.3	55	100.0	1,615	100.0	38	100.0
SEX												
Male	69	84.1	56	83.6	13	86.7	42	76.4	1,287	79.7	30	78.9
Female	13	15.9	11	16.4	2	13.3	13	23.6	328	20.3	8	21.1
RACE/ETHNICITY												
Black	20	24.4	15	22.4	5	33.3	14	25.5	374	23.2	9	23.7
Hispanic	31	37.8	24	35.8	7	46.7	20	36.4	650	40.2	15	39.5
White	24	29.3	22	32.8	2	13.3	19	34.5	524	32.4	13	34.2
Asian/Pacific Islander	6	7.3	5	7.5	1	6.7	2	3.6	55	3.4	1	2.6
Native American	1	1.2	1	1.5	0	0.0	0	0.0	5	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
13-19	2	2.4	1	1.5	1	6.7	1	1.8	19	1.2	0	0.0
20-29	31	37.8	28	41.8	3	20.0	12	21.8	115	7.1	1	2.6
30-39	30	36.6	26	38.8	4	26.7	14	25.5	428	26.5	7	18.4
40-49	13	15.9	9	13.4	4	26.7	17	30.9	671	41.5	16	42.1
50-59	5	6.1	2	3.0	3	20.0	11	20.0	288	17.8	12	31.6
60+	1	1.2	1	1.5	0	0.0	0	0.0	89	5.5	2	5.3
TRANSMISSION RISK												
Men who have sex with men	47	57.3	40	59.7	7	46.7	28	50.9	773	47.9	15	39.5
Injection drug use history	4	4.9	2	3.0	2	13.3	8	14.5	235	14.6	10	26.3
Heterosexual	12	14.6	9	13.4	3	20.0	12	21.8	259	16.0	9	23.7
Perinatal	1	1.2	0	0.0	1	6.7	1	1.8	25	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	18	22.0	16	23.9	2	13.3	6	10.9	320	19.8	4	10.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	691	42.8	4	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	924	57.2	34	89.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	223	100.0	174	78.0	49	22.0	150	100.0	4,196	100.0	71	100.0
SEX												
Male	183	82.1	136	78.2	47	95.9	132	88.0	3,273	78.0	57	80.3
Female	40	17.9	38	21.8	2	4.1	18	12.0	923	22.0	14	19.7
RACE/ETHNICITY												
Black	51	22.9	45	25.9	6	12.2	39	26.0	1,216	29.0	14	19.7
Hispanic	148	66.4	110	63.2	38	77.6	91	60.7	2,297	54.7	41	57.7
White	17	7.6	14	8.0	3	6.1	11	7.3	541	12.9	13	18.3
Asian/Pacific Islander	6	2.7	5	2.9	1	2.0	6	4.0	122	2.9	3	4.2
Native American	1	0.4	0	0.0	1	2.0	2	1.3	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.7	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
13-19	9	4.0	9	5.2	0	0.0	0	0.0	29	0.7	0	0.0
20-29	52	23.3	39	22.4	13	26.5	28	18.7	305	7.3	1	1.4
30-39	79	35.4	65	37.4	14	28.6	46	30.7	1,068	25.5	6	8.5
40-49	61	27.4	48	27.6	13	26.5	52	34.7	1,670	39.8	29	40.8
50-59	19	8.5	13	7.5	6	12.2	19	12.7	881	21.0	26	36.6
60+	3	1.3	0	0.0	3	6.1	5	3.3	234	5.6	9	12.7
TRANSMISSION RISK												
Men who have sex with men	104	46.6	76	43.7	28	57.1	62	41.3	1,512	36.0	14	19.7
Injection drug use history	22	9.9	19	10.9	3	6.1	24	16.0	1,012	24.1	30	42.3
Heterosexual	47	21.1	40	23.0	7	14.3	34	22.7	777	18.5	12	16.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	50	22.4	39	22.4	11	22.4	30	20.0	857	20.4	15	21.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,614	38.5	2	2.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,582	61.5	69	97.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	13	68.4	6	31.6	27	100.0	626	100.0	16	100.0
SEX												
Male	15	78.9	11	84.6	4	66.7	19	70.4	452	72.2	14	87.5
Female	4	21.1	2	15.4	2	33.3	8	29.6	174	27.8	2	12.5
RACE/ETHNICITY												
Black	5	26.3	4	30.8	1	16.7	7	25.9	167	26.7	4	25.0
Hispanic	9	47.4	5	38.5	4	66.7	10	37.0	215	34.3	8	50.0
White	4	21.1	3	23.1	1	16.7	7	25.9	200	31.9	4	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	7.4	40	6.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	5.3	1	7.7	0	0.0	1	3.7	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	1.0	0	0.0
20-29	4	21.1	1	7.7	3	50.0	5	18.5	26	4.2	0	0.0
30-39	3	15.8	2	15.4	1	16.7	9	33.3	118	18.8	2	12.5
40-49	8	42.1	6	46.2	2	33.3	8	29.6	264	42.2	6	37.5
50-59	2	10.5	2	15.4	0	0.0	1	3.7	154	24.6	5	31.3
60+	2	10.5	2	15.4	0	0.0	4	14.8	56	8.9	3	18.8
TRANSMISSION RISK												
Men who have sex with men	7	36.8	6	46.2	1	16.7	7	25.9	230	36.7	3	18.8
Injection drug use history	0	0.0	0	0.0	0	0.0	4	14.8	125	20.0	4	25.0
Heterosexual	4	21.1	2	15.4	2	33.3	7	25.9	140	22.4	3	18.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	1	6.3
Unknown	8	42.1	5	38.5	3	50.0	9	33.3	118	18.8	5	31.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	214	34.2	1	6.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	412	65.8	15	93.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	3	100.0	128	100.0	3	100.0
SEX												
Male	5	83.3	5	83.3	0	0.0	2	66.7	101	78.9	1	33.3
Female	1	16.7	1	16.7	0	0.0	1	33.3	27	21.1	2	66.7
RACE/ETHNICITY												
Black	1	16.7	1	16.7	0	0.0	0	0.0	22	17.2	0	0.0
Hispanic	3	50.0	3	50.0	0	0.0	0	0.0	25	19.5	2	66.7
White	1	16.7	1	16.7	0	0.0	2	66.7	69	53.9	1	33.3
Asian/Pacific Islander	1	16.7	1	16.7	0	0.0	1	33.3	11	8.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.6	0	0.0
20-29	1	16.7	1	16.7	0	0.0	0	0.0	8	6.3	0	0.0
30-39	1	16.7	1	16.7	0	0.0	1	33.3	15	11.7	0	0.0
40-49	1	16.7	1	16.7	0	0.0	2	66.7	50	39.1	1	33.3
50-59	2	33.3	2	33.3	0	0.0	0	0.0	37	28.9	2	66.7
60+	1	16.7	1	16.7	0	0.0	0	0.0	16	12.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	1	33.3	45	35.2	0	0.0
Injection drug use history	1	16.7	1	16.7	0	0.0	0	0.0	24	18.8	2	66.7
Heterosexual	2	33.3	2	33.3	0	0.0	1	33.3	22	17.2	1	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	3.1	0	0.0
Unknown	3	50.0	3	50.0	0	0.0	1	33.3	28	21.9	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	55	43.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	73	57.0	3	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	26	83.9	5	16.1	23	100.0	907	100.0	15	100.0
SEX												
Male	25	80.6	21	80.8	4	80.0	15	65.2	656	72.3	14	93.3
Female	6	19.4	5	19.2	1	20.0	8	34.8	251	27.7	1	6.7
RACE/ETHNICITY												
Black	9	29.0	7	26.9	2	40.0	6	26.1	119	13.1	1	6.7
Hispanic	10	32.3	9	34.6	1	20.0	9	39.1	412	45.4	7	46.7
White	10	32.3	8	30.8	2	40.0	7	30.4	341	37.6	6	40.0
Asian/Pacific Islander	2	6.5	2	7.7	0	0.0	0	0.0	26	2.9	1	6.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	4.3	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
13-19	2	6.5	2	7.7	0	0.0	1	4.3	15	1.7	0	0.0
20-29	11	35.5	10	38.5	1	20.0	5	21.7	64	7.1	0	0.0
30-39	7	22.6	6	23.1	1	20.0	7	30.4	179	19.7	4	26.7
40-49	7	22.6	4	15.4	3	60.0	7	30.4	384	42.3	5	33.3
50-59	3	9.7	3	11.5	0	0.0	3	13.0	202	22.3	4	26.7
60+	1	3.2	1	3.8	0	0.0	0	0.0	57	6.3	2	13.3
TRANSMISSION RISK												
Men who have sex with men	18	58.1	16	61.5	2	40.0	6	26.1	330	36.4	5	33.3
Injection drug use history	2	6.5	2	7.7	0	0.0	3	13.0	161	17.8	6	40.0
Heterosexual	5	16.1	4	15.4	1	20.0	5	21.7	184	20.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.3	22	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	6	19.4	4	15.4	2	40.0	8	34.8	204	22.5	4	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	367	40.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	540	59.5	15	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	8	80.0	2	20.0	5	100.0	248	100.0	5	100.0
SEX												
Male	7	70.0	5	62.5	2	100.0	4	80.0	166	66.9	2	40.0
Female	3	30.0	3	37.5	0	0.0	1	20.0	82	33.1	3	60.0
RACE/ETHNICITY												
Black	5	50.0	5	62.5	0	0.0	1	20.0	107	43.1	2	40.0
Hispanic	2	20.0	1	12.5	1	50.0	2	40.0	70	28.2	1	20.0
White	2	20.0	1	12.5	1	50.0	1	20.0	56	22.6	2	40.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	4.8	0	0.0
Native American	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	2.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
20-29	2	20.0	2	25.0	0	0.0	1	20.0	20	8.1	0	0.0
30-39	2	20.0	2	25.0	0	0.0	1	20.0	47	19.0	0	0.0
40-49	4	40.0	3	37.5	1	50.0	2	40.0	97	39.1	3	60.0
50-59	2	20.0	1	12.5	1	50.0	1	20.0	58	23.4	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	18	7.3	1	20.0
TRANSMISSION RISK												
Men who have sex with men	1	10.0	1	12.5	0	0.0	1	20.0	78	31.5	1	20.0
Injection drug use history	2	20.0	1	12.5	1	50.0	2	40.0	36	14.5	2	40.0
Heterosexual	2	20.0	2	25.0	0	0.0	0	0.0	58	23.4	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
Unknown	5	50.0	4	50.0	1	50.0	2	40.0	65	26.2	1	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	112	45.2	2	40.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	136	54.8	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	39	76.5	12	23.5	41	100.0	1,250	100.0	33	100.0
SEX												
Male	41	80.4	33	84.6	8	66.7	27	65.9	876	70.1	19	57.6
Female	10	19.6	6	15.4	4	33.3	14	34.1	374	29.9	14	42.4
RACE/ETHNICITY												
Black	17	33.3	13	33.3	4	33.3	14	34.1	392	31.4	11	33.3
Hispanic	22	43.1	17	43.6	5	41.7	19	46.3	487	39.0	10	30.3
White	6	11.8	6	15.4	0	0.0	4	9.8	280	22.4	10	30.3
Asian/Pacific Islander	5	9.8	3	7.7	2	16.7	3	7.3	76	6.1	2	6.1
Native American	1	2.0	0	0.0	1	8.3	1	2.4	9	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
13-19	3	5.9	2	5.1	1	8.3	1	2.4	27	2.2	0	0.0
20-29	12	23.5	10	25.6	2	16.7	3	7.3	76	6.1	1	3.0
30-39	20	39.2	19	48.7	1	8.3	14	34.1	290	23.2	2	6.1
40-49	11	21.6	5	12.8	6	50.0	13	31.7	495	39.6	10	30.3
50-59	4	7.8	2	5.1	2	16.7	8	19.5	281	22.5	17	51.5
60+	1	2.0	1	2.6	0	0.0	2	4.9	74	5.9	3	9.1
TRANSMISSION RISK												
Men who have sex with men	29	56.9	27	69.2	2	16.7	13	31.7	395	31.6	7	21.2
Injection drug use history	3	5.9	2	5.1	1	8.3	6	14.6	231	18.5	14	42.4
Heterosexual	8	15.7	5	12.8	3	25.0	8	19.5	270	21.6	5	15.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	11	21.6	5	12.8	6	50.0	14	34.1	314	25.1	7	21.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	496	39.7	7	21.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	754	60.3	26	78.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	116	100.0	95	81.9	21	18.1	81	100.0	2,630	100.0	63	100.0
SEX												
Male	69	59.5	61	64.2	8	38.1	44	54.3	1,552	59.0	44	69.8
Female	47	40.5	34	35.8	13	61.9	37	45.7	1,078	41.0	19	30.2
RACE/ETHNICITY												
Black	85	73.3	71	74.7	14	66.7	62	76.5	2,025	77.0	53	84.1
Hispanic	22	19.0	15	15.8	7	33.3	11	13.6	405	15.4	6	9.5
White	2	1.7	2	2.1	0	0.0	6	7.4	141	5.4	3	4.8
Asian/Pacific Islander	7	6.0	7	7.4	0	0.0	0	0.0	49	1.9	1	1.6
Native American	0	0.0	0	0.0	0	0.0	1	1.2	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.2	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	1.0	0	0.0
13-19	5	4.3	5	5.3	0	0.0	1	1.2	51	1.9	1	1.6
20-29	30	25.9	28	29.5	2	9.5	7	8.6	205	7.8	1	1.6
30-39	27	23.3	24	25.3	3	14.3	13	16.0	460	17.5	7	11.1
40-49	32	27.6	20	21.1	12	57.1	36	44.4	982	37.3	22	34.9
50-59	18	15.5	15	15.8	3	14.3	17	21.0	687	26.1	24	38.1
60+	4	3.4	3	3.2	1	4.8	7	8.6	219	8.3	8	12.7
TRANSMISSION RISK												
Men who have sex with men	31	26.7	27	28.4	4	19.0	11	13.6	483	18.4	11	17.5
Injection drug use history	8	6.9	5	5.3	3	14.3	16	19.8	590	22.4	30	47.6
Heterosexual	41	35.3	33	34.7	8	38.1	27	33.3	679	25.8	9	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	85	3.2	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	36	31.0	30	31.6	6	28.6	27	33.3	784	29.8	12	19.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	980	37.3	4	6.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,650	62.7	59	93.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	52	100.0	41	78.8	11	21.2	35	100.0	990	100.0	12	100.0
SEX												
Male	34	65.4	26	63.4	8	72.7	20	57.1	574	58.0	7	58.3
Female	18	34.6	15	36.6	3	27.3	15	42.9	416	42.0	5	41.7
RACE/ETHNICITY												
Black	42	80.8	33	80.5	9	81.8	25	71.4	777	78.5	10	83.3
Hispanic	7	13.5	6	14.6	1	9.1	3	8.6	112	11.3	2	16.7
White	0	0.0	0	0.0	0	0.0	1	2.9	71	7.2	0	0.0
Asian/Pacific Islander	3	5.8	2	4.9	1	9.1	6	17.1	28	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	1.4	0	0.0
13-19	6	11.5	5	12.2	1	9.1	2	5.7	29	2.9	1	8.3
20-29	6	11.5	6	14.6	0	0.0	0	0.0	65	6.6	0	0.0
30-39	13	25.0	11	26.8	2	18.2	9	25.7	195	19.7	0	0.0
40-49	12	23.1	9	22.0	3	27.3	9	25.7	364	36.8	7	58.3
50-59	14	26.9	10	24.4	4	36.4	12	34.3	231	23.3	2	16.7
60+	1	1.9	0	0.0	1	9.1	3	8.6	92	9.3	2	16.7
TRANSMISSION RISK												
Men who have sex with men	17	32.7	15	36.6	2	18.2	4	11.4	163	16.5	1	8.3
Injection drug use history	2	3.8	1	2.4	1	9.1	2	5.7	153	15.5	2	16.7
Heterosexual	18	34.6	14	34.1	4	36.4	15	42.9	299	30.2	4	33.3
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	45	4.5	1	8.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	15	28.8	11	26.8	4	36.4	13	37.1	323	32.6	4	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	368	37.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	622	62.8	12	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	26	78.8	7	21.2	36	100.0	819	100.0	28	100.0
SEX												
Male	18	54.5	13	50.0	5	71.4	26	72.2	433	52.9	21	75.0
Female	15	45.5	13	50.0	2	28.6	10	27.8	386	47.1	7	25.0
RACE/ETHNICITY												
Black	23	69.7	18	69.2	5	71.4	26	72.2	526	64.2	19	67.9
Hispanic	5	15.2	4	15.4	1	14.3	4	11.1	183	22.3	3	10.7
White	5	15.2	4	15.4	1	14.3	6	16.7	102	12.5	6	21.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
13-19	2	6.1	2	7.7	0	0.0	0	0.0	13	1.6	1	3.6
20-29	8	24.2	8	30.8	0	0.0	1	2.8	65	7.9	1	3.6
30-39	7	21.2	5	19.2	2	28.6	8	22.2	137	16.7	5	17.9
40-49	10	30.3	7	26.9	3	42.9	19	52.8	320	39.1	6	21.4
50-59	5	15.2	4	15.4	1	14.3	6	16.7	231	28.2	11	39.3
60+	1	3.0	0	0.0	1	14.3	2	5.6	42	5.1	4	14.3
TRANSMISSION RISK												
Men who have sex with men	9	27.3	8	30.8	1	14.3	8	22.2	102	12.5	4	14.3
Injection drug use history	7	21.2	6	23.1	1	14.3	9	25.0	222	27.1	8	28.6
Heterosexual	13	39.4	10	38.5	3	42.9	9	25.0	263	32.1	4	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	1	3.6
Unknown	4	12.1	2	7.7	2	28.6	10	27.8	196	23.9	11	39.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	355	43.3	5	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	56.7	23	82.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	15	65.2	8	34.8	18	100.0	380	100.0	13	100.0
SEX												
Male	13	56.5	8	53.3	5	62.5	11	61.1	227	59.7	10	76.9
Female	10	43.5	7	46.7	3	37.5	7	38.9	153	40.3	3	23.1
RACE/ETHNICITY												
Black	12	52.2	8	53.3	4	50.0	10	55.6	189	49.7	4	30.8
Hispanic	7	30.4	4	26.7	3	37.5	6	33.3	104	27.4	5	38.5
White	4	17.4	3	20.0	1	12.5	2	11.1	82	21.6	3	23.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	1	7.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
13-19	3	13.0	2	13.3	1	12.5	1	5.6	10	2.6	0	0.0
20-29	2	8.7	2	13.3	0	0.0	3	16.7	25	6.6	1	7.7
30-39	7	30.4	5	33.3	2	25.0	5	27.8	64	16.8	1	7.7
40-49	3	13.0	2	13.3	1	12.5	2	11.1	148	38.9	3	23.1
50-59	6	26.1	3	20.0	3	37.5	6	33.3	102	26.8	4	30.8
60+	2	8.7	1	6.7	1	12.5	1	5.6	28	7.4	4	30.8
TRANSMISSION RISK												
Men who have sex with men	5	21.7	4	26.7	1	12.5	1	5.6	60	15.8	1	7.7
Injection drug use history	2	8.7	2	13.3	0	0.0	1	5.6	110	28.9	9	69.2
Heterosexual	9	39.1	5	33.3	4	50.0	6	33.3	89	23.4	1	7.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	7	30.4	4	26.7	3	37.5	10	55.6	104	27.4	2	15.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	150	39.5	1	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	230	60.5	12	92.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	20	71.4	8	28.6	28	100.0	803	100.0	25	100.0
SEX												
Male	18	64.3	14	70.0	4	50.0	17	60.7	501	62.4	13	52.0
Female	10	35.7	6	30.0	4	50.0	11	39.3	302	37.6	12	48.0
RACE/ETHNICITY												
Black	16	57.1	14	70.0	2	25.0	11	39.3	352	43.8	12	48.0
Hispanic	4	14.3	3	15.0	1	12.5	7	25.0	201	25.0	3	12.0
White	8	28.6	3	15.0	5	62.5	10	35.7	240	29.9	9	36.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	1	4.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
13-19	1	3.6	1	5.0	0	0.0	0	0.0	12	1.5	0	0.0
20-29	6	21.4	3	15.0	3	37.5	5	17.9	47	5.9	1	4.0
30-39	5	17.9	5	25.0	0	0.0	4	14.3	135	16.8	2	8.0
40-49	6	21.4	5	25.0	1	12.5	12	42.9	359	44.7	14	56.0
50-59	7	25.0	5	25.0	2	25.0	4	14.3	183	22.8	7	28.0
60+	3	10.7	1	5.0	2	25.0	3	10.7	56	7.0	1	4.0
TRANSMISSION RISK												
Men who have sex with men	7	25.0	5	25.0	2	25.0	8	28.6	192	23.9	3	12.0
Injection drug use history	5	17.9	4	20.0	1	12.5	6	21.4	216	26.9	11	44.0
Heterosexual	4	14.3	3	15.0	1	12.5	4	14.3	176	21.9	4	16.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	24	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	12	42.9	8	40.0	4	50.0	9	32.1	189	23.5	7	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	316	39.4	4	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	487	60.6	21	84.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	7	87.5	1	12.5	4	100.0	136	100.0	5	100.0
SEX												
Male	6	75.0	6	85.7	0	0.0	2	50.0	94	69.1	3	60.0
Female	2	25.0	1	14.3	1	100.0	2	50.0	42	30.9	2	40.0
RACE/ETHNICITY												
Black	3	37.5	3	42.9	0	0.0	0	0.0	21	15.4	0	0.0
Hispanic	1	12.5	1	14.3	0	0.0	1	25.0	33	24.3	0	0.0
White	4	50.0	3	42.9	1	100.0	3	75.0	77	56.6	5	100.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	37.5	3	42.9	0	0.0	0	0.0	16	11.8	0	0.0
30-39	3	37.5	3	42.9	0	0.0	1	25.0	19	14.0	1	20.0
40-49	1	12.5	1	14.3	0	0.0	2	50.0	63	46.3	2	40.0
50-59	1	12.5	0	0.0	1	100.0	1	25.0	25	18.4	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	11	8.1	1	20.0
TRANSMISSION RISK												
Men who have sex with men	3	37.5	3	42.9	0	0.0	1	25.0	46	33.8	2	40.0
Injection drug use history	1	12.5	1	14.3	0	0.0	1	25.0	20	14.7	2	40.0
Heterosexual	1	12.5	1	14.3	0	0.0	1	25.0	28	20.6	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	3	37.5	2	28.6	1	100.0	1	25.0	37	27.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	61	44.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	75	55.1	5	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	6	60.0	4	40.0	13	100.0	338	100.0	8	100.0
SEX												
Male	10	100.0	6	100.0	4	100.0	9	69.2	228	67.5	4	50.0
Female	0	0.0	0	0.0	0	0.0	4	30.8	110	32.5	4	50.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	5	38.5	66	19.5	2	25.0
Hispanic	3	30.0	2	33.3	1	25.0	1	7.7	82	24.3	1	12.5
White	7	70.0	4	66.7	3	75.0	7	53.8	188	55.6	5	62.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	2.4	0	0.0
20-29	1	10.0	0	0.0	1	25.0	1	7.7	21	6.2	0	0.0
30-39	3	30.0	3	50.0	0	0.0	2	15.4	63	18.6	1	12.5
40-49	4	40.0	2	33.3	2	50.0	4	30.8	136	40.2	5	62.5
50-59	2	20.0	1	16.7	1	25.0	5	38.5	94	27.8	2	25.0
60+	0	0.0	0	0.0	0	0.0	1	7.7	13	3.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men	1	10.0	0	0.0	1	25.0	2	15.4	55	16.3	0	0.0
Injection drug use history	2	20.0	1	16.7	1	25.0	5	38.5	92	27.2	5	62.5
Heterosexual	1	10.0	1	16.7	0	0.0	2	15.4	71	21.0	2	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Unknown	6	60.0	4	66.7	2	50.0	4	30.8	104	30.8	1	12.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	150	44.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	188	55.6	8	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2006**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	51.9	1.3	23.1	8,008,278
SEX				
Male	80.4	1.9	22.7	3,794,204
Female	26.3	0.7	24.0	4,214,074
RACE/ETHNICITY				
Black	103.8	2.4	26.1	1,962,154
Hispanic	61.0	1.6	23.5	2,160,554
White	24.6	0.8	16.8	2,801,267
Asian/Pacific Islander	11.6	0.2	23.3	783,058
Native American	98.1	1.3	3.1*	17,321
AGE GROUP (YEARS)				
0-12	1.1	0.1	2.5*	1,429,677
13-19	26.5	0.2	9.3	723,773
20-29	81.7	0.5	9.0	1,270,490
30-39	89.2	1.5	13.8	1,348,263
40-49	94.9	3.6	22.1	1,133,497
50-59	55.5	3.0	31.7	850,372
60+	12.9	0.7	41.8	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2006, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2006
Table 2.2. Overall and by borough and UHF neighborhood of residence.

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	51.9	1.3	23.1	8,008,278
BRONX³	66.4	1.7	28.7	1,327,690
Crotona - Tremont	85.2	2.2	30.1	199,530
Fordham - Bronx Park	54.3	1.6	26.2	250,491
High Bridge - Morrisania	101.2	2.5	32.9	189,755
Hunts Point - Mott Haven	106.6	2.5	30.8	122,875
Kingsbridge - Riverdale	22.5	0.6	10.4*	88,989
Northeast Bronx	39.8	0.9	23.2	185,998
Pelham - Throgs Neck	48.6	1.2	27.5	290,052
BROOKLYN³	43.2	1.0	25.3	2,465,326
Bedford Stuyvesant - Crown Heights	83.8	2.0	26.2	317,296
Bensonhurst - Bay Ridge	9.8	0.3	32.6	194,558
Borough Park	12.0	0.3	24.7	324,411
Canarsie - Flatlands	34.9	0.6	19.7	197,819
Coney Island - Sheepshead Bay	9.1	0.4	33.3	286,901
Downtown - Heights - Park Slope	47.0	1.4	21.6	214,696
East Flatbush - Flatbush	62.2	1.3	20.1	316,734
East New York	69.1	1.5	31.2	173,716
Greenpoint	32.9	0.8	14.5	124,449
Sunset Park	26.6	0.6	24.3	120,441
Williamsburg - Bushwick	70.5	1.8	29.4	194,305
MANHATTAN³	77.6	2.1	19.7	1,529,375
Central Harlem - Morningside Heights	138.3	2.8	31.8	151,113
Chelsea - Clinton	166.7	4.6	17.4	122,998
East Harlem	113.8	2.8	26.9	108,092
Gramercy Park - Murray Hill	76.3	1.7	18.1	124,477
Greenwich Village - Soho	81.2	2.5	16.0	83,709
Lower Manhattan	55.0	1.4	14.8*	30,895
Union Square - Lower East Side	47.7	1.6	17.4	197,138
Upper East Side	19.7	0.6	16.8	218,167
Upper West Side	42.3	1.5	16.8	222,109
Washington Heights - Inwood	69.8	1.4	16.6	270,677
QUEENS³	28.8	0.6	20.7	2,242,159
Bayside - Little Neck	6.8*	0.1	20.1*	88,164
Flushing - Clearview	7.4	0.3	23.7	255,542
Fresh Meadows	10.7*	0.3	20.0*	93,148
Jamaica	40.6	0.9	23.1	285,568
Long Island City - Astoria	37.1	0.7	24.3	220,960
Ridgewood - Forest Hills	12.9	0.4	16.8	240,901
Rockaway	30.9	0.8	34.3	106,738
Southeast Queens	25.5	0.5	11.7	203,670
Southwest Queens	18.9	0.5	26.9	269,952
West Queens	46.7	0.9	17.9	477,516
STATEN ISLAND³	16.5	0.4	30.7	443,728
Port Richmond	36.6	0.6	32.5	62,788
South Beach - Tottenville	5.6*	0.2	22.0*	179,892
Stapleton - St. George	24.1	0.7	29.2	116,227
Willowbrook	9.4*	0.2	37.9*	84,821

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2006.

³Borough-level data include persons residing in unknown UHF neighborhoods.