



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2006

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.5	Upper East Side
	By Gender	Table 1.7.6	Chelsea – Clinton
Table 1.2.1	Males	Table 1.7.7	Gramercy Park – Murray Hill
Table 1.2.2	Females	Table 1.7.8	Greenwich Village – Soho
	By Race/Ethnicity	Table 1.7.9	Union Square – Lower East Side
Table 1.3.1	Black males	Table 1.7.10	Lower Manhattan
Table 1.3.2	Black females		By UHF Neighborhood: Brooklyn
Table 1.3.3	Hispanic males	Table 1.8.1	Greenpoint
Table 1.3.4	Hispanic females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.5	White males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.6	White females	Table 1.8.4	East New York
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.5	Sunset Park
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.6	Borough Park
	By Age	Table 1.8.7	East Flatbush – Flatbush
Table 1.4.1	Males 0-12 years	Table 1.8.8	Canarsie – Flatlands
Table 1.4.2	Females 0-12 years	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.4.3	Males 13+ years	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.4.4	Females 13+ years	Table 1.8.11	Williamsburg – Bushwick
	By Borough		By UHF Neighborhood: Bronx
Table 1.5.1	Manhattan, males	Table 1.9.1	Kingsbridge – Riverside
Table 1.5.2	Manhattan, females	Table 1.9.2	Northeast Bronx
Table 1.5.3	Brooklyn, males	Table 1.9.3	Fordham – Bronx Park
Table 1.5.4	Brooklyn, females	Table 1.9.4	Pelham – Throgs Neck
Table 1.5.5	Bronx, males	Table 1.9.5	Crotona – Tremont
Table 1.5.6	Bronx, females	Table 1.9.6	High Bridge – Morrisania
Table 1.5.7	Queens, males	Table 1.9.7	Hunts Point – Mott Haven
Table 1.5.8	Queens, females		By UHF Neighborhood: Queens
Table 1.5.9	Staten Island, males	Table 1.10.1	Long Island City – Astoria
Table 1.5.10	Staten Island, females	Table 1.10.2	West Queens
	By Transmission Risk	Table 1.10.3	Flushing – Clearview
Table 1.6.1	Men who have sex with men	Table 1.10.4	Bayside – Little Neck
Table 1.6.2	Injection drug users, males	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.3	Injection drug users, females	Table 1.10.6	Fresh Meadows
Table 1.6.4	Heterosexuals, males	Table 1.10.7	Southwest Queens
Table 1.6.5	Heterosexuals, females	Table 1.10.8	Jamaica
	By UHF Neighborhood: Manhattan	Table 1.10.9	Southeast Queens
Table 1.7.1	Washington Heights – Inwood	Table 1.10.10	Rockaway
Table 1.7.2	Central Harlem – Morningside Heights		By UHF Neighborhood: Staten Island
Table 1.7.3	East Harlem	Table 1.11.1	Port Richmond
Table 1.7.4	Upper West Side	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2006, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4,030	100.0	3,042	75.5	988	24.5	3,756	100.0	101,086	100.0	2,285	100.0
SEX												
Male	2,937	72.9	2,194	72.1	743	75.2	2,613	69.6	70,555	69.8	1,593	69.7
Female	1,093	27.1	848	27.9	245	24.8	1,143	30.4	30,531	30.2	692	30.3
RACE/ETHNICITY												
Black	2,007	49.8	1,498	49.2	509	51.5	1,824	48.6	45,587	45.1	1,168	51.1
Hispanic	1,253	31.1	924	30.4	329	33.3	1,191	31.7	32,389	32.0	745	32.6
White	672	16.7	544	17.9	128	13.0	670	17.8	21,128	20.9	343	15.0
Asian/Pacific Islander	86	2.1	66	2.2	20	2.0	58	1.5	1,329	1.3	27	1.2
Native American	9	0.2	8	0.3	1	0.1	8	0.2	111	0.1	1	0.0
Multiracial	3	0.1	2	0.1	1	0.1	5	0.1	42	0.0	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	500	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	15	0.4	14	0.5	1	0.1	4	0.1	807	0.8	2	0.1
13-19	180	4.5	166	5.5	14	1.4	67	1.8	1,582	1.6	13	0.6
20-29	979	24.3	852	28.0	127	12.9	411	10.9	6,546	6.5	54	2.4
30-39	1,179	29.3	917	30.1	262	26.5	959	25.5	20,089	19.9	271	11.9
40-49	1,044	25.9	720	23.7	324	32.8	1,347	35.9	39,526	39.1	854	37.4
50-59	476	11.8	294	9.7	182	18.4	701	18.7	24,461	24.2	760	33.3
60+	157	3.9	79	2.6	78	7.9	267	7.1	8,075	8.0	331	14.5
BOROUGH OF RESIDENCE												
Manhattan	1,156	28.7	888	29.2	268	27.1	1,081	28.8	30,658	30.3	611	26.7
Brooklyn	1,054	26.2	769	25.3	285	28.8	1,030	27.4	24,984	24.7	619	27.1
Bronx	870	21.6	652	21.4	218	22.1	885	23.6	21,844	21.6	603	26.4
Queens	639	15.9	492	16.2	147	14.9	469	12.5	14,057	13.9	273	11.9
Staten Island	72	1.8	49	1.6	23	2.3	67	1.8	1,803	1.8	56	2.5
Unknown or outside NYC	239	5.9	192	6.3	47	4.8	224	6.0	7,740	7.7	123	5.4
TRANSMISSION RISK												
Men who have sex with men	1,593	39.5	1,273	41.8	320	32.4	1,143	30.4	31,020	30.7	368	16.1
Injection drug use history	299	7.4	219	7.2	80	8.1	562	15.0	22,081	21.8	899	39.3
Heterosexual	965	23.9	717	23.6	248	25.1	874	23.3	18,511	18.3	368	16.1
Perinatal	16	0.4	14	0.5	2	0.2	50	1.3	2,455	2.4	16	0.7
Other	0	0.0	0	0.0	0	0.0	3	0.1	302	0.3	8	0.4
Unknown	1,157	28.7	819	26.9	338	34.2	1,124	29.9	26,717	26.4	626	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	39,813	39.4	310	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	61,273	60.6	1,975	86.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,937	100.0	2,194	74.7	743	25.3	2,613	100.0	70,555	100.0	1,593	100.0
RACE/ETHNICITY												
Black	1,306	44.5	954	43.5	352	47.4	1,146	43.9	27,787	39.4	746	46.8
Hispanic	928	31.6	678	30.9	250	33.6	822	31.5	22,674	32.1	541	34.0
White	621	21.1	500	22.8	121	16.3	586	22.4	18,549	26.3	283	17.8
Asian/Pacific Islander	71	2.4	53	2.4	18	2.4	49	1.9	1,060	1.5	21	1.3
Native American	8	0.3	7	0.3	1	0.1	7	0.3	80	0.1	1	0.1
Multiracial	3	0.1	2	0.1	1	0.1	3	0.1	29	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	376	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	9	0.3	8	0.4	1	0.1	2	0.1	368	0.5	1	0.1
13-19	122	4.2	112	5.1	10	1.3	37	1.4	819	1.2	10	0.6
20-29	746	25.4	647	29.5	99	13.3	296	11.3	4,309	6.1	32	2.0
30-39	880	30.0	669	30.5	211	28.4	668	25.6	13,542	19.2	166	10.4
40-49	745	25.4	506	23.1	239	32.2	941	36.0	27,494	39.0	584	36.7
50-59	323	11.0	198	9.0	125	16.8	483	18.5	17,905	25.4	551	34.6
60+	112	3.8	54	2.5	58	7.8	186	7.1	6,118	8.7	249	15.6
BOROUGH OF RESIDENCE												
Manhattan	965	32.9	740	33.7	225	30.3	852	32.6	24,638	34.9	472	29.6
Brooklyn	710	24.2	510	23.2	200	26.9	673	25.8	15,591	22.1	403	25.3
Bronx	540	18.4	388	17.7	152	20.5	526	20.1	13,020	18.5	389	24.4
Queens	479	16.3	365	16.6	114	15.3	343	13.1	9,828	13.9	199	12.5
Staten Island	50	1.7	35	1.6	15	2.0	43	1.6	1,135	1.6	34	2.1
Unknown or outside NYC	193	6.6	156	7.1	37	5.0	176	6.7	6,343	9.0	96	6.0
TRANSMISSION RISK												
Men who have sex with men	1,593	54.2	1,273	58.0	320	43.1	1,143	43.7	31,020	44.0	368	23.1
Injection drug use history	238	8.1	172	7.8	66	8.9	407	15.6	15,623	22.1	637	40.0
Heterosexual	229	7.8	150	6.8	79	10.6	245	9.4	5,217	7.4	121	7.6
Perinatal	9	0.3	8	0.4	1	0.1	25	1.0	1,190	1.7	12	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.0	155	0.2	6	0.4
Unknown	868	29.6	591	26.9	277	37.3	792	30.3	17,350	24.6	449	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27,152	38.5	234	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43,403	61.5	1,359	85.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,093	100.0	848	77.6	245	22.4	1,143	100.0	30,531	100.0	692	100.0
RACE/ETHNICITY												
Black	701	64.1	544	64.2	157	64.1	678	59.3	17,800	58.3	422	61.0
Hispanic	325	29.7	246	29.0	79	32.2	369	32.3	9,715	31.8	204	29.5
White	51	4.7	44	5.2	7	2.9	84	7.3	2,579	8.4	60	8.7
Asian/Pacific Islander	15	1.4	13	1.5	2	0.8	9	0.8	269	0.9	6	0.9
Native American	1	0.1	1	0.1	0	0.0	1	0.1	31	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	0.2	13	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	124	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	6	0.5	6	0.7	0	0.0	2	0.2	439	1.4	1	0.1
13-19	58	5.3	54	6.4	4	1.6	30	2.6	763	2.5	3	0.4
20-29	233	21.3	205	24.2	28	11.4	115	10.1	2,237	7.3	22	3.2
30-39	299	27.4	248	29.2	51	20.8	291	25.5	6,547	21.4	105	15.2
40-49	299	27.4	214	25.2	85	34.7	406	35.5	12,032	39.4	270	39.0
50-59	153	14.0	96	11.3	57	23.3	218	19.1	6,556	21.5	209	30.2
60+	45	4.1	25	2.9	20	8.2	81	7.1	1,957	6.4	82	11.8
BOROUGH OF RESIDENCE												
Manhattan	191	17.5	148	17.5	43	17.6	229	20.0	6,020	19.7	139	20.1
Brooklyn	344	31.5	259	30.5	85	34.7	357	31.2	9,393	30.8	216	31.2
Bronx	330	30.2	264	31.1	66	26.9	359	31.4	8,824	28.9	214	30.9
Queens	160	14.6	127	15.0	33	13.5	126	11.0	4,229	13.9	74	10.7
Staten Island	22	2.0	14	1.7	8	3.3	24	2.1	668	2.2	22	3.2
Unknown or outside NYC	46	4.2	36	4.2	10	4.1	48	4.2	1,397	4.6	27	3.9
TRANSMISSION RISK												
Injection drug use history	61	5.6	47	5.5	14	5.7	155	13.6	6,458	21.2	262	37.9
Heterosexual	736	67.3	567	66.9	169	69.0	629	55.0	13,294	43.5	247	35.7
Perinatal	7	0.6	6	0.7	1	0.4	25	2.2	1,265	4.1	4	0.6
Other	0	0.0	0	0.0	0	0.0	2	0.2	147	0.5	2	0.3
Unknown	289	26.4	228	26.9	61	24.9	332	29.0	9,367	30.7	177	25.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,661	41.5	76	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,870	58.5	616	89.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,306	100.0	954	73.0	352	27.0	1,146	100.0	27,787	100.0	746	100.0
AGE GROUP (YEARS)												
0-12	6	0.5	*	*	*	*	*	*	240	0.9	*	*
13-19	75	5.7	70	7.3	*	*	23	2.0	479	1.7	*	*
20-29	317	24.3	275	28.8	42	11.9	132	11.5	1,933	7.0	21	2.8
30-39	331	25.3	249	26.1	82	23.3	268	23.4	4,850	17.5	81	10.9
40-49	344	26.3	220	23.1	124	35.2	408	35.6	10,206	36.7	252	33.8
50-59	184	14.1	112	11.7	72	20.5	228	19.9	7,546	27.2	264	35.4
60+	49	3.8	23	2.4	26	7.4	86	7.5	2,533	9.1	122	16.4
BOROUGH OF RESIDENCE												
Manhattan	322	24.7	236	24.7	86	24.4	284	24.8	7,341	26.4	203	27.2
Brooklyn	455	34.8	326	34.2	129	36.6	407	35.5	9,111	32.8	242	32.4
Bronx	278	21.3	191	20.0	87	24.7	252	22.0	5,487	19.7	171	22.9
Queens	174	13.3	138	14.5	36	10.2	127	11.1	3,547	12.8	77	10.3
Staten Island	12	0.9	10	1.0	*	*	12	1.0	377	1.4	11	1.5
Unknown or outside NYC	65	5.0	53	5.6	12	3.4	64	5.6	1,924	6.9	42	5.6
TRANSMISSION RISK												
Men who have sex with men	567	43.4	439	46.0	128	36.4	382	33.3	8,716	31.4	143	19.2
Injection drug use history	97	7.4	65	6.8	32	9.1	170	14.8	6,547	23.6	280	37.5
Heterosexual	130	10.0	86	9.0	44	12.5	140	12.2	2,828	10.2	67	9.0
Perinatal	6	0.5	*	*	*	*	14	1.2	683	2.5	7	0.9
Other	0	0.0	0	0.0	0	0.0	*	*	51	0.2	*	*
Unknown	506	38.7	359	37.6	147	41.8	439	38.3	8,962	32.3	246	33.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,184	36.7	107	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,603	63.3	639	85.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	701	100.0	544	77.6	157	22.4	678	100.0	17,800	100.0	422	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	271	1.5	0	0.0
13-19	37	5.3	35	6.4	*	*	17	2.5	450	2.5	*	*
20-29	141	20.1	120	22.1	21	13.4	66	9.7	1,412	7.9	15	3.6
30-39	194	27.7	160	29.4	34	21.7	172	25.4	3,952	22.2	57	13.5
40-49	190	27.1	140	25.7	50	31.8	244	36.0	6,901	38.8	164	38.9
50-59	108	15.4	71	13.1	37	23.6	129	19.0	3,740	21.0	130	30.8
60+	29	4.1	16	2.9	13	8.3	50	7.4	1,074	6.0	54	12.8
BOROUGH OF RESIDENCE												
Manhattan	113	16.1	89	16.4	24	15.3	124	18.3	3,368	18.9	84	19.9
Brooklyn	264	37.7	197	36.2	67	42.7	261	38.5	6,521	36.6	163	38.6
Bronx	174	24.8	143	26.3	31	19.7	175	25.8	4,426	24.9	109	25.8
Queens	99	14.1	77	14.2	22	14.0	75	11.1	2,491	14.0	44	10.4
Staten Island	18	2.6	13	2.4	*	*	13	1.9	318	1.8	11	2.6
Unknown or outside NYC	33	4.7	25	4.6	8	5.1	30	4.4	676	3.8	11	2.6
TRANSMISSION RISK												
Injection drug use history	35	5.0	25	4.6	10	6.4	79	11.7	3,205	18.0	138	32.7
Heterosexual	469	66.9	360	66.2	109	69.4	387	57.1	7,787	43.7	162	38.4
Perinatal	*	*	*	*	0	0.0	10	1.5	745	4.2	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	78	0.4	*	*
Unknown	195	27.8	157	28.9	38	24.2	202	29.8	5,985	33.6	119	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,591	42.6	46	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,209	57.4	376	89.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	928	100.0	678	73.1	250	26.9	822	100.0	22,674	100.0	541	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	102	0.4	0	0.0
13-19	39	4.2	34	5.0	*	*	14	1.7	287	1.3	*	*
20-29	271	29.2	226	33.3	45	18.0	113	13.7	1,551	6.8	10	1.8
30-39	300	32.3	210	31.0	90	36.0	235	28.6	4,828	21.3	62	11.5
40-49	207	22.3	142	20.9	65	26.0	285	34.7	8,943	39.4	223	41.2
50-59	79	8.5	53	7.8	26	10.4	124	15.1	5,199	22.9	176	32.5
60+	29	3.1	10	1.5	19	7.6	50	6.1	1,764	7.8	66	12.2
BOROUGH OF RESIDENCE												
Manhattan	262	28.2	193	28.5	69	27.6	228	27.7	6,471	28.5	136	25.1
Brooklyn	156	16.8	106	15.6	50	20.0	153	18.6	3,917	17.3	121	22.4
Bronx	234	25.2	174	25.7	60	24.0	248	30.2	6,722	29.6	186	34.4
Queens	207	22.3	152	22.4	55	22.0	141	17.2	3,874	17.1	73	13.5
Staten Island	12	1.3	8	1.2	*	*	11	1.3	282	1.2	*	*
Unknown or outside NYC	57	6.1	45	6.6	12	4.8	41	5.0	1,408	6.2	20	3.7
TRANSMISSION RISK												
Men who have sex with men	496	53.4	389	57.4	107	42.8	328	39.9	8,373	36.9	84	15.5
Injection drug use history	104	11.2	82	12.1	22	8.8	181	22.0	6,912	30.5	272	50.3
Heterosexual	72	7.8	46	6.8	26	10.4	77	9.4	1,754	7.7	36	6.7
Perinatal	*	*	*	*	0	0.0	11	1.3	422	1.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	37	0.2	*	*
Unknown	253	27.3	158	23.3	95	38.0	225	27.4	5,176	22.8	144	26.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,034	35.4	74	13.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,640	64.6	467	86.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	325	100.0	246	75.7	79	24.3	369	100.0	9,715	100.0	204	100.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	149	1.5	*	*
13-19	19	5.8	17	6.9	*	*	11	3.0	253	2.6	*	*
20-29	73	22.5	67	27.2	6	7.6	40	10.8	655	6.7	6	2.9
30-39	83	25.5	68	27.6	15	19.0	102	27.6	2,008	20.7	34	16.7
40-49	97	29.8	65	26.4	32	40.5	126	34.1	3,899	40.1	84	41.2
50-59	36	11.1	19	7.7	17	21.5	60	16.3	2,078	21.4	59	28.9
60+	14	4.3	7	2.8	7	8.9	29	7.9	673	6.9	19	9.3
BOROUGH OF RESIDENCE												
Manhattan	61	18.8	44	17.9	17	21.5	78	21.1	1,910	19.7	41	20.1
Brooklyn	63	19.4	47	19.1	16	20.3	79	21.4	2,168	22.3	37	18.1
Bronx	146	44.9	114	46.3	32	40.5	169	45.8	4,013	41.3	96	47.1
Queens	44	13.5	33	13.4	11	13.9	29	7.9	1,095	11.3	16	7.8
Staten Island	*	*	0	0.0	*	*	*	*	147	1.5	*	*
Unknown or outside NYC	10	3.1	8	3.3	*	*	9	2.4	382	3.9	9	4.4
TRANSMISSION RISK												
Injection drug use history	21	6.5	18	7.3	*	*	59	16.0	2,439	25.1	93	45.6
Heterosexual	230	70.8	174	70.7	56	70.9	200	54.2	4,288	44.1	67	32.8
Perinatal	*	*	*	*	*	*	12	3.3	438	4.5	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	35	0.4	*	*
Unknown	70	21.5	51	20.7	19	24.1	96	26.0	2,515	25.9	41	20.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,774	38.8	22	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,941	61.2	182	89.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	621	100.0	500	80.5	121	19.5	586	100.0	18,549	100.0	283	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	0	0.0
13-19	6	1.0	6	1.2	0	0.0	0	0.0	40	0.2	*	*
20-29	146	23.5	135	27.0	11	9.1	47	8.0	728	3.9	*	*
30-39	213	34.3	177	35.4	36	29.8	143	24.4	3,446	18.6	19	6.7
40-49	170	27.4	131	26.2	39	32.2	228	38.9	7,737	41.7	101	35.7
50-59	55	8.9	32	6.4	23	19.0	121	20.6	4,867	26.2	107	37.8
60+	31	5.0	19	3.8	12	9.9	47	8.0	1,713	9.2	54	19.1
BOROUGH OF RESIDENCE												
Manhattan	354	57.0	290	58.0	64	52.9	316	53.9	10,147	54.7	123	43.5
Brooklyn	91	14.7	71	14.2	20	16.5	106	18.1	2,324	12.5	40	14.1
Bronx	22	3.5	18	3.6	*	*	24	4.1	697	3.8	28	9.9
Queens	69	11.1	55	11.0	14	11.6	54	9.2	2,019	10.9	43	15.2
Staten Island	26	4.2	17	3.4	9	7.4	20	3.4	456	2.5	16	5.7
Unknown or outside NYC	59	9.5	49	9.8	10	8.3	66	11.3	2,906	15.7	33	11.7
TRANSMISSION RISK												
Men who have sex with men	484	77.9	406	81.2	78	64.5	402	68.6	13,259	71.5	134	47.3
Injection drug use history	32	5.2	22	4.4	10	8.3	51	8.7	2,082	11.2	81	28.6
Heterosexual	21	3.4	14	2.8	7	5.8	23	3.9	515	2.8	13	4.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	62	0.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	59	0.3	*	*
Unknown	84	13.5	58	11.6	26	21.5	110	18.8	2,572	13.9	52	18.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,096	43.6	50	17.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,453	56.4	233	82.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	44	86.3	7	13.7	84	100.0	2,579	100.0	60	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	47	1.8	0	0.0
20-29	15	29.4	15	34.1	0	0.0	7	8.3	130	5.0	*	*
30-39	17	33.3	15	34.1	*	*	15	17.9	461	17.9	13	21.7
40-49	9	17.6	7	15.9	*	*	33	39.3	1,088	42.2	21	35.0
50-59	8	15.7	*	*	*	*	26	31.0	651	25.2	17	28.3
60+	*	*	*	*	0	0.0	*	*	187	7.3	8	13.3
BOROUGH OF RESIDENCE												
Manhattan	17	33.3	15	34.1	*	*	25	29.8	649	25.2	13	21.7
Brooklyn	15	29.4	14	31.8	*	*	15	17.9	593	23.0	14	23.3
Bronx	*	*	*	*	*	*	13	15.5	329	12.8	9	15.0
Queens	9	17.6	9	20.5	0	0.0	16	19.0	507	19.7	11	18.3
Staten Island	*	*	*	*	*	*	6	7.1	193	7.5	6	10.0
Unknown or outside NYC	*	*	*	*	0	0.0	9	10.7	308	11.9	7	11.7
TRANSMISSION RISK												
Injection drug use history	*	*	*	*	*	*	17	20.2	790	30.6	31	51.7
Heterosexual	26	51.0	24	54.5	*	*	36	42.9	1,045	40.5	16	26.7
Perinatal	0	0.0	0	0.0	0	0.0	*	*	70	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	1.0	0	0.0
Unknown	20	39.2	16	36.4	*	*	30	35.7	648	25.1	13	21.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,020	39.6	8	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,559	60.4	52	86.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	71	100.0	53	74.6	18	25.4	49	100.0	1,060	100.0	21	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	9	12.7	8	15.1	*	*	*	*	76	7.2	0	0.0
30-39	33	46.5	30	56.6	*	*	20	40.8	320	30.2	*	*
40-49	20	28.2	11	20.8	9	50.0	15	30.6	405	38.2	7	33.3
50-59	*	*	0	0.0	*	*	9	18.4	191	18.0	*	*
60+	*	*	*	*	*	*	*	*	60	5.7	7	33.3
BOROUGH OF RESIDENCE												
Manhattan	26	36.6	20	37.7	6	33.3	21	42.9	405	38.2	9	42.9
Brooklyn	6	8.5	*	*	*	*	6	12.2	180	17.0	0	0.0
Bronx	*	*	*	*	*	*	*	*	65	6.1	*	*
Queens	25	35.2	17	32.1	8	44.4	18	36.7	325	30.7	6	28.6
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	*	*
Unknown or outside NYC	10	14.1	8	15.1	*	*	*	*	77	7.3	*	*
TRANSMISSION RISK												
Men who have sex with men	41	57.7	35	66.0	6	33.3	26	53.1	570	53.8	6	28.6
Injection drug use history	*	*	*	*	*	*	*	*	53	5.0	*	*
Heterosexual	6	8.5	*	*	*	*	*	*	101	9.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	21	29.6	13	24.5	8	44.4	15	30.6	322	30.4	7	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	458	43.2	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	602	56.8	18	85.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	13	86.7	*	*	9	100.0	269	100.0	6	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	*	*	6	2.2	0	0.0
20-29	*	*	*	*	*	*	*	*	29	10.8	0	0.0
30-39	*	*	*	*	0	0.0	*	*	92	34.2	*	*
40-49	*	*	*	*	*	*	*	*	75	27.9	*	*
50-59	*	*	*	*	0	0.0	*	*	49	18.2	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	16	5.9	*	*
BOROUGH OF RESIDENCE												
Manhattan	0	0.0	0	0.0	0	0.0	*	*	49	18.2	*	*
Brooklyn	*	*	*	*	*	*	*	*	64	23.8	*	*
Bronx	*	*	*	*	*	*	*	*	25	9.3	0	0.0
Queens	8	53.3	8	61.5	0	0.0	*	*	107	39.8	*	*
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown or outside NYC	*	*	*	*	0	0.0	0	0.0	22	8.2	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	13	4.8	0	0.0
Heterosexual	11	73.3	9	69.2	*	*	*	*	134	49.8	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	113	42.0	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	145	53.9	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	124	46.1	6	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	8	88.9	*	*	*	*	368	100.0	*	*
RACE/ETHNICITY												
Black	6	66.7	*	*	*	*	*	*	240	65.2	*	*
Hispanic	*	*	*	*	0	0.0	*	*	102	27.7	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	18	4.9	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	0	0.0	0	0.0	55	14.9	0	0.0
Brooklyn	*	*	*	*	*	*	*	*	131	35.6	*	*
Bronx	*	*	*	*	0	0.0	0	0.0	112	30.4	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	40	10.9	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.6	0	0.0
Unknown or outside NYC	0	0.0	0	0.0	0	0.0	*	*	24	6.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	9	100.0	8	100.0	*	*	*	*	368	100.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	308	83.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	60	16.3	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	*	*	439	100.0	*	*
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	0	0.0	271	61.7	0	0.0
Hispanic	*	*	*	*	0	0.0	*	*	149	33.9	*	*
White	0	0.0	0	0.0	0	0.0	0	0.0	15	3.4	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
BOROUGH OF RESIDENCE												
Manhattan	*	*	*	*	0	0.0	0	0.0	73	16.6	0	0.0
Brooklyn	*	*	*	*	0	0.0	0	0.0	121	27.6	0	0.0
Bronx	*	*	*	*	0	0.0	*	*	162	36.9	*	*
Queens	0	0.0	0	0.0	0	0.0	*	*	51	11.6	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	11	2.5	0	0.0
Unknown or outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	21	4.8	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	6	100.0	6	100.0	0	0.0	*	*	439	100.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	362	82.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	77	17.5	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,928	100.0	2,186	74.7	742	25.3	2,611	100.0	70,187	100.0	1,592	100.0
RACE/ETHNICITY												
Black	1,300	44.4	949	43.4	351	47.3	1,145	43.9	27,547	39.2	745	46.8
Hispanic	925	31.6	675	30.9	250	33.7	821	31.4	22,572	32.2	541	34.0
White	621	21.2	500	22.9	121	16.3	586	22.4	18,531	26.4	283	17.8
Asian/Pacific Islander	71	2.4	53	2.4	18	2.4	49	1.9	1,056	1.5	21	1.3
Native American	8	0.3	7	0.3	*	*	7	0.3	80	0.1	*	*
Multiracial	*	*	*	*	*	*	*	*	27	0.0	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	374	0.5	0	0.0
AGE GROUP (YEARS)												
13-19	122	4.2	112	5.1	10	1.3	37	1.4	819	1.2	10	0.6
20-29	746	25.5	647	29.6	99	13.3	296	11.3	4,309	6.1	32	2.0
30-39	880	30.1	669	30.6	211	28.4	668	25.6	13,542	19.3	166	10.4
40-49	745	25.4	506	23.1	239	32.2	941	36.0	27,494	39.2	584	36.7
50-59	323	11.0	198	9.1	125	16.8	483	18.5	17,905	25.5	551	34.6
60+	112	3.8	54	2.5	58	7.8	186	7.1	6,118	8.7	249	15.6
BOROUGH OF RESIDENCE												
Manhattan	964	32.9	739	33.8	225	30.3	852	32.6	24,583	35.0	472	29.6
Brooklyn	707	24.1	508	23.2	199	26.8	672	25.7	15,460	22.0	402	25.3
Bronx	535	18.3	383	17.5	152	20.5	526	20.1	12,908	18.4	389	24.4
Queens	479	16.4	365	16.7	114	15.4	343	13.1	9,788	13.9	199	12.5
Staten Island	50	1.7	35	1.6	15	2.0	43	1.6	1,129	1.6	34	2.1
Unknown or outside NYC	193	6.6	156	7.1	37	5.0	175	6.7	6,319	9.0	96	6.0
TRANSMISSION RISK												
Men who have sex with men	1,593	54.4	1,273	58.2	320	43.1	1,143	43.8	31,020	44.2	368	23.1
Injection drug use history	238	8.1	172	7.9	66	8.9	407	15.6	15,623	22.3	637	40.0
Heterosexual	229	7.8	150	6.9	79	10.6	245	9.4	5,217	7.4	121	7.6
Perinatal	0	0.0	0	0.0	0	0.0	23	0.9	822	1.2	11	0.7
Other	0	0.0	0	0.0	0	0.0	*	*	155	0.2	6	0.4
Unknown	868	29.6	591	27.0	277	37.3	792	30.3	17,350	24.7	449	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26,844	38.2	234	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43,343	61.8	1,358	85.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,087	100.0	842	77.5	245	22.5	1,141	100.0	30,092	100.0	691	100.0
RACE/ETHNICITY												
Black	699	64.3	542	64.4	157	64.1	678	59.4	17,529	58.3	422	61.1
Hispanic	322	29.6	243	28.9	79	32.2	368	32.3	9,566	31.8	203	29.4
White	51	4.7	44	5.2	7	2.9	84	7.4	2,564	8.5	60	8.7
Asian/Pacific Islander	15	1.4	13	1.5	*	*	9	0.8	267	0.9	6	0.9
Native American	0	0.0	0	0.0	0	0.0	*	*	30	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	13	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	123	0.4	0	0.0
AGE GROUP (YEARS)												
13-19	58	5.3	54	6.4	*	*	30	2.6	763	2.5	*	*
20-29	233	21.4	205	24.3	28	11.4	115	10.1	2,237	7.4	22	3.2
30-39	299	27.5	248	29.5	51	20.8	291	25.5	6,547	21.8	105	15.2
40-49	299	27.5	214	25.4	85	34.7	406	35.6	12,032	40.0	270	39.1
50-59	153	14.1	96	11.4	57	23.3	218	19.1	6,556	21.8	209	30.2
60+	45	4.1	25	3.0	20	8.2	81	7.1	1,957	6.5	82	11.9
BOROUGH OF RESIDENCE												
Manhattan	189	17.4	146	17.3	43	17.6	229	20.1	5,947	19.8	139	20.1
Brooklyn	343	31.6	258	30.6	85	34.7	357	31.3	9,272	30.8	216	31.3
Bronx	327	30.1	261	31.0	66	26.9	358	31.4	8,662	28.8	213	30.8
Queens	160	14.7	127	15.1	33	13.5	125	11.0	4,178	13.9	74	10.7
Staten Island	22	2.0	14	1.7	8	3.3	24	2.1	657	2.2	22	3.2
Unknown or outside NYC	46	4.2	36	4.3	10	4.1	48	4.2	1,376	4.6	27	3.9
TRANSMISSION RISK												
Injection drug use history	61	5.6	47	5.6	14	5.7	155	13.6	6,458	21.5	262	37.9
Heterosexual	736	67.7	567	67.3	169	69.0	629	55.1	13,294	44.2	247	35.7
Perinatal	*	*	0	0.0	*	*	23	2.0	826	2.7	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	147	0.5	*	*
Unknown	289	26.6	228	27.1	61	24.9	332	29.1	9,367	31.1	177	25.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,299	40.9	76	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,793	59.1	615	89.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.1. Manhattan, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	965	100.0	740	76.7	225	23.3	852	100.0	24,638	100.0	472	100.0
RACE/ETHNICITY												
Black	322	33.4	236	31.9	86	38.2	284	33.3	7,341	29.8	203	43.0
Hispanic	262	27.2	193	26.1	69	30.7	228	26.8	6,471	26.3	136	28.8
White	354	36.7	290	39.2	64	28.4	316	37.1	10,147	41.2	123	26.1
Asian/Pacific Islander	26	2.7	20	2.7	6	2.7	21	2.5	405	1.6	9	1.9
Native American	0	0.0	0	0.0	0	0.0	*	*	24	0.1	*	*
Multiracial	*	*	*	*	0	0.0	*	*	8	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	242	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	55	0.2	0	0.0
13-19	33	3.4	30	4.1	*	*	9	1.1	167	0.7	*	*
20-29	244	25.3	218	29.5	26	11.6	70	8.2	1,203	4.9	*	*
30-39	309	32.0	243	32.8	66	29.3	223	26.2	4,589	18.6	52	11.0
40-49	248	25.7	173	23.4	75	33.3	321	37.7	9,728	39.5	176	37.3
50-59	83	8.6	53	7.2	30	13.3	156	18.3	6,446	26.2	159	33.7
60+	47	4.9	22	3.0	25	11.1	73	8.6	2,450	9.9	78	16.5
TRANSMISSION RISK												
Men who have sex with men	650	67.4	530	71.6	120	53.3	481	56.5	14,159	57.5	143	30.3
Injection drug use history	67	6.9	47	6.4	20	8.9	107	12.6	4,205	17.1	182	38.6
Heterosexual	46	4.8	33	4.5	13	5.8	47	5.5	1,132	4.6	31	6.6
Perinatal	*	*	*	*	0	0.0	*	*	204	0.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	*	*
Unknown	201	20.8	129	17.4	72	32.0	214	25.1	4,915	19.9	114	24.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,130	41.1	75	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,508	58.9	397	84.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.2. Manhattan, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	191	100.0	148	77.5	43	22.5	229	100.0	6,020	100.0	139	100.0
RACE/ETHNICITY												
Black	113	59.2	89	60.1	24	55.8	124	54.1	3,368	55.9	84	60.4
Hispanic	61	31.9	44	29.7	17	39.5	78	34.1	1,910	31.7	41	29.5
White	17	8.9	15	10.1	*	*	25	10.9	649	10.8	13	9.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	49	0.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	73	1.2	0	0.0
13-19	10	5.2	10	6.8	0	0.0	*	*	152	2.5	*	*
20-29	43	22.5	35	23.6	8	18.6	20	8.7	364	6.0	*	*
30-39	55	28.8	44	29.7	11	25.6	48	21.0	1,217	20.2	19	13.7
40-49	54	28.3	39	26.4	15	34.9	89	38.9	2,422	40.2	47	33.8
50-59	20	10.5	14	9.5	6	14.0	50	21.8	1,367	22.7	49	35.3
60+	7	3.7	*	*	*	*	17	7.4	425	7.1	21	15.1
TRANSMISSION RISK												
Injection drug use history	9	4.7	8	5.4	*	*	27	11.8	1,552	25.8	64	46.0
Heterosexual	127	66.5	98	66.2	29	67.4	128	55.9	2,418	40.2	51	36.7
Perinatal	*	*	*	*	0	0.0	*	*	233	3.9	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	26	0.4	0	0.0
Unknown	53	27.7	40	27.0	13	30.2	69	30.1	1,791	29.8	23	16.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,362	39.2	13	9.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,658	60.8	126	90.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms. Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	710	100.0	510	71.8	200	28.2	673	100.0	15,591	100.0	403	100.0
RACE/ETHNICITY												
Black	455	64.1	326	63.9	129	64.5	407	60.5	9,111	58.4	242	60.0
Hispanic	156	22.0	106	20.8	50	25.0	153	22.7	3,917	25.1	121	30.0
White	91	12.8	71	13.9	20	10.0	106	15.8	2,324	14.9	40	9.9
Asian/Pacific Islander	6	0.8	*	*	*	*	6	0.9	180	1.2	0	0.0
Native American	*	*	*	*	0	0.0	*	*	14	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	*	*	*	*	131	0.8	*	*
13-19	43	6.1	40	7.8	*	*	11	1.6	259	1.7	*	*
20-29	188	26.5	161	31.6	27	13.5	89	13.2	1,126	7.2	12	3.0
30-39	183	25.8	131	25.7	52	26.0	152	22.6	3,005	19.3	37	9.2
40-49	179	25.2	109	21.4	70	35.0	248	36.8	5,804	37.2	137	34.0
50-59	88	12.4	52	10.2	36	18.0	122	18.1	3,890	25.0	144	35.7
60+	26	3.7	15	2.9	11	5.5	50	7.4	1,376	8.8	70	17.4
TRANSMISSION RISK												
Men who have sex with men	340	47.9	261	51.2	79	39.5	273	40.6	5,366	34.4	76	18.9
Injection drug use history	58	8.2	36	7.1	22	11.0	98	14.6	3,742	24.0	152	37.7
Heterosexual	66	9.3	48	9.4	18	9.0	77	11.4	1,468	9.4	37	9.2
Perinatal	*	*	*	*	*	*	7	1.0	372	2.4	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	33	0.2	*	*
Unknown	243	34.2	163	32.0	80	40.0	217	32.2	4,610	29.6	134	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,678	36.4	50	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,913	63.6	353	87.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	344	100.0	259	75.3	85	24.7	357	100.0	9,393	100.0	216	100.0
RACE/ETHNICITY												
Black	264	76.7	197	76.1	67	78.8	261	73.1	6,521	69.4	163	75.5
Hispanic	63	18.3	47	18.1	16	18.8	79	22.1	2,168	23.1	37	17.1
White	15	4.4	14	5.4	*	*	15	4.2	593	6.3	14	6.5
Asian/Pacific Islander	*	*	*	*	*	*	*	*	64	0.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	121	1.3	0	0.0
13-19	12	3.5	10	3.9	*	*	10	2.8	224	2.4	0	0.0
20-29	70	20.3	61	23.6	9	10.6	39	10.9	757	8.1	8	3.7
30-39	99	28.8	87	33.6	12	14.1	84	23.5	2,008	21.4	34	15.7
40-49	96	27.9	67	25.9	29	34.1	113	31.7	3,618	38.5	88	40.7
50-59	48	14.0	25	9.7	23	27.1	77	21.6	2,056	21.9	62	28.7
60+	18	5.2	8	3.1	10	11.8	34	9.5	609	6.5	24	11.1
TRANSMISSION RISK												
Injection drug use history	20	5.8	12	4.6	8	9.4	47	13.2	1,791	19.1	62	28.7
Heterosexual	243	70.6	182	70.3	61	71.8	206	57.7	4,194	44.7	83	38.4
Perinatal	*	*	*	*	0	0.0	6	1.7	361	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.5	0	0.0
Unknown	80	23.3	64	24.7	16	18.8	98	27.5	3,003	32.0	71	32.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,842	40.9	21	9.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,551	59.1	195	90.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms. Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.5. Bronx, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	540	100.0	388	71.9	152	28.1	526	100.0	13,020	100.0	389	100.0
RACE/ETHNICITY												
Black	278	51.5	191	49.2	87	57.2	252	47.9	5,487	42.1	171	44.0
Hispanic	234	43.3	174	44.8	60	39.5	248	47.1	6,722	51.6	186	47.8
White	22	4.1	18	4.6	*	*	24	4.6	697	5.4	28	7.2
Asian/Pacific Islander	*	*	*	*	*	*	*	*	65	0.5	*	*
Native American	*	*	*	*	0	0.0	*	*	10	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	112	0.9	0	0.0
13-19	13	2.4	13	3.4	0	0.0	13	2.5	236	1.8	*	*
20-29	133	24.6	116	29.9	17	11.2	59	11.2	900	6.9	8	2.1
30-39	154	28.5	110	28.4	44	28.9	123	23.4	2,334	17.9	45	11.6
40-49	145	26.9	99	25.5	46	30.3	182	34.6	4,930	37.9	145	37.3
50-59	72	13.3	39	10.1	33	21.7	113	21.5	3,454	26.5	131	33.7
60+	18	3.3	6	1.5	12	7.9	36	6.8	1,054	8.1	57	14.7
TRANSMISSION RISK												
Men who have sex with men	193	35.7	154	39.7	39	25.7	127	24.1	3,212	24.7	57	14.7
Injection drug use history	55	10.2	45	11.6	10	6.6	120	22.8	4,126	31.7	175	45.0
Heterosexual	65	12.0	36	9.3	29	19.1	62	11.8	1,268	9.7	28	7.2
Perinatal	*	*	*	*	0	0.0	14	2.7	379	2.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
Unknown	222	41.1	148	38.1	74	48.7	203	38.6	4,009	30.8	126	32.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,810	36.9	64	16.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,210	63.1	325	83.5

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.6. Bronx, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	330	100.0	264	80.0	66	20.0	359	100.0	8,824	100.0	214	100.0
RACE/ETHNICITY												
Black	174	52.7	143	54.2	31	47.0	175	48.7	4,426	50.2	109	50.9
Hispanic	146	44.2	114	43.2	32	48.5	169	47.1	4,013	45.5	96	44.9
White	*	*	*	*	*	*	13	3.6	329	3.7	9	4.2
Asian/Pacific Islander	*	*	*	*	*	*	*	*	25	0.3	0	0.0
Native American	*	*	*	*	0	0.0	*	*	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	162	1.8	*	*
13-19	24	7.3	23	8.7	*	*	10	2.8	224	2.5	*	*
20-29	76	23.0	69	26.1	7	10.6	38	10.6	684	7.8	6	2.8
30-39	87	26.4	69	26.1	18	27.3	115	32.0	1,959	22.2	31	14.5
40-49	83	25.2	63	23.9	20	30.3	127	35.4	3,501	39.7	84	39.3
50-59	43	13.0	29	11.0	14	21.2	48	13.4	1,748	19.8	68	31.8
60+	14	4.2	8	3.0	6	9.1	20	5.6	546	6.2	23	10.7
TRANSMISSION RISK												
Injection drug use history	17	5.2	15	5.7	*	*	49	13.6	1,866	21.1	84	39.3
Heterosexual	227	68.8	181	68.6	46	69.7	181	50.4	3,634	41.2	66	30.8
Perinatal	*	*	*	*	0	0.0	9	2.5	397	4.5	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	30	0.3	*	*
Unknown	83	25.2	65	24.6	18	27.3	119	33.1	2,897	32.8	61	28.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,821	43.3	29	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,003	56.7	185	86.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms. Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	479	100.0	365	76.2	114	23.8	343	100.0	9,828	100.0	199	100.0
RACE/ETHNICITY												
Black	174	36.3	138	37.8	36	31.6	127	37.0	3,547	36.1	77	38.7
Hispanic	207	43.2	152	41.6	55	48.2	141	41.1	3,874	39.4	73	36.7
White	69	14.4	55	15.1	14	12.3	54	15.7	2,019	20.5	43	21.6
Asian/Pacific Islander	25	5.2	17	4.7	8	7.0	18	5.2	325	3.3	6	3.0
Native American	*	*	*	*	0	0.0	*	*	20	0.2	0	0.0
Multiracial	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	38	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	40	0.4	0	0.0
13-19	24	5.0	21	5.8	*	*	*	*	93	0.9	*	*
20-29	122	25.5	98	26.8	24	21.1	52	15.2	673	6.8	*	*
30-39	159	33.2	128	35.1	31	27.2	102	29.7	2,118	21.6	22	11.1
40-49	111	23.2	76	20.8	35	30.7	110	32.1	3,925	39.9	72	36.2
50-59	50	10.4	35	9.6	15	13.2	58	16.9	2,290	23.3	75	37.7
60+	13	2.7	7	1.9	6	5.3	18	5.2	689	7.0	25	12.6
TRANSMISSION RISK												
Men who have sex with men	269	56.2	213	58.4	56	49.1	151	44.0	4,256	43.3	55	27.6
Injection drug use history	42	8.8	32	8.8	10	8.8	52	15.2	2,077	21.1	70	35.2
Heterosexual	40	8.4	26	7.1	14	12.3	39	11.4	932	9.5	18	9.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	137	1.4	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	*	*
Unknown	128	26.7	94	25.8	34	29.8	101	29.4	2,400	24.4	52	26.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,660	37.2	24	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,168	62.8	175	87.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	160	100.0	127	79.4	33	20.6	126	100.0	4,229	100.0	74	100.0
RACE/ETHNICITY												
Black	99	61.9	77	60.6	22	66.7	75	59.5	2,491	58.9	44	59.5
Hispanic	44	27.5	33	26.0	11	33.3	29	23.0	1,095	25.9	16	21.6
White	9	5.6	9	7.1	0	0.0	16	12.7	507	12.0	11	14.9
Asian/Pacific Islander	8	5.0	8	6.3	0	0.0	*	*	107	2.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	*	*	51	1.2	0	0.0
13-19	7	4.4	6	4.7	*	*	*	*	110	2.6	*	*
20-29	34	21.3	33	26.0	*	*	10	7.9	285	6.7	*	*
30-39	36	22.5	30	23.6	6	18.2	28	22.2	933	22.1	10	13.5
40-49	53	33.1	36	28.3	17	51.5	54	42.9	1,659	39.2	30	40.5
50-59	28	17.5	21	16.5	7	21.2	24	19.0	924	21.8	22	29.7
60+	*	*	*	*	*	*	7	5.6	267	6.3	10	13.5
TRANSMISSION RISK												
Injection drug use history	10	6.3	8	6.3	*	*	19	15.1	815	19.3	31	41.9
Heterosexual	106	66.3	83	65.4	23	69.7	79	62.7	2,103	49.7	32	43.2
Perinatal	*	*	0	0.0	*	*	*	*	173	4.1	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.6	0	0.0
Unknown	43	26.9	36	28.3	7	21.2	25	19.8	1,111	26.3	10	13.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,723	40.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,506	59.3	70	94.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	35	70.0	15	30.0	43	100.0	1,135	100.0	34	100.0
RACE/ETHNICITY												
Black	12	24.0	10	28.6	*	*	12	27.9	377	33.2	11	32.4
Hispanic	12	24.0	8	22.9	*	*	11	25.6	282	24.8	*	*
White	26	52.0	17	48.6	9	60.0	20	46.5	456	40.2	16	47.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
13-19	*	*	*	*	*	*	*	*	19	1.7	0	0.0
20-29	10	20.0	8	22.9	*	*	*	*	75	6.6	0	0.0
30-39	12	24.0	9	25.7	*	*	10	23.3	177	15.6	*	*
40-49	15	30.0	10	28.6	*	*	17	39.5	466	41.1	16	47.1
50-59	7	14.0	6	17.1	*	*	7	16.3	301	26.5	12	35.3
60+	*	*	*	*	*	*	*	*	91	8.0	*	*
TRANSMISSION RISK												
Men who have sex with men	18	36.0	14	40.0	*	*	13	30.2	372	32.8	6	17.6
Injection drug use history	*	*	*	*	*	*	10	23.3	335	29.5	20	58.8
Heterosexual	6	12.0	*	*	*	*	*	*	93	8.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	21	42.0	14	40.0	7	46.7	16	37.2	302	26.6	6	17.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	438	38.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	697	61.4	33	97.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	14	63.6	8	36.4	24	100.0	668	100.0	22	100.0
RACE/ETHNICITY												
Black	18	81.8	13	92.9	*	*	13	54.2	318	47.6	11	50.0
Hispanic	*	*	0	0.0	*	*	*	*	147	22.0	*	*
White	*	*	*	*	*	*	6	25.0	193	28.9	6	27.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	1.6	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	10	1.5	0	0.0
20-29	*	*	*	*	*	*	*	*	42	6.3	*	*
30-39	6	27.3	6	42.9	0	0.0	*	*	130	19.5	6	27.3
40-49	*	*	*	*	0	0.0	*	*	292	43.7	9	40.9
50-59	8	36.4	*	*	6	75.0	9	37.5	153	22.9	*	*
60+	*	*	*	*	0	0.0	*	*	30	4.5	*	*
TRANSMISSION RISK												
Injection drug use history	*	*	*	*	*	*	*	*	152	22.8	11	50.0
Heterosexual	10	45.5	7	50.0	*	*	9	37.5	295	44.2	6	27.3
Perinatal	0	0.0	0	0.0	0	0.0	*	*	24	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
Unknown	9	40.9	*	*	*	*	9	37.5	187	28.0	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	288	43.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	380	56.9	17	77.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,593	100.0	1,273	79.9	320	20.1	1,143	100.0	31,020	100.0	368	100.0
RACE/ETHNICITY												
Black	567	35.6	439	34.5	128	40.0	382	33.4	8,716	28.1	143	38.9
Hispanic	496	31.1	389	30.6	107	33.4	328	28.7	8,373	27.0	84	22.8
White	484	30.4	406	31.9	78	24.4	402	35.2	13,259	42.7	134	36.4
Asian/Pacific Islander	41	2.6	35	2.7	6	1.9	26	2.3	570	1.8	6	1.6
Native American	*	*	*	*	0	0.0	*	*	32	0.1	*	*
Multiracial	*	*	*	*	*	*	*	*	18	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	52	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	94	5.9	85	6.7	9	2.8	13	1.1	144	0.5	*	*
20-29	552	34.7	486	38.2	66	20.6	204	17.8	2,887	9.3	16	4.3
30-39	527	33.1	414	32.5	113	35.3	369	32.3	7,794	25.1	73	19.8
40-49	298	18.7	216	17.0	82	25.6	379	33.2	12,192	39.3	147	39.9
50-59	83	5.2	48	3.8	35	10.9	130	11.4	5,827	18.8	73	19.8
60+	39	2.4	24	1.9	15	4.7	48	4.2	2,176	7.0	58	15.8
BOROUGH OF RESIDENCE												
Manhattan	650	40.8	530	41.6	120	37.5	481	42.1	14,159	45.6	143	38.9
Brooklyn	340	21.3	261	20.5	79	24.7	273	23.9	5,366	17.3	76	20.7
Bronx	193	12.1	154	12.1	39	12.2	127	11.1	3,212	10.4	57	15.5
Queens	269	16.9	213	16.7	56	17.5	151	13.2	4,256	13.7	55	14.9
Staten Island	18	1.1	14	1.1	*	*	13	1.1	372	1.2	6	1.6
Unknown or outside NYC	123	7.7	101	7.9	22	6.9	98	8.6	3,655	11.8	31	8.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,594	43.8	49	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,426	56.2	319	86.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	238	100.0	172	72.3	66	27.7	407	100.0	15,623	100.0	637	100.0
RACE/ETHNICITY												
Black	97	40.8	65	37.8	32	48.5	170	41.8	6,547	41.9	280	44.0
Hispanic	104	43.7	82	47.7	22	33.3	181	44.5	6,912	44.2	272	42.7
White	32	13.4	22	12.8	10	15.2	51	12.5	2,082	13.3	81	12.7
Asian/Pacific Islander	*	*	*	*	*	*	*	*	53	0.3	*	*
Native American	*	*	*	*	0	0.0	*	*	12	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	0.0	0	0.0
20-29	27	11.3	24	14.0	*	*	18	4.4	231	1.5	*	*
30-39	50	21.0	36	20.9	14	21.2	59	14.5	1,450	9.3	31	4.9
40-49	80	33.6	57	33.1	23	34.8	154	37.8	5,728	36.7	240	37.7
50-59	70	29.4	47	27.3	23	34.8	140	34.4	6,605	42.3	291	45.7
60+	7	2.9	*	*	*	*	36	8.8	1,602	10.3	74	11.6
BOROUGH OF RESIDENCE												
Manhattan	67	28.2	47	27.3	20	30.3	107	26.3	4,205	26.9	182	28.6
Brooklyn	58	24.4	36	20.9	22	33.3	98	24.1	3,742	24.0	152	23.9
Bronx	55	23.1	45	26.2	10	15.2	120	29.5	4,126	26.4	175	27.5
Queens	42	17.6	32	18.6	10	15.2	52	12.8	2,077	13.3	70	11.0
Staten Island	*	*	*	*	*	*	10	2.5	335	2.1	20	3.1
Unknown or outside NYC	11	4.6	9	5.2	*	*	20	4.9	1,138	7.3	38	6.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,460	22.1	71	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,163	77.9	566	88.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	61	100.0	47	77.0	14	23.0	155	100.0	6,458	100.0	262	100.0
RACE/ETHNICITY												
Black	35	57.4	25	53.2	10	71.4	79	51.0	3,205	49.6	138	52.7
Hispanic	21	34.4	18	38.3	*	*	59	38.1	2,439	37.8	93	35.5
White	*	*	*	*	*	*	17	11.0	790	12.2	31	11.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	9	14.8	9	19.1	0	0.0	*	*	124	1.9	*	*
30-39	13	21.3	11	23.4	*	*	28	18.1	880	13.6	35	13.4
40-49	20	32.8	15	31.9	*	*	74	47.7	2,953	45.7	96	36.6
50-59	17	27.9	12	25.5	*	*	41	26.5	2,141	33.2	108	41.2
60+	*	*	0	0.0	*	*	7	4.5	360	5.6	20	7.6
BOROUGH OF RESIDENCE												
Manhattan	9	14.8	8	17.0	*	*	27	17.4	1,552	24.0	64	24.4
Brooklyn	20	32.8	12	25.5	8	57.1	47	30.3	1,791	27.7	62	23.7
Bronx	17	27.9	15	31.9	*	*	49	31.6	1,866	28.9	84	32.1
Queens	10	16.4	8	17.0	*	*	19	12.3	815	12.6	31	11.8
Staten Island	*	*	*	*	*	*	*	*	152	2.4	11	4.2
Unknown or outside NYC	*	*	*	*	0	0.0	8	5.2	282	4.4	10	3.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,645	25.5	18	6.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,813	74.5	244	93.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	229	100.0	150	65.5	79	34.5	245	100.0	5,217	100.0	121	100.0
RACE/ETHNICITY												
Black	130	56.8	86	57.3	44	55.7	140	57.1	2,828	54.2	67	55.4
Hispanic	72	31.4	46	30.7	26	32.9	77	31.4	1,754	33.6	36	29.8
White	21	9.2	14	9.3	7	8.9	23	9.4	515	9.9	13	10.7
Asian/Pacific Islander	6	2.6	*	*	*	*	*	*	101	1.9	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	32	14.0	29	19.3	*	*	11	4.5	189	3.6	*	*
30-39	72	31.4	44	29.3	28	35.4	68	27.8	1,058	20.3	9	7.4
40-49	81	35.4	54	36.0	27	34.2	96	39.2	2,252	43.2	51	42.1
50-59	30	13.1	14	9.3	16	20.3	52	21.2	1,236	23.7	40	33.1
60+	11	4.8	6	4.0	*	*	18	7.3	477	9.1	18	14.9
BOROUGH OF RESIDENCE												
Manhattan	46	20.1	33	22.0	13	16.5	47	19.2	1,132	21.7	31	25.6
Brooklyn	66	28.8	48	32.0	18	22.8	77	31.4	1,468	28.1	37	30.6
Bronx	65	28.4	36	24.0	29	36.7	62	25.3	1,268	24.3	28	23.1
Queens	40	17.5	26	17.3	14	17.7	39	15.9	932	17.9	18	14.9
Staten Island	6	2.6	*	*	*	*	*	*	93	1.8	*	*
Unknown or outside NYC	6	2.6	*	*	*	*	16	6.5	324	6.2	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,933	37.1	21	17.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,284	62.9	100	82.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	736	100.0	567	77.0	169	23.0	629	100.0	13,294	100.0	247	100.0
RACE/ETHNICITY												
Black	469	63.7	360	63.5	109	64.5	387	61.5	7,787	58.6	162	65.6
Hispanic	230	31.3	174	30.7	56	33.1	200	31.8	4,288	32.3	67	27.1
White	26	3.5	24	4.2	*	*	36	5.7	1,045	7.9	16	6.5
Asian/Pacific Islander	11	1.5	9	1.6	*	*	*	*	134	1.0	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	16	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	48	6.5	45	7.9	*	*	8	1.3	82	0.6	*	*
20-29	161	21.9	139	24.5	22	13.0	73	11.6	1,148	8.6	11	4.5
30-39	188	25.5	158	27.9	30	17.8	155	24.6	3,218	24.2	42	17.0
40-49	211	28.7	148	26.1	63	37.3	226	35.9	5,403	40.6	102	41.3
50-59	102	13.9	62	10.9	40	23.7	125	19.9	2,547	19.2	58	23.5
60+	26	3.5	15	2.6	11	6.5	42	6.7	896	6.7	33	13.4
BOROUGH OF RESIDENCE												
Manhattan	127	17.3	98	17.3	29	17.2	128	20.3	2,418	18.2	51	20.6
Brooklyn	243	33.0	182	32.1	61	36.1	206	32.8	4,194	31.5	83	33.6
Bronx	227	30.8	181	31.9	46	27.2	181	28.8	3,634	27.3	66	26.7
Queens	106	14.4	83	14.6	23	13.6	79	12.6	2,103	15.8	32	13.0
Staten Island	10	1.4	7	1.2	*	*	9	1.4	295	2.2	6	2.4
Unknown or outside NYC	23	3.1	16	2.8	7	4.1	26	4.1	650	4.9	9	3.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,558	41.8	34	13.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,736	58.2	213	86.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	185	100.0	126	68.1	59	31.9	152	100.0	3,565	100.0	58	100.0
SEX												
Male	150	81.1	104	82.5	46	78.0	112	73.7	2,645	74.2	39	67.2
Female	35	18.9	22	17.5	13	22.0	40	26.3	920	25.8	19	32.8
RACE/ETHNICITY												
Black	73	39.5	47	37.3	26	44.1	61	40.1	1,419	39.8	31	53.4
Hispanic	90	48.6	61	48.4	29	49.2	73	48.0	1,630	45.7	21	36.2
White	22	11.9	18	14.3	*	*	17	11.2	489	13.7	6	10.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	20	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	30	0.8	0	0.0
13-19	*	*	*	*	*	*	*	*	59	1.7	0	0.0
20-29	50	27.0	43	34.1	7	11.9	15	9.9	252	7.1	0	0.0
30-39	61	33.0	44	34.9	17	28.8	41	27.0	783	22.0	8	13.8
40-49	49	26.5	26	20.6	23	39.0	58	38.2	1,283	36.0	22	37.9
50-59	12	6.5	8	6.3	*	*	21	13.8	842	23.6	23	39.7
60+	10	5.4	*	*	7	11.9	15	9.9	316	8.9	*	*
TRANSMISSION RISK												
Men who have sex with men	78	42.2	60	47.6	18	30.5	51	33.6	1,260	35.3	6	10.3
Injection drug use history	7	3.8	6	4.8	*	*	19	12.5	664	18.6	21	36.2
Heterosexual	39	21.1	24	19.0	15	25.4	34	22.4	643	18.0	12	20.7
Perinatal	*	*	*	*	0	0.0	*	*	94	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	9	0.3	0	0.0
Unknown	60	32.4	35	27.8	25	42.4	46	30.3	895	25.1	19	32.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,407	39.5	11	19.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,158	60.5	47	81.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	202	100.0	148	73.3	54	26.7	177	100.0	4,051	100.0	133	100.0
SEX												
Male	142	70.3	104	70.3	38	70.4	118	66.7	2,563	63.3	92	69.2
Female	60	29.7	44	29.7	16	29.6	59	33.3	1,488	36.7	41	30.8
RACE/ETHNICITY												
Black	144	71.3	109	73.6	35	64.8	131	74.0	3,083	76.1	101	75.9
Hispanic	37	18.3	24	16.2	13	24.1	24	13.6	622	15.4	26	19.5
White	21	10.4	15	10.1	6	11.1	21	11.9	314	7.8	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	19	0.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	40	1.0	0	0.0
13-19	12	5.9	12	8.1	0	0.0	*	*	83	2.0	0	0.0
20-29	50	24.8	43	29.1	7	13.0	13	7.3	277	6.8	*	*
30-39	50	24.8	34	23.0	16	29.6	45	25.4	792	19.6	14	10.5
40-49	45	22.3	29	19.6	16	29.6	55	31.1	1,475	36.4	41	30.8
50-59	28	13.9	20	13.5	8	14.8	45	25.4	1,032	25.5	50	37.6
60+	16	7.9	9	6.1	7	13.0	16	9.0	352	8.7	24	18.0
TRANSMISSION RISK												
Men who have sex with men	75	37.1	57	38.5	18	33.3	51	28.8	980	24.2	21	15.8
Injection drug use history	13	6.4	9	6.1	*	*	15	8.5	950	23.5	62	46.6
Heterosexual	56	27.7	42	28.4	14	25.9	48	27.1	839	20.7	18	13.5
Perinatal	*	*	*	*	0	0.0	*	*	121	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	*	*
Unknown	57	28.2	39	26.4	18	33.3	62	35.0	1,154	28.5	31	23.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,545	38.1	21	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,506	61.9	112	84.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	123	100.0	101	82.1	22	17.9	114	100.0	2,895	100.0	81	100.0
SEX												
Male	88	71.5	69	68.3	19	86.4	73	64.0	1,872	64.7	55	67.9
Female	35	28.5	32	31.7	*	*	41	36.0	1,023	35.3	26	32.1
RACE/ETHNICITY												
Black	69	56.1	60	59.4	9	40.9	61	53.5	1,449	50.1	39	48.1
Hispanic	39	31.7	28	27.7	11	50.0	40	35.1	1,213	41.9	37	45.7
White	13	10.6	11	10.9	*	*	13	11.4	215	7.4	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	14	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	24	0.8	0	0.0
13-19	10	8.1	9	8.9	*	*	*	*	67	2.3	*	*
20-29	38	30.9	33	32.7	*	*	12	10.5	174	6.0	*	*
30-39	39	31.7	32	31.7	7	31.8	29	25.4	580	20.0	10	12.3
40-49	24	19.5	17	16.8	7	31.8	39	34.2	1,096	37.9	29	35.8
50-59	12	9.8	10	9.9	*	*	21	18.4	713	24.6	27	33.3
60+	0	0.0	0	0.0	0	0.0	10	8.8	241	8.3	12	14.8
TRANSMISSION RISK												
Men who have sex with men	56	45.5	48	47.5	8	36.4	28	24.6	601	20.8	*	*
Injection drug use history	14	11.4	9	8.9	*	*	25	21.9	895	30.9	33	40.7
Heterosexual	28	22.8	25	24.8	*	*	26	22.8	594	20.5	23	28.4
Perinatal	0	0.0	0	0.0	0	0.0	*	*	86	3.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	25	20.3	19	18.8	6	27.3	34	29.8	710	24.5	19	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,101	38.0	11	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,794	62.0	70	86.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	90	100.0	68	75.6	22	24.4	83	100.0	3,146	100.0	54	100.0
SEX												
Male	77	85.6	60	88.2	17	77.3	63	75.9	2,650	84.2	45	83.3
Female	13	14.4	8	11.8	*	*	20	24.1	496	15.8	9	16.7
RACE/ETHNICITY												
Black	29	32.2	20	29.4	9	40.9	24	28.9	916	29.1	25	46.3
Hispanic	21	23.3	15	22.1	6	27.3	22	26.5	829	26.4	15	27.8
White	39	43.3	33	48.5	6	27.3	35	42.2	1,341	42.6	13	24.1
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	38	1.2	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	17	0.5	0	0.0
20-29	15	16.7	12	17.6	*	*	10	12.0	105	3.3	*	*
30-39	25	27.8	21	30.9	*	*	15	18.1	472	15.0	10	18.5
40-49	19	21.1	14	20.6	*	*	25	30.1	1,185	37.7	19	35.2
50-59	17	18.9	12	17.6	*	*	26	31.3	992	31.5	17	31.5
60+	10	11.1	*	*	*	*	7	8.4	369	11.7	7	13.0
TRANSMISSION RISK												
Men who have sex with men	55	61.1	47	69.1	8	36.4	38	45.8	1,658	52.7	13	24.1
Injection drug use history	6	6.7	*	*	*	*	10	12.0	553	17.6	24	44.4
Heterosexual	10	11.1	8	11.8	*	*	10	12.0	306	9.7	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	19	21.1	8	11.8	11	50.0	25	30.1	597	19.0	13	24.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,172	37.3	6	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,974	62.7	48	88.9

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.7.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	29	69.0	13	31.0	40	100.0	1,366	100.0	25	100.0
SEX												
Male	37	88.1	24	82.8	13	100.0	38	95.0	1,186	86.8	20	80.0
Female	*	*	*	*	0	0.0	*	*	180	13.2	*	*
RACE/ETHNICITY												
Black	13	31.0	7	24.1	6	46.2	11	27.5	277	20.3	8	32.0
Hispanic	7	16.7	7	24.1	0	0.0	6	15.0	257	18.8	*	*
White	21	50.0	14	48.3	7	53.8	23	57.5	799	58.5	11	44.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	28	2.0	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	0	0.0	*	*	*	*	9	0.7	0	0.0
20-29	12	28.6	11	37.9	*	*	*	*	55	4.0	0	0.0
30-39	14	33.3	10	34.5	*	*	10	25.0	209	15.3	*	*
40-49	8	19.0	*	*	*	*	17	42.5	543	39.8	8	32.0
50-59	*	*	*	*	*	*	8	20.0	368	26.9	9	36.0
60+	*	*	*	*	0	0.0	*	*	179	13.1	7	28.0
TRANSMISSION RISK												
Men who have sex with men	27	64.3	19	65.5	8	61.5	27	67.5	809	59.2	10	40.0
Injection drug use history	*	*	*	*	*	*	*	*	162	11.9	7	28.0
Heterosexual	*	*	*	*	0	0.0	*	*	117	8.6	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	16.7	*	*	*	*	6	15.0	264	19.3	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	531	38.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	835	61.1	22	88.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	195	100.0	162	83.1	33	16.9	191	100.0	5,577	100.0	90	100.0
SEX												
Male	183	93.8	151	93.2	32	97.0	182	95.3	5,096	91.4	78	86.7
Female	12	6.2	11	6.8	*	*	9	4.7	481	8.6	12	13.3
RACE/ETHNICITY												
Black	23	11.8	17	10.5	6	18.2	35	18.3	1,083	19.4	26	28.9
Hispanic	47	24.1	37	22.8	10	30.3	45	23.6	1,215	21.8	22	24.4
White	110	56.4	97	59.9	13	39.4	100	52.4	3,135	56.2	40	44.4
Asian/Pacific Islander	15	7.7	11	6.8	*	*	10	5.2	97	1.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	6	3.1	6	3.7	0	0.0	0	0.0	23	0.4	*	*
20-29	47	24.1	43	26.5	*	*	13	6.8	254	4.6	*	*
30-39	70	35.9	57	35.2	13	39.4	57	29.8	1,145	20.5	12	13.3
40-49	61	31.3	50	30.9	11	33.3	79	41.4	2,460	44.1	40	44.4
50-59	7	3.6	*	*	*	*	30	15.7	1,261	22.6	26	28.9
60+	*	*	*	*	*	*	12	6.3	430	7.7	10	11.1
TRANSMISSION RISK												
Men who have sex with men	154	79.0	132	81.5	22	66.7	130	68.1	3,737	67.0	34	37.8
Injection drug use history	11	5.6	8	4.9	*	*	12	6.3	704	12.6	35	38.9
Heterosexual	9	4.6	7	4.3	*	*	12	6.3	277	5.0	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	21	10.8	15	9.3	6	18.2	37	19.4	838	15.0	15	16.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,516	45.1	16	17.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,061	54.9	74	82.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	96	100.0	75	78.1	21	21.9	89	100.0	2,083	100.0	42	100.0
SEX												
Male	89	92.7	69	92.0	20	95.2	74	83.1	1,862	89.4	39	92.9
Female	7	7.3	6	8.0	*	*	15	16.9	221	10.6	*	*
RACE/ETHNICITY												
Black	27	28.1	20	26.7	7	33.3	26	29.2	506	24.3	15	35.7
Hispanic	26	27.1	19	25.3	7	33.3	29	32.6	466	22.4	9	21.4
White	43	44.8	36	48.0	7	33.3	34	38.2	1,060	50.9	18	42.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	39	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	*	*	9	0.4	0	0.0
20-29	25	26.0	23	30.7	*	*	7	7.9	91	4.4	0	0.0
30-39	26	27.1	21	28.0	*	*	14	15.7	349	16.8	*	*
40-49	33	34.4	24	32.0	9	42.9	39	43.8	776	37.3	15	35.7
50-59	6	6.3	*	*	*	*	19	21.3	596	28.6	17	40.5
60+	*	*	*	*	*	*	9	10.1	258	12.4	8	19.0
TRANSMISSION RISK												
Men who have sex with men	58	60.4	48	64.0	10	47.6	41	46.1	1,177	56.5	16	38.1
Injection drug use history	6	6.3	*	*	*	*	13	14.6	372	17.9	17	40.5
Heterosexual	7	7.3	*	*	*	*	10	11.2	136	6.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	25	26.0	18	24.0	7	33.3	24	27.0	382	18.3	7	16.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	835	40.1	8	19.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,248	59.9	34	81.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.7.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	55	82.1	12	17.9	57	100.0	2,032	100.0	34	100.0
SEX												
Male	64	95.5	53	96.4	11	91.7	52	91.2	1,947	95.8	28	82.4
Female	*	*	*	*	*	*	*	*	85	4.2	6	17.6
RACE/ETHNICITY												
Black	11	16.4	9	16.4	*	*	8	14.0	331	16.3	9	26.5
Hispanic	10	14.9	9	16.4	*	*	10	17.5	336	16.5	9	26.5
White	45	67.2	36	65.5	9	75.0	35	61.4	1,305	64.2	16	47.1
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	52	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	7	0.3	0	0.0
20-29	12	17.9	11	20.0	*	*	*	*	62	3.1	0	0.0
30-39	31	46.3	27	49.1	*	*	13	22.8	393	19.3	*	*
40-49	16	23.9	12	21.8	*	*	27	47.4	850	41.8	13	38.2
50-59	*	*	*	*	*	*	9	15.8	517	25.4	10	29.4
60+	*	*	*	*	*	*	*	*	202	9.9	7	20.6
TRANSMISSION RISK												
Men who have sex with men	44	65.7	37	67.3	7	58.3	38	66.7	1,437	70.7	12	35.3
Injection drug use history	*	*	*	*	0	0.0	*	*	211	10.4	11	32.4
Heterosexual	*	*	*	*	*	*	6	10.5	65	3.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	16	23.9	12	21.8	*	*	11	19.3	317	15.6	10	29.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	846	41.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,186	58.4	30	88.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	92	100.0	68	73.9	24	26.1	110	100.0	3,143	100.0	55	100.0
SEX												
Male	82	89.1	60	88.2	22	91.7	89	80.9	2,562	81.5	45	81.8
Female	10	10.9	8	11.8	*	*	21	19.1	581	18.5	10	18.2
RACE/ETHNICITY												
Black	18	19.6	13	19.1	*	*	22	20.0	647	20.6	10	18.2
Hispanic	26	28.3	19	27.9	7	29.2	34	30.9	1,072	34.1	26	47.3
White	44	47.8	33	48.5	11	45.8	48	43.6	1,300	41.4	15	27.3
Asian/Pacific Islander	*	*	*	*	*	*	*	*	104	3.3	*	*
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	*	*	*	*	0	0.0	*	*	31	1.0	0	0.0
20-29	24	26.1	23	33.8	*	*	8	7.3	153	4.9	0	0.0
30-39	25	27.2	18	26.5	7	29.2	32	29.1	550	17.5	6	10.9
40-49	31	33.7	22	32.4	9	37.5	41	37.3	1,319	42.0	17	30.9
50-59	7	7.6	*	*	*	*	16	14.5	794	25.3	14	25.5
60+	*	*	*	*	*	*	11	10.0	289	9.2	18	32.7
TRANSMISSION RISK												
Men who have sex with men	62	67.4	46	67.6	16	66.7	56	50.9	1,501	47.8	17	30.9
Injection drug use history	6	6.5	*	*	*	*	20	18.2	739	23.5	20	36.4
Heterosexual	9	9.8	7	10.3	*	*	15	13.6	316	10.1	8	14.5
Perinatal	0	0.0	0	0.0	0	0.0	*	*	41	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	15	16.3	10	14.7	*	*	17	15.5	540	17.2	10	18.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,172	37.3	6	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,971	62.7	49	89.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.7.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	14	87.5	*	*	13	100.0	418	100.0	*	*
SEX												
Male	14	87.5	12	85.7	*	*	10	76.9	340	81.3	*	*
Female	*	*	*	*	0	0.0	*	*	78	18.7	*	*
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	*	*	99	23.7	*	*
Hispanic	6	37.5	*	*	*	*	*	*	104	24.9	*	*
White	6	37.5	*	*	*	*	*	*	195	46.7	0	0.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	16	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	8	1.9	0	0.0
20-29	*	*	*	*	*	*	*	*	24	5.7	0	0.0
30-39	*	*	*	*	0	0.0	*	*	89	21.3	*	*
40-49	*	*	*	*	0	0.0	6	46.2	178	42.6	*	*
50-59	*	*	*	*	*	*	*	*	98	23.4	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	21	5.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men	12	75.0	10	71.4	*	*	*	*	217	51.9	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	*	*	70	16.7	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	47	11.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	8	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	76	18.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	206	49.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	212	50.7	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	35	87.5	*	*	27	100.0	934	100.0	13	100.0
SEX												
Male	35	87.5	30	85.7	*	*	21	77.8	691	74.0	9	69.2
Female	*	*	*	*	0	0.0	6	22.2	243	26.0	*	*
RACE/ETHNICITY												
Black	9	22.5	8	22.9	*	*	11	40.7	186	19.9	*	*
Hispanic	17	42.5	14	40.0	*	*	9	33.3	471	50.4	8	61.5
White	14	35.0	13	37.1	*	*	7	25.9	265	28.4	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
13-19	*	*	*	*	0	0.0	*	*	13	1.4	0	0.0
20-29	17	42.5	15	42.9	*	*	*	*	89	9.5	0	0.0
30-39	11	27.5	10	28.6	*	*	9	33.3	206	22.1	0	0.0
40-49	10	25.0	8	22.9	*	*	7	25.9	382	40.9	8	61.5
50-59	0	0.0	0	0.0	0	0.0	*	*	180	19.3	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	57	6.1	*	*
TRANSMISSION RISK												
Men who have sex with men	24	60.0	22	62.9	*	*	11	40.7	320	34.3	0	0.0
Injection drug use history	*	*	*	*	0	0.0	*	*	236	25.3	*	*
Heterosexual	7	17.5	6	17.1	*	*	7	25.9	134	14.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	23	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	17.5	*	*	*	*	*	*	218	23.3	6	46.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	343	36.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	591	63.3	12	92.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	75	74.3	26	25.7	107	100.0	2,875	100.0	62	100.0
SEX												
Male	85	84.2	64	85.3	21	80.8	82	76.6	2,125	73.9	47	75.8
Female	16	15.8	11	14.7	*	*	25	23.4	750	26.1	15	24.2
RACE/ETHNICITY												
Black	48	47.5	35	46.7	13	50.0	52	48.6	1,295	45.0	31	50.0
Hispanic	25	24.8	18	24.0	7	26.9	23	21.5	761	26.5	20	32.3
White	25	24.8	19	25.3	6	23.1	31	29.0	773	26.9	11	17.7
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	33	1.1	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.8	0	0.0
13-19	*	*	*	*	0	0.0	*	*	29	1.0	0	0.0
20-29	27	26.7	25	33.3	*	*	7	6.5	148	5.1	*	*
30-39	26	25.7	19	25.3	7	26.9	25	23.4	574	20.0	*	*
40-49	26	25.7	17	22.7	9	34.6	44	41.1	1,159	40.3	24	38.7
50-59	13	12.9	7	9.3	6	23.1	20	18.7	698	24.3	20	32.3
60+	6	5.9	*	*	*	*	10	9.3	244	8.5	14	22.6
TRANSMISSION RISK												
Men who have sex with men	57	56.4	43	57.3	14	53.8	52	48.6	1,134	39.4	17	27.4
Injection drug use history	7	6.9	6	8.0	*	*	12	11.2	622	21.6	24	38.7
Heterosexual	14	13.9	11	14.7	*	*	17	15.9	442	15.4	6	9.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	61	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	23	22.8	15	20.0	8	30.8	26	24.3	613	21.3	15	24.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,088	37.8	8	12.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,787	62.2	54	87.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	263	100.0	190	72.2	73	27.8	262	100.0	6,145	100.0	160	100.0
SEX												
Male	181	68.8	129	67.9	52	71.2	167	63.7	3,729	60.7	95	59.4
Female	82	31.2	61	32.1	21	28.8	95	36.3	2,416	39.3	65	40.6
RACE/ETHNICITY												
Black	230	87.5	166	87.4	64	87.7	217	82.8	5,097	82.9	129	80.6
Hispanic	24	9.1	16	8.4	8	11.0	27	10.3	736	12.0	29	18.1
White	8	3.0	7	3.7	*	*	17	6.5	273	4.4	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	25	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	75	1.2	*	*
13-19	15	5.7	12	6.3	*	*	6	2.3	122	2.0	0	0.0
20-29	70	26.6	58	30.5	12	16.4	36	13.7	492	8.0	*	*
30-39	60	22.8	49	25.8	11	15.1	53	20.2	1,223	19.9	17	10.6
40-49	71	27.0	47	24.7	24	32.9	86	32.8	2,234	36.4	59	36.9
50-59	37	14.1	18	9.5	19	26.0	58	22.1	1,496	24.3	53	33.1
60+	10	3.8	6	3.2	*	*	23	8.8	503	8.2	27	16.9
TRANSMISSION RISK												
Men who have sex with men	84	31.9	65	34.2	19	26.0	69	26.3	1,227	20.0	14	8.8
Injection drug use history	14	5.3	8	4.2	6	8.2	30	11.5	1,354	22.0	52	32.5
Heterosexual	78	29.7	56	29.5	22	30.1	67	25.6	1,392	22.7	39	24.4
Perinatal	0	0.0	0	0.0	0	0.0	*	*	192	3.1	*	*
Other	0	0.0	0	0.0	0	0.0	*	*	15	0.2	0	0.0
Unknown	87	33.1	61	32.1	26	35.6	93	35.5	1,965	32.0	54	33.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,369	38.6	14	8.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,776	61.4	146	91.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	118	100.0	91	77.1	27	22.9	96	100.0	2,446	100.0	76	100.0
SEX												
Male	69	58.5	53	58.2	16	59.3	52	54.2	1,319	53.9	48	63.2
Female	49	41.5	38	41.8	11	40.7	44	45.8	1,127	46.1	28	36.8
RACE/ETHNICITY												
Black	86	72.9	65	71.4	21	77.8	64	66.7	1,576	64.4	57	75.0
Hispanic	28	23.7	22	24.2	6	22.2	30	31.3	757	30.9	16	21.1
White	*	*	*	*	0	0.0	*	*	84	3.4	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	15	0.6	*	*
Native American	*	*	*	*	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	34	1.4	0	0.0
13-19	12	10.2	11	12.1	*	*	*	*	61	2.5	0	0.0
20-29	22	18.6	20	22.0	*	*	11	11.5	202	8.3	*	*
30-39	37	31.4	29	31.9	8	29.6	24	25.0	488	20.0	10	13.2
40-49	31	26.3	21	23.1	10	37.0	30	31.3	928	37.9	27	35.5
50-59	10	8.5	7	7.7	*	*	17	17.7	540	22.1	21	27.6
60+	*	*	*	*	*	*	11	11.5	193	7.9	15	19.7
TRANSMISSION RISK												
Men who have sex with men	27	22.9	22	24.2	*	*	14	14.6	318	13.0	9	11.8
Injection drug use history	*	*	*	*	*	*	15	15.6	569	23.3	26	34.2
Heterosexual	41	34.7	35	38.5	6	22.2	34	35.4	643	26.3	13	17.1
Perinatal	*	*	*	*	0	0.0	*	*	90	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	44	37.3	31	34.1	13	48.1	31	32.3	821	33.6	28	36.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	960	39.2	12	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,486	60.8	64	84.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in East New York: 11207, 11208.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	17	56.7	13	43.3	35	100.0	734	100.0	17	100.0
SEX												
Male	19	63.3	8	47.1	11	84.6	26	74.3	497	67.7	13	76.5
Female	11	36.7	9	52.9	*	*	9	25.7	237	32.3	*	*
RACE/ETHNICITY												
Black	6	20.0	*	*	*	*	7	20.0	103	14.0	0	0.0
Hispanic	21	70.0	12	70.6	9	69.2	21	60.0	467	63.6	12	70.6
White	*	*	*	*	*	*	6	17.1	131	17.8	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	31	4.2	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	*	*	15	2.0	0	0.0
20-29	11	36.7	8	47.1	*	*	7	20.0	52	7.1	*	*
30-39	12	40.0	6	35.3	6	46.2	10	28.6	154	21.0	*	*
40-49	*	*	*	*	*	*	7	20.0	286	39.0	*	*
50-59	*	*	*	*	*	*	6	17.1	164	22.3	7	41.2
60+	0	0.0	0	0.0	0	0.0	*	*	60	8.2	*	*
TRANSMISSION RISK												
Men who have sex with men	8	26.7	*	*	*	*	10	28.6	175	23.8	*	*
Injection drug use history	8	26.7	*	*	*	*	9	25.7	227	30.9	10	58.8
Heterosexual	7	23.3	*	*	*	*	9	25.7	165	22.5	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	23.3	*	*	*	*	7	20.0	144	19.6	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	253	34.5	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	481	65.5	14	82.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	27	69.2	12	30.8	37	100.0	920	100.0	22	100.0
SEX												
Male	25	64.1	15	55.6	10	83.3	28	75.7	631	68.6	18	81.8
Female	14	35.9	12	44.4	*	*	9	24.3	289	31.4	*	*
RACE/ETHNICITY												
Black	10	25.6	6	22.2	*	*	9	24.3	292	31.7	7	31.8
Hispanic	16	41.0	9	33.3	7	58.3	19	51.4	309	33.6	*	*
White	11	28.2	11	40.7	0	0.0	7	18.9	288	31.3	10	45.5
Asian/Pacific Islander	*	*	*	*	*	*	*	*	29	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	20	2.2	*	*
20-29	11	28.2	9	33.3	*	*	*	*	62	6.7	0	0.0
30-39	6	15.4	*	*	*	*	12	32.4	172	18.7	0	0.0
40-49	18	46.2	11	40.7	7	58.3	11	29.7	353	38.4	10	45.5
50-59	*	*	*	*	0	0.0	6	16.2	246	26.7	8	36.4
60+	0	0.0	0	0.0	0	0.0	*	*	64	7.0	*	*
TRANSMISSION RISK												
Men who have sex with men	13	33.3	10	37.0	*	*	10	27.0	253	27.5	*	*
Injection drug use history	*	*	*	*	*	*	8	21.6	223	24.2	8	36.4
Heterosexual	14	35.9	10	37.0	*	*	13	35.1	217	23.6	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	10	25.6	6	22.2	*	*	6	16.2	203	22.1	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	38.3	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	568	61.7	18	81.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	193	100.0	134	69.4	59	30.6	172	100.0	3,961	100.0	79	100.0
SEX												
Male	122	63.2	85	63.4	37	62.7	98	57.0	2,360	59.6	52	65.8
Female	71	36.8	49	36.6	22	37.3	74	43.0	1,601	40.4	27	34.2
RACE/ETHNICITY												
Black	171	88.6	119	88.8	52	88.1	147	85.5	3,367	85.0	65	82.3
Hispanic	12	6.2	9	6.7	*	*	12	7.0	385	9.7	10	12.7
White	10	5.2	6	4.5	*	*	13	7.6	173	4.4	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	0	0.0	*	*	*	*	40	1.0	0	0.0
13-19	8	4.1	8	6.0	0	0.0	0	0.0	86	2.2	0	0.0
20-29	40	20.7	32	23.9	8	13.6	23	13.4	340	8.6	*	*
30-39	46	23.8	34	25.4	12	20.3	34	19.8	805	20.3	11	13.9
40-49	56	29.0	37	27.6	19	32.2	65	37.8	1,425	36.0	21	26.6
50-59	31	16.1	18	13.4	13	22.0	32	18.6	948	23.9	30	38.0
60+	11	5.7	*	*	6	10.2	17	9.9	317	8.0	15	19.0
TRANSMISSION RISK												
Men who have sex with men	47	24.4	34	25.4	13	22.0	41	23.8	758	19.1	11	13.9
Injection drug use history	14	7.3	10	7.5	*	*	16	9.3	536	13.5	19	24.1
Heterosexual	68	35.2	45	33.6	23	39.0	64	37.2	1,071	27.0	13	16.5
Perinatal	*	*	0	0.0	*	*	*	*	116	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.5	*	*
Unknown	63	32.6	45	33.6	18	30.5	50	29.1	1,462	36.9	35	44.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,441	36.4	9	11.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,520	63.6	70	88.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	50	72.5	19	27.5	63	100.0	1,147	100.0	22	100.0
SEX												
Male	42	60.9	27	54.0	15	78.9	42	66.7	633	55.2	15	68.2
Female	27	39.1	23	46.0	*	*	21	33.3	514	44.8	7	31.8
RACE/ETHNICITY												
Black	53	76.8	39	78.0	14	73.7	48	76.2	863	75.2	17	77.3
Hispanic	12	17.4	9	18.0	*	*	6	9.5	134	11.7	*	*
White	*	*	*	*	*	*	7	11.1	135	11.8	*	*
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	11	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	28	2.4	0	0.0
20-29	12	17.4	12	24.0	0	0.0	8	12.7	102	8.9	*	*
30-39	17	24.6	13	26.0	*	*	13	20.6	256	22.3	*	*
40-49	20	29.0	10	20.0	10	52.6	26	41.3	405	35.3	11	50.0
50-59	11	15.9	8	16.0	*	*	11	17.5	251	21.9	*	*
60+	*	*	*	*	*	*	*	*	90	7.8	*	*
TRANSMISSION RISK												
Men who have sex with men	13	18.8	9	18.0	*	*	13	20.6	177	15.4	0	0.0
Injection drug use history	6	8.7	*	*	*	*	*	*	180	15.7	*	*
Heterosexual	24	34.8	19	38.0	*	*	19	30.2	352	30.7	10	45.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	26	37.7	17	34.0	9	47.4	26	41.3	391	34.1	11	50.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	482	42.0	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	665	58.0	21	95.5

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	12	63.2	7	36.8	28	100.0	487	100.0	16	100.0
SEX												
Male	16	84.2	10	83.3	6	85.7	21	75.0	345	70.8	11	68.8
Female	*	*	*	*	*	*	7	25.0	142	29.2	*	*
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	*	*	63	12.9	*	*
Hispanic	*	*	*	*	*	*	11	39.3	139	28.5	*	*
White	14	73.7	9	75.0	*	*	14	50.0	264	54.2	9	56.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	21	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
20-29	*	*	*	*	*	*	*	*	34	7.0	0	0.0
30-39	11	57.9	6	50.0	*	*	10	35.7	107	22.0	*	*
40-49	0	0.0	0	0.0	0	0.0	8	28.6	189	38.8	*	*
50-59	*	*	*	*	*	*	6	21.4	123	25.3	6	37.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	28	5.7	*	*
TRANSMISSION RISK												
Men who have sex with men	14	73.7	9	75.0	*	*	12	42.9	167	34.3	6	37.5
Injection drug use history	*	*	0	0.0	*	*	6	21.4	128	26.3	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	92	18.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	6	21.4	92	18.9	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	187	38.4	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	300	61.6	15	93.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	15	53.6	13	46.4	52	100.0	1,046	100.0	32	100.0
SEX												
Male	15	53.6	8	53.3	7	53.8	30	57.7	629	60.1	20	62.5
Female	13	46.4	7	46.7	6	46.2	22	42.3	417	39.9	12	37.5
RACE/ETHNICITY												
Black	12	42.9	6	40.0	6	46.2	22	42.3	401	38.3	15	46.9
Hispanic	9	32.1	*	*	7	53.8	18	34.6	344	32.9	10	31.3
White	7	25.0	7	46.7	0	0.0	11	21.2	276	26.4	7	21.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	22	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	9	0.9	0	0.0
13-19	*	*	0	0.0	*	*	*	*	22	2.1	0	0.0
20-29	6	21.4	*	*	*	*	7	13.5	80	7.6	0	0.0
30-39	6	21.4	6	40.0	0	0.0	8	15.4	206	19.7	*	*
40-49	8	28.6	*	*	6	46.2	22	42.3	392	37.5	12	37.5
50-59	*	*	0	0.0	*	*	9	17.3	253	24.2	14	43.8
60+	*	*	*	*	*	*	*	*	84	8.0	*	*
TRANSMISSION RISK												
Men who have sex with men	7	25.0	6	40.0	*	*	10	19.2	211	20.2	*	*
Injection drug use history	*	*	0	0.0	*	*	12	23.1	272	26.0	18	56.3
Heterosexual	11	39.3	*	*	6	46.2	12	23.1	263	25.1	*	*
Perinatal	*	*	*	*	0	0.0	*	*	29	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
Unknown	7	25.0	*	*	*	*	15	28.8	263	25.1	6	18.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	357	34.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	689	65.9	28	87.5

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	135	100.0	106	78.5	29	21.5	131	100.0	3,342	100.0	97	100.0
SEX												
Male	87	64.4	68	64.2	19	65.5	92	70.2	2,036	60.9	58	59.8
Female	48	35.6	38	35.8	10	34.5	39	29.8	1,306	39.1	39	40.2
RACE/ETHNICITY												
Black	84	62.2	65	61.3	19	65.5	76	58.0	1,810	54.2	60	61.9
Hispanic	43	31.9	34	32.1	9	31.0	50	38.2	1,358	40.6	37	38.1
White	8	5.9	7	6.6	*	*	*	*	153	4.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	32	1.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	58	1.7	*	*
20-29	32	23.7	30	28.3	*	*	15	11.5	239	7.2	8	8.2
30-39	45	33.3	39	36.8	6	20.7	32	24.4	646	19.3	14	14.4
40-49	30	22.2	20	18.9	10	34.5	45	34.4	1,289	38.6	38	39.2
50-59	19	14.1	11	10.4	8	27.6	27	20.6	811	24.3	27	27.8
60+	*	*	0	0.0	*	*	8	6.1	267	8.0	9	9.3
TRANSMISSION RISK												
Men who have sex with men	39	28.9	29	27.4	10	34.5	29	22.1	509	15.2	9	9.3
Injection drug use history	12	8.9	7	6.6	*	*	24	18.3	963	28.8	37	38.1
Heterosexual	37	27.4	31	29.2	6	20.7	31	23.7	723	21.6	17	17.5
Perinatal	*	*	*	*	0	0.0	*	*	95	2.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	46	34.1	38	35.8	8	27.6	44	33.6	1,043	31.2	33	34.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,251	37.4	11	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,091	62.6	86	88.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Williamsburg - Bushwick: 11206, 11221, 11237.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	16	84.2	*	*	17	100.0	502	100.0	*	*
SEX												
Male	11	57.9	9	56.3	*	*	12	70.6	335	66.7	*	*
Female	8	42.1	7	43.8	*	*	*	*	167	33.3	*	*
RACE/ETHNICITY												
Black	11	57.9	10	62.5	*	*	6	35.3	165	32.9	*	*
Hispanic	*	*	*	*	*	*	10	58.8	234	46.6	*	*
White	*	*	*	*	*	*	*	*	95	18.9	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	10	2.0	0	0.0
20-29	8	42.1	6	37.5	*	*	*	*	32	6.4	*	*
30-39	*	*	*	*	0	0.0	6	35.3	80	15.9	0	0.0
40-49	*	*	*	*	0	0.0	*	*	179	35.7	0	0.0
50-59	*	*	*	*	*	*	*	*	154	30.7	*	*
60+	*	*	*	*	0	0.0	*	*	42	8.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men	7	36.8	6	37.5	*	*	6	35.3	134	26.7	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	113	22.5	*	*
Heterosexual	7	36.8	6	37.5	*	*	*	*	99	19.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	139	27.7	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	195	38.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	307	61.2	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	49	70.0	21	30.0	63	100.0	1,540	100.0	33	100.0
SEX												
Male	47	67.1	35	71.4	12	57.1	34	54.0	869	56.4	24	72.7
Female	23	32.9	14	28.6	9	42.9	29	46.0	671	43.6	9	27.3
RACE/ETHNICITY												
Black	54	77.1	39	79.6	15	71.4	43	68.3	998	64.8	22	66.7
Hispanic	11	15.7	6	12.2	*	*	18	28.6	419	27.2	9	27.3
White	*	*	*	*	0	0.0	*	*	111	7.2	*	*
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	7	0.5	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	19	1.2	0	0.0
13-19	*	*	*	*	0	0.0	*	*	37	2.4	0	0.0
20-29	15	21.4	13	26.5	*	*	7	11.1	116	7.5	0	0.0
30-39	17	24.3	11	22.4	6	28.6	20	31.7	295	19.2	*	*
40-49	18	25.7	14	28.6	*	*	19	30.2	598	38.8	8	24.2
50-59	9	12.9	*	*	*	*	8	12.7	350	22.7	14	42.4
60+	7	10.0	*	*	*	*	7	11.1	125	8.1	7	21.2
TRANSMISSION RISK												
Men who have sex with men	15	21.4	12	24.5	*	*	7	11.1	223	14.5	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	301	19.5	11	33.3
Heterosexual	17	24.3	9	18.4	8	38.1	21	33.3	375	24.4	*	*
Perinatal	*	*	*	*	0	0.0	*	*	60	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	32	45.7	22	44.9	10	47.6	30	47.6	578	37.5	13	39.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	642	41.7	6	18.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	898	58.3	27	81.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	133	100.0	105	78.9	28	21.1	151	100.0	3,861	100.0	95	100.0
SEX												
Male	81	60.9	59	56.2	22	78.6	98	64.9	2,385	61.8	66	69.5
Female	52	39.1	46	43.8	6	21.4	53	35.1	1,476	38.2	29	30.5
RACE/ETHNICITY												
Black	68	51.1	54	51.4	14	50.0	59	39.1	1,583	41.0	37	38.9
Hispanic	60	45.1	47	44.8	13	46.4	80	53.0	2,054	53.2	48	50.5
White	*	*	*	*	*	*	11	7.3	196	5.1	9	9.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.5	*	*
Native American	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	50	1.3	0	0.0
13-19	*	*	*	*	0	0.0	*	*	61	1.6	0	0.0
20-29	34	25.6	32	30.5	*	*	18	11.9	309	8.0	*	*
30-39	36	27.1	30	28.6	6	21.4	39	25.8	808	20.9	12	12.6
40-49	39	29.3	27	25.7	12	42.9	58	38.4	1,553	40.2	32	33.7
50-59	13	9.8	8	7.6	*	*	23	15.2	862	22.3	37	38.9
60+	7	5.3	*	*	*	*	10	6.6	218	5.6	11	11.6
TRANSMISSION RISK												
Men who have sex with men	27	20.3	23	21.9	*	*	29	19.2	690	17.9	9	9.5
Injection drug use history	8	6.0	6	5.7	*	*	37	24.5	963	24.9	37	38.9
Heterosexual	47	35.3	38	36.2	9	32.1	34	22.5	882	22.8	21	22.1
Perinatal	0	0.0	0	0.0	0	0.0	*	*	124	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	51	38.3	38	36.2	13	46.4	47	31.1	1,197	31.0	28	29.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,560	40.4	17	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,301	59.6	78	82.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	140	100.0	103	73.6	37	26.4	146	100.0	3,295	100.0	85	100.0
SEX												
Male	93	66.4	68	66.0	25	67.6	90	61.6	1,919	58.2	59	69.4
Female	47	33.6	35	34.0	12	32.4	56	38.4	1,376	41.8	26	30.6
RACE/ETHNICITY												
Black	69	49.3	49	47.6	20	54.1	70	47.9	1,327	40.3	35	41.2
Hispanic	64	45.7	48	46.6	16	43.2	66	45.2	1,679	51.0	39	45.9
White	7	5.0	6	5.8	*	*	10	6.8	263	8.0	11	12.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	*	*	28	0.8	0	0.0
13-19	*	*	*	*	0	0.0	*	*	94	2.9	0	0.0
20-29	35	25.0	30	29.1	*	*	13	8.9	251	7.6	*	*
30-39	40	28.6	33	32.0	7	18.9	40	27.4	592	18.0	13	15.3
40-49	33	23.6	23	22.3	10	27.0	52	35.6	1,318	40.0	30	35.3
50-59	24	17.1	11	10.7	13	35.1	34	23.3	792	24.0	29	34.1
60+	*	*	*	*	*	*	*	*	220	6.7	12	14.1
TRANSMISSION RISK												
Men who have sex with men	37	26.4	28	27.2	9	24.3	23	15.8	543	16.5	8	9.4
Injection drug use history	8	5.7	*	*	*	*	27	18.5	850	25.8	32	37.6
Heterosexual	43	30.7	28	27.2	15	40.5	42	28.8	749	22.7	13	15.3
Perinatal	*	*	*	*	0	0.0	*	*	129	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Unknown	51	36.4	42	40.8	9	24.3	51	34.9	1,011	30.7	32	37.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,299	39.4	18	21.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,996	60.6	67	78.8

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	166	100.0	122	73.5	44	26.5	165	100.0	4,291	100.0	125	100.0
SEX												
Male	99	59.6	69	56.6	30	68.2	92	55.8	2,489	58.0	76	60.8
Female	67	40.4	53	43.4	14	31.8	73	44.2	1,802	42.0	49	39.2
RACE/ETHNICITY												
Black	79	47.6	56	45.9	23	52.3	83	50.3	1,966	45.8	56	44.8
Hispanic	78	47.0	59	48.4	19	43.2	75	45.5	2,183	50.9	63	50.4
White	6	3.6	*	*	*	*	6	3.6	122	2.8	6	4.8
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	10	0.2	0	0.0
Native American	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	60	1.4	0	0.0
13-19	12	7.2	12	9.8	0	0.0	*	*	87	2.0	*	*
20-29	39	23.5	35	28.7	*	*	21	12.7	293	6.8	*	*
30-39	44	26.5	30	24.6	14	31.8	43	26.1	787	18.3	11	8.8
40-49	41	24.7	29	23.8	12	27.3	51	30.9	1,709	39.8	60	48.0
50-59	24	14.5	14	11.5	10	22.7	34	20.6	1,009	23.5	31	24.8
60+	*	*	*	*	*	*	13	7.9	346	8.1	19	15.2
TRANSMISSION RISK												
Men who have sex with men	38	22.9	30	24.6	8	18.2	17	10.3	531	12.4	14	11.2
Injection drug use history	17	10.2	14	11.5	*	*	36	21.8	1,295	30.2	61	48.8
Heterosexual	62	37.3	46	37.7	16	36.4	43	26.1	963	22.4	13	10.4
Perinatal	*	*	*	*	0	0.0	*	*	154	3.6	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	*	*
Unknown	48	28.9	31	25.4	17	38.6	65	39.4	1,338	31.2	34	27.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,662	38.7	12	9.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,629	61.3	113	90.4

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Crotona - Tremont: 10453, 10457, 10460.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	192	100.0	149	77.6	43	22.4	179	100.0	4,648	100.0	150	100.0
SEX												
Male	109	56.8	79	53.0	30	69.8	100	55.9	2,713	58.4	90	60.0
Female	83	43.2	70	47.0	13	30.2	79	44.1	1,935	41.6	60	40.0
RACE/ETHNICITY												
Black	107	55.7	80	53.7	27	62.8	102	57.0	2,465	53.0	85	56.7
Hispanic	80	41.7	64	43.0	16	37.2	74	41.3	2,042	43.9	59	39.3
White	*	*	*	*	0	0.0	*	*	115	2.5	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	20	0.4	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	63	1.4	*	*
13-19	12	6.3	11	7.4	*	*	10	5.6	96	2.1	*	*
20-29	46	24.0	43	28.9	*	*	17	9.5	335	7.2	0	0.0
30-39	53	27.6	40	26.8	13	30.2	50	27.9	977	21.0	30	20.0
40-49	48	25.0	31	20.8	17	39.5	58	32.4	1,653	35.6	57	38.0
50-59	27	14.1	20	13.4	7	16.3	36	20.1	1,137	24.5	44	29.3
60+	*	*	*	*	*	*	8	4.5	387	8.3	17	11.3
TRANSMISSION RISK												
Men who have sex with men	40	20.8	34	22.8	6	14.0	24	13.4	629	13.5	13	8.7
Injection drug use history	16	8.3	13	8.7	*	*	30	16.8	1,277	27.5	63	42.0
Heterosexual	66	34.4	57	38.3	9	20.9	49	27.4	1,051	22.6	26	17.3
Perinatal	*	*	*	*	0	0.0	7	3.9	161	3.5	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	*	*
Unknown	69	35.9	44	29.5	25	58.1	69	38.5	1,521	32.7	46	30.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,775	38.2	23	15.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,873	61.8	127	84.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.9.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	133	100.0	94	70.7	39	29.3	135	100.0	2,951	100.0	88	100.0
SEX												
Male	88	66.2	59	62.8	29	74.4	82	60.7	1,815	61.5	58	65.9
Female	45	33.8	35	37.2	10	25.6	53	39.3	1,136	38.5	30	34.1
RACE/ETHNICITY												
Black	54	40.6	39	41.5	15	38.5	51	37.8	1,052	35.6	37	42.0
Hispanic	76	57.1	54	57.4	22	56.4	78	57.8	1,804	61.1	48	54.5
White	*	*	0	0.0	*	*	*	*	78	2.6	*	*
Asian/Pacific Islander	*	*	0	0.0	*	*	*	*	7	0.2	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	*	*	*	*	0	0.0	0	0.0	43	1.5	0	0.0
13-19	*	*	*	*	0	0.0	*	*	68	2.3	*	*
20-29	27	20.3	21	22.3	6	15.4	13	9.6	202	6.8	*	*
30-39	44	33.1	29	30.9	15	38.5	37	27.4	596	20.2	*	*
40-49	39	29.3	30	31.9	9	23.1	51	37.8	1,124	38.1	31	35.2
50-59	15	11.3	8	8.5	7	17.9	19	14.1	717	24.3	37	42.0
60+	*	*	*	*	*	*	11	8.1	201	6.8	13	14.8
TRANSMISSION RISK												
Men who have sex with men	25	18.8	17	18.1	8	20.5	18	13.3	368	12.5	*	*
Injection drug use history	13	9.8	13	13.8	0	0.0	21	15.6	970	32.9	44	50.0
Heterosexual	46	34.6	30	31.9	16	41.0	44	32.6	649	22.0	12	13.6
Perinatal	*	*	*	*	0	0.0	*	*	119	4.0	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Unknown	46	34.6	31	33.0	15	38.5	49	36.3	832	28.2	27	30.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,165	39.5	11	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,786	60.5	77	87.5

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	81	100.0	65	80.2	16	19.8	55	100.0	1,591	100.0	37	100.0
SEX												
Male	67	82.7	53	81.5	14	87.5	42	76.4	1,266	79.6	29	78.4
Female	14	17.3	12	18.5	*	*	13	23.6	325	20.4	8	21.6
RACE/ETHNICITY												
Black	22	27.2	17	26.2	*	*	13	23.6	372	23.4	9	24.3
Hispanic	28	34.6	21	32.3	7	43.8	20	36.4	626	39.3	15	40.5
White	24	29.6	21	32.3	*	*	20	36.4	527	33.1	12	32.4
Asian/Pacific Islander	6	7.4	*	*	*	*	*	*	54	3.4	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	*	*	*	*	18	1.1	0	0.0
20-29	30	37.0	27	41.5	*	*	12	21.8	105	6.6	*	*
30-39	29	35.8	24	36.9	*	*	14	25.5	428	26.9	7	18.9
40-49	14	17.3	10	15.4	*	*	17	30.9	664	41.7	15	40.5
50-59	*	*	*	*	*	*	11	20.0	285	17.9	12	32.4
60+	*	*	*	*	0	0.0	0	0.0	86	5.4	*	*
TRANSMISSION RISK												
Men who have sex with men	47	58.0	39	60.0	8	50.0	29	52.7	763	48.0	14	37.8
Injection drug use history	*	*	*	*	*	*	6	10.9	232	14.6	10	27.0
Heterosexual	13	16.0	10	15.4	*	*	13	23.6	256	16.1	9	24.3
Perinatal	*	*	0	0.0	*	*	*	*	23	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	16	19.8	14	21.5	*	*	6	10.9	313	19.7	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	661	41.5	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	930	58.5	33	89.2

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	221	100.0	171	77.4	50	22.6	149	100.0	4,152	100.0	68	100.0
SEX												
Male	181	81.9	135	78.9	46	92.0	131	87.9	3,245	78.2	55	80.9
Female	40	18.1	36	21.1	*	*	18	12.1	907	21.8	13	19.1
RACE/ETHNICITY												
Black	56	25.3	48	28.1	8	16.0	40	26.8	1,226	29.5	15	22.1
Hispanic	141	63.8	104	60.8	37	74.0	90	60.4	2,237	53.9	36	52.9
White	18	8.1	14	8.2	*	*	12	8.1	555	13.4	14	20.6
Asian/Pacific Islander	6	2.7	*	*	*	*	6	4.0	118	2.8	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	9	4.1	9	5.3	0	0.0	0	0.0	27	0.7	0	0.0
20-29	48	21.7	36	21.1	12	24.0	25	16.8	299	7.2	*	*
30-39	79	35.7	64	37.4	15	30.0	47	31.5	1,043	25.1	6	8.8
40-49	62	28.1	48	28.1	14	28.0	51	34.2	1,664	40.1	28	41.2
50-59	20	9.0	14	8.2	6	12.0	21	14.1	874	21.1	24	35.3
60+	*	*	0	0.0	*	*	*	*	235	5.7	9	13.2
TRANSMISSION RISK												
Men who have sex with men	102	46.2	75	43.9	27	54.0	59	39.6	1,495	36.0	14	20.6
Injection drug use history	20	9.0	17	9.9	*	*	24	16.1	985	23.7	29	42.6
Heterosexual	44	19.9	35	20.5	9	18.0	31	20.8	764	18.4	12	17.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	55	24.9	44	25.7	11	22.0	35	23.5	868	20.9	13	19.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,558	37.5	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,594	62.5	65	95.6

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	10	55.6	8	44.4	26	100.0	628	100.0	15	100.0
SEX												
Male	14	77.8	8	80.0	6	75.0	19	73.1	451	71.8	13	86.7
Female	*	*	*	*	*	*	7	26.9	177	28.2	*	*
RACE/ETHNICITY												
Black	*	*	*	*	*	*	8	30.8	174	27.7	*	*
Hispanic	9	50.0	*	*	*	*	10	38.5	209	33.3	8	53.3
White	*	*	*	*	*	*	6	23.1	202	32.2	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	*	*	39	6.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	*	*	0	0.0	*	*	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	0	0.0
20-29	*	*	*	*	*	*	*	*	25	4.0	0	0.0
30-39	*	*	*	*	*	*	9	34.6	119	18.9	*	*
40-49	7	38.9	*	*	*	*	7	26.9	262	41.7	*	*
50-59	*	*	*	*	0	0.0	*	*	156	24.8	*	*
60+	*	*	*	*	0	0.0	*	*	57	9.1	*	*
TRANSMISSION RISK												
Men who have sex with men	7	38.9	*	*	*	*	7	26.9	233	37.1	*	*
Injection drug use history	0	0.0	0	0.0	0	0.0	*	*	120	19.1	*	*
Heterosexual	*	*	*	*	*	*	7	26.9	143	22.8	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	7	38.9	*	*	*	*	8	30.8	119	18.9	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	217	34.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	411	65.4	13	86.7

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	*	*	*	*	0	0.0	*	*	123	100.0	*	*
SEX												
Male	*	*	*	*	0	0.0	*	*	97	78.9	*	*
Female	0	0.0	0	0.0	0	0.0	*	*	26	21.1	*	*
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	18	14.6	0	0.0
Hispanic	*	*	*	*	0	0.0	0	0.0	22	17.9	*	*
White	*	*	*	*	0	0.0	*	*	71	57.7	*	*
Asian/Pacific Islander	*	*	*	*	0	0.0	*	*	11	8.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	8	6.5	0	0.0
30-39	*	*	*	*	0	0.0	*	*	13	10.6	0	0.0
40-49	*	*	*	*	0	0.0	*	*	49	39.8	*	*
50-59	*	*	*	*	0	0.0	0	0.0	35	28.5	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	16	13.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	*	*	43	35.0	0	0.0
Injection drug use history	*	*	*	*	0	0.0	0	0.0	25	20.3	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	20	16.3	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	0	0.0	*	*	26	21.1	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	49	39.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	74	60.2	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	23	76.7	7	23.3	24	100.0	897	100.0	15	100.0
SEX												
Male	24	80.0	18	78.3	6	85.7	16	66.7	648	72.2	14	93.3
Female	6	20.0	*	*	*	*	8	33.3	249	27.8	*	*
RACE/ETHNICITY												
Black	9	30.0	7	30.4	*	*	6	25.0	123	13.7	*	*
Hispanic	9	30.0	6	26.1	*	*	10	41.7	399	44.5	7	46.7
White	10	33.3	8	34.8	*	*	7	29.2	338	37.7	6	40.0
Asian/Pacific Islander	*	*	*	*	0	0.0	0	0.0	26	2.9	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	*	*	6	0.7	0	0.0
13-19	*	*	*	*	*	*	0	0.0	14	1.6	0	0.0
20-29	10	33.3	8	34.8	*	*	6	25.0	61	6.8	0	0.0
30-39	7	23.3	6	26.1	*	*	7	29.2	176	19.6	*	*
40-49	7	23.3	*	*	*	*	7	29.2	382	42.6	*	*
50-59	*	*	*	*	0	0.0	*	*	201	22.4	*	*
60+	*	*	*	*	0	0.0	0	0.0	57	6.4	*	*
TRANSMISSION RISK												
Men who have sex with men	17	56.7	13	56.5	*	*	7	29.2	321	35.8	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	158	17.6	6	40.0
Heterosexual	*	*	*	*	*	*	*	*	180	20.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	*	*	21	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	6	20.0	*	*	*	*	8	33.3	211	23.5	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	351	39.1	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	546	60.9	15	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	7	77.8	*	*	*	*	245	100.0	*	*
SEX												
Male	7	77.8	*	*	*	*	*	*	162	66.1	*	*
Female	*	*	*	*	0	0.0	*	*	83	33.9	*	*
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	*	*	107	43.7	*	*
Hispanic	*	*	*	*	*	*	*	*	67	27.3	*	*
White	*	*	*	*	*	*	*	*	57	23.3	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	4.5	0	0.0
Native American	*	*	*	*	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
20-29	*	*	*	*	0	0.0	*	*	19	7.8	0	0.0
30-39	*	*	*	*	0	0.0	*	*	44	18.0	0	0.0
40-49	*	*	*	*	*	*	*	*	95	38.8	*	*
50-59	*	*	0	0.0	*	*	*	*	59	24.1	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	21	8.6	*	*
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	75	30.6	*	*
Injection drug use history	*	*	*	*	*	*	*	*	37	15.1	*	*
Heterosexual	*	*	*	*	0	0.0	0	0.0	56	22.9	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	2.9	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	67	27.3	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	108	44.1	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	137	55.9	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	44	77.2	13	22.8	40	100.0	1,244	100.0	30	100.0
SEX												
Male	46	80.7	37	84.1	9	69.2	27	67.5	871	70.0	16	53.3
Female	11	19.3	7	15.9	*	*	13	32.5	373	30.0	14	46.7
RACE/ETHNICITY												
Black	21	36.8	16	36.4	*	*	15	37.5	402	32.3	11	36.7
Hispanic	21	36.8	17	38.6	*	*	17	42.5	466	37.5	10	33.3
White	8	14.0	7	15.9	*	*	*	*	289	23.2	7	23.3
Asian/Pacific Islander	6	10.5	*	*	*	*	*	*	76	6.1	*	*
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
13-19	*	*	*	*	*	*	*	*	25	2.0	0	0.0
20-29	13	22.8	11	25.0	*	*	*	*	74	5.9	*	*
30-39	22	38.6	20	45.5	*	*	13	32.5	288	23.2	*	*
40-49	13	22.8	7	15.9	6	46.2	13	32.5	497	40.0	10	33.3
50-59	*	*	*	*	*	*	8	20.0	281	22.6	14	46.7
60+	*	*	*	*	0	0.0	*	*	71	5.7	*	*
TRANSMISSION RISK												
Men who have sex with men	31	54.4	28	63.6	*	*	13	32.5	386	31.0	6	20.0
Injection drug use history	6	10.5	*	*	*	*	6	15.0	236	19.0	11	36.7
Heterosexual	8	14.0	*	*	*	*	8	20.0	263	21.1	6	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	12	21.1	6	13.6	6	46.2	13	32.5	320	25.7	7	23.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	487	39.1	6	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	757	60.9	24	80.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	113	100.0	86	76.1	27	23.9	81	100.0	2,597	100.0	58	100.0
SEX												
Male	67	59.3	55	64.0	12	44.4	44	54.3	1,536	59.1	40	69.0
Female	46	40.7	31	36.0	15	55.6	37	45.7	1,061	40.9	18	31.0
RACE/ETHNICITY												
Black	85	75.2	65	75.6	20	74.1	63	77.8	2,008	77.3	50	86.2
Hispanic	19	16.8	12	14.0	7	25.9	10	12.3	386	14.9	*	*
White	*	*	*	*	0	0.0	7	8.6	151	5.8	*	*
Asian/Pacific Islander	7	6.2	7	8.1	0	0.0	0	0.0	45	1.7	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	1.0	0	0.0
13-19	*	*	*	*	0	0.0	*	*	52	2.0	*	*
20-29	29	25.7	27	31.4	*	*	7	8.6	197	7.6	*	*
30-39	26	23.0	20	23.3	6	22.2	14	17.3	448	17.3	*	*
40-49	30	26.5	18	20.9	12	44.4	34	42.0	984	37.9	21	36.2
50-59	18	15.9	13	15.1	*	*	17	21.0	671	25.8	22	37.9
60+	*	*	*	*	*	*	8	9.9	219	8.4	8	13.8
TRANSMISSION RISK												
Men who have sex with men	28	24.8	24	27.9	*	*	11	13.6	481	18.5	10	17.2
Injection drug use history	7	6.2	*	*	*	*	17	21.0	570	21.9	27	46.6
Heterosexual	38	33.6	27	31.4	11	40.7	27	33.3	661	25.5	9	15.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	86	3.3	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	40	35.4	31	36.0	9	33.3	26	32.1	790	30.4	11	19.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	933	35.9	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,664	64.1	54	93.1

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	39	78.0	11	22.0	35	100.0	979	100.0	10	100.0
SEX												
Male	32	64.0	24	61.5	8	72.7	20	57.1	566	57.8	*	*
Female	18	36.0	15	38.5	*	*	15	42.9	413	42.2	*	*
RACE/ETHNICITY												
Black	41	82.0	32	82.1	9	81.8	25	71.4	772	78.9	8	80.0
Hispanic	6	12.0	*	*	*	*	*	*	106	10.8	*	*
White	0	0.0	0	0.0	0	0.0	*	*	71	7.3	0	0.0
Asian/Pacific Islander	*	*	*	*	*	*	6	17.1	28	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	1.4	0	0.0
13-19	6	12.0	*	*	*	*	*	*	32	3.3	*	*
20-29	*	*	*	*	0	0.0	0	0.0	62	6.3	0	0.0
30-39	12	24.0	10	25.6	*	*	9	25.7	188	19.2	0	0.0
40-49	12	24.0	9	23.1	*	*	9	25.7	357	36.5	*	*
50-59	14	28.0	10	25.6	*	*	12	34.3	233	23.8	*	*
60+	*	*	0	0.0	*	*	*	*	93	9.5	*	*
TRANSMISSION RISK												
Men who have sex with men	15	30.0	13	33.3	*	*	*	*	161	16.4	0	0.0
Injection drug use history	*	*	*	*	*	*	*	*	153	15.6	*	*
Heterosexual	17	34.0	13	33.3	*	*	15	42.9	295	30.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	47	4.8	*	*
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	16	32.0	12	30.8	*	*	13	37.1	316	32.3	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	36.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	627	64.0	10	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	24	75.0	8	25.0	33	100.0	816	100.0	25	100.0
SEX												
Male	21	65.6	15	62.5	6	75.0	24	72.7	429	52.6	18	72.0
Female	11	34.4	9	37.5	*	*	9	27.3	387	47.4	7	28.0
RACE/ETHNICITY												
Black	21	65.6	15	62.5	6	75.0	23	69.7	536	65.7	17	68.0
Hispanic	*	*	*	*	*	*	*	*	170	20.8	*	*
White	6	18.8	*	*	*	*	7	21.2	102	12.5	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	1.5	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	14	1.7	0	0.0
20-29	8	25.0	8	33.3	0	0.0	*	*	61	7.5	0	0.0
30-39	6	18.8	*	*	*	*	8	24.2	136	16.7	*	*
40-49	9	28.1	*	*	*	*	18	54.5	321	39.3	6	24.0
50-59	6	18.8	*	*	*	*	*	*	229	28.1	10	40.0
60+	*	*	0	0.0	*	*	*	*	43	5.3	*	*
TRANSMISSION RISK												
Men who have sex with men	11	34.4	9	37.5	*	*	9	27.3	99	12.1	*	*
Injection drug use history	6	18.8	*	*	*	*	6	18.2	215	26.3	8	32.0
Heterosexual	9	28.1	6	25.0	*	*	8	24.2	256	31.4	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	6	18.8	*	*	*	*	10	30.3	209	25.6	10	40.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	43.1	6	24.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	56.9	19	76.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	14	63.6	8	36.4	17	100.0	377	100.0	13	100.0
SEX												
Male	12	54.5	7	50.0	*	*	11	64.7	226	59.9	10	76.9
Female	10	45.5	7	50.0	*	*	6	35.3	151	40.1	*	*
RACE/ETHNICITY												
Black	12	54.5	8	57.1	*	*	10	58.8	186	49.3	*	*
Hispanic	*	*	*	*	*	*	*	*	100	26.5	*	*
White	*	*	*	*	*	*	*	*	85	22.5	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	*	*	*	*	*	*	*	*	9	2.4	0	0.0
20-29	*	*	*	*	0	0.0	*	*	25	6.6	*	*
30-39	7	31.8	*	*	*	*	*	*	64	17.0	*	*
40-49	*	*	*	*	*	*	*	*	145	38.5	*	*
50-59	*	*	*	*	*	*	6	35.3	103	27.3	*	*
60+	*	*	*	*	*	*	*	*	28	7.4	*	*
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	*	*	*	*	60	15.9	*	*
Injection drug use history	0	0.0	0	0.0	0	0.0	*	*	110	29.2	9	69.2
Heterosexual	10	45.5	6	42.9	*	*	6	35.3	91	24.1	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	31.8	*	*	*	*	9	52.9	100	26.5	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	146	38.7	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	231	61.3	12	92.3

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	19	67.9	9	32.1	28	100.0	800	100.0	25	100.0
SEX												
Male	18	64.3	13	68.4	*	*	17	60.7	492	61.5	13	52.0
Female	10	35.7	6	31.6	*	*	11	39.3	308	38.5	12	48.0
RACE/ETHNICITY												
Black	15	53.6	12	63.2	*	*	11	39.3	355	44.4	12	48.0
Hispanic	*	*	*	*	*	*	7	25.0	187	23.4	*	*
White	9	32.1	*	*	*	*	10	35.7	248	31.0	9	36.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.3	0	0.0
13-19	*	*	*	*	0	0.0	0	0.0	12	1.5	0	0.0
20-29	6	21.4	*	*	*	*	*	*	45	5.6	*	*
30-39	*	*	*	*	0	0.0	*	*	138	17.3	*	*
40-49	6	21.4	*	*	*	*	12	42.9	352	44.0	14	56.0
50-59	7	25.0	*	*	*	*	*	*	188	23.5	7	28.0
60+	*	*	*	*	*	*	*	*	55	6.9	*	*
TRANSMISSION RISK												
Men who have sex with men	7	25.0	*	*	*	*	8	28.6	188	23.5	*	*
Injection drug use history	*	*	*	*	*	*	6	21.4	218	27.3	11	44.0
Heterosexual	*	*	*	*	*	*	*	*	182	22.8	*	*
Perinatal	0	0.0	0	0.0	0	0.0	*	*	22	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Unknown	12	42.9	7	36.8	*	*	9	32.1	183	22.9	7	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	309	38.6	*	*
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	491	61.4	21	84.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY**
Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	7	87.5	*	*	*	*	136	100.0	*	*
SEX												
Male	6	75.0	6	85.7	0	0.0	*	*	96	70.6	*	*
Female	*	*	*	*	*	*	*	*	40	29.4	*	*
RACE/ETHNICITY												
Black	*	*	*	*	0	0.0	0	0.0	22	16.2	0	0.0
Hispanic	*	*	*	*	0	0.0	*	*	29	21.3	0	0.0
White	*	*	*	*	*	*	*	*	80	58.8	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	*	*	*	*	0	0.0	0	0.0	16	11.8	0	0.0
30-39	*	*	*	*	0	0.0	*	*	19	14.0	*	*
40-49	*	*	*	*	0	0.0	*	*	61	44.9	*	*
50-59	*	*	0	0.0	*	*	*	*	26	19.1	*	*
60+	0	0.0	0	0.0	0	0.0	0	0.0	13	9.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	*	*	0	0.0	*	*	46	33.8	*	*
Injection drug use history	*	*	*	*	0	0.0	*	*	21	15.4	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	27	19.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	*	*	*	*	*	*	*	*	37	27.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	58	42.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	78	57.4	*	*

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2006 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2006, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2006						AIDS DIAGNOSES, 2006		PLWHA AS OF 12/31/2006		DEATHS, 2006	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	6	54.5	*	*	13	100.0	327	100.0	8	100.0
SEX												
Male	11	100.0	6	100.0	*	*	9	69.2	221	67.6	*	*
Female	0	0.0	0	0.0	0	0.0	*	*	106	32.4	*	*
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	*	*	59	18.0	*	*
Hispanic	*	*	*	*	*	*	*	*	73	22.3	*	*
White	8	72.7	*	*	*	*	9	69.2	192	58.7	*	*
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	2.1	0	0.0
20-29	*	*	0	0.0	*	*	*	*	20	6.1	0	0.0
30-39	*	*	*	*	*	*	*	*	58	17.7	*	*
40-49	*	*	*	*	*	*	*	*	133	40.7	*	*
50-59	*	*	*	*	*	*	*	*	92	28.1	*	*
60+	0	0.0	0	0.0	0	0.0	*	*	14	4.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men	*	*	0	0.0	*	*	*	*	57	17.4	0	0.0
Injection drug use history	*	*	0	0.0	*	*	*	*	90	27.5	*	*
Heterosexual	*	*	*	*	0	0.0	*	*	66	20.2	*	*
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Unknown	7	63.6	*	*	*	*	*	*	99	30.3	*	*
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	133	40.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	194	59.3	8	100.0

As reported to the NYC DOHMH by September 30, 2009. Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) are marked with an asterisk (*).

Generated December 17, 2009.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2006**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	50.3	1.3	22.1	8,008,278
SEX				
Male	77.4	1.9	21.7	3,794,204
Female	25.9	0.7	23.2	4,214,074
RACE/ETHNICITY				
Black	102.3	2.4	25.1	1,962,154
Hispanic	58.0	1.5	22.9	2,160,554
White	24.0	0.8	15.2	2,801,267
Asian/Pacific Islander	11.0	0.2	23.0	783,058
Native American	52.0*	0.6	6.4*	17,321
AGE GROUP (YEARS)				
0-12	1.0	0.1	2.5*	1,429,677
13-19	24.9	0.2	8.2	723,773
20-29	77.1	0.5	8.2	1,270,490
30-39	87.4	1.5	13.3	1,348,263
40-49	92.1	3.6	21.1	1,133,497
50-59	56.0	3.0	30.1	850,372
60+	12.5	0.7	39.4	1,252,206

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2009. Generated December 17, 2009.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the city-wide population of PWHA at the end of 2006, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2006**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	50.3	1.3	22.1	8,008,278
MANHATTAN³	75.6	2.0	18.9	1,529,375
Central Harlem - Morningside Heights	133.7	2.8	31.4	151,113
Chelsea - Clinton	158.5	4.6	16.0	122,998
East Harlem	113.8	2.8	27.0	108,092
Gramercy Park - Murray Hill	77.1	1.7	17.7	124,477
Greenwich Village - Soho	80.0	2.5	15.2	83,709
Lower Manhattan	51.8	1.4	11.4*	30,895
Union Square - Lower East Side	46.7	1.6	16.1	197,138
Upper East Side	19.3	0.6	15.5	218,167
Upper West Side	40.5	1.4	16.5	222,109
Washington Heights - Inwood	68.3	1.3	16.3	270,677
BROOKLYN³	42.8	1.0	24.5	2,465,326
Bedford Stuyvesant - Crown Heights	82.9	2.0	25.7	317,296
Bensonhurst - Bay Ridge	9.8	0.3	32.7	194,558
Borough Park	12.0	0.3	22.8	324,411
Canarsie - Flatlands	34.9	0.6	19.6	197,819
Coney Island - Sheepshead Bay	9.8	0.4	30.0	286,901
Downtown - Heights - Park Slope	47.0	1.4	20.6	214,696
East Flatbush - Flatbush	60.9	1.3	19.9	316,734
East New York	67.9	1.5	30.9	173,716
Greenpoint	32.1	0.8	14.7	124,449
Sunset Park	24.9	0.6	23.1	120,441
Williamsburg - Bushwick	69.5	1.8	28.2	194,305
BRONX³	65.5	1.7	27.3	1,327,690
Crotona - Tremont	83.2	2.2	28.2	199,530
Fordham - Bronx Park	53.1	1.6	25.3	250,491
High Bridge - Morrisania	101.2	2.5	31.7	189,755
Hunts Point - Mott Haven	108.2	2.5	29.5	122,875
Kingsbridge - Riverdale	21.4	0.6	8.4*	88,989
Northeast Bronx	37.6	0.8	21.5	185,998
Pelham - Throgs Neck	48.3	1.2	26.0	290,052
QUEENS³	28.5	0.6	19.6	2,242,159
Bayside - Little Neck	5.7*	0.1	21.0*	88,164
Flushing - Clearview	7.0	0.3	22.2	255,542
Fresh Meadows	9.7*	0.3	20.8*	93,148
Jamaica	39.6	0.9	21.6	285,568
Long Island City - Astoria	36.7	0.7	24.1	220,960
Ridgewood - Forest Hills	12.5	0.4	16.9	240,901
Rockaway	30.0	0.8	31.3	106,738
Southeast Queens	24.5	0.5	9.7*	203,670
Southwest Queens	21.1	0.5	24.8	269,952
West Queens	46.3	0.9	17.3	477,516
STATEN ISLAND³	16.2	0.4	30.1	443,728
Port Richmond	35.0	0.6	32.7	62,788
South Beach - Tottenville	6.1	0.2	22.7*	179,892
Stapleton - St. George	24.1	0.7	29.4	116,227
Willowbrook	9.4*	0.2	31.3*	84,821

As reported to the New York City Department of Health and Mental Hygiene by September 30, 2009. Generated December 17, 2009.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the city-wide population of PWHA at the end of 2006.³Borough-level data include persons residing in unknown UHF neighborhoods.