



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2007

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	By UHF Neighborhood: Bronx	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		By UHF Neighborhood: Staten Island
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2007, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2011. Updated January 4, 2012. Accessed [access date] at <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4,117	100.0	3,238	78.6	879	21.4	3,568	100.0	104,415	100.0	2,308	100.0
SEX												
Male	3,055	74.2	2,420	74.7	635	72.2	2,461	69.0	73,344	70.2	1,564	67.8
Female	1,062	25.8	818	25.3	244	27.8	1,107	31.0	31,071	29.8	744	32.2
RACE/ETHNICITY												
Black	1,992	48.4	1,552	47.9	440	50.1	1,769	49.6	46,684	44.7	1,185	51.3
Hispanic	1,278	31.0	990	30.6	288	32.8	1,172	32.8	34,260	32.8	739	32.0
White	701	17.0	589	18.2	112	12.7	535	15.0	21,269	20.4	356	15.4
Asian/Pacific Islander	130	3.2	95	2.9	35	4.0	80	2.2	1,515	1.5	24	1.0
Native American	15	0.4	12	0.4	3	0.3	10	0.3	229	0.2	2	0.1
Multiracial	1	0.0	0	0.0	1	0.1	2	0.1	42	0.0	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	416	0.4	1	0.0
AGE GROUP (YEARS)												
0-12	12	0.3	11	0.3	1	0.1	2	0.1	670	0.6	2	0.1
13-19	200	4.9	188	5.8	12	1.4	77	2.2	1,613	1.5	9	0.4
20-29	1,112	27.0	972	30.0	140	15.9	461	12.9	7,160	6.9	47	2.0
30-39	1,072	26.0	862	26.6	210	23.9	888	24.9	19,301	18.5	241	10.4
40-49	1,034	25.1	758	23.4	276	31.4	1,262	35.4	39,807	38.1	815	35.3
50-59	491	11.9	330	10.2	161	18.3	652	18.3	26,528	25.4	832	36.0
60+	196	4.8	117	3.6	79	9.0	226	6.3	9,336	8.9	362	15.7
BOROUGH OF RESIDENCE												
Bronx	901	21.9	711	22.0	190	21.6	859	24.1	22,327	21.4	566	24.5
Brooklyn	1,052	25.6	790	24.4	262	29.8	1,004	28.1	25,598	24.5	685	29.7
Manhattan	1,142	27.7	913	28.2	229	26.1	935	26.2	31,444	30.1	580	25.1
Queens	603	14.6	465	14.4	138	15.7	509	14.3	14,577	14.0	270	11.7
Staten Island	83	2.0	63	1.9	20	2.3	76	2.1	1,840	1.8	55	2.4
Outside NYC	314	7.6	274	8.5	40	4.6	160	4.5	7,891	7.6	151	6.5
Unknown	22	0.5	22	0.7	0	0.0	25	0.7	738	0.7	1	0.0
TRANSMISSION RISK												
Men who have sex with men	1,745	42.4	1,463	45.2	282	32.1	1,088	30.5	33,233	31.8	374	16.2
Injection drug use history	319	7.7	261	8.1	58	6.6	553	15.5	21,975	21.0	860	37.3
Heterosexual	1,015	24.7	774	23.9	241	27.4	882	24.7	19,633	18.8	421	18.2
Perinatal	12	0.3	11	0.3	1	0.1	44	1.2	2,480	2.4	16	0.7
Other	0	0.0	0	0.0	0	0.0	3	0.1	275	0.3	9	0.4
Unknown	1,026	24.9	729	22.5	297	33.8	998	28.0	26,819	25.7	628	27.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	41,875	40.1	320	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	62,540	59.9	1,988	86.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,055	100.0	2,420	79.2	635	20.8	2,461	100.0	73,344	100.0	1,564	100.0
RACE/ETHNICITY												
Black	1,319	43.2	1,037	42.9	282	44.4	1,103	44.8	28,765	39.2	742	47.4
Hispanic	973	31.8	753	31.1	220	34.6	810	32.9	24,013	32.7	515	32.9
White	646	21.1	545	22.5	101	15.9	476	19.3	18,849	25.7	287	18.4
Asian/Pacific Islander	106	3.5	77	3.2	29	4.6	62	2.5	1,209	1.6	16	1.0
Native American	10	0.3	8	0.3	2	0.3	8	0.3	160	0.2	2	0.1
Multiracial	1	0.0	0	0.0	1	0.2	2	0.1	30	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	318	0.4	1	0.1
AGE GROUP (YEARS)												
0-12	4	0.1	3	0.1	1	0.2	2	0.1	310	0.4	1	0.1
13-19	144	4.7	136	5.6	8	1.3	42	1.7	827	1.1	3	0.2
20-29	898	29.4	789	32.6	109	17.2	347	14.1	4,953	6.8	27	1.7
30-39	823	26.9	657	27.1	166	26.1	628	25.5	13,107	17.9	153	9.8
40-49	732	24.0	540	22.3	192	30.2	838	34.1	27,824	37.9	507	32.4
50-59	320	10.5	218	9.0	102	16.1	448	18.2	19,271	26.3	589	37.7
60+	134	4.4	77	3.2	57	9.0	156	6.3	7,052	9.6	284	18.2
BOROUGH OF RESIDENCE												
Bronx	559	18.3	436	18.0	123	19.4	499	20.3	13,321	18.2	372	23.8
Brooklyn	732	24.0	551	22.8	181	28.5	641	26.0	16,126	22.0	426	27.2
Manhattan	948	31.0	772	31.9	176	27.7	732	29.7	25,424	34.7	428	27.4
Queens	469	15.4	361	14.9	108	17.0	382	15.5	10,249	14.0	181	11.6
Staten Island	65	2.1	49	2.0	16	2.5	57	2.3	1,178	1.6	34	2.2
Outside NYC	264	8.6	233	9.6	31	4.9	128	5.2	6,505	8.9	122	7.8
Unknown	18	0.6	18	0.7	0	0.0	22	0.9	541	0.7	1	0.1
TRANSMISSION RISK												
Men who have sex with men	1,745	57.1	1,463	60.5	282	44.4	1,088	44.2	33,233	45.3	374	23.9
Injection drug use history	236	7.7	189	7.8	47	7.4	390	15.8	15,552	21.2	617	39.5
Heterosexual	232	7.6	171	7.1	61	9.6	228	9.3	5,410	7.4	134	8.6
Perinatal	4	0.1	3	0.1	1	0.2	24	1.0	1,206	1.6	5	0.3
Other	0	0.0	0	0.0	0	0.0	3	0.1	138	0.2	6	0.4
Unknown	838	27.4	594	24.5	244	38.4	728	29.6	17,805	24.3	428	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29,017	39.6	232	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	44,327	60.4	1,332	85.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,062	100.0	818	77.0	244	23.0	1,107	100.0	31,071	100.0	744	100.0
RACE/ETHNICITY												
Black	673	63.4	515	63.0	158	64.8	666	60.2	17,919	57.7	443	59.5
Hispanic	305	28.7	237	29.0	68	27.9	362	32.7	10,247	33.0	224	30.1
White	55	5.2	44	5.4	11	4.5	59	5.3	2,420	7.8	69	9.3
Asian/Pacific Islander	24	2.3	18	2.2	6	2.5	18	1.6	306	1.0	8	1.1
Native American	5	0.5	4	0.5	1	0.4	2	0.2	69	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	98	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	8	0.8	8	1.0	0	0.0	0	0.0	360	1.2	1	0.1
13-19	56	5.3	52	6.4	4	1.6	35	3.2	786	2.5	6	0.8
20-29	214	20.2	183	22.4	31	12.7	114	10.3	2,207	7.1	20	2.7
30-39	249	23.4	205	25.1	44	18.0	260	23.5	6,194	19.9	88	11.8
40-49	302	28.4	218	26.7	84	34.4	424	38.3	11,983	38.6	308	41.4
50-59	171	16.1	112	13.7	59	24.2	204	18.4	7,257	23.4	243	32.7
60+	62	5.8	40	4.9	22	9.0	70	6.3	2,284	7.4	78	10.5
BOROUGH OF RESIDENCE												
Bronx	342	32.2	275	33.6	67	27.5	360	32.5	9,006	29.0	194	26.1
Brooklyn	320	30.1	239	29.2	81	33.2	363	32.8	9,472	30.5	259	34.8
Manhattan	194	18.3	141	17.2	53	21.7	203	18.3	6,020	19.4	152	20.4
Queens	134	12.6	104	12.7	30	12.3	127	11.5	4,328	13.9	89	12.0
Staten Island	18	1.7	14	1.7	4	1.6	19	1.7	662	2.1	21	2.8
Outside NYC	50	4.7	41	5.0	9	3.7	32	2.9	1,386	4.5	29	3.9
Unknown	4	0.4	4	0.5	0	0.0	3	0.3	197	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history	83	7.8	72	8.8	11	4.5	163	14.7	6,423	20.7	243	32.7
Heterosexual	783	73.7	603	73.7	180	73.8	654	59.1	14,223	45.8	287	38.6
Perinatal	8	0.8	8	1.0	0	0.0	20	1.8	1,274	4.1	11	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	137	0.4	3	0.4
Unknown	188	17.7	135	16.5	53	21.7	270	24.4	9,014	29.0	200	26.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,858	41.4	88	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,213	58.6	656	88.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,319	100.0	1,037	78.6	282	21.4	1,103	100.0	28,765	100.0	742	100.0
AGE GROUP (YEARS)												
0-12	2	0.2	2	0.2	0	0.0	1	0.1	200	0.7	0	0.0
13-19	85	6.4	81	7.8	4	1.4	23	2.1	483	1.7	2	0.3
20-29	388	29.4	336	32.4	52	18.4	154	14.0	2,252	7.8	8	1.1
30-39	285	21.6	224	21.6	61	21.6	252	22.8	4,659	16.2	83	11.2
40-49	335	25.4	247	23.8	88	31.2	376	34.1	10,252	35.6	205	27.6
50-59	160	12.1	112	10.8	48	17.0	227	20.6	7,995	27.8	322	43.4
60+	64	4.9	35	3.4	29	10.3	70	6.3	2,924	10.2	122	16.4
BOROUGH OF RESIDENCE												
Bronx	261	19.8	203	19.6	58	20.6	241	21.8	5,569	19.4	147	19.8
Brooklyn	466	35.3	337	32.5	129	45.7	403	36.5	9,405	32.7	262	35.3
Manhattan	286	21.7	240	23.1	46	16.3	245	22.2	7,538	26.2	179	24.1
Queens	174	13.2	140	13.5	34	12.1	145	13.1	3,655	12.7	87	11.7
Staten Island	31	2.4	25	2.4	6	2.1	17	1.5	400	1.4	15	2.0
Outside NYC	93	7.1	84	8.1	9	3.2	45	4.1	1,994	6.9	51	6.9
Unknown	8	0.6	8	0.8	0	0.0	7	0.6	204	0.7	1	0.1
TRANSMISSION RISK												
Men who have sex with men	617	46.8	514	49.6	103	36.5	399	36.2	9,570	33.3	142	19.1
Injection drug use history	84	6.4	69	6.7	15	5.3	142	12.9	6,391	22.2	286	38.5
Heterosexual	142	10.8	111	10.7	31	11.0	141	12.8	2,936	10.2	78	10.5
Perinatal	2	0.2	2	0.2	0	0.0	13	1.2	679	2.4	1	0.1
Other	0	0.0	0	0.0	0	0.0	1	0.1	44	0.2	2	0.3
Unknown	474	35.9	341	32.9	133	47.2	407	36.9	9,145	31.8	233	31.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,899	37.9	107	14.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,866	62.1	635	85.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	673	100.0	515	76.5	158	23.5	666	100.0	17,919	100.0	443	100.0
AGE GROUP (YEARS)												
0-12	6	0.9	6	1.2	0	0.0	0	0.0	216	1.2	0	0.0
13-19	37	5.5	34	6.6	3	1.9	17	2.6	475	2.7	2	0.5
20-29	127	18.9	103	20.0	24	15.2	85	12.8	1,365	7.6	14	3.2
30-39	164	24.4	137	26.6	27	17.1	144	21.6	3,706	20.7	56	12.6
40-49	207	30.8	147	28.5	60	38.0	259	38.9	6,793	37.9	185	41.8
50-59	93	13.8	64	12.4	29	18.4	116	17.4	4,120	23.0	145	32.7
60+	39	5.8	24	4.7	15	9.5	45	6.8	1,244	6.9	41	9.3
BOROUGH OF RESIDENCE												
Bronx	180	26.7	149	28.9	31	19.6	166	24.9	4,447	24.8	83	18.7
Brooklyn	249	37.0	182	35.3	67	42.4	266	39.9	6,538	36.5	180	40.6
Manhattan	115	17.1	81	15.7	34	21.5	127	19.1	3,324	18.6	94	21.2
Queens	78	11.6	61	11.8	17	10.8	78	11.7	2,508	14.0	60	13.5
Staten Island	15	2.2	11	2.1	4	2.5	12	1.8	313	1.7	11	2.5
Outside NYC	33	4.9	28	5.4	5	3.2	16	2.4	675	3.8	15	3.4
Unknown	3	0.4	3	0.6	0	0.0	1	0.2	114	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history	37	5.5	33	6.4	4	2.5	68	10.2	3,129	17.5	134	30.2
Heterosexual	510	75.8	388	75.3	122	77.2	420	63.1	8,277	46.2	182	41.1
Perinatal	6	0.9	6	1.2	0	0.0	10	1.5	738	4.1	6	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	72	0.4	3	0.7
Unknown	120	17.8	88	17.1	32	20.3	168	25.2	5,703	31.8	118	26.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,660	42.7	45	10.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,259	57.3	398	89.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	973	100.0	753	77.4	220	22.6	810	100.0	24,013	100.0	515	100.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	87	0.4	0	0.0
13-19	52	5.3	48	6.4	4	1.8	18	2.2	298	1.2	1	0.2
20-29	312	32.1	266	35.3	46	20.9	144	17.8	1,788	7.4	14	2.7
30-39	276	28.4	218	29.0	58	26.4	207	25.6	4,749	19.8	43	8.3
40-49	199	20.5	136	18.1	63	28.6	262	32.3	9,266	38.6	193	37.5
50-59	92	9.5	61	8.1	31	14.1	131	16.2	5,797	24.1	162	31.5
60+	41	4.2	23	3.1	18	8.2	48	5.9	2,028	8.4	102	19.8
BOROUGH OF RESIDENCE												
Bronx	263	27.0	210	27.9	53	24.1	230	28.4	6,956	29.0	197	38.3
Brooklyn	160	16.4	120	15.9	40	18.2	150	18.5	4,144	17.3	111	21.6
Manhattan	280	28.8	210	27.9	70	31.8	221	27.3	6,865	28.6	122	23.7
Queens	188	19.3	143	19.0	45	20.5	157	19.4	4,142	17.2	48	9.3
Staten Island	15	1.5	11	1.5	4	1.8	19	2.3	303	1.3	6	1.2
Outside NYC	61	6.3	53	7.0	8	3.6	24	3.0	1,445	6.0	31	6.0
Unknown	6	0.6	6	0.8	0	0.0	9	1.1	158	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men	554	56.9	458	60.8	96	43.6	321	39.6	9,276	38.6	79	15.3
Injection drug use history	118	12.1	92	12.2	26	11.8	204	25.2	7,067	29.4	260	50.5
Heterosexual	62	6.4	42	5.6	20	9.1	65	8.0	1,838	7.7	46	8.9
Perinatal	1	0.1	1	0.1	0	0.0	10	1.2	440	1.8	3	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	1	0.2
Unknown	238	24.5	160	21.2	78	35.5	210	25.9	5,357	22.3	126	24.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,698	36.2	68	13.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,315	63.8	447	86.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	305	100.0	237	77.7	68	22.3	362	100.0	10,247	100.0	224	100.0
AGE GROUP (YEARS)												
0-12	2	0.7	2	0.8	0	0.0	0	0.0	127	1.2	1	0.4
13-19	16	5.2	15	6.3	1	1.5	17	4.7	260	2.5	4	1.8
20-29	66	21.6	60	25.3	6	8.8	27	7.5	677	6.6	4	1.8
30-39	67	22.0	53	22.4	14	20.6	90	24.9	1,961	19.1	25	11.2
40-49	77	25.2	59	24.9	18	26.5	134	37.0	4,022	39.3	91	40.6
50-59	59	19.3	36	15.2	23	33.8	72	19.9	2,402	23.4	70	31.3
60+	18	5.9	12	5.1	6	8.8	22	6.1	798	7.8	29	12.9
BOROUGH OF RESIDENCE												
Bronx	147	48.2	114	48.1	33	48.5	179	49.4	4,207	41.1	94	42.0
Brooklyn	53	17.4	44	18.6	9	13.2	76	21.0	2,267	22.1	61	27.2
Manhattan	57	18.7	43	18.1	14	20.6	58	16.0	1,997	19.5	46	20.5
Queens	35	11.5	25	10.5	10	14.7	37	10.2	1,173	11.4	11	4.9
Staten Island	0	0.0	0	0.0	0	0.0	4	1.1	160	1.6	4	1.8
Outside NYC	12	3.9	10	4.2	2	2.9	8	2.2	387	3.8	8	3.6
Unknown	1	0.3	1	0.4	0	0.0	0	0.0	56	0.5	0	0.0
TRANSMISSION RISK												
Injection drug use history	36	11.8	30	12.7	6	8.8	78	21.5	2,541	24.8	83	37.1
Heterosexual	219	71.8	172	72.6	47	69.1	194	53.6	4,715	46.0	71	31.7
Perinatal	2	0.7	2	0.8	0	0.0	9	2.5	454	4.4	5	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	34	0.3	0	0.0
Unknown	48	15.7	33	13.9	15	22.1	81	22.4	2,503	24.4	65	29.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,923	38.3	26	11.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,324	61.7	198	88.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	646	100.0	545	84.4	101	15.6	476	100.0	18,849	100.0	287	100.0
AGE GROUP (YEARS)												
0-12	1	0.2	0	0.0	1	1.0	1	0.2	16	0.1	1	0.3
13-19	5	0.8	5	0.9	0	0.0	1	0.2	36	0.2	0	0.0
20-29	167	25.9	158	29.0	9	8.9	42	8.8	796	4.2	4	1.4
30-39	222	34.4	188	34.5	34	33.7	144	30.3	3,252	17.3	27	9.4
40-49	172	26.6	138	25.3	34	33.7	177	37.2	7,640	40.5	100	34.8
50-59	55	8.5	40	7.3	15	14.9	78	16.4	5,142	27.3	99	34.5
60+	24	3.7	16	2.9	8	7.9	33	6.9	1,967	10.4	56	19.5
BOROUGH OF RESIDENCE												
Bronx	25	3.9	17	3.1	8	7.9	22	4.6	671	3.6	21	7.3
Brooklyn	91	14.1	81	14.9	10	9.9	73	15.3	2,305	12.2	49	17.1
Manhattan	348	53.9	294	53.9	54	53.5	241	50.6	10,293	54.6	124	43.2
Queens	68	10.5	55	10.1	13	12.9	59	12.4	2,015	10.7	41	14.3
Staten Island	17	2.6	12	2.2	5	5.0	20	4.2	455	2.4	13	4.5
Outside NYC	94	14.6	83	15.2	11	10.9	55	11.6	2,948	15.6	39	13.6
Unknown	3	0.5	3	0.6	0	0.0	6	1.3	162	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men	507	78.5	440	80.7	67	66.3	328	68.9	13,599	72.1	147	51.2
Injection drug use history	32	5.0	26	4.8	6	5.9	41	8.6	1,998	10.6	69	24.0
Heterosexual	15	2.3	11	2.0	4	4.0	15	3.2	491	2.6	7	2.4
Perinatal	1	0.2	0	0.0	1	1.0	1	0.2	66	0.4	1	0.3
Other	0	0.0	0	0.0	0	0.0	2	0.4	53	0.3	3	1.0
Unknown	91	14.1	68	12.5	23	22.8	89	18.7	2,642	14.0	60	20.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,508	45.1	55	19.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,341	54.9	232	80.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	55	100.0	44	80.0	11	20.0	59	100.0	2,420	100.0	69	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
13-19	1	1.8	1	2.3	0	0.0	1	1.7	40	1.7	0	0.0
20-29	16	29.1	16	36.4	0	0.0	1	1.7	126	5.2	1	1.4
30-39	11	20.0	10	22.7	1	9.1	18	30.5	403	16.7	6	8.7
40-49	13	23.6	9	20.5	4	36.4	25	42.4	993	41.0	30	43.5
50-59	12	21.8	6	13.6	6	54.5	13	22.0	632	26.1	26	37.7
60+	2	3.6	2	4.5	0	0.0	1	1.7	213	8.8	6	8.7
BOROUGH OF RESIDENCE												
Bronx	11	20.0	9	20.5	2	18.2	11	18.6	285	11.8	16	23.2
Brooklyn	14	25.5	10	22.7	4	36.4	18	30.5	542	22.4	17	24.6
Manhattan	14	25.5	11	25.0	3	27.3	12	20.3	596	24.6	11	15.9
Queens	10	18.2	9	20.5	1	9.1	7	11.9	497	20.5	15	21.7
Staten Island	3	5.5	3	6.8	0	0.0	3	5.1	180	7.4	6	8.7
Outside NYC	3	5.5	2	4.5	1	9.1	6	10.2	300	12.4	4	5.8
Unknown	0	0.0	0	0.0	0	0.0	2	3.4	20	0.8	0	0.0
TRANSMISSION RISK												
Injection drug use history	9	16.4	8	18.2	1	9.1	16	27.1	721	29.8	26	37.7
Heterosexual	32	58.2	25	56.8	7	63.6	27	45.8	1,010	41.7	28	40.6
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	70	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	1.0	0	0.0
Unknown	14	25.5	11	25.0	3	27.3	15	25.4	595	24.6	15	21.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	991	41.0	15	21.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,429	59.0	54	78.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	106	100.0	77	72.6	29	27.4	62	100.0	1,209	100.0	16	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	2	1.9	2	2.6	0	0.0	0	0.0	6	0.5	0	0.0
20-29	25	23.6	23	29.9	2	6.9	6	9.7	90	7.4	1	6.3
30-39	36	34.0	25	32.5	11	37.9	21	33.9	347	28.7	0	0.0
40-49	26	24.5	19	24.7	7	24.1	20	32.3	457	37.8	7	43.8
50-59	12	11.3	5	6.5	7	24.1	11	17.7	225	18.6	5	31.3
60+	5	4.7	3	3.9	2	6.9	4	6.5	81	6.7	3	18.8
BOROUGH OF RESIDENCE												
Bronx	8	7.5	5	6.5	3	10.3	3	4.8	64	5.3	7	43.8
Brooklyn	13	12.3	11	14.3	2	6.9	13	21.0	205	17.0	3	18.8
Manhattan	32	30.2	26	33.8	6	20.7	22	35.5	457	37.8	2	12.5
Queens	37	34.9	22	28.6	15	51.7	20	32.3	370	30.6	4	25.0
Staten Island	2	1.9	1	1.3	1	3.4	1	1.6	9	0.7	0	0.0
Outside NYC	13	12.3	11	14.3	2	6.9	3	4.8	100	8.3	0	0.0
Unknown	1	0.9	1	1.3	0	0.0	0	0.0	4	0.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men	57	53.8	44	57.1	13	44.8	35	56.5	657	54.3	5	31.3
Injection drug use history	2	1.9	2	2.6	0	0.0	2	3.2	60	5.0	1	6.3
Heterosexual	13	12.3	7	9.1	6	20.7	7	11.3	125	10.3	2	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	34	32.1	24	31.2	10	34.5	18	29.0	353	29.2	8	50.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	540	44.7	2	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	669	55.3	14	87.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	18	75.0	6	25.0	18	100.0	306	100.0	8	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
13-19	2	8.3	2	11.1	0	0.0	0	0.0	7	2.3	0	0.0
20-29	5	20.8	4	22.2	1	16.7	1	5.6	27	8.8	1	12.5
30-39	6	25.0	4	22.2	2	33.3	7	38.9	89	29.1	1	12.5
40-49	4	16.7	2	11.1	2	33.3	6	33.3	102	33.3	2	25.0
50-59	4	16.7	4	22.2	0	0.0	2	11.1	58	19.0	2	25.0
60+	3	12.5	2	11.1	1	16.7	2	11.1	21	6.9	2	25.0
BOROUGH OF RESIDENCE												
Bronx	3	12.5	2	11.1	1	16.7	4	22.2	33	10.8	1	12.5
Brooklyn	2	8.3	2	11.1	0	0.0	2	11.1	73	23.9	1	12.5
Manhattan	6	25.0	4	22.2	2	33.3	5	27.8	60	19.6	1	12.5
Queens	11	45.8	9	50.0	2	33.3	5	27.8	116	37.9	3	37.5
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Outside NYC	2	8.3	1	5.6	1	16.7	2	11.1	19	6.2	2	25.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	1	4.2	1	5.6	0	0.0	1	5.6	15	4.9	0	0.0
Heterosexual	18	75.0	14	77.8	4	66.7	12	66.7	164	53.6	6	75.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
Unknown	5	20.8	3	16.7	2	33.3	5	27.8	118	38.6	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	157	51.3	2	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	149	48.7	6	75.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	8	80.0	2	20.0	8	100.0	160	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	60.0	6	75.0	0	0.0	0	0.0	13	8.1	0	0.0
30-39	3	30.0	2	25.0	1	50.0	3	37.5	47	29.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	3	37.5	59	36.9	1	50.0
50-59	1	10.0	0	0.0	1	50.0	1	12.5	28	17.5	1	50.0
60+	0	0.0	0	0.0	0	0.0	1	12.5	13	8.1	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	20.0	1	12.5	1	50.0	2	25.0	30	18.8	0	0.0
Brooklyn	2	20.0	2	25.0	0	0.0	2	25.0	29	18.1	1	50.0
Manhattan	2	20.0	2	25.0	0	0.0	3	37.5	55	34.4	0	0.0
Queens	1	10.0	1	12.5	0	0.0	0	0.0	29	18.1	1	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	3	30.0	2	25.0	1	50.0	1	12.5	12	7.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	9	90.0	7	87.5	2	100.0	3	37.5	72	45.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	12.5	23	14.4	1	50.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	14	8.8	1	50.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0
Unknown	1	10.0	1	12.5	0	0.0	4	50.0	49	30.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70	43.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	90	56.3	2	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	4	80.0	1	20.0	2	100.0	69	100.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	2.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	4	5.8	0	0.0
30-39	1	20.0	1	25.0	0	0.0	1	50.0	14	20.3	0	0.0
40-49	1	20.0	1	25.0	0	0.0	0	0.0	29	42.0	0	0.0
50-59	3	60.0	2	50.0	1	100.0	1	50.0	16	23.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	3	4.3	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	20.0	1	25.0	0	0.0	0	0.0	15	21.7	0	0.0
Brooklyn	2	40.0	1	25.0	1	100.0	1	50.0	26	37.7	0	0.0
Manhattan	2	40.0	2	50.0	0	0.0	1	50.0	12	17.4	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	15.9	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	5.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	10	14.5	0	0.0
Heterosexual	4	80.0	4	100.0	0	0.0	1	50.0	36	52.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Unknown	1	20.0	0	0.0	1	100.0	1	50.0	19	27.5	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	33	47.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36	52.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	3	75.0	1	25.0	2	100.0	310	100.0	1	100.0
RACE/ETHNICITY												
Black	2	50.0	2	66.7	0	0.0	1	50.0	200	64.5	0	0.0
Hispanic	1	25.0	1	33.3	0	0.0	0	0.0	87	28.1	0	0.0
White	1	25.0	0	0.0	1	100.0	1	50.0	16	5.2	1	100.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	25.0	1	33.3	0	0.0	0	0.0	96	31.0	0	0.0
Brooklyn	1	25.0	1	33.3	0	0.0	0	0.0	113	36.5	0	0.0
Manhattan	1	25.0	1	33.3	0	0.0	1	50.0	45	14.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	31	10.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.9	0	0.0
Outside NYC	1	25.0	0	0.0	1	100.0	1	50.0	15	4.8	1	100.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	3	100.0	1	100.0	2	100.0	310	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	261	84.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	49	15.8	1	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	8	100.0	0	0.0	0	0.0	360	100.0	1	100.0
RACE/ETHNICITY												
Black	6	75.0	6	75.0	0	0.0	0	0.0	216	60.0	0	0.0
Hispanic	2	25.0	2	25.0	0	0.0	0	0.0	127	35.3	1	100.0
White	0	0.0	0	0.0	0	0.0	0	0.0	13	3.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	12.5	1	12.5	0	0.0	0	0.0	130	36.1	1	100.0
Brooklyn	3	37.5	3	37.5	0	0.0	0	0.0	106	29.4	0	0.0
Manhattan	2	25.0	2	25.0	0	0.0	0	0.0	55	15.3	0	0.0
Queens	1	12.5	1	12.5	0	0.0	0	0.0	39	10.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	10	2.8	0	0.0
Outside NYC	1	12.5	1	12.5	0	0.0	0	0.0	16	4.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	1.1	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	8	100.0	8	100.0	0	0.0	0	0.0	360	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	308	85.6	1	100.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	52	14.4	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,051	100.0	2,417	79.2	634	20.8	2,459	100.0	73,034	100.0	1,563	100.0
RACE/ETHNICITY												
Black	1,317	43.2	1,035	42.8	282	44.5	1,102	44.8	28,565	39.1	742	47.5
Hispanic	972	31.9	752	31.1	220	34.7	810	32.9	23,926	32.8	515	32.9
White	645	21.1	545	22.5	100	15.8	475	19.3	18,833	25.8	286	18.3
Asian/Pacific Islander	106	3.5	77	3.2	29	4.6	62	2.5	1,206	1.7	16	1.0
Native American	10	0.3	8	0.3	2	0.3	8	0.3	160	0.2	2	0.1
Multiracial	1	0.0	0	0.0	1	0.2	2	0.1	28	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	316	0.4	1	0.1
AGE GROUP (YEARS)												
13-19	144	4.7	136	5.6	8	1.3	42	1.7	827	1.1	3	0.2
20-29	898	29.4	789	32.6	109	17.2	347	14.1	4,953	6.8	27	1.7
30-39	823	27.0	657	27.2	166	26.2	628	25.5	13,107	17.9	153	9.8
40-49	732	24.0	540	22.3	192	30.3	838	34.1	27,824	38.1	507	32.4
50-59	320	10.5	218	9.0	102	16.1	448	18.2	19,271	26.4	589	37.7
60+	134	4.4	77	3.2	57	9.0	156	6.3	7,052	9.7	284	18.2
BOROUGH OF RESIDENCE												
Bronx	558	18.3	435	18.0	123	19.4	499	20.3	13,225	18.1	372	23.8
Brooklyn	731	24.0	550	22.8	181	28.5	641	26.1	16,013	21.9	426	27.3
Manhattan	947	31.0	771	31.9	176	27.8	731	29.7	25,379	34.7	428	27.4
Queens	469	15.4	361	14.9	108	17.0	382	15.5	10,218	14.0	181	11.6
Staten Island	65	2.1	49	2.0	16	2.5	57	2.3	1,172	1.6	34	2.2
Outside NYC	263	8.6	233	9.6	30	4.7	127	5.2	6,490	8.9	121	7.7
Unknown	18	0.6	18	0.7	0	0.0	22	0.9	537	0.7	1	0.1
TRANSMISSION RISK												
Men who have sex with men	1,745	57.2	1,463	60.5	282	44.5	1,088	44.2	33,233	45.5	374	23.9
Injection drug use history	236	7.7	189	7.8	47	7.4	390	15.9	15,552	21.3	617	39.5
Heterosexual	232	7.6	171	7.1	61	9.6	228	9.3	5,410	7.4	134	8.6
Perinatal	0	0.0	0	0.0	0	0.0	22	0.9	896	1.2	4	0.3
Other	0	0.0	0	0.0	0	0.0	3	0.1	138	0.2	6	0.4
Unknown	838	27.5	594	24.6	244	38.5	728	29.6	17,805	24.4	428	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28,756	39.4	232	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	44,278	60.6	1,331	85.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,054	100.0	810	76.9	244	23.1	1,107	100.0	30,711	100.0	743	100.0
RACE/ETHNICITY												
Black	667	63.3	509	62.8	158	64.8	666	60.2	17,703	57.6	443	59.6
Hispanic	303	28.7	235	29.0	68	27.9	362	32.7	10,120	33.0	223	30.0
White	55	5.2	44	5.4	11	4.5	59	5.3	2,407	7.8	69	9.3
Asian/Pacific Islander	24	2.3	18	2.2	6	2.5	18	1.6	304	1.0	8	1.1
Native American	5	0.5	4	0.5	1	0.4	2	0.2	67	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	98	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	56	5.3	52	6.4	4	1.6	35	3.2	786	2.6	6	0.8
20-29	214	20.3	183	22.6	31	12.7	114	10.3	2,207	7.2	20	2.7
30-39	249	23.6	205	25.3	44	18.0	260	23.5	6,194	20.2	88	11.8
40-49	302	28.7	218	26.9	84	34.4	424	38.3	11,983	39.0	308	41.5
50-59	171	16.2	112	13.8	59	24.2	204	18.4	7,257	23.6	243	32.7
60+	62	5.9	40	4.9	22	9.0	70	6.3	2,284	7.4	78	10.5
BOROUGH OF RESIDENCE												
Bronx	341	32.4	274	33.8	67	27.5	360	32.5	8,876	28.9	193	26.0
Brooklyn	317	30.1	236	29.1	81	33.2	363	32.8	9,366	30.5	259	34.9
Manhattan	192	18.2	139	17.2	53	21.7	203	18.3	5,965	19.4	152	20.5
Queens	133	12.6	103	12.7	30	12.3	127	11.5	4,289	14.0	89	12.0
Staten Island	18	1.7	14	1.7	4	1.6	19	1.7	652	2.1	21	2.8
Outside NYC	49	4.6	40	4.9	9	3.7	32	2.9	1,370	4.5	29	3.9
Unknown	4	0.4	4	0.5	0	0.0	3	0.3	193	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history	83	7.9	72	8.9	11	4.5	163	14.7	6,423	20.9	243	32.7
Heterosexual	783	74.3	603	74.4	180	73.8	654	59.1	14,223	46.3	287	38.6
Perinatal	0	0.0	0	0.0	0	0.0	20	1.8	914	3.0	10	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	137	0.4	3	0.4
Unknown	188	17.8	135	16.7	53	21.7	270	24.4	9,014	29.4	200	26.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,550	40.9	87	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,161	59.1	656	88.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	559	100.0	436	78.0	123	22.0	499	100.0	13,321	100.0	372	100.0
RACE/ETHNICITY												
Black	261	46.7	203	46.6	58	47.2	241	48.3	5,569	41.8	147	39.5
Hispanic	263	47.0	210	48.2	53	43.1	230	46.1	6,956	52.2	197	53.0
White	25	4.5	17	3.9	8	6.5	22	4.4	671	5.0	21	5.6
Asian/Pacific Islander	8	1.4	5	1.1	3	2.4	3	0.6	64	0.5	7	1.9
Native American	2	0.4	1	0.2	1	0.8	2	0.4	30	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.2	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	96	0.7	0	0.0
13-19	33	5.9	32	7.3	1	0.8	10	2.0	230	1.7	0	0.0
20-29	157	28.1	140	32.1	17	13.8	74	14.8	1,008	7.6	7	1.9
30-39	138	24.7	101	23.2	37	30.1	130	26.1	2,230	16.7	32	8.6
40-49	136	24.3	97	22.2	39	31.7	166	33.3	4,892	36.7	115	30.9
50-59	67	12.0	48	11.0	19	15.4	90	18.0	3,664	27.5	141	37.9
60+	27	4.8	17	3.9	10	8.1	29	5.8	1,201	9.0	77	20.7
TRANSMISSION RISK												
Men who have sex with men	228	40.8	195	44.7	33	26.8	134	26.9	3,484	26.2	49	13.2
Injection drug use history	90	16.1	72	16.5	18	14.6	121	24.2	4,094	30.7	181	48.7
Heterosexual	47	8.4	36	8.3	11	8.9	58	11.6	1,299	9.8	36	9.7
Perinatal	1	0.2	1	0.2	0	0.0	10	2.0	376	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.3
Unknown	193	34.5	132	30.3	61	49.6	176	35.3	4,045	30.4	105	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,974	37.3	57	15.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,347	62.7	315	84.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	342	100.0	275	80.4	67	19.6	360	100.0	9,006	100.0	194	100.0
RACE/ETHNICITY												
Black	180	52.6	149	54.2	31	46.3	166	46.1	4,447	49.4	83	42.8
Hispanic	147	43.0	114	41.5	33	49.3	179	49.7	4,207	46.7	94	48.5
White	11	3.2	9	3.3	2	3.0	11	3.1	285	3.2	16	8.2
Asian/Pacific Islander	3	0.9	2	0.7	1	1.5	4	1.1	33	0.4	1	0.5
Native American	1	0.3	1	0.4	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	130	1.4	1	0.5
13-19	20	5.8	20	7.3	0	0.0	12	3.3	234	2.6	0	0.0
20-29	84	24.6	71	25.8	13	19.4	43	11.9	692	7.7	7	3.6
30-39	89	26.0	73	26.5	16	23.9	96	26.7	1,896	21.1	32	16.5
40-49	90	26.3	68	24.7	22	32.8	138	38.3	3,495	38.8	78	40.2
50-59	44	12.9	31	11.3	13	19.4	54	15.0	1,930	21.4	57	29.4
60+	14	4.1	11	4.0	3	4.5	17	4.7	629	7.0	19	9.8
TRANSMISSION RISK												
Injection drug use history	28	8.2	25	9.1	3	4.5	55	15.3	1,869	20.8	62	32.0
Heterosexual	271	79.2	218	79.3	53	79.1	200	55.6	3,958	43.9	68	35.1
Perinatal	1	0.3	1	0.4	0	0.0	6	1.7	399	4.4	3	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	29	0.3	0	0.0
Unknown	42	12.3	31	11.3	11	16.4	99	27.5	2,751	30.5	61	31.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,834	42.6	24	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,172	57.4	170	87.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	732	100.0	551	75.3	181	24.7	641	100.0	16,126	100.0	426	100.0
RACE/ETHNICITY												
Black	466	63.7	337	61.2	129	71.3	403	62.9	9,405	58.3	262	61.5
Hispanic	160	21.9	120	21.8	40	22.1	150	23.4	4,144	25.7	111	26.1
White	91	12.4	81	14.7	10	5.5	73	11.4	2,305	14.3	49	11.5
Asian/Pacific Islander	13	1.8	11	2.0	2	1.1	13	2.0	205	1.3	3	0.7
Native American	2	0.3	2	0.4	0	0.0	2	0.3	29	0.2	1	0.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	113	0.7	0	0.0
13-19	41	5.6	38	6.9	3	1.7	14	2.2	263	1.6	2	0.5
20-29	241	32.9	205	37.2	36	19.9	99	15.4	1,312	8.1	7	1.6
30-39	166	22.7	129	23.4	37	20.4	147	22.9	2,911	18.1	43	10.1
40-49	171	23.4	117	21.2	54	29.8	212	33.1	5,821	36.1	144	33.8
50-59	75	10.2	43	7.8	32	17.7	128	20.0	4,138	25.7	156	36.6
60+	37	5.1	18	3.3	19	10.5	41	6.4	1,568	9.7	74	17.4
TRANSMISSION RISK												
Men who have sex with men	391	53.4	320	58.1	71	39.2	264	41.2	5,870	36.4	83	19.5
Injection drug use history	38	5.2	26	4.7	12	6.6	94	14.7	3,695	22.9	162	38.0
Heterosexual	67	9.2	50	9.1	17	9.4	62	9.7	1,501	9.3	37	8.7
Perinatal	1	0.1	1	0.2	0	0.0	5	0.8	380	2.4	2	0.5
Other	0	0.0	0	0.0	0	0.0	1	0.2	30	0.2	0	0.0
Unknown	235	32.1	154	27.9	81	44.8	215	33.5	4,650	28.8	142	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,002	37.2	61	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,124	62.8	365	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	320	100.0	239	74.7	81	25.3	363	100.0	9,472	100.0	259	100.0
RACE/ETHNICITY												
Black	249	77.8	182	76.2	67	82.7	266	73.3	6,538	69.0	180	69.5
Hispanic	53	16.6	44	18.4	9	11.1	76	20.9	2,267	23.9	61	23.6
White	14	4.4	10	4.2	4	4.9	18	5.0	542	5.7	17	6.6
Asian/Pacific Islander	2	0.6	2	0.8	0	0.0	2	0.6	73	0.8	1	0.4
Native American	2	0.6	1	0.4	1	1.2	1	0.3	26	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.9	3	1.3	0	0.0	0	0.0	106	1.1	0	0.0
13-19	16	5.0	15	6.3	1	1.2	8	2.2	222	2.3	4	1.5
20-29	58	18.1	49	20.5	9	11.1	42	11.6	726	7.7	5	1.9
30-39	71	22.2	57	23.8	14	17.3	79	21.8	1,886	19.9	27	10.4
40-49	97	30.3	67	28.0	30	37.0	141	38.8	3,571	37.7	109	42.1
50-59	56	17.5	38	15.9	18	22.2	68	18.7	2,255	23.8	89	34.4
60+	19	5.9	10	4.2	9	11.1	25	6.9	706	7.5	25	9.7
TRANSMISSION RISK												
Injection drug use history	17	5.3	15	6.3	2	2.5	45	12.4	1,748	18.5	84	32.4
Heterosexual	244	76.3	181	75.7	63	77.8	221	60.9	4,471	47.2	103	39.8
Perinatal	3	0.9	3	1.3	0	0.0	5	1.4	359	3.8	4	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	41	0.4	0	0.0
Unknown	56	17.5	40	16.7	16	19.8	92	25.3	2,853	30.1	68	26.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,838	40.5	28	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,634	59.5	231	89.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	948	100.0	772	81.4	176	18.6	732	100.0	25,424	100.0	428	100.0
RACE/ETHNICITY												
Black	286	30.2	240	31.1	46	26.1	245	33.5	7,538	29.6	179	41.8
Hispanic	280	29.5	210	27.2	70	39.8	221	30.2	6,865	27.0	122	28.5
White	348	36.7	294	38.1	54	30.7	241	32.9	10,293	40.5	124	29.0
Asian/Pacific Islander	32	3.4	26	3.4	6	3.4	22	3.0	457	1.8	2	0.5
Native American	2	0.2	2	0.3	0	0.0	3	0.4	55	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	208	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	1	0.1	45	0.2	0	0.0
13-19	30	3.2	29	3.8	1	0.6	10	1.4	157	0.6	1	0.2
20-29	254	26.8	228	29.5	26	14.8	75	10.2	1,327	5.2	6	1.4
30-39	300	31.6	258	33.4	42	23.9	198	27.0	4,431	17.4	38	8.9
40-49	227	23.9	171	22.2	56	31.8	263	35.9	9,846	38.7	126	29.4
50-59	98	10.3	62	8.0	36	20.5	134	18.3	6,792	26.7	172	40.2
60+	38	4.0	23	3.0	15	8.5	51	7.0	2,826	11.1	85	19.9
TRANSMISSION RISK												
Men who have sex with men	655	69.1	551	71.4	104	59.1	414	56.6	14,860	58.4	142	33.2
Injection drug use history	53	5.6	46	6.0	7	4.0	86	11.7	4,178	16.4	150	35.0
Heterosexual	60	6.3	46	6.0	14	8.0	55	7.5	1,176	4.6	34	7.9
Perinatal	1	0.1	1	0.1	0	0.0	3	0.4	203	0.8	2	0.5
Other	0	0.0	0	0.0	0	0.0	2	0.3	22	0.1	0	0.0
Unknown	179	18.9	128	16.6	51	29.0	172	23.5	4,985	19.6	100	23.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,623	41.8	57	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,801	58.2	371	86.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	194	100.0	141	72.7	53	27.3	203	100.0	6,020	100.0	152	100.0
RACE/ETHNICITY												
Black	115	59.3	81	57.4	34	64.2	127	62.6	3,324	55.2	94	61.8
Hispanic	57	29.4	43	30.5	14	26.4	58	28.6	1,997	33.2	46	30.3
White	14	7.2	11	7.8	3	5.7	12	5.9	596	9.9	11	7.2
Asian/Pacific Islander	6	3.1	4	2.8	2	3.8	5	2.5	60	1.0	1	0.7
Native American	2	1.0	2	1.4	0	0.0	1	0.5	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.0	2	1.4	0	0.0	0	0.0	55	0.9	0	0.0
13-19	11	5.7	8	5.7	3	5.7	5	2.5	160	2.7	2	1.3
20-29	28	14.4	24	17.0	4	7.5	15	7.4	339	5.6	4	2.6
30-39	52	26.8	44	31.2	8	15.1	55	27.1	1,104	18.3	13	8.6
40-49	53	27.3	35	24.8	18	34.0	73	36.0	2,364	39.3	60	39.5
50-59	33	17.0	20	14.2	13	24.5	38	18.7	1,506	25.0	53	34.9
60+	15	7.7	8	5.7	7	13.2	17	8.4	492	8.2	20	13.2
TRANSMISSION RISK												
Injection drug use history	23	11.9	19	13.5	4	7.5	34	16.7	1,530	25.4	60	39.5
Heterosexual	133	68.6	102	72.3	31	58.5	123	60.6	2,538	42.2	50	32.9
Perinatal	2	1.0	2	1.4	0	0.0	1	0.5	225	3.7	2	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.4	2	1.3
Unknown	36	18.6	18	12.8	18	34.0	45	22.2	1,703	28.3	38	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,341	38.9	14	9.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,679	61.1	138	90.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	469	100.0	361	77.0	108	23.0	382	100.0	10,249	100.0	181	100.0
RACE/ETHNICITY												
Black	174	37.1	140	38.8	34	31.5	145	38.0	3,655	35.7	87	48.1
Hispanic	188	40.1	143	39.6	45	41.7	157	41.1	4,142	40.4	48	26.5
White	68	14.5	55	15.2	13	12.0	59	15.4	2,015	19.7	41	22.7
Asian/Pacific Islander	37	7.9	22	6.1	15	13.9	20	5.2	370	3.6	4	2.2
Native American	1	0.2	1	0.3	0	0.0	0	0.0	29	0.3	1	0.6
Multiracial	1	0.2	0	0.0	1	0.9	1	0.3	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	31	0.3	0	0.0
13-19	23	4.9	21	5.8	2	1.9	7	1.8	101	1.0	0	0.0
20-29	134	28.6	116	32.1	18	16.7	67	17.5	753	7.3	4	2.2
30-39	126	26.9	91	25.2	35	32.4	99	25.9	2,032	19.8	20	11.0
40-49	121	25.8	89	24.7	32	29.6	125	32.7	3,951	38.6	70	38.7
50-59	43	9.2	32	8.9	11	10.2	60	15.7	2,591	25.3	59	32.6
60+	22	4.7	12	3.3	10	9.3	24	6.3	790	7.7	28	15.5
TRANSMISSION RISK												
Men who have sex with men	257	54.8	204	56.5	53	49.1	180	47.1	4,536	44.3	51	28.2
Injection drug use history	33	7.0	28	7.8	5	4.6	57	14.9	2,076	20.3	68	37.6
Heterosexual	40	8.5	23	6.4	17	15.7	40	10.5	980	9.6	16	8.8
Perinatal	0	0.0	0	0.0	0	0.0	4	1.0	136	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	1	0.6
Unknown	139	29.6	106	29.4	33	30.6	101	26.4	2,497	24.4	45	24.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,892	38.0	27	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,357	62.0	154	85.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	134	100.0	104	77.6	30	22.4	127	100.0	4,328	100.0	89	100.0
RACE/ETHNICITY												
Black	78	58.2	61	58.7	17	56.7	78	61.4	2,508	57.9	60	67.4
Hispanic	35	26.1	25	24.0	10	33.3	37	29.1	1,173	27.1	11	12.4
White	10	7.5	9	8.7	1	3.3	7	5.5	497	11.5	15	16.9
Asian/Pacific Islander	11	8.2	9	8.7	2	6.7	5	3.9	116	2.7	3	3.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	1	1.0	0	0.0	0	0.0	39	0.9	0	0.0
13-19	6	4.5	6	5.8	0	0.0	9	7.1	106	2.4	0	0.0
20-29	30	22.4	28	26.9	2	6.7	11	8.7	294	6.8	1	1.1
30-39	18	13.4	15	14.4	3	10.0	18	14.2	883	20.4	11	12.4
40-49	40	29.9	31	29.8	9	30.0	44	34.6	1,664	38.4	35	39.3
50-59	28	20.9	14	13.5	14	46.7	37	29.1	1,021	23.6	32	36.0
60+	11	8.2	9	8.7	2	6.7	8	6.3	321	7.4	10	11.2
TRANSMISSION RISK												
Injection drug use history	10	7.5	10	9.6	0	0.0	19	15.0	830	19.2	23	25.8
Heterosexual	92	68.7	67	64.4	25	83.3	82	64.6	2,201	50.9	44	49.4
Perinatal	1	0.7	1	1.0	0	0.0	8	6.3	175	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	1	1.1
Unknown	31	23.1	26	25.0	5	16.7	18	14.2	1,097	25.3	21	23.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,784	41.2	15	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,544	58.8	74	83.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	65	100.0	49	75.4	16	24.6	57	100.0	1,178	100.0	34	100.0
RACE/ETHNICITY												
Black	31	47.7	25	51.0	6	37.5	17	29.8	400	34.0	15	44.1
Hispanic	15	23.1	11	22.4	4	25.0	19	33.3	303	25.7	6	17.6
White	17	26.2	12	24.5	5	31.3	20	35.1	455	38.6	13	38.2
Asian/Pacific Islander	2	3.1	1	2.0	1	6.3	1	1.8	9	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
13-19	3	4.6	3	6.1	0	0.0	0	0.0	18	1.5	0	0.0
20-29	16	24.6	12	24.5	4	25.0	10	17.5	87	7.4	2	5.9
30-39	14	21.5	11	22.4	3	18.8	11	19.3	162	13.8	5	14.7
40-49	18	27.7	13	26.5	5	31.3	21	36.8	481	40.8	8	23.5
50-59	9	13.8	6	12.2	3	18.8	12	21.1	321	27.2	17	50.0
60+	5	7.7	4	8.2	1	6.3	3	5.3	103	8.7	2	5.9
TRANSMISSION RISK												
Men who have sex with men	21	32.3	17	34.7	4	25.0	17	29.8	386	32.8	8	23.5
Injection drug use history	8	12.3	5	10.2	3	18.8	15	26.3	325	27.6	15	44.1
Heterosexual	6	9.2	5	10.2	1	6.3	4	7.0	98	8.3	2	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	1	2.9
Unknown	30	46.2	22	44.9	8	50.0	21	36.8	336	28.5	8	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	464	39.4	6	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	714	60.6	28	82.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	14	77.8	4	22.2	19	100.0	662	100.0	21	100.0
RACE/ETHNICITY												
Black	15	83.3	11	78.6	4	100.0	12	63.2	313	47.3	11	52.4
Hispanic	0	0.0	0	0.0	0	0.0	4	21.1	160	24.2	4	19.0
White	3	16.7	3	21.4	0	0.0	3	15.8	180	27.2	6	28.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	0	0.0
20-29	3	16.7	2	14.3	1	25.0	2	10.5	39	5.9	0	0.0
30-39	6	33.3	4	28.6	2	50.0	4	21.1	117	17.7	0	0.0
40-49	5	27.8	4	28.6	1	25.0	9	47.4	283	42.7	12	57.1
50-59	3	16.7	3	21.4	0	0.0	4	21.1	168	25.4	7	33.3
60+	1	5.6	1	7.1	0	0.0	0	0.0	34	5.1	2	9.5
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	4	21.1	144	21.8	6	28.6
Heterosexual	14	77.8	11	78.6	3	75.0	10	52.6	296	44.7	9	42.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Unknown	4	22.2	3	21.4	1	25.0	5	26.3	186	28.1	6	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	287	43.4	2	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	375	56.6	19	90.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,745	100.0	1,463	83.8	282	16.2	1,088	100.0	33,233	100.0	374	100.0
RACE/ETHNICITY												
Black	617	35.4	514	35.1	103	36.5	399	36.7	9,570	28.8	142	38.0
Hispanic	554	31.7	458	31.3	96	34.0	321	29.5	9,276	27.9	79	21.1
White	507	29.1	440	30.1	67	23.8	328	30.1	13,599	40.9	147	39.3
Asian/Pacific Islander	57	3.3	44	3.0	13	4.6	35	3.2	657	2.0	5	1.3
Native American	9	0.5	7	0.5	2	0.7	3	0.3	72	0.2	0	0.0
Multiracial	1	0.1	0	0.0	1	0.4	2	0.2	18	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	110	6.3	107	7.3	3	1.1	18	1.7	157	0.5	1	0.3
20-29	686	39.3	616	42.1	70	24.8	232	21.3	3,415	10.3	14	3.7
30-39	515	29.5	418	28.6	97	34.4	374	34.4	7,874	23.7	61	16.3
40-49	323	18.5	242	16.5	81	28.7	322	29.6	12,831	38.6	128	34.2
50-59	89	5.1	68	4.6	21	7.4	106	9.7	6,458	19.4	115	30.7
60+	22	1.3	12	0.8	10	3.5	36	3.3	2,498	7.5	55	14.7
BOROUGH OF RESIDENCE												
Bronx	228	13.1	195	13.3	33	11.7	134	12.3	3,484	10.5	49	13.1
Brooklyn	391	22.4	320	21.9	71	25.2	264	24.3	5,870	17.7	83	22.2
Manhattan	655	37.5	551	37.7	104	36.9	414	38.1	14,860	44.7	142	38.0
Queens	257	14.7	204	13.9	53	18.8	180	16.5	4,536	13.6	51	13.6
Staten Island	21	1.2	17	1.2	4	1.4	17	1.6	386	1.2	8	2.1
Outside NYC	183	10.5	166	11.3	17	6.0	63	5.8	3,855	11.6	40	10.7
Unknown	10	0.6	10	0.7	0	0.0	16	1.5	242	0.7	1	0.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,033	45.2	49	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,200	54.8	325	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	236	100.0	189	80.1	47	19.9	390	100.0	15,552	100.0	617	100.0
RACE/ETHNICITY												
Black	84	35.6	69	36.5	15	31.9	142	36.4	6,391	41.1	286	46.4
Hispanic	118	50.0	92	48.7	26	55.3	204	52.3	7,067	45.4	260	42.1
White	32	13.6	26	13.8	6	12.8	41	10.5	1,998	12.8	69	11.2
Asian/Pacific Islander	2	0.8	2	1.1	0	0.0	2	0.5	60	0.4	1	0.2
Native American	0	0.0	0	0.0	0	0.0	1	0.3	23	0.1	1	0.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	1.3	3	1.6	0	0.0	0	0.0	5	0.0	0	0.0
20-29	32	13.6	26	13.8	6	12.8	24	6.2	247	1.6	5	0.8
30-39	49	20.8	44	23.3	5	10.6	63	16.2	1,252	8.1	34	5.5
40-49	82	34.7	68	36.0	14	29.8	147	37.7	5,363	34.5	170	27.6
50-59	55	23.3	40	21.2	15	31.9	132	33.8	6,792	43.7	300	48.6
60+	15	6.4	8	4.2	7	14.9	24	6.2	1,893	12.2	108	17.5
BOROUGH OF RESIDENCE												
Bronx	90	38.1	72	38.1	18	38.3	121	31.0	4,094	26.3	181	29.3
Brooklyn	38	16.1	26	13.8	12	25.5	94	24.1	3,695	23.8	162	26.3
Manhattan	53	22.5	46	24.3	7	14.9	86	22.1	4,178	26.9	150	24.3
Queens	33	14.0	28	14.8	5	10.6	57	14.6	2,076	13.3	68	11.0
Staten Island	8	3.4	5	2.6	3	6.4	15	3.8	325	2.1	15	2.4
Outside NYC	13	5.5	11	5.8	2	4.3	15	3.8	1,084	7.0	41	6.6
Unknown	1	0.4	1	0.5	0	0.0	2	0.5	100	0.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,561	22.9	79	12.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,991	77.1	538	87.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	83	100.0	72	86.7	11	13.3	163	100.0	6,423	100.0	243	100.0
RACE/ETHNICITY												
Black	37	44.6	33	45.8	4	36.4	68	41.7	3,129	48.7	134	55.1
Hispanic	36	43.4	30	41.7	6	54.5	78	47.9	2,541	39.6	83	34.2
White	9	10.8	8	11.1	1	9.1	16	9.8	721	11.2	26	10.7
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	1	0.6	15	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0	0	0.0
20-29	18	21.7	17	23.6	1	9.1	7	4.3	128	2.0	0	0.0
30-39	16	19.3	14	19.4	2	18.2	35	21.5	753	11.7	18	7.4
40-49	31	37.3	26	36.1	5	45.5	70	42.9	2,828	44.0	106	43.6
50-59	14	16.9	12	16.7	2	18.2	44	27.0	2,295	35.7	103	42.4
60+	4	4.8	3	4.2	1	9.1	6	3.7	418	6.5	16	6.6
BOROUGH OF RESIDENCE												
Bronx	28	33.7	25	34.7	3	27.3	55	33.7	1,869	29.1	62	25.5
Brooklyn	17	20.5	15	20.8	2	18.2	45	27.6	1,748	27.2	84	34.6
Manhattan	23	27.7	19	26.4	4	36.4	34	20.9	1,530	23.8	60	24.7
Queens	10	12.0	10	13.9	0	0.0	19	11.7	830	12.9	23	9.5
Staten Island	0	0.0	0	0.0	0	0.0	4	2.5	144	2.2	6	2.5
Outside NYC	5	6.0	3	4.2	2	18.2	5	3.1	267	4.2	8	3.3
Unknown	0	0.0	0	0.0	0	0.0	1	0.6	35	0.5	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,658	25.8	16	6.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,765	74.2	227	93.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	232	100.0	171	73.7	61	26.3	228	100.0	5,410	100.0	134	100.0
RACE/ETHNICITY												
Black	142	61.2	111	64.9	31	50.8	141	61.8	2,936	54.3	78	58.2
Hispanic	62	26.7	42	24.6	20	32.8	65	28.5	1,838	34.0	46	34.3
White	15	6.5	11	6.4	4	6.6	15	6.6	491	9.1	7	5.2
Asian/Pacific Islander	13	5.6	7	4.1	6	9.8	7	3.1	125	2.3	2	1.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	2.2	4	2.3	1	1.6	2	0.9	7	0.1	0	0.0
20-29	38	16.4	34	19.9	4	6.6	17	7.5	195	3.6	1	0.7
30-39	54	23.3	38	22.2	16	26.2	53	23.2	966	17.9	17	12.7
40-49	74	31.9	57	33.3	17	27.9	95	41.7	2,334	43.1	50	37.3
50-59	41	17.7	26	15.2	15	24.6	46	20.2	1,355	25.0	40	29.9
60+	20	8.6	12	7.0	8	13.1	15	6.6	553	10.2	26	19.4
BOROUGH OF RESIDENCE												
Bronx	47	20.3	36	21.1	11	18.0	58	25.4	1,299	24.0	36	26.9
Brooklyn	67	28.9	50	29.2	17	27.9	62	27.2	1,501	27.7	37	27.6
Manhattan	60	25.9	46	26.9	14	23.0	55	24.1	1,176	21.7	34	25.4
Queens	40	17.2	23	13.5	17	27.9	40	17.5	980	18.1	16	11.9
Staten Island	6	2.6	5	2.9	1	1.6	4	1.8	98	1.8	2	1.5
Outside NYC	10	4.3	9	5.3	1	1.6	9	3.9	326	6.0	9	6.7
Unknown	2	0.9	2	1.2	0	0.0	0	0.0	30	0.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,005	37.1	20	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,405	62.9	114	85.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	783	100.0	603	77.0	180	23.0	654	100.0	14,223	100.0	287	100.0
RACE/ETHNICITY												
Black	510	65.1	388	64.3	122	67.8	420	64.2	8,277	58.2	182	63.4
Hispanic	219	28.0	172	28.5	47	26.1	194	29.7	4,715	33.2	71	24.7
White	32	4.1	25	4.1	7	3.9	27	4.1	1,010	7.1	28	9.8
Asian/Pacific Islander	18	2.3	14	2.3	4	2.2	12	1.8	164	1.2	6	2.1
Native American	4	0.5	4	0.7	0	0.0	1	0.2	36	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	49	6.3	46	7.6	3	1.7	13	2.0	100	0.7	1	0.3
20-29	155	19.8	132	21.9	23	12.8	78	11.9	1,170	8.2	7	2.4
30-39	193	24.6	158	26.2	35	19.4	159	24.3	3,247	22.8	41	14.3
40-49	215	27.5	158	26.2	57	31.7	245	37.5	5,640	39.7	123	42.9
50-59	127	16.2	80	13.3	47	26.1	117	17.9	2,966	20.9	82	28.6
60+	44	5.6	29	4.8	15	8.3	42	6.4	1,100	7.7	33	11.5
BOROUGH OF RESIDENCE												
Bronx	271	34.6	218	36.2	53	29.4	200	30.6	3,958	27.8	68	23.7
Brooklyn	244	31.2	181	30.0	63	35.0	221	33.8	4,471	31.4	103	35.9
Manhattan	133	17.0	102	16.9	31	17.2	123	18.8	2,538	17.8	50	17.4
Queens	92	11.7	67	11.1	25	13.9	82	12.5	2,201	15.5	44	15.3
Staten Island	14	1.8	11	1.8	3	1.7	10	1.5	296	2.1	9	3.1
Outside NYC	28	3.6	23	3.8	5	2.8	18	2.8	675	4.7	13	4.5
Unknown	1	0.1	1	0.2	0	0.0	0	0.0	84	0.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,001	42.2	37	12.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,222	57.8	250	87.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	15	88.2	2	11.8	10	100.0	527	100.0	8	100.0
SEX												
Male	13	76.5	12	80.0	1	50.0	8	80.0	351	66.6	6	75.0
Female	4	23.5	3	20.0	1	50.0	2	20.0	176	33.4	2	25.0
RACE/ETHNICITY												
Black	5	29.4	4	26.7	1	50.0	4	40.0	174	33.0	3	37.5
Hispanic	10	58.8	10	66.7	0	0.0	2	20.0	253	48.0	2	25.0
White	2	11.8	1	6.7	1	50.0	4	40.0	92	17.5	3	37.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
13-19	1	5.9	1	6.7	0	0.0	0	0.0	7	1.3	0	0.0
20-29	7	41.2	7	46.7	0	0.0	2	20.0	44	8.3	0	0.0
30-39	5	29.4	4	26.7	1	50.0	3	30.0	80	15.2	0	0.0
40-49	1	5.9	0	0.0	1	50.0	2	20.0	175	33.2	3	37.5
50-59	3	17.6	3	20.0	0	0.0	2	20.0	165	31.3	2	25.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	51	9.7	3	37.5
TRANSMISSION RISK												
Men who have sex with men	7	41.2	7	46.7	0	0.0	4	40.0	147	27.9	2	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	2	20.0	113	21.4	1	12.5
Heterosexual	6	35.3	4	26.7	2	100.0	3	30.0	107	20.3	2	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	23.5	4	26.7	0	0.0	1	10.0	143	27.1	3	37.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	215	40.8	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	312	59.2	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	62	81.6	14	18.4	66	100.0	1,599	100.0	38	100.0
SEX												
Male	49	64.5	40	64.5	9	64.3	43	65.2	906	56.7	26	68.4
Female	27	35.5	22	35.5	5	35.7	23	34.8	693	43.3	12	31.6
RACE/ETHNICITY												
Black	60	78.9	48	77.4	12	85.7	44	66.7	1,032	64.5	21	55.3
Hispanic	14	18.4	13	21.0	1	7.1	20	30.3	454	28.4	13	34.2
White	0	0.0	0	0.0	0	0.0	1	1.5	101	6.3	2	5.3
Asian/Pacific Islander	2	2.6	1	1.6	1	7.1	1	1.5	7	0.4	2	5.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.8	0	0.0
13-19	3	3.9	3	4.8	0	0.0	3	4.5	37	2.3	0	0.0
20-29	32	42.1	29	46.8	3	21.4	11	16.7	138	8.6	1	2.6
30-39	11	14.5	9	14.5	2	14.3	9	13.6	280	17.5	8	21.1
40-49	19	25.0	13	21.0	6	42.9	28	42.4	608	38.0	12	31.6
50-59	4	5.3	4	6.5	0	0.0	10	15.2	372	23.3	12	31.6
60+	7	9.2	4	6.5	3	21.4	5	7.6	152	9.5	5	13.2
TRANSMISSION RISK												
Men who have sex with men	21	27.6	19	30.6	2	14.3	7	10.6	254	15.9	1	2.6
Injection drug use history	7	9.2	6	9.7	1	7.1	12	18.2	289	18.1	16	42.1
Heterosexual	25	32.9	22	35.5	3	21.4	16	24.2	404	25.3	7	18.4
Perinatal	0	0.0	0	0.0	0	0.0	4	6.1	60	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	23	30.3	15	24.2	8	57.1	27	40.9	589	36.8	14	36.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	676	42.3	10	26.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	923	57.7	28	73.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	149	100.0	120	80.5	29	19.5	151	100.0	3,990	100.0	85	100.0
SEX												
Male	88	59.1	70	58.3	18	62.1	85	56.3	2,444	61.3	65	76.5
Female	61	40.9	50	41.7	11	37.9	66	43.7	1,546	38.7	20	23.5
RACE/ETHNICITY												
Black	75	50.3	61	50.8	14	48.3	60	39.7	1,620	40.6	34	40.0
Hispanic	64	43.0	53	44.2	11	37.9	80	53.0	2,152	53.9	45	52.9
White	7	4.7	5	4.2	2	6.9	8	5.3	185	4.6	4	4.7
Asian/Pacific Islander	3	2.0	1	0.8	2	6.9	3	2.0	22	0.6	2	2.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	42	1.1	0	0.0
13-19	13	8.7	13	10.8	0	0.0	2	1.3	73	1.8	0	0.0
20-29	35	23.5	34	28.3	1	3.4	21	13.9	312	7.8	0	0.0
30-39	39	26.2	31	25.8	8	27.6	39	25.8	790	19.8	16	18.8
40-49	43	28.9	31	25.8	12	41.4	54	35.8	1,540	38.6	29	34.1
50-59	13	8.7	7	5.8	6	20.7	29	19.2	967	24.2	29	34.1
60+	6	4.0	4	3.3	2	6.9	6	4.0	266	6.7	11	12.9
TRANSMISSION RISK												
Men who have sex with men	41	27.5	37	30.8	4	13.8	27	17.9	746	18.7	11	12.9
Injection drug use history	16	10.7	13	10.8	3	10.3	28	18.5	971	24.3	35	41.2
Heterosexual	52	34.9	41	34.2	11	37.9	49	32.5	953	23.9	13	15.3
Perinatal	0	0.0	0	0.0	0	0.0	3	2.0	124	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	40	26.8	29	24.2	11	37.9	44	29.1	1,193	29.9	26	30.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,606	40.3	13	15.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,384	59.7	72	84.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	144	100.0	117	81.3	27	18.8	134	100.0	3,410	100.0	81	100.0
SEX												
Male	88	61.1	73	62.4	15	55.6	76	56.7	2,001	58.7	50	61.7
Female	56	38.9	44	37.6	12	44.4	58	43.3	1,409	41.3	31	38.3
RACE/ETHNICITY												
Black	54	37.5	47	40.2	7	25.9	56	41.8	1,349	39.6	22	27.2
Hispanic	75	52.1	59	50.4	16	59.3	70	52.2	1,770	51.9	49	60.5
White	13	9.0	10	8.5	3	11.1	7	5.2	260	7.6	10	12.3
Asian/Pacific Islander	2	1.4	1	0.9	1	3.7	1	0.7	22	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.7	0	0.0
13-19	11	7.6	11	9.4	0	0.0	5	3.7	89	2.6	0	0.0
20-29	28	19.4	22	18.8	6	22.2	19	14.2	266	7.8	1	1.2
30-39	40	27.8	33	28.2	7	25.9	34	25.4	573	16.8	10	12.3
40-49	41	28.5	31	26.5	10	37.0	47	35.1	1,324	38.8	24	29.6
50-59	15	10.4	13	11.1	2	7.4	17	12.7	873	25.6	32	39.5
60+	9	6.3	7	6.0	2	7.4	12	9.0	262	7.7	14	17.3
TRANSMISSION RISK												
Men who have sex with men	34	23.6	28	23.9	6	22.2	24	17.9	587	17.2	7	8.6
Injection drug use history	19	13.2	16	13.7	3	11.1	18	13.4	847	24.8	44	54.3
Heterosexual	46	31.9	40	34.2	6	22.2	37	27.6	827	24.3	8	9.9
Perinatal	0	0.0	0	0.0	0	0.0	4	3.0	128	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Unknown	45	31.3	33	28.2	12	44.4	51	38.1	1,007	29.5	22	27.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,350	39.6	13	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,060	60.4	68	84.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	172	100.0	125	72.7	47	27.3	168	100.0	4,359	100.0	133	100.0
SEX												
Male	107	62.2	74	59.2	33	70.2	106	63.1	2,535	58.2	84	63.2
Female	65	37.8	51	40.8	14	29.8	62	36.9	1,824	41.8	49	36.8
RACE/ETHNICITY												
Black	89	51.7	63	50.4	26	55.3	73	43.5	1,982	45.5	58	43.6
Hispanic	80	46.5	59	47.2	21	44.7	92	54.8	2,258	51.8	66	49.6
White	2	1.2	2	1.6	0	0.0	3	1.8	94	2.2	7	5.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	2	1.5
Native American	1	0.6	1	0.8	0	0.0	0	0.0	13	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	53	1.2	0	0.0
13-19	7	4.1	7	5.6	0	0.0	3	1.8	90	2.1	0	0.0
20-29	45	26.2	36	28.8	9	19.1	20	11.9	324	7.4	4	3.0
30-39	45	26.2	31	24.8	14	29.8	45	26.8	763	17.5	11	8.3
40-49	41	23.8	30	24.0	11	23.4	65	38.7	1,662	38.1	44	33.1
50-59	26	15.1	15	12.0	11	23.4	26	15.5	1,088	25.0	49	36.8
60+	7	4.1	5	4.0	2	4.3	9	5.4	379	8.7	25	18.8
TRANSMISSION RISK												
Men who have sex with men	44	25.6	35	28.0	9	19.1	30	17.9	576	13.2	13	9.8
Injection drug use history	21	12.2	15	12.0	6	12.8	40	23.8	1,271	29.2	60	45.1
Heterosexual	67	39.0	49	39.2	18	38.3	47	28.0	1,043	23.9	21	15.8
Perinatal	1	0.6	1	0.8	0	0.0	1	0.6	156	3.6	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	1	0.8
Unknown	39	22.7	25	20.0	14	29.8	50	29.8	1,304	29.9	37	27.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,700	39.0	11	8.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,659	61.0	122	91.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	200	100.0	157	78.5	43	21.5	180	100.0	4,714	100.0	129	100.0
SEX												
Male	114	57.0	87	55.4	27	62.8	91	50.6	2,755	58.4	79	61.2
Female	86	43.0	70	44.6	16	37.2	89	49.4	1,959	41.6	50	38.8
RACE/ETHNICITY												
Black	103	51.5	81	51.6	22	51.2	107	59.4	2,461	52.2	66	51.2
Hispanic	89	44.5	72	45.9	17	39.5	66	36.7	2,106	44.7	57	44.2
White	6	3.0	3	1.9	3	7.0	5	2.8	116	2.5	5	3.9
Asian/Pacific Islander	1	0.5	1	0.6	0	0.0	1	0.6	21	0.4	1	0.8
Native American	1	0.5	0	0.0	1	2.3	1	0.6	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	50	1.1	1	0.8
13-19	9	4.5	8	5.1	1	2.3	5	2.8	92	2.0	0	0.0
20-29	57	28.5	50	31.8	7	16.3	27	15.0	351	7.4	5	3.9
30-39	54	27.0	39	24.8	15	34.9	58	32.2	945	20.0	11	8.5
40-49	48	24.0	37	23.6	11	25.6	48	26.7	1,650	35.0	44	34.1
50-59	25	12.5	20	12.7	5	11.6	32	17.8	1,193	25.3	46	35.7
60+	6	3.0	2	1.3	4	9.3	10	5.6	433	9.2	22	17.1
TRANSMISSION RISK												
Men who have sex with men	45	22.5	38	24.2	7	16.3	25	13.9	681	14.4	10	7.8
Injection drug use history	27	13.5	24	15.3	3	7.0	39	21.7	1,276	27.1	51	39.5
Heterosexual	79	39.5	62	39.5	17	39.5	59	32.8	1,120	23.8	30	23.3
Perinatal	1	0.5	1	0.6	0	0.0	2	1.1	157	3.3	2	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	48	24.0	32	20.4	16	37.2	55	30.6	1,471	31.2	36	27.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,799	38.2	18	14.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,915	61.8	111	86.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	124	100.0	100	80.6	24	19.4	125	100.0	2,995	100.0	74	100.0
SEX												
Male	85	68.5	69	69.0	16	66.7	76	60.8	1,848	61.7	49	66.2
Female	39	31.5	31	31.0	8	33.3	49	39.2	1,147	38.3	25	33.8
RACE/ETHNICITY												
Black	48	38.7	43	43.0	5	20.8	50	40.0	1,055	35.2	19	25.7
Hispanic	70	56.5	51	51.0	19	79.2	69	55.2	1,858	62.0	48	64.9
White	3	2.4	3	3.0	0	0.0	4	3.2	62	2.1	6	8.1
Asian/Pacific Islander	2	1.6	2	2.0	0	0.0	0	0.0	8	0.3	1	1.4
Native American	*	*	*	*	0	0.0	*	*	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.8	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	36	1.2	0	0.0
13-19	9	7.3	9	9.0	0	0.0	2	1.6	68	2.3	0	0.0
20-29	31	25.0	29	29.0	2	8.3	13	10.4	217	7.2	3	4.1
30-39	27	21.8	21	21.0	6	25.0	35	28.0	564	18.8	6	8.1
40-49	32	25.8	23	23.0	9	37.5	48	38.4	1,142	38.1	30	40.5
50-59	22	17.7	15	15.0	7	29.2	25	20.0	745	24.9	22	29.7
60+	3	2.4	3	3.0	0	0.0	2	1.6	223	7.4	13	17.6
TRANSMISSION RISK												
Men who have sex with men	31	25.0	27	27.0	4	16.7	16	12.8	399	13.3	5	6.8
Injection drug use history	24	19.4	20	20.0	4	16.7	33	26.4	972	32.5	32	43.2
Heterosexual	39	31.5	32	32.0	7	29.2	39	31.2	676	22.6	16	21.6
Perinatal	0	0.0	0	0.0	0	0.0	1	0.8	120	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
Unknown	30	24.2	21	21.0	9	37.5	36	28.8	817	27.3	21	28.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,154	38.5	14	18.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,841	61.5	60	81.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	26	81.3	6	18.8	33	100.0	956	100.0	26	100.0
SEX												
Male	26	81.3	20	76.9	6	100.0	28	84.8	711	74.4	18	69.2
Female	6	18.8	6	23.1	0	0.0	5	15.2	245	25.6	8	30.8
RACE/ETHNICITY												
Black	9	28.1	8	30.8	1	16.7	5	15.2	192	20.1	6	23.1
Hispanic	10	31.3	6	23.1	4	66.7	17	51.5	482	50.4	14	53.8
White	11	34.4	11	42.3	0	0.0	9	27.3	267	27.9	6	23.1
Asian/Pacific Islander	2	6.3	1	3.8	1	16.7	2	6.1	13	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	2	6.3	2	7.7	0	0.0	0	0.0	16	1.7	0	0.0
20-29	7	21.9	6	23.1	1	16.7	4	12.1	74	7.7	1	3.8
30-39	12	37.5	10	38.5	2	33.3	11	33.3	217	22.7	1	3.8
40-49	9	28.1	6	23.1	3	50.0	16	48.5	375	39.2	11	42.3
50-59	2	6.3	2	7.7	0	0.0	2	6.1	202	21.1	11	42.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	66	6.9	2	7.7
TRANSMISSION RISK												
Men who have sex with men	18	56.3	14	53.8	4	66.7	17	51.5	346	36.2	3	11.5
Injection drug use history	2	6.3	2	7.7	0	0.0	4	12.1	228	23.8	10	38.5
Heterosexual	4	12.5	4	15.4	0	0.0	5	15.2	136	14.2	7	26.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	8	25.0	6	23.1	2	33.3	7	21.2	219	22.9	6	23.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	358	37.4	2	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	598	62.6	24	92.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	102	100.0	77	75.5	25	24.5	84	100.0	2,915	100.0	53	100.0
SEX												
Male	81	79.4	64	83.1	17	68.0	56	66.7	2,163	74.2	40	75.5
Female	21	20.6	13	16.9	8	32.0	28	33.3	752	25.8	13	24.5
RACE/ETHNICITY												
Black	50	49.0	33	42.9	17	68.0	49	58.3	1,315	45.1	25	47.2
Hispanic	22	21.6	17	22.1	5	20.0	19	22.6	795	27.3	17	32.1
White	27	26.5	24	31.2	3	12.0	14	16.7	758	26.0	10	18.9
Asian/Pacific Islander	3	2.9	3	3.9	0	0.0	2	2.4	35	1.2	1	1.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.3	0	0.0	0	0.0	18	0.6	0	0.0
13-19	4	3.9	4	5.2	0	0.0	1	1.2	30	1.0	0	0.0
20-29	38	37.3	33	42.9	5	20.0	12	14.3	166	5.7	0	0.0
30-39	23	22.5	20	26.0	3	12.0	14	16.7	523	17.9	3	5.7
40-49	23	22.5	10	13.0	13	52.0	38	45.2	1,165	40.0	20	37.7
50-59	8	7.8	4	5.2	4	16.0	14	16.7	734	25.2	22	41.5
60+	5	4.9	5	6.5	0	0.0	5	6.0	279	9.6	8	15.1
TRANSMISSION RISK												
Men who have sex with men	61	59.8	50	64.9	11	44.0	36	42.9	1,189	40.8	14	26.4
Injection drug use history	7	6.9	6	7.8	1	4.0	14	16.7	619	21.2	16	30.2
Heterosexual	17	16.7	11	14.3	6	24.0	15	17.9	450	15.4	8	15.1
Perinatal	1	1.0	1	1.3	0	0.0	1	1.2	60	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	16	15.7	9	11.7	7	28.0	18	21.4	594	20.4	15	28.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,100	37.7	9	17.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,815	62.3	44	83.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	307	100.0	240	78.2	67	21.8	274	100.0	6,348	100.0	196	100.0
SEX												
Male	205	66.8	161	67.1	44	65.7	172	62.8	3,903	61.5	114	58.2
Female	102	33.2	79	32.9	23	34.3	102	37.2	2,445	38.5	82	41.8
RACE/ETHNICITY												
Black	249	81.1	191	79.6	58	86.6	219	79.9	5,219	82.2	160	81.6
Hispanic	41	13.4	34	14.2	7	10.4	40	14.6	814	12.8	26	13.3
White	13	4.2	11	4.6	2	3.0	13	4.7	262	4.1	9	4.6
Asian/Pacific Islander	2	0.7	2	0.8	0	0.0	2	0.7	28	0.4	1	0.5
Native American	2	0.7	2	0.8	0	0.0	0	0.0	19	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.7	2	0.8	0	0.0	0	0.0	66	1.0	0	0.0
13-19	16	5.2	15	6.3	1	1.5	7	2.6	120	1.9	3	1.5
20-29	88	28.7	75	31.3	13	19.4	43	15.7	555	8.7	6	3.1
30-39	67	21.8	56	23.3	11	16.4	62	22.6	1,202	18.9	29	14.8
40-49	79	25.7	61	25.4	18	26.9	83	30.3	2,219	35.0	67	34.2
50-59	36	11.7	24	10.0	12	17.9	59	21.5	1,609	25.3	65	33.2
60+	19	6.2	7	2.9	12	17.9	20	7.3	577	9.1	26	13.3
TRANSMISSION RISK												
Men who have sex with men	115	37.5	97	40.4	18	26.9	65	23.7	1,386	21.8	20	10.2
Injection drug use history	19	6.2	14	5.8	5	7.5	44	16.1	1,335	21.0	65	33.2
Heterosexual	89	29.0	70	29.2	19	28.4	71	25.9	1,489	23.5	41	20.9
Perinatal	2	0.7	2	0.8	0	0.0	4	1.5	192	3.0	1	0.5
Other	0	0.0	0	0.0	0	0.0	1	0.4	16	0.3	0	0.0
Unknown	82	26.7	57	23.8	25	37.3	89	32.5	1,930	30.4	69	35.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,493	39.3	23	11.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,855	60.7	173	88.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	98	100.0	70	71.4	28	28.6	117	100.0	2,493	100.0	74	100.0
SEX												
Male	71	72.4	51	72.9	20	71.4	64	54.7	1,359	54.5	43	58.1
Female	27	27.6	19	27.1	8	28.6	53	45.3	1,134	45.5	31	41.9
RACE/ETHNICITY												
Black	72	73.5	48	68.6	24	85.7	84	71.8	1,593	63.9	52	70.3
Hispanic	24	24.5	20	28.6	4	14.3	30	25.6	789	31.6	20	27.0
White	1	1.0	1	1.4	0	0.0	2	1.7	74	3.0	2	2.7
Asian/Pacific Islander	1	1.0	1	1.4	0	0.0	1	0.9	22	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	34	1.4	0	0.0
13-19	12	12.2	11	15.7	1	3.6	2	1.7	61	2.4	0	0.0
20-29	27	27.6	20	28.6	7	25.0	20	17.1	219	8.8	2	2.7
30-39	15	15.3	10	14.3	5	17.9	27	23.1	451	18.1	6	8.1
40-49	29	29.6	20	28.6	9	32.1	39	33.3	941	37.7	25	33.8
50-59	10	10.2	7	10.0	3	10.7	23	19.7	574	23.0	28	37.8
60+	5	5.1	2	2.9	3	10.7	6	5.1	213	8.5	13	17.6
TRANSMISSION RISK												
Men who have sex with men	33	33.7	24	34.3	9	32.1	23	19.7	353	14.2	6	8.1
Injection drug use history	0	0.0	0	0.0	0	0.0	17	14.5	553	22.2	31	41.9
Heterosexual	34	34.7	25	35.7	9	32.1	41	35.0	701	28.1	15	20.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	95	3.8	2	2.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	31	31.6	21	30.0	10	35.7	36	30.8	786	31.5	20	27.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	961	38.5	10	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,532	61.5	64	86.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	18	75.0	6	25.0	18	100.0	748	100.0	20	100.0
SEX												
Male	18	75.0	13	72.2	5	83.3	15	83.3	516	69.0	13	65.0
Female	6	25.0	5	27.8	1	16.7	3	16.7	232	31.0	7	35.0
RACE/ETHNICITY												
Black	4	16.7	4	22.2	0	0.0	3	16.7	106	14.2	4	20.0
Hispanic	17	70.8	11	61.1	6	100.0	12	66.7	492	65.8	13	65.0
White	2	8.3	2	11.1	0	0.0	2	11.1	115	15.4	3	15.0
Asian/Pacific Islander	1	4.2	1	5.6	0	0.0	1	5.6	33	4.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	5.6	17	2.3	0	0.0
20-29	5	20.8	4	22.2	1	16.7	3	16.7	47	6.3	0	0.0
30-39	14	58.3	10	55.6	4	66.7	9	50.0	160	21.4	2	10.0
40-49	3	12.5	3	16.7	0	0.0	4	22.2	279	37.3	11	55.0
50-59	1	4.2	0	0.0	1	16.7	1	5.6	175	23.4	5	25.0
60+	1	4.2	1	5.6	0	0.0	0	0.0	67	9.0	2	10.0
TRANSMISSION RISK												
Men who have sex with men	10	41.7	8	44.4	2	33.3	8	44.4	189	25.3	3	15.0
Injection drug use history	2	8.3	2	11.1	0	0.0	1	5.6	226	30.2	9	45.0
Heterosexual	6	25.0	4	22.2	2	33.3	5	27.8	162	21.7	4	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	6	25.0	4	22.2	2	33.3	4	22.2	146	19.5	4	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	271	36.2	3	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	63.8	17	85.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	21	77.8	6	22.2	39	100.0	937	100.0	15	100.0
SEX												
Male	22	81.5	16	76.2	6	100.0	31	79.5	649	69.3	7	46.7
Female	5	18.5	5	23.8	0	0.0	8	20.5	288	30.7	8	53.3
RACE/ETHNICITY												
Black	7	25.9	7	33.3	0	0.0	10	25.6	291	31.1	3	20.0
Hispanic	10	37.0	7	33.3	3	50.0	15	38.5	321	34.3	6	40.0
White	10	37.0	7	33.3	3	50.0	12	30.8	294	31.4	6	40.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	5.1	31	3.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	3.7	1	4.8	0	0.0	2	5.1	16	1.7	0	0.0
20-29	13	48.1	11	52.4	2	33.3	5	12.8	73	7.8	0	0.0
30-39	2	7.4	2	9.5	0	0.0	6	15.4	157	16.8	0	0.0
40-49	5	18.5	3	14.3	2	33.3	17	43.6	354	37.8	7	46.7
50-59	5	18.5	3	14.3	2	33.3	7	17.9	257	27.4	4	26.7
60+	1	3.7	1	4.8	0	0.0	2	5.1	78	8.3	4	26.7
TRANSMISSION RISK												
Men who have sex with men	13	48.1	11	52.4	2	33.3	15	38.5	267	28.5	3	20.0
Injection drug use history	2	7.4	0	0.0	2	33.3	5	12.8	220	23.5	6	40.0
Heterosexual	6	22.2	6	28.6	0	0.0	9	23.1	224	23.9	3	20.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	21	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	6	22.2	4	19.0	2	33.3	9	23.1	202	21.6	3	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	349	37.2	1	6.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	588	62.8	14	93.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	191	100.0	138	72.3	53	27.7	160	100.0	4,137	100.0	93	100.0
SEX												
Male	125	65.4	89	64.5	36	67.9	97	60.6	2,475	59.8	60	64.5
Female	66	34.6	49	35.5	17	32.1	63	39.4	1,662	40.2	33	35.5
RACE/ETHNICITY												
Black	158	82.7	112	81.2	46	86.8	130	81.3	3,462	83.7	80	86.0
Hispanic	24	12.6	18	13.0	6	11.3	19	11.9	461	11.1	7	7.5
White	6	3.1	6	4.3	0	0.0	10	6.3	166	4.0	6	6.5
Asian/Pacific Islander	2	1.0	2	1.4	0	0.0	0	0.0	42	1.0	0	0.0
Native American	1	0.5	0	0.0	1	1.9	1	0.6	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	35	0.8	0	0.0
13-19	12	6.3	12	8.7	0	0.0	3	1.9	90	2.2	0	0.0
20-29	43	22.5	38	27.5	5	9.4	20	12.5	364	8.8	0	0.0
30-39	44	23.0	31	22.5	13	24.5	38	23.8	773	18.7	10	10.8
40-49	51	26.7	37	26.8	14	26.4	62	38.8	1,451	35.1	34	36.6
50-59	30	15.7	15	10.9	15	28.3	29	18.1	1,056	25.5	33	35.5
60+	11	5.8	5	3.6	6	11.3	8	5.0	368	8.9	16	17.2
TRANSMISSION RISK												
Men who have sex with men	54	28.3	41	29.7	13	24.5	46	28.8	835	20.2	15	16.1
Injection drug use history	4	2.1	3	2.2	1	1.9	6	3.8	538	13.0	21	22.6
Heterosexual	69	36.1	52	37.7	17	32.1	53	33.1	1,166	28.2	21	22.6
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	113	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
Unknown	64	33.5	42	30.4	22	41.5	54	33.8	1,468	35.5	36	38.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,557	37.6	11	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,580	62.4	82	88.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	59	100.0	48	81.4	11	18.6	49	100.0	1,184	100.0	32	100.0
SEX												
Male	36	61.0	30	62.5	6	54.5	30	61.2	650	54.9	22	68.8
Female	23	39.0	18	37.5	5	45.5	19	38.8	534	45.1	10	31.3
RACE/ETHNICITY												
Black	47	79.7	37	77.1	10	90.9	36	73.5	898	75.8	24	75.0
Hispanic	8	13.6	8	16.7	0	0.0	8	16.3	150	12.7	3	9.4
White	4	6.8	3	6.3	1	9.1	4	8.2	122	10.3	3	9.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.0	10	0.8	2	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.7	1	2.1	0	0.0	0	0.0	16	1.4	0	0.0
13-19	1	1.7	1	2.1	0	0.0	0	0.0	28	2.4	0	0.0
20-29	16	27.1	14	29.2	2	18.2	8	16.3	117	9.9	1	3.1
30-39	16	27.1	14	29.2	2	18.2	10	20.4	253	21.4	5	15.6
40-49	11	18.6	8	16.7	3	27.3	12	24.5	388	32.8	14	43.8
50-59	12	20.3	8	16.7	4	36.4	12	24.5	278	23.5	10	31.3
60+	2	3.4	2	4.2	0	0.0	7	14.3	104	8.8	2	6.3
TRANSMISSION RISK												
Men who have sex with men	14	23.7	13	27.1	1	9.1	6	12.2	189	16.0	5	15.6
Injection drug use history	2	3.4	1	2.1	1	9.1	9	18.4	169	14.3	12	37.5
Heterosexual	19	32.2	15	31.3	4	36.4	16	32.7	368	31.1	5	15.6
Perinatal	1	1.7	1	2.1	0	0.0	0	0.0	47	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	23	39.0	18	37.5	5	45.5	18	36.7	406	34.3	10	31.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	502	42.4	2	6.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	682	57.6	30	93.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	10	50.0	10	50.0	23	100.0	500	100.0	13	100.0
SEX												
Male	17	85.0	9	90.0	8	80.0	19	82.6	361	72.2	8	61.5
Female	3	15.0	1	10.0	2	20.0	4	17.4	139	27.8	5	38.5
RACE/ETHNICITY												
Black	5	25.0	3	30.0	2	20.0	3	13.0	68	13.6	0	0.0
Hispanic	5	25.0	2	20.0	3	30.0	8	34.8	153	30.6	3	23.1
White	7	35.0	3	30.0	4	40.0	9	39.1	255	51.0	10	76.9
Asian/Pacific Islander	3	15.0	2	20.0	1	10.0	3	13.0	24	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
20-29	5	25.0	4	40.0	1	10.0	3	13.0	37	7.4	0	0.0
30-39	3	15.0	2	20.0	1	10.0	3	13.0	105	21.0	1	7.7
40-49	7	35.0	2	20.0	5	50.0	11	47.8	185	37.0	7	53.8
50-59	4	20.0	1	10.0	3	30.0	6	26.1	136	27.2	4	30.8
60+	1	5.0	1	10.0	0	0.0	0	0.0	33	6.6	1	7.7
TRANSMISSION RISK												
Men who have sex with men	8	40.0	4	40.0	4	40.0	9	39.1	179	35.8	4	30.8
Injection drug use history	2	10.0	1	10.0	1	10.0	6	26.1	127	25.4	3	23.1
Heterosexual	4	20.0	2	20.0	2	20.0	3	13.0	93	18.6	3	23.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	6	30.0	3	30.0	3	30.0	5	21.7	93	18.6	3	23.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	193	38.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	307	61.4	13	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	32	82.1	7	17.9	26	100.0	1,060	100.0	31	100.0
SEX												
Male	25	64.1	21	65.6	4	57.1	14	53.8	647	61.0	18	58.1
Female	14	35.9	11	34.4	3	42.9	12	46.2	413	39.0	13	41.9
RACE/ETHNICITY												
Black	21	53.8	17	53.1	4	57.1	13	50.0	412	38.9	11	35.5
Hispanic	6	15.4	4	12.5	2	28.6	7	26.9	348	32.8	10	32.3
White	12	30.8	11	34.4	1	14.3	6	23.1	275	25.9	9	29.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	22	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	0	0.0
13-19	2	5.1	1	3.1	1	14.3	1	3.8	20	1.9	1	3.2
20-29	6	15.4	6	18.8	0	0.0	1	3.8	75	7.1	1	3.2
30-39	11	28.2	11	34.4	0	0.0	4	15.4	204	19.2	3	9.7
40-49	9	23.1	6	18.8	3	42.9	12	46.2	394	37.2	8	25.8
50-59	8	20.5	6	18.8	2	28.6	7	26.9	266	25.1	12	38.7
60+	3	7.7	2	6.3	1	14.3	1	3.8	92	8.7	6	19.4
TRANSMISSION RISK												
Men who have sex with men	10	25.6	9	28.1	1	14.3	4	15.4	210	19.8	7	22.6
Injection drug use history	4	10.3	4	12.5	0	0.0	6	23.1	275	25.9	10	32.3
Heterosexual	16	41.0	13	40.6	3	42.9	7	26.9	267	25.2	9	29.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	9	23.1	6	18.8	3	42.9	9	34.6	270	25.5	5	16.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	372	35.1	7	22.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	688	64.9	24	77.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	142	100.0	102	71.8	40	28.2	150	100.0	3,409	100.0	108	100.0
SEX												
Male	97	68.3	70	68.6	27	67.5	96	64.0	2,109	61.9	67	62.0
Female	45	31.7	32	31.4	13	32.5	54	36.0	1,300	38.1	41	38.0
RACE/ETHNICITY												
Black	85	59.9	53	52.0	32	80.0	93	62.0	1,832	53.7	61	56.5
Hispanic	44	31.0	36	35.3	8	20.0	45	30.0	1,385	40.6	47	43.5
White	11	7.7	11	10.8	0	0.0	9	6.0	164	4.8	0	0.0
Asian/Pacific Islander	1	0.7	1	1.0	0	0.0	1	0.7	15	0.4	0	0.0
Native American	1	0.7	1	1.0	0	0.0	2	1.3	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.7	0	0.0
13-19	5	3.5	4	3.9	1	2.5	3	2.0	61	1.8	1	0.9
20-29	47	33.1	40	39.2	7	17.5	16	10.7	262	7.7	1	0.9
30-39	28	19.7	19	18.6	9	22.5	33	22.0	601	17.6	8	7.4
40-49	40	28.2	26	25.5	14	35.0	53	35.3	1,287	37.8	42	38.9
50-59	15	10.6	11	10.8	4	10.0	31	20.7	872	25.6	42	38.9
60+	7	4.9	2	2.0	5	12.5	14	9.3	303	8.9	14	13.0
TRANSMISSION RISK												
Men who have sex with men	51	35.9	46	45.1	5	12.5	24	16.0	598	17.5	2	1.9
Injection drug use history	10	7.0	7	6.9	3	7.5	24	16.0	933	27.4	56	51.9
Heterosexual	44	31.0	28	27.5	16	40.0	50	33.3	754	22.1	19	17.6
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	93	2.7	2	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	37	26.1	21	20.6	16	40.0	51	34.0	1,026	30.1	29	26.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,278	37.5	17	15.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,131	62.5	91	84.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	181	100.0	149	82.3	32	17.7	135	100.0	3,747	100.0	80	100.0
SEX												
Male	143	79.0	118	79.2	25	78.1	109	80.7	2,804	74.8	56	70.0
Female	38	21.0	31	20.8	7	21.9	26	19.3	943	25.2	24	30.0
RACE/ETHNICITY												
Black	60	33.1	52	34.9	8	25.0	48	35.6	1,456	38.9	40	50.0
Hispanic	90	49.7	69	46.3	21	65.6	65	48.1	1,767	47.2	33	41.3
White	27	14.9	24	16.1	3	9.4	21	15.6	486	13.0	7	8.8
Asian/Pacific Islander	3	1.7	3	2.0	0	0.0	1	0.7	25	0.7	0	0.0
Native American	1	0.6	1	0.7	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.7	0	0.0	0	0.0	24	0.6	0	0.0
13-19	7	3.9	6	4.0	1	3.1	2	1.5	64	1.7	0	0.0
20-29	49	27.1	47	31.5	2	6.3	9	6.7	274	7.3	0	0.0
30-39	56	30.9	47	31.5	9	28.1	48	35.6	793	21.2	5	6.3
40-49	35	19.3	26	17.4	9	28.1	45	33.3	1,338	35.7	29	36.3
50-59	24	13.3	16	10.7	8	25.0	21	15.6	878	23.4	31	38.8
60+	9	5.0	6	4.0	3	9.4	10	7.4	376	10.0	15	18.8
TRANSMISSION RISK												
Men who have sex with men	95	52.5	81	54.4	14	43.8	58	43.0	1,377	36.7	13	16.3
Injection drug use history	9	5.0	8	5.4	1	3.1	22	16.3	679	18.1	29	36.3
Heterosexual	38	21.0	32	21.5	6	18.8	22	16.3	668	17.8	18	22.5
Perinatal	1	0.6	1	0.7	0	0.0	1	0.7	94	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.7	9	0.2	0	0.0
Unknown	38	21.0	27	18.1	11	34.4	31	23.0	920	24.6	20	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,527	40.8	6	7.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,220	59.2	74	92.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	181	100.0	140	77.3	41	22.7	142	100.0	4,159	100.0	94	100.0
SEX												
Male	131	72.4	106	75.7	25	61.0	100	70.4	2,697	64.8	46	48.9
Female	50	27.6	34	24.3	16	39.0	42	29.6	1,462	35.2	48	51.1
RACE/ETHNICITY												
Black	118	65.2	88	62.9	30	73.2	107	75.4	3,109	74.8	78	83.0
Hispanic	45	24.9	35	25.0	10	24.4	27	19.0	692	16.6	13	13.8
White	15	8.3	14	10.0	1	2.4	6	4.2	311	7.5	3	3.2
Asian/Pacific Islander	1	0.6	1	0.7	0	0.0	2	1.4	27	0.6	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.1	2	1.4	0	0.0	1	0.7	34	0.8	0	0.0
13-19	13	7.2	10	7.1	3	7.3	5	3.5	89	2.1	2	2.1
20-29	47	26.0	40	28.6	7	17.1	15	10.6	296	7.1	3	3.2
30-39	54	29.8	47	33.6	7	17.1	38	26.8	764	18.4	8	8.5
40-49	33	18.2	23	16.4	10	24.4	51	35.9	1,463	35.2	33	35.1
50-59	22	12.2	12	8.6	10	24.4	22	15.5	1,106	26.6	37	39.4
60+	10	5.5	6	4.3	4	9.8	10	7.0	407	9.8	11	11.7
TRANSMISSION RISK												
Men who have sex with men	69	38.1	61	43.6	8	19.5	39	27.5	1,071	25.8	10	10.6
Injection drug use history	15	8.3	14	10.0	1	2.4	13	9.2	933	22.4	42	44.7
Heterosexual	63	34.8	45	32.1	18	43.9	46	32.4	873	21.0	21	22.3
Perinatal	2	1.1	2	1.4	0	0.0	1	0.7	119	2.9	2	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	1	1.1
Unknown	32	17.7	18	12.9	14	34.1	43	30.3	1,157	27.8	18	19.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,608	38.7	9	9.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,551	61.3	85	90.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	114	100.0	86	75.4	28	24.6	117	100.0	2,956	100.0	76	100.0
SEX												
Male	75	65.8	54	62.8	21	75.0	78	66.7	1,917	64.9	52	68.4
Female	39	34.2	32	37.2	7	25.0	39	33.3	1,039	35.1	24	31.6
RACE/ETHNICITY												
Black	59	51.8	46	53.5	13	46.4	59	50.4	1,471	49.8	43	56.6
Hispanic	41	36.0	30	34.9	11	39.3	43	36.8	1,242	42.0	26	34.2
White	14	12.3	10	11.6	4	14.3	12	10.3	215	7.3	7	9.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.9	16	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	11	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	0	0.0
13-19	6	5.3	6	7.0	0	0.0	4	3.4	67	2.3	0	0.0
20-29	21	18.4	21	24.4	0	0.0	7	6.0	173	5.9	2	2.6
30-39	28	24.6	21	24.4	7	25.0	31	26.5	553	18.7	9	11.8
40-49	34	29.8	24	27.9	10	35.7	38	32.5	1,112	37.6	19	25.0
50-59	20	17.5	10	11.6	10	35.7	25	21.4	774	26.2	30	39.5
60+	5	4.4	4	4.7	1	3.6	12	10.3	263	8.9	16	21.1
TRANSMISSION RISK												
Men who have sex with men	35	30.7	25	29.1	10	35.7	29	24.8	645	21.8	12	15.8
Injection drug use history	14	12.3	10	11.6	4	14.3	23	19.7	891	30.1	29	38.2
Heterosexual	33	28.9	26	30.2	7	25.0	37	31.6	638	21.6	12	15.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	81	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	32	28.1	25	29.1	7	25.0	28	23.9	692	23.4	23	30.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,109	37.5	11	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,847	62.5	65	85.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	59	70.2	25	29.8	89	100.0	3,207	100.0	56	100.0
SEX												
Male	68	81.0	54	91.5	14	56.0	64	71.9	2,702	84.3	44	78.6
Female	16	19.0	5	8.5	11	44.0	25	28.1	505	15.7	12	21.4
RACE/ETHNICITY												
Black	28	33.3	17	28.8	11	44.0	30	33.7	909	28.3	25	44.6
Hispanic	23	27.4	15	25.4	8	32.0	23	25.8	885	27.6	15	26.8
White	33	39.3	27	45.8	6	24.0	34	38.2	1,352	42.2	15	26.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	2.2	40	1.2	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	2	2.2	17	0.5	0	0.0
20-29	20	23.8	15	25.4	5	20.0	8	9.0	127	4.0	0	0.0
30-39	24	28.6	23	39.0	1	4.0	16	18.0	439	13.7	6	10.7
40-49	25	29.8	14	23.7	11	44.0	26	29.2	1,156	36.0	18	32.1
50-59	9	10.7	4	6.8	5	20.0	28	31.5	1,042	32.5	21	37.5
60+	6	7.1	3	5.1	3	12.0	9	10.1	422	13.2	11	19.6
TRANSMISSION RISK												
Men who have sex with men	46	54.8	39	66.1	7	28.0	35	39.3	1,707	53.2	11	19.6
Injection drug use history	4	4.8	3	5.1	1	4.0	8	9.0	549	17.1	22	39.3
Heterosexual	11	13.1	6	10.2	5	20.0	17	19.1	313	9.8	10	17.9
Perinatal	0	0.0	0	0.0	0	0.0	1	1.1	26	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	1.1	7	0.2	0	0.0
Unknown	23	27.4	11	18.6	12	48.0	27	30.3	605	18.9	13	23.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,205	37.6	5	8.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,002	62.4	51	91.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	48	100.0	38	79.2	10	20.8	41	100.0	1,412	100.0	21	100.0
SEX												
Male	42	87.5	34	89.5	8	80.0	35	85.4	1,235	87.5	18	85.7
Female	6	12.5	4	10.5	2	20.0	6	14.6	177	12.5	3	14.3
RACE/ETHNICITY												
Black	10	20.8	6	15.8	4	40.0	18	43.9	293	20.8	10	47.6
Hispanic	8	16.7	7	18.4	1	10.0	6	14.6	274	19.4	4	19.0
White	29	60.4	24	63.2	5	50.0	17	41.5	806	57.1	7	33.3
Asian/Pacific Islander	1	2.1	1	2.6	0	0.0	0	0.0	34	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	2.1	1	2.6	0	0.0	1	2.4	9	0.6	1	4.8
20-29	11	22.9	11	28.9	0	0.0	3	7.3	55	3.9	0	0.0
30-39	13	27.1	12	31.6	1	10.0	5	12.2	205	14.5	0	0.0
40-49	17	35.4	10	26.3	7	70.0	22	53.7	538	38.1	6	28.6
50-59	5	10.4	4	10.5	1	10.0	5	12.2	378	26.8	9	42.9
60+	1	2.1	0	0.0	1	10.0	5	12.2	225	15.9	5	23.8
TRANSMISSION RISK												
Men who have sex with men	36	75.0	30	78.9	6	60.0	25	61.0	856	60.6	8	38.1
Injection drug use history	0	0.0	0	0.0	0	0.0	4	9.8	162	11.5	4	19.0
Heterosexual	4	8.3	2	5.3	2	20.0	6	14.6	120	8.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	10	0.7	1	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	8	16.7	6	15.8	2	20.0	5	12.2	262	18.6	8	38.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	559	39.6	6	28.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	853	60.4	15	71.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	210	100.0	177	84.3	33	15.7	148	100.0	5,766	100.0	80	100.0
SEX												
Male	206	98.1	175	98.9	31	93.9	134	90.5	5,295	91.8	69	86.3
Female	4	1.9	2	1.1	2	6.1	14	9.5	471	8.2	11	13.8
RACE/ETHNICITY												
Black	38	18.1	33	18.6	5	15.2	33	22.3	1,122	19.5	16	20.0
Hispanic	50	23.8	40	22.6	10	30.3	33	22.3	1,283	22.3	21	26.3
White	110	52.4	94	53.1	16	48.5	74	50.0	3,207	55.6	42	52.5
Asian/Pacific Islander	11	5.2	9	5.1	2	6.1	8	5.4	111	1.9	1	1.3
Native American	*	*	*	*	0	0.0	0	0.0	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	8	3.8	8	4.5	0	0.0	0	0.0	23	0.4	0	0.0
20-29	53	25.2	46	26.0	7	21.2	20	13.5	283	4.9	0	0.0
30-39	82	39.0	75	42.4	7	21.2	42	28.4	1,097	19.0	9	11.3
40-49	45	21.4	35	19.8	10	30.3	56	37.8	2,491	43.2	31	38.8
50-59	14	6.7	8	4.5	6	18.2	23	15.5	1,366	23.7	28	35.0
60+	8	3.8	5	2.8	3	9.1	7	4.7	504	8.7	12	15.0
TRANSMISSION RISK												
Men who have sex with men	180	85.7	156	88.1	24	72.7	94	63.5	3,936	68.3	41	51.3
Injection drug use history	5	2.4	3	1.7	2	6.1	16	10.8	699	12.1	19	23.8
Heterosexual	2	1.0	1	0.6	1	3.0	12	8.1	276	4.8	7	8.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	23	11.0	17	9.6	6	18.2	26	17.6	834	14.5	13	16.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,647	45.9	13	16.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,119	54.1	67	83.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	65	77.4	19	22.6	66	100.0	2,152	100.0	34	100.0
SEX												
Male	71	84.5	56	86.2	15	78.9	53	80.3	1,927	89.5	27	79.4
Female	13	15.5	9	13.8	4	21.1	13	19.7	225	10.5	7	20.6
RACE/ETHNICITY												
Black	20	23.8	18	27.7	2	10.5	18	27.3	510	23.7	14	41.2
Hispanic	20	23.8	13	20.0	7	36.8	21	31.8	508	23.6	9	26.5
White	37	44.0	29	44.6	8	42.1	20	30.3	1,078	50.1	11	32.4
Asian/Pacific Islander	7	8.3	5	7.7	2	10.5	5	7.6	46	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	2.4	2	3.1	0	0.0	1	1.5	5	0.2	0	0.0
20-29	16	19.0	13	20.0	3	15.8	5	7.6	97	4.5	2	5.9
30-39	24	28.6	19	29.2	5	26.3	20	30.3	329	15.3	8	23.5
40-49	24	28.6	21	32.3	3	15.8	21	31.8	801	37.2	7	20.6
50-59	12	14.3	8	12.3	4	21.1	13	19.7	608	28.3	14	41.2
60+	6	7.1	2	3.1	4	21.1	6	9.1	308	14.3	3	8.8
TRANSMISSION RISK												
Men who have sex with men	44	52.4	34	52.3	10	52.6	33	50.0	1,236	57.4	9	26.5
Injection drug use history	13	15.5	12	18.5	1	5.3	6	9.1	369	17.1	13	38.2
Heterosexual	14	16.7	10	15.4	4	21.1	12	18.2	148	6.9	3	8.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	2.9
Unknown	13	15.5	9	13.8	4	21.1	15	22.7	385	17.9	8	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	874	40.6	4	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,278	59.4	30	88.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	58	86.6	9	13.4	48	100.0	2,097	100.0	23	100.0
SEX												
Male	64	95.5	55	94.8	9	100.0	43	89.6	2,009	95.8	22	95.7
Female	3	4.5	3	5.2	0	0.0	5	10.4	88	4.2	1	4.3
RACE/ETHNICITY												
Black	17	25.4	16	27.6	1	11.1	15	31.3	361	17.2	2	8.7
Hispanic	7	10.4	4	6.9	3	33.3	11	22.9	365	17.4	6	26.1
White	38	56.7	34	58.6	4	44.4	20	41.7	1,303	62.1	15	65.2
Asian/Pacific Islander	5	7.5	4	6.9	1	11.1	2	4.2	59	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	1.5	1	1.7	0	0.0	0	0.0	2	0.1	0	0.0
20-29	19	28.4	18	31.0	1	11.1	8	16.7	78	3.7	1	4.3
30-39	20	29.9	17	29.3	3	33.3	11	22.9	368	17.5	1	4.3
40-49	19	28.4	15	25.9	4	44.4	20	41.7	858	40.9	8	34.8
50-59	8	11.9	7	12.1	1	11.1	9	18.8	554	26.4	8	34.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	236	11.3	5	21.7
TRANSMISSION RISK												
Men who have sex with men	49	73.1	43	74.1	6	66.7	31	64.6	1,471	70.1	11	47.8
Injection drug use history	2	3.0	2	3.4	0	0.0	4	8.3	213	10.2	4	17.4
Heterosexual	5	7.5	5	8.6	0	0.0	4	8.3	80	3.8	1	4.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	11	16.4	8	13.8	3	33.3	9	18.8	331	15.8	7	30.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	894	42.6	3	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,203	57.4	20	87.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	92	100.0	70	76.1	22	23.9	94	100.0	3,202	100.0	55	100.0
SEX												
Male	81	88.0	62	88.6	19	86.4	73	77.7	2,616	81.7	43	78.2
Female	11	12.0	8	11.4	3	13.6	21	22.3	586	18.3	12	21.8
RACE/ETHNICITY												
Black	20	21.7	17	24.3	3	13.6	22	23.4	656	20.5	19	34.5
Hispanic	29	31.5	20	28.6	9	40.9	35	37.2	1,114	34.8	21	38.2
White	37	40.2	30	42.9	7	31.8	32	34.0	1,302	40.7	14	25.5
Asian/Pacific Islander	6	6.5	3	4.3	3	13.6	5	5.3	110	3.4	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.2	2	2.9	0	0.0	0	0.0	29	0.9	0	0.0
20-29	21	22.8	16	22.9	5	22.7	12	12.8	158	4.9	0	0.0
30-39	26	28.3	22	31.4	4	18.2	26	27.7	503	15.7	1	1.8
40-49	26	28.3	19	27.1	7	31.8	34	36.2	1,319	41.2	17	30.9
50-59	11	12.0	8	11.4	3	13.6	13	13.8	862	26.9	23	41.8
60+	6	6.5	3	4.3	3	13.6	9	9.6	327	10.2	14	25.5
TRANSMISSION RISK												
Men who have sex with men	57	62.0	43	61.4	14	63.6	49	52.1	1,554	48.5	12	21.8
Injection drug use history	8	8.7	7	10.0	1	4.5	14	14.9	725	22.6	29	52.7
Heterosexual	9	9.8	7	10.0	2	9.1	14	14.9	338	10.6	4	7.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	18	19.6	13	18.6	5	22.7	17	18.1	540	16.9	10	18.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,204	37.6	6	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,998	62.4	49	89.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	22	75.9	7	24.1	20	100.0	443	100.0	10	100.0
SEX												
Male	25	86.2	18	81.8	7	100.0	17	85.0	367	82.8	7	70.0
Female	4	13.8	4	18.2	0	0.0	3	15.0	76	17.2	3	30.0
RACE/ETHNICITY												
Black	6	20.7	4	18.2	2	28.6	7	35.0	104	23.5	4	40.0
Hispanic	9	31.0	7	31.8	2	28.6	5	25.0	114	25.7	3	30.0
White	12	41.4	9	40.9	3	42.9	8	40.0	202	45.6	3	30.0
Asian/Pacific Islander	2	6.9	2	9.1	0	0.0	0	0.0	19	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	1.6	0	0.0
20-29	8	27.6	8	36.4	0	0.0	1	5.0	26	5.9	2	20.0
30-39	10	34.5	6	27.3	4	57.1	8	40.0	94	21.2	1	10.0
40-49	7	24.1	5	22.7	2	28.6	6	30.0	181	40.9	6	60.0
50-59	3	10.3	2	9.1	1	14.3	5	25.0	112	25.3	1	10.0
60+	1	3.4	1	4.5	0	0.0	0	0.0	23	5.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men	19	65.5	15	68.2	4	57.1	13	65.0	235	53.0	3	30.0
Injection drug use history	0	0.0	0	0.0	0	0.0	4	20.0	71	16.0	2	20.0
Heterosexual	4	13.8	4	18.2	0	0.0	0	0.0	48	10.8	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.6	1	10.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	20.7	3	13.6	3	42.9	3	15.0	82	18.5	2	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	223	50.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	220	49.7	10	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	74	100.0	55	74.3	19	25.7	63	100.0	1,676	100.0	20	100.0
SEX												
Male	65	87.8	49	89.1	16	84.2	54	85.7	1,344	80.2	15	75.0
Female	9	12.2	6	10.9	3	15.8	9	14.3	332	19.8	5	25.0
RACE/ETHNICITY												
Black	17	23.0	14	25.5	3	15.8	15	23.8	386	23.0	10	50.0
Hispanic	25	33.8	18	32.7	7	36.8	22	34.9	670	40.0	5	25.0
White	26	35.1	21	38.2	5	26.3	20	31.7	547	32.6	5	25.0
Asian/Pacific Islander	6	8.1	2	3.6	4	21.1	6	9.5	61	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	5	6.8	5	9.1	0	0.0	1	1.6	21	1.3	0	0.0
20-29	23	31.1	22	40.0	1	5.3	8	12.7	125	7.5	0	0.0
30-39	25	33.8	17	30.9	8	42.1	24	38.1	398	23.7	3	15.0
40-49	16	21.6	11	20.0	5	26.3	15	23.8	696	41.5	9	45.0
50-59	5	6.8	0	0.0	5	26.3	13	20.6	328	19.6	5	25.0
60+	0	0.0	0	0.0	0	0.0	2	3.2	105	6.3	3	15.0
TRANSMISSION RISK												
Men who have sex with men	45	60.8	36	65.5	9	47.4	30	47.6	814	48.6	6	30.0
Injection drug use history	2	2.7	2	3.6	0	0.0	4	6.3	232	13.8	6	30.0
Heterosexual	13	17.6	8	14.5	5	26.3	11	17.5	271	16.2	2	10.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	14	18.9	9	16.4	5	26.3	18	28.6	331	19.7	6	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	706	42.1	3	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	970	57.9	17	85.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	224	100.0	179	79.9	45	20.1	185	100.0	4,384	100.0	65	100.0
SEX												
Male	193	86.2	153	85.5	40	88.9	150	81.1	3,436	78.4	53	81.5
Female	31	13.8	26	14.5	5	11.1	35	18.9	948	21.6	12	18.5
RACE/ETHNICITY												
Black	60	26.8	51	28.5	9	20.0	62	33.5	1,269	28.9	22	33.8
Hispanic	127	56.7	100	55.9	27	60.0	98	53.0	2,410	55.0	26	40.0
White	20	8.9	17	9.5	3	6.7	19	10.3	549	12.5	15	23.1
Asian/Pacific Islander	17	7.6	11	6.1	6	13.3	6	3.2	136	3.1	2	3.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.4	1	0.6	0	0.0	0	0.0	8	0.2	0	0.0
13-19	5	2.2	5	2.8	0	0.0	1	0.5	28	0.6	0	0.0
20-29	63	28.1	58	32.4	5	11.1	24	13.0	322	7.3	1	1.5
30-39	54	24.1	42	23.5	12	26.7	52	28.1	1,010	23.0	6	9.2
40-49	63	28.1	46	25.7	17	37.8	67	36.2	1,746	39.8	25	38.5
50-59	28	12.5	21	11.7	7	15.6	32	17.3	995	22.7	20	30.8
60+	10	4.5	6	3.4	4	8.9	9	4.9	275	6.3	13	20.0
TRANSMISSION RISK												
Men who have sex with men	117	52.2	90	50.3	27	60.0	79	42.7	1,622	37.0	15	23.1
Injection drug use history	22	9.8	20	11.2	2	4.4	40	21.6	1,008	23.0	27	41.5
Heterosexual	38	17.0	27	15.1	11	24.4	36	19.5	809	18.5	13	20.0
Perinatal	1	0.4	1	0.6	0	0.0	1	0.5	34	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	46	20.5	41	22.9	5	11.1	29	15.7	906	20.7	10	15.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,667	38.0	15	23.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,717	62.0	50	76.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	17	73.9	6	26.1	16	100.0	641	100.0	10	100.0
SEX												
Male	19	82.6	14	82.4	5	83.3	12	75.0	464	72.4	9	90.0
Female	4	17.4	3	17.6	1	16.7	4	25.0	177	27.6	1	10.0
RACE/ETHNICITY												
Black	3	13.0	2	11.8	1	16.7	4	25.0	167	26.1	2	20.0
Hispanic	10	43.5	7	41.2	3	50.0	7	43.8	225	35.1	2	20.0
White	6	26.1	4	23.5	2	33.3	4	25.0	201	31.4	4	40.0
Asian/Pacific Islander	4	17.4	4	23.5	0	0.0	1	6.3	44	6.9	2	20.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	4.3	1	5.9	0	0.0	0	0.0	6	0.9	0	0.0
20-29	6	26.1	5	29.4	1	16.7	3	18.8	31	4.8	0	0.0
30-39	5	21.7	3	17.6	2	33.3	4	25.0	111	17.3	1	10.0
40-49	7	30.4	5	29.4	2	33.3	5	31.3	262	40.9	6	60.0
50-59	3	13.0	2	11.8	1	16.7	3	18.8	171	26.7	1	10.0
60+	1	4.3	1	5.9	0	0.0	1	6.3	59	9.2	2	20.0
TRANSMISSION RISK												
Men who have sex with men	8	34.8	8	47.1	0	0.0	4	25.0	238	37.1	2	20.0
Injection drug use history	2	8.7	1	5.9	1	16.7	1	6.3	124	19.3	3	30.0
Heterosexual	2	8.7	1	5.9	1	16.7	5	31.3	142	22.2	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	10	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	11	47.8	7	41.2	4	66.7	5	31.3	124	19.3	3	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	222	34.6	1	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	419	65.4	9	90.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	4	80.0	1	20.0	3	100.0	133	100.0	1	100.0
SEX												
Male	5	100.0	4	100.0	1	100.0	2	66.7	105	78.9	1	100.0
Female	0	0.0	0	0.0	0	0.0	1	33.3	28	21.1	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	33.3	21	15.8	1	100.0
Hispanic	0	0.0	0	0.0	0	0.0	1	33.3	26	19.5	0	0.0
White	4	80.0	3	75.0	1	100.0	1	33.3	73	54.9	0	0.0
Asian/Pacific Islander	1	20.0	1	25.0	0	0.0	0	0.0	12	9.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	6.8	0	0.0
30-39	3	60.0	2	50.0	1	100.0	1	33.3	12	9.0	0	0.0
40-49	2	40.0	2	50.0	0	0.0	1	33.3	50	37.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	42	31.6	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	33.3	18	13.5	1	100.0
TRANSMISSION RISK												
Men who have sex with men	2	40.0	1	25.0	1	100.0	1	33.3	47	35.3	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	23	17.3	1	100.0
Heterosexual	1	20.0	1	25.0	0	0.0	1	33.3	24	18.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	3.0	0	0.0
Unknown	2	40.0	2	50.0	0	0.0	1	33.3	30	22.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	58	43.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	75	56.4	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	28	100.0	25	89.3	3	10.7	22	100.0	926	100.0	17	100.0
SEX												
Male	21	75.0	18	72.0	3	100.0	18	81.8	671	72.5	12	70.6
Female	7	25.0	7	28.0	0	0.0	4	18.2	255	27.5	5	29.4
RACE/ETHNICITY												
Black	6	21.4	6	24.0	0	0.0	1	4.5	125	13.5	2	11.8
Hispanic	10	35.7	9	36.0	1	33.3	13	59.1	421	45.5	3	17.6
White	7	25.0	6	24.0	1	33.3	7	31.8	340	36.7	12	70.6
Asian/Pacific Islander	4	14.3	4	16.0	0	0.0	0	0.0	30	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	3.6	0	0.0	1	33.3	1	4.5	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	1	3.6	1	4.0	0	0.0	3	13.6	9	1.0	0	0.0
20-29	5	17.9	5	20.0	0	0.0	3	13.6	67	7.2	0	0.0
30-39	11	39.3	8	32.0	3	100.0	6	27.3	174	18.8	1	5.9
40-49	7	25.0	7	28.0	0	0.0	5	22.7	374	40.4	5	29.4
50-59	3	10.7	3	12.0	0	0.0	5	22.7	233	25.2	7	41.2
60+	1	3.6	1	4.0	0	0.0	0	0.0	63	6.8	4	23.5
TRANSMISSION RISK												
Men who have sex with men	13	46.4	11	44.0	2	66.7	9	40.9	341	36.8	6	35.3
Injection drug use history	1	3.6	1	4.0	0	0.0	3	13.6	158	17.1	4	23.5
Heterosexual	5	17.9	5	20.0	0	0.0	3	13.6	187	20.2	3	17.6
Perinatal	0	0.0	0	0.0	0	0.0	2	9.1	22	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	9	32.1	8	32.0	1	33.3	5	22.7	212	22.9	4	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	378	40.8	3	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	548	59.2	14	82.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	5	83.3	1	16.7	8	100.0	252	100.0	2	100.0
SEX												
Male	5	83.3	5	100.0	0	0.0	4	50.0	169	67.1	2	100.0
Female	1	16.7	0	0.0	1	100.0	4	50.0	83	32.9	0	0.0
RACE/ETHNICITY												
Black	1	16.7	1	20.0	0	0.0	4	50.0	107	42.5	1	50.0
Hispanic	3	50.0	2	40.0	1	100.0	4	50.0	73	29.0	0	0.0
White	1	16.7	1	20.0	0	0.0	0	0.0	56	22.2	1	50.0
Asian/Pacific Islander	1	16.7	1	20.0	0	0.0	0	0.0	13	5.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
20-29	1	16.7	1	20.0	0	0.0	0	0.0	19	7.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	3	37.5	40	15.9	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	25.0	102	40.5	0	0.0
50-59	4	66.7	3	60.0	1	100.0	3	37.5	61	24.2	2	100.0
60+	1	16.7	1	20.0	0	0.0	0	0.0	22	8.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men	2	33.3	2	40.0	0	0.0	2	25.0	80	31.7	0	0.0
Injection drug use history	1	16.7	1	20.0	0	0.0	1	12.5	37	14.7	0	0.0
Heterosexual	2	33.3	1	20.0	1	100.0	3	37.5	60	23.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
Unknown	1	16.7	1	20.0	0	0.0	2	25.0	64	25.4	2	100.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	109	43.3	1	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	143	56.7	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	41	73.2	15	26.8	32	100.0	1,288	100.0	22	100.0
SEX												
Male	39	69.6	27	65.9	12	80.0	24	75.0	902	70.0	15	68.2
Female	17	30.4	14	34.1	3	20.0	8	25.0	386	30.0	7	31.8
RACE/ETHNICITY												
Black	26	46.4	22	53.7	4	26.7	11	34.4	415	32.2	6	27.3
Hispanic	17	30.4	12	29.3	5	33.3	11	34.4	502	39.0	2	9.1
White	4	7.1	4	9.8	0	0.0	2	6.3	274	21.3	11	50.0
Asian/Pacific Islander	9	16.1	3	7.3	6	40.0	8	25.0	83	6.4	2	9.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	1	4.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	3	5.4	1	2.4	2	13.3	3	9.4	27	2.1	0	0.0
20-29	12	21.4	9	22.0	3	20.0	6	18.8	82	6.4	0	0.0
30-39	15	26.8	11	26.8	4	26.7	6	18.8	285	22.1	3	13.6
40-49	17	30.4	14	34.1	3	20.0	12	37.5	488	37.9	7	31.8
50-59	4	7.1	3	7.3	1	6.7	2	6.3	304	23.6	10	45.5
60+	5	8.9	3	7.3	2	13.3	3	9.4	97	7.5	2	9.1
TRANSMISSION RISK												
Men who have sex with men	21	37.5	18	43.9	3	20.0	12	37.5	412	32.0	5	22.7
Injection drug use history	2	3.6	2	4.9	0	0.0	2	6.3	226	17.5	7	31.8
Heterosexual	17	30.4	11	26.8	6	40.0	11	34.4	285	22.1	5	22.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	16	28.6	10	24.4	6	40.0	7	21.9	325	25.2	5	22.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	521	40.5	3	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	767	59.5	19	86.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	117	100.0	84	71.8	33	28.2	109	100.0	2,680	100.0	74	100.0
SEX												
Male	85	72.6	62	73.8	23	69.7	74	67.9	1,600	59.7	40	54.1
Female	32	27.4	22	26.2	10	30.3	35	32.1	1,080	40.3	34	45.9
RACE/ETHNICITY												
Black	89	76.1	64	76.2	25	75.8	75	68.8	2,059	76.8	63	85.1
Hispanic	21	17.9	13	15.5	8	24.2	26	23.9	416	15.5	9	12.2
White	2	1.7	2	2.4	0	0.0	6	5.5	143	5.3	1	1.4
Asian/Pacific Islander	4	3.4	4	4.8	0	0.0	2	1.8	52	1.9	1	1.4
Native American	1	0.9	1	1.2	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.8	0	0.0
13-19	9	7.7	9	10.7	0	0.0	5	4.6	56	2.1	0	0.0
20-29	31	26.5	24	28.6	7	21.2	24	22.0	209	7.8	2	2.7
30-39	20	17.1	14	16.7	6	18.2	11	10.1	438	16.3	8	10.8
40-49	34	29.1	23	27.4	11	33.3	42	38.5	947	35.3	30	40.5
50-59	13	11.1	8	9.5	5	15.2	17	15.6	755	28.2	27	36.5
60+	10	8.5	6	7.1	4	12.1	10	9.2	254	9.5	7	9.5
TRANSMISSION RISK												
Men who have sex with men	29	24.8	23	27.4	6	18.2	27	24.8	505	18.8	10	13.5
Injection drug use history	10	8.5	8	9.5	2	6.1	13	11.9	575	21.5	25	33.8
Heterosexual	30	25.6	18	21.4	12	36.4	33	30.3	692	25.8	18	24.3
Perinatal	0	0.0	0	0.0	0	0.0	6	5.5	85	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	48	41.0	35	41.7	13	39.4	30	27.5	814	30.4	21	28.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	986	36.8	9	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,694	63.2	65	87.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	31	79.5	8	20.5	31	100.0	1,011	100.0	23	100.0
SEX												
Male	20	51.3	16	51.6	4	50.0	19	61.3	586	58.0	13	56.5
Female	19	48.7	15	48.4	4	50.0	12	38.7	425	42.0	10	43.5
RACE/ETHNICITY												
Black	30	76.9	25	80.6	5	62.5	23	74.2	793	78.4	19	82.6
Hispanic	4	10.3	2	6.5	2	25.0	5	16.1	112	11.1	4	17.4
White	3	7.7	3	9.7	0	0.0	1	3.2	74	7.3	0	0.0
Asian/Pacific Islander	2	5.1	1	3.2	1	12.5	2	6.5	30	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.0	0	0.0
13-19	2	5.1	2	6.5	0	0.0	1	3.2	31	3.1	0	0.0
20-29	12	30.8	9	29.0	3	37.5	7	22.6	71	7.0	1	4.3
30-39	5	12.8	5	16.1	0	0.0	4	12.9	177	17.5	3	13.0
40-49	10	25.6	9	29.0	1	12.5	9	29.0	363	35.9	8	34.8
50-59	6	15.4	3	9.7	3	37.5	7	22.6	257	25.4	6	26.1
60+	4	10.3	3	9.7	1	12.5	3	9.7	102	10.1	5	21.7
TRANSMISSION RISK												
Men who have sex with men	9	23.1	7	22.6	2	25.0	6	19.4	174	17.2	1	4.3
Injection drug use history	2	5.1	2	6.5	0	0.0	2	6.5	149	14.7	6	26.1
Heterosexual	11	28.2	8	25.8	3	37.5	11	35.5	304	30.1	7	30.4
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	45	4.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	17	43.6	14	45.2	3	37.5	11	35.5	332	32.8	9	39.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	379	37.5	2	8.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	632	62.5	21	91.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	20	76.9	6	23.1	31	100.0	824	100.0	27	100.0
SEX												
Male	14	53.8	11	55.0	3	50.0	18	58.1	439	53.3	12	44.4
Female	12	46.2	9	45.0	3	50.0	13	41.9	385	46.7	15	55.6
RACE/ETHNICITY												
Black	17	65.4	13	65.0	4	66.7	21	67.7	533	64.7	16	59.3
Hispanic	5	19.2	5	25.0	0	0.0	4	12.9	183	22.2	5	18.5
White	4	15.4	2	10.0	2	33.3	6	19.4	100	12.1	6	22.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	1.1	0	0.0
13-19	2	7.7	2	10.0	0	0.0	1	3.2	15	1.8	0	0.0
20-29	9	34.6	9	45.0	0	0.0	2	6.5	69	8.4	1	3.7
30-39	5	19.2	4	20.0	1	16.7	3	9.7	122	14.8	5	18.5
40-49	5	19.2	3	15.0	2	33.3	9	29.0	298	36.2	12	44.4
50-59	4	15.4	2	10.0	2	33.3	14	45.2	259	31.4	8	29.6
60+	1	3.8	0	0.0	1	16.7	2	6.5	52	6.3	1	3.7
TRANSMISSION RISK												
Men who have sex with men	8	30.8	6	30.0	2	33.3	5	16.1	106	12.9	3	11.1
Injection drug use history	1	3.8	1	5.0	0	0.0	9	29.0	219	26.6	8	29.6
Heterosexual	12	46.2	9	45.0	3	50.0	8	25.8	266	32.3	10	37.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	31	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	2	7.4
Unknown	5	19.2	4	20.0	1	16.7	8	25.8	199	24.2	4	14.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	42.7	4	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	472	57.3	23	85.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	15	78.9	4	21.1	16	100.0	387	100.0	15	100.0
SEX												
Male	18	94.7	14	93.3	4	100.0	11	68.8	237	61.2	11	73.3
Female	1	5.3	1	6.7	0	0.0	5	31.3	150	38.8	4	26.7
RACE/ETHNICITY												
Black	10	52.6	8	53.3	2	50.0	7	43.8	194	50.1	6	40.0
Hispanic	8	42.1	6	40.0	2	50.0	7	43.8	111	28.7	4	26.7
White	1	5.3	1	6.7	0	0.0	2	12.5	77	19.9	5	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
13-19	1	5.3	1	6.7	0	0.0	0	0.0	9	2.3	0	0.0
20-29	4	21.1	3	20.0	1	25.0	3	18.8	27	7.0	1	6.7
30-39	2	10.5	2	13.3	0	0.0	5	31.3	60	15.5	2	13.3
40-49	8	42.1	6	40.0	2	50.0	5	31.3	146	37.7	5	33.3
50-59	2	10.5	1	6.7	1	25.0	3	18.8	109	28.2	7	46.7
60+	2	10.5	2	13.3	0	0.0	0	0.0	33	8.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men	7	36.8	6	40.0	1	25.0	3	18.8	64	16.5	3	20.0
Injection drug use history	3	15.8	2	13.3	1	25.0	3	18.8	107	27.6	6	40.0
Heterosexual	4	21.1	4	26.7	0	0.0	5	31.3	93	24.0	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	5	26.3	3	20.0	2	50.0	5	31.3	106	27.4	5	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	154	39.8	2	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	233	60.2	13	86.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	30	73.2	11	26.8	31	100.0	821	100.0	21	100.0
SEX												
Male	27	65.9	19	63.3	8	72.7	22	71.0	517	63.0	10	47.6
Female	14	34.1	11	36.7	3	27.3	9	29.0	304	37.0	11	52.4
RACE/ETHNICITY												
Black	28	68.3	23	76.7	5	45.5	14	45.2	367	44.7	12	57.1
Hispanic	5	12.2	4	13.3	1	9.1	8	25.8	201	24.5	4	19.0
White	6	14.6	2	6.7	4	36.4	8	25.8	241	29.4	5	23.8
Asian/Pacific Islander	2	4.9	1	3.3	1	9.1	1	3.2	4	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	1.1	0	0.0
13-19	2	4.9	2	6.7	0	0.0	0	0.0	12	1.5	0	0.0
20-29	13	31.7	10	33.3	3	27.3	3	9.7	54	6.6	1	4.8
30-39	9	22.0	7	23.3	2	18.2	6	19.4	125	15.2	1	4.8
40-49	8	19.5	5	16.7	3	27.3	11	35.5	349	42.5	7	33.3
50-59	7	17.1	5	16.7	2	18.2	9	29.0	210	25.6	10	47.6
60+	2	4.9	1	3.3	1	9.1	2	6.5	62	7.6	2	9.5
TRANSMISSION RISK												
Men who have sex with men	7	17.1	6	20.0	1	9.1	4	12.9	197	24.0	2	9.5
Injection drug use history	3	7.3	1	3.3	2	18.2	11	35.5	211	25.7	8	38.1
Heterosexual	11	26.8	9	30.0	2	18.2	7	22.6	179	21.8	7	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	20	48.8	14	46.7	6	54.5	9	29.0	204	24.8	4	19.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	322	39.2	2	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	499	60.8	19	90.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	3	75.0	1	25.0	7	100.0	140	100.0	3	100.0
SEX												
Male	3	75.0	2	66.7	1	100.0	7	100.0	97	69.3	3	100.0
Female	1	25.0	1	33.3	0	0.0	0	0.0	43	30.7	0	0.0
RACE/ETHNICITY												
Black	1	25.0	1	33.3	0	0.0	1	14.3	21	15.0	1	33.3
Hispanic	1	25.0	0	0.0	1	100.0	1	14.3	33	23.6	1	33.3
White	2	50.0	2	66.7	0	0.0	5	71.4	81	57.9	1	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	14.3	15	10.7	0	0.0
30-39	2	50.0	1	33.3	1	100.0	0	0.0	17	12.1	1	33.3
40-49	2	50.0	2	66.7	0	0.0	5	71.4	65	46.4	2	66.7
50-59	0	0.0	0	0.0	0	0.0	0	0.0	29	20.7	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	14.3	12	8.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	4	57.1	46	32.9	1	33.3
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	19	13.6	1	33.3
Heterosexual	2	50.0	1	33.3	1	100.0	0	0.0	29	20.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	2	50.0	2	66.7	0	0.0	3	42.9	41	29.3	1	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	60	42.9	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	80	57.1	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2007 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2007, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2007						AIDS DIAGNOSES, 2007		PLWHA AS OF 12/31/2007		DEATHS, 2007	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	14	77.8	4	22.2	18	100.0	351	100.0	8	100.0
SEX												
Male	16	88.9	13	92.9	3	75.0	14	77.8	242	68.9	4	50.0
Female	2	11.1	1	7.1	1	25.0	4	22.2	109	31.1	4	50.0
RACE/ETHNICITY												
Black	7	38.9	4	28.6	3	75.0	6	33.3	72	20.5	2	25.0
Hispanic	1	5.6	1	7.1	0	0.0	4	22.2	82	23.4	0	0.0
White	10	55.6	9	64.3	1	25.0	8	44.4	195	55.6	6	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	2.3	0	0.0
20-29	2	11.1	1	7.1	1	25.0	3	16.7	21	6.0	0	0.0
30-39	6	33.3	4	28.6	2	50.0	4	22.2	59	16.8	1	12.5
40-49	5	27.8	4	28.6	1	25.0	8	44.4	142	40.5	3	37.5
50-59	3	16.7	3	21.4	0	0.0	3	16.7	100	28.5	3	37.5
60+	2	11.1	2	14.3	0	0.0	0	0.0	19	5.4	1	12.5
TRANSMISSION RISK												
Men who have sex with men	6	33.3	4	28.6	2	50.0	4	22.2	61	17.4	2	25.0
Injection drug use history	2	11.1	2	14.3	0	0.0	3	16.7	93	26.5	1	12.5
Heterosexual	3	16.7	2	14.3	1	25.0	2	11.1	72	20.5	2	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	1	12.5
Unknown	7	38.9	6	42.9	1	25.0	9	50.0	110	31.3	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	151	43.0	2	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	200	57.0	6	75.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2007**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	51.4	1.3	21.6	8,008,278
SEX				
Male	80.5	2.0	20.5	3,794,204
Female	25.2	0.8	24.1	4,214,074
RACE/ETHNICITY				
Black	101.5	2.4	24.9	1,962,154
Hispanic	59.2	1.6	21.5	2,160,554
White	25.0	0.8	15.8	2,801,267
Asian/Pacific Islander	16.6	0.2	18.0	783,058
Native American	86.6	1.3	10.0*	17,321
AGE GROUP (YEARS)				
0-12	0.8	0.0	3.0*	1,429,677
13-19	27.6	0.2	5.5*	723,773
20-29	87.5	0.6	6.5	1,270,490
30-39	79.5	1.4	12.3	1,348,263
40-49	91.2	3.6	20.1	1,133,497
50-59	57.7	3.2	30.4	850,372
60+	15.7	0.8	37.3	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2007, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2007**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	51.4	1.3	21.6	8,008,278
BRONX³	67.9	1.7	25.2	1,327,690
Crotona - Tremont	86.2	2.3	29.9	199,530
Fordham - Bronx Park	59.5	1.6	21.7	250,491
High Bridge - Morrisania	105.4	2.6	27.0	189,755
Hunts Point - Mott Haven	100.9	2.5	25.0	122,875
Kingsbridge - Riverdale	19.1	0.6	14.5*	88,989
Northeast Bronx	40.9	0.9	23.8	185,998
Pelham - Throgs Neck	49.6	1.2	23.8	290,052
BROOKLYN³	42.7	1.1	26.5	2,465,326
Bedford Stuyvesant - Crown Heights	96.8	2.1	30.4	317,296
Bensonhurst - Bay Ridge	10.3	0.3	25.6	194,558
Borough Park	8.3	0.3	15.7	324,411
Canarsie - Flatlands	29.8	0.6	28.0	197,819
Coney Island - Sheepshead Bay	13.6	0.4	28.5	286,901
Downtown - Heights - Park Slope	47.5	1.4	17.5	214,696
East Flatbush - Flatbush	60.3	1.3	22.6	316,734
East New York	56.4	1.5	30.0	173,716
Greenpoint	25.7	0.8	28.5	124,449
Sunset Park	19.9	0.6	26.5	120,441
Williamsburg - Bushwick	73.1	1.8	30.7	194,305
MANHATTAN³	74.7	2.1	17.5	1,529,375
Central Harlem - Morningside Heights	119.8	2.8	22.0	151,113
Chelsea - Clinton	170.7	4.8	13.4	122,998
East Harlem	105.5	2.8	24.9	108,092
Gramercy Park - Murray Hill	67.5	1.8	15.7	124,477
Greenwich Village - Soho	80.0	2.5	10.4	83,709
Lower Manhattan	93.9	1.5	21.2*	30,895
Union Square - Lower East Side	46.7	1.7	15.6	197,138
Upper East Side	22.0	0.7	13.7	218,167
Upper West Side	37.8	1.5	15.7	222,109
Washington Heights - Inwood	66.9	1.4	21.5	270,677
QUEENS³	26.9	0.7	18.5	2,242,159
Bayside - Little Neck	5.7*	0.2	4.8*	88,164
Flushing - Clearview	9.0	0.3	14.6*	255,542
Fresh Meadows	6.4*	0.3	8.1*	93,148
Jamaica	41.0	1.0	26.9	285,568
Long Island City - Astoria	33.5	0.8	12.6	220,960
Ridgewood - Forest Hills	11.6	0.4	19.0	240,901
Rockaway	24.4	0.8	32.3	106,738
Southeast Queens	19.1	0.5	22.3	203,670
Southwest Queens	20.7	0.5	17.3	269,952
West Queens	46.9	0.9	15.8	477,516
STATEN ISLAND³	18.7	0.4	28.6	443,728
Port Richmond	30.3	0.6	36.4	62,788
South Beach - Tottenville	10.0	0.2	22.9*	179,892
Stapleton - St. George	35.3	0.7	24.7	116,227
Willowbrook	4.7*	0.2	21.5*	84,821

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the citywide population of PWHA at the end of 2007.³Borough-level data include persons residing in unknown UHF neighborhoods.