



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2008

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	By UHF Neighborhood: Bronx	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		By UHF Neighborhood: Staten Island
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2008, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---------------------------------------------	-----------	----------------------------------------------------------

Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2011. Updated January 4, 2012. Accessed [access date] at <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4,092	100.0	3,231	79.0	861	21.0	3,312	100.0	106,584	100.0	2,279	100.0
SEX												
Male	3,108	76.0	2,477	76.7	631	73.3	2,349	70.9	75,208	70.6	1,530	67.1
Female	984	24.0	754	23.3	230	26.7	963	29.1	31,376	29.4	749	32.9
RACE/ETHNICITY												
Black	2,029	49.6	1,584	49.0	445	51.7	1,691	51.1	47,712	44.8	1,166	51.2
Hispanic	1,244	30.4	972	30.1	272	31.6	1,079	32.6	34,847	32.7	744	32.6
White	676	16.5	565	17.5	111	12.9	449	13.6	21,708	20.4	328	14.4
Asian/Pacific Islander	123	3.0	92	2.8	31	3.6	78	2.4	1,612	1.5	36	1.6
Native American	17	0.4	15	0.5	2	0.2	14	0.4	246	0.2	3	0.1
Multiracial	3	0.1	3	0.1	0	0.0	1	0.0	44	0.0	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	415	0.4	1	0.0
AGE GROUP (YEARS)												
0-12	7	0.2	7	0.2	0	0.0	1	0.0	524	0.5	0	0.0
13-19	194	4.7	174	5.4	20	2.3	72	2.2	1,591	1.5	7	0.3
20-29	1,129	27.6	992	30.7	137	15.9	452	13.6	7,482	7.0	64	2.8
30-39	1,069	26.1	854	26.4	215	25.0	826	24.9	18,300	17.2	237	10.4
40-49	1,042	25.5	776	24.0	266	30.9	1,143	34.5	39,600	37.2	732	32.1
50-59	481	11.8	330	10.2	151	17.5	615	18.6	28,344	26.6	815	35.8
60+	170	4.2	98	3.0	72	8.4	203	6.1	10,743	10.1	424	18.6
BOROUGH OF RESIDENCE												
Bronx	867	21.2	661	20.5	206	23.9	842	25.4	22,720	21.3	552	24.2
Brooklyn	1,078	26.3	826	25.6	252	29.3	862	26.0	26,125	24.5	622	27.3
Manhattan	1,096	26.8	885	27.4	211	24.5	801	24.2	31,982	30.0	634	27.8
Queens	633	15.5	504	15.6	129	15.0	480	14.5	15,009	14.1	268	11.8
Staten Island	62	1.5	39	1.2	23	2.7	63	1.9	1,863	1.7	44	1.9
Outside NYC	338	8.3	300	9.3	38	4.4	184	5.6	8,128	7.6	148	6.5
Unknown	18	0.4	16	0.5	2	0.2	80	2.4	757	0.7	11	0.5
TRANSMISSION RISK												
Men who have sex with men	1,809	44.2	1,517	47.0	292	33.9	1,068	32.2	34,773	32.6	405	17.8
Injection drug use history	265	6.5	212	6.6	53	6.2	445	13.4	21,449	20.1	823	36.1
Heterosexual	916	22.4	675	20.9	241	28.0	743	22.4	20,220	19.0	375	16.5
Perinatal	8	0.2	8	0.2	0	0.0	47	1.4	2,472	2.3	16	0.7
Other	0	0.0	0	0.0	0	0.0	1	0.0	262	0.2	13	0.6
Unknown	1,094	26.7	819	25.3	275	31.9	1,008	30.4	27,408	25.7	647	28.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	42,672	40.0	339	14.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	63,912	60.0	1,940	85.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,108	100.0	2,477	79.7	631	20.3	2,349	100.0	75,208	100.0	1,530	100.0
RACE/ETHNICITY												
Black	1,376	44.3	1,096	44.2	280	44.4	1,082	46.1	29,531	39.3	732	47.8
Hispanic	998	32.1	777	31.4	221	35.0	789	33.6	24,590	32.7	492	32.2
White	613	19.7	510	20.6	103	16.3	406	17.3	19,270	25.6	276	18.0
Asian/Pacific Islander	105	3.4	80	3.2	25	4.0	61	2.6	1,295	1.7	27	1.8
Native American	13	0.4	11	0.4	2	0.3	10	0.4	172	0.2	2	0.1
Multiracial	3	0.1	3	0.1	0	0.0	1	0.0	32	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	318	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	5	0.2	5	0.2	0	0.0	1	0.0	245	0.3	0	0.0
13-19	138	4.4	126	5.1	12	1.9	42	1.8	817	1.1	2	0.1
20-29	938	30.2	826	33.3	112	17.7	353	15.0	5,333	7.1	42	2.7
30-39	822	26.4	666	26.9	156	24.7	590	25.1	12,523	16.7	149	9.7
40-49	768	24.7	572	23.1	196	31.1	800	34.1	27,672	36.8	453	29.6
50-59	334	10.7	220	8.9	114	18.1	432	18.4	20,511	27.3	587	38.4
60+	103	3.3	62	2.5	41	6.5	131	5.6	8,107	10.8	297	19.4
BOROUGH OF RESIDENCE												
Bronx	557	17.9	429	17.3	128	20.3	516	22.0	13,596	18.1	339	22.2
Brooklyn	788	25.4	603	24.3	185	29.3	590	25.1	16,590	22.1	380	24.8
Manhattan	932	30.0	762	30.8	170	26.9	644	27.4	25,964	34.5	460	30.1
Queens	492	15.8	392	15.8	100	15.8	353	15.0	10,602	14.1	191	12.5
Staten Island	47	1.5	29	1.2	18	2.9	42	1.8	1,195	1.6	32	2.1
Outside NYC	274	8.8	246	9.9	28	4.4	145	6.2	6,701	8.9	121	7.9
Unknown	18	0.6	16	0.6	2	0.3	59	2.5	560	0.7	7	0.5
TRANSMISSION RISK												
Men who have sex with men	1,809	58.2	1,517	61.2	292	46.3	1,068	45.5	34,773	46.2	405	26.5
Injection drug use history	197	6.3	154	6.2	43	6.8	306	13.0	15,215	20.2	561	36.7
Heterosexual	191	6.1	130	5.2	61	9.7	200	8.5	5,496	7.3	112	7.3
Perinatal	6	0.2	6	0.2	0	0.0	23	1.0	1,207	1.6	5	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	133	0.2	5	0.3
Unknown	905	29.1	670	27.0	235	37.2	752	32.0	18,384	24.4	442	28.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29,823	39.7	239	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	45,385	60.3	1,291	84.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	984	100.0	754	76.6	230	23.4	963	100.0	31,376	100.0	749	100.0
RACE/ETHNICITY												
Black	653	66.4	488	64.7	165	71.7	609	63.2	18,181	57.9	434	57.9
Hispanic	246	25.0	195	25.9	51	22.2	290	30.1	10,257	32.7	252	33.6
White	63	6.4	55	7.3	8	3.5	43	4.5	2,438	7.8	52	6.9
Asian/Pacific Islander	18	1.8	12	1.6	6	2.6	17	1.8	317	1.0	9	1.2
Native American	4	0.4	4	0.5	0	0.0	4	0.4	74	0.2	1	0.1
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	97	0.3	1	0.1
AGE GROUP (YEARS)												
0-12	2	0.2	2	0.3	0	0.0	0	0.0	279	0.9	0	0.0
13-19	56	5.7	48	6.4	8	3.5	30	3.1	774	2.5	5	0.7
20-29	191	19.4	166	22.0	25	10.9	99	10.3	2,149	6.8	22	2.9
30-39	247	25.1	188	24.9	59	25.7	236	24.5	5,777	18.4	88	11.7
40-49	274	27.8	204	27.1	70	30.4	343	35.6	11,928	38.0	279	37.2
50-59	147	14.9	110	14.6	37	16.1	183	19.0	7,833	25.0	228	30.4
60+	67	6.8	36	4.8	31	13.5	72	7.5	2,636	8.4	127	17.0
BOROUGH OF RESIDENCE												
Bronx	310	31.5	232	30.8	78	33.9	326	33.9	9,124	29.1	213	28.4
Brooklyn	290	29.5	223	29.6	67	29.1	272	28.2	9,535	30.4	242	32.3
Manhattan	164	16.7	123	16.3	41	17.8	157	16.3	6,018	19.2	174	23.2
Queens	141	14.3	112	14.9	29	12.6	127	13.2	4,407	14.0	77	10.3
Staten Island	15	1.5	10	1.3	5	2.2	21	2.2	668	2.1	12	1.6
Outside NYC	64	6.5	54	7.2	10	4.3	39	4.0	1,427	4.5	27	3.6
Unknown	0	0.0	0	0.0	0	0.0	21	2.2	197	0.6	4	0.5
TRANSMISSION RISK												
Injection drug use history	68	6.9	58	7.7	10	4.3	139	14.4	6,234	19.9	262	35.0
Heterosexual	725	73.7	545	72.3	180	78.3	543	56.4	14,724	46.9	263	35.1
Perinatal	2	0.2	2	0.3	0	0.0	24	2.5	1,265	4.0	11	1.5
Other	0	0.0	0	0.0	0	0.0	1	0.1	129	0.4	8	1.1
Unknown	189	19.2	149	19.8	40	17.4	256	26.6	9,024	28.8	205	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,849	41.0	100	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,527	59.0	649	86.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,376	100.0	1,096	79.7	280	20.3	1,082	100.0	29,531	100.0	732	100.0
AGE GROUP (YEARS)												
0-12	4	0.3	4	0.4	0	0.0	1	0.1	153	0.5	0	0.0
13-19	90	6.5	83	7.6	7	2.5	27	2.5	498	1.7	2	0.3
20-29	447	32.5	397	36.2	50	17.9	171	15.8	2,543	8.6	28	3.8
30-39	304	22.1	250	22.8	54	19.3	231	21.3	4,470	15.1	76	10.4
40-49	320	23.3	226	20.6	94	33.6	377	34.8	10,058	34.1	196	26.8
50-59	154	11.2	99	9.0	55	19.6	207	19.1	8,440	28.6	284	38.8
60+	57	4.1	37	3.4	20	7.1	68	6.3	3,369	11.4	146	19.9
BOROUGH OF RESIDENCE												
Bronx	270	19.6	211	19.3	59	21.1	223	20.6	5,713	19.3	152	20.8
Brooklyn	489	35.5	376	34.3	113	40.4	373	34.5	9,693	32.8	233	31.8
Manhattan	316	23.0	253	23.1	63	22.5	255	23.6	7,669	26.0	211	28.8
Queens	165	12.0	139	12.7	26	9.3	144	13.3	3,767	12.8	80	10.9
Staten Island	16	1.2	9	0.8	7	2.5	13	1.2	404	1.4	14	1.9
Outside NYC	110	8.0	98	8.9	12	4.3	54	5.0	2,070	7.0	39	5.3
Unknown	10	0.7	10	0.9	0	0.0	20	1.8	215	0.7	3	0.4
TRANSMISSION RISK												
Men who have sex with men	677	49.2	577	52.6	100	35.7	414	38.3	10,112	34.2	178	24.3
Injection drug use history	67	4.9	52	4.7	15	5.4	121	11.2	6,231	21.1	241	32.9
Heterosexual	109	7.9	72	6.6	37	13.2	111	10.3	2,981	10.1	67	9.2
Perinatal	5	0.4	5	0.5	0	0.0	15	1.4	680	2.3	4	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	40	0.1	4	0.5
Unknown	518	37.6	390	35.6	128	45.7	421	38.9	9,487	32.1	238	32.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,211	38.0	104	14.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,320	62.0	628	85.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	653	100.0	488	74.7	165	25.3	609	100.0	18,181	100.0	434	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	164	0.9	0	0.0
13-19	36	5.5	30	6.1	6	3.6	23	3.8	473	2.6	2	0.5
20-29	128	19.6	108	22.1	20	12.1	66	10.8	1,305	7.2	12	2.8
30-39	153	23.4	114	23.4	39	23.6	146	24.0	3,509	19.3	55	12.7
40-49	189	28.9	139	28.5	50	30.3	216	35.5	6,846	37.7	152	35.0
50-59	100	15.3	75	15.4	25	15.2	113	18.6	4,454	24.5	136	31.3
60+	47	7.2	22	4.5	25	15.2	45	7.4	1,430	7.9	77	17.7
BOROUGH OF RESIDENCE												
Bronx	194	29.7	142	29.1	52	31.5	175	28.7	4,553	25.0	102	23.5
Brooklyn	221	33.8	165	33.8	56	33.9	208	34.2	6,592	36.3	174	40.1
Manhattan	100	15.3	72	14.8	28	17.0	97	15.9	3,334	18.3	97	22.4
Queens	88	13.5	68	13.9	20	12.1	82	13.5	2,566	14.1	40	9.2
Staten Island	8	1.2	5	1.0	3	1.8	13	2.1	317	1.7	6	1.4
Outside NYC	42	6.4	36	7.4	6	3.6	22	3.6	706	3.9	12	2.8
Unknown	0	0.0	0	0.0	0	0.0	12	2.0	113	0.6	3	0.7
TRANSMISSION RISK												
Injection drug use history	37	5.7	33	6.8	4	2.4	72	11.8	3,034	16.7	136	31.3
Heterosexual	492	75.3	360	73.8	132	80.0	347	57.0	8,640	47.5	151	34.8
Perinatal	0	0.0	0	0.0	0	0.0	17	2.8	731	4.0	7	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	70	0.4	2	0.5
Unknown	124	19.0	95	19.5	29	17.6	173	28.4	5,706	31.4	138	31.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,684	42.3	63	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,497	57.7	371	85.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	998	100.0	777	77.9	221	22.1	789	100.0	24,590	100.0	492	100.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	72	0.3	0	0.0
13-19	38	3.8	35	4.5	3	1.4	11	1.4	277	1.1	0	0.0
20-29	306	30.7	260	33.5	46	20.8	125	15.8	1,857	7.6	9	1.8
30-39	296	29.7	233	30.0	63	28.5	225	28.5	4,555	18.5	48	9.8
40-49	231	23.1	167	21.5	64	29.0	248	31.4	9,292	37.8	161	32.7
50-59	100	10.0	67	8.6	33	14.9	143	18.1	6,222	25.3	186	37.8
60+	26	2.6	14	1.8	12	5.4	37	4.7	2,315	9.4	88	17.9
BOROUGH OF RESIDENCE												
Bronx	269	27.0	205	26.4	64	29.0	268	34.0	7,081	28.8	167	33.9
Brooklyn	180	18.0	133	17.1	47	21.3	142	18.0	4,240	17.2	98	19.9
Manhattan	264	26.5	210	27.0	54	24.4	202	25.6	7,004	28.5	134	27.2
Queens	201	20.1	158	20.3	43	19.5	120	15.2	4,298	17.5	58	11.8
Staten Island	14	1.4	7	0.9	7	3.2	16	2.0	310	1.3	7	1.4
Outside NYC	66	6.6	61	7.9	5	2.3	26	3.3	1,495	6.1	27	5.5
Unknown	4	0.4	3	0.4	1	0.5	15	1.9	162	0.7	1	0.2
TRANSMISSION RISK												
Men who have sex with men	588	58.9	479	61.6	109	49.3	337	42.7	9,802	39.9	89	18.1
Injection drug use history	95	9.5	74	9.5	21	9.5	151	19.1	6,936	28.2	235	47.8
Heterosexual	58	5.8	39	5.0	19	8.6	72	9.1	1,869	7.6	31	6.3
Perinatal	1	0.1	1	0.1	0	0.0	6	0.8	440	1.8	1	0.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	0	0.0
Unknown	256	25.7	184	23.7	72	32.6	223	28.3	5,508	22.4	136	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,900	36.2	78	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,690	63.8	414	84.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	246	100.0	195	79.3	51	20.7	290	100.0	10,257	100.0	252	100.0
AGE GROUP (YEARS)												
0-12	1	0.4	1	0.5	0	0.0	0	0.0	101	1.0	0	0.0
13-19	18	7.3	16	8.2	2	3.9	6	2.1	254	2.5	3	1.2
20-29	47	19.1	44	22.6	3	5.9	29	10.0	674	6.6	9	3.6
30-39	69	28.0	52	26.7	17	33.3	73	25.2	1,789	17.4	25	9.9
40-49	64	26.0	49	25.1	15	29.4	106	36.6	3,928	38.3	100	39.7
50-59	32	13.0	22	11.3	10	19.6	56	19.3	2,581	25.2	81	32.1
60+	15	6.1	11	5.6	4	7.8	20	6.9	930	9.1	34	13.5
BOROUGH OF RESIDENCE												
Bronx	102	41.5	78	40.0	24	47.1	146	50.3	4,212	41.1	104	41.3
Brooklyn	51	20.7	42	21.5	9	17.6	53	18.3	2,268	22.1	55	21.8
Manhattan	45	18.3	35	17.9	10	19.6	42	14.5	1,985	19.4	58	23.0
Queens	31	12.6	27	13.8	4	7.8	24	8.3	1,182	11.5	23	9.1
Staten Island	4	1.6	3	1.5	1	2.0	5	1.7	163	1.6	2	0.8
Outside NYC	13	5.3	10	5.1	3	5.9	13	4.5	392	3.8	9	3.6
Unknown	0	0.0	0	0.0	0	0.0	7	2.4	55	0.5	1	0.4
TRANSMISSION RISK												
Injection drug use history	23	9.3	18	9.2	5	9.8	57	19.7	2,462	24.0	103	40.9
Heterosexual	176	71.5	139	71.3	37	72.5	154	53.1	4,814	46.9	87	34.5
Perinatal	1	0.4	1	0.5	0	0.0	6	2.1	451	4.4	4	1.6
Other	0	0.0	0	0.0	0	0.0	1	0.3	29	0.3	5	2.0
Unknown	46	18.7	37	19.0	9	17.6	72	24.8	2,501	24.4	53	21.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,872	37.7	23	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,385	62.3	229	90.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	613	100.0	510	83.2	103	16.8	406	100.0	19,270	100.0	276	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	6	1.0	5	1.0	1	1.0	3	0.7	31	0.2	0	0.0
20-29	152	24.8	141	27.6	11	10.7	43	10.6	797	4.1	4	1.4
30-39	180	29.4	149	29.2	31	30.1	114	28.1	3,054	15.8	19	6.9
40-49	193	31.5	160	31.4	33	32.0	156	38.4	7,642	39.7	89	32.2
50-59	66	10.8	46	9.0	20	19.4	69	17.0	5,464	28.4	108	39.1
60+	16	2.6	9	1.8	7	6.8	21	5.2	2,268	11.8	56	20.3
BOROUGH OF RESIDENCE												
Bronx	13	2.1	9	1.8	4	3.9	20	4.9	673	3.5	18	6.5
Brooklyn	92	15.0	73	14.3	19	18.4	58	14.3	2,361	12.3	44	15.9
Manhattan	315	51.4	268	52.5	47	45.6	169	41.6	10,533	54.7	107	38.8
Queens	88	14.4	71	13.9	17	16.5	61	15.0	2,073	10.8	39	14.1
Staten Island	14	2.3	10	2.0	4	3.9	13	3.2	458	2.4	11	4.0
Outside NYC	87	14.2	76	14.9	11	10.7	62	15.3	3,007	15.6	54	19.6
Unknown	4	0.7	3	0.6	1	1.0	23	5.7	165	0.9	3	1.1
TRANSMISSION RISK												
Men who have sex with men	473	77.2	404	79.2	69	67.0	276	68.0	14,001	72.7	130	47.1
Injection drug use history	30	4.9	25	4.9	5	4.9	32	7.9	1,952	10.1	80	29.0
Heterosexual	13	2.1	12	2.4	1	1.0	8	2.0	492	2.6	12	4.3
Perinatal	0	0.0	0	0.0	0	0.0	2	0.5	66	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	52	0.3	1	0.4
Unknown	97	15.8	69	13.5	28	27.2	88	21.7	2,707	14.0	53	19.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,749	45.4	50	18.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,521	54.6	226	81.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	55	87.3	8	12.7	43	100.0	2,438	100.0	52	100.0
AGE GROUP (YEARS)												
0-12	1	1.6	1	1.8	0	0.0	0	0.0	12	0.5	0	0.0
13-19	1	1.6	1	1.8	0	0.0	0	0.0	38	1.6	0	0.0
20-29	11	17.5	10	18.2	1	12.5	2	4.7	127	5.2	1	1.9
30-39	19	30.2	17	30.9	2	25.0	10	23.3	353	14.5	5	9.6
40-49	15	23.8	11	20.0	4	50.0	15	34.9	982	40.3	23	44.2
50-59	12	19.0	12	21.8	0	0.0	11	25.6	685	28.1	9	17.3
60+	4	6.3	3	5.5	1	12.5	5	11.6	241	9.9	14	26.9
BOROUGH OF RESIDENCE												
Bronx	13	20.6	12	21.8	1	12.5	2	4.7	291	11.9	6	11.5
Brooklyn	9	14.3	8	14.5	1	12.5	4	9.3	544	22.3	9	17.3
Manhattan	15	23.8	13	23.6	2	25.0	15	34.9	594	24.4	17	32.7
Queens	14	22.2	12	21.8	2	25.0	13	30.2	502	20.6	11	21.2
Staten Island	3	4.8	2	3.6	1	12.5	3	7.0	179	7.3	4	7.7
Outside NYC	9	14.3	8	14.5	1	12.5	4	9.3	306	12.6	5	9.6
Unknown	0	0.0	0	0.0	0	0.0	2	4.7	22	0.9	0	0.0
TRANSMISSION RISK												
Injection drug use history	8	12.7	7	12.7	1	12.5	8	18.6	707	29.0	22	42.3
Heterosexual	39	61.9	33	60.0	6	75.0	27	62.8	1,033	42.4	20	38.5
Perinatal	1	1.6	1	1.8	0	0.0	0	0.0	71	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	1	1.9
Unknown	15	23.8	14	25.5	1	12.5	8	18.6	604	24.8	9	17.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,005	41.2	13	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,433	58.8	39	75.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	105	100.0	80	76.2	25	23.8	61	100.0	1,295	100.0	27	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	3	2.9	2	2.5	1	4.0	1	1.6	8	0.6	0	0.0
20-29	28	26.7	25	31.3	3	12.0	11	18.0	104	8.0	1	3.7
30-39	38	36.2	30	37.5	8	32.0	18	29.5	349	26.9	5	18.5
40-49	20	19.0	15	18.8	5	20.0	14	23.0	483	37.3	7	25.9
50-59	13	12.4	7	8.8	6	24.0	12	19.7	250	19.3	7	25.9
60+	3	2.9	1	1.3	2	8.0	5	8.2	98	7.6	7	25.9
BOROUGH OF RESIDENCE												
Bronx	2	1.9	2	2.5	0	0.0	3	4.9	66	5.1	1	3.7
Brooklyn	24	22.9	18	22.5	6	24.0	14	23.0	227	17.5	3	11.1
Manhattan	34	32.4	28	35.0	6	24.0	16	26.2	484	37.4	8	29.6
Queens	34	32.4	21	26.3	13	52.0	25	41.0	393	30.3	14	51.9
Staten Island	3	2.9	3	3.8	0	0.0	0	0.0	12	0.9	0	0.0
Outside NYC	8	7.6	8	10.0	0	0.0	2	3.3	108	8.3	1	3.7
Unknown	0	0.0	0	0.0	0	0.0	1	1.6	5	0.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men	65	61.9	52	65.0	13	52.0	34	55.7	721	55.7	7	25.9
Injection drug use history	3	2.9	2	2.5	1	4.0	1	1.6	58	4.5	5	18.5
Heterosexual	10	9.5	6	7.5	4	16.0	9	14.8	133	10.3	2	7.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	27	25.7	20	25.0	7	28.0	17	27.9	369	28.5	13	48.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	586	45.3	6	22.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	709	54.7	21	77.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	12	66.7	6	33.3	17	100.0	317	100.0	9	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
13-19	1	5.6	1	8.3	0	0.0	1	5.9	4	1.3	0	0.0
20-29	5	27.8	4	33.3	1	16.7	1	5.9	32	10.1	0	0.0
30-39	5	27.8	4	33.3	1	16.7	6	35.3	94	29.7	3	33.3
40-49	4	22.2	3	25.0	1	16.7	4	23.5	99	31.2	3	33.3
50-59	2	11.1	0	0.0	2	33.3	3	17.6	61	19.2	1	11.1
60+	1	5.6	0	0.0	1	16.7	2	11.8	26	8.2	2	22.2
BOROUGH OF RESIDENCE												
Bronx	1	5.6	0	0.0	1	16.7	2	11.8	33	10.4	1	11.1
Brooklyn	6	33.3	5	41.7	1	16.7	4	23.5	77	24.3	3	33.3
Manhattan	3	16.7	2	16.7	1	16.7	3	17.6	61	19.2	2	22.2
Queens	8	44.4	5	41.7	3	50.0	8	47.1	122	38.5	3	33.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	19	6.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	2	11.8	14	4.4	1	11.1
Heterosexual	14	77.8	9	75.0	5	83.3	11	64.7	174	54.9	5	55.6
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	5	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.3	0	0.0
Unknown	4	22.2	3	25.0	1	16.7	3	17.6	120	37.9	3	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	160	50.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	157	49.5	9	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	10	100.0	172	100.0	2	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.7	1	9.1	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	30.8	2	18.2	2	100.0	3	30.0	17	9.9	0	0.0
30-39	4	30.8	4	36.4	0	0.0	2	20.0	49	28.5	1	50.0
40-49	3	23.1	3	27.3	0	0.0	4	40.0	58	33.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	10.0	34	19.8	1	50.0
60+	1	7.7	1	9.1	0	0.0	0	0.0	14	8.1	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	15.4	1	9.1	1	50.0	1	10.0	32	18.6	0	0.0
Brooklyn	2	15.4	2	18.2	0	0.0	3	30.0	30	17.4	2	100.0
Manhattan	2	15.4	2	18.2	0	0.0	2	20.0	57	33.1	0	0.0
Queens	4	30.8	3	27.3	1	50.0	3	30.0	33	19.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	3	23.1	3	27.3	0	0.0	1	10.0	15	8.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	5	38.5	4	36.4	1	50.0	7	70.0	77	44.8	1	50.0
Injection drug use history	2	15.4	1	9.1	1	50.0	1	10.0	25	14.5	0	0.0
Heterosexual	1	7.7	1	9.1	0	0.0	0	0.0	15	8.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0
Unknown	5	38.5	5	45.5	0	0.0	2	20.0	53	30.8	1	50.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	74	43.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	98	57.0	2	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	4	100.0	0	0.0	4	100.0	74	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	25.0	4	5.4	0	0.0
30-39	1	25.0	1	25.0	0	0.0	1	25.0	12	16.2	0	0.0
40-49	2	50.0	2	50.0	0	0.0	2	50.0	32	43.2	0	0.0
50-59	1	25.0	1	25.0	0	0.0	0	0.0	20	27.0	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	25.0	16	21.6	0	0.0
Brooklyn	3	75.0	3	75.0	0	0.0	3	75.0	29	39.2	0	0.0
Manhattan	1	25.0	1	25.0	0	0.0	0	0.0	13	17.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	12	16.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	1	100.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	10	13.5	0	0.0
Heterosexual	4	100.0	4	100.0	0	0.0	4	100.0	42	56.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	24.3	1	100.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35	47.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	39	52.7	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	1	100.0	245	100.0	0	0.0
RACE/ETHNICITY												
Black	4	80.0	4	80.0	0	0.0	1	100.0	153	62.4	0	0.0
Hispanic	1	20.0	1	20.0	0	0.0	0	0.0	72	29.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	14	5.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	20.0	1	20.0	0	0.0	0	0.0	79	32.2	0	0.0
Brooklyn	1	20.0	1	20.0	0	0.0	0	0.0	87	35.5	0	0.0
Manhattan	1	20.0	1	20.0	0	0.0	0	0.0	38	15.5	0	0.0
Queens	2	40.0	2	40.0	0	0.0	0	0.0	25	10.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	9	3.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	100.0	3	1.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	5	100.0	5	100.0	0	0.0	1	100.0	245	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	220	89.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	10.2	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	0	0.0	279	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	164	58.8	0	0.0
Hispanic	1	50.0	1	50.0	0	0.0	0	0.0	101	36.2	0	0.0
White	1	50.0	1	50.0	0	0.0	0	0.0	12	4.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	103	36.9	0	0.0
Brooklyn	1	50.0	1	50.0	0	0.0	0	0.0	77	27.6	0	0.0
Manhattan	1	50.0	1	50.0	0	0.0	0	0.0	43	15.4	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	31	11.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	10	3.6	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	13	4.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	0	0.0	279	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	244	87.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35	12.5	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,103	100.0	2,472	79.7	631	20.3	2,348	100.0	74,963	100.0	1,530	100.0
RACE/ETHNICITY												
Black	1,372	44.2	1,092	44.2	280	44.4	1,081	46.0	29,378	39.2	732	47.8
Hispanic	997	32.1	776	31.4	221	35.0	789	33.6	24,518	32.7	492	32.2
White	613	19.8	510	20.6	103	16.3	406	17.3	19,256	25.7	276	18.0
Asian/Pacific Islander	105	3.4	80	3.2	25	4.0	61	2.6	1,292	1.7	27	1.8
Native American	13	0.4	11	0.4	2	0.3	10	0.4	172	0.2	2	0.1
Multiracial	3	0.1	3	0.1	0	0.0	1	0.0	30	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	317	0.4	0	0.0
AGE GROUP (YEARS)												
13-19	138	4.4	126	5.1	12	1.9	42	1.8	817	1.1	2	0.1
20-29	938	30.2	826	33.4	112	17.7	353	15.0	5,333	7.1	42	2.7
30-39	822	26.5	666	26.9	156	24.7	590	25.1	12,523	16.7	149	9.7
40-49	768	24.8	572	23.1	196	31.1	800	34.1	27,672	36.9	453	29.6
50-59	334	10.8	220	8.9	114	18.1	432	18.4	20,511	27.4	587	38.4
60+	103	3.3	62	2.5	41	6.5	131	5.6	8,107	10.8	297	19.4
BOROUGH OF RESIDENCE												
Bronx	556	17.9	428	17.3	128	20.3	516	22.0	13,517	18.0	339	22.2
Brooklyn	787	25.4	602	24.4	185	29.3	590	25.1	16,503	22.0	380	24.8
Manhattan	931	30.0	761	30.8	170	26.9	644	27.4	25,926	34.6	460	30.1
Queens	490	15.8	390	15.8	100	15.8	353	15.0	10,577	14.1	191	12.5
Staten Island	47	1.5	29	1.2	18	2.9	42	1.8	1,191	1.6	32	2.1
Outside NYC	274	8.8	246	10.0	28	4.4	145	6.2	6,692	8.9	121	7.9
Unknown	18	0.6	16	0.6	2	0.3	58	2.5	557	0.7	7	0.5
TRANSMISSION RISK												
Men who have sex with men	1,809	58.3	1,517	61.4	292	46.3	1,068	45.5	34,773	46.4	405	26.5
Injection drug use history	197	6.3	154	6.2	43	6.8	306	13.0	15,215	20.3	561	36.7
Heterosexual	191	6.2	130	5.3	61	9.7	200	8.5	5,496	7.3	112	7.3
Perinatal	1	0.0	1	0.0	0	0.0	22	0.9	962	1.3	5	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	133	0.2	5	0.3
Unknown	905	29.2	670	27.1	235	37.2	752	32.0	18,384	24.5	442	28.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29,603	39.5	239	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	45,360	60.5	1,291	84.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	982	100.0	752	76.6	230	23.4	963	100.0	31,097	100.0	749	100.0
RACE/ETHNICITY												
Black	653	66.5	488	64.9	165	71.7	609	63.2	18,017	57.9	434	57.9
Hispanic	245	24.9	194	25.8	51	22.2	290	30.1	10,156	32.7	252	33.6
White	62	6.3	54	7.2	8	3.5	43	4.5	2,426	7.8	52	6.9
Asian/Pacific Islander	18	1.8	12	1.6	6	2.6	17	1.8	316	1.0	9	1.2
Native American	4	0.4	4	0.5	0	0.0	4	0.4	73	0.2	1	0.1
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	97	0.3	1	0.1
AGE GROUP (YEARS)												
13-19	56	5.7	48	6.4	8	3.5	30	3.1	774	2.5	5	0.7
20-29	191	19.5	166	22.1	25	10.9	99	10.3	2,149	6.9	22	2.9
30-39	247	25.2	188	25.0	59	25.7	236	24.5	5,777	18.6	88	11.7
40-49	274	27.9	204	27.1	70	30.4	343	35.6	11,928	38.4	279	37.2
50-59	147	15.0	110	14.6	37	16.1	183	19.0	7,833	25.2	228	30.4
60+	67	6.8	36	4.8	31	13.5	72	7.5	2,636	8.5	127	17.0
BOROUGH OF RESIDENCE												
Bronx	310	31.6	232	30.9	78	33.9	326	33.9	9,021	29.0	213	28.4
Brooklyn	289	29.4	222	29.5	67	29.1	272	28.2	9,458	30.4	242	32.3
Manhattan	163	16.6	122	16.2	41	17.8	157	16.3	5,975	19.2	174	23.2
Queens	141	14.4	112	14.9	29	12.6	127	13.2	4,376	14.1	77	10.3
Staten Island	15	1.5	10	1.3	5	2.2	21	2.2	658	2.1	12	1.6
Outside NYC	64	6.5	54	7.2	10	4.3	39	4.0	1,414	4.5	27	3.6
Unknown	0	0.0	0	0.0	0	0.0	21	2.2	195	0.6	4	0.5
TRANSMISSION RISK												
Injection drug use history	68	6.9	58	7.7	10	4.3	139	14.4	6,234	20.0	262	35.0
Heterosexual	725	73.8	545	72.5	180	78.3	543	56.4	14,724	47.3	263	35.1
Perinatal	0	0.0	0	0.0	0	0.0	24	2.5	986	3.2	11	1.5
Other	0	0.0	0	0.0	0	0.0	1	0.1	129	0.4	8	1.1
Unknown	189	19.2	149	19.8	40	17.4	256	26.6	9,024	29.0	205	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,605	40.5	100	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,492	59.5	649	86.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	557	100.0	429	77.0	128	23.0	516	100.0	13,596	100.0	339	100.0
RACE/ETHNICITY												
Black	270	48.5	211	49.2	59	46.1	223	43.2	5,713	42.0	152	44.8
Hispanic	269	48.3	205	47.8	64	50.0	268	51.9	7,081	52.1	167	49.3
White	13	2.3	9	2.1	4	3.1	20	3.9	673	4.9	18	5.3
Asian/Pacific Islander	2	0.4	2	0.5	0	0.0	3	0.6	66	0.5	1	0.3
Native American	2	0.4	1	0.2	1	0.8	1	0.2	32	0.2	0	0.0
Multiracial	1	0.2	1	0.2	0	0.0	1	0.2	2	0.0	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	79	0.6	0	0.0
13-19	30	5.4	26	6.1	4	3.1	14	2.7	227	1.7	0	0.0
20-29	171	30.7	148	34.5	23	18.0	71	13.8	1,088	8.0	9	2.7
30-39	115	20.6	87	20.3	28	21.9	115	22.3	2,106	15.5	37	10.9
40-49	145	26.0	103	24.0	42	32.8	189	36.6	4,781	35.2	99	29.2
50-59	75	13.5	47	11.0	28	21.9	102	19.8	3,924	28.9	139	41.0
60+	20	3.6	17	4.0	3	2.3	25	4.8	1,391	10.2	55	16.2
TRANSMISSION RISK												
Men who have sex with men	243	43.6	199	46.4	44	34.4	170	32.9	3,684	27.1	58	17.1
Injection drug use history	58	10.4	49	11.4	9	7.0	92	17.8	4,014	29.5	146	43.1
Heterosexual	47	8.4	29	6.8	18	14.1	54	10.5	1,326	9.8	21	6.2
Perinatal	1	0.2	1	0.2	0	0.0	7	1.4	376	2.8	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	3	0.9
Unknown	208	37.3	151	35.2	57	44.5	193	37.4	4,176	30.7	110	32.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,014	36.9	58	17.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,582	63.1	281	82.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	310	100.0	232	74.8	78	25.2	326	100.0	9,124	100.0	213	100.0
RACE/ETHNICITY												
Black	194	62.6	142	61.2	52	66.7	175	53.7	4,553	49.9	102	47.9
Hispanic	102	32.9	78	33.6	24	30.8	146	44.8	4,212	46.2	104	48.8
White	13	4.2	12	5.2	1	1.3	2	0.6	291	3.2	6	2.8
Asian/Pacific Islander	1	0.3	0	0.0	1	1.3	2	0.6	33	0.4	1	0.5
Native American	0	0.0	0	0.0	0	0.0	1	0.3	16	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	103	1.1	0	0.0
13-19	20	6.5	17	7.3	3	3.8	11	3.4	243	2.7	2	0.9
20-29	59	19.0	48	20.7	11	14.1	36	11.0	646	7.1	7	3.3
30-39	89	28.7	66	28.4	23	29.5	81	24.8	1,821	20.0	27	12.7
40-49	88	28.4	66	28.4	22	28.2	123	37.7	3,482	38.2	97	45.5
50-59	36	11.6	26	11.2	10	12.8	52	16.0	2,095	23.0	51	23.9
60+	18	5.8	9	3.9	9	11.5	23	7.1	734	8.0	29	13.6
TRANSMISSION RISK												
Injection drug use history	27	8.7	24	10.3	3	3.8	42	12.9	1,824	20.0	72	33.8
Heterosexual	243	78.4	176	75.9	67	85.9	187	57.4	4,139	45.4	75	35.2
Perinatal	0	0.0	0	0.0	0	0.0	8	2.5	397	4.4	2	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.3	2	0.9
Unknown	40	12.9	32	13.8	8	10.3	89	27.3	2,737	30.0	62	29.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,816	41.8	23	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,308	58.2	190	89.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	788	100.0	603	76.5	185	23.5	590	100.0	16,590	100.0	380	100.0
RACE/ETHNICITY												
Black	489	62.1	376	62.4	113	61.1	373	63.2	9,693	58.4	233	61.3
Hispanic	180	22.8	133	22.1	47	25.4	142	24.1	4,240	25.6	98	25.8
White	92	11.7	73	12.1	19	10.3	58	9.8	2,361	14.2	44	11.6
Asian/Pacific Islander	24	3.0	18	3.0	6	3.2	14	2.4	227	1.4	3	0.8
Native American	2	0.3	2	0.3	0	0.0	3	0.5	30	0.2	2	0.5
Multiracial	1	0.1	1	0.2	0	0.0	0	0.0	11	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	87	0.5	0	0.0
13-19	41	5.2	37	6.1	4	2.2	15	2.5	261	1.6	1	0.3
20-29	251	31.9	207	34.3	44	23.8	113	19.2	1,440	8.7	12	3.2
30-39	211	26.8	172	28.5	39	21.1	147	24.9	2,804	16.9	43	11.3
40-49	169	21.4	111	18.4	58	31.4	168	28.5	5,825	35.1	121	31.8
50-59	81	10.3	53	8.8	28	15.1	115	19.5	4,348	26.2	132	34.7
60+	34	4.3	22	3.6	12	6.5	32	5.4	1,825	11.0	71	18.7
TRANSMISSION RISK												
Men who have sex with men	420	53.3	341	56.6	79	42.7	245	41.5	6,236	37.6	78	20.5
Injection drug use history	44	5.6	34	5.6	10	5.4	63	10.7	3,611	21.8	132	34.7
Heterosexual	57	7.2	36	6.0	21	11.4	58	9.8	1,526	9.2	31	8.2
Perinatal	2	0.3	2	0.3	0	0.0	10	1.7	380	2.3	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	30	0.2	0	0.0
Unknown	265	33.6	190	31.5	75	40.5	214	36.3	4,807	29.0	137	36.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,205	37.4	51	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,385	62.6	329	86.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	290	100.0	223	76.9	67	23.1	272	100.0	9,535	100.0	242	100.0
RACE/ETHNICITY												
Black	221	76.2	165	74.0	56	83.6	208	76.5	6,592	69.1	174	71.9
Hispanic	51	17.6	42	18.8	9	13.4	53	19.5	2,268	23.8	55	22.7
White	9	3.1	8	3.6	1	1.5	4	1.5	544	5.7	9	3.7
Asian/Pacific Islander	6	2.1	5	2.2	1	1.5	4	1.5	77	0.8	3	1.2
Native American	3	1.0	3	1.3	0	0.0	3	1.1	29	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	1	0.4
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	77	0.8	0	0.0
13-19	15	5.2	13	5.8	2	3.0	8	2.9	219	2.3	0	0.0
20-29	51	17.6	47	21.1	4	6.0	33	12.1	705	7.4	10	4.1
30-39	67	23.1	49	22.0	18	26.9	64	23.5	1,710	17.9	33	13.6
40-49	82	28.3	65	29.1	17	25.4	88	32.4	3,583	37.6	80	33.1
50-59	54	18.6	39	17.5	15	22.4	57	21.0	2,444	25.6	75	31.0
60+	20	6.9	9	4.0	11	16.4	22	8.1	797	8.4	44	18.2
TRANSMISSION RISK												
Injection drug use history	24	8.3	20	9.0	4	6.0	36	13.2	1,701	17.8	70	28.9
Heterosexual	212	73.1	159	71.3	53	79.1	154	56.6	4,602	48.3	88	36.4
Perinatal	1	0.3	1	0.4	0	0.0	8	2.9	355	3.7	5	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	38	0.4	3	1.2
Unknown	53	18.3	43	19.3	10	14.9	74	27.2	2,839	29.8	76	31.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,839	40.3	32	13.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,696	59.7	210	86.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	932	100.0	762	81.8	170	18.2	644	100.0	25,964	100.0	460	100.0
RACE/ETHNICITY												
Black	316	33.9	253	33.2	63	37.1	255	39.6	7,669	29.5	211	45.9
Hispanic	264	28.3	210	27.6	54	31.8	202	31.4	7,004	27.0	134	29.1
White	315	33.8	268	35.2	47	27.6	169	26.2	10,533	40.6	107	23.3
Asian/Pacific Islander	34	3.6	28	3.7	6	3.5	16	2.5	484	1.9	8	1.7
Native American	2	0.2	2	0.3	0	0.0	2	0.3	57	0.2	0	0.0
Multiracial	1	0.1	1	0.1	0	0.0	0	0.0	9	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	208	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	38	0.1	0	0.0
13-19	33	3.5	30	3.9	3	1.8	5	0.8	149	0.6	1	0.2
20-29	275	29.5	253	33.2	22	12.9	83	12.9	1,395	5.4	13	2.8
30-39	247	26.5	205	26.9	42	24.7	184	28.6	4,212	16.2	32	7.0
40-49	249	26.7	195	25.6	54	31.8	219	34.0	9,755	37.6	119	25.9
50-59	99	10.6	63	8.3	36	21.2	112	17.4	7,239	27.9	181	39.3
60+	28	3.0	15	2.0	13	7.6	41	6.4	3,176	12.2	114	24.8
TRANSMISSION RISK												
Men who have sex with men	631	67.7	541	71.0	90	52.9	351	54.5	15,363	59.2	167	36.3
Injection drug use history	53	5.7	36	4.7	17	10.0	89	13.8	4,079	15.7	156	33.9
Heterosexual	36	3.9	25	3.3	11	6.5	45	7.0	1,187	4.6	28	6.1
Perinatal	1	0.1	1	0.1	0	0.0	1	0.2	202	0.8	2	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	211	22.6	159	20.9	52	30.6	158	24.5	5,111	19.7	107	23.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,904	42.0	75	16.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,060	58.0	385	83.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	164	100.0	123	75.0	41	25.0	157	100.0	6,018	100.0	174	100.0
RACE/ETHNICITY												
Black	100	61.0	72	58.5	28	68.3	97	61.8	3,334	55.4	97	55.7
Hispanic	45	27.4	35	28.5	10	24.4	42	26.8	1,985	33.0	58	33.3
White	15	9.1	13	10.6	2	4.9	15	9.6	594	9.9	17	9.8
Asian/Pacific Islander	3	1.8	2	1.6	1	2.4	3	1.9	61	1.0	2	1.1
Native American	1	0.6	1	0.8	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	43	0.7	0	0.0
13-19	8	4.9	7	5.7	1	2.4	5	3.2	147	2.4	1	0.6
20-29	34	20.7	29	23.6	5	12.2	12	7.6	357	5.9	2	1.1
30-39	35	21.3	27	22.0	8	19.5	36	22.9	1,003	16.7	14	8.0
40-49	46	28.0	29	23.6	17	41.5	55	35.0	2,304	38.3	63	36.2
50-59	30	18.3	24	19.5	6	14.6	38	24.2	1,598	26.6	65	37.4
60+	10	6.1	6	4.9	4	9.8	11	7.0	566	9.4	29	16.7
TRANSMISSION RISK												
Injection drug use history	9	5.5	7	5.7	2	4.9	28	17.8	1,459	24.2	82	47.1
Heterosexual	112	68.3	80	65.0	32	78.0	82	52.2	2,600	43.2	53	30.5
Perinatal	1	0.6	1	0.8	0	0.0	3	1.9	225	3.7	1	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.6	22	0.4	2	1.1
Unknown	42	25.6	35	28.5	7	17.1	43	27.4	1,712	28.4	36	20.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,337	38.8	19	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,681	61.2	155	89.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	492	100.0	392	79.7	100	20.3	353	100.0	10,602	100.0	191	100.0
RACE/ETHNICITY												
Black	165	33.5	139	35.5	26	26.0	144	40.8	3,767	35.5	80	41.9
Hispanic	201	40.9	158	40.3	43	43.0	120	34.0	4,298	40.5	58	30.4
White	88	17.9	71	18.1	17	17.0	61	17.3	2,073	19.6	39	20.4
Asian/Pacific Islander	34	6.9	21	5.4	13	13.0	25	7.1	393	3.7	14	7.3
Native American	4	0.8	3	0.8	1	1.0	3	0.8	33	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.4	2	0.5	0	0.0	0	0.0	25	0.2	0	0.0
13-19	18	3.7	17	4.3	1	1.0	5	1.4	98	0.9	0	0.0
20-29	135	27.4	121	30.9	14	14.0	47	13.3	808	7.6	3	1.6
30-39	152	30.9	119	30.4	33	33.0	89	25.2	1,963	18.5	17	8.9
40-49	127	25.8	99	25.3	28	28.0	130	36.8	3,983	37.6	63	33.0
50-59	46	9.3	30	7.7	16	16.0	63	17.8	2,796	26.4	77	40.3
60+	12	2.4	4	1.0	8	8.0	19	5.4	929	8.8	31	16.2
TRANSMISSION RISK												
Men who have sex with men	305	62.0	248	63.3	57	57.0	170	48.2	4,817	45.4	49	25.7
Injection drug use history	26	5.3	22	5.6	4	4.0	30	8.5	2,039	19.2	68	35.6
Heterosexual	39	7.9	30	7.7	9	9.0	30	8.5	1,005	9.5	18	9.4
Perinatal	2	0.4	2	0.5	0	0.0	2	0.6	138	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.5
Unknown	120	24.4	90	23.0	30	30.0	121	34.3	2,580	24.3	55	28.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,055	38.2	28	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,547	61.8	163	85.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	141	100.0	112	79.4	29	20.6	127	100.0	4,407	100.0	77	100.0
RACE/ETHNICITY												
Black	88	62.4	68	60.7	20	69.0	82	64.6	2,566	58.2	40	51.9
Hispanic	31	22.0	27	24.1	4	13.8	24	18.9	1,182	26.8	23	29.9
White	14	9.9	12	10.7	2	6.9	13	10.2	502	11.4	11	14.3
Asian/Pacific Islander	8	5.7	5	4.5	3	10.3	8	6.3	122	2.8	3	3.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	31	0.7	0	0.0
13-19	10	7.1	8	7.1	2	6.9	4	3.1	106	2.4	1	1.3
20-29	31	22.0	29	25.9	2	6.9	11	8.7	286	6.5	3	3.9
30-39	35	24.8	30	26.8	5	17.2	34	26.8	847	19.2	9	11.7
40-49	36	25.5	25	22.3	11	37.9	46	36.2	1,670	37.9	18	23.4
50-59	16	11.3	12	10.7	4	13.8	23	18.1	1,100	25.0	28	36.4
60+	13	9.2	8	7.1	5	17.2	9	7.1	367	8.3	18	23.4
TRANSMISSION RISK												
Injection drug use history	2	1.4	2	1.8	0	0.0	17	13.4	809	18.4	24	31.2
Heterosexual	106	75.2	88	78.6	18	62.1	74	58.3	2,290	52.0	27	35.1
Perinatal	0	0.0	0	0.0	0	0.0	3	2.4	173	3.9	2	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	0	0.0
Unknown	33	23.4	22	19.6	11	37.9	33	26.0	1,110	25.2	24	31.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,796	40.8	17	22.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,611	59.2	60	77.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	29	61.7	18	38.3	42	100.0	1,195	100.0	32	100.0
RACE/ETHNICITY												
Black	16	34.0	9	31.0	7	38.9	13	31.0	404	33.8	14	43.8
Hispanic	14	29.8	7	24.1	7	38.9	16	38.1	310	25.9	7	21.9
White	14	29.8	10	34.5	4	22.2	13	31.0	458	38.3	11	34.4
Asian/Pacific Islander	3	6.4	3	10.3	0	0.0	0	0.0	12	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
13-19	2	4.3	2	6.9	0	0.0	1	2.4	16	1.3	0	0.0
20-29	14	29.8	11	37.9	3	16.7	7	16.7	99	8.3	2	6.3
30-39	14	29.8	8	27.6	6	33.3	10	23.8	153	12.8	2	6.3
40-49	10	21.3	5	17.2	5	27.8	15	35.7	471	39.4	8	25.0
50-59	3	6.4	2	6.9	1	5.6	6	14.3	336	28.1	14	43.8
60+	4	8.5	1	3.4	3	16.7	3	7.1	116	9.7	6	18.8
TRANSMISSION RISK												
Men who have sex with men	29	61.7	20	69.0	9	50.0	16	38.1	414	34.6	2	6.3
Injection drug use history	1	2.1	0	0.0	1	5.6	7	16.7	309	25.9	17	53.1
Heterosexual	4	8.5	4	13.8	0	0.0	2	4.8	98	8.2	4	12.5
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	28	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	13	27.7	5	17.2	8	44.4	16	38.1	341	28.5	9	28.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	466	39.0	5	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	729	61.0	27	84.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	10	66.7	5	33.3	21	100.0	668	100.0	12	100.0
RACE/ETHNICITY												
Black	8	53.3	5	50.0	3	60.0	13	61.9	317	47.5	6	50.0
Hispanic	4	26.7	3	30.0	1	20.0	5	23.8	163	24.4	2	16.7
White	3	20.0	2	20.0	1	20.0	3	14.3	179	26.8	4	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	4.8	9	1.3	0	0.0
20-29	3	20.0	1	10.0	2	40.0	3	14.3	41	6.1	0	0.0
30-39	5	33.3	3	30.0	2	40.0	6	28.6	107	16.0	2	16.7
40-49	4	26.7	3	30.0	1	20.0	11	52.4	275	41.2	6	50.0
50-59	2	13.3	2	20.0	0	0.0	0	0.0	189	28.3	1	8.3
60+	1	6.7	1	10.0	0	0.0	0	0.0	37	5.5	3	25.0
TRANSMISSION RISK												
Injection drug use history	3	20.0	2	20.0	1	20.0	5	23.8	142	21.3	5	41.7
Heterosexual	9	60.0	7	70.0	2	40.0	9	42.9	303	45.4	4	33.3
Perinatal	0	0.0	0	0.0	0	0.0	1	4.8	27	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
Unknown	3	20.0	1	10.0	2	40.0	6	28.6	187	28.0	3	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	279	41.8	5	41.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	389	58.2	7	58.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,809	100.0	1,517	83.9	292	16.1	1,068	100.0	34,773	100.0	405	100.0
RACE/ETHNICITY												
Black	677	37.4	577	38.0	100	34.2	414	38.8	10,112	29.1	178	44.0
Hispanic	588	32.5	479	31.6	109	37.3	337	31.6	9,802	28.2	89	22.0
White	473	26.1	404	26.6	69	23.6	276	25.8	14,001	40.3	130	32.1
Asian/Pacific Islander	65	3.6	52	3.4	13	4.5	34	3.2	721	2.1	7	1.7
Native American	5	0.3	4	0.3	1	0.3	7	0.7	77	0.2	1	0.2
Multiracial	1	0.1	1	0.1	0	0.0	0	0.0	19	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	102	5.6	92	6.1	10	3.4	22	2.1	159	0.5	0	0.0
20-29	721	39.9	647	42.6	74	25.3	262	24.5	3,692	10.6	21	5.2
30-39	511	28.2	429	28.3	82	28.1	331	31.0	7,749	22.3	68	16.8
40-49	355	19.6	272	17.9	83	28.4	323	30.2	13,262	38.1	135	33.3
50-59	101	5.6	68	4.5	33	11.3	106	9.9	7,050	20.3	104	25.7
60+	19	1.1	9	0.6	10	3.4	24	2.2	2,861	8.2	77	19.0
BOROUGH OF RESIDENCE												
Bronx	243	13.4	199	13.1	44	15.1	170	15.9	3,684	10.6	58	14.3
Brooklyn	420	23.2	341	22.5	79	27.1	245	22.9	6,236	17.9	78	19.3
Manhattan	631	34.9	541	35.7	90	30.8	351	32.9	15,363	44.2	167	41.2
Queens	305	16.9	248	16.3	57	19.5	170	15.9	4,817	13.9	49	12.1
Staten Island	29	1.6	20	1.3	9	3.1	16	1.5	414	1.2	2	0.5
Outside NYC	174	9.6	162	10.7	12	4.1	81	7.6	4,010	11.5	47	11.6
Unknown	7	0.4	6	0.4	1	0.3	35	3.3	249	0.7	4	1.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,849	45.6	61	15.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,924	54.4	344	84.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	197	100.0	154	78.2	43	21.8	306	100.0	15,215	100.0	561	100.0
RACE/ETHNICITY												
Black	67	34.0	52	33.8	15	34.9	121	39.5	6,231	41.0	241	43.0
Hispanic	95	48.2	74	48.1	21	48.8	151	49.3	6,936	45.6	235	41.9
White	30	15.2	25	16.2	5	11.6	32	10.5	1,952	12.8	80	14.3
Asian/Pacific Islander	3	1.5	2	1.3	1	2.3	1	0.3	58	0.4	5	0.9
Native American	2	1.0	1	0.6	1	2.3	1	0.3	25	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	6	3.0	6	3.9	0	0.0	0	0.0	7	0.0	0	0.0
20-29	35	17.8	27	17.5	8	18.6	21	6.9	238	1.6	7	1.2
30-39	32	16.2	26	16.9	6	14.0	51	16.7	1,024	6.7	25	4.5
40-49	64	32.5	51	33.1	13	30.2	120	39.2	4,861	31.9	140	25.0
50-59	53	26.9	39	25.3	14	32.6	93	30.4	6,828	44.9	294	52.4
60+	7	3.6	5	3.2	2	4.7	21	6.9	2,257	14.8	95	16.9
BOROUGH OF RESIDENCE												
Bronx	58	29.4	49	31.8	9	20.9	92	30.1	4,014	26.4	146	26.0
Brooklyn	44	22.3	34	22.1	10	23.3	63	20.6	3,611	23.7	132	23.5
Manhattan	53	26.9	36	23.4	17	39.5	89	29.1	4,079	26.8	156	27.8
Queens	26	13.2	22	14.3	4	9.3	30	9.8	2,039	13.4	68	12.1
Staten Island	1	0.5	0	0.0	1	2.3	7	2.3	309	2.0	17	3.0
Outside NYC	12	6.1	11	7.1	1	2.3	13	4.2	1,061	7.0	40	7.1
Unknown	3	1.5	2	1.3	1	2.3	12	3.9	102	0.7	2	0.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,411	22.4	68	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,804	77.6	493	87.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	58	85.3	10	14.7	139	100.0	6,234	100.0	262	100.0
RACE/ETHNICITY												
Black	37	54.4	33	56.9	4	40.0	72	51.8	3,034	48.7	136	51.9
Hispanic	23	33.8	18	31.0	5	50.0	57	41.0	2,462	39.5	103	39.3
White	8	11.8	7	12.1	1	10.0	8	5.8	707	11.3	22	8.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	1.4	14	0.2	1	0.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	0	0.0
20-29	4	5.9	4	6.9	0	0.0	5	3.6	106	1.7	2	0.8
30-39	13	19.1	10	17.2	3	30.0	24	17.3	618	9.9	22	8.4
40-49	27	39.7	26	44.8	1	10.0	61	43.9	2,605	41.8	103	39.3
50-59	22	32.4	18	31.0	4	40.0	41	29.5	2,415	38.7	99	37.8
60+	2	2.9	0	0.0	2	20.0	7	5.0	490	7.9	36	13.7
BOROUGH OF RESIDENCE												
Bronx	27	39.7	24	41.4	3	30.0	42	30.2	1,824	29.3	72	27.5
Brooklyn	24	35.3	20	34.5	4	40.0	36	25.9	1,701	27.3	70	26.7
Manhattan	9	13.2	7	12.1	2	20.0	28	20.1	1,459	23.4	82	31.3
Queens	2	2.9	2	3.4	0	0.0	17	12.2	809	13.0	24	9.2
Staten Island	3	4.4	2	3.4	1	10.0	5	3.6	142	2.3	5	1.9
Outside NYC	3	4.4	3	5.2	0	0.0	5	3.6	263	4.2	8	3.1
Unknown	0	0.0	0	0.0	0	0.0	6	4.3	36	0.6	1	0.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,568	25.2	24	9.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,666	74.8	238	90.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	191	100.0	130	68.1	61	31.9	200	100.0	5,496	100.0	112	100.0
RACE/ETHNICITY												
Black	109	57.1	72	55.4	37	60.7	111	55.5	2,981	54.2	67	59.8
Hispanic	58	30.4	39	30.0	19	31.1	72	36.0	1,869	34.0	31	27.7
White	13	6.8	12	9.2	1	1.6	8	4.0	492	9.0	12	10.7
Asian/Pacific Islander	10	5.2	6	4.6	4	6.6	9	4.5	133	2.4	2	1.8
Native American	1	0.5	1	0.8	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	2.6	5	3.8	0	0.0	1	0.5	6	0.1	0	0.0
20-29	25	13.1	19	14.6	6	9.8	13	6.5	201	3.7	1	0.9
30-39	60	31.4	43	33.1	17	27.9	46	23.0	874	15.9	11	9.8
40-49	63	33.0	40	30.8	23	37.7	78	39.0	2,285	41.6	37	33.0
50-59	25	13.1	15	11.5	10	16.4	41	20.5	1,522	27.7	37	33.0
60+	13	6.8	8	6.2	5	8.2	21	10.5	608	11.1	26	23.2
BOROUGH OF RESIDENCE												
Bronx	47	24.6	29	22.3	18	29.5	54	27.0	1,326	24.1	21	18.8
Brooklyn	57	29.8	36	27.7	21	34.4	58	29.0	1,526	27.8	31	27.7
Manhattan	36	18.8	25	19.2	11	18.0	45	22.5	1,187	21.6	28	25.0
Queens	39	20.4	30	23.1	9	14.8	30	15.0	1,005	18.3	18	16.1
Staten Island	4	2.1	4	3.1	0	0.0	2	1.0	98	1.8	4	3.6
Outside NYC	8	4.2	6	4.6	2	3.3	7	3.5	324	5.9	9	8.0
Unknown	0	0.0	0	0.0	0	0.0	4	2.0	30	0.5	1	0.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,987	36.2	16	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,509	63.8	96	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	725	100.0	545	75.2	180	24.8	543	100.0	14,724	100.0	263	100.0
RACE/ETHNICITY												
Black	492	67.9	360	66.1	132	73.3	347	63.9	8,640	58.7	151	57.4
Hispanic	176	24.3	139	25.5	37	20.6	154	28.4	4,814	32.7	87	33.1
White	39	5.4	33	6.1	6	3.3	27	5.0	1,033	7.0	20	7.6
Asian/Pacific Islander	14	1.9	9	1.7	5	2.8	11	2.0	174	1.2	5	1.9
Native American	4	0.6	4	0.7	0	0.0	4	0.7	42	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	50	6.9	43	7.9	7	3.9	9	1.7	99	0.7	0	0.0
20-29	155	21.4	136	25.0	19	10.6	56	10.3	1,152	7.8	6	2.3
30-39	188	25.9	138	25.3	50	27.8	146	26.9	3,165	21.5	33	12.5
40-49	196	27.0	136	25.0	60	33.3	197	36.3	5,759	39.1	99	37.6
50-59	92	12.7	69	12.7	23	12.8	92	16.9	3,277	22.3	77	29.3
60+	44	6.1	23	4.2	21	11.7	43	7.9	1,272	8.6	48	18.3
BOROUGH OF RESIDENCE												
Bronx	243	33.5	176	32.3	67	37.2	187	34.4	4,139	28.1	75	28.5
Brooklyn	212	29.2	159	29.2	53	29.4	154	28.4	4,602	31.3	88	33.5
Manhattan	112	15.4	80	14.7	32	17.8	82	15.1	2,600	17.7	53	20.2
Queens	106	14.6	88	16.1	18	10.0	74	13.6	2,290	15.6	27	10.3
Staten Island	9	1.2	7	1.3	2	1.1	9	1.7	303	2.1	4	1.5
Outside NYC	43	5.9	35	6.4	8	4.4	26	4.8	707	4.8	13	4.9
Unknown	0	0.0	0	0.0	0	0.0	11	2.0	83	0.6	3	1.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,190	42.0	32	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,534	58.0	231	87.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	12	63.2	7	36.8	23	100.0	539	100.0	11	100.0
SEX												
Male	14	73.7	10	83.3	4	57.1	15	65.2	357	66.2	10	90.9
Female	5	26.3	2	16.7	3	42.9	8	34.8	182	33.8	1	9.1
RACE/ETHNICITY												
Black	8	42.1	5	41.7	3	42.9	10	43.5	177	32.8	6	54.5
Hispanic	10	52.6	6	50.0	4	57.1	12	52.2	261	48.4	4	36.4
White	1	5.3	1	8.3	0	0.0	1	4.3	93	17.3	1	9.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	1.3	0	0.0
20-29	5	26.3	3	25.0	2	28.6	6	26.1	44	8.2	0	0.0
30-39	6	31.6	4	33.3	2	28.6	5	21.7	78	14.5	0	0.0
40-49	2	10.5	2	16.7	0	0.0	3	13.0	167	31.0	2	18.2
50-59	4	21.1	2	16.7	2	28.6	7	30.4	178	33.0	5	45.5
60+	2	10.5	1	8.3	1	14.3	2	8.7	60	11.1	4	36.4
TRANSMISSION RISK												
Men who have sex with men	8	42.1	8	66.7	0	0.0	5	21.7	152	28.2	3	27.3
Injection drug use history	2	10.5	2	16.7	0	0.0	3	13.0	112	20.8	4	36.4
Heterosexual	5	26.3	1	8.3	4	57.1	7	30.4	113	21.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	21.1	1	8.3	3	42.9	8	34.8	145	26.9	4	36.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	210	39.0	5	45.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	329	61.0	6	54.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	91	100.0	60	65.9	31	34.1	79	100.0	1,653	100.0	40	100.0
SEX												
Male	56	61.5	40	66.7	16	51.6	44	55.7	941	56.9	23	57.5
Female	35	38.5	20	33.3	15	48.4	35	44.3	712	43.1	17	42.5
RACE/ETHNICITY												
Black	63	69.2	42	70.0	21	67.7	50	63.3	1,071	64.8	28	70.0
Hispanic	21	23.1	13	21.7	8	25.8	25	31.6	462	27.9	11	27.5
White	6	6.6	4	6.7	2	6.5	4	5.1	107	6.5	1	2.5
Asian/Pacific Islander	1	1.1	1	1.7	0	0.0	0	0.0	8	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
13-19	5	5.5	5	8.3	0	0.0	1	1.3	40	2.4	0	0.0
20-29	22	24.2	20	33.3	2	6.5	3	3.8	146	8.8	0	0.0
30-39	20	22.0	10	16.7	10	32.3	18	22.8	268	16.2	2	5.0
40-49	23	25.3	14	23.3	9	29.0	33	41.8	602	36.4	18	45.0
50-59	16	17.6	9	15.0	7	22.6	15	19.0	424	25.7	9	22.5
60+	5	5.5	2	3.3	3	9.7	9	11.4	166	10.0	11	27.5
TRANSMISSION RISK												
Men who have sex with men	23	25.3	18	30.0	5	16.1	11	13.9	273	16.5	3	7.5
Injection drug use history	6	6.6	3	5.0	3	9.7	10	12.7	283	17.1	10	25.0
Heterosexual	35	38.5	20	33.3	15	48.4	28	35.4	435	26.3	5	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	60	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	27	29.7	19	31.7	8	25.8	30	38.0	599	36.2	22	55.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	687	41.6	4	10.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	966	58.4	36	90.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	170	100.0	127	74.7	43	25.3	164	100.0	4,106	100.0	72	100.0
SEX												
Male	119	70.0	90	70.9	29	67.4	100	61.0	2,529	61.6	48	66.7
Female	51	30.0	37	29.1	14	32.6	64	39.0	1,577	38.4	24	33.3
RACE/ETHNICITY												
Black	83	48.8	62	48.8	21	48.8	77	47.0	1,684	41.0	31	43.1
Hispanic	82	48.2	64	50.4	18	41.9	79	48.2	2,201	53.6	37	51.4
White	4	2.4	1	0.8	3	7.0	6	3.7	188	4.6	3	4.2
Asian/Pacific Islander	1	0.6	0	0.0	1	2.3	2	1.2	22	0.5	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	35	0.9	0	0.0
13-19	9	5.3	8	6.3	1	2.3	1	0.6	71	1.7	1	1.4
20-29	51	30.0	42	33.1	9	20.9	23	14.0	317	7.7	3	4.2
30-39	37	21.8	27	21.3	10	23.3	38	23.2	759	18.5	8	11.1
40-49	51	30.0	37	29.1	14	32.6	66	40.2	1,549	37.7	25	34.7
50-59	14	8.2	7	5.5	7	16.3	25	15.2	1,048	25.5	29	40.3
60+	8	4.7	6	4.7	2	4.7	11	6.7	327	8.0	6	8.3
TRANSMISSION RISK												
Men who have sex with men	57	33.5	47	37.0	10	23.3	38	23.2	801	19.5	8	11.1
Injection drug use history	10	5.9	10	7.9	0	0.0	19	11.6	956	23.3	25	34.7
Heterosexual	49	28.8	31	24.4	18	41.9	54	32.9	994	24.2	11	15.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	123	3.0	1	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	54	31.8	39	30.7	15	34.9	53	32.3	1,229	29.9	27	37.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,613	39.3	17	23.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,493	60.7	55	76.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	122	100.0	95	77.9	27	22.1	130	100.0	3,468	100.0	81	100.0
SEX												
Male	77	63.1	60	63.2	17	63.0	79	60.8	2,039	58.8	55	67.9
Female	45	36.9	35	36.8	10	37.0	51	39.2	1,429	41.2	26	32.1
RACE/ETHNICITY												
Black	57	46.7	46	48.4	11	40.7	56	43.1	1,380	39.8	35	43.2
Hispanic	60	49.2	44	46.3	16	59.3	68	52.3	1,800	51.9	38	46.9
White	2	1.6	2	2.1	0	0.0	5	3.8	255	7.4	7	8.6
Asian/Pacific Islander	1	0.8	1	1.1	0	0.0	0	0.0	23	0.7	0	0.0
Native American	1	0.8	1	1.1	0	0.0	1	0.8	8	0.2	0	0.0
Multiracial	1	0.8	1	1.1	0	0.0	0	0.0	0	0.0	1	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.5	0	0.0
13-19	8	6.6	7	7.4	1	3.7	4	3.1	89	2.6	1	1.2
20-29	34	27.9	32	33.7	2	7.4	19	14.6	285	8.2	2	2.5
30-39	23	18.9	17	17.9	6	22.2	26	20.0	539	15.5	5	6.2
40-49	38	31.1	25	26.3	13	48.1	57	43.8	1,296	37.4	35	43.2
50-59	12	9.8	9	9.5	3	11.1	18	13.8	924	26.6	27	33.3
60+	7	5.7	5	5.3	2	7.4	6	4.6	317	9.1	11	13.6
TRANSMISSION RISK												
Men who have sex with men	39	32.0	30	31.6	9	33.3	31	23.8	627	18.1	5	6.2
Injection drug use history	9	7.4	8	8.4	1	3.7	12	9.2	823	23.7	32	39.5
Heterosexual	43	35.2	32	33.7	11	40.7	39	30.0	861	24.8	10	12.3
Perinatal	0	0.0	0	0.0	0	0.0	4	3.1	127	3.7	1	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	2	2.5
Unknown	31	25.4	25	26.3	6	22.2	44	33.8	1,018	29.4	31	38.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,351	39.0	8	9.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,117	61.0	73	90.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	156	100.0	120	76.9	36	23.1	147	100.0	4,405	100.0	115	100.0
SEX												
Male	95	60.9	71	59.2	24	66.7	90	61.2	2,557	58.0	74	64.3
Female	61	39.1	49	40.8	12	33.3	57	38.8	1,848	42.0	41	35.7
RACE/ETHNICITY												
Black	92	59.0	67	55.8	25	69.4	80	54.4	2,035	46.2	42	36.5
Hispanic	60	38.5	49	40.8	11	30.6	66	44.9	2,252	51.1	68	59.1
White	4	2.6	4	3.3	0	0.0	0	0.0	92	2.1	5	4.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.7	7	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	43	1.0	0	0.0
13-19	6	3.8	5	4.2	1	2.8	7	4.8	91	2.1	0	0.0
20-29	40	25.6	32	26.7	8	22.2	20	13.6	326	7.4	4	3.5
30-39	40	25.6	34	28.3	6	16.7	34	23.1	729	16.5	14	12.2
40-49	42	26.9	30	25.0	12	33.3	50	34.0	1,624	36.9	40	34.8
50-59	21	13.5	14	11.7	7	19.4	26	17.7	1,148	26.1	37	32.2
60+	6	3.8	4	3.3	2	5.6	10	6.8	444	10.1	20	17.4
TRANSMISSION RISK												
Men who have sex with men	35	22.4	27	22.5	8	22.2	28	19.0	597	13.6	14	12.2
Injection drug use history	23	14.7	20	16.7	3	8.3	27	18.4	1,252	28.4	44	38.3
Heterosexual	57	36.5	42	35.0	15	41.7	44	29.9	1,070	24.3	29	25.2
Perinatal	1	0.6	1	0.8	0	0.0	2	1.4	157	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	0.9
Unknown	40	25.6	30	25.0	10	27.8	46	31.3	1,321	30.0	27	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,701	38.6	13	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,704	61.4	102	88.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	181	100.0	144	79.6	37	20.4	180	100.0	4,772	100.0	142	100.0
SEX												
Male	107	59.1	85	59.0	22	59.5	110	61.1	2,793	58.5	80	56.3
Female	74	40.9	59	41.0	15	40.5	70	38.9	1,979	41.5	62	43.7
RACE/ETHNICITY												
Black	108	59.7	86	59.7	22	59.5	94	52.2	2,500	52.4	77	54.2
Hispanic	69	38.1	54	37.5	15	40.5	81	45.0	2,125	44.5	60	42.3
White	4	2.2	4	2.8	0	0.0	4	2.2	117	2.5	4	2.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	42	0.9	0	0.0
13-19	20	11.0	16	11.1	4	10.8	10	5.6	100	2.1	0	0.0
20-29	45	24.9	38	26.4	7	18.9	21	11.7	355	7.4	2	1.4
30-39	45	24.9	37	25.7	8	21.6	46	25.6	892	18.7	26	18.3
40-49	43	23.8	34	23.6	9	24.3	55	30.6	1,635	34.3	47	33.1
50-59	24	13.3	16	11.1	8	21.6	40	22.2	1,256	26.3	48	33.8
60+	4	2.2	3	2.1	1	2.7	8	4.4	492	10.3	19	13.4
TRANSMISSION RISK												
Men who have sex with men	47	26.0	37	25.7	10	27.0	38	21.1	712	14.9	17	12.0
Injection drug use history	12	6.6	11	7.6	1	2.7	33	18.3	1,235	25.9	58	40.8
Heterosexual	69	38.1	56	38.9	13	35.1	40	22.2	1,169	24.5	25	17.6
Perinatal	0	0.0	0	0.0	0	0.0	6	3.3	157	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	53	29.3	40	27.8	13	35.1	63	35.0	1,490	31.2	42	29.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,795	37.6	24	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,977	62.4	118	83.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	101	80.8	24	19.2	115	100.0	3,054	100.0	77	100.0
SEX												
Male	87	69.6	71	70.3	16	66.7	76	66.1	1,903	62.3	42	54.5
Female	38	30.4	30	29.7	8	33.3	39	33.9	1,151	37.7	35	45.5
RACE/ETHNICITY												
Black	50	40.0	43	42.6	7	29.2	29	25.2	1,080	35.4	27	35.1
Hispanic	69	55.2	53	52.5	16	66.7	81	70.4	1,885	61.7	48	62.3
White	5	4.0	5	5.0	0	0.0	2	1.7	67	2.2	2	2.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	1.7	9	0.3	0	0.0
Native American	*	*	0	0.0	*	*	*	*	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	29	0.9	0	0.0
13-19	2	1.6	2	2.0	0	0.0	1	0.9	64	2.1	0	0.0
20-29	33	26.4	29	28.7	4	16.7	14	12.2	223	7.3	3	3.9
30-39	31	24.8	23	22.8	8	33.3	28	24.3	545	17.8	8	10.4
40-49	34	27.2	27	26.7	7	29.2	47	40.9	1,105	36.2	26	33.8
50-59	19	15.2	15	14.9	4	16.7	23	20.0	836	27.4	31	40.3
60+	6	4.8	5	5.0	1	4.2	2	1.7	252	8.3	9	11.7
TRANSMISSION RISK												
Men who have sex with men	34	27.2	32	31.7	2	8.3	18	15.7	430	14.1	5	6.5
Injection drug use history	22	17.6	18	17.8	4	16.7	30	26.1	960	31.4	37	48.1
Heterosexual	30	24.0	22	21.8	8	33.3	28	24.3	695	22.8	15	19.5
Perinatal	0	0.0	0	0.0	0	0.0	2	1.7	119	3.9	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	2	2.6
Unknown	39	31.2	29	28.7	10	41.7	37	32.2	841	27.5	17	22.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,165	38.1	10	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,889	61.9	67	87.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	36	100.0	26	72.2	10	27.8	25	100.0	977	100.0	18	100.0
SEX												
Male	28	77.8	19	73.1	9	90.0	22	88.0	727	74.4	15	83.3
Female	8	22.2	7	26.9	1	10.0	3	12.0	250	25.6	3	16.7
RACE/ETHNICITY												
Black	11	30.6	10	38.5	1	10.0	7	28.0	202	20.7	2	11.1
Hispanic	12	33.3	7	26.9	5	50.0	12	48.0	486	49.7	9	50.0
White	12	33.3	9	34.6	3	30.0	4	16.0	273	27.9	7	38.9
Asian/Pacific Islander	1	2.8	0	0.0	1	10.0	2	8.0	14	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19	1	2.8	1	3.8	0	0.0	0	0.0	15	1.5	0	0.0
20-29	16	44.4	10	38.5	6	60.0	13	52.0	80	8.2	1	5.6
30-39	13	36.1	11	42.3	2	20.0	5	20.0	201	20.6	1	5.6
40-49	5	13.9	4	15.4	1	10.0	4	16.0	381	39.0	9	50.0
50-59	1	2.8	0	0.0	1	10.0	2	8.0	219	22.4	6	33.3
60+	0	0.0	0	0.0	0	0.0	1	4.0	77	7.9	1	5.6
TRANSMISSION RISK												
Men who have sex with men	21	58.3	16	61.5	5	50.0	13	52.0	365	37.4	5	27.8
Injection drug use history	5	13.9	3	11.5	2	20.0	2	8.0	225	23.0	8	44.4
Heterosexual	7	19.4	4	15.4	3	30.0	7	28.0	142	14.5	1	5.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	3	8.3	3	11.5	0	0.0	3	12.0	218	22.3	4	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	370	37.9	2	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	607	62.1	16	88.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	91	100.0	76	83.5	15	16.5	67	100.0	2,950	100.0	61	100.0
SEX												
Male	76	83.5	64	84.2	12	80.0	46	68.7	2,207	74.8	37	60.7
Female	15	16.5	12	15.8	3	20.0	21	31.3	743	25.2	24	39.3
RACE/ETHNICITY												
Black	43	47.3	36	47.4	7	46.7	35	52.2	1,327	45.0	33	54.1
Hispanic	21	23.1	19	25.0	2	13.3	15	22.4	797	27.0	18	29.5
White	22	24.2	18	23.7	4	26.7	12	17.9	776	26.3	7	11.5
Asian/Pacific Islander	5	5.5	3	3.9	2	13.3	5	7.5	37	1.3	3	4.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
13-19	1	1.1	1	1.3	0	0.0	2	3.0	30	1.0	0	0.0
20-29	25	27.5	24	31.6	1	6.7	9	13.4	164	5.6	3	4.9
30-39	28	30.8	22	28.9	6	40.0	21	31.3	484	16.4	12	19.7
40-49	23	25.3	18	23.7	5	33.3	23	34.3	1,150	39.0	15	24.6
50-59	11	12.1	10	13.2	1	6.7	5	7.5	784	26.6	19	31.1
60+	3	3.3	1	1.3	2	13.3	7	10.4	323	10.9	12	19.7
TRANSMISSION RISK												
Men who have sex with men	54	59.3	47	61.8	7	46.7	27	40.3	1,236	41.9	10	16.4
Injection drug use history	5	5.5	4	5.3	1	6.7	8	11.9	602	20.4	22	36.1
Heterosexual	15	16.5	11	14.5	4	26.7	12	17.9	457	15.5	9	14.8
Perinatal	0	0.0	0	0.0	0	0.0	2	3.0	57	1.9	3	4.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	17	18.7	14	18.4	3	20.0	18	26.9	595	20.2	17	27.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,124	38.1	5	8.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,826	61.9	56	91.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	277	100.0	214	77.3	63	22.7	258	100.0	6,474	100.0	174	100.0
SEX												
Male	197	71.1	158	73.8	39	61.9	175	67.8	4,023	62.1	97	55.7
Female	80	28.9	56	26.2	24	38.1	83	32.2	2,451	37.9	77	44.3
RACE/ETHNICITY												
Black	235	84.8	180	84.1	55	87.3	212	82.2	5,323	82.2	149	85.6
Hispanic	29	10.5	22	10.3	7	11.1	36	14.0	827	12.8	18	10.3
White	10	3.6	9	4.2	1	1.6	7	2.7	268	4.1	5	2.9
Asian/Pacific Islander	1	0.4	1	0.5	0	0.0	1	0.4	28	0.4	2	1.1
Native American	2	0.7	2	0.9	0	0.0	2	0.8	22	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	49	0.8	0	0.0
13-19	14	5.1	11	5.1	3	4.8	7	2.7	124	1.9	0	0.0
20-29	69	24.9	59	27.6	10	15.9	43	16.7	569	8.8	5	2.9
30-39	68	24.5	59	27.6	9	14.3	64	24.8	1,147	17.7	25	14.4
40-49	70	25.3	50	23.4	20	31.7	81	31.4	2,178	33.6	63	36.2
50-59	40	14.4	25	11.7	15	23.8	48	18.6	1,737	26.8	53	30.5
60+	16	5.8	10	4.7	6	9.5	15	5.8	670	10.3	28	16.1
TRANSMISSION RISK												
Men who have sex with men	93	33.6	83	38.8	10	15.9	67	26.0	1,459	22.5	27	15.5
Injection drug use history	20	7.2	14	6.5	6	9.5	39	15.1	1,313	20.3	44	25.3
Heterosexual	64	23.1	42	19.6	22	34.9	58	22.5	1,518	23.4	36	20.7
Perinatal	1	0.4	1	0.5	0	0.0	6	2.3	193	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Unknown	99	35.7	74	34.6	25	39.7	88	34.1	1,975	30.5	67	38.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,508	38.7	27	15.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,966	61.3	147	84.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	114	100.0	93	81.6	21	18.4	87	100.0	2,543	100.0	67	100.0
SEX												
Male	77	67.5	60	64.5	17	81.0	56	64.4	1,394	54.8	42	62.7
Female	37	32.5	33	35.5	4	19.0	31	35.6	1,149	45.2	25	37.3
RACE/ETHNICITY												
Black	66	57.9	55	59.1	11	52.4	59	67.8	1,617	63.6	44	65.7
Hispanic	43	37.7	35	37.6	8	38.1	26	29.9	814	32.0	20	29.9
White	3	2.6	1	1.1	2	9.5	1	1.1	74	2.9	2	3.0
Asian/Pacific Islander	2	1.8	2	2.2	0	0.0	0	0.0	24	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.1	9	0.4	1	1.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	0	0.0
13-19	12	10.5	12	12.9	0	0.0	5	5.7	63	2.5	0	0.0
20-29	34	29.8	29	31.2	5	23.8	18	20.7	240	9.4	3	4.5
30-39	20	17.5	18	19.4	2	9.5	16	18.4	420	16.5	7	10.4
40-49	29	25.4	18	19.4	11	52.4	26	29.9	946	37.2	26	38.8
50-59	15	13.2	12	12.9	3	14.3	16	18.4	603	23.7	17	25.4
60+	4	3.5	4	4.3	0	0.0	6	6.9	248	9.8	14	20.9
TRANSMISSION RISK												
Men who have sex with men	38	33.3	29	31.2	9	42.9	20	23.0	382	15.0	8	11.9
Injection drug use history	12	10.5	11	11.8	1	4.8	11	12.6	548	21.5	16	23.9
Heterosexual	38	33.3	34	36.6	4	19.0	19	21.8	728	28.6	12	17.9
Perinatal	0	0.0	0	0.0	0	0.0	4	4.6	95	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	1.5
Unknown	26	22.8	19	20.4	7	33.3	33	37.9	786	30.9	30	44.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	985	38.7	6	9.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,558	61.3	61	91.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	21	80.8	5	19.2	16	100.0	759	100.0	17	100.0
SEX												
Male	21	80.8	16	76.2	5	100.0	15	93.8	528	69.6	10	58.8
Female	5	19.2	5	23.8	0	0.0	1	6.3	231	30.4	7	41.2
RACE/ETHNICITY												
Black	5	19.2	5	23.8	0	0.0	7	43.8	111	14.6	3	17.6
Hispanic	13	50.0	10	47.6	3	60.0	7	43.8	490	64.6	14	82.4
White	2	7.7	1	4.8	1	20.0	1	6.3	117	15.4	0	0.0
Asian/Pacific Islander	6	23.1	5	23.8	1	20.0	1	6.3	39	5.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	3	11.5	2	9.5	1	20.0	1	6.3	17	2.2	0	0.0
20-29	10	38.5	8	38.1	2	40.0	4	25.0	52	6.9	0	0.0
30-39	8	30.8	7	33.3	1	20.0	4	25.0	147	19.4	1	5.9
40-49	3	11.5	2	9.5	1	20.0	6	37.5	283	37.3	9	52.9
50-59	1	3.8	1	4.8	0	0.0	1	6.3	178	23.5	5	29.4
60+	1	3.8	1	4.8	0	0.0	0	0.0	81	10.7	2	11.8
TRANSMISSION RISK												
Men who have sex with men	14	53.8	11	52.4	3	60.0	9	56.3	203	26.7	1	5.9
Injection drug use history	3	11.5	3	14.3	0	0.0	0	0.0	220	29.0	9	52.9
Heterosexual	4	15.4	3	14.3	1	20.0	1	6.3	162	21.3	3	17.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	5	19.2	4	19.0	1	20.0	6	37.5	149	19.6	4	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	281	37.0	2	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	478	63.0	15	88.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	38	74.5	13	25.5	34	100.0	977	100.0	14	100.0
SEX												
Male	40	78.4	32	84.2	8	61.5	22	64.7	682	69.8	9	64.3
Female	11	21.6	6	15.8	5	38.5	12	35.3	295	30.2	5	35.7
RACE/ETHNICITY												
Black	17	33.3	13	34.2	4	30.8	17	50.0	308	31.5	2	14.3
Hispanic	20	39.2	12	31.6	8	61.5	12	35.3	333	34.1	9	64.3
White	11	21.6	10	26.3	1	7.7	5	14.7	302	30.9	3	21.4
Asian/Pacific Islander	3	5.9	3	7.9	0	0.0	0	0.0	34	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	2.0	1	2.6	0	0.0	1	2.9	12	1.2	0	0.0
20-29	18	35.3	14	36.8	4	30.8	7	20.6	84	8.6	0	0.0
30-39	19	37.3	12	31.6	7	53.8	10	29.4	160	16.4	1	7.1
40-49	7	13.7	6	15.8	1	7.7	7	20.6	363	37.2	1	7.1
50-59	2	3.9	2	5.3	0	0.0	6	17.6	254	26.0	5	35.7
60+	4	7.8	3	7.9	1	7.7	3	8.8	102	10.4	7	50.0
TRANSMISSION RISK												
Men who have sex with men	22	43.1	18	47.4	4	30.8	12	35.3	290	29.7	1	7.1
Injection drug use history	4	7.8	2	5.3	2	15.4	2	5.9	216	22.1	7	50.0
Heterosexual	12	23.5	6	15.8	6	46.2	10	29.4	231	23.6	5	35.7
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	21	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	13	25.5	12	31.6	1	7.7	9	26.5	216	22.1	1	7.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	366	37.5	3	21.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	611	62.5	11	78.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	180	100.0	123	68.3	57	31.7	143	100.0	4,256	100.0	71	100.0
SEX												
Male	129	71.7	87	70.7	42	73.7	96	67.1	2,573	60.5	39	54.9
Female	51	28.3	36	29.3	15	26.3	47	32.9	1,683	39.5	32	45.1
RACE/ETHNICITY												
Black	153	85.0	106	86.2	47	82.5	111	77.6	3,559	83.6	60	84.5
Hispanic	19	10.6	11	8.9	8	14.0	23	16.1	478	11.2	7	9.9
White	6	3.3	5	4.1	1	1.8	5	3.5	169	4.0	4	5.6
Asian/Pacific Islander	1	0.6	0	0.0	1	1.8	2	1.4	43	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	2	1.4	5	0.1	0	0.0
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	27	0.6	0	0.0
13-19	10	5.6	9	7.3	1	1.8	2	1.4	80	1.9	1	1.4
20-29	47	26.1	42	34.1	5	8.8	19	13.3	389	9.1	3	4.2
30-39	41	22.8	28	22.8	13	22.8	32	22.4	730	17.2	10	14.1
40-49	42	23.3	23	18.7	19	33.3	42	29.4	1,473	34.6	18	25.4
50-59	27	15.0	15	12.2	12	21.1	36	25.2	1,122	26.4	26	36.6
60+	13	7.2	6	4.9	7	12.3	12	8.4	435	10.2	13	18.3
TRANSMISSION RISK												
Men who have sex with men	64	35.6	44	35.8	20	35.1	37	25.9	892	21.0	9	12.7
Injection drug use history	3	1.7	2	1.6	1	1.8	8	5.6	524	12.3	19	26.8
Heterosexual	54	30.0	39	31.7	15	26.3	43	30.1	1,201	28.2	19	26.8
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	110	2.6	3	4.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	1	1.4
Unknown	59	32.8	38	30.9	21	36.8	54	37.8	1,513	35.5	20	28.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,596	37.5	8	11.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,660	62.5	63	88.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	75	100.0	57	76.0	18	24.0	50	100.0	1,225	100.0	37	100.0
SEX												
Male	45	60.0	34	59.6	11	61.1	23	46.0	673	54.9	23	62.2
Female	30	40.0	23	40.4	7	38.9	27	54.0	552	45.1	14	37.8
RACE/ETHNICITY												
Black	64	85.3	51	89.5	13	72.2	39	78.0	937	76.5	25	67.6
Hispanic	8	10.7	6	10.5	2	11.1	6	12.0	151	12.3	7	18.9
White	3	4.0	0	0.0	3	16.7	5	10.0	123	10.0	5	13.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
13-19	3	4.0	3	5.3	0	0.0	0	0.0	30	2.4	0	0.0
20-29	24	32.0	20	35.1	4	22.2	10	20.0	132	10.8	1	2.7
30-39	18	24.0	14	24.6	4	22.2	14	28.0	238	19.4	4	10.8
40-49	14	18.7	10	17.5	4	22.2	11	22.0	401	32.7	8	21.6
50-59	6	8.0	4	7.0	2	11.1	9	18.0	300	24.5	14	37.8
60+	10	13.3	6	10.5	4	22.2	6	12.0	114	9.3	10	27.0
TRANSMISSION RISK												
Men who have sex with men	24	32.0	20	35.1	4	22.2	12	24.0	212	17.3	1	2.7
Injection drug use history	2	2.7	1	1.8	1	5.6	4	8.0	163	13.3	9	24.3
Heterosexual	22	29.3	15	26.3	7	38.9	18	36.0	379	30.9	12	32.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	47	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	27	36.0	21	36.8	6	33.3	16	32.0	419	34.2	15	40.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	523	42.7	7	18.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	702	57.3	30	81.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	17	85.0	3	15.0	17	100.0	513	100.0	10	100.0
SEX												
Male	16	80.0	13	76.5	3	100.0	15	88.2	372	72.5	7	70.0
Female	4	20.0	4	23.5	0	0.0	2	11.8	141	27.5	3	30.0
RACE/ETHNICITY												
Black	2	10.0	1	5.9	1	33.3	2	11.8	69	13.5	2	20.0
Hispanic	2	10.0	2	11.8	0	0.0	3	17.6	155	30.2	1	10.0
White	13	65.0	11	64.7	2	66.7	9	52.9	261	50.9	7	70.0
Asian/Pacific Islander	3	15.0	3	17.6	0	0.0	3	17.6	28	5.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	5.0	1	5.9	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
20-29	6	30.0	6	35.3	0	0.0	0	0.0	38	7.4	0	0.0
30-39	5	25.0	5	29.4	0	0.0	4	23.5	96	18.7	1	10.0
40-49	3	15.0	2	11.8	1	33.3	1	5.9	188	36.6	4	40.0
50-59	5	25.0	3	17.6	2	66.7	12	70.6	147	28.7	5	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	39	7.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	11	55.0	10	58.8	1	33.3	7	41.2	190	37.0	1	10.0
Injection drug use history	1	5.0	1	5.9	0	0.0	1	5.9	122	23.8	6	60.0
Heterosexual	3	15.0	3	17.6	0	0.0	2	11.8	95	18.5	0	0.0
Perinatal	1	5.0	1	5.9	0	0.0	0	0.0	7	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	20.0	2	11.8	2	66.7	7	41.2	97	18.9	3	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	197	38.4	2	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	316	61.6	8	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	32	72.7	12	27.3	41	100.0	1,087	100.0	25	100.0
SEX												
Male	37	84.1	25	78.1	12	100.0	30	73.2	670	61.6	19	76.0
Female	7	15.9	7	21.9	0	0.0	11	26.8	417	38.4	6	24.0
RACE/ETHNICITY												
Black	14	31.8	7	21.9	7	58.3	21	51.2	416	38.3	12	48.0
Hispanic	16	36.4	13	40.6	3	25.0	13	31.7	361	33.2	6	24.0
White	10	22.7	9	28.1	1	8.3	5	12.2	282	25.9	6	24.0
Asian/Pacific Islander	4	9.1	3	9.4	1	8.3	2	4.9	25	2.3	1	4.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
13-19	1	2.3	1	3.1	0	0.0	0	0.0	18	1.7	0	0.0
20-29	11	25.0	7	21.9	4	33.3	8	19.5	79	7.3	0	0.0
30-39	11	25.0	9	28.1	2	16.7	9	22.0	194	17.8	3	12.0
40-49	13	29.5	12	37.5	1	8.3	11	26.8	399	36.7	5	20.0
50-59	7	15.9	3	9.4	4	33.3	11	26.8	288	26.5	12	48.0
60+	1	2.3	0	0.0	1	8.3	2	4.9	101	9.3	5	20.0
TRANSMISSION RISK												
Men who have sex with men	15	34.1	11	34.4	4	33.3	10	24.4	225	20.7	3	12.0
Injection drug use history	2	4.5	2	6.3	0	0.0	3	7.3	267	24.6	9	36.0
Heterosexual	6	13.6	5	15.6	1	8.3	10	24.4	271	24.9	5	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	21	47.7	14	43.8	7	58.3	18	43.9	286	26.3	8	32.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	378	34.8	5	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	709	65.2	20	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	154	100.0	122	79.2	32	20.8	117	100.0	3,472	100.0	100	100.0
SEX												
Male	115	74.7	90	73.8	25	78.1	86	73.5	2,165	62.4	69	69.0
Female	39	25.3	32	26.2	7	21.9	31	26.5	1,307	37.6	31	31.0
RACE/ETHNICITY												
Black	94	61.0	73	59.8	21	65.6	65	55.6	1,871	53.9	59	59.0
Hispanic	47	30.5	37	30.3	10	31.3	41	35.0	1,402	40.4	36	36.0
White	7	4.5	7	5.7	0	0.0	8	6.8	167	4.8	4	4.0
Asian/Pacific Islander	4	2.6	3	2.5	1	3.1	2	1.7	19	0.5	0	0.0
Native American	2	1.3	2	1.6	0	0.0	1	0.9	10	0.3	1	1.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	19	0.5	0	0.0
13-19	10	6.5	9	7.4	1	3.1	5	4.3	68	2.0	0	0.0
20-29	41	26.6	34	27.9	7	21.9	15	12.8	271	7.8	4	4.0
30-39	43	27.9	33	27.0	10	31.3	31	26.5	564	16.2	9	9.0
40-49	38	24.7	29	23.8	9	28.1	42	35.9	1,306	37.6	34	34.0
50-59	19	12.3	16	13.1	3	9.4	22	18.8	909	26.2	36	36.0
60+	2	1.3	0	0.0	2	6.3	2	1.7	335	9.6	17	17.0
TRANSMISSION RISK												
Men who have sex with men	61	39.6	50	41.0	11	34.4	30	25.6	653	18.8	10	10.0
Injection drug use history	10	6.5	10	8.2	0	0.0	20	17.1	904	26.0	40	40.0
Heterosexual	41	26.6	31	25.4	10	31.3	29	24.8	784	22.6	12	12.0
Perinatal	1	0.6	1	0.8	0	0.0	4	3.4	94	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	1	1.0
Unknown	41	26.6	30	24.6	11	34.4	34	29.1	1,033	29.8	37	37.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,313	37.8	11	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,159	62.2	89	89.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	154	100.0	123	79.9	31	20.1	130	100.0	3,851	100.0	63	100.0
SEX												
Male	133	86.4	109	88.6	24	77.4	106	81.5	2,898	75.3	51	81.0
Female	21	13.6	14	11.4	7	22.6	24	18.5	953	24.7	12	19.0
RACE/ETHNICITY												
Black	51	33.1	40	32.5	11	35.5	52	40.0	1,485	38.6	27	42.9
Hispanic	71	46.1	53	43.1	18	58.1	55	42.3	1,813	47.1	29	46.0
White	30	19.5	28	22.8	2	6.5	20	15.4	513	13.3	6	9.5
Asian/Pacific Islander	2	1.3	2	1.6	0	0.0	2	1.5	27	0.7	1	1.6
Native American	0	0.0	0	0.0	0	0.0	1	0.8	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.5	0	0.0
13-19	3	1.9	3	2.4	0	0.0	0	0.0	61	1.6	1	1.6
20-29	53	34.4	46	37.4	7	22.6	25	19.2	281	7.3	4	6.3
30-39	36	23.4	28	22.8	8	25.8	34	26.2	775	20.1	2	3.2
40-49	36	23.4	26	21.1	10	32.3	41	31.5	1,327	34.5	16	25.4
50-59	22	14.3	17	13.8	5	16.1	22	16.9	960	24.9	29	46.0
60+	4	2.6	3	2.4	1	3.2	8	6.2	428	11.1	11	17.5
TRANSMISSION RISK												
Men who have sex with men	83	53.9	69	56.1	14	45.2	63	48.5	1,451	37.7	17	27.0
Injection drug use history	10	6.5	8	6.5	2	6.5	19	14.6	668	17.3	23	36.5
Heterosexual	17	11.0	13	10.6	4	12.9	20	15.4	678	17.6	7	11.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	93	2.4	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	44	28.6	33	26.8	11	35.5	28	21.5	952	24.7	15	23.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,552	40.3	12	19.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,299	59.7	51	81.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	221	100.0	184	83.3	37	16.7	141	100.0	4,261	100.0	126	100.0
SEX												
Male	163	73.8	138	75.0	25	67.6	104	73.8	2,781	65.3	85	67.5
Female	58	26.2	46	25.0	12	32.4	37	26.2	1,480	34.7	41	32.5
RACE/ETHNICITY												
Black	166	75.1	137	74.5	29	78.4	105	74.5	3,184	74.7	99	78.6
Hispanic	31	14.0	24	13.0	7	18.9	25	17.7	702	16.5	20	15.9
White	18	8.1	17	9.2	1	2.7	8	5.7	323	7.6	6	4.8
Asian/Pacific Islander	5	2.3	5	2.7	0	0.0	3	2.1	31	0.7	1	0.8
Native American	*	*	*	*	0	0.0	0	0.0	15	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.5	0	0.0	0	0.0	28	0.7	0	0.0
13-19	12	5.4	11	6.0	1	2.7	2	1.4	82	1.9	0	0.0
20-29	73	33.0	66	35.9	7	18.9	17	12.1	340	8.0	4	3.2
30-39	51	23.1	44	23.9	7	18.9	43	30.5	746	17.5	16	12.7
40-49	48	21.7	37	20.1	11	29.7	38	27.0	1,458	34.2	28	22.2
50-59	25	11.3	21	11.4	4	10.8	27	19.1	1,140	26.8	50	39.7
60+	11	5.0	4	2.2	7	18.9	14	9.9	467	11.0	28	22.2
TRANSMISSION RISK												
Men who have sex with men	89	40.3	79	42.9	10	27.0	47	33.3	1,138	26.7	23	18.3
Injection drug use history	11	5.0	8	4.3	3	8.1	16	11.3	899	21.1	45	35.7
Heterosexual	53	24.0	39	21.2	14	37.8	35	24.8	904	21.2	23	18.3
Perinatal	1	0.5	1	0.5	0	0.0	1	0.7	120	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	67	30.3	57	31.0	10	27.0	42	29.8	1,194	28.0	35	27.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,677	39.4	18	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,584	60.6	108	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	101	100.0	76	75.2	25	24.8	80	100.0	2,974	100.0	90	100.0
SEX												
Male	76	75.2	57	75.0	19	76.0	56	70.0	1,947	65.5	52	57.8
Female	25	24.8	19	25.0	6	24.0	24	30.0	1,027	34.5	38	42.2
RACE/ETHNICITY												
Black	59	58.4	43	56.6	16	64.0	46	57.5	1,484	49.9	52	57.8
Hispanic	33	32.7	25	32.9	8	32.0	32	40.0	1,242	41.8	35	38.9
White	7	6.9	6	7.9	1	4.0	2	2.5	219	7.4	2	2.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	1	1.1
Native American	*	*	*	*	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	3	3.0	3	3.9	0	0.0	1	1.3	63	2.1	0	0.0
20-29	31	30.7	28	36.8	3	12.0	9	11.3	187	6.3	4	4.4
30-39	22	21.8	14	18.4	8	32.0	21	26.3	512	17.2	5	5.6
40-49	24	23.8	18	23.7	6	24.0	24	30.0	1,067	35.9	31	34.4
50-59	19	18.8	13	17.1	6	24.0	20	25.0	839	28.2	32	35.6
60+	2	2.0	0	0.0	2	8.0	5	6.3	296	10.0	18	20.0
TRANSMISSION RISK												
Men who have sex with men	39	38.6	32	42.1	7	28.0	21	26.3	678	22.8	6	6.7
Injection drug use history	12	11.9	8	10.5	4	16.0	16	20.0	860	28.9	46	51.1
Heterosexual	25	24.8	18	23.7	7	28.0	22	27.5	648	21.8	15	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	80	2.7	1	1.1
Other	0	0.0	0	0.0	0	0.0	1	1.3	8	0.3	1	1.1
Unknown	25	24.8	18	23.7	7	28.0	20	25.0	700	23.5	21	23.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,122	37.7	15	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,852	62.3	75	83.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	73	89.0	9	11.0	70	100.0	3,241	100.0	66	100.0
SEX												
Male	66	80.5	61	83.6	5	55.6	56	80.0	2,736	84.4	50	75.8
Female	16	19.5	12	16.4	4	44.4	14	20.0	505	15.6	16	24.2
RACE/ETHNICITY												
Black	19	23.2	18	24.7	1	11.1	20	28.6	903	27.9	28	42.4
Hispanic	32	39.0	28	38.4	4	44.4	26	37.1	903	27.9	19	28.8
White	26	31.7	24	32.9	2	22.2	19	27.1	1,369	42.2	18	27.3
Asian/Pacific Islander	5	6.1	3	4.1	2	22.2	5	7.1	45	1.4	1	1.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.2	1	1.4	0	0.0	0	0.0	4	0.1	0	0.0
13-19	1	1.2	1	1.4	0	0.0	1	1.4	16	0.5	0	0.0
20-29	20	24.4	20	27.4	0	0.0	4	5.7	129	4.0	0	0.0
30-39	24	29.3	21	28.8	3	33.3	17	24.3	427	13.2	6	9.1
40-49	24	29.3	21	28.8	3	33.3	23	32.9	1,102	34.0	17	25.8
50-59	9	11.0	6	8.2	3	33.3	17	24.3	1,093	33.7	30	45.5
60+	3	3.7	3	4.1	0	0.0	8	11.4	470	14.5	13	19.7
TRANSMISSION RISK												
Men who have sex with men	49	59.8	46	63.0	3	33.3	28	40.0	1,745	53.8	23	34.8
Injection drug use history	5	6.1	4	5.5	1	11.1	17	24.3	534	16.5	20	30.3
Heterosexual	12	14.6	9	12.3	3	33.3	9	12.9	322	9.9	5	7.6
Perinatal	1	1.2	1	1.4	0	0.0	1	1.4	27	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	1	1.5
Unknown	15	18.3	13	17.8	2	22.2	15	21.4	607	18.7	17	25.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,228	37.9	7	10.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,013	62.1	59	89.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	35	79.5	9	20.5	31	100.0	1,420	100.0	35	100.0
SEX												
Male	38	86.4	30	85.7	8	88.9	27	87.1	1,243	87.5	30	85.7
Female	6	13.6	5	14.3	1	11.1	4	12.9	177	12.5	5	14.3
RACE/ETHNICITY												
Black	7	15.9	5	14.3	2	22.2	7	22.6	290	20.4	9	25.7
Hispanic	13	29.5	9	25.7	4	44.4	8	25.8	275	19.4	11	31.4
White	22	50.0	19	54.3	3	33.3	16	51.6	814	57.3	14	40.0
Asian/Pacific Islander	2	4.5	2	5.7	0	0.0	0	0.0	36	2.5	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
20-29	13	29.5	12	34.3	1	11.1	2	6.5	57	4.0	0	0.0
30-39	12	27.3	8	22.9	4	44.4	9	29.0	192	13.5	1	2.9
40-49	12	27.3	10	28.6	2	22.2	13	41.9	526	37.0	10	28.6
50-59	4	9.1	4	11.4	0	0.0	4	12.9	395	27.8	14	40.0
60+	3	6.8	1	2.9	2	22.2	3	9.7	239	16.8	10	28.6
TRANSMISSION RISK												
Men who have sex with men	26	59.1	22	62.9	4	44.4	17	54.8	871	61.3	12	34.3
Injection drug use history	3	6.8	2	5.7	1	11.1	5	16.1	151	10.6	13	37.1
Heterosexual	2	4.5	2	5.7	0	0.0	0	0.0	118	8.3	4	11.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	13	29.5	9	25.7	4	44.4	9	29.0	268	18.9	6	17.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	562	39.6	9	25.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	858	60.4	26	74.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	221	100.0	190	86.0	31	14.0	134	100.0	5,922	100.0	82	100.0
SEX												
Male	210	95.0	180	94.7	30	96.8	115	85.8	5,451	92.0	65	79.3
Female	11	5.0	10	5.3	1	3.2	19	14.2	471	8.0	17	20.7
RACE/ETHNICITY												
Black	39	17.6	32	16.8	7	22.6	37	27.6	1,144	19.3	26	31.7
Hispanic	62	28.1	53	27.9	9	29.0	43	32.1	1,319	22.3	26	31.7
White	117	52.9	102	53.7	15	48.4	53	39.6	3,301	55.7	30	36.6
Asian/Pacific Islander	3	1.4	3	1.6	0	0.0	1	0.7	115	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	10	4.5	8	4.2	2	6.5	3	2.2	21	0.4	0	0.0
20-29	59	26.7	58	30.5	1	3.2	17	12.7	300	5.1	1	1.2
30-39	72	32.6	66	34.7	6	19.4	39	29.1	1,031	17.4	3	3.7
40-49	59	26.7	45	23.7	14	45.2	55	41.0	2,492	42.1	28	34.1
50-59	17	7.7	10	5.3	7	22.6	16	11.9	1,501	25.3	29	35.4
60+	4	1.8	3	1.6	1	3.2	4	3.0	576	9.7	21	25.6
TRANSMISSION RISK												
Men who have sex with men	177	80.1	159	83.7	18	58.1	82	61.2	4,082	68.9	39	47.6
Injection drug use history	5	2.3	2	1.1	3	9.7	12	9.0	687	11.6	21	25.6
Heterosexual	11	5.0	8	4.2	3	9.7	11	8.2	283	4.8	7	8.5
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	28	12.7	21	11.1	7	22.6	28	20.9	849	14.3	15	18.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,742	46.3	9	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,180	53.7	73	89.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	59	84.3	11	15.7	48	100.0	2,186	100.0	41	100.0
SEX												
Male	65	92.9	56	94.9	9	81.8	42	87.5	1,964	89.8	33	80.5
Female	5	7.1	3	5.1	2	18.2	6	12.5	222	10.2	8	19.5
RACE/ETHNICITY												
Black	20	28.6	14	23.7	6	54.5	16	33.3	517	23.7	14	34.1
Hispanic	26	37.1	22	37.3	4	36.4	19	39.6	523	23.9	12	29.3
White	20	28.6	19	32.2	1	9.1	12	25.0	1,089	49.8	14	34.1
Asian/Pacific Islander	3	4.3	3	5.1	0	0.0	1	2.1	46	2.1	1	2.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	1.4	1	1.7	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	2.9	2	3.4	0	0.0	0	0.0	5	0.2	0	0.0
20-29	16	22.9	13	22.0	3	27.3	8	16.7	97	4.4	1	2.4
30-39	18	25.7	17	28.8	1	9.1	10	20.8	304	13.9	3	7.3
40-49	28	40.0	22	37.3	6	54.5	18	37.5	803	36.7	14	34.1
50-59	4	5.7	3	5.1	1	9.1	10	20.8	632	28.9	12	29.3
60+	2	2.9	2	3.4	0	0.0	2	4.2	342	15.6	11	26.8
TRANSMISSION RISK												
Men who have sex with men	43	61.4	37	62.7	6	54.5	22	45.8	1,268	58.0	11	26.8
Injection drug use history	4	5.7	4	6.8	0	0.0	5	10.4	355	16.2	16	39.0
Heterosexual	5	7.1	3	5.1	2	18.2	7	14.6	150	6.9	6	14.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	18	25.7	15	25.4	3	27.3	14	29.2	399	18.3	8	19.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	894	40.9	7	17.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,292	59.1	34	82.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	46	80.7	11	19.3	45	100.0	2,132	100.0	26	100.0
SEX												
Male	55	96.5	44	95.7	11	100.0	45	100.0	2,044	95.9	24	92.3
Female	2	3.5	2	4.3	0	0.0	0	0.0	88	4.1	2	7.7
RACE/ETHNICITY												
Black	11	19.3	11	23.9	0	0.0	18	40.0	365	17.1	9	34.6
Hispanic	12	21.1	11	23.9	1	9.1	6	13.3	373	17.5	5	19.2
White	27	47.4	20	43.5	7	63.6	19	42.2	1,322	62.0	11	42.3
Asian/Pacific Islander	7	12.3	4	8.7	3	27.3	2	4.4	63	3.0	1	3.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	1.8	1	2.2	0	0.0	1	2.2	3	0.1	0	0.0
20-29	11	19.3	11	23.9	0	0.0	2	4.4	70	3.3	0	0.0
30-39	12	21.1	11	23.9	1	9.1	13	28.9	333	15.6	3	11.5
40-49	22	38.6	18	39.1	4	36.4	15	33.3	872	40.9	6	23.1
50-59	7	12.3	2	4.3	5	45.5	10	22.2	582	27.3	5	19.2
60+	4	7.0	3	6.5	1	9.1	4	8.9	271	12.7	12	46.2
TRANSMISSION RISK												
Men who have sex with men	40	70.2	30	65.2	10	90.9	24	53.3	1,497	70.2	16	61.5
Injection drug use history	1	1.8	1	2.2	0	0.0	4	8.9	211	9.9	3	11.5
Heterosexual	2	3.5	2	4.3	0	0.0	3	6.7	80	3.8	2	7.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	14	24.6	13	28.3	1	9.1	14	31.1	342	16.0	5	19.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	907	42.5	3	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,225	57.5	23	88.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	116	100.0	82	70.7	34	29.3	94	100.0	3,252	100.0	72	100.0
SEX												
Male	100	86.2	72	87.8	28	82.4	72	76.6	2,677	82.3	45	62.5
Female	16	13.8	10	12.2	6	17.6	22	23.4	575	17.7	27	37.5
RACE/ETHNICITY												
Black	34	29.3	18	22.0	16	47.1	39	41.5	664	20.4	25	34.7
Hispanic	24	20.7	19	23.2	5	14.7	24	25.5	1,110	34.1	27	37.5
White	48	41.4	37	45.1	11	32.4	25	26.6	1,340	41.2	17	23.6
Asian/Pacific Islander	10	8.6	8	9.8	2	5.9	5	5.3	118	3.6	3	4.2
Native American	0	0.0	0	0.0	0	0.0	*	*	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	8	6.9	7	8.5	1	2.9	2	2.1	26	0.8	0	0.0
20-29	26	22.4	24	29.3	2	5.9	7	7.4	172	5.3	0	0.0
30-39	27	23.3	17	20.7	10	29.4	29	30.9	468	14.4	4	5.6
40-49	34	29.3	23	28.0	11	32.4	37	39.4	1,305	40.1	20	27.8
50-59	17	14.7	9	11.0	8	23.5	16	17.0	906	27.9	33	45.8
60+	4	3.4	2	2.4	2	5.9	3	3.2	371	11.4	15	20.8
TRANSMISSION RISK												
Men who have sex with men	70	60.3	57	69.5	13	38.2	36	38.3	1,617	49.7	12	16.7
Injection drug use history	9	7.8	5	6.1	4	11.8	19	20.2	697	21.4	37	51.4
Heterosexual	17	14.7	10	12.2	7	20.6	16	17.0	345	10.6	9	12.5
Perinatal	0	0.0	0	0.0	0	0.0	1	1.1	39	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	20	17.2	10	12.2	10	29.4	22	23.4	548	16.9	14	19.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,227	37.7	5	6.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,025	62.3	67	93.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	13	68.4	6	31.6	11	100.0	458	100.0	4	100.0
SEX												
Male	17	89.5	12	92.3	5	83.3	8	72.7	381	83.2	3	75.0
Female	2	10.5	1	7.7	1	16.7	3	27.3	77	16.8	1	25.0
RACE/ETHNICITY												
Black	8	42.1	6	46.2	2	33.3	3	27.3	111	24.2	1	25.0
Hispanic	3	15.8	1	7.7	2	33.3	3	27.3	116	25.3	0	0.0
White	8	42.1	6	46.2	2	33.3	5	45.5	208	45.4	3	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	4.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	1	25.0
20-29	4	21.1	3	23.1	1	16.7	2	18.2	30	6.6	0	0.0
30-39	6	31.6	6	46.2	0	0.0	1	9.1	87	19.0	0	0.0
40-49	6	31.6	4	30.8	2	33.3	3	27.3	184	40.2	1	25.0
50-59	2	10.5	0	0.0	2	33.3	4	36.4	123	26.9	1	25.0
60+	1	5.3	0	0.0	1	16.7	1	9.1	29	6.3	1	25.0
TRANSMISSION RISK												
Men who have sex with men	10	52.6	8	61.5	2	33.3	4	36.4	243	53.1	3	75.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	9.1	71	15.5	0	0.0
Heterosexual	3	15.8	1	7.7	2	33.3	2	18.2	50	10.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.3	1	25.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	31.6	4	30.8	2	33.3	4	36.4	88	19.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	231	50.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	227	49.6	4	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	76	90.5	8	9.5	47	100.0	1,740	100.0	22	100.0
SEX												
Male	72	85.7	66	86.8	6	75.0	37	78.7	1,399	80.4	19	86.4
Female	12	14.3	10	13.2	2	25.0	10	21.3	341	19.6	3	13.6
RACE/ETHNICITY												
Black	16	19.0	15	19.7	1	12.5	13	27.7	399	22.9	6	27.3
Hispanic	34	40.5	31	40.8	3	37.5	15	31.9	694	39.9	7	31.8
White	32	38.1	28	36.8	4	50.0	18	38.3	571	32.8	9	40.9
Asian/Pacific Islander	2	2.4	2	2.6	0	0.0	1	2.1	63	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.2	1	1.3	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	2.4	2	2.6	0	0.0	1	2.1	18	1.0	0	0.0
20-29	26	31.0	26	34.2	0	0.0	6	12.8	131	7.5	0	0.0
30-39	25	29.8	23	30.3	2	25.0	10	21.3	385	22.1	1	4.5
40-49	22	26.2	18	23.7	4	50.0	22	46.8	718	41.3	10	45.5
50-59	4	4.8	4	5.3	0	0.0	7	14.9	359	20.6	6	27.3
60+	4	4.8	2	2.6	2	25.0	1	2.1	125	7.2	5	22.7
TRANSMISSION RISK												
Men who have sex with men	53	63.1	49	64.5	4	50.0	25	53.2	863	49.6	6	27.3
Injection drug use history	4	4.8	3	3.9	1	12.5	4	8.5	226	13.0	11	50.0
Heterosexual	13	15.5	11	14.5	2	25.0	4	8.5	282	16.2	2	9.1
Perinatal	1	1.2	1	1.3	0	0.0	2	4.3	26	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	13	15.5	12	15.8	1	12.5	12	25.5	340	19.5	3	13.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	742	42.6	3	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	998	57.4	19	86.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	205	100.0	155	75.6	50	24.4	176	100.0	4,549	100.0	62	100.0
SEX												
Male	176	85.9	131	84.5	45	90.0	137	77.8	3,585	78.8	45	72.6
Female	29	14.1	24	15.5	5	10.0	39	22.2	964	21.2	17	27.4
RACE/ETHNICITY												
Black	51	24.9	41	26.5	10	20.0	70	39.8	1,305	28.7	24	38.7
Hispanic	116	56.6	87	56.1	29	58.0	79	44.9	2,509	55.2	26	41.9
White	23	11.2	18	11.6	5	10.0	14	8.0	564	12.4	10	16.1
Asian/Pacific Islander	13	6.3	7	4.5	6	12.0	13	7.4	151	3.3	2	3.2
Native American	2	1.0	2	1.3	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	6	2.9	5	3.2	1	2.0	1	0.6	29	0.6	0	0.0
20-29	42	20.5	36	23.2	6	12.0	19	10.8	315	6.9	1	1.6
30-39	75	36.6	52	33.5	23	46.0	55	31.3	981	21.6	6	9.7
40-49	58	28.3	48	31.0	10	20.0	66	37.5	1,803	39.6	22	35.5
50-59	18	8.8	13	8.4	5	10.0	27	15.3	1,086	23.9	24	38.7
60+	6	2.9	1	0.6	5	10.0	8	4.5	330	7.3	9	14.5
TRANSMISSION RISK												
Men who have sex with men	109	53.2	80	51.6	29	58.0	66	37.5	1,723	37.9	13	21.0
Injection drug use history	13	6.3	11	7.1	2	4.0	19	10.8	1,005	22.1	18	29.0
Heterosexual	39	19.0	31	20.0	8	16.0	41	23.3	846	18.6	10	16.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	44	21.5	33	21.3	11	22.0	50	28.4	936	20.6	21	33.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,707	37.5	11	17.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,842	62.5	51	82.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	16	76.2	5	23.8	15	100.0	643	100.0	20	100.0
SEX												
Male	17	81.0	13	81.3	4	80.0	9	60.0	467	72.6	14	70.0
Female	4	19.0	3	18.8	1	20.0	6	40.0	176	27.4	6	30.0
RACE/ETHNICITY												
Black	4	19.0	3	18.8	1	20.0	3	20.0	165	25.7	7	35.0
Hispanic	12	57.1	10	62.5	2	40.0	5	33.3	231	35.9	5	25.0
White	2	9.5	1	6.3	1	20.0	5	33.3	198	30.8	6	30.0
Asian/Pacific Islander	3	14.3	2	12.5	1	20.0	2	13.3	45	7.0	2	10.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
20-29	5	23.8	4	25.0	1	20.0	2	13.3	30	4.7	1	5.0
30-39	5	23.8	4	25.0	1	20.0	5	33.3	98	15.2	3	15.0
40-49	8	38.1	5	31.3	3	60.0	5	33.3	261	40.6	6	30.0
50-59	1	4.8	1	6.3	0	0.0	3	20.0	181	28.1	6	30.0
60+	2	9.5	2	12.5	0	0.0	0	0.0	66	10.3	4	20.0
TRANSMISSION RISK												
Men who have sex with men	12	57.1	9	56.3	3	60.0	5	33.3	245	38.1	5	25.0
Injection drug use history	1	4.8	1	6.3	0	0.0	1	6.7	119	18.5	6	30.0
Heterosexual	7	33.3	5	31.3	2	40.0	7	46.7	143	22.2	6	30.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	1	4.8	1	6.3	0	0.0	2	13.3	123	19.1	3	15.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	224	34.8	5	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	419	65.2	15	75.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	4	66.7	2	33.3	5	100.0	136	100.0	3	100.0
SEX												
Male	6	100.0	4	100.0	2	100.0	5	100.0	109	80.1	2	66.7
Female	0	0.0	0	0.0	0	0.0	0	0.0	27	19.9	1	33.3
RACE/ETHNICITY												
Black	2	33.3	1	25.0	1	50.0	2	40.0	22	16.2	1	33.3
Hispanic	1	16.7	1	25.0	0	0.0	1	20.0	27	19.9	0	0.0
White	3	50.0	2	50.0	1	50.0	2	40.0	75	55.1	1	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	8.1	1	33.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
20-29	1	16.7	1	25.0	0	0.0	0	0.0	10	7.4	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	10	7.4	0	0.0
40-49	3	50.0	2	50.0	1	50.0	3	60.0	47	34.6	1	33.3
50-59	2	33.3	1	25.0	1	50.0	2	40.0	48	35.3	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	19	14.0	1	33.3
TRANSMISSION RISK												
Men who have sex with men	4	66.7	3	75.0	1	50.0	1	20.0	50	36.8	1	33.3
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	22	16.2	1	33.3
Heterosexual	0	0.0	0	0.0	0	0.0	1	20.0	24	17.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Unknown	2	33.3	1	25.0	1	50.0	3	60.0	31	22.8	1	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	58	42.6	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	78	57.4	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	40	100.0	32	80.0	8	20.0	27	100.0	951	100.0	20	100.0
SEX												
Male	32	80.0	24	75.0	8	100.0	22	81.5	690	72.6	17	85.0
Female	8	20.0	8	25.0	0	0.0	5	18.5	261	27.4	3	15.0
RACE/ETHNICITY												
Black	3	7.5	3	9.4	0	0.0	3	11.1	128	13.5	1	5.0
Hispanic	16	40.0	13	40.6	3	37.5	12	44.4	437	46.0	3	15.0
White	18	45.0	14	43.8	4	50.0	10	37.0	343	36.1	15	75.0
Asian/Pacific Islander	3	7.5	2	6.3	1	12.5	2	7.4	33	3.5	1	5.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	3.7	9	0.9	0	0.0
20-29	10	25.0	8	25.0	2	25.0	5	18.5	71	7.5	0	0.0
30-39	14	35.0	12	37.5	2	25.0	9	33.3	170	17.9	2	10.0
40-49	12	30.0	9	28.1	3	37.5	6	22.2	370	38.9	6	30.0
50-59	4	10.0	3	9.4	1	12.5	5	18.5	250	26.3	11	55.0
60+	0	0.0	0	0.0	0	0.0	1	3.7	75	7.9	1	5.0
TRANSMISSION RISK												
Men who have sex with men	24	60.0	19	59.4	5	62.5	11	40.7	366	38.5	3	15.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	149	15.7	9	45.0
Heterosexual	9	22.5	9	28.1	0	0.0	3	11.1	194	20.4	2	10.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.7	22	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	7	17.5	4	12.5	3	37.5	12	44.4	214	22.5	6	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	392	41.2	4	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	559	58.8	16	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	10	76.9	3	23.1	6	100.0	258	100.0	8	100.0
SEX												
Male	11	84.6	9	90.0	2	66.7	5	83.3	175	67.8	6	75.0
Female	2	15.4	1	10.0	1	33.3	1	16.7	83	32.2	2	25.0
RACE/ETHNICITY												
Black	6	46.2	6	60.0	0	0.0	0	0.0	111	43.0	2	25.0
Hispanic	3	23.1	2	20.0	1	33.3	3	50.0	76	29.5	2	25.0
White	1	7.7	0	0.0	1	33.3	1	16.7	55	21.3	2	25.0
Asian/Pacific Islander	3	23.1	2	20.0	1	33.3	2	33.3	13	5.0	2	25.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	1.6	0	0.0
13-19	1	7.7	1	10.0	0	0.0	0	0.0	5	1.9	0	0.0
20-29	3	23.1	2	20.0	1	33.3	1	16.7	18	7.0	1	12.5
30-39	4	30.8	3	30.0	1	33.3	1	16.7	41	15.9	0	0.0
40-49	1	7.7	1	10.0	0	0.0	1	16.7	102	39.5	2	25.0
50-59	2	15.4	2	20.0	0	0.0	1	16.7	64	24.8	2	25.0
60+	2	15.4	1	10.0	1	33.3	2	33.3	24	9.3	3	37.5
TRANSMISSION RISK												
Men who have sex with men	5	38.5	4	40.0	1	33.3	2	33.3	84	32.6	1	12.5
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	37	14.3	0	0.0
Heterosexual	3	23.1	2	20.0	1	33.3	2	33.3	59	22.9	4	50.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	1	12.5
Unknown	5	38.5	4	40.0	1	33.3	2	33.3	68	26.4	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	116	45.0	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	142	55.0	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	45	88.2	6	11.8	35	100.0	1,328	100.0	20	100.0
SEX												
Male	37	72.5	32	71.1	5	83.3	26	74.3	929	70.0	17	85.0
Female	14	27.5	13	28.9	1	16.7	9	25.7	399	30.0	3	15.0
RACE/ETHNICITY												
Black	17	33.3	16	35.6	1	16.7	10	28.6	427	32.2	7	35.0
Hispanic	17	33.3	16	35.6	1	16.7	8	22.9	515	38.8	8	40.0
White	8	15.7	8	17.8	0	0.0	11	31.4	282	21.2	3	15.0
Asian/Pacific Islander	7	13.7	4	8.9	3	50.0	5	14.3	88	6.6	2	10.0
Native American	2	3.9	1	2.2	1	16.7	1	2.9	10	0.8	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	2	3.9	2	4.4	0	0.0	2	5.7	25	1.9	0	0.0
20-29	17	33.3	15	33.3	2	33.3	6	17.1	99	7.5	0	0.0
30-39	14	27.5	13	28.9	1	16.7	8	22.9	266	20.0	1	5.0
40-49	12	23.5	11	24.4	1	16.7	13	37.1	497	37.4	6	30.0
50-59	4	7.8	3	6.7	1	16.7	5	14.3	324	24.4	9	45.0
60+	2	3.9	1	2.2	1	16.7	1	2.9	114	8.6	4	20.0
TRANSMISSION RISK												
Men who have sex with men	19	37.3	17	37.8	2	33.3	14	40.0	433	32.6	5	25.0
Injection drug use history	1	2.0	1	2.2	0	0.0	2	5.7	221	16.6	6	30.0
Heterosexual	14	27.5	14	31.1	0	0.0	8	22.9	296	22.3	3	15.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	36	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	17	33.3	13	28.9	4	66.7	10	28.6	338	25.5	6	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	541	40.7	5	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	787	59.3	15	75.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	124	100.0	93	75.0	31	25.0	92	100.0	2,753	100.0	64	100.0
SEX												
Male	75	60.5	59	63.4	16	51.6	55	59.8	1,642	59.6	42	65.6
Female	49	39.5	34	36.6	15	48.4	37	40.2	1,111	40.4	22	34.4
RACE/ETHNICITY												
Black	87	70.2	69	74.2	18	58.1	69	75.0	2,113	76.8	44	68.8
Hispanic	17	13.7	10	10.8	7	22.6	11	12.0	418	15.2	16	25.0
White	9	7.3	7	7.5	2	6.5	4	4.3	152	5.5	1	1.6
Asian/Pacific Islander	11	8.9	7	7.5	4	12.9	6	6.5	58	2.1	3	4.7
Native American	0	0.0	0	0.0	0	0.0	2	2.2	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	1	1.1	0	0.0	0	0.0	15	0.5	0	0.0
13-19	7	5.6	5	5.4	2	6.5	4	4.3	56	2.0	1	1.6
20-29	30	24.2	28	30.1	2	6.5	10	10.9	223	8.1	2	3.1
30-39	31	25.0	25	26.9	6	19.4	18	19.6	427	15.5	7	10.9
40-49	32	25.8	20	21.5	12	38.7	33	35.9	940	34.1	15	23.4
50-59	17	13.7	10	10.8	7	22.6	19	20.7	801	29.1	24	37.5
60+	6	4.8	4	4.3	2	6.5	8	8.7	291	10.6	15	23.4
TRANSMISSION RISK												
Men who have sex with men	41	33.1	35	37.6	6	19.4	18	19.6	540	19.6	9	14.1
Injection drug use history	5	4.0	4	4.3	1	3.2	13	14.1	560	20.3	21	32.8
Heterosexual	42	33.9	29	31.2	13	41.9	28	30.4	728	26.4	9	14.1
Perinatal	1	0.8	1	1.1	0	0.0	1	1.1	85	3.1	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	35	28.2	24	25.8	11	35.5	32	34.8	831	30.2	24	37.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,025	37.2	6	9.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,728	62.8	58	90.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	45	100.0	34	75.6	11	24.4	42	100.0	1,051	100.0	14	100.0
SEX												
Male	29	64.4	21	61.8	8	72.7	30	71.4	616	58.6	7	50.0
Female	16	35.6	13	38.2	3	27.3	12	28.6	435	41.4	7	50.0
RACE/ETHNICITY												
Black	32	71.1	23	67.6	9	81.8	32	76.2	823	78.3	9	64.3
Hispanic	8	17.8	7	20.6	1	9.1	5	11.9	118	11.2	2	14.3
White	5	11.1	4	11.8	1	9.1	3	7.1	78	7.4	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	4.8	30	2.9	2	14.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
13-19	4	8.9	4	11.8	0	0.0	0	0.0	29	2.8	0	0.0
20-29	14	31.1	12	35.3	2	18.2	6	14.3	81	7.7	0	0.0
30-39	10	22.2	8	23.5	2	18.2	9	21.4	171	16.3	3	21.4
40-49	9	20.0	6	17.6	3	27.3	13	31.0	365	34.7	3	21.4
50-59	5	11.1	3	8.8	2	18.2	10	23.8	281	26.7	5	35.7
60+	3	6.7	1	2.9	2	18.2	4	9.5	116	11.0	3	21.4
TRANSMISSION RISK												
Men who have sex with men	18	40.0	14	41.2	4	36.4	15	35.7	191	18.2	3	21.4
Injection drug use history	1	2.2	1	2.9	0	0.0	1	2.4	149	14.2	2	14.3
Heterosexual	10	22.2	10	29.4	0	0.0	5	11.9	311	29.6	5	35.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	16	35.6	9	26.5	7	63.6	21	50.0	348	33.1	4	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	391	37.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	660	62.8	14	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	27	84.4	5	15.6	32	100.0	840	100.0	22	100.0
SEX												
Male	25	78.1	21	77.8	4	80.0	25	78.1	455	54.2	14	63.6
Female	7	21.9	6	22.2	1	20.0	7	21.9	385	45.8	8	36.4
RACE/ETHNICITY												
Black	26	81.3	21	77.8	5	100.0	22	68.8	547	65.1	15	68.2
Hispanic	6	18.8	6	22.2	0	0.0	4	12.5	183	21.8	6	27.3
White	0	0.0	0	0.0	0	0.0	6	18.8	102	12.1	1	4.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
13-19	5	15.6	5	18.5	0	0.0	0	0.0	19	2.3	0	0.0
20-29	11	34.4	11	40.7	0	0.0	3	9.4	70	8.3	1	4.5
30-39	5	15.6	5	18.5	0	0.0	7	21.9	124	14.8	1	4.5
40-49	6	18.8	4	14.8	2	40.0	12	37.5	277	33.0	7	31.8
50-59	5	15.6	2	7.4	3	60.0	7	21.9	277	33.0	12	54.5
60+	0	0.0	0	0.0	0	0.0	3	9.4	66	7.9	1	4.5
TRANSMISSION RISK												
Men who have sex with men	12	37.5	10	37.0	2	40.0	11	34.4	120	14.3	2	9.1
Injection drug use history	1	3.1	1	3.7	0	0.0	7	21.9	210	25.0	11	50.0
Heterosexual	8	25.0	7	25.9	1	20.0	4	12.5	271	32.3	3	13.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	3.6	1	4.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	11	34.4	9	33.3	2	40.0	10	31.3	206	24.5	5	22.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	353	42.0	5	22.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	487	58.0	17	77.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	9	69.2	4	30.8	13	100.0	392	100.0	8	100.0
SEX												
Male	10	76.9	6	66.7	4	100.0	10	76.9	239	61.0	8	100.0
Female	3	23.1	3	33.3	0	0.0	3	23.1	153	39.0	0	0.0
RACE/ETHNICITY												
Black	4	30.8	3	33.3	1	25.0	4	30.8	194	49.5	4	50.0
Hispanic	6	46.2	4	44.4	2	50.0	4	30.8	115	29.3	2	25.0
White	3	23.1	2	22.2	1	25.0	5	38.5	78	19.9	2	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
13-19	1	7.7	1	11.1	0	0.0	0	0.0	7	1.8	0	0.0
20-29	3	23.1	2	22.2	1	25.0	0	0.0	32	8.2	0	0.0
30-39	1	7.7	1	11.1	0	0.0	0	0.0	48	12.2	0	0.0
40-49	4	30.8	3	33.3	1	25.0	8	61.5	153	39.0	2	25.0
50-59	3	23.1	2	22.2	1	25.0	4	30.8	114	29.1	3	37.5
60+	1	7.7	0	0.0	1	25.0	1	7.7	35	8.9	3	37.5
TRANSMISSION RISK												
Men who have sex with men	4	30.8	2	22.2	2	50.0	2	15.4	67	17.1	0	0.0
Injection drug use history	3	23.1	2	22.2	1	25.0	4	30.8	105	26.8	5	62.5
Heterosexual	4	30.8	4	44.4	0	0.0	3	23.1	96	24.5	1	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	2	15.4	1	11.1	1	25.0	4	30.8	107	27.3	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	153	39.0	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	239	61.0	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	17	63.0	10	37.0	35	100.0	828	100.0	25	100.0
SEX												
Male	19	70.4	11	64.7	8	80.0	20	57.1	522	63.0	15	60.0
Female	8	29.6	6	35.3	2	20.0	15	42.9	306	37.0	10	40.0
RACE/ETHNICITY												
Black	15	55.6	9	52.9	6	60.0	18	51.4	373	45.0	13	52.0
Hispanic	8	29.6	4	23.5	4	40.0	13	37.1	204	24.6	6	24.0
White	3	11.1	3	17.6	0	0.0	4	11.4	238	28.7	6	24.0
Asian/Pacific Islander	1	3.7	1	5.9	0	0.0	0	0.0	5	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
13-19	1	3.7	1	5.9	0	0.0	2	5.7	13	1.6	0	0.0
20-29	7	25.9	5	29.4	2	20.0	5	14.3	58	7.0	1	4.0
30-39	9	33.3	5	29.4	4	40.0	12	34.3	121	14.6	3	12.0
40-49	7	25.9	4	23.5	3	30.0	15	42.9	335	40.5	7	28.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	224	27.1	10	40.0
60+	3	11.1	2	11.8	1	10.0	1	2.9	70	8.5	4	16.0
TRANSMISSION RISK												
Men who have sex with men	11	40.7	7	41.2	4	40.0	8	22.9	208	25.1	1	4.0
Injection drug use history	0	0.0	0	0.0	0	0.0	5	14.3	198	23.9	13	52.0
Heterosexual	6	22.2	6	35.3	0	0.0	6	17.1	183	22.1	5	20.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	24	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	10	37.0	4	23.5	6	60.0	14	40.0	209	25.2	6	24.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	315	38.0	4	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	513	62.0	21	84.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	1	25.0	3	75.0	4	100.0	143	100.0	1	100.0
SEX												
Male	2	50.0	1	100.0	1	33.3	2	50.0	98	68.5	1	100.0
Female	2	50.0	0	0.0	2	66.7	2	50.0	45	31.5	0	0.0
RACE/ETHNICITY												
Black	2	50.0	1	100.0	1	33.3	1	25.0	23	16.1	0	0.0
Hispanic	1	25.0	0	0.0	1	33.3	1	25.0	34	23.8	0	0.0
White	1	25.0	0	0.0	1	33.3	2	50.0	81	56.6	1	100.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	25.0	0	0.0	1	33.3	1	25.0	14	9.8	0	0.0
30-39	3	75.0	1	100.0	2	66.7	2	50.0	16	11.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	66	46.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	25.0	33	23.1	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	12	8.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men	2	50.0	1	100.0	1	33.3	1	25.0	48	33.6	0	0.0
Injection drug use history	1	25.0	0	0.0	1	33.3	1	25.0	20	14.0	0	0.0
Heterosexual	1	25.0	0	0.0	1	33.3	1	25.0	30	21.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	25.0	40	28.0	1	100.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	60	42.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	83	58.0	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2008 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2008, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2008						AIDS DIAGNOSES, 2008		PLWHA AS OF 12/31/2008		DEATHS, 2008	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	11	64.7	6	35.3	11	100.0	360	100.0	8	100.0
SEX												
Male	15	88.2	10	90.9	5	83.3	10	90.9	250	69.4	8	100.0
Female	2	11.8	1	9.1	1	16.7	1	9.1	110	30.6	0	0.0
RACE/ETHNICITY												
Black	2	11.8	0	0.0	2	33.3	3	27.3	71	19.7	3	37.5
Hispanic	3	17.6	2	18.2	1	16.7	3	27.3	84	23.3	1	12.5
White	10	58.8	7	63.6	3	50.0	5	45.5	201	55.8	4	50.0
Asian/Pacific Islander	2	11.8	2	18.2	0	0.0	0	0.0	3	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	1.4	0	0.0
20-29	5	29.4	4	36.4	1	16.7	4	36.4	26	7.2	1	12.5
30-39	6	35.3	4	36.4	2	33.3	2	18.2	59	16.4	1	12.5
40-49	3	17.6	1	9.1	2	33.3	3	27.3	134	37.2	3	37.5
50-59	2	11.8	2	18.2	0	0.0	1	9.1	109	30.3	1	12.5
60+	1	5.9	0	0.0	1	16.7	1	9.1	25	6.9	2	25.0
TRANSMISSION RISK												
Men who have sex with men	11	64.7	9	81.8	2	33.3	5	45.5	72	20.0	1	12.5
Injection drug use history	0	0.0	0	0.0	0	0.0	2	18.2	90	25.0	3	37.5
Heterosexual	2	11.8	1	9.1	1	16.7	1	9.1	72	20.0	1	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	4	23.5	1	9.1	3	50.0	3	27.3	111	30.8	3	37.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	154	42.8	3	37.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	206	57.2	5	62.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2008**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	51.1	1.4	20.9	8,008,278
SEX				
Male	81.9	2.0	19.6	3,794,204
Female	23.4	0.8	24.1	4,214,074
RACE/ETHNICITY				
Black	103.4	2.5	24.0	1,962,154
Hispanic	57.6	1.6	21.3	2,160,554
White	24.1	0.8	14.1	2,801,267
Asian/Pacific Islander	15.7	0.2	23.4	783,058
Native American	98.1	1.4	12.3*	17,321
AGE GROUP (YEARS)				
0-12	0.5*	0.0	0.0*	1,429,677
13-19	26.8	0.2	4.4*	723,773
20-29	88.9	0.6	8.5	1,270,490
30-39	79.3	1.4	12.8	1,348,263
40-49	91.9	3.6	18.1	1,133,497
50-59	56.6	3.4	28.0	850,372
60+	13.6	0.9	38.0	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2008, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2008**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES ¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA ²	POPULATION FROM 2000 CENSUS
TOTAL	51.1	1.4	20.9	8,008,278
BRONX³	65.3	1.8	24.1	1,327,690
Crotona - Tremont	78.2	2.3	25.7	199,530
Fordham - Bronx Park	67.9	1.7	17.6	250,491
High Bridge - Morrisania	95.4	2.6	29.2	189,755
Hunts Point - Mott Haven	101.7	2.5	25.0	122,875
Kingsbridge - Riverdale	21.4	0.6	18.1	88,989
Northeast Bronx	48.9	0.9	24.0	185,998
Pelham - Throgs Neck	42.1	1.2	23.0	290,052
BROOKLYN³	43.7	1.1	23.5	2,465,326
Bedford Stuyvesant - Crown Heights	87.3	2.1	26.7	317,296
Bensonhurst - Bay Ridge	10.3	0.3	18.3*	194,558
Borough Park	15.7	0.3	13.8	324,411
Canarsie - Flatlands	37.9	0.6	30.8	197,819
Coney Island - Sheepshead Bay	15.3	0.4	22.7	286,901
Downtown - Heights - Park Slope	42.4	1.4	20.1	214,696
East Flatbush - Flatbush	56.8	1.4	16.5	316,734
East New York	65.6	1.5	26.4	173,716
Greenpoint	28.9	0.8	18.7	124,449
Sunset Park	21.6	0.6	22.4	120,441
Williamsburg - Bushwick	79.3	1.8	28.2	194,305
MANHATTAN³	71.7	2.1	18.7	1,529,375
Central Harlem - Morningside Heights	146.2	2.9	28.4	151,113
Chelsea - Clinton	179.7	4.9	13.5	122,998
East Harlem	93.4	2.8	29.3	108,092
Gramercy Park - Murray Hill	56.2	1.8	16.9	124,477
Greenwich Village - Soho	68.1	2.6	10.7	83,709
Lower Manhattan	61.5	1.5	10.0*	30,895
Union Square - Lower East Side	58.8	1.7	20.4	197,138
Upper East Side	20.2	0.7	21.1	218,167
Upper West Side	36.9	1.5	17.9	222,109
Washington Heights - Inwood	56.9	1.4	16.5	270,677
QUEENS³	28.2	0.7	18.0	2,242,159
Bayside - Little Neck	6.8*	0.2	18.3*	88,164
Flushing - Clearview	8.2	0.3	30.1	255,542
Fresh Meadows	14.0	0.3	30.3*	93,148
Jamaica	43.4	1.0	22.3	285,568
Long Island City - Astoria	38.0	0.8	13.9	220,960
Ridgewood - Forest Hills	16.6	0.4	20.5	240,901
Rockaway	30.0	0.8	24.1	106,738
Southeast Queens	22.1	0.5	13.2	203,670
Southwest Queens	18.9	0.5	15.8	269,952
West Queens	42.9	1.0	14.2	477,516
STATEN ISLAND³	14.0	0.4	23.5	443,728
Port Richmond	20.7	0.6	19.7*	62,788
South Beach - Tottenville	9.5	0.2	23.6*	179,892
Stapleton - St. George	23.2	0.7	29.9	116,227
Willowbrook	4.7*	0.2	7.9*	84,821

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the citywide population of PWHA at the end of 2008.³Borough-level data include persons residing in unknown UHF neighborhoods.