



# NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2009

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene  
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

## LIST OF ANNUAL TABLES

*Click on each title below to reach the corresponding table*

### TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.1	<b>New York City (All)</b>	Table 1.7.4	Pelham – Throgs Neck
	<b>By Sex</b>	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	<b>By Race/Ethnicity</b>		<b>By UHF Neighborhood: Brooklyn</b>
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	<b>By Age</b>	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		<b>By UHF Neighborhood: Manhattan</b>
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	<b>By Borough</b>	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		<b>By UHF Neighborhood: Queens</b>
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	<b>By Transmission Risk</b>	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	<b>By UHF Neighborhood: Bronx</b>	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		<b>By UHF Neighborhood: Staten Island</b>
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

### TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2009, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2011. Updated January 4, 2012. Accessed [access date] at <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml>.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>3,782</b>	<b>100.0</b>	<b>2,986</b>	<b>79.0</b>	<b>796</b>	<b>21.0</b>	<b>2,990</b>	<b>100.0</b>	<b>108,791</b>	<b>100.0</b>	<b>1,871</b>	<b>100.0</b>
<b>SEX</b>												
Male	2,878	76.1	2,264	75.8	614	77.1	2,125	71.1	77,069	70.8	1,248	66.7
Female	904	23.9	722	24.2	182	22.9	865	28.9	31,722	29.2	623	33.3
<b>RACE/ETHNICITY</b>												
Black	1,808	47.8	1,411	47.3	397	49.9	1,509	50.5	48,670	44.7	980	52.4
Hispanic	1,204	31.8	945	31.6	259	32.5	999	33.4	35,473	32.6	658	35.2
White	637	16.8	531	17.8	106	13.3	403	13.5	22,208	20.4	213	11.4
Asian/Pacific Islander	116	3.1	86	2.9	30	3.8	66	2.2	1,725	1.6	10	0.5
Native American	14	0.4	10	0.3	4	0.5	12	0.4	254	0.2	8	0.4
Multiracial	3	0.1	3	0.1	0	0.0	1	0.0	46	0.0	2	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	415	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	11	0.3	11	0.4	0	0.0	0	0.0	406	0.4	1	0.1
13-19	170	4.5	153	5.1	17	2.1	67	2.2	1,488	1.4	5	0.3
20-29	1,079	28.5	966	32.4	113	14.2	439	14.7	7,846	7.2	41	2.2
30-39	962	25.4	773	25.9	189	23.7	714	23.9	17,389	16.0	152	8.1
40-49	934	24.7	687	23.0	247	31.0	989	33.1	39,135	36.0	529	28.3
50-59	463	12.2	305	10.2	158	19.8	582	19.5	30,265	27.8	709	37.9
60+	163	4.3	91	3.0	72	9.0	199	6.7	12,262	11.3	434	23.2
<b>BOROUGH OF RESIDENCE</b>												
Bronx	755	20.0	593	19.9	162	20.4	699	23.4	23,033	21.2	502	26.8
Brooklyn	993	26.3	757	25.4	236	29.6	800	26.8	26,670	24.5	518	27.7
Manhattan	991	26.2	799	26.8	192	24.1	744	24.9	32,570	29.9	487	26.0
Queens	629	16.6	479	16.0	150	18.8	430	14.4	15,443	14.2	229	12.2
Staten Island	65	1.7	52	1.7	13	1.6	51	1.7	1,888	1.7	47	2.5
Outside NYC	333	8.8	290	9.7	43	5.4	191	6.4	8,431	7.7	73	3.9
Unknown	16	0.4	16	0.5	0	0.0	75	2.5	756	0.7	15	0.8
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,659	43.9	1,414	47.4	245	30.8	939	31.4	36,253	33.3	284	15.2
Injection drug use history	196	5.2	155	5.2	41	5.2	364	12.2	20,966	19.3	712	38.1
Heterosexual	840	22.2	630	21.1	210	26.4	746	24.9	20,795	19.1	321	17.2
Perinatal	12	0.3	11	0.4	1	0.1	43	1.4	2,473	2.3	11	0.6
Other	0	0.0	0	0.0	0	0.0	4	0.1	256	0.2	6	0.3
Unknown	1,075	28.4	776	26.0	299	37.6	894	29.9	28,048	25.8	537	28.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43,479	40.0	282	15.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	65,312	60.0	1,589	84.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>2,878</b>	<b>100.0</b>	<b>2,264</b>	<b>78.7</b>	<b>614</b>	<b>21.3</b>	<b>2,125</b>	<b>100.0</b>	<b>77,069</b>	<b>100.0</b>	<b>1,248</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,248	43.4	963	42.5	285	46.4	979	46.1	30,256	39.3	620	49.7
Hispanic	926	32.2	722	31.9	204	33.2	720	33.9	25,132	32.6	440	35.3
White	589	20.5	494	21.8	95	15.5	363	17.1	19,755	25.6	175	14.0
Asian/Pacific Islander	102	3.5	76	3.4	26	4.2	53	2.5	1,394	1.8	8	0.6
Native American	10	0.3	6	0.3	4	0.7	9	0.4	181	0.2	3	0.2
Multiracial	3	0.1	3	0.1	0	0.0	1	0.0	33	0.0	2	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	318	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	3	0.1	3	0.1	0	0.0	0	0.0	193	0.3	1	0.1
13-19	130	4.5	118	5.2	12	2.0	36	1.7	763	1.0	1	0.1
20-29	918	31.9	822	36.3	96	15.6	357	16.8	5,688	7.4	26	2.1
30-39	745	25.9	590	26.1	155	25.2	520	24.5	11,974	15.5	94	7.5
40-49	682	23.7	485	21.4	197	32.1	683	32.1	27,486	35.7	319	25.6
50-59	301	10.5	193	8.5	108	17.6	398	18.7	21,733	28.2	480	38.5
60+	99	3.4	53	2.3	46	7.5	131	6.2	9,232	12.0	327	26.2
<b>BOROUGH OF RESIDENCE</b>												
Bronx	490	17.0	380	16.8	110	17.9	427	20.1	13,827	17.9	304	24.4
Brooklyn	724	25.2	547	24.2	177	28.8	551	25.9	17,031	22.1	335	26.8
Manhattan	837	29.1	672	29.7	165	26.9	602	28.3	26,514	34.4	358	28.7
Queens	487	16.9	371	16.4	116	18.9	318	15.0	10,959	14.2	154	12.3
Staten Island	42	1.5	34	1.5	8	1.3	32	1.5	1,214	1.6	30	2.4
Outside NYC	285	9.9	247	10.9	38	6.2	148	7.0	6,965	9.0	55	4.4
Unknown	13	0.5	13	0.6	0	0.0	47	2.2	559	0.7	12	1.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,659	57.6	1,414	62.5	245	39.9	939	44.2	36,253	47.0	284	22.8
Injection drug use history	136	4.7	104	4.6	32	5.2	256	12.0	14,881	19.3	492	39.4
Heterosexual	204	7.1	132	5.8	72	11.7	225	10.6	5,619	7.3	99	7.9
Perinatal	3	0.1	3	0.1	0	0.0	17	0.8	1,206	1.6	4	0.3
Other	0	0.0	0	0.0	0	0.0	3	0.1	129	0.2	4	0.3
Unknown	876	30.4	611	27.0	265	43.2	685	32.2	18,981	24.6	365	29.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30,619	39.7	188	15.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	46,450	60.3	1,060	84.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>904</b>	<b>100.0</b>	<b>722</b>	<b>79.9</b>	<b>182</b>	<b>20.1</b>	<b>865</b>	<b>100.0</b>	<b>31,722</b>	<b>100.0</b>	<b>623</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	560	61.9	448	62.0	112	61.5	530	61.3	18,414	58.0	360	57.8
Hispanic	278	30.8	223	30.9	55	30.2	279	32.3	10,341	32.6	218	35.0
White	48	5.3	37	5.1	11	6.0	40	4.6	2,453	7.7	38	6.1
Asian/Pacific Islander	14	1.5	10	1.4	4	2.2	13	1.5	331	1.0	2	0.3
Native American	4	0.4	4	0.6	0	0.0	3	0.3	73	0.2	5	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	97	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	8	0.9	8	1.1	0	0.0	0	0.0	213	0.7	0	0.0
13-19	40	4.4	35	4.8	5	2.7	31	3.6	725	2.3	4	0.6
20-29	161	17.8	144	19.9	17	9.3	82	9.5	2,158	6.8	15	2.4
30-39	217	24.0	183	25.3	34	18.7	194	22.4	5,415	17.1	58	9.3
40-49	252	27.9	202	28.0	50	27.5	306	35.4	11,649	36.7	210	33.7
50-59	162	17.9	112	15.5	50	27.5	184	21.3	8,532	26.9	229	36.8
60+	64	7.1	38	5.3	26	14.3	68	7.9	3,030	9.6	107	17.2
<b>BOROUGH OF RESIDENCE</b>												
Bronx	265	29.3	213	29.5	52	28.6	272	31.4	9,206	29.0	198	31.8
Brooklyn	269	29.8	210	29.1	59	32.4	249	28.8	9,639	30.4	183	29.4
Manhattan	154	17.0	127	17.6	27	14.8	142	16.4	6,056	19.1	129	20.7
Queens	142	15.7	108	15.0	34	18.7	112	12.9	4,484	14.1	75	12.0
Staten Island	23	2.5	18	2.5	5	2.7	19	2.2	674	2.1	17	2.7
Outside NYC	48	5.3	43	6.0	5	2.7	43	5.0	1,466	4.6	18	2.9
Unknown	3	0.3	3	0.4	0	0.0	28	3.2	197	0.6	3	0.5
<b>TRANSMISSION RISK</b>												
Injection drug use history	60	6.6	51	7.1	9	4.9	108	12.5	6,085	19.2	220	35.3
Heterosexual	636	70.4	498	69.0	138	75.8	521	60.2	15,176	47.8	222	35.6
Perinatal	9	1.0	8	1.1	1	0.5	26	3.0	1,267	4.0	7	1.1
Other	0	0.0	0	0.0	0	0.0	1	0.1	127	0.4	2	0.3
Unknown	199	22.0	165	22.9	34	18.7	209	24.2	9,067	28.6	172	27.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,860	40.5	94	15.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,862	59.5	529	84.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,248</b>	<b>100.0</b>	<b>963</b>	<b>77.2</b>	<b>285</b>	<b>22.8</b>	<b>979</b>	<b>100.0</b>	<b>30,256</b>	<b>100.0</b>	<b>620</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	117	0.4	1	0.2
13-19	86	6.9	78	8.1	8	2.8	23	2.3	481	1.6	0	0.0
20-29	407	32.6	366	38.0	41	14.4	166	17.0	2,775	9.2	13	2.1
30-39	272	21.8	205	21.3	67	23.5	204	20.8	4,331	14.3	39	6.3
40-49	288	23.1	192	19.9	96	33.7	318	32.5	9,923	32.8	147	23.7
50-59	149	11.9	96	10.0	53	18.6	203	20.7	8,813	29.1	242	39.0
60+	45	3.6	25	2.6	20	7.0	65	6.6	3,816	12.6	178	28.7
<b>BOROUGH OF RESIDENCE</b>												
Bronx	226	18.1	171	17.8	55	19.3	197	20.1	5,833	19.3	130	21.0
Brooklyn	452	36.2	347	36.0	105	36.8	329	33.6	9,951	32.9	219	35.3
Manhattan	281	22.5	213	22.1	68	23.9	244	24.9	7,815	25.8	152	24.5
Queens	173	13.9	132	13.7	41	14.4	113	11.5	3,879	12.8	75	12.1
Staten Island	16	1.3	13	1.3	3	1.1	15	1.5	414	1.4	10	1.6
Outside NYC	92	7.4	79	8.2	13	4.6	60	6.1	2,149	7.1	27	4.4
Unknown	8	0.6	8	0.8	0	0.0	21	2.1	215	0.7	7	1.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	600	48.1	505	52.4	95	33.3	356	36.4	10,620	35.1	120	19.4
Injection drug use history	45	3.6	34	3.5	11	3.9	104	10.6	6,062	20.0	222	35.8
Heterosexual	104	8.3	72	7.5	32	11.2	119	12.2	3,043	10.1	55	8.9
Perinatal	1	0.1	1	0.1	0	0.0	11	1.1	680	2.2	1	0.2
Other	0	0.0	0	0.0	0	0.0	1	0.1	39	0.1	1	0.2
Unknown	498	39.9	351	36.4	147	51.6	388	39.6	9,812	32.4	221	35.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,487	38.0	90	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,769	62.0	530	85.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>560</b>	<b>100.0</b>	<b>448</b>	<b>80.0</b>	<b>112</b>	<b>20.0</b>	<b>530</b>	<b>100.0</b>	<b>18,414</b>	<b>100.0</b>	<b>360</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	4	0.7	4	0.9	0	0.0	0	0.0	121	0.7	0	0.0
13-19	28	5.0	25	5.6	3	2.7	12	2.3	451	2.4	1	0.3
20-29	101	18.0	89	19.9	12	10.7	54	10.2	1,320	7.2	9	2.5
30-39	135	24.1	114	25.4	21	18.8	123	23.2	3,321	18.0	32	8.9
40-49	156	27.9	128	28.6	28	25.0	192	36.2	6,716	36.5	118	32.8
50-59	104	18.6	68	15.2	36	32.1	116	21.9	4,864	26.4	135	37.5
60+	32	5.7	20	4.5	12	10.7	33	6.2	1,621	8.8	65	18.1
<b>BOROUGH OF RESIDENCE</b>												
Bronx	140	25.0	111	24.8	29	25.9	134	25.3	4,604	25.0	95	26.4
Brooklyn	199	35.5	159	35.5	40	35.7	180	34.0	6,676	36.3	125	34.7
Manhattan	95	17.0	80	17.9	15	13.4	93	17.5	3,359	18.2	76	21.1
Queens	81	14.5	57	12.7	24	21.4	69	13.0	2,605	14.1	46	12.8
Staten Island	14	2.5	12	2.7	2	1.8	10	1.9	323	1.8	8	2.2
Outside NYC	28	5.0	26	5.8	2	1.8	28	5.3	734	4.0	7	1.9
Unknown	3	0.5	3	0.7	0	0.0	16	3.0	113	0.6	3	0.8
<b>TRANSMISSION RISK</b>												
Injection drug use history	25	4.5	21	4.7	4	3.6	47	8.9	2,952	16.0	110	30.6
Heterosexual	398	71.1	307	68.5	91	81.3	334	63.0	8,925	48.5	135	37.5
Perinatal	4	0.7	4	0.9	0	0.0	10	1.9	732	4.0	3	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.2	68	0.4	2	0.6
Unknown	133	23.8	116	25.9	17	15.2	138	26.0	5,737	31.2	110	30.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,689	41.8	58	16.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,725	58.2	302	83.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>926</b>	<b>100.0</b>	<b>722</b>	<b>78.0</b>	<b>204</b>	<b>22.0</b>	<b>720</b>	<b>100.0</b>	<b>25,132</b>	<b>100.0</b>	<b>440</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	2	0.2	2	0.3	0	0.0	0	0.0	63	0.3	0	0.0
13-19	30	3.2	26	3.6	4	2.0	13	1.8	241	1.0	1	0.2
20-29	314	33.9	279	38.6	35	17.2	134	18.6	1,960	7.8	9	2.0
30-39	262	28.3	205	28.4	57	27.9	199	27.6	4,353	17.3	46	10.5
40-49	200	21.6	144	19.9	56	27.5	206	28.6	9,262	36.9	119	27.0
50-59	89	9.6	52	7.2	37	18.1	129	17.9	6,645	26.4	165	37.5
60+	29	3.1	14	1.9	15	7.4	39	5.4	2,608	10.4	100	22.7
<b>BOROUGH OF RESIDENCE</b>												
Bronx	234	25.3	183	25.3	51	25.0	209	29.0	7,169	28.5	163	37.0
Brooklyn	155	16.7	109	15.1	46	22.5	146	20.3	4,322	17.2	89	20.2
Manhattan	230	24.8	178	24.7	52	25.5	171	23.8	7,140	28.4	106	24.1
Queens	204	22.0	165	22.9	39	19.1	134	18.6	4,454	17.7	52	11.8
Staten Island	10	1.1	8	1.1	2	1.0	10	1.4	314	1.2	7	1.6
Outside NYC	90	9.7	76	10.5	14	6.9	33	4.6	1,570	6.2	21	4.8
Unknown	3	0.3	3	0.4	0	0.0	17	2.4	163	0.6	2	0.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	536	57.9	455	63.0	81	39.7	302	41.9	10,277	40.9	80	18.2
Injection drug use history	70	7.6	56	7.8	14	6.9	121	16.8	6,803	27.1	212	48.2
Heterosexual	75	8.1	48	6.6	27	13.2	77	10.7	1,913	7.6	36	8.2
Perinatal	2	0.2	2	0.3	0	0.0	5	0.7	440	1.8	2	0.5
Other	0	0.0	0	0.0	0	0.0	1	0.1	33	0.1	2	0.5
Unknown	243	26.2	161	22.3	82	40.2	214	29.7	5,666	22.5	108	24.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,101	36.2	61	13.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,031	63.8	379	86.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>278</b>	<b>100.0</b>	<b>223</b>	<b>80.2</b>	<b>55</b>	<b>19.8</b>	<b>279</b>	<b>100.0</b>	<b>10,341</b>	<b>100.0</b>	<b>218</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	4	1.4	4	1.8	0	0.0	0	0.0	81	0.8	0	0.0
13-19	12	4.3	10	4.5	2	3.6	18	6.5	234	2.3	2	0.9
20-29	47	16.9	44	19.7	3	5.5	24	8.6	675	6.5	5	2.3
30-39	61	21.9	53	23.8	8	14.5	59	21.1	1,642	15.9	24	11.0
40-49	82	29.5	65	29.1	17	30.9	94	33.7	3,833	37.1	76	34.9
50-59	45	16.2	33	14.8	12	21.8	53	19.0	2,788	27.0	77	35.3
60+	27	9.7	14	6.3	13	23.6	31	11.1	1,088	10.5	34	15.6
<b>BOROUGH OF RESIDENCE</b>												
Bronx	112	40.3	92	41.3	20	36.4	125	44.8	4,236	41.0	97	44.5
Brooklyn	57	20.5	42	18.8	15	27.3	60	21.5	2,284	22.1	47	21.6
Manhattan	51	18.3	41	18.4	10	18.2	40	14.3	1,994	19.3	46	21.1
Queens	42	15.1	35	15.7	7	12.7	31	11.1	1,213	11.7	17	7.8
Staten Island	5	1.8	3	1.3	2	3.6	7	2.5	163	1.6	5	2.3
Outside NYC	11	4.0	10	4.5	1	1.8	6	2.2	396	3.8	6	2.8
Unknown	0	0.0	0	0.0	0	0.0	10	3.6	55	0.5	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	27	9.7	24	10.8	3	5.5	48	17.2	2,407	23.3	88	40.4
Heterosexual	193	69.4	157	70.4	36	65.5	159	57.0	4,947	47.8	71	32.6
Perinatal	5	1.8	4	1.8	1	1.8	15	5.4	453	4.4	3	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	29	0.3	0	0.0
Unknown	53	19.1	38	17.0	15	27.3	57	20.4	2,505	24.2	56	25.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,871	37.4	25	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,470	62.6	193	88.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>589</b>	<b>100.0</b>	<b>494</b>	<b>83.9</b>	<b>95</b>	<b>16.1</b>	<b>363</b>	<b>100.0</b>	<b>19,755</b>	<b>100.0</b>	<b>175</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	0	0.0
13-19	11	1.9	11	2.2	0	0.0	0	0.0	29	0.1	0	0.0
20-29	175	29.7	157	31.8	18	18.9	49	13.5	817	4.1	3	1.7
30-39	172	29.2	151	30.6	21	22.1	97	26.7	2,838	14.4	8	4.6
40-49	156	26.5	126	25.5	30	31.6	134	36.9	7,593	38.4	49	28.0
50-59	53	9.0	37	7.5	16	16.8	60	16.5	5,843	29.6	70	40.0
60+	22	3.7	12	2.4	10	10.5	23	6.3	2,627	13.3	45	25.7
<b>BOROUGH OF RESIDENCE</b>												
Bronx	20	3.4	18	3.6	2	2.1	13	3.6	686	3.5	9	5.1
Brooklyn	96	16.3	75	15.2	21	22.1	68	18.7	2,442	12.4	25	14.3
Manhattan	299	50.8	258	52.2	41	43.2	176	48.5	10,779	54.6	94	53.7
Queens	65	11.0	47	9.5	18	18.9	41	11.3	2,116	10.7	24	13.7
Staten Island	15	2.5	12	2.4	3	3.2	7	1.9	462	2.3	13	7.4
Outside NYC	93	15.8	83	16.8	10	10.5	49	13.5	3,108	15.7	7	4.0
Unknown	1	0.2	1	0.2	0	0.0	9	2.5	162	0.8	3	1.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	458	77.8	402	81.4	56	58.9	249	68.6	14,429	73.0	83	47.4
Injection drug use history	19	3.2	13	2.6	6	6.3	27	7.4	1,918	9.7	58	33.1
Heterosexual	11	1.9	4	0.8	7	7.4	17	4.7	499	2.5	4	2.3
Perinatal	0	0.0	0	0.0	0	0.0	1	0.3	65	0.3	1	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.3	51	0.3	1	0.6
Unknown	101	17.1	75	15.2	26	27.4	68	18.7	2,793	14.1	28	16.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,015	45.6	31	17.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,740	54.4	144	82.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>48</b>	<b>100.0</b>	<b>37</b>	<b>77.1</b>	<b>11</b>	<b>22.9</b>	<b>40</b>	<b>100.0</b>	<b>2,453</b>	<b>100.0</b>	<b>38</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	2.5	32	1.3	1	2.6
20-29	6	12.5	6	16.2	0	0.0	2	5.0	122	5.0	0	0.0
30-39	13	27.1	9	24.3	4	36.4	7	17.5	318	13.0	1	2.6
40-49	13	27.1	8	21.6	5	45.5	16	40.0	936	38.2	14	36.8
50-59	11	22.9	10	27.0	1	9.1	11	27.5	750	30.6	15	39.5
60+	5	10.4	4	10.8	1	9.1	3	7.5	285	11.6	7	18.4
<b>BOROUGH OF RESIDENCE</b>												
Bronx	9	18.8	8	21.6	1	9.1	10	25.0	294	12.0	6	15.8
Brooklyn	9	18.8	5	13.5	4	36.4	5	12.5	547	22.3	7	18.4
Manhattan	8	16.7	6	16.2	2	18.2	8	20.0	599	24.4	6	15.8
Queens	10	20.8	9	24.3	1	9.1	6	15.0	501	20.4	11	28.9
Staten Island	4	8.3	3	8.1	1	9.1	2	5.0	179	7.3	4	10.5
Outside NYC	8	16.7	6	16.2	2	18.2	8	20.0	311	12.7	4	10.5
Unknown	0	0.0	0	0.0	0	0.0	1	2.5	22	0.9	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	8	16.7	6	16.2	2	18.2	10	25.0	697	28.4	20	52.6
Heterosexual	28	58.3	21	56.8	7	63.6	19	47.5	1,052	42.9	12	31.6
Perinatal	0	0.0	0	0.0	0	0.0	1	2.5	70	2.9	1	2.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.9	0	0.0
Unknown	12	25.0	10	27.0	2	18.2	10	25.0	611	24.9	5	13.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,008	41.1	10	26.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,445	58.9	28	73.7

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>102</b>	<b>100.0</b>	<b>76</b>	<b>74.5</b>	<b>26</b>	<b>25.5</b>	<b>53</b>	<b>100.0</b>	<b>1,394</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	3	2.9	3	3.9	0	0.0	0	0.0	8	0.6	0	0.0
20-29	20	19.6	18	23.7	2	7.7	7	13.2	104	7.5	0	0.0
30-39	35	34.3	27	35.5	8	30.8	17	32.1	367	26.3	0	0.0
40-49	34	33.3	20	26.3	14	53.8	24	45.3	517	37.1	2	25.0
50-59	8	7.8	7	9.2	1	3.8	3	5.7	280	20.1	2	25.0
60+	2	2.0	1	1.3	1	3.8	2	3.8	115	8.2	4	50.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	7	6.9	7	9.2	0	0.0	3	5.7	73	5.2	0	0.0
Brooklyn	16	15.7	12	15.8	4	15.4	7	13.2	243	17.4	1	12.5
Manhattan	22	21.6	19	25.0	3	11.5	9	17.0	504	36.2	4	50.0
Queens	45	44.1	27	35.5	18	69.2	28	52.8	438	31.4	3	37.5
Staten Island	1	1.0	1	1.3	0	0.0	0	0.0	13	0.9	0	0.0
Outside NYC	10	9.8	9	11.8	1	3.8	6	11.3	117	8.4	0	0.0
Unknown	1	1.0	1	1.3	0	0.0	0	0.0	6	0.4	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	59	57.8	47	61.8	12	46.2	28	52.8	783	56.2	1	12.5
Injection drug use history	1	1.0	1	1.3	0	0.0	2	3.8	59	4.2	0	0.0
Heterosexual	14	13.7	8	10.5	6	23.1	12	22.6	144	10.3	3	37.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	28	27.5	20	26.3	8	30.8	11	20.8	394	28.3	4	50.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	636	45.6	4	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	758	54.4	4	50.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>14</b>	<b>100.0</b>	<b>10</b>	<b>71.4</b>	<b>4</b>	<b>28.6</b>	<b>13</b>	<b>100.0</b>	<b>331</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0
20-29	6	42.9	4	40.0	2	50.0	2	15.4	29	8.8	1	50.0
30-39	5	35.7	4	40.0	1	25.0	5	38.5	106	32.0	0	0.0
40-49	1	7.1	1	10.0	0	0.0	3	23.1	95	28.7	0	0.0
50-59	2	14.3	1	10.0	1	25.0	2	15.4	70	21.1	1	50.0
60+	0	0.0	0	0.0	0	0.0	1	7.7	28	8.5	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	2	14.3	0	0.0	2	50.0	2	15.4	35	10.6	0	0.0
Brooklyn	2	14.3	2	20.0	0	0.0	3	23.1	78	23.6	1	50.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	61	18.4	0	0.0
Queens	9	64.3	7	70.0	2	50.0	6	46.2	131	39.6	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Outside NYC	1	7.1	1	10.0	0	0.0	1	7.7	21	6.3	1	50.0
Unknown	0	0.0	0	0.0	0	0.0	1	7.7	3	0.9	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	1	7.7	14	4.2	0	0.0
Heterosexual	13	92.9	9	90.0	4	100.0	8	61.5	186	56.2	2	100.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Unknown	1	7.1	1	10.0	0	0.0	4	30.8	122	36.9	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	163	49.2	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	168	50.8	2	100.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>10</b>	<b>100.0</b>	<b>6</b>	<b>60.0</b>	<b>4</b>	<b>40.0</b>	<b>9</b>	<b>100.0</b>	<b>181</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	10.0	1	16.7	0	0.0	1	11.1	18	9.9	0	0.0
30-39	3	30.0	1	16.7	2	50.0	3	33.3	46	25.4	1	33.3
40-49	4	40.0	3	50.0	1	25.0	1	11.1	60	33.1	2	66.7
50-59	1	10.0	0	0.0	1	25.0	2	22.2	40	22.1	0	0.0
60+	1	10.0	1	16.7	0	0.0	2	22.2	17	9.4	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	2	20.0	0	0.0	2	50.0	5	55.6	35	19.3	1	33.3
Brooklyn	3	30.0	2	33.3	1	25.0	1	11.1	33	18.2	0	0.0
Manhattan	5	50.0	4	66.7	1	25.0	1	11.1	59	32.6	2	66.7
Queens	0	0.0	0	0.0	0	0.0	2	22.2	34	18.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	15	8.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	5	50.0	4	66.7	1	25.0	4	44.4	83	45.9	0	0.0
Injection drug use history	1	10.0	0	0.0	1	25.0	2	22.2	26	14.4	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	14	7.7	1	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
Unknown	4	40.0	2	33.3	2	50.0	3	33.3	56	30.9	2	66.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	77	42.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	104	57.5	3	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>	<b>3</b>	<b>100.0</b>	<b>73</b>	<b>100.0</b>	<b>5</b>	<b>100.0</b>
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	0	0.0
20-29	1	25.0	1	25.0	0	0.0	0	0.0	5	6.8	0	0.0
30-39	3	75.0	3	75.0	0	0.0	0	0.0	11	15.1	1	20.0
40-49	0	0.0	0	0.0	0	0.0	1	33.3	33	45.2	2	40.0
50-59	0	0.0	0	0.0	0	0.0	2	66.7	19	26.0	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	1	20.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	2	50.0	2	50.0	0	0.0	1	33.3	18	24.7	0	0.0
Brooklyn	2	50.0	2	50.0	0	0.0	1	33.3	28	38.4	3	60.0
Manhattan	0	0.0	0	0.0	0	0.0	1	33.3	12	16.4	1	20.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	15.1	1	20.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	2	66.7	8	11.0	2	40.0
Heterosexual	4	100.0	4	100.0	0	0.0	1	33.3	44	60.3	2	40.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	23.3	1	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	35	47.9	1	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	38	52.1	4	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>3</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>193</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1	33.3	1	33.3	0	0.0	0	0.0	117	60.6	1	100.0
Hispanic	2	66.7	2	66.7	0	0.0	0	0.0	63	32.6	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	8	4.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	2	66.7	2	66.7	0	0.0	0	0.0	69	35.8	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	59	30.6	0	0.0
Manhattan	1	33.3	1	33.3	0	0.0	0	0.0	35	18.1	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	18	9.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	2.1	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	8	4.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	3	100.0	3	100.0	0	0.0	0	0.0	193	100.0	1	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	179	92.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14	7.3	1	100.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>8</b>	<b>100.0</b>	<b>8</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>213</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>
<b>RACE/ETHNICITY</b>												
Black	4	50.0	4	50.0	0	0.0	0	0.0	121	56.8	0	0.0
Hispanic	4	50.0	4	50.0	0	0.0	0	0.0	81	38.0	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	10	4.7	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	3	37.5	3	37.5	0	0.0	0	0.0	79	37.1	0	0.0
Brooklyn	2	25.0	2	25.0	0	0.0	0	0.0	53	24.9	0	0.0
Manhattan	1	12.5	1	12.5	0	0.0	0	0.0	33	15.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	25	11.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	9	4.2	0	0.0
Outside NYC	2	25.0	2	25.0	0	0.0	0	0.0	12	5.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
<b>TRANSMISSION RISK</b>												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	8	100.0	8	100.0	0	0.0	0	0.0	213	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	202	94.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11	5.2	0	0.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>2,875</b>	<b>100.0</b>	<b>2,261</b>	<b>78.6</b>	<b>614</b>	<b>21.4</b>	<b>2,125</b>	<b>100.0</b>	<b>76,876</b>	<b>100.0</b>	<b>1,247</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	1,247	43.4	962	42.5	285	46.4	979	46.1	30,139	39.2	619	49.6
Hispanic	924	32.1	720	31.8	204	33.2	720	33.9	25,069	32.6	440	35.3
White	589	20.5	494	21.8	95	15.5	363	17.1	19,747	25.7	175	14.0
Asian/Pacific Islander	102	3.5	76	3.4	26	4.2	53	2.5	1,391	1.8	8	0.6
Native American	10	0.3	6	0.3	4	0.7	9	0.4	181	0.2	3	0.2
Multiracial	3	0.1	3	0.1	0	0.0	1	0.0	32	0.0	2	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	317	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
13-19	130	4.5	118	5.2	12	2.0	36	1.7	763	1.0	1	0.1
20-29	918	31.9	822	36.4	96	15.6	357	16.8	5,688	7.4	26	2.1
30-39	745	25.9	590	26.1	155	25.2	520	24.5	11,974	15.6	94	7.5
40-49	682	23.7	485	21.5	197	32.1	683	32.1	27,486	35.8	319	25.6
50-59	301	10.5	193	8.5	108	17.6	398	18.7	21,733	28.3	480	38.5
60+	99	3.4	53	2.3	46	7.5	131	6.2	9,232	12.0	327	26.2
<b>BOROUGH OF RESIDENCE</b>												
Bronx	488	17.0	378	16.7	110	17.9	427	20.1	13,758	17.9	304	24.4
Brooklyn	724	25.2	547	24.2	177	28.8	551	25.9	16,972	22.1	335	26.9
Manhattan	836	29.1	671	29.7	165	26.9	602	28.3	26,479	34.4	358	28.7
Queens	487	16.9	371	16.4	116	18.9	318	15.0	10,941	14.2	154	12.3
Staten Island	42	1.5	34	1.5	8	1.3	32	1.5	1,210	1.6	30	2.4
Outside NYC	285	9.9	247	10.9	38	6.2	148	7.0	6,957	9.0	55	4.4
Unknown	13	0.5	13	0.6	0	0.0	47	2.2	559	0.7	11	0.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1,659	57.7	1,414	62.5	245	39.9	939	44.2	36,253	47.2	284	22.8
Injection drug use history	136	4.7	104	4.6	32	5.2	256	12.0	14,881	19.4	492	39.5
Heterosexual	204	7.1	132	5.8	72	11.7	225	10.6	5,619	7.3	99	7.9
Perinatal	0	0.0	0	0.0	0	0.0	17	0.8	1,013	1.3	3	0.2
Other	0	0.0	0	0.0	0	0.0	3	0.1	129	0.2	4	0.3
Unknown	876	30.5	611	27.0	265	43.2	685	32.2	18,981	24.7	365	29.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30,440	39.6	188	15.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	46,436	60.4	1,059	84.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>896</b>	<b>100.0</b>	<b>714</b>	<b>79.7</b>	<b>182</b>	<b>20.3</b>	<b>865</b>	<b>100.0</b>	<b>31,509</b>	<b>100.0</b>	<b>623</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	556	62.1	444	62.2	112	61.5	530	61.3	18,293	58.1	360	57.8
Hispanic	274	30.6	219	30.7	55	30.2	279	32.3	10,260	32.6	218	35.0
White	48	5.4	37	5.2	11	6.0	40	4.6	2,443	7.8	38	6.1
Asian/Pacific Islander	14	1.6	10	1.4	4	2.2	13	1.5	331	1.1	2	0.3
Native American	4	0.4	4	0.6	0	0.0	3	0.3	72	0.2	5	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	97	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
13-19	40	4.5	35	4.9	5	2.7	31	3.6	725	2.3	4	0.6
20-29	161	18.0	144	20.2	17	9.3	82	9.5	2,158	6.8	15	2.4
30-39	217	24.2	183	25.6	34	18.7	194	22.4	5,415	17.2	58	9.3
40-49	252	28.1	202	28.3	50	27.5	306	35.4	11,649	37.0	210	33.7
50-59	162	18.1	112	15.7	50	27.5	184	21.3	8,532	27.1	229	36.8
60+	64	7.1	38	5.3	26	14.3	68	7.9	3,030	9.6	107	17.2
<b>BOROUGH OF RESIDENCE</b>												
Bronx	262	29.2	210	29.4	52	28.6	272	31.4	9,127	29.0	198	31.8
Brooklyn	267	29.8	208	29.1	59	32.4	249	28.8	9,586	30.4	183	29.4
Manhattan	153	17.1	126	17.6	27	14.8	142	16.4	6,023	19.1	129	20.7
Queens	142	15.8	108	15.1	34	18.7	112	12.9	4,459	14.2	75	12.0
Staten Island	23	2.6	18	2.5	5	2.7	19	2.2	665	2.1	17	2.7
Outside NYC	46	5.1	41	5.7	5	2.7	43	5.0	1,454	4.6	18	2.9
Unknown	3	0.3	3	0.4	0	0.0	28	3.2	195	0.6	3	0.5
<b>TRANSMISSION RISK</b>												
Injection drug use history	60	6.7	51	7.1	9	4.9	108	12.5	6,085	19.3	220	35.3
Heterosexual	636	71.0	498	69.7	138	75.8	521	60.2	15,176	48.2	222	35.6
Perinatal	1	0.1	0	0.0	1	0.5	26	3.0	1,054	3.3	7	1.1
Other	0	0.0	0	0.0	0	0.0	1	0.1	127	0.4	2	0.3
Unknown	199	22.2	165	23.1	34	18.7	209	24.2	9,067	28.8	172	27.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,658	40.2	94	15.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18,851	59.8	529	84.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>490</b>	<b>100.0</b>	<b>380</b>	<b>77.6</b>	<b>110</b>	<b>22.4</b>	<b>427</b>	<b>100.0</b>	<b>13,827</b>	<b>100.0</b>	<b>304</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	226	46.1	171	45.0	55	50.0	197	46.1	5,833	42.2	130	42.8
Hispanic	234	47.8	183	48.2	51	46.4	209	48.9	7,169	51.8	163	53.6
White	20	4.1	18	4.7	2	1.8	13	3.0	686	5.0	9	3.0
Asian/Pacific Islander	7	1.4	7	1.8	0	0.0	3	0.7	73	0.5	0	0.0
Native American	2	0.4	0	0.0	2	1.8	5	1.2	35	0.3	1	0.3
Multiracial	1	0.2	1	0.3	0	0.0	0	0.0	2	0.0	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	2	0.4	2	0.5	0	0.0	0	0.0	69	0.5	0	0.0
13-19	28	5.7	25	6.6	3	2.7	11	2.6	204	1.5	1	0.3
20-29	145	29.6	128	33.7	17	15.5	73	17.1	1,149	8.3	4	1.3
30-39	104	21.2	84	22.1	20	18.2	86	20.1	1,991	14.4	15	4.9
40-49	127	25.9	84	22.1	43	39.1	139	32.6	4,723	34.2	75	24.7
50-59	60	12.2	43	11.3	17	15.5	94	22.0	4,102	29.7	131	43.1
60+	24	4.9	14	3.7	10	9.1	24	5.6	1,589	11.5	78	25.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	196	40.0	173	45.5	23	20.9	114	26.7	3,858	27.9	28	9.2
Injection drug use history	36	7.3	30	7.9	6	5.5	76	17.8	3,904	28.2	153	50.3
Heterosexual	62	12.7	39	10.3	23	20.9	68	15.9	1,363	9.9	33	10.9
Perinatal	2	0.4	2	0.5	0	0.0	8	1.9	377	2.7	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	194	39.6	136	35.8	58	52.7	161	37.7	4,305	31.1	89	29.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,077	36.7	45	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,750	63.3	259	85.2

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>265</b>	<b>100.0</b>	<b>213</b>	<b>80.4</b>	<b>52</b>	<b>19.6</b>	<b>272</b>	<b>100.0</b>	<b>9,206</b>	<b>100.0</b>	<b>198</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	140	52.8	111	52.1	29	55.8	134	49.3	4,604	50.0	95	48.0
Hispanic	112	42.3	92	43.2	20	38.5	125	46.0	4,236	46.0	97	49.0
White	9	3.4	8	3.8	1	1.9	10	3.7	294	3.2	6	3.0
Asian/Pacific Islander	2	0.8	0	0.0	2	3.8	2	0.7	35	0.4	0	0.0
Native American	2	0.8	2	0.9	0	0.0	1	0.4	18	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	3	1.1	3	1.4	0	0.0	0	0.0	79	0.9	0	0.0
13-19	11	4.2	9	4.2	2	3.8	15	5.5	235	2.6	1	0.5
20-29	52	19.6	48	22.5	4	7.7	27	9.9	656	7.1	2	1.0
30-39	63	23.8	54	25.4	9	17.3	62	22.8	1,714	18.6	25	12.6
40-49	71	26.8	58	27.2	13	25.0	91	33.5	3,377	36.7	67	33.8
50-59	48	18.1	30	14.1	18	34.6	59	21.7	2,303	25.0	66	33.3
60+	17	6.4	11	5.2	6	11.5	18	6.6	842	9.1	37	18.7
<b>TRANSMISSION RISK</b>												
Injection drug use history	26	9.8	23	10.8	3	5.8	38	14.0	1,783	19.4	69	34.8
Heterosexual	200	75.5	154	72.3	46	88.5	169	62.1	4,277	46.5	71	35.9
Perinatal	3	1.1	3	1.4	0	0.0	10	3.7	399	4.3	1	0.5
Other	0	0.0	0	0.0	0	0.0	1	0.4	27	0.3	0	0.0
Unknown	36	13.6	33	15.5	3	5.8	54	19.9	2,720	29.5	57	28.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,800	41.3	24	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,406	58.7	174	87.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>724</b>	<b>100.0</b>	<b>547</b>	<b>75.6</b>	<b>177</b>	<b>24.4</b>	<b>551</b>	<b>100.0</b>	<b>17,031</b>	<b>100.0</b>	<b>335</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	452	62.4	347	63.4	105	59.3	329	59.7	9,951	58.4	219	65.4
Hispanic	155	21.4	109	19.9	46	26.0	146	26.5	4,322	25.4	89	26.6
White	96	13.3	75	13.7	21	11.9	68	12.3	2,442	14.3	25	7.5
Asian/Pacific Islander	16	2.2	12	2.2	4	2.3	7	1.3	243	1.4	1	0.3
Native American	3	0.4	2	0.4	1	0.6	1	0.2	33	0.2	0	0.0
Multiracial	2	0.3	2	0.4	0	0.0	0	0.0	12	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	59	0.3	0	0.0
13-19	40	5.5	35	6.4	5	2.8	13	2.4	265	1.6	0	0.0
20-29	240	33.1	218	39.9	22	12.4	106	19.2	1,543	9.1	14	4.2
30-39	182	25.1	133	24.3	49	27.7	137	24.9	2,749	16.1	25	7.5
40-49	154	21.3	99	18.1	55	31.1	166	30.1	5,762	33.8	90	26.9
50-59	81	11.2	48	8.8	33	18.6	93	16.9	4,579	26.9	120	35.8
60+	27	3.7	14	2.6	13	7.3	36	6.5	2,074	12.2	86	25.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	391	54.0	323	59.0	68	38.4	253	45.9	6,584	38.7	64	19.1
Injection drug use history	38	5.2	23	4.2	15	8.5	62	11.3	3,529	20.7	122	36.4
Heterosexual	44	6.1	31	5.7	13	7.3	45	8.2	1,548	9.1	26	7.8
Perinatal	0	0.0	0	0.0	0	0.0	4	0.7	378	2.2	2	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.2	28	0.2	2	0.6
Unknown	251	34.7	170	31.1	81	45.8	186	33.8	4,964	29.1	119	35.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,382	37.5	48	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,649	62.5	287	85.7

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>269</b>	<b>100.0</b>	<b>210</b>	<b>78.1</b>	<b>59</b>	<b>21.9</b>	<b>249</b>	<b>100.0</b>	<b>9,639</b>	<b>100.0</b>	<b>183</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	199	74.0	159	75.7	40	67.8	180	72.3	6,676	69.3	125	68.3
Hispanic	57	21.2	42	20.0	15	25.4	60	24.1	2,284	23.7	47	25.7
White	9	3.3	5	2.4	4	6.8	5	2.0	547	5.7	7	3.8
Asian/Pacific Islander	2	0.7	2	1.0	0	0.0	3	1.2	78	0.8	1	0.5
Native American	2	0.7	2	1.0	0	0.0	1	0.4	28	0.3	3	1.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	2	0.7	2	1.0	0	0.0	0	0.0	53	0.5	0	0.0
13-19	16	5.9	14	6.7	2	3.4	7	2.8	217	2.3	0	0.0
20-29	46	17.1	39	18.6	7	11.9	26	10.4	685	7.1	6	3.3
30-39	67	24.9	55	26.2	12	20.3	55	22.1	1,616	16.8	15	8.2
40-49	70	26.0	57	27.1	13	22.0	91	36.5	3,493	36.2	66	36.1
50-59	49	18.2	33	15.7	16	27.1	53	21.3	2,657	27.6	64	35.0
60+	19	7.1	10	4.8	9	15.3	17	6.8	918	9.5	32	17.5
<b>TRANSMISSION RISK</b>												
Injection drug use history	11	4.1	9	4.3	2	3.4	22	8.8	1,660	17.2	54	29.5
Heterosexual	181	67.3	141	67.1	40	67.8	154	61.8	4,730	49.1	64	35.0
Perinatal	3	1.1	2	1.0	1	1.7	6	2.4	356	3.7	2	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	37	0.4	1	0.5
Unknown	74	27.5	58	27.6	16	27.1	67	26.9	2,856	29.6	62	33.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,845	39.9	33	18.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,794	60.1	150	82.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>837</b>	<b>100.0</b>	<b>672</b>	<b>80.3</b>	<b>165</b>	<b>19.7</b>	<b>602</b>	<b>100.0</b>	<b>26,514</b>	<b>100.0</b>	<b>358</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	281	33.6	213	31.7	68	41.2	244	40.5	7,815	29.5	152	42.5
Hispanic	230	27.5	178	26.5	52	31.5	171	28.4	7,140	26.9	106	29.6
White	299	35.7	258	38.4	41	24.8	176	29.2	10,779	40.7	94	26.3
Asian/Pacific Islander	22	2.6	19	2.8	3	1.8	9	1.5	504	1.9	4	1.1
Native American	5	0.6	4	0.6	1	0.6	1	0.2	59	0.2	2	0.6
Multiracial	0	0.0	0	0.0	0	0.0	1	0.2	9	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	208	0.8	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	35	0.1	0	0.0
13-19	12	1.4	10	1.5	2	1.2	4	0.7	118	0.4	0	0.0
20-29	255	30.5	219	32.6	36	21.8	93	15.4	1,456	5.5	4	1.1
30-39	243	29.0	200	29.8	43	26.1	152	25.2	3,962	14.9	28	7.8
40-49	213	25.4	168	25.0	45	27.3	193	32.1	9,696	36.6	84	23.5
50-59	87	10.4	60	8.9	27	16.4	122	20.3	7,647	28.8	136	38.0
60+	26	3.1	14	2.1	12	7.3	38	6.3	3,600	13.6	106	29.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	556	66.4	474	70.5	82	49.7	326	54.2	15,845	59.8	114	31.8
Injection drug use history	31	3.7	26	3.9	5	3.0	60	10.0	3,984	15.0	131	36.6
Heterosexual	37	4.4	24	3.6	13	7.9	49	8.1	1,203	4.5	25	7.0
Perinatal	1	0.1	1	0.1	0	0.0	1	0.2	203	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	2	0.3	22	0.1	0	0.0
Unknown	212	25.3	147	21.9	65	39.4	164	27.2	5,257	19.8	88	24.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,158	42.1	52	14.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,356	57.9	306	85.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>154</b>	<b>100.0</b>	<b>127</b>	<b>82.5</b>	<b>27</b>	<b>17.5</b>	<b>142</b>	<b>100.0</b>	<b>6,056</b>	<b>100.0</b>	<b>129</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	95	61.7	80	63.0	15	55.6	93	65.5	3,359	55.5	76	58.9
Hispanic	51	33.1	41	32.3	10	37.0	40	28.2	1,994	32.9	46	35.7
White	8	5.2	6	4.7	2	7.4	8	5.6	599	9.9	6	4.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	61	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.7	12	0.2	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	33	0.5	0	0.0
13-19	6	3.9	6	4.7	0	0.0	2	1.4	134	2.2	2	1.6
20-29	18	11.7	17	13.4	1	3.7	11	7.7	349	5.8	6	4.7
30-39	39	25.3	33	26.0	6	22.2	34	23.9	924	15.3	10	7.8
40-49	56	36.4	45	35.4	11	40.7	53	37.3	2,279	37.6	39	30.2
50-59	25	16.2	19	15.0	6	22.2	30	21.1	1,691	27.9	53	41.1
60+	9	5.8	6	4.7	3	11.1	12	8.5	646	10.7	19	14.7
<b>TRANSMISSION RISK</b>												
Injection drug use history	12	7.8	11	8.7	1	3.7	19	13.4	1,421	23.5	54	41.9
Heterosexual	103	66.9	83	65.4	20	74.1	81	57.0	2,668	44.1	44	34.1
Perinatal	1	0.6	1	0.8	0	0.0	4	2.8	223	3.7	3	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	1	0.8
Unknown	38	24.7	32	25.2	6	22.2	38	26.8	1,723	28.5	27	20.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,347	38.8	15	11.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,709	61.2	114	88.4

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>487</b>	<b>100.0</b>	<b>371</b>	<b>76.2</b>	<b>116</b>	<b>23.8</b>	<b>318</b>	<b>100.0</b>	<b>10,959</b>	<b>100.0</b>	<b>154</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	173	35.5	132	35.6	41	35.3	113	35.5	3,879	35.4	75	48.7
Hispanic	204	41.9	165	44.5	39	33.6	134	42.1	4,454	40.6	52	33.8
White	65	13.3	47	12.7	18	15.5	41	12.9	2,116	19.3	24	15.6
Asian/Pacific Islander	45	9.2	27	7.3	18	15.5	28	8.8	438	4.0	3	1.9
Native American	0	0.0	0	0.0	0	0.0	2	0.6	34	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
13-19	29	6.0	27	7.3	2	1.7	6	1.9	99	0.9	0	0.0
20-29	150	30.8	137	36.9	13	11.2	57	17.9	859	7.8	1	0.6
30-39	139	28.5	103	27.8	36	31.0	99	31.1	1,930	17.6	20	13.0
40-49	109	22.4	76	20.5	33	28.4	91	28.6	3,965	36.2	41	26.6
50-59	47	9.7	21	5.7	26	22.4	52	16.4	3,043	27.8	57	37.0
60+	13	2.7	7	1.9	6	5.2	13	4.1	1,045	9.5	35	22.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	290	59.5	244	65.8	46	39.7	137	43.1	5,076	46.3	45	29.2
Injection drug use history	22	4.5	18	4.9	4	3.4	31	9.7	2,012	18.4	53	34.4
Heterosexual	46	9.4	27	7.3	19	16.4	47	14.8	1,043	9.5	10	6.5
Perinatal	0	0.0	0	0.0	0	0.0	1	0.3	138	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	1	0.6
Unknown	129	26.5	82	22.1	47	40.5	102	32.1	2,668	24.3	45	29.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,222	38.5	26	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,737	61.5	128	83.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>142</b>	<b>100.0</b>	<b>108</b>	<b>76.1</b>	<b>34</b>	<b>23.9</b>	<b>112</b>	<b>100.0</b>	<b>4,484</b>	<b>100.0</b>	<b>75</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	81	57.0	57	52.8	24	70.6	69	61.6	2,605	58.1	46	61.3
Hispanic	42	29.6	35	32.4	7	20.6	31	27.7	1,213	27.1	17	22.7
White	10	7.0	9	8.3	1	2.9	6	5.4	501	11.2	11	14.7
Asian/Pacific Islander	9	6.3	7	6.5	2	5.9	6	5.4	131	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	1	1.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	0	0.0
13-19	6	4.2	5	4.6	1	2.9	4	3.6	90	2.0	1	1.3
20-29	27	19.0	23	21.3	4	11.8	12	10.7	294	6.6	0	0.0
30-39	28	19.7	23	21.3	5	14.7	26	23.2	795	17.7	4	5.3
40-49	40	28.2	30	27.8	10	29.4	35	31.3	1,645	36.7	28	37.3
50-59	30	21.1	22	20.4	8	23.5	23	20.5	1,211	27.0	32	42.7
60+	11	7.7	5	4.6	6	17.6	12	10.7	424	9.5	10	13.3
<b>TRANSMISSION RISK</b>												
Injection drug use history	7	4.9	6	5.6	1	2.9	14	12.5	790	17.6	29	38.7
Heterosexual	104	73.2	79	73.1	25	73.5	69	61.6	2,369	52.8	30	40.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.8	172	3.8	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	0	0.0
Unknown	31	21.8	23	21.3	8	23.5	27	24.1	1,128	25.2	15	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,825	40.7	11	14.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,659	59.3	64	85.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>42</b>	<b>100.0</b>	<b>34</b>	<b>81.0</b>	<b>8</b>	<b>19.0</b>	<b>32</b>	<b>100.0</b>	<b>1,214</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	16	38.1	13	38.2	3	37.5	15	46.9	414	34.1	10	33.3
Hispanic	10	23.8	8	23.5	2	25.0	10	31.3	314	25.9	7	23.3
White	15	35.7	12	35.3	3	37.5	7	21.9	462	38.1	13	43.3
Asian/Pacific Islander	1	2.4	1	2.9	0	0.0	0	0.0	13	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
13-19	5	11.9	5	14.7	0	0.0	1	3.1	18	1.5	0	0.0
20-29	14	33.3	13	38.2	1	12.5	5	15.6	101	8.3	2	6.7
30-39	10	23.8	9	26.5	1	12.5	3	9.4	143	11.8	0	0.0
40-49	9	21.4	5	14.7	4	50.0	16	50.0	457	37.6	10	33.3
50-59	2	4.8	1	2.9	1	12.5	4	12.5	364	30.0	11	36.7
60+	2	4.8	1	2.9	1	12.5	3	9.4	127	10.5	7	23.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	23	54.8	19	55.9	4	50.0	10	31.3	430	35.4	9	30.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	3.1	301	24.8	9	30.0
Heterosexual	4	9.5	3	8.8	1	12.5	3	9.4	100	8.2	2	6.7
Perinatal	0	0.0	0	0.0	0	0.0	1	3.1	28	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	1	3.3
Unknown	15	35.7	12	35.3	3	37.5	17	53.1	351	28.9	9	30.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	39.3	6	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	737	60.7	24	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>23</b>	<b>100.0</b>	<b>18</b>	<b>78.3</b>	<b>5</b>	<b>21.7</b>	<b>19</b>	<b>100.0</b>	<b>674</b>	<b>100.0</b>	<b>17</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	14	60.9	12	66.7	2	40.0	10	52.6	323	47.9	8	47.1
Hispanic	5	21.7	3	16.7	2	40.0	7	36.8	163	24.2	5	29.4
White	4	17.4	3	16.7	1	20.0	2	10.5	179	26.6	4	23.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	5.3	9	1.3	0	0.0
20-29	10	43.5	10	55.6	0	0.0	0	0.0	49	7.3	0	0.0
30-39	4	17.4	3	16.7	1	20.0	5	26.3	94	13.9	3	17.6
40-49	6	26.1	4	22.2	2	40.0	7	36.8	262	38.9	5	29.4
50-59	3	13.0	1	5.6	2	40.0	5	26.3	207	30.7	6	35.3
60+	0	0.0	0	0.0	0	0.0	1	5.3	44	6.5	3	17.6
<b>TRANSMISSION RISK</b>												
Injection drug use history	2	8.7	1	5.6	1	20.0	3	15.8	136	20.2	8	47.1
Heterosexual	19	82.6	16	88.9	3	60.0	10	52.6	315	46.7	7	41.2
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	27	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
Unknown	2	8.7	1	5.6	1	20.0	5	26.3	187	27.7	2	11.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	279	41.4	4	23.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	395	58.6	13	76.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>1,659</b>	<b>100.0</b>	<b>1,414</b>	<b>85.2</b>	<b>245</b>	<b>14.8</b>	<b>939</b>	<b>100.0</b>	<b>36,253</b>	<b>100.0</b>	<b>284</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	600	36.2	505	35.7	95	38.8	356	37.9	10,620	29.3	120	42.3
Hispanic	536	32.3	455	32.2	81	33.1	302	32.2	10,277	28.3	80	28.2
White	458	27.6	402	28.4	56	22.9	249	26.5	14,429	39.8	83	29.2
Asian/Pacific Islander	59	3.6	47	3.3	12	4.9	28	3.0	783	2.2	1	0.4
Native American	5	0.3	4	0.3	1	0.4	4	0.4	83	0.2	0	0.0
Multiracial	1	0.1	1	0.1	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	102	6.1	93	6.6	9	3.7	18	1.9	140	0.4	0	0.0
20-29	692	41.7	632	44.7	60	24.5	240	25.6	3,931	10.8	13	4.6
30-39	462	27.8	381	26.9	81	33.1	318	33.9	7,626	21.0	44	15.5
40-49	297	17.9	236	16.7	61	24.9	247	26.3	13,575	37.4	91	32.0
50-59	86	5.2	62	4.4	24	9.8	87	9.3	7,739	21.3	82	28.9
60+	20	1.2	10	0.7	10	4.1	29	3.1	3,242	8.9	54	19.0
<b>BOROUGH OF RESIDENCE</b>												
Bronx	196	11.8	173	12.2	23	9.4	114	12.1	3,858	10.6	28	9.9
Brooklyn	391	23.6	323	22.8	68	27.8	253	26.9	6,584	18.2	64	22.5
Manhattan	556	33.5	474	33.5	82	33.5	326	34.7	15,845	43.7	114	40.1
Queens	290	17.5	244	17.3	46	18.8	137	14.6	5,076	14.0	45	15.8
Staten Island	23	1.4	19	1.3	4	1.6	10	1.1	430	1.2	9	3.2
Outside NYC	197	11.9	175	12.4	22	9.0	84	8.9	4,208	11.6	20	7.0
Unknown	6	0.4	6	0.4	0	0.0	15	1.6	252	0.7	4	1.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,632	45.9	42	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,621	54.1	242	85.2

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>136</b>	<b>100.0</b>	<b>104</b>	<b>76.5</b>	<b>32</b>	<b>23.5</b>	<b>256</b>	<b>100.0</b>	<b>14,881</b>	<b>100.0</b>	<b>492</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	45	33.1	34	32.7	11	34.4	104	40.6	6,062	40.7	222	45.1
Hispanic	70	51.5	56	53.8	14	43.8	121	47.3	6,803	45.7	212	43.1
White	19	14.0	13	12.5	6	18.8	27	10.5	1,918	12.9	58	11.8
Asian/Pacific Islander	1	0.7	1	1.0	0	0.0	2	0.8	59	0.4	0	0.0
Native American	1	0.7	0	0.0	1	3.1	2	0.8	26	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	0.7	1	1.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	24	17.6	20	19.2	4	12.5	15	5.9	211	1.4	1	0.2
30-39	30	22.1	23	22.1	7	21.9	35	13.7	899	6.0	17	3.5
40-49	43	31.6	33	31.7	10	31.3	96	37.5	4,386	29.5	104	21.1
50-59	32	23.5	22	21.2	10	31.3	89	34.8	6,743	45.3	243	49.4
60+	6	4.4	5	4.8	1	3.1	21	8.2	2,642	17.8	127	25.8
<b>BOROUGH OF RESIDENCE</b>												
Bronx	36	26.5	30	28.8	6	18.8	76	29.7	3,904	26.2	153	31.1
Brooklyn	38	27.9	23	22.1	15	46.9	62	24.2	3,529	23.7	122	24.8
Manhattan	31	22.8	26	25.0	5	15.6	60	23.4	3,984	26.8	131	26.6
Queens	22	16.2	18	17.3	4	12.5	31	12.1	2,012	13.5	53	10.8
Staten Island	0	0.0	0	0.0	0	0.0	1	0.4	301	2.0	9	1.8
Outside NYC	8	5.9	6	5.8	2	6.3	17	6.6	1,053	7.1	20	4.1
Unknown	1	0.7	1	1.0	0	0.0	9	3.5	98	0.7	4	0.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,273	22.0	40	8.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,608	78.0	452	91.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>60</b>	<b>100.0</b>	<b>51</b>	<b>85.0</b>	<b>9</b>	<b>15.0</b>	<b>108</b>	<b>100.0</b>	<b>6,085</b>	<b>100.0</b>	<b>220</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	25	41.7	21	41.2	4	44.4	47	43.5	2,952	48.5	110	50.0
Hispanic	27	45.0	24	47.1	3	33.3	48	44.4	2,407	39.6	88	40.0
White	8	13.3	6	11.8	2	22.2	10	9.3	697	11.5	20	9.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.9	14	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	2	1.9	8	0.1	2	0.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	11.7	7	13.7	0	0.0	6	5.6	78	1.3	0	0.0
30-39	15	25.0	14	27.5	1	11.1	20	18.5	515	8.5	18	8.2
40-49	17	28.3	15	29.4	2	22.2	39	36.1	2,366	38.9	73	33.2
50-59	19	31.7	14	27.5	5	55.6	40	37.0	2,552	41.9	103	46.8
60+	2	3.3	1	2.0	1	11.1	3	2.8	574	9.4	26	11.8
<b>BOROUGH OF RESIDENCE</b>												
Bronx	26	43.3	23	45.1	3	33.3	38	35.2	1,783	29.3	69	31.4
Brooklyn	11	18.3	9	17.6	2	22.2	22	20.4	1,660	27.3	54	24.5
Manhattan	12	20.0	11	21.6	1	11.1	19	17.6	1,421	23.4	54	24.5
Queens	7	11.7	6	11.8	1	11.1	14	13.0	790	13.0	29	13.2
Staten Island	2	3.3	1	2.0	1	11.1	3	2.8	136	2.2	8	3.6
Outside NYC	2	3.3	1	2.0	1	11.1	4	3.7	260	4.3	5	2.3
Unknown	0	0.0	0	0.0	0	0.0	8	7.4	35	0.6	1	0.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,510	24.8	21	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,575	75.2	199	90.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>204</b>	<b>100.0</b>	<b>132</b>	<b>64.7</b>	<b>72</b>	<b>35.3</b>	<b>225</b>	<b>100.0</b>	<b>5,619</b>	<b>100.0</b>	<b>99</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	104	51.0	72	54.5	32	44.4	119	52.9	3,043	54.2	55	55.6
Hispanic	75	36.8	48	36.4	27	37.5	77	34.2	1,913	34.0	36	36.4
White	11	5.4	4	3.0	7	9.7	17	7.6	499	8.9	4	4.0
Asian/Pacific Islander	14	6.9	8	6.1	6	8.3	12	5.3	144	2.6	3	3.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	1	1.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	1.0	1	0.8	1	1.4	0	0.0	5	0.1	0	0.0
20-29	33	16.2	28	21.2	5	6.9	23	10.2	201	3.6	1	1.0
30-39	54	26.5	38	28.8	16	22.2	44	19.6	787	14.0	8	8.1
40-49	69	33.8	43	32.6	26	36.1	80	35.6	2,281	40.6	29	29.3
50-59	34	16.7	17	12.9	17	23.6	60	26.7	1,655	29.5	36	36.4
60+	12	5.9	5	3.8	7	9.7	18	8.0	690	12.3	25	25.3
<b>BOROUGH OF RESIDENCE</b>												
Bronx	62	30.4	39	29.5	23	31.9	68	30.2	1,363	24.3	33	33.3
Brooklyn	44	21.6	31	23.5	13	18.1	45	20.0	1,548	27.5	26	26.3
Manhattan	37	18.1	24	18.2	13	18.1	49	21.8	1,203	21.4	25	25.3
Queens	46	22.5	27	20.5	19	26.4	47	20.9	1,043	18.6	10	10.1
Staten Island	4	2.0	3	2.3	1	1.4	3	1.3	100	1.8	2	2.0
Outside NYC	9	4.4	6	4.5	3	4.2	8	3.6	330	5.9	3	3.0
Unknown	2	1.0	2	1.5	0	0.0	5	2.2	32	0.6	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,965	35.0	19	19.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,654	65.0	80	80.8

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>636</b>	<b>100.0</b>	<b>498</b>	<b>78.3</b>	<b>138</b>	<b>21.7</b>	<b>521</b>	<b>100.0</b>	<b>15,176</b>	<b>100.0</b>	<b>222</b>	<b>100.0</b>
<b>RACE/ETHNICITY</b>												
Black	398	62.6	307	61.6	91	65.9	334	64.1	8,925	58.8	135	60.8
Hispanic	193	30.3	157	31.5	36	26.1	159	30.5	4,947	32.6	71	32.0
White	28	4.4	21	4.2	7	5.1	19	3.6	1,052	6.9	12	5.4
Asian/Pacific Islander	13	2.0	9	1.8	4	2.9	8	1.5	186	1.2	2	0.9
Native American	4	0.6	4	0.8	0	0.0	1	0.2	44	0.3	2	0.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	31	4.9	27	5.4	4	2.9	10	1.9	69	0.5	1	0.5
20-29	124	19.5	109	21.9	15	10.9	56	10.7	1,184	7.8	5	2.3
30-39	150	23.6	123	24.7	27	19.6	123	23.6	3,044	20.1	22	9.9
40-49	171	26.9	134	26.9	37	26.8	189	36.3	5,753	37.9	78	35.1
50-59	112	17.6	75	15.1	37	26.8	101	19.4	3,658	24.1	78	35.1
60+	48	7.5	30	6.0	18	13.0	42	8.1	1,468	9.7	38	17.1
<b>BOROUGH OF RESIDENCE</b>												
Bronx	200	31.4	154	30.9	46	33.3	169	32.4	4,277	28.2	71	32.0
Brooklyn	181	28.5	141	28.3	40	29.0	154	29.6	4,730	31.2	64	28.8
Manhattan	103	16.2	83	16.7	20	14.5	81	15.5	2,668	17.6	44	19.8
Queens	104	16.4	79	15.9	25	18.1	69	13.2	2,369	15.6	30	13.5
Staten Island	19	3.0	16	3.2	3	2.2	10	1.9	315	2.1	7	3.2
Outside NYC	27	4.2	23	4.6	4	2.9	25	4.8	733	4.8	5	2.3
Unknown	2	0.3	2	0.4	0	0.0	13	2.5	84	0.6	1	0.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,314	41.6	30	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,862	58.4	192	86.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>15</b>	<b>100.0</b>	<b>12</b>	<b>80.0</b>	<b>3</b>	<b>20.0</b>	<b>12</b>	<b>100.0</b>	<b>546</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>
<b>SEX</b>												
Male	9	60.0	6	50.0	3	100.0	9	75.0	362	66.3	6	60.0
Female	6	40.0	6	50.0	0	0.0	3	25.0	184	33.7	4	40.0
<b>RACE/ETHNICITY</b>												
Black	5	33.3	5	41.7	0	0.0	5	41.7	178	32.6	4	40.0
Hispanic	9	60.0	7	58.3	2	66.7	4	33.3	268	49.1	4	40.0
White	1	6.7	0	0.0	1	33.3	3	25.0	92	16.8	2	20.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
13-19	1	6.7	1	8.3	0	0.0	0	0.0	6	1.1	0	0.0
20-29	5	33.3	4	33.3	1	33.3	2	16.7	48	8.8	0	0.0
30-39	4	26.7	3	25.0	1	33.3	2	16.7	72	13.2	0	0.0
40-49	3	20.0	3	25.0	0	0.0	4	33.3	171	31.3	3	30.0
50-59	2	13.3	1	8.3	1	33.3	3	25.0	173	31.7	6	60.0
60+	0	0.0	0	0.0	0	0.0	1	8.3	71	13.0	1	10.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	2	13.3	2	16.7	0	0.0	2	16.7	154	28.2	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	107	19.6	5	50.0
Heterosexual	9	60.0	7	58.3	2	66.7	7	58.3	121	22.2	2	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	26.7	3	25.0	1	33.3	3	25.0	147	26.9	3	30.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	212	38.8	3	30.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	334	61.2	7	70.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>67</b>	<b>100.0</b>	<b>53</b>	<b>79.1</b>	<b>14</b>	<b>20.9</b>	<b>59</b>	<b>100.0</b>	<b>1,696</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>
<b>SEX</b>												
Male	48	71.6	39	73.6	9	64.3	32	54.2	976	57.5	18	60.0
Female	19	28.4	14	26.4	5	35.7	27	45.8	720	42.5	12	40.0
<b>RACE/ETHNICITY</b>												
Black	54	80.6	45	84.9	9	64.3	39	66.1	1,112	65.6	18	60.0
Hispanic	9	13.4	6	11.3	3	21.4	15	25.4	462	27.2	10	33.3
White	3	4.5	2	3.8	1	7.1	4	6.8	108	6.4	2	6.7
Asian/Pacific Islander	1	1.5	0	0.0	1	7.1	1	1.7	9	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	1.5	1	1.9	0	0.0	0	0.0	5	0.3	0	0.0
13-19	10	14.9	9	17.0	1	7.1	3	5.1	45	2.7	0	0.0
20-29	19	28.4	16	30.2	3	21.4	8	13.6	152	9.0	0	0.0
30-39	11	16.4	9	17.0	2	14.3	15	25.4	269	15.9	1	3.3
40-49	19	28.4	14	26.4	5	35.7	25	42.4	592	34.9	9	30.0
50-59	6	9.0	4	7.5	2	14.3	6	10.2	449	26.5	13	43.3
60+	1	1.5	0	0.0	1	7.1	2	3.4	184	10.8	7	23.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	20	29.9	19	35.8	1	7.1	6	10.2	294	17.3	1	3.3
Injection drug use history	4	6.0	4	7.5	0	0.0	5	8.5	274	16.2	14	46.7
Heterosexual	16	23.9	10	18.9	6	42.9	19	32.2	448	26.4	5	16.7
Perinatal	1	1.5	1	1.9	0	0.0	2	3.4	61	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	26	38.8	19	35.8	7	50.0	27	45.8	616	36.3	10	33.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	696	41.0	5	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,000	59.0	25	83.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>119</b>	<b>100.0</b>	<b>94</b>	<b>79.0</b>	<b>25</b>	<b>21.0</b>	<b>115</b>	<b>100.0</b>	<b>4,151</b>	<b>100.0</b>	<b>84</b>	<b>100.0</b>
<b>SEX</b>												
Male	92	77.3	69	73.4	23	92.0	76	66.1	2,573	62.0	54	64.3
Female	27	22.7	25	26.6	2	8.0	39	33.9	1,578	38.0	30	35.7
<b>RACE/ETHNICITY</b>												
Black	58	48.7	44	46.8	14	56.0	57	49.6	1,712	41.2	35	41.7
Hispanic	50	42.0	40	42.6	10	40.0	52	45.2	2,209	53.2	46	54.8
White	5	4.2	5	5.3	0	0.0	2	1.7	191	4.6	3	3.6
Asian/Pacific Islander	5	4.2	5	5.3	0	0.0	2	1.7	27	0.7	0	0.0
Native American	1	0.8	0	0.0	1	4.0	2	1.7	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	28	0.7	0	0.0
13-19	7	5.9	6	6.4	1	4.0	5	4.3	67	1.6	0	0.0
20-29	30	25.2	29	30.9	1	4.0	14	12.2	321	7.7	0	0.0
30-39	22	18.5	18	19.1	4	16.0	29	25.2	713	17.2	7	8.3
40-49	33	27.7	22	23.4	11	44.0	38	33.0	1,507	36.3	30	35.7
50-59	20	16.8	13	13.8	7	28.0	24	20.9	1,132	27.3	34	40.5
60+	7	5.9	6	6.4	1	4.0	5	4.3	383	9.2	13	15.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	38	31.9	32	34.0	6	24.0	27	23.5	831	20.0	9	10.7
Injection drug use history	4	3.4	4	4.3	0	0.0	13	11.3	930	22.4	32	38.1
Heterosexual	36	30.3	30	31.9	6	24.0	35	30.4	1,010	24.3	22	26.2
Perinatal	0	0.0	0	0.0	0	0.0	3	2.6	123	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	41	34.5	28	29.8	13	52.0	37	32.2	1,254	30.2	21	25.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,619	39.0	8	9.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,532	61.0	76	90.5

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>112</b>	<b>100.0</b>	<b>90</b>	<b>80.4</b>	<b>22</b>	<b>19.6</b>	<b>111</b>	<b>100.0</b>	<b>3,517</b>	<b>100.0</b>	<b>73</b>	<b>100.0</b>
<b>SEX</b>												
Male	67	59.8	54	60.0	13	59.1	68	61.3	2,068	58.8	45	61.6
Female	45	40.2	36	40.0	9	40.9	43	38.7	1,449	41.2	28	38.4
<b>RACE/ETHNICITY</b>												
Black	48	42.9	36	40.0	12	54.5	50	45.0	1,402	39.9	30	41.1
Hispanic	57	50.9	47	52.2	10	45.5	57	51.4	1,828	52.0	35	47.9
White	4	3.6	4	4.4	0	0.0	3	2.7	253	7.2	6	8.2
Asian/Pacific Islander	1	0.9	1	1.1	0	0.0	0	0.0	24	0.7	0	0.0
Native American	1	0.9	1	1.1	0	0.0	1	0.9	8	0.2	1	1.4
Multiracial	1	0.9	1	1.1	0	0.0	0	0.0	0	0.0	1	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
13-19	4	3.6	3	3.3	1	4.5	3	2.7	71	2.0	0	0.0
20-29	35	31.3	30	33.3	5	22.7	22	19.8	313	8.9	1	1.4
30-39	21	18.8	18	20.0	3	13.6	23	20.7	510	14.5	3	4.1
40-49	32	28.6	24	26.7	8	36.4	36	32.4	1,270	36.1	23	31.5
50-59	15	13.4	12	13.3	3	13.6	23	20.7	976	27.8	31	42.5
60+	5	4.5	3	3.3	2	9.1	4	3.6	364	10.3	15	20.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	28	25.0	25	27.8	3	13.6	21	18.9	649	18.5	6	8.2
Injection drug use history	11	9.8	7	7.8	4	18.2	22	19.8	803	22.8	35	47.9
Heterosexual	43	38.4	34	37.8	9	40.9	38	34.2	893	25.4	14	19.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.8	127	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.9	12	0.3	0	0.0
Unknown	30	26.8	24	26.7	6	27.3	27	24.3	1,033	29.4	18	24.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,347	38.3	15	20.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,170	61.7	58	79.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.  
The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>166</b>	<b>100.0</b>	<b>131</b>	<b>78.9</b>	<b>35</b>	<b>21.1</b>	<b>140</b>	<b>100.0</b>	<b>4,485</b>	<b>100.0</b>	<b>99</b>	<b>100.0</b>
<b>SEX</b>												
Male	100	60.2	79	60.3	21	60.0	81	57.9	2,601	58.0	66	66.7
Female	66	39.8	52	39.7	14	40.0	59	42.1	1,884	42.0	33	33.3
<b>RACE/ETHNICITY</b>												
Black	70	42.2	54	41.2	16	45.7	60	42.9	2,072	46.2	38	38.4
Hispanic	87	52.4	70	53.4	17	48.6	73	52.1	2,285	50.9	61	61.6
White	6	3.6	5	3.8	1	2.9	5	3.6	98	2.2	0	0.0
Asian/Pacific Islander	2	1.2	1	0.8	1	2.9	1	0.7	9	0.2	0	0.0
Native American	1	0.6	1	0.8	0	0.0	1	0.7	16	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	37	0.8	0	0.0
13-19	5	3.0	5	3.8	0	0.0	5	3.6	88	2.0	1	1.0
20-29	37	22.3	32	24.4	5	14.3	18	12.9	330	7.4	1	1.0
30-39	43	25.9	36	27.5	7	20.0	32	22.9	701	15.6	8	8.1
40-49	37	22.3	29	22.1	8	22.9	47	33.6	1,588	35.4	26	26.3
50-59	27	16.3	19	14.5	8	22.9	28	20.0	1,236	27.6	34	34.3
60+	16	9.6	9	6.9	7	20.0	10	7.1	505	11.3	29	29.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	35	21.1	31	23.7	4	11.4	20	14.3	627	14.0	6	6.1
Injection drug use history	15	9.0	14	10.7	1	2.9	17	12.1	1,220	27.2	48	48.5
Heterosexual	73	44.0	51	38.9	22	62.9	62	44.3	1,129	25.2	19	19.2
Perinatal	1	0.6	1	0.8	0	0.0	4	2.9	157	3.5	1	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	42	25.3	34	26.0	8	22.9	37	26.4	1,344	30.0	25	25.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,726	38.5	14	14.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,759	61.5	85	85.9

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>168</b>	<b>100.0</b>	<b>127</b>	<b>75.6</b>	<b>41</b>	<b>24.4</b>	<b>162</b>	<b>100.0</b>	<b>4,839</b>	<b>100.0</b>	<b>116</b>	<b>100.0</b>
<b>SEX</b>												
Male	100	59.5	73	57.5	27	65.9	94	58.0	2,845	58.8	58	50.0
Female	68	40.5	54	42.5	14	34.1	68	42.0	1,994	41.2	58	50.0
<b>RACE/ETHNICITY</b>												
Black	92	54.8	69	54.3	23	56.1	79	48.8	2,533	52.3	68	58.6
Hispanic	72	42.9	55	43.3	17	41.5	78	48.1	2,154	44.5	47	40.5
White	3	1.8	3	2.4	0	0.0	4	2.5	120	2.5	1	0.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
Native American	1	0.6	0	0.0	1	2.4	1	0.6	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	2	1.2	2	1.6	0	0.0	0	0.0	34	0.7	0	0.0
13-19	5	3.0	4	3.1	1	2.4	7	4.3	88	1.8	1	0.9
20-29	43	25.6	41	32.3	2	4.9	17	10.5	382	7.9	1	0.9
30-39	44	26.2	35	27.6	9	22.0	27	16.7	830	17.2	13	11.2
40-49	43	25.6	28	22.0	15	36.6	50	30.9	1,621	33.5	27	23.3
50-59	22	13.1	12	9.4	10	24.4	47	29.0	1,327	27.4	43	37.1
60+	9	5.4	5	3.9	4	9.8	14	8.6	557	11.5	31	26.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	42	25.0	35	27.6	7	17.1	24	14.8	752	15.5	3	2.6
Injection drug use history	17	10.1	13	10.2	4	9.8	34	21.0	1,207	24.9	47	40.5
Heterosexual	54	32.1	40	31.5	14	34.1	48	29.6	1,195	24.7	30	25.9
Perinatal	2	1.2	2	1.6	0	0.0	5	3.1	159	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	53	31.5	37	29.1	16	39.0	51	31.5	1,517	31.3	36	31.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,803	37.3	13	11.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,036	62.7	103	88.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.  
The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>106</b>	<b>100.0</b>	<b>84</b>	<b>79.2</b>	<b>22</b>	<b>20.8</b>	<b>98</b>	<b>100.0</b>	<b>3,087</b>	<b>100.0</b>	<b>77</b>	<b>100.0</b>
<b>SEX</b>												
Male	72	67.9	58	69.0	14	63.6	65	66.3	1,934	62.6	46	59.7
Female	34	32.1	26	31.0	8	36.4	33	33.7	1,153	37.4	31	40.3
<b>RACE/ETHNICITY</b>												
Black	39	36.8	29	34.5	10	45.5	41	41.8	1,099	35.6	22	28.6
Hispanic	61	57.5	49	58.3	12	54.5	54	55.1	1,894	61.4	54	70.1
White	6	5.7	6	7.1	0	0.0	2	2.0	72	2.3	1	1.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.9	1	1.2	0	0.0	0	0.0	23	0.7	0	0.0
13-19	7	6.6	6	7.1	1	4.5	3	3.1	66	2.1	0	0.0
20-29	27	25.5	23	27.4	4	18.2	18	18.4	230	7.5	3	3.9
30-39	21	19.8	18	21.4	3	13.6	20	20.4	510	16.5	7	9.1
40-49	31	29.2	22	26.2	9	40.9	30	30.6	1,071	34.7	22	28.6
50-59	16	15.1	12	14.3	4	18.2	21	21.4	892	28.9	32	41.6
60+	3	2.8	2	2.4	1	4.5	6	6.1	295	9.6	13	16.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	29	27.4	27	32.1	2	9.1	13	13.3	458	14.8	2	2.6
Injection drug use history	11	10.4	11	13.1	0	0.0	23	23.5	934	30.3	36	46.8
Heterosexual	31	29.2	21	25.0	10	45.5	28	28.6	717	23.2	11	14.3
Perinatal	1	0.9	1	1.2	0	0.0	2	2.0	119	3.9	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	34	32.1	24	28.6	10	45.5	32	32.7	850	27.5	27	35.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,169	37.9	8	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,918	62.1	69	89.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>42</b>	<b>100.0</b>	<b>31</b>	<b>73.8</b>	<b>11</b>	<b>26.2</b>	<b>35</b>	<b>100.0</b>	<b>1,008</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>
<b>SEX</b>												
Male	34	81.0	24	77.4	10	90.9	28	80.0	752	74.6	13	81.3
Female	8	19.0	7	22.6	1	9.1	7	20.0	256	25.4	3	18.8
<b>RACE/ETHNICITY</b>												
Black	7	16.7	6	19.4	1	9.1	7	20.0	204	20.2	7	43.8
Hispanic	16	38.1	12	38.7	4	36.4	13	37.1	494	49.0	9	56.3
White	17	40.5	12	38.7	5	45.5	13	37.1	291	28.9	0	0.0
Asian/Pacific Islander	2	4.8	1	3.2	1	9.1	2	5.7	17	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	2.4	0	0.0	1	9.1	2	5.7	17	1.7	0	0.0
20-29	11	26.2	11	35.5	0	0.0	3	8.6	76	7.5	1	6.3
30-39	18	42.9	11	35.5	7	63.6	16	45.7	203	20.1	1	6.3
40-49	4	9.5	4	12.9	0	0.0	6	17.1	384	38.1	7	43.8
50-59	5	11.9	4	12.9	1	9.1	6	17.1	237	23.5	5	31.3
60+	3	7.1	1	3.2	2	18.2	2	5.7	90	8.9	2	12.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	28	66.7	21	67.7	7	63.6	19	54.3	393	39.0	3	18.8
Injection drug use history	3	7.1	2	6.5	1	9.1	2	5.7	222	22.0	6	37.5
Heterosexual	6	14.3	5	16.1	1	9.1	6	17.1	146	14.5	3	18.8
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	24	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	5	11.9	3	9.7	2	18.2	7	20.0	220	21.8	4	25.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	380	37.7	3	18.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	628	62.3	13	81.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>81</b>	<b>100.0</b>	<b>62</b>	<b>76.5</b>	<b>19</b>	<b>23.5</b>	<b>50</b>	<b>100.0</b>	<b>2,990</b>	<b>100.0</b>	<b>46</b>	<b>100.0</b>
<b>SEX</b>												
Male	63	77.8	47	75.8	16	84.2	37	74.0	2,245	75.1	31	67.4
Female	18	22.2	15	24.2	3	15.8	13	26.0	745	24.9	15	32.6
<b>RACE/ETHNICITY</b>												
Black	32	39.5	24	38.7	8	42.1	26	52.0	1,338	44.7	23	50.0
Hispanic	25	30.9	18	29.0	7	36.8	14	28.0	804	26.9	17	37.0
White	22	27.2	18	29.0	4	21.1	9	18.0	796	26.6	6	13.0
Asian/Pacific Islander	2	2.5	2	3.2	0	0.0	0	0.0	39	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	5	6.2	4	6.5	1	5.3	1	2.0	30	1.0	0	0.0
20-29	26	32.1	25	40.3	1	5.3	6	12.0	171	5.7	1	2.2
30-39	18	22.2	14	22.6	4	21.1	13	26.0	450	15.1	8	17.4
40-49	25	30.9	14	22.6	11	57.9	23	46.0	1,131	37.8	13	28.3
50-59	7	8.6	5	8.1	2	10.5	7	14.0	830	27.8	14	30.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	368	12.3	10	21.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	41	50.6	37	59.7	4	21.1	19	38.0	1,273	42.6	10	21.7
Injection drug use history	5	6.2	2	3.2	3	15.8	8	16.0	587	19.6	20	43.5
Heterosexual	12	14.8	10	16.1	2	10.5	8	16.0	465	15.6	3	6.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	56	1.9	1	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	23	28.4	13	21.0	10	52.6	15	30.0	606	20.3	12	26.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,154	38.6	6	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,836	61.4	40	87.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>223</b>	<b>100.0</b>	<b>167</b>	<b>74.9</b>	<b>56</b>	<b>25.1</b>	<b>209</b>	<b>100.0</b>	<b>6,549</b>	<b>100.0</b>	<b>159</b>	<b>100.0</b>
<b>SEX</b>												
Male	159	71.3	119	71.3	40	71.4	140	67.0	4,088	62.4	103	64.8
Female	64	28.7	48	28.7	16	28.6	69	33.0	2,461	37.6	56	35.2
<b>RACE/ETHNICITY</b>												
Black	197	88.3	148	88.6	49	87.5	166	79.4	5,391	82.3	133	83.6
Hispanic	18	8.1	13	7.8	5	8.9	32	15.3	827	12.6	22	13.8
White	7	3.1	5	3.0	2	3.6	10	4.8	275	4.2	3	1.9
Asian/Pacific Islander	1	0.4	1	0.6	0	0.0	1	0.5	29	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	1	0.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	31	0.5	0	0.0
13-19	11	4.9	8	4.8	3	5.4	5	2.4	127	1.9	0	0.0
20-29	65	29.1	56	33.5	9	16.1	39	18.7	583	8.9	10	6.3
30-39	52	23.3	41	24.6	11	19.6	46	22.0	1,094	16.7	14	8.8
40-49	45	20.2	32	19.2	13	23.2	69	33.0	2,133	32.6	50	31.4
50-59	38	17.0	23	13.8	15	26.8	37	17.7	1,809	27.6	54	34.0
60+	12	5.4	7	4.2	5	8.9	13	6.2	772	11.8	31	19.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	76	34.1	61	36.5	15	26.8	65	31.1	1,519	23.2	18	11.3
Injection drug use history	11	4.9	8	4.8	3	5.4	21	10.0	1,273	19.4	51	32.1
Heterosexual	55	24.7	39	23.4	16	28.6	55	26.3	1,549	23.7	27	17.0
Perinatal	1	0.4	0	0.0	1	1.8	2	1.0	191	2.9	3	1.9
Other	0	0.0	0	0.0	0	0.0	1	0.5	15	0.2	1	0.6
Unknown	80	35.9	59	35.3	21	37.5	65	31.1	2,002	30.6	59	37.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,514	38.4	19	11.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,035	61.6	140	88.1

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>119</b>	<b>100.0</b>	<b>92</b>	<b>77.3</b>	<b>27</b>	<b>22.7</b>	<b>92</b>	<b>100.0</b>	<b>2,613</b>	<b>100.0</b>	<b>59</b>	<b>100.0</b>
<b>SEX</b>												
Male	77	64.7	61	66.3	16	59.3	54	58.7	1,445	55.3	33	55.9
Female	42	35.3	31	33.7	11	40.7	38	41.3	1,168	44.7	26	44.1
<b>RACE/ETHNICITY</b>												
Black	85	71.4	67	72.8	18	66.7	60	65.2	1,671	63.9	37	62.7
Hispanic	27	22.7	18	19.6	9	33.3	30	32.6	825	31.6	20	33.9
White	5	4.2	5	5.4	0	0.0	1	1.1	79	3.0	0	0.0
Asian/Pacific Islander	1	0.8	1	1.1	0	0.0	1	1.1	25	1.0	0	0.0
Native American	1	0.8	1	1.1	0	0.0	0	0.0	8	0.3	2	3.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.8	1	1.1	0	0.0	0	0.0	19	0.7	0	0.0
13-19	9	7.6	9	9.8	0	0.0	3	3.3	68	2.6	0	0.0
20-29	32	26.9	28	30.4	4	14.8	16	17.4	250	9.6	1	1.7
30-39	33	27.7	27	29.3	6	22.2	16	17.4	416	15.9	5	8.5
40-49	26	21.8	19	20.7	7	25.9	29	31.5	941	36.0	16	27.1
50-59	14	11.8	7	7.6	7	25.9	20	21.7	634	24.3	24	40.7
60+	4	3.4	1	1.1	3	11.1	8	8.7	285	10.9	13	22.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	36	30.3	32	34.8	4	14.8	14	15.2	416	15.9	4	6.8
Injection drug use history	7	5.9	6	6.5	1	3.7	10	10.9	538	20.6	16	27.1
Heterosexual	36	30.3	24	26.1	12	44.4	40	43.5	752	28.8	15	25.4
Perinatal	1	0.8	1	1.1	0	0.0	2	2.2	96	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	39	32.8	29	31.5	10	37.0	26	28.3	807	30.9	24	40.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,011	38.7	11	18.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,602	61.3	48	81.4

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>27</b>	<b>100.0</b>	<b>18</b>	<b>66.7</b>	<b>9</b>	<b>33.3</b>	<b>26</b>	<b>100.0</b>	<b>776</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>
<b>SEX</b>												
Male	20	74.1	12	66.7	8	88.9	22	84.6	540	69.6	10	76.9
Female	7	25.9	6	33.3	1	11.1	4	15.4	236	30.4	3	23.1
<b>RACE/ETHNICITY</b>												
Black	4	14.8	2	11.1	2	22.2	5	19.2	113	14.6	2	15.4
Hispanic	19	70.4	12	66.7	7	77.8	18	69.2	500	64.4	11	84.6
White	2	7.4	2	11.1	0	0.0	3	11.5	120	15.5	0	0.0
Asian/Pacific Islander	2	7.4	2	11.1	0	0.0	0	0.0	41	5.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.7	1	5.6	0	0.0	1	3.8	14	1.8	0	0.0
20-29	13	48.1	12	66.7	1	11.1	4	15.4	62	8.0	0	0.0
30-39	6	22.2	2	11.1	4	44.4	9	34.6	139	17.9	2	15.4
40-49	4	14.8	1	5.6	3	33.3	8	30.8	285	36.7	3	23.1
50-59	1	3.7	1	5.6	0	0.0	2	7.7	180	23.2	7	53.8
60+	2	7.4	1	5.6	1	11.1	2	7.7	96	12.4	1	7.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	11	40.7	8	44.4	3	33.3	9	34.6	212	27.3	3	23.1
Injection drug use history	2	7.4	1	5.6	1	11.1	4	15.4	217	28.0	5	38.5
Heterosexual	7	25.9	5	27.8	2	22.2	4	15.4	168	21.6	2	15.4
Perinatal	0	0.0	0	0.0	0	0.0	1	3.8	22	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	7	25.9	4	22.2	3	33.3	8	30.8	154	19.8	3	23.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	284	36.6	1	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	492	63.4	12	92.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>41</b>	<b>100.0</b>	<b>29</b>	<b>70.7</b>	<b>12</b>	<b>29.3</b>	<b>30</b>	<b>100.0</b>	<b>1,005</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>
<b>SEX</b>												
Male	32	78.0	24	82.8	8	66.7	21	70.0	706	70.2	12	63.2
Female	9	22.0	5	17.2	4	33.3	9	30.0	299	29.8	7	36.8
<b>RACE/ETHNICITY</b>												
Black	9	22.0	7	24.1	2	16.7	9	30.0	316	31.4	4	21.1
Hispanic	22	53.7	17	58.6	5	41.7	12	40.0	352	35.0	5	26.3
White	7	17.1	3	10.3	4	33.3	7	23.3	301	30.0	9	47.4
Asian/Pacific Islander	3	7.3	2	6.9	1	8.3	2	6.7	36	3.6	1	5.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	2.4	1	3.4	0	0.0	0	0.0	8	0.8	0	0.0
20-29	11	26.8	9	31.0	2	16.7	2	6.7	81	8.1	1	5.3
30-39	13	31.7	10	34.5	3	25.0	11	36.7	165	16.4	0	0.0
40-49	9	22.0	5	17.2	4	33.3	6	20.0	357	35.5	4	21.1
50-59	5	12.2	3	10.3	2	16.7	8	26.7	276	27.5	8	42.1
60+	2	4.9	1	3.4	1	8.3	3	10.0	116	11.5	6	31.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	19	46.3	16	55.2	3	25.0	9	30.0	306	30.4	3	15.8
Injection drug use history	3	7.3	3	10.3	0	0.0	1	3.3	213	21.2	7	36.8
Heterosexual	6	14.6	3	10.3	3	25.0	8	26.7	233	23.2	5	26.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	1	5.3
Unknown	13	31.7	7	24.1	6	50.0	12	40.0	230	22.9	3	15.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	380	37.8	3	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	625	62.2	16	84.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>188</b>	<b>100.0</b>	<b>152</b>	<b>80.9</b>	<b>36</b>	<b>19.1</b>	<b>136</b>	<b>100.0</b>	<b>4,387</b>	<b>100.0</b>	<b>71</b>	<b>100.0</b>
<b>SEX</b>												
Male	138	73.4	109	71.7	29	80.6	97	71.3	2,669	60.8	50	70.4
Female	50	26.6	43	28.3	7	19.4	39	28.7	1,718	39.2	21	29.6
<b>RACE/ETHNICITY</b>												
Black	157	83.5	126	82.9	31	86.1	109	80.1	3,667	83.6	61	85.9
Hispanic	20	10.6	17	11.2	3	8.3	20	14.7	492	11.2	8	11.3
White	7	3.7	7	4.6	0	0.0	5	3.7	175	4.0	1	1.4
Asian/Pacific Islander	1	0.5	0	0.0	1	2.8	1	0.7	43	1.0	1	1.4
Native American	2	1.1	1	0.7	1	2.8	1	0.7	7	0.2	0	0.0
Multiracial	1	0.5	1	0.7	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
13-19	10	5.3	10	6.6	0	0.0	4	2.9	81	1.8	0	0.0
20-29	56	29.8	52	34.2	4	11.1	28	20.6	414	9.4	1	1.4
30-39	46	24.5	35	23.0	11	30.6	24	17.6	716	16.3	2	2.8
40-49	43	22.9	33	21.7	10	27.8	42	30.9	1,460	33.3	21	29.6
50-59	23	12.2	15	9.9	8	22.2	28	20.6	1,212	27.6	22	31.0
60+	10	5.3	7	4.6	3	8.3	10	7.4	489	11.1	25	35.2
<b>TRANSMISSION RISK</b>												
Men who have sex with men	74	39.4	65	42.8	9	25.0	45	33.1	960	21.9	10	14.1
Injection drug use history	4	2.1	1	0.7	3	8.3	10	7.4	508	11.6	21	29.6
Heterosexual	44	23.4	39	25.7	5	13.9	26	19.1	1,237	28.2	12	16.9
Perinatal	0	0.0	0	0.0	0	0.0	2	1.5	110	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Unknown	66	35.1	47	30.9	19	52.8	53	39.0	1,556	35.5	28	39.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,649	37.6	13	18.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,738	62.4	58	81.7

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>71</b>	<b>100.0</b>	<b>52</b>	<b>73.2</b>	<b>19</b>	<b>26.8</b>	<b>52</b>	<b>100.0</b>	<b>1,286</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>
<b>SEX</b>												
Male	47	66.2	32	61.5	15	78.9	30	57.7	711	55.3	11	78.6
Female	24	33.8	20	38.5	4	21.1	22	42.3	575	44.7	3	21.4
<b>RACE/ETHNICITY</b>												
Black	58	81.7	44	84.6	14	73.7	43	82.7	988	76.8	11	78.6
Hispanic	10	14.1	6	11.5	4	21.1	7	13.5	158	12.3	2	14.3
White	1	1.4	1	1.9	0	0.0	1	1.9	123	9.6	1	7.1
Asian/Pacific Islander	2	2.8	1	1.9	1	5.3	1	1.9	12	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	7	9.9	7	13.5	0	0.0	1	1.9	36	2.8	0	0.0
20-29	17	23.9	14	26.9	3	15.8	10	19.2	142	11.0	1	7.1
30-39	20	28.2	13	25.0	7	36.8	15	28.8	236	18.4	0	0.0
40-49	18	25.4	13	25.0	5	26.3	17	32.7	397	30.9	4	28.6
50-59	6	8.5	3	5.8	3	15.8	7	13.5	336	26.1	6	42.9
60+	3	4.2	2	3.8	1	5.3	2	3.8	134	10.4	3	21.4
<b>TRANSMISSION RISK</b>												
Men who have sex with men	23	32.4	15	28.8	8	42.1	13	25.0	233	18.1	2	14.3
Injection drug use history	2	2.8	1	1.9	1	5.3	3	5.8	164	12.8	1	7.1
Heterosexual	23	32.4	21	40.4	2	10.5	16	30.8	401	31.2	3	21.4
Perinatal	0	0.0	0	0.0	0	0.0	2	3.8	47	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	23	32.4	15	28.8	8	42.1	18	34.6	436	33.9	8	57.1
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	543	42.2	3	21.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	743	57.8	11	78.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>18</b>	<b>100.0</b>	<b>13</b>	<b>72.2</b>	<b>5</b>	<b>27.8</b>	<b>12</b>	<b>100.0</b>	<b>526</b>	<b>100.0</b>	<b>7</b>	<b>100.0</b>
<b>SEX</b>												
Male	16	88.9	12	92.3	4	80.0	11	91.7	386	73.4	4	57.1
Female	2	11.1	1	7.7	1	20.0	1	8.3	140	26.6	3	42.9
<b>RACE/ETHNICITY</b>												
Black	0	0.0	0	0.0	0	0.0	1	8.3	69	13.1	0	0.0
Hispanic	6	33.3	2	15.4	4	80.0	5	41.7	157	29.8	4	57.1
White	9	50.0	8	61.5	1	20.0	5	41.7	269	51.1	3	42.9
Asian/Pacific Islander	2	11.1	2	15.4	0	0.0	1	8.3	30	5.7	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	1	5.6	1	7.7	0	0.0	0	0.0	3	0.6	0	0.0
20-29	4	22.2	3	23.1	1	20.0	4	33.3	38	7.2	0	0.0
30-39	7	38.9	6	46.2	1	20.0	5	41.7	97	18.4	1	14.3
40-49	6	33.3	3	23.1	3	60.0	3	25.0	182	34.6	2	28.6
50-59	0	0.0	0	0.0	0	0.0	0	0.0	156	29.7	4	57.1
60+	0	0.0	0	0.0	0	0.0	0	0.0	48	9.1	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	72.2	11	84.6	2	40.0	6	50.0	204	38.8	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	8.3	118	22.4	4	57.1
Heterosexual	1	5.6	0	0.0	1	20.0	1	8.3	94	17.9	2	28.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	22.2	2	15.4	2	40.0	4	33.3	101	19.2	1	14.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	205	39.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	321	61.0	7	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>30</b>	<b>100.0</b>	<b>19</b>	<b>63.3</b>	<b>11</b>	<b>36.7</b>	<b>31</b>	<b>100.0</b>	<b>1,085</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>
<b>SEX</b>												
Male	23	76.7	15	78.9	8	72.7	19	61.3	673	62.0	18	60.0
Female	7	23.3	4	21.1	3	27.3	12	38.7	412	38.0	12	40.0
<b>RACE/ETHNICITY</b>												
Black	11	36.7	6	31.6	5	45.5	13	41.9	413	38.1	13	43.3
Hispanic	5	16.7	4	21.1	1	9.1	9	29.0	357	32.9	9	30.0
White	12	40.0	7	36.8	5	45.5	9	29.0	286	26.4	7	23.3
Asian/Pacific Islander	1	3.3	1	5.3	0	0.0	0	0.0	26	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	3.3	1	5.3	0	0.0	0	0.0	0	0.0	1	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	3.3	1	5.3	0	0.0	0	0.0	8	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	3.2	15	1.4	0	0.0
20-29	9	30.0	9	47.4	0	0.0	3	9.7	80	7.4	2	6.7
30-39	5	16.7	3	15.8	2	18.2	4	12.9	174	16.0	2	6.7
40-49	9	30.0	4	21.1	5	45.5	13	41.9	390	35.9	10	33.3
50-59	6	20.0	2	10.5	4	36.4	10	32.3	305	28.1	10	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	113	10.4	6	20.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	7	23.3	6	31.6	1	9.1	5	16.1	228	21.0	4	13.3
Injection drug use history	5	16.7	2	10.5	3	27.3	9	29.0	260	24.0	11	36.7
Heterosexual	5	16.7	3	15.8	2	18.2	7	22.6	272	25.1	4	13.3
Perinatal	1	3.3	1	5.3	0	0.0	0	0.0	32	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	1	3.3
Unknown	12	40.0	7	36.8	5	45.5	10	32.3	287	26.5	10	33.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	368	33.9	7	23.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	717	66.1	23	76.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>146</b>	<b>100.0</b>	<b>116</b>	<b>79.5</b>	<b>30</b>	<b>20.5</b>	<b>122</b>	<b>100.0</b>	<b>3,557</b>	<b>100.0</b>	<b>75</b>	<b>100.0</b>
<b>SEX</b>												
Male	111	76.0	89	76.7	22	73.3	88	72.1	2,245	63.1	42	56.0
Female	35	24.0	27	23.3	8	26.7	34	27.9	1,312	36.9	33	44.0
<b>RACE/ETHNICITY</b>												
Black	86	58.9	71	61.2	15	50.0	68	55.7	1,916	53.9	45	60.0
Hispanic	44	30.1	32	27.6	12	40.0	44	36.1	1,427	40.1	28	37.3
White	14	9.6	11	9.5	3	10.0	9	7.4	180	5.1	2	2.7
Asian/Pacific Islander	1	0.7	1	0.9	0	0.0	1	0.8	20	0.6	0	0.0
Native American	1	0.7	1	0.9	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	0.5	0	0.0
13-19	10	6.8	8	6.9	2	6.7	2	1.6	66	1.9	0	0.0
20-29	41	28.1	37	31.9	4	13.3	16	13.1	283	8.0	2	2.7
30-39	30	20.5	25	21.6	5	16.7	32	26.2	555	15.6	5	6.7
40-49	33	22.6	26	22.4	7	23.3	40	32.8	1,271	35.7	25	33.3
50-59	23	15.8	17	14.7	6	20.0	19	15.6	988	27.8	28	37.3
60+	9	6.2	3	2.6	6	20.0	13	10.7	377	10.6	15	20.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	62	42.5	50	43.1	12	40.0	48	39.3	711	20.0	7	9.3
Injection drug use history	7	4.8	6	5.2	1	3.3	13	10.7	885	24.9	29	38.7
Heterosexual	26	17.8	19	16.4	7	23.3	28	23.0	801	22.5	12	16.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	94	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	51	34.9	41	35.3	10	33.3	33	27.0	1,062	29.9	27	36.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,339	37.6	12	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,218	62.4	63	84.0

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>160</b>	<b>100.0</b>	<b>130</b>	<b>81.3</b>	<b>30</b>	<b>18.8</b>	<b>123</b>	<b>100.0</b>	<b>3,957</b>	<b>100.0</b>	<b>65</b>	<b>100.0</b>
<b>SEX</b>												
Male	134	83.8	107	82.3	27	90.0	89	72.4	2,995	75.7	48	73.8
Female	26	16.3	23	17.7	3	10.0	34	27.6	962	24.3	17	26.2
<b>RACE/ETHNICITY</b>												
Black	39	24.4	34	26.2	5	16.7	55	44.7	1,501	37.9	29	44.6
Hispanic	88	55.0	67	51.5	21	70.0	51	41.5	1,875	47.4	29	44.6
White	30	18.8	26	20.0	4	13.3	16	13.0	539	13.6	6	9.2
Asian/Pacific Islander	2	1.3	2	1.5	0	0.0	0	0.0	28	0.7	1	1.5
Native American	1	0.6	1	0.8	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.8	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
13-19	2	1.3	2	1.5	0	0.0	0	0.0	51	1.3	1	1.5
20-29	57	35.6	46	35.4	11	36.7	27	22.0	306	7.7	2	3.1
30-39	31	19.4	27	20.8	4	13.3	31	25.2	729	18.4	5	7.7
40-49	41	25.6	37	28.5	4	13.3	30	24.4	1,357	34.3	14	21.5
50-59	17	10.6	11	8.5	6	20.0	24	19.5	1,019	25.8	25	38.5
60+	12	7.5	7	5.4	5	16.7	11	8.9	478	12.1	18	27.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	96	60.0	83	63.8	13	43.3	49	39.8	1,542	39.0	9	13.8
Injection drug use history	3	1.9	3	2.3	0	0.0	6	4.9	647	16.4	24	36.9
Heterosexual	27	16.9	23	17.7	4	13.3	30	24.4	697	17.6	10	15.4
Perinatal	0	0.0	0	0.0	0	0.0	1	0.8	91	2.3	2	3.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	34	21.3	21	16.2	13	43.3	37	30.1	971	24.5	20	30.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,595	40.3	5	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,362	59.7	60	92.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>195</b>	<b>100.0</b>	<b>152</b>	<b>77.9</b>	<b>43</b>	<b>22.1</b>	<b>133</b>	<b>100.0</b>	<b>4,370</b>	<b>100.0</b>	<b>92</b>	<b>100.0</b>
<b>SEX</b>												
Male	145	74.4	113	74.3	32	74.4	96	72.2	2,871	65.7	60	65.2
Female	50	25.6	39	25.7	11	25.6	37	27.8	1,499	34.3	32	34.8
<b>RACE/ETHNICITY</b>												
Black	135	69.2	101	66.4	34	79.1	102	76.7	3,243	74.2	78	84.8
Hispanic	41	21.0	34	22.4	7	16.3	21	15.8	733	16.8	11	12.0
White	17	8.7	15	9.9	2	4.7	8	6.0	339	7.8	3	3.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	0.8	31	0.7	0	0.0
Native American	*	*	*	*	0	0.0	*	*	18	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	0.5	1	0.7	0	0.0	0	0.0	23	0.5	0	0.0
13-19	5	2.6	5	3.3	0	0.0	1	0.8	76	1.7	0	0.0
20-29	60	30.8	52	34.2	8	18.6	22	16.5	378	8.6	1	1.1
30-39	52	26.7	38	25.0	14	32.6	39	29.3	728	16.7	10	10.9
40-49	54	27.7	40	26.3	14	32.6	42	31.6	1,438	32.9	26	28.3
50-59	18	9.2	12	7.9	6	14.0	21	15.8	1,189	27.2	31	33.7
60+	5	2.6	4	2.6	1	2.3	8	6.0	538	12.3	24	26.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	78	40.0	69	45.4	9	20.9	35	26.3	1,204	27.6	14	15.2
Injection drug use history	6	3.1	5	3.3	1	2.3	14	10.5	874	20.0	32	34.8
Heterosexual	35	17.9	25	16.4	10	23.3	31	23.3	921	21.1	19	20.7
Perinatal	1	0.5	1	0.7	0	0.0	1	0.8	121	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	1.1
Unknown	75	38.5	52	34.2	23	53.5	52	39.1	1,245	28.5	26	28.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,733	39.7	12	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,637	60.3	80	87.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>94</b>	<b>100.0</b>	<b>78</b>	<b>83.0</b>	<b>16</b>	<b>17.0</b>	<b>77</b>	<b>100.0</b>	<b>3,021</b>	<b>100.0</b>	<b>55</b>	<b>100.0</b>
<b>SEX</b>												
Male	67	71.3	56	71.8	11	68.8	50	64.9	1,989	65.8	29	52.7
Female	27	28.7	22	28.2	5	31.3	27	35.1	1,032	34.2	26	47.3
<b>RACE/ETHNICITY</b>												
Black	52	55.3	46	59.0	6	37.5	44	57.1	1,513	50.1	25	45.5
Hispanic	33	35.1	23	29.5	10	62.5	26	33.8	1,255	41.5	25	45.5
White	7	7.4	7	9.0	0	0.0	6	7.8	224	7.4	3	5.5
Asian/Pacific Islander	2	2.1	2	2.6	0	0.0	0	0.0	17	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	11	0.4	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	1	1.1	1	1.3	0	0.0	0	0.0	10	0.3	0	0.0
13-19	3	3.2	3	3.8	0	0.0	1	1.3	53	1.8	0	0.0
20-29	29	30.9	25	32.1	4	25.0	6	7.8	197	6.5	2	3.6
30-39	25	26.6	21	26.9	4	25.0	21	27.3	487	16.1	9	16.4
40-49	23	24.5	17	21.8	6	37.5	30	39.0	1,059	35.1	11	20.0
50-59	12	12.8	11	14.1	1	6.3	13	16.9	881	29.2	25	45.5
60+	1	1.1	0	0.0	1	6.3	6	7.8	334	11.1	8	14.5
<b>TRANSMISSION RISK</b>												
Men who have sex with men	36	38.3	30	38.5	6	37.5	18	23.4	705	23.3	10	18.2
Injection drug use history	9	9.6	9	11.5	0	0.0	13	16.9	849	28.1	22	40.0
Heterosexual	23	24.5	16	20.5	7	43.8	22	28.6	659	21.8	14	25.5
Perinatal	1	1.1	1	1.3	0	0.0	1	1.3	81	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	25	26.6	22	28.2	3	18.8	23	29.9	719	23.8	9	16.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,136	37.6	11	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,885	62.4	44	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>74</b>	<b>100.0</b>	<b>55</b>	<b>74.3</b>	<b>19</b>	<b>25.7</b>	<b>70</b>	<b>100.0</b>	<b>3,272</b>	<b>100.0</b>	<b>50</b>	<b>100.0</b>
<b>SEX</b>												
Male	60	81.1	43	78.2	17	89.5	59	84.3	2,761	84.4	41	82.0
Female	14	18.9	12	21.8	2	10.5	11	15.7	511	15.6	9	18.0
<b>RACE/ETHNICITY</b>												
Black	23	31.1	18	32.7	5	26.3	26	37.1	908	27.8	22	44.0
Hispanic	21	28.4	14	25.5	7	36.8	22	31.4	910	27.8	15	30.0
White	28	37.8	22	40.0	6	31.6	22	31.4	1,388	42.4	12	24.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	46	1.4	0	0.0
Native American	*	*	*	*	*	*	0	0.0	*	*	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.7	1	1.8	1	5.3	1	1.4	13	0.4	0	0.0
20-29	14	18.9	13	23.6	1	5.3	8	11.4	124	3.8	1	2.0
30-39	18	24.3	11	20.0	7	36.8	17	24.3	387	11.8	3	6.0
40-49	21	28.4	17	30.9	4	21.1	25	35.7	1,088	33.3	14	28.0
50-59	14	18.9	10	18.2	4	21.1	15	21.4	1,102	33.7	14	28.0
60+	5	6.8	3	5.5	2	10.5	4	5.7	554	16.9	18	36.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	42	56.8	33	60.0	9	47.4	33	47.1	1,779	54.4	11	22.0
Injection drug use history	3	4.1	3	5.5	0	0.0	4	5.7	519	15.9	18	36.0
Heterosexual	10	13.5	7	12.7	3	15.8	12	17.1	325	9.9	9	18.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	19	25.7	12	21.8	7	36.8	21	30.0	616	18.8	12	24.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,233	37.7	6	12.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,039	62.3	44	88.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>50</b>	<b>100.0</b>	<b>37</b>	<b>74.0</b>	<b>13</b>	<b>26.0</b>	<b>30</b>	<b>100.0</b>	<b>1,464</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>
<b>SEX</b>												
Male	43	86.0	32	86.5	11	84.6	28	93.3	1,282	87.6	11	78.6
Female	7	14.0	5	13.5	2	15.4	2	6.7	182	12.4	3	21.4
<b>RACE/ETHNICITY</b>												
Black	17	34.0	12	32.4	5	38.5	8	26.7	302	20.6	7	50.0
Hispanic	10	20.0	8	21.6	2	15.4	6	20.0	284	19.4	3	21.4
White	21	42.0	15	40.5	6	46.2	13	43.3	835	57.0	4	28.6
Asian/Pacific Islander	2	4.0	2	5.4	0	0.0	3	10.0	38	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	10	20.0	8	21.6	2	15.4	4	13.3	58	4.0	0	0.0
30-39	14	28.0	11	29.7	3	23.1	7	23.3	182	12.4	0	0.0
40-49	13	26.0	11	29.7	2	15.4	5	16.7	519	35.5	1	7.1
50-59	7	14.0	4	10.8	3	23.1	8	26.7	431	29.4	9	64.3
60+	6	12.0	3	8.1	3	23.1	6	20.0	266	18.2	4	28.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	17	34.0	14	37.8	3	23.1	13	43.3	890	60.8	3	21.4
Injection drug use history	4	8.0	3	8.1	1	7.7	4	13.3	148	10.1	7	50.0
Heterosexual	9	18.0	7	18.9	2	15.4	2	6.7	127	8.7	1	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	20	40.0	13	35.1	7	53.8	11	36.7	287	19.6	3	21.4
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	589	40.2	1	7.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	875	59.8	13	92.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>195</b>	<b>100.0</b>	<b>166</b>	<b>85.1</b>	<b>29</b>	<b>14.9</b>	<b>131</b>	<b>100.0</b>	<b>6,061</b>	<b>100.0</b>	<b>74</b>	<b>100.0</b>
<b>SEX</b>												
Male	186	95.4	158	95.2	28	96.6	119	90.8	5,590	92.2	63	85.1
Female	9	4.6	8	4.8	1	3.4	12	9.2	471	7.8	11	14.9
<b>RACE/ETHNICITY</b>												
Black	48	24.6	40	24.1	8	27.6	41	31.3	1,166	19.2	27	36.5
Hispanic	31	15.9	25	15.1	6	20.7	28	21.4	1,337	22.1	14	18.9
White	108	55.4	95	57.2	13	44.8	59	45.0	3,393	56.0	32	43.2
Asian/Pacific Islander	8	4.1	6	3.6	2	6.9	3	2.3	122	2.0	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	1.0	2	1.2	0	0.0	1	0.8	13	0.2	1	1.4
20-29	51	26.2	46	27.7	5	17.2	19	14.5	299	4.9	1	1.4
30-39	69	35.4	63	38.0	6	20.7	32	24.4	958	15.8	4	5.4
40-49	52	26.7	39	23.5	13	44.8	50	38.2	2,512	41.4	23	31.1
50-59	20	10.3	16	9.6	4	13.8	24	18.3	1,637	27.0	29	39.2
60+	1	0.5	0	0.0	1	3.4	5	3.8	641	10.6	16	21.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	147	75.4	129	77.7	18	62.1	95	72.5	4,212	69.5	31	41.9
Injection drug use history	9	4.6	7	4.2	2	6.9	11	8.4	672	11.1	25	33.8
Heterosexual	7	3.6	6	3.6	1	3.4	3	2.3	287	4.7	3	4.1
Perinatal	0	0.0	0	0.0	0	0.0	2	1.5	19	0.3	1	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	32	16.4	24	14.5	8	27.6	20	15.3	870	14.4	14	18.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,816	46.5	8	10.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,245	53.5	66	89.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>70</b>	<b>100.0</b>	<b>55</b>	<b>78.6</b>	<b>15</b>	<b>21.4</b>	<b>47</b>	<b>100.0</b>	<b>2,230</b>	<b>100.0</b>	<b>29</b>	<b>100.0</b>
<b>SEX</b>												
Male	64	91.4	50	90.9	14	93.3	44	93.6	2,007	90.0	24	82.8
Female	6	8.6	5	9.1	1	6.7	3	6.4	223	10.0	5	17.2
<b>RACE/ETHNICITY</b>												
Black	23	32.9	13	23.6	10	66.7	19	40.4	533	23.9	6	20.7
Hispanic	15	21.4	14	25.5	1	6.7	12	25.5	525	23.5	12	41.4
White	28	40.0	25	45.5	3	20.0	15	31.9	1,112	49.9	10	34.5
Asian/Pacific Islander	4	5.7	3	5.5	1	6.7	1	2.1	49	2.2	1	3.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	2.9	2	3.6	0	0.0	0	0.0	5	0.2	0	0.0
20-29	11	15.7	9	16.4	2	13.3	7	14.9	90	4.0	0	0.0
30-39	26	37.1	23	41.8	3	20.0	12	25.5	297	13.3	1	3.4
40-49	20	28.6	14	25.5	6	40.0	16	34.0	775	34.8	10	34.5
50-59	10	14.3	6	10.9	4	26.7	9	19.1	682	30.6	9	31.0
60+	1	1.4	1	1.8	0	0.0	3	6.4	378	17.0	9	31.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	38	54.3	33	60.0	5	33.3	21	44.7	1,298	58.2	11	37.9
Injection drug use history	2	2.9	2	3.6	0	0.0	5	10.6	348	15.6	10	34.5
Heterosexual	13	18.6	10	18.2	3	20.0	6	12.8	160	7.2	3	10.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	17	24.3	10	18.2	7	46.7	15	31.9	410	18.4	5	17.2
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	913	40.9	7	24.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,317	59.1	22	75.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>49</b>	<b>100.0</b>	<b>42</b>	<b>85.7</b>	<b>7</b>	<b>14.3</b>	<b>29</b>	<b>100.0</b>	<b>2,169</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>
<b>SEX</b>												
Male	47	95.9	40	95.2	7	100.0	29	100.0	2,080	95.9	18	94.7
Female	2	4.1	2	4.8	0	0.0	0	0.0	89	4.1	1	5.3
<b>RACE/ETHNICITY</b>												
Black	8	16.3	5	11.9	3	42.9	10	34.5	368	17.0	6	31.6
Hispanic	11	22.4	9	21.4	2	28.6	7	24.1	383	17.7	3	15.8
White	29	59.2	27	64.3	2	28.6	12	41.4	1,346	62.1	9	47.4
Asian/Pacific Islander	1	2.0	1	2.4	0	0.0	0	0.0	63	2.9	1	5.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.0	1	2.4	0	0.0	0	0.0	5	0.2	0	0.0
20-29	11	22.4	10	23.8	1	14.3	1	3.4	70	3.2	0	0.0
30-39	14	28.6	13	31.0	1	14.3	6	20.7	303	14.0	1	5.3
40-49	18	36.7	15	35.7	3	42.9	16	55.2	866	39.9	6	31.6
50-59	5	10.2	3	7.1	2	28.6	5	17.2	618	28.5	6	31.6
60+	0	0.0	0	0.0	0	0.0	1	3.4	307	14.2	6	31.6
<b>TRANSMISSION RISK</b>												
Men who have sex with men	37	75.5	31	73.8	6	85.7	16	55.2	1,526	70.4	10	52.6
Injection drug use history	1	2.0	1	2.4	0	0.0	4	13.8	207	9.5	7	36.8
Heterosexual	1	2.0	1	2.4	0	0.0	3	10.3	81	3.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	10	20.4	9	21.4	1	14.3	6	20.7	353	16.3	2	10.5
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	932	43.0	2	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,237	57.0	17	89.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>74</b>	<b>100.0</b>	<b>58</b>	<b>78.4</b>	<b>16</b>	<b>21.6</b>	<b>85</b>	<b>100.0</b>	<b>3,276</b>	<b>100.0</b>	<b>61</b>	<b>100.0</b>
<b>SEX</b>												
Male	66	89.2	51	87.9	15	93.8	73	85.9	2,709	82.7	43	70.5
Female	8	10.8	7	12.1	1	6.3	12	14.1	567	17.3	18	29.5
<b>RACE/ETHNICITY</b>												
Black	21	28.4	16	27.6	5	31.3	24	28.2	670	20.5	18	29.5
Hispanic	22	29.7	16	27.6	6	37.5	35	41.2	1,106	33.8	28	45.9
White	29	39.2	24	41.4	5	31.3	25	29.4	1,359	41.5	15	24.6
Asian/Pacific Islander	2	2.7	2	3.4	0	0.0	1	1.2	121	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	1.4	0	0.0	1	6.3	2	2.4	19	0.6	0	0.0
20-29	23	31.1	20	34.5	3	18.8	8	9.4	174	5.3	3	4.9
30-39	23	31.1	17	29.3	6	37.5	19	22.4	434	13.2	2	3.3
40-49	19	25.7	16	27.6	3	18.8	29	34.1	1,283	39.2	11	18.0
50-59	6	8.1	4	6.9	2	12.5	25	29.4	946	28.9	29	47.5
60+	2	2.7	1	1.7	1	6.3	2	2.4	418	12.8	16	26.2
<b>TRANSMISSION RISK</b>												
Men who have sex with men	46	62.2	36	62.1	10	62.5	37	43.5	1,657	50.6	11	18.0
Injection drug use history	5	6.8	3	5.2	2	12.5	17	20.0	677	20.7	27	44.3
Heterosexual	11	14.9	9	15.5	2	12.5	17	20.0	352	10.7	6	9.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	2	2.4	6	0.2	0	0.0
Unknown	12	16.2	10	17.2	2	12.5	12	14.1	545	16.6	17	27.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,217	37.1	10	16.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,059	62.9	51	83.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>15</b>	<b>100.0</b>	<b>13</b>	<b>86.7</b>	<b>2</b>	<b>13.3</b>	<b>11</b>	<b>100.0</b>	<b>472</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>
<b>SEX</b>												
Male	12	80.0	11	84.6	1	50.0	9	81.8	393	83.3	2	66.7
Female	3	20.0	2	15.4	1	50.0	2	18.2	79	16.7	1	33.3
<b>RACE/ETHNICITY</b>												
Black	5	33.3	4	30.8	1	50.0	5	45.5	115	24.4	2	66.7
Hispanic	6	40.0	6	46.2	0	0.0	1	9.1	121	25.6	1	33.3
White	4	26.7	3	23.1	1	50.0	5	45.5	213	45.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	4.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
20-29	5	33.3	5	38.5	0	0.0	1	9.1	32	6.8	0	0.0
30-39	4	26.7	4	30.8	0	0.0	1	9.1	81	17.2	0	0.0
40-49	4	26.7	3	23.1	1	50.0	3	27.3	188	39.8	0	0.0
50-59	1	6.7	0	0.0	1	50.0	5	45.5	130	27.5	2	66.7
60+	1	6.7	1	7.7	0	0.0	1	9.1	37	7.8	1	33.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	60.0	8	61.5	1	50.0	5	45.5	253	53.6	0	0.0
Injection drug use history	1	6.7	1	7.7	0	0.0	1	9.1	71	15.0	1	33.3
Heterosexual	2	13.3	1	7.7	1	50.0	1	9.1	51	10.8	1	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	20.0	3	23.1	0	0.0	4	36.4	91	19.3	1	33.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	236	50.0	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	236	50.0	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>101</b>	<b>100.0</b>	<b>85</b>	<b>84.2</b>	<b>16</b>	<b>15.8</b>	<b>42</b>	<b>100.0</b>	<b>1,825</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>
<b>SEX</b>												
Male	90	89.1	75	88.2	15	93.8	35	83.3	1,480	81.1	10	52.6
Female	11	10.9	10	11.8	1	6.3	7	16.7	345	18.9	9	47.4
<b>RACE/ETHNICITY</b>												
Black	20	19.8	19	22.4	1	6.3	11	26.2	414	22.7	6	31.6
Hispanic	44	43.6	38	44.7	6	37.5	17	40.5	732	40.1	7	36.8
White	31	30.7	24	28.2	7	43.8	12	28.6	598	32.8	5	26.3
Asian/Pacific Islander	6	5.9	4	4.7	2	12.5	2	4.8	68	3.7	1	5.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	5	5.0	5	5.9	0	0.0	1	2.4	19	1.0	0	0.0
20-29	30	29.7	26	30.6	4	25.0	8	19.0	137	7.5	0	0.0
30-39	33	32.7	30	35.3	3	18.8	13	31.0	388	21.3	1	5.3
40-49	20	19.8	15	17.6	5	31.3	12	28.6	728	39.9	7	36.8
50-59	10	9.9	8	9.4	2	12.5	4	9.5	410	22.5	7	36.8
60+	3	3.0	1	1.2	2	12.5	4	9.5	141	7.7	4	21.1
<b>TRANSMISSION RISK</b>												
Men who have sex with men	69	68.3	59	69.4	10	62.5	23	54.8	929	50.9	4	21.1
Injection drug use history	2	2.0	2	2.4	0	0.0	4	9.5	222	12.2	7	36.8
Heterosexual	9	8.9	8	9.4	1	6.3	4	9.5	290	15.9	3	15.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	21	20.8	16	18.8	5	31.3	11	26.2	355	19.5	5	26.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	801	43.9	3	15.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,024	56.1	16	84.2

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>190</b>	<b>100.0</b>	<b>140</b>	<b>73.7</b>	<b>50</b>	<b>26.3</b>	<b>151</b>	<b>100.0</b>	<b>4,697</b>	<b>100.0</b>	<b>56</b>	<b>100.0</b>
<b>SEX</b>												
Male	162	85.3	117	83.6	45	90.0	128	84.8	3,716	79.1	43	76.8
Female	28	14.7	23	16.4	5	10.0	23	15.2	981	20.9	13	23.2
<b>RACE/ETHNICITY</b>												
Black	38	20.0	29	20.7	9	18.0	40	26.5	1,338	28.5	13	23.2
Hispanic	117	61.6	97	69.3	20	40.0	82	54.3	2,604	55.4	28	50.0
White	13	6.8	5	3.6	8	16.0	13	8.6	564	12.0	13	23.2
Asian/Pacific Islander	22	11.6	9	6.4	13	26.0	16	10.6	172	3.7	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	1.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	7	3.7	6	4.3	1	2.0	4	2.6	27	0.6	0	0.0
20-29	50	26.3	44	31.4	6	12.0	31	20.5	320	6.8	0	0.0
30-39	56	29.5	41	29.3	15	30.0	45	29.8	933	19.9	7	12.5
40-49	60	31.6	36	25.7	24	48.0	54	35.8	1,841	39.2	17	30.4
50-59	13	6.8	10	7.1	3	6.0	14	9.3	1,196	25.5	24	42.9
60+	4	2.1	3	2.1	1	2.0	3	2.0	375	8.0	8	14.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	92	48.4	74	52.9	18	36.0	52	34.4	1,804	38.4	19	33.9
Injection drug use history	13	6.8	10	7.1	3	6.0	18	11.9	998	21.2	23	41.1
Heterosexual	45	23.7	31	22.1	14	28.0	40	26.5	884	18.8	8	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	1	1.8
Unknown	40	21.1	25	17.9	15	30.0	41	27.2	973	20.7	5	8.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,752	37.3	8	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,945	62.7	48	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.  
The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>23</b>	<b>100.0</b>	<b>18</b>	<b>78.3</b>	<b>5</b>	<b>21.7</b>	<b>17</b>	<b>100.0</b>	<b>658</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>
<b>SEX</b>												
Male	14	60.9	11	61.1	3	60.0	11	64.7	477	72.5	7	63.6
Female	9	39.1	7	38.9	2	40.0	6	35.3	181	27.5	4	36.4
<b>RACE/ETHNICITY</b>												
Black	1	4.3	0	0.0	1	20.0	1	5.9	163	24.8	3	27.3
Hispanic	7	30.4	6	33.3	1	20.0	6	35.3	236	35.9	4	36.4
White	7	30.4	6	33.3	1	20.0	5	29.4	201	30.5	4	36.4
Asian/Pacific Islander	8	34.8	6	33.3	2	40.0	5	29.4	54	8.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
20-29	9	39.1	8	44.4	1	20.0	5	29.4	33	5.0	0	0.0
30-39	8	34.8	7	38.9	1	20.0	3	17.6	102	15.5	0	0.0
40-49	4	17.4	2	11.1	2	40.0	7	41.2	254	38.6	5	45.5
50-59	2	8.7	1	5.6	1	20.0	2	11.8	185	28.1	3	27.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	78	11.9	3	27.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	39.1	8	44.4	1	20.0	6	35.3	255	38.8	1	9.1
Injection drug use history	0	0.0	0	0.0	0	0.0	4	23.5	114	17.3	5	45.5
Heterosexual	8	34.8	6	33.3	2	40.0	5	29.4	150	22.8	2	18.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	6	26.1	4	22.2	2	40.0	2	11.8	126	19.1	3	27.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	232	35.3	1	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	426	64.7	10	90.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>3</b>	<b>75.0</b>	<b>1</b>	<b>25.0</b>	<b>4</b>	<b>100.0</b>	<b>141</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>
<b>SEX</b>												
Male	3	75.0	2	66.7	1	100.0	3	75.0	113	80.1	0	0.0
Female	1	25.0	1	33.3	0	0.0	1	25.0	28	19.9	0	0.0
<b>RACE/ETHNICITY</b>												
Black	2	50.0	1	33.3	1	100.0	2	50.0	24	17.0	0	0.0
Hispanic	1	25.0	1	33.3	0	0.0	2	50.0	28	19.9	0	0.0
White	1	25.0	1	33.3	0	0.0	0	0.0	77	54.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	25.0	1	33.3	0	0.0	0	0.0	3	2.1	0	0.0
20-29	1	25.0	1	33.3	0	0.0	1	25.0	12	8.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	9	6.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	25.0	40	28.4	0	0.0
50-59	2	50.0	1	33.3	1	100.0	2	50.0	55	39.0	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	22	15.6	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	2	50.0	2	66.7	0	0.0	1	25.0	53	37.6	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	22	15.6	0	0.0
Heterosexual	1	25.0	1	33.3	0	0.0	1	25.0	25	17.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Unknown	1	25.0	0	0.0	1	100.0	2	50.0	32	22.7	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	59	41.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	82	58.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>33</b>	<b>100.0</b>	<b>24</b>	<b>72.7</b>	<b>9</b>	<b>27.3</b>	<b>28</b>	<b>100.0</b>	<b>972</b>	<b>100.0</b>	<b>12</b>	<b>100.0</b>
<b>SEX</b>												
Male	27	81.8	19	79.2	8	88.9	22	78.6	707	72.7	10	83.3
Female	6	18.2	5	20.8	1	11.1	6	21.4	265	27.3	2	16.7
<b>RACE/ETHNICITY</b>												
Black	3	9.1	3	12.5	0	0.0	3	10.7	130	13.4	1	8.3
Hispanic	16	48.5	9	37.5	7	77.8	14	50.0	445	45.8	8	66.7
White	12	36.4	10	41.7	2	22.2	10	35.7	352	36.2	3	25.0
Asian/Pacific Islander	2	6.1	2	8.3	0	0.0	1	3.6	35	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19	1	3.0	1	4.2	0	0.0	1	3.6	9	0.9	0	0.0
20-29	7	21.2	7	29.2	0	0.0	1	3.6	75	7.7	0	0.0
30-39	12	36.4	8	33.3	4	44.4	6	21.4	159	16.4	0	0.0
40-49	5	15.2	5	20.8	0	0.0	8	28.6	357	36.7	5	41.7
50-59	7	21.2	2	8.3	5	55.6	9	32.1	284	29.2	6	50.0
60+	1	3.0	1	4.2	0	0.0	3	10.7	84	8.6	1	8.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	19	57.6	16	66.7	3	33.3	12	42.9	384	39.5	2	16.7
Injection drug use history	0	0.0	0	0.0	0	0.0	1	3.6	144	14.8	5	41.7
Heterosexual	7	21.2	5	20.8	2	22.2	7	25.0	199	20.5	1	8.3
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	22	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	7	21.2	3	12.5	4	44.4	7	25.0	217	22.3	4	33.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	396	40.7	1	8.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	576	59.3	11	91.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>11</b>	<b>100.0</b>	<b>4</b>	<b>36.4</b>	<b>7</b>	<b>63.6</b>	<b>8</b>	<b>100.0</b>	<b>266</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>
<b>SEX</b>												
Male	5	45.5	3	75.0	2	28.6	3	37.5	177	66.5	3	100.0
Female	6	54.5	1	25.0	5	71.4	5	62.5	89	33.5	0	0.0
<b>RACE/ETHNICITY</b>												
Black	6	54.5	0	0.0	6	85.7	6	75.0	114	42.9	3	100.0
Hispanic	4	36.4	3	75.0	1	14.3	2	25.0	80	30.1	0	0.0
White	1	9.1	1	25.0	0	0.0	0	0.0	56	21.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	4.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	1.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	2.3	0	0.0
20-29	2	18.2	2	50.0	0	0.0	0	0.0	18	6.8	0	0.0
30-39	4	36.4	2	50.0	2	28.6	3	37.5	40	15.0	0	0.0
40-49	2	18.2	0	0.0	2	28.6	2	25.0	100	37.6	2	66.7
50-59	3	27.3	0	0.0	3	42.9	3	37.5	69	25.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	30	11.3	1	33.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	4	36.4	3	75.0	1	14.3	2	25.0	86	32.3	2	66.7
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	36	13.5	1	33.3
Heterosexual	7	63.6	1	25.0	6	85.7	6	75.0	66	24.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	68	25.6	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	118	44.4	1	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	148	55.6	2	66.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>54</b>	<b>100.0</b>	<b>43</b>	<b>79.6</b>	<b>11</b>	<b>20.4</b>	<b>34</b>	<b>100.0</b>	<b>1,365</b>	<b>100.0</b>	<b>18</b>	<b>100.0</b>
<b>SEX</b>												
Male	42	77.8	34	79.1	8	72.7	26	76.5	961	70.4	10	55.6
Female	12	22.2	9	20.9	3	27.3	8	23.5	404	29.6	8	44.4
<b>RACE/ETHNICITY</b>												
Black	20	37.0	13	30.2	7	63.6	14	41.2	437	32.0	10	55.6
Hispanic	20	37.0	17	39.5	3	27.3	14	41.2	532	39.0	3	16.7
White	5	9.3	5	11.6	0	0.0	4	11.8	282	20.7	5	27.8
Asian/Pacific Islander	9	16.7	8	18.6	1	9.1	2	5.9	98	7.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	3.7	2	4.7	0	0.0	0	0.0	22	1.6	0	0.0
20-29	18	33.3	15	34.9	3	27.3	4	11.8	103	7.5	0	0.0
30-39	10	18.5	7	16.3	3	27.3	11	32.4	252	18.5	4	22.2
40-49	16	29.6	15	34.9	1	9.1	9	26.5	493	36.1	5	27.8
50-59	7	13.0	4	9.3	3	27.3	8	23.5	364	26.7	5	27.8
60+	1	1.9	0	0.0	1	9.1	2	5.9	129	9.5	4	22.2
<b>TRANSMISSION RISK</b>												
Men who have sex with men	25	46.3	22	51.2	3	27.3	9	26.5	457	33.5	2	11.1
Injection drug use history	0	0.0	0	0.0	0	0.0	2	5.9	215	15.8	6	33.3
Heterosexual	13	24.1	8	18.6	5	45.5	10	29.4	303	22.2	5	27.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	36	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	16	29.6	13	30.2	3	27.3	13	38.2	350	25.6	5	27.8
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	559	41.0	3	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	806	59.0	15	83.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.  
The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>125</b>	<b>100.0</b>	<b>99</b>	<b>79.2</b>	<b>26</b>	<b>20.8</b>	<b>89</b>	<b>100.0</b>	<b>2,821</b>	<b>100.0</b>	<b>68</b>	<b>100.0</b>
<b>SEX</b>												
Male	87	69.6	71	71.7	16	61.5	51	57.3	1,692	60.0	45	66.2
Female	38	30.4	28	28.3	10	38.5	38	42.7	1,129	40.0	23	33.8
<b>RACE/ETHNICITY</b>												
Black	97	77.6	77	77.8	20	76.9	65	73.0	2,162	76.6	55	80.9
Hispanic	19	15.2	15	15.2	4	15.4	17	19.1	429	15.2	10	14.7
White	2	1.6	2	2.0	0	0.0	1	1.1	152	5.4	2	2.9
Asian/Pacific Islander	7	5.6	5	5.1	2	7.7	5	5.6	65	2.3	1	1.5
Native American	0	0.0	0	0.0	0	0.0	1	1.1	10	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.5	0	0.0
13-19	14	11.2	13	13.1	1	3.8	2	2.2	50	1.8	1	1.5
20-29	33	26.4	31	31.3	2	7.7	11	12.4	239	8.5	0	0.0
30-39	28	22.4	19	19.2	9	34.6	28	31.5	438	15.5	5	7.4
40-49	23	18.4	20	20.2	3	11.5	19	21.3	919	32.6	16	23.5
50-59	19	15.2	11	11.1	8	30.8	22	24.7	836	29.6	27	39.7
60+	8	6.4	5	5.1	3	11.5	7	7.9	325	11.5	19	27.9
<b>TRANSMISSION RISK</b>												
Men who have sex with men	44	35.2	38	38.4	6	23.1	20	22.5	581	20.6	5	7.4
Injection drug use history	7	5.6	6	6.1	1	3.8	8	9.0	546	19.4	23	33.8
Heterosexual	33	26.4	28	28.3	5	19.2	27	30.3	750	26.6	15	22.1
Perinatal	0	0.0	0	0.0	0	0.0	1	1.1	84	3.0	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	41	32.8	27	27.3	14	53.8	33	37.1	851	30.2	24	35.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,058	37.5	14	20.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,763	62.5	54	79.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.  
The following zip codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>38</b>	<b>100.0</b>	<b>29</b>	<b>76.3</b>	<b>9</b>	<b>23.7</b>	<b>22</b>	<b>100.0</b>	<b>1,076</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>
<b>SEX</b>												
Male	24	63.2	17	58.6	7	77.8	15	68.2	633	58.8	7	50.0
Female	14	36.8	12	41.4	2	22.2	7	31.8	443	41.2	7	50.0
<b>RACE/ETHNICITY</b>												
Black	33	86.8	24	82.8	9	100.0	18	81.8	844	78.4	13	92.9
Hispanic	4	10.5	4	13.8	0	0.0	2	9.1	121	11.2	1	7.1
White	1	2.6	1	3.4	0	0.0	0	0.0	79	7.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	9.1	30	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
13-19	4	10.5	4	13.8	0	0.0	0	0.0	30	2.8	0	0.0
20-29	12	31.6	11	37.9	1	11.1	3	13.6	91	8.5	0	0.0
30-39	4	10.5	4	13.8	0	0.0	6	27.3	155	14.4	3	21.4
40-49	9	23.7	7	24.1	2	22.2	6	27.3	347	32.2	5	35.7
50-59	6	15.8	2	6.9	4	44.4	5	22.7	318	29.6	6	42.9
60+	3	7.9	1	3.4	2	22.2	2	9.1	130	12.1	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	13	34.2	12	41.4	1	11.1	5	22.7	200	18.6	4	28.6
Injection drug use history	3	7.9	2	6.9	1	11.1	2	9.1	150	13.9	2	14.3
Heterosexual	10	26.3	7	24.1	3	33.3	8	36.4	320	29.7	2	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	12	31.6	8	27.6	4	44.4	7	31.8	354	32.9	6	42.9
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	406	37.7	2	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	670	62.3	12	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.  
The following zip codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>42</b>	<b>100.0</b>	<b>29</b>	<b>69.0</b>	<b>13</b>	<b>31.0</b>	<b>33</b>	<b>100.0</b>	<b>863</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>
<b>SEX</b>												
Male	25	59.5	17	58.6	8	61.5	22	66.7	468	54.2	13	61.9
Female	17	40.5	12	41.4	5	38.5	11	33.3	395	45.8	8	38.1
<b>RACE/ETHNICITY</b>												
Black	33	78.6	22	75.9	11	84.6	22	66.7	565	65.5	16	76.2
Hispanic	7	16.7	6	20.7	1	7.7	7	21.2	187	21.7	4	19.0
White	2	4.8	1	3.4	1	7.7	2	6.1	103	11.9	1	4.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
13-19	1	2.4	0	0.0	1	7.7	2	6.1	16	1.9	0	0.0
20-29	11	26.2	11	37.9	0	0.0	5	15.2	80	9.3	1	4.8
30-39	11	26.2	8	27.6	3	23.1	9	27.3	115	13.3	2	9.5
40-49	9	21.4	5	17.2	4	30.8	8	24.2	277	32.1	5	23.8
50-59	7	16.7	4	13.8	3	23.1	6	18.2	293	34.0	9	42.9
60+	3	7.1	1	3.4	2	15.4	3	9.1	77	8.9	4	19.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	6	14.3	5	17.2	1	7.7	6	18.2	123	14.3	3	14.3
Injection drug use history	4	9.5	4	13.8	0	0.0	6	18.2	207	24.0	8	38.1
Heterosexual	17	40.5	11	37.9	6	46.2	8	24.2	284	32.9	4	19.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.0	30	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	15	35.7	9	31.0	6	46.2	12	36.4	216	25.0	6	28.6
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	360	41.7	4	19.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	503	58.3	17	81.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>24</b>	<b>100.0</b>	<b>20</b>	<b>83.3</b>	<b>4</b>	<b>16.7</b>	<b>11</b>	<b>100.0</b>	<b>402</b>	<b>100.0</b>	<b>15</b>	<b>100.0</b>
<b>SEX</b>												
Male	14	58.3	12	60.0	2	50.0	7	63.6	246	61.2	8	53.3
Female	10	41.7	8	40.0	2	50.0	4	36.4	156	38.8	7	46.7
<b>RACE/ETHNICITY</b>												
Black	15	62.5	13	65.0	2	50.0	6	54.5	202	50.2	8	53.3
Hispanic	6	25.0	5	25.0	1	25.0	4	36.4	118	29.4	3	20.0
White	2	8.3	1	5.0	1	25.0	1	9.1	76	18.9	4	26.7
Asian/Pacific Islander	1	4.2	1	5.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	3	12.5	3	15.0	0	0.0	0	0.0	8	2.0	0	0.0
20-29	10	41.7	10	50.0	0	0.0	1	9.1	42	10.4	1	6.7
30-39	5	20.8	4	20.0	1	25.0	2	18.2	35	8.7	2	13.3
40-49	3	12.5	2	10.0	1	25.0	6	54.5	151	37.6	4	26.7
50-59	3	12.5	1	5.0	2	50.0	2	18.2	125	31.1	4	26.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	38	9.5	4	26.7
<b>TRANSMISSION RISK</b>												
Men who have sex with men	9	37.5	8	40.0	1	25.0	1	9.1	75	18.7	1	6.7
Injection drug use history	1	4.2	0	0.0	1	25.0	3	27.3	100	24.9	6	40.0
Heterosexual	10	41.7	9	45.0	1	25.0	2	18.2	102	25.4	4	26.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	1	6.7
Unknown	4	16.7	3	15.0	1	25.0	5	45.5	109	27.1	3	20.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	163	40.5	4	26.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	239	59.5	11	73.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>28</b>	<b>100.0</b>	<b>20</b>	<b>71.4</b>	<b>8</b>	<b>28.6</b>	<b>27</b>	<b>100.0</b>	<b>840</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>
<b>SEX</b>												
Male	18	64.3	13	65.0	5	62.5	18	66.7	530	63.1	13	68.4
Female	10	35.7	7	35.0	3	37.5	9	33.3	310	36.9	6	31.6
<b>RACE/ETHNICITY</b>												
Black	14	50.0	11	55.0	3	37.5	15	55.6	381	45.4	9	47.4
Hispanic	6	21.4	3	15.0	3	37.5	8	29.6	206	24.5	4	21.1
White	8	28.6	6	30.0	2	25.0	4	14.8	240	28.6	6	31.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
13-19	1	3.6	1	5.0	0	0.0	2	7.4	14	1.7	0	0.0
20-29	7	25.0	6	30.0	1	12.5	3	11.1	57	6.8	0	0.0
30-39	7	25.0	6	30.0	1	12.5	2	7.4	118	14.0	0	0.0
40-49	9	32.1	5	25.0	4	50.0	14	51.9	325	38.7	7	36.8
50-59	2	7.1	1	5.0	1	12.5	3	11.1	245	29.2	7	36.8
60+	2	7.1	1	5.0	1	12.5	3	11.1	75	8.9	5	26.3
<b>TRANSMISSION RISK</b>												
Men who have sex with men	7	25.0	5	25.0	2	25.0	5	18.5	211	25.1	4	21.1
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	191	22.7	7	36.8
Heterosexual	10	35.7	7	35.0	3	37.5	7	25.9	191	22.7	3	15.8
Perinatal	0	0.0	0	0.0	0	0.0	2	7.4	24	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	11	39.3	8	40.0	3	37.5	13	48.1	217	25.8	5	26.3
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	315	37.5	4	21.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	525	62.5	15	78.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of  $\leq 500$  persons, or non-zero cells with a denominator  $\leq 100$  as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>4</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>100.0</b>	<b>146</b>	<b>100.0</b>	<b>1</b>	<b>100.0</b>
<b>SEX</b>												
Male	3	75.0	3	75.0	0	0.0	0	0.0	100	68.5	1	100.0
Female	1	25.0	1	25.0	0	0.0	2	100.0	46	31.5	0	0.0
<b>RACE/ETHNICITY</b>												
Black	1	25.0	1	25.0	0	0.0	1	50.0	23	15.8	0	0.0
Hispanic	0	0.0	0	0.0	0	0.0	1	50.0	34	23.3	0	0.0
White	3	75.0	3	75.0	0	0.0	0	0.0	84	57.5	1	100.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	50.0	2	50.0	0	0.0	0	0.0	15	10.3	0	0.0
30-39	2	50.0	2	50.0	0	0.0	1	50.0	17	11.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	50.0	59	40.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	36	24.7	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	17	11.6	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	1	25.0	1	25.0	0	0.0	0	0.0	49	33.6	1	100.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	20	13.7	0	0.0
Heterosexual	2	50.0	2	50.0	0	0.0	2	100.0	31	21.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	1	25.0	1	25.0	0	0.0	0	0.0	41	28.1	0	0.0
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	62	42.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	84	57.5	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2009 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2009, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2009						AIDS DIAGNOSES, 2009		PLWHA AS OF 12/31/2009		DEATHS, 2009	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
<b>TOTAL</b>	<b>9</b>	<b>100.0</b>	<b>8</b>	<b>88.9</b>	<b>1</b>	<b>11.1</b>	<b>11</b>	<b>100.0</b>	<b>366</b>	<b>100.0</b>	<b>6</b>	<b>100.0</b>
<b>SEX</b>												
Male	7	77.8	6	75.0	1	100.0	7	63.6	255	69.7	5	83.3
Female	2	22.2	2	25.0	0	0.0	4	36.4	111	30.3	1	16.7
<b>RACE/ETHNICITY</b>												
Black	0	0.0	0	0.0	0	0.0	3	27.3	72	19.7	0	0.0
Hispanic	3	33.3	3	37.5	0	0.0	4	36.4	86	23.5	2	33.3
White	6	66.7	5	62.5	1	100.0	4	36.4	204	55.7	4	66.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
<b>AGE GROUP (YEARS)</b>												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	1	11.1	1	12.5	0	0.0	0	0.0	5	1.4	0	0.0
20-29	5	55.6	5	62.5	0	0.0	1	9.1	28	7.7	0	0.0
30-39	0	0.0	0	0.0	0	0.0	3	27.3	54	14.8	0	0.0
40-49	3	33.3	2	25.0	1	100.0	2	18.2	129	35.2	3	50.0
50-59	0	0.0	0	0.0	0	0.0	4	36.4	120	32.8	3	50.0
60+	0	0.0	0	0.0	0	0.0	1	9.1	28	7.7	0	0.0
<b>TRANSMISSION RISK</b>												
Men who have sex with men	6	66.7	5	62.5	1	100.0	4	36.4	77	21.0	2	33.3
Injection drug use history	1	11.1	1	12.5	0	0.0	1	9.1	90	24.6	2	33.3
Heterosexual	1	11.1	1	12.5	0	0.0	2	18.2	72	19.7	1	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	1	11.1	1	12.5	0	0.0	4	36.4	112	30.6	1	16.7
<b>CLINICAL STATUS</b>												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	153	41.8	2	33.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	213	58.2	4	66.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (\*).

**RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2009****Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES <sup>1</sup> PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA <sup>2</sup>	POPULATION FROM 2000 CENSUS
<b>TOTAL</b>	<b>47.2</b>	<b>1.4</b>	<b>16.9</b>	<b>8,008,278</b>
<b>SEX</b>				
Male	75.9	2.1	15.7	3,794,204
Female	21.5	0.8	19.8	4,214,074
<b>RACE/ETHNICITY</b>				
Black	92.1	2.5	19.9	1,962,154
Hispanic	55.7	1.7	18.6	2,160,554
White	22.7	0.8	9.1	2,801,267
Asian/Pacific Islander	14.8	0.2	7.2*	783,058
Native American	80.8	1.5	30.6*	17,321
<b>AGE GROUP (YEARS)</b>				
0-12	0.8	0.0	2.5*	1,429,677
13-19	23.5	0.2	3.3*	723,773
20-29	84.9	0.6	5.2	1,270,490
30-39	71.4	1.3	8.7	1,348,263
40-49	82.4	3.5	13.3	1,133,497
50-59	54.4	3.6	22.9	850,372
60+	13.0	1.0	34.2	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators  $\leq 10$  are marked with an asterisk (\*) and should be interpreted with caution.

<sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>2</sup>Age-adjusted to the citywide population of PWHA at the end of 2009, except for age-specific rates.

**RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2009**  
**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES <sup>1</sup> PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA <sup>2</sup>	POPULATION FROM 2000 CENSUS
<b>TOTAL</b>	<b>47.2</b>	<b>1.4</b>	<b>16.9</b>	<b>8,008,278</b>
<b>BRONX<sup>3</sup></b>	<b>56.9</b>	<b>1.8</b>	<b>21.7</b>	<b>1,327,690</b>
Crotona - Tremont	83.2	2.3	21.7	199,530
Fordham - Bronx Park	47.5	1.7	20.5	250,491
High Bridge - Morrisania	88.5	2.6	23.5	189,755
Hunts Point - Mott Haven	86.3	2.6	24.8	122,875
Kingsbridge - Riverdale	16.9	0.6	17.2*	88,989
Northeast Bronx	36.0	0.9	18.0	185,998
Pelham - Throgs Neck	38.6	1.2	20.7	290,052
<b>BROOKLYN<sup>3</sup></b>	<b>40.3</b>	<b>1.1</b>	<b>19.3</b>	<b>2,465,326</b>
Bedford Stuyvesant - Crown Heights	70.3	2.1	24.0	317,296
Bensonhurst - Bay Ridge	9.3	0.3	12.5*	194,558
Borough Park	12.6	0.3	18.4	324,411
Canarsie - Flatlands	35.9	0.7	11.5	197,819
Coney Island - Sheepshead Bay	10.5	0.4	27.2	286,901
Downtown - Heights - Park Slope	37.7	1.4	14.9	214,696
East Flatbush - Flatbush	59.4	1.4	16.3	316,734
East New York	68.5	1.5	23.4	173,716
Greenpoint	33.7	0.8	16.4	124,449
Sunset Park	22.4	0.7	17.6	120,441
Williamsburg - Bushwick	75.1	1.9	20.9	194,305
<b>MANHATTAN<sup>3</sup></b>	<b>64.8</b>	<b>2.2</b>	<b>14.2</b>	<b>1,529,375</b>
Central Harlem - Morningside Heights	129.0	3.0	20.7	151,113
Chelsea - Clinton	158.5	5.0	12.8	122,998
East Harlem	87.0	2.8	17.7	108,092
Gramercy Park - Murray Hill	56.2	1.8	11.4	124,477
Greenwich Village - Soho	58.5	2.6	7.9	83,709
Lower Manhattan	48.6	1.5	7.3*	30,895
Union Square - Lower East Side	37.5	1.7	17.5	197,138
Upper East Side	22.9	0.7	8.1	218,167
Upper West Side	33.3	1.5	13.5	222,109
Washington Heights - Inwood	59.1	1.5	16.3	270,677
<b>QUEENS<sup>3</sup></b>	<b>28.1</b>	<b>0.7</b>	<b>15.0</b>	<b>2,242,159</b>
Bayside - Little Neck	4.5*	0.2	0.0*	88,164
Flushing - Clearview	9.0	0.3	15.6	255,542
Fresh Meadows	11.8	0.3	10.7*	93,148
Jamaica	43.8	1.0	23.3	285,568
Long Island City - Astoria	45.7	0.8	11.7	220,960
Ridgewood - Forest Hills	13.7	0.4	12.1	240,901
Rockaway	39.3	0.8	24.0	106,738
Southeast Queens	18.7	0.5	13.3	203,670
Southwest Queens	20.0	0.5	13.3	269,952
West Queens	39.8	1.0	12.4	477,516
<b>STATEN ISLAND<sup>3</sup></b>	<b>14.6</b>	<b>0.4</b>	<b>24.7</b>	<b>443,728</b>
Port Richmond	38.2	0.7	39.1	62,788
South Beach - Tottenville	5.0*	0.2	15.0*	179,892
Stapleton - St. George	24.1	0.7	22.5	116,227
Willowbrook	4.7*	0.2	7.6*	84,821

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators  $\leq 10$  are marked with an asterisk (\*) and should be interpreted with caution.

<sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>2</sup>Age-adjusted to the citywide population of PWHA at the end of 2009.

<sup>3</sup>Borough-level data include persons residing in unknown UHF neighborhoods.