



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2010

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	By UHF Neighborhood: Bronx	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		By UHF Neighborhood: Staten Island
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2010, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2011. Updated January 4, 2012. Accessed [access date] at <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,481	100.0	2,722	78.2	759	21.8	2,520	100.0	110,736	100.0	1,695	100.0
SEX												
Male	2,668	76.6	2,096	77.0	572	75.4	1,809	71.8	78,663	71.0	1,199	70.7
Female	813	23.4	626	23.0	187	24.6	711	28.2	32,073	29.0	496	29.3
RACE/ETHNICITY												
Black	1,661	47.7	1,273	46.8	388	51.1	1,322	52.5	49,530	44.7	880	51.9
Hispanic	1,076	30.9	851	31.3	225	29.6	786	31.2	36,021	32.5	577	34.0
White	638	18.3	516	19.0	122	16.1	367	14.6	22,656	20.5	220	13.0
Asian/Pacific Islander	95	2.7	72	2.6	23	3.0	41	1.6	1,808	1.6	13	0.8
Native American	6	0.2	5	0.2	1	0.1	3	0.1	256	0.2	4	0.2
Multiracial	5	0.1	5	0.2	0	0.0	1	0.0	50	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	415	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	9	0.3	8	0.3	1	0.1	2	0.1	321	0.3	0	0.0
13-19	135	3.9	114	4.2	21	2.8	63	2.5	1,336	1.2	4	0.2
20-29	1,076	30.9	951	34.9	125	16.5	422	16.7	8,051	7.3	26	1.5
30-39	840	24.1	667	24.5	173	22.8	584	23.2	16,568	15.0	118	7.0
40-49	791	22.7	585	21.5	206	27.1	770	30.6	38,242	34.5	461	27.2
50-59	447	12.8	284	10.4	163	21.5	498	19.8	32,153	29.0	650	38.3
60+	183	5.3	113	4.2	70	9.2	181	7.2	14,065	12.7	436	25.7
BOROUGH OF RESIDENCE												
Bronx	694	19.9	536	19.7	158	20.8	602	23.9	23,362	21.1	416	24.5
Brooklyn	904	26.0	665	24.4	239	31.5	760	30.2	27,087	24.5	528	31.2
Manhattan	935	26.9	771	28.3	164	21.6	543	21.5	33,104	29.9	430	25.4
Queens	565	16.2	429	15.8	136	17.9	377	15.0	15,824	14.3	195	11.5
Staten Island	57	1.6	40	1.5	17	2.2	55	2.2	1,900	1.7	48	2.8
Outside NYC	309	8.9	264	9.7	45	5.9	157	6.2	8,692	7.8	69	4.1
Unknown	17	0.5	17	0.6	0	0.0	26	1.0	767	0.7	9	0.5
TRANSMISSION RISK												
Men who have sex with men	1,683	48.3	1,419	52.1	264	34.8	856	34.0	37,720	34.1	274	16.2
Injection drug use history	164	4.7	128	4.7	36	4.7	280	11.1	20,505	18.5	636	37.5
Heterosexual	745	21.4	539	19.8	206	27.1	612	24.3	21,253	19.2	309	18.2
Perinatal	12	0.3	8	0.3	4	0.5	40	1.6	2,477	2.2	8	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	247	0.2	9	0.5
Unknown	877	25.2	628	23.1	249	32.8	732	29.0	28,534	25.8	459	27.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	44,317	40.0	282	16.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	66,419	60.0	1,413	83.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,668	100.0	2,096	78.6	572	21.4	1,809	100.0	78,663	100.0	1,199	100.0
RACE/ETHNICITY												
Black	1,144	42.9	884	42.2	260	45.5	862	47.7	30,860	39.2	596	49.7
Hispanic	843	31.6	665	31.7	178	31.1	577	31.9	25,593	32.5	421	35.1
White	591	22.2	479	22.9	112	19.6	330	18.2	20,202	25.7	173	14.4
Asian/Pacific Islander	82	3.1	61	2.9	21	3.7	37	2.0	1,470	1.9	7	0.6
Native American	3	0.1	2	0.1	1	0.2	2	0.1	183	0.2	1	0.1
Multiracial	5	0.2	5	0.2	0	0.0	1	0.1	37	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	318	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	5	0.2	5	0.2	0	0.0	1	0.1	159	0.2	0	0.0
13-19	101	3.8	86	4.1	15	2.6	40	2.2	669	0.9	3	0.3
20-29	915	34.3	810	38.6	105	18.4	345	19.1	5,934	7.5	22	1.8
30-39	658	24.7	523	25.0	135	23.6	416	23.0	11,523	14.6	80	6.7
40-49	572	21.4	423	20.2	149	26.0	532	29.4	26,874	34.2	299	24.9
50-59	291	10.9	176	8.4	115	20.1	344	19.0	22,968	29.2	463	38.6
60+	126	4.7	73	3.5	53	9.3	131	7.2	10,536	13.4	332	27.7
BOROUGH OF RESIDENCE												
Bronx	465	17.4	361	17.2	104	18.2	383	21.2	14,031	17.8	297	24.8
Brooklyn	642	24.1	474	22.6	168	29.4	513	28.4	17,357	22.1	345	28.8
Manhattan	808	30.3	665	31.7	143	25.0	454	25.1	27,017	34.3	333	27.8
Queens	430	16.1	327	15.6	103	18.0	275	15.2	11,262	14.3	136	11.3
Staten Island	45	1.7	30	1.4	15	2.6	42	2.3	1,231	1.6	32	2.7
Outside NYC	263	9.9	224	10.7	39	6.8	129	7.1	7,196	9.1	50	4.2
Unknown	15	0.6	15	0.7	0	0.0	13	0.7	569	0.7	6	0.5
TRANSMISSION RISK												
Men who have sex with men	1,683	63.1	1,419	67.7	264	46.2	856	47.3	37,720	48.0	274	22.9
Injection drug use history	125	4.7	92	4.4	33	5.8	200	11.1	14,533	18.5	483	40.3
Heterosexual	145	5.4	93	4.4	52	9.1	162	9.0	5,669	7.2	98	8.2
Perinatal	6	0.2	5	0.2	1	0.2	14	0.8	1,208	1.5	4	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	125	0.2	4	0.3
Unknown	709	26.6	487	23.2	222	38.8	577	31.9	19,408	24.7	336	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31,401	39.9	202	16.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47,262	60.1	997	83.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	813	100.0	626	77.0	187	23.0	711	100.0	32,073	100.0	496	100.0
RACE/ETHNICITY												
Black	517	63.6	389	62.1	128	68.4	460	64.7	18,670	58.2	284	57.3
Hispanic	233	28.7	186	29.7	47	25.1	209	29.4	10,428	32.5	156	31.5
White	47	5.8	37	5.9	10	5.3	37	5.2	2,454	7.7	47	9.5
Asian/Pacific Islander	13	1.6	11	1.8	2	1.1	4	0.6	338	1.1	6	1.2
Native American	3	0.4	3	0.5	0	0.0	1	0.1	73	0.2	3	0.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	97	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	4	0.5	3	0.5	1	0.5	1	0.1	162	0.5	0	0.0
13-19	34	4.2	28	4.5	6	3.2	23	3.2	667	2.1	1	0.2
20-29	161	19.8	141	22.5	20	10.7	77	10.8	2,117	6.6	4	0.8
30-39	182	22.4	144	23.0	38	20.3	168	23.6	5,045	15.7	38	7.7
40-49	219	26.9	162	25.9	57	30.5	238	33.5	11,368	35.4	162	32.7
50-59	156	19.2	108	17.3	48	25.7	154	21.7	9,185	28.6	187	37.7
60+	57	7.0	40	6.4	17	9.1	50	7.0	3,529	11.0	104	21.0
BOROUGH OF RESIDENCE												
Bronx	229	28.2	175	28.0	54	28.9	219	30.8	9,331	29.1	119	24.0
Brooklyn	262	32.2	191	30.5	71	38.0	247	34.7	9,730	30.3	183	36.9
Manhattan	127	15.6	106	16.9	21	11.2	89	12.5	6,087	19.0	97	19.6
Queens	135	16.6	102	16.3	33	17.6	102	14.3	4,562	14.2	59	11.9
Staten Island	12	1.5	10	1.6	2	1.1	13	1.8	669	2.1	16	3.2
Outside NYC	46	5.7	40	6.4	6	3.2	28	3.9	1,496	4.7	19	3.8
Unknown	2	0.2	2	0.3	0	0.0	13	1.8	198	0.6	3	0.6
TRANSMISSION RISK												
Injection drug use history	39	4.8	36	5.8	3	1.6	80	11.3	5,972	18.6	153	30.8
Heterosexual	600	73.8	446	71.2	154	82.4	450	63.3	15,584	48.6	211	42.5
Perinatal	6	0.7	3	0.5	3	1.6	26	3.7	1,269	4.0	4	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	122	0.4	5	1.0
Unknown	168	20.7	141	22.5	27	14.4	155	21.8	9,126	28.5	123	24.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,916	40.3	80	16.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,157	59.7	416	83.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,144	100.0	884	77.3	260	22.7	862	100.0	30,860	100.0	596	100.0
AGE GROUP (YEARS)												
0-12	2	0.2	2	0.2	0	0.0	0	0.0	100	0.3	0	0.0
13-19	57	5.0	49	5.5	8	3.1	23	2.7	415	1.3	2	0.3
20-29	421	36.8	374	42.3	47	18.1	178	20.6	2,950	9.6	12	2.0
30-39	227	19.8	173	19.6	54	20.8	174	20.2	4,236	13.7	29	4.9
40-49	232	20.3	169	19.1	63	24.2	245	28.4	9,600	31.1	137	23.0
50-59	138	12.1	80	9.0	58	22.3	171	19.8	9,215	29.9	244	40.9
60+	67	5.9	37	4.2	30	11.5	71	8.2	4,344	14.1	172	28.9
BOROUGH OF RESIDENCE												
Bronx	198	17.3	151	17.1	47	18.1	178	20.6	5,917	19.2	131	22.0
Brooklyn	419	36.6	304	34.4	115	44.2	335	38.9	10,165	32.9	219	36.7
Manhattan	244	21.3	199	22.5	45	17.3	162	18.8	7,934	25.7	136	22.8
Queens	146	12.8	116	13.1	30	11.5	110	12.8	3,965	12.8	65	10.9
Staten Island	22	1.9	14	1.6	8	3.1	20	2.3	421	1.4	14	2.3
Outside NYC	107	9.4	92	10.4	15	5.8	54	6.3	2,241	7.3	26	4.4
Unknown	8	0.7	8	0.9	0	0.0	3	0.3	217	0.7	5	0.8
TRANSMISSION RISK												
Men who have sex with men	616	53.8	526	59.5	90	34.6	349	40.5	11,145	36.1	117	19.6
Injection drug use history	46	4.0	27	3.1	19	7.3	79	9.2	5,896	19.1	212	35.6
Heterosexual	89	7.8	51	5.8	38	14.6	107	12.4	3,071	10.0	61	10.2
Perinatal	3	0.3	2	0.2	1	0.4	6	0.7	680	2.2	3	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	37	0.1	2	0.3
Unknown	390	34.1	278	31.4	112	43.1	321	37.2	10,031	32.5	201	33.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,732	38.0	93	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,128	62.0	503	84.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	517	100.0	389	75.2	128	24.8	460	100.0	18,670	100.0	284	100.0
AGE GROUP (YEARS)												
0-12	2	0.4	1	0.3	1	0.8	1	0.2	93	0.5	0	0.0
13-19	17	3.3	15	3.9	2	1.6	12	2.6	408	2.2	0	0.0
20-29	107	20.7	90	23.1	17	13.3	51	11.1	1,293	6.9	1	0.4
30-39	107	20.7	85	21.9	22	17.2	108	23.5	3,110	16.7	21	7.4
40-49	142	27.5	101	26.0	41	32.0	153	33.3	6,603	35.4	95	33.5
50-59	98	19.0	65	16.7	33	25.8	103	22.4	5,253	28.1	107	37.7
60+	44	8.5	32	8.2	12	9.4	32	7.0	1,910	10.2	60	21.1
BOROUGH OF RESIDENCE												
Bronx	135	26.1	100	25.7	35	27.3	122	26.5	4,692	25.1	57	20.1
Brooklyn	191	36.9	135	34.7	56	43.8	189	41.1	6,763	36.2	114	40.1
Manhattan	71	13.7	58	14.9	13	10.2	56	12.2	3,373	18.1	57	20.1
Queens	89	17.2	67	17.2	22	17.2	64	13.9	2,657	14.2	39	13.7
Staten Island	5	1.0	4	1.0	1	0.8	5	1.1	323	1.7	5	1.8
Outside NYC	25	4.8	24	6.2	1	0.8	17	3.7	749	4.0	10	3.5
Unknown	1	0.2	1	0.3	0	0.0	7	1.5	113	0.6	2	0.7
TRANSMISSION RISK												
Injection drug use history	17	3.3	14	3.6	3	2.3	41	8.9	2,897	15.5	73	25.7
Heterosexual	391	75.6	286	73.5	105	82.0	304	66.1	9,205	49.3	126	44.4
Perinatal	4	0.8	1	0.3	3	2.3	18	3.9	735	3.9	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	66	0.4	2	0.7
Unknown	105	20.3	88	22.6	17	13.3	97	21.1	5,767	30.9	82	28.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,725	41.4	44	15.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,945	58.6	240	84.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	843	100.0	665	78.9	178	21.1	577	100.0	25,593	100.0	421	100.0
AGE GROUP (YEARS)												
0-12	3	0.4	3	0.5	0	0.0	1	0.2	50	0.2	0	0.0
13-19	38	4.5	32	4.8	6	3.4	15	2.6	219	0.9	0	0.0
20-29	296	35.1	259	38.9	37	20.8	114	19.8	2,027	7.9	7	1.7
30-39	240	28.5	185	27.8	55	30.9	163	28.2	4,176	16.3	37	8.8
40-49	161	19.1	123	18.5	38	21.3	157	27.2	9,088	35.5	123	29.2
50-59	81	9.6	51	7.7	30	16.9	92	15.9	7,058	27.6	153	36.3
60+	24	2.8	12	1.8	12	6.7	35	6.1	2,975	11.6	101	24.0
BOROUGH OF RESIDENCE												
Bronx	235	27.9	184	27.7	51	28.7	185	32.1	7,263	28.4	155	36.8
Brooklyn	133	15.8	102	15.3	31	17.4	114	19.8	4,386	17.1	80	19.0
Manhattan	232	27.5	189	28.4	43	24.2	138	23.9	7,255	28.3	123	29.2
Queens	178	21.1	133	20.0	45	25.3	100	17.3	4,589	17.9	46	10.9
Staten Island	7	0.8	5	0.8	2	1.1	10	1.7	316	1.2	8	1.9
Outside NYC	56	6.6	50	7.5	6	3.4	23	4.0	1,617	6.3	9	2.1
Unknown	2	0.2	2	0.3	0	0.0	7	1.2	167	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men	546	64.8	458	68.9	88	49.4	267	46.3	10,756	42.0	80	19.0
Injection drug use history	46	5.5	36	5.4	10	5.6	87	15.1	6,638	25.9	218	51.8
Heterosexual	45	5.3	34	5.1	11	6.2	47	8.1	1,932	7.5	29	6.9
Perinatal	3	0.4	3	0.5	0	0.0	6	1.0	443	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	31	0.1	2	0.5
Unknown	203	24.1	134	20.2	69	38.8	170	29.5	5,793	22.6	92	21.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,336	36.5	70	16.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,257	63.5	351	83.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	233	100.0	186	79.8	47	20.2	209	100.0	10,428	100.0	156	100.0
AGE GROUP (YEARS)												
0-12	2	0.9	2	1.1	0	0.0	0	0.0	59	0.6	0	0.0
13-19	13	5.6	10	5.4	3	6.4	9	4.3	224	2.1	1	0.6
20-29	44	18.9	41	22.0	3	6.4	24	11.5	672	6.4	3	1.9
30-39	59	25.3	46	24.7	13	27.7	51	24.4	1,514	14.5	15	9.6
40-49	56	24.0	45	24.2	11	23.4	68	32.5	3,705	35.5	51	32.7
50-59	48	20.6	35	18.8	13	27.7	42	20.1	2,994	28.7	55	35.3
60+	11	4.7	7	3.8	4	8.5	15	7.2	1,260	12.1	31	19.9
BOROUGH OF RESIDENCE												
Bronx	82	35.2	65	34.9	17	36.2	91	43.5	4,266	40.9	57	36.5
Brooklyn	54	23.2	45	24.2	9	19.1	44	21.1	2,287	21.9	53	34.0
Manhattan	47	20.2	40	21.5	7	14.9	25	12.0	2,014	19.3	28	17.9
Queens	32	13.7	22	11.8	10	21.3	35	16.7	1,237	11.9	8	5.1
Staten Island	5	2.1	4	2.2	1	2.1	3	1.4	162	1.6	5	3.2
Outside NYC	12	5.2	9	4.8	3	6.4	6	2.9	405	3.9	5	3.2
Unknown	1	0.4	1	0.5	0	0.0	5	2.4	57	0.5	0	0.0
TRANSMISSION RISK												
Injection drug use history	15	6.4	15	8.1	0	0.0	31	14.8	2,367	22.7	55	35.3
Heterosexual	175	75.1	134	72.0	41	87.2	125	59.8	5,055	48.5	70	44.9
Perinatal	2	0.9	2	1.1	0	0.0	7	3.3	452	4.3	3	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	29	0.3	0	0.0
Unknown	41	17.6	35	18.8	6	12.8	46	22.0	2,525	24.2	28	17.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,881	37.2	24	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,547	62.8	132	84.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	591	100.0	479	81.0	112	19.0	330	100.0	20,202	100.0	173	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
13-19	5	0.8	5	1.0	0	0.0	1	0.3	25	0.1	1	0.6
20-29	166	28.1	148	30.9	18	16.1	44	13.3	819	4.1	2	1.2
30-39	164	27.7	146	30.5	18	16.1	67	20.3	2,654	13.1	13	7.5
40-49	159	26.9	116	24.2	43	38.4	119	36.1	7,470	37.0	38	22.0
50-59	65	11.0	42	8.8	23	20.5	75	22.7	6,217	30.8	63	36.4
60+	32	5.4	22	4.6	10	8.9	24	7.3	3,011	14.9	56	32.4
BOROUGH OF RESIDENCE												
Bronx	29	4.9	23	4.8	6	5.4	20	6.1	709	3.5	10	5.8
Brooklyn	78	13.2	59	12.3	19	17.0	57	17.3	2,481	12.3	43	24.9
Manhattan	300	50.8	252	52.6	48	42.9	141	42.7	11,019	54.5	71	41.0
Queens	75	12.7	58	12.1	17	15.2	49	14.8	2,170	10.7	23	13.3
Staten Island	16	2.7	11	2.3	5	4.5	12	3.6	470	2.3	10	5.8
Outside NYC	88	14.9	71	14.8	17	15.2	48	14.5	3,187	15.8	15	8.7
Unknown	5	0.8	5	1.0	0	0.0	3	0.9	166	0.8	1	0.6
TRANSMISSION RISK												
Men who have sex with men	456	77.2	384	80.2	72	64.3	217	65.8	14,829	73.4	74	42.8
Injection drug use history	30	5.1	27	5.6	3	2.7	27	8.2	1,900	9.4	51	29.5
Heterosexual	7	1.2	5	1.0	2	1.8	6	1.8	499	2.5	7	4.0
Perinatal	0	0.0	0	0.0	0	0.0	2	0.6	65	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	51	0.3	0	0.0
Unknown	98	16.6	63	13.2	35	31.3	78	23.6	2,858	14.1	41	23.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,268	45.9	37	21.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,934	54.1	136	78.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	37	78.7	10	21.3	37	100.0	2,454	100.0	47	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
13-19	2	4.3	1	2.7	1	10.0	2	5.4	27	1.1	0	0.0
20-29	8	17.0	8	21.6	0	0.0	1	2.7	112	4.6	0	0.0
30-39	11	23.4	8	21.6	3	30.0	9	24.3	294	12.0	2	4.3
40-49	16	34.0	13	35.1	3	30.0	13	35.1	888	36.2	14	29.8
50-59	9	19.1	7	18.9	2	20.0	9	24.3	803	32.7	21	44.7
60+	1	2.1	0	0.0	1	10.0	3	8.1	321	13.1	10	21.3
BOROUGH OF RESIDENCE												
Bronx	10	21.3	8	21.6	2	20.0	6	16.2	300	12.2	4	8.5
Brooklyn	11	23.4	7	18.9	4	40.0	9	24.3	543	22.1	15	31.9
Manhattan	6	12.8	5	13.5	1	10.0	8	21.6	596	24.3	9	19.1
Queens	10	21.3	9	24.3	1	10.0	3	8.1	503	20.5	8	17.0
Staten Island	2	4.3	2	5.4	0	0.0	5	13.5	175	7.1	6	12.8
Outside NYC	8	17.0	6	16.2	2	20.0	5	13.5	316	12.9	4	8.5
Unknown	0	0.0	0	0.0	0	0.0	1	2.7	21	0.9	1	2.1
TRANSMISSION RISK												
Injection drug use history	7	14.9	7	18.9	0	0.0	8	21.6	683	27.8	21	44.7
Heterosexual	23	48.9	16	43.2	7	70.0	19	51.4	1,064	43.4	12	25.5
Perinatal	0	0.0	0	0.0	0	0.0	1	2.7	70	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.9	2	4.3
Unknown	17	36.2	14	37.8	3	30.0	9	24.3	616	25.1	12	25.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,008	41.1	11	23.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,446	58.9	36	76.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	61	74.4	21	25.6	37	100.0	1,470	100.0	7	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	1.2	0	0.0	1	4.8	1	2.7	5	0.3	0	0.0
20-29	27	32.9	24	39.3	3	14.3	8	21.6	110	7.5	1	14.3
30-39	26	31.7	18	29.5	8	38.1	12	32.4	374	25.4	1	14.3
40-49	18	22.0	14	23.0	4	19.0	9	24.3	532	36.2	1	14.3
50-59	7	8.5	3	4.9	4	19.0	6	16.2	315	21.4	2	28.6
60+	3	3.7	2	3.3	1	4.8	1	2.7	131	8.9	2	28.6
BOROUGH OF RESIDENCE												
Bronx	2	2.4	2	3.3	0	0.0	0	0.0	76	5.2	0	0.0
Brooklyn	10	12.2	7	11.5	3	14.3	6	16.2	251	17.1	2	28.6
Manhattan	31	37.8	24	39.3	7	33.3	13	35.1	532	36.2	3	42.9
Queens	29	35.4	19	31.1	10	47.6	14	37.8	464	31.6	2	28.6
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	13	0.9	0	0.0
Outside NYC	10	12.2	9	14.8	1	4.8	4	10.8	128	8.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men	60	73.2	46	75.4	14	66.7	23	62.2	841	57.2	3	42.9
Injection drug use history	2	2.4	1	1.6	1	4.8	5	13.5	61	4.1	0	0.0
Heterosexual	4	4.9	3	4.9	1	4.8	2	5.4	147	10.0	1	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	1	14.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	16	19.5	11	18.0	5	23.8	7	18.9	408	27.8	2	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	681	46.3	1	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	789	53.7	6	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	4	100.0	338	100.0	6	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.7	1	9.1	0	0.0	0	0.0	3	0.9	0	0.0
20-29	2	15.4	2	18.2	0	0.0	1	25.0	28	8.3	0	0.0
30-39	4	30.8	4	36.4	0	0.0	0	0.0	100	29.6	0	0.0
40-49	4	30.8	2	18.2	2	100.0	3	75.0	106	31.4	2	33.3
50-59	1	7.7	1	9.1	0	0.0	0	0.0	70	20.7	2	33.3
60+	1	7.7	1	9.1	0	0.0	0	0.0	31	9.2	2	33.3
BOROUGH OF RESIDENCE												
Bronx	1	7.7	1	9.1	0	0.0	0	0.0	36	10.7	0	0.0
Brooklyn	5	38.5	3	27.3	2	100.0	4	100.0	82	24.3	1	16.7
Manhattan	3	23.1	3	27.3	0	0.0	0	0.0	63	18.6	1	16.7
Queens	3	23.1	3	27.3	0	0.0	0	0.0	130	38.5	4	66.7
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Outside NYC	1	7.7	1	9.1	0	0.0	0	0.0	22	6.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	12	3.6	2	33.3
Heterosexual	8	61.5	7	63.6	1	50.0	2	50.0	192	56.8	2	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	1	16.7
Unknown	5	38.5	4	36.4	1	50.0	2	50.0	126	37.3	1	16.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	171	50.6	1	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	167	49.4	5	83.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	2	66.7	1	33.3	2	100.0	183	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	66.7	2	100.0	0	0.0	0	0.0	15	8.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	43	23.5	0	0.0
40-49	1	33.3	0	0.0	1	100.0	2	100.0	64	35.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	44	24.0	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	17	9.3	1	100.0
BOROUGH OF RESIDENCE												
Bronx	1	33.3	1	50.0	0	0.0	0	0.0	35	19.1	1	100.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	33	18.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	59	32.2	0	0.0
Queens	1	33.3	0	0.0	1	100.0	2	100.0	35	19.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	1	33.3	1	50.0	0	0.0	0	0.0	16	8.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men	2	66.7	2	100.0	0	0.0	0	0.0	85	46.4	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	50.0	25	13.7	1	100.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	14	7.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
Unknown	1	33.3	0	0.0	1	100.0	1	50.0	57	31.1	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	78	42.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	105	57.4	1	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	1	100.0	73	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
13-19	1	33.3	1	33.3	0	0.0	0	0.0	3	4.1	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	4	5.5	0	0.0
30-39	1	33.3	1	33.3	0	0.0	0	0.0	12	16.4	0	0.0
40-49	1	33.3	1	33.3	0	0.0	1	100.0	30	41.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	22	30.1	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	33.3
BOROUGH OF RESIDENCE												
Bronx	1	33.3	1	33.3	0	0.0	0	0.0	18	24.7	1	33.3
Brooklyn	1	33.3	1	33.3	0	0.0	1	100.0	29	39.7	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	10	13.7	2	66.7
Queens	1	33.3	1	33.3	0	0.0	0	0.0	12	16.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	6	8.2	2	66.7
Heterosexual	3	100.0	3	100.0	0	0.0	0	0.0	46	63.0	1	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	100.0	17	23.3	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37	50.7	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36	49.3	3	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	5	100.0	5	100.0	0	0.0	1	100.0	159	100.0	0	0.0
RACE/ETHNICITY												
Black	2	40.0	2	40.0	0	0.0	0	0.0	100	62.9	0	0.0
Hispanic	3	60.0	3	60.0	0	0.0	1	100.0	50	31.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	6	3.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	20.0	1	20.0	0	0.0	1	100.0	53	33.3	0	0.0
Brooklyn	1	20.0	1	20.0	0	0.0	0	0.0	47	29.6	0	0.0
Manhattan	1	20.0	1	20.0	0	0.0	0	0.0	30	18.9	0	0.0
Queens	1	20.0	1	20.0	0	0.0	0	0.0	17	10.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	2.5	0	0.0
Outside NYC	1	20.0	1	20.0	0	0.0	0	0.0	8	5.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	5	100.0	5	100.0	0	0.0	1	100.0	159	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	147	92.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12	7.5	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	3	75.0	1	25.0	1	100.0	162	100.0	0	0.0
RACE/ETHNICITY												
Black	2	50.0	1	33.3	1	100.0	1	100.0	93	57.4	0	0.0
Hispanic	2	50.0	2	66.7	0	0.0	0	0.0	59	36.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	9	5.6	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	50.0	1	33.3	1	100.0	1	100.0	58	35.8	0	0.0
Brooklyn	1	25.0	1	33.3	0	0.0	0	0.0	43	26.5	0	0.0
Manhattan	1	25.0	1	33.3	0	0.0	0	0.0	26	16.0	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	17	10.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	7	4.3	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	11	6.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	4	100.0	3	100.0	1	100.0	1	100.0	162	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	152	93.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	6.2	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2,663	100.0	2,091	78.5	572	21.5	1,808	100.0	78,504	100.0	1,199	100.0
RACE/ETHNICITY												
Black	1,142	42.9	882	42.2	260	45.5	862	47.7	30,760	39.2	596	49.7
Hispanic	840	31.5	662	31.7	178	31.1	576	31.9	25,543	32.5	421	35.1
White	591	22.2	479	22.9	112	19.6	330	18.3	20,196	25.7	173	14.4
Asian/Pacific Islander	82	3.1	61	2.9	21	3.7	37	2.0	1,467	1.9	7	0.6
Native American	3	0.1	2	0.1	1	0.2	2	0.1	183	0.2	1	0.1
Multiracial	5	0.2	5	0.2	0	0.0	1	0.1	37	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	318	0.4	0	0.0
AGE GROUP (YEARS)												
13-19	101	3.8	86	4.1	15	2.6	40	2.2	669	0.9	3	0.3
20-29	915	34.4	810	38.7	105	18.4	345	19.1	5,934	7.6	22	1.8
30-39	658	24.7	523	25.0	135	23.6	416	23.0	11,523	14.7	80	6.7
40-49	572	21.5	423	20.2	149	26.0	532	29.4	26,874	34.2	299	24.9
50-59	291	10.9	176	8.4	115	20.1	344	19.0	22,968	29.3	463	38.6
60+	126	4.7	73	3.5	53	9.3	131	7.2	10,536	13.4	332	27.7
BOROUGH OF RESIDENCE												
Bronx	464	17.4	360	17.2	104	18.2	382	21.1	13,978	17.8	297	24.8
Brooklyn	641	24.1	473	22.6	168	29.4	513	28.4	17,310	22.0	345	28.8
Manhattan	807	30.3	664	31.8	143	25.0	454	25.1	26,987	34.4	333	27.8
Queens	429	16.1	326	15.6	103	18.0	275	15.2	11,245	14.3	136	11.3
Staten Island	45	1.7	30	1.4	15	2.6	42	2.3	1,227	1.6	32	2.7
Outside NYC	262	9.8	223	10.7	39	6.8	129	7.1	7,188	9.2	50	4.2
Unknown	15	0.6	15	0.7	0	0.0	13	0.7	569	0.7	6	0.5
TRANSMISSION RISK												
Men who have sex with men	1,683	63.2	1,419	67.9	264	46.2	856	47.3	37,720	48.0	274	22.9
Injection drug use history	125	4.7	92	4.4	33	5.8	200	11.1	14,533	18.5	483	40.3
Heterosexual	145	5.4	93	4.4	52	9.1	162	9.0	5,669	7.2	98	8.2
Perinatal	1	0.0	0	0.0	1	0.2	13	0.7	1,049	1.3	4	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	125	0.2	4	0.3
Unknown	709	26.6	487	23.3	222	38.8	577	31.9	19,408	24.7	336	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31,254	39.8	202	16.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47,250	60.2	997	83.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	809	100.0	623	77.0	186	23.0	710	100.0	31,911	100.0	496	100.0
RACE/ETHNICITY												
Black	515	63.7	388	62.3	127	68.3	459	64.6	18,577	58.2	284	57.3
Hispanic	231	28.6	184	29.5	47	25.3	209	29.4	10,369	32.5	156	31.5
White	47	5.8	37	5.9	10	5.4	37	5.2	2,445	7.7	47	9.5
Asian/Pacific Islander	13	1.6	11	1.8	2	1.1	4	0.6	338	1.1	6	1.2
Native American	3	0.4	3	0.5	0	0.0	1	0.1	72	0.2	3	0.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	97	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	34	4.2	28	4.5	6	3.2	23	3.2	667	2.1	1	0.2
20-29	161	19.9	141	22.6	20	10.8	77	10.8	2,117	6.6	4	0.8
30-39	182	22.5	144	23.1	38	20.4	168	23.7	5,045	15.8	38	7.7
40-49	219	27.1	162	26.0	57	30.6	238	33.5	11,368	35.6	162	32.7
50-59	156	19.3	108	17.3	48	25.8	154	21.7	9,185	28.8	187	37.7
60+	57	7.0	40	6.4	17	9.1	50	7.0	3,529	11.1	104	21.0
BOROUGH OF RESIDENCE												
Bronx	227	28.1	174	27.9	53	28.5	218	30.7	9,273	29.1	119	24.0
Brooklyn	261	32.3	190	30.5	71	38.2	247	34.8	9,687	30.4	183	36.9
Manhattan	126	15.6	105	16.9	21	11.3	89	12.5	6,061	19.0	97	19.6
Queens	135	16.7	102	16.4	33	17.7	102	14.4	4,545	14.2	59	11.9
Staten Island	12	1.5	10	1.6	2	1.1	13	1.8	662	2.1	16	3.2
Outside NYC	46	5.7	40	6.4	6	3.2	28	3.9	1,485	4.7	19	3.8
Unknown	2	0.2	2	0.3	0	0.0	13	1.8	198	0.6	3	0.6
TRANSMISSION RISK												
Injection drug use history	39	4.8	36	5.8	3	1.6	80	11.3	5,972	18.7	153	30.8
Heterosexual	600	74.2	446	71.6	154	82.8	450	63.4	15,584	48.8	211	42.5
Perinatal	2	0.2	0	0.0	2	1.1	25	3.5	1,107	3.5	4	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	122	0.4	5	1.0
Unknown	168	20.8	141	22.6	27	14.5	155	21.8	9,126	28.6	123	24.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,764	40.0	80	16.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,147	60.0	416	83.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	465	100.0	361	77.6	104	22.4	383	100.0	14,031	100.0	297	100.0
RACE/ETHNICITY												
Black	198	42.6	151	41.8	47	45.2	178	46.5	5,917	42.2	131	44.1
Hispanic	235	50.5	184	51.0	51	49.0	185	48.3	7,263	51.8	155	52.2
White	29	6.2	23	6.4	6	5.8	20	5.2	709	5.1	10	3.4
Asian/Pacific Islander	2	0.4	2	0.6	0	0.0	0	0.0	76	0.5	0	0.0
Native American	1	0.2	1	0.3	0	0.0	0	0.0	35	0.2	1	0.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.3	0	0.0	1	0.3	53	0.4	0	0.0
13-19	25	5.4	19	5.3	6	5.8	14	3.7	198	1.4	0	0.0
20-29	159	34.2	133	36.8	26	25.0	76	19.8	1,215	8.7	6	2.0
30-39	103	22.2	85	23.5	18	17.3	78	20.4	1,898	13.5	22	7.4
40-49	91	19.6	67	18.6	24	23.1	116	30.3	4,579	32.6	64	21.5
50-59	65	14.0	44	12.2	21	20.2	66	17.2	4,299	30.6	124	41.8
60+	21	4.5	12	3.3	9	8.7	32	8.4	1,789	12.8	81	27.3
TRANSMISSION RISK												
Men who have sex with men	233	50.1	191	52.9	42	40.4	142	37.1	4,053	28.9	48	16.2
Injection drug use history	37	8.0	32	8.9	5	4.8	48	12.5	3,802	27.1	142	47.8
Heterosexual	48	10.3	38	10.5	10	9.6	40	10.4	1,390	9.9	24	8.1
Perinatal	1	0.2	1	0.3	0	0.0	5	1.3	378	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	1	0.3
Unknown	146	31.4	99	27.4	47	45.2	148	38.6	4,389	31.3	82	27.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,139	36.6	56	18.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,892	63.4	241	81.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	229	100.0	175	76.4	54	23.6	219	100.0	9,331	100.0	119	100.0
RACE/ETHNICITY												
Black	135	59.0	100	57.1	35	64.8	122	55.7	4,692	50.3	57	47.9
Hispanic	82	35.8	65	37.1	17	31.5	91	41.6	4,266	45.7	57	47.9
White	10	4.4	8	4.6	2	3.7	6	2.7	300	3.2	4	3.4
Asian/Pacific Islander	1	0.4	1	0.6	0	0.0	0	0.0	36	0.4	0	0.0
Native American	1	0.4	1	0.6	0	0.0	0	0.0	18	0.2	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.9	1	0.6	1	1.9	1	0.5	58	0.6	0	0.0
13-19	8	3.5	6	3.4	2	3.7	7	3.2	214	2.3	0	0.0
20-29	53	23.1	44	25.1	9	16.7	26	11.9	652	7.0	0	0.0
30-39	62	27.1	51	29.1	11	20.4	58	26.5	1,600	17.1	10	8.4
40-49	54	23.6	37	21.1	17	31.5	72	32.9	3,332	35.7	41	34.5
50-59	37	16.2	25	14.3	12	22.2	45	20.5	2,504	26.8	41	34.5
60+	13	5.7	11	6.3	2	3.7	10	4.6	971	10.4	27	22.7
TRANSMISSION RISK												
Injection drug use history	13	5.7	13	7.4	0	0.0	23	10.5	1,757	18.8	40	33.6
Heterosexual	185	80.8	139	79.4	46	85.2	146	66.7	4,423	47.4	49	41.2
Perinatal	3	1.3	1	0.6	2	3.7	6	2.7	402	4.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.3	0	0.0
Unknown	28	12.2	22	12.6	6	11.1	44	20.1	2,722	29.2	30	25.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,808	40.8	17	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,523	59.2	102	85.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	642	100.0	474	73.8	168	26.2	513	100.0	17,357	100.0	345	100.0
RACE/ETHNICITY												
Black	419	65.3	304	64.1	115	68.5	335	65.3	10,165	58.6	219	63.5
Hispanic	133	20.7	102	21.5	31	18.5	114	22.2	4,386	25.3	80	23.2
White	78	12.1	59	12.4	19	11.3	57	11.1	2,481	14.3	43	12.5
Asian/Pacific Islander	10	1.6	7	1.5	3	1.8	6	1.2	251	1.4	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	33	0.2	0	0.0
Multiracial	2	0.3	2	0.4	0	0.0	1	0.2	13	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	28	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	47	0.3	0	0.0
13-19	27	4.2	22	4.6	5	3.0	12	2.3	221	1.3	1	0.3
20-29	251	39.1	216	45.6	35	20.8	121	23.6	1,653	9.5	4	1.2
30-39	133	20.7	94	19.8	39	23.2	116	22.6	2,678	15.4	21	6.1
40-49	121	18.8	82	17.3	39	23.2	130	25.3	5,617	32.4	90	26.1
50-59	73	11.4	41	8.6	32	19.0	97	18.9	4,775	27.5	142	41.2
60+	36	5.6	18	3.8	18	10.7	37	7.2	2,366	13.6	87	25.2
TRANSMISSION RISK												
Men who have sex with men	360	56.1	293	61.8	67	39.9	221	43.1	6,897	39.7	64	18.6
Injection drug use history	28	4.4	18	3.8	10	6.0	56	10.9	3,425	19.7	132	38.3
Heterosexual	40	6.2	23	4.9	17	10.1	51	9.9	1,552	8.9	35	10.1
Perinatal	2	0.3	1	0.2	1	0.6	4	0.8	377	2.2	3	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.2	1	0.3
Unknown	212	33.0	139	29.3	73	43.5	181	35.3	5,079	29.3	110	31.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,493	37.4	47	13.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,864	62.6	298	86.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	262	100.0	191	72.9	71	27.1	247	100.0	9,730	100.0	183	100.0
RACE/ETHNICITY												
Black	191	72.9	135	70.7	56	78.9	189	76.5	6,763	69.5	114	62.3
Hispanic	54	20.6	45	23.6	9	12.7	44	17.8	2,287	23.5	53	29.0
White	11	4.2	7	3.7	4	5.6	9	3.6	543	5.6	15	8.2
Asian/Pacific Islander	5	1.9	3	1.6	2	2.8	4	1.6	82	0.8	1	0.5
Native American	1	0.4	1	0.5	0	0.0	1	0.4	29	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.4	1	0.5	0	0.0	0	0.0	43	0.4	0	0.0
13-19	8	3.1	7	3.7	1	1.4	7	2.8	195	2.0	0	0.0
20-29	47	17.9	42	22.0	5	7.0	22	8.9	667	6.9	3	1.6
30-39	57	21.8	39	20.4	18	25.4	48	19.4	1,528	15.7	16	8.7
40-49	79	30.2	55	28.8	24	33.8	90	36.4	3,354	34.5	59	32.2
50-59	56	21.4	38	19.9	18	25.4	61	24.7	2,863	29.4	71	38.8
60+	14	5.3	9	4.7	5	7.0	19	7.7	1,080	11.1	34	18.6
TRANSMISSION RISK												
Injection drug use history	8	3.1	7	3.7	1	1.4	22	8.9	1,617	16.6	51	27.9
Heterosexual	199	76.0	139	72.8	60	84.5	158	64.0	4,857	49.9	77	42.1
Perinatal	2	0.8	1	0.5	1	1.4	10	4.0	355	3.6	3	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	36	0.4	1	0.5
Unknown	53	20.2	44	23.0	9	12.7	57	23.1	2,865	29.4	51	27.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,845	39.5	27	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,885	60.5	156	85.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	808	100.0	665	82.3	143	17.7	454	100.0	27,017	100.0	333	100.0
RACE/ETHNICITY												
Black	244	30.2	199	29.9	45	31.5	162	35.7	7,934	29.4	136	40.8
Hispanic	232	28.7	189	28.4	43	30.1	138	30.4	7,255	26.9	123	36.9
White	300	37.1	252	37.9	48	33.6	141	31.1	11,019	40.8	71	21.3
Asian/Pacific Islander	31	3.8	24	3.6	7	4.9	13	2.9	532	2.0	3	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	59	0.2	0	0.0
Multiracial	1	0.1	1	0.2	0	0.0	0	0.0	10	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	208	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	30	0.1	0	0.0
13-19	25	3.1	21	3.2	4	2.8	6	1.3	104	0.4	0	0.0
20-29	248	30.7	227	34.1	21	14.7	65	14.3	1,475	5.5	6	1.8
30-39	233	28.8	197	29.6	36	25.2	109	24.0	3,773	14.0	22	6.6
40-49	184	22.8	140	21.1	44	30.8	153	33.7	9,492	35.1	87	26.1
50-59	78	9.7	51	7.7	27	18.9	92	20.3	8,081	29.9	111	33.3
60+	39	4.8	28	4.2	11	7.7	29	6.4	4,062	15.0	107	32.1
TRANSMISSION RISK												
Men who have sex with men	580	71.8	493	74.1	87	60.8	261	57.5	16,330	60.4	105	31.5
Injection drug use history	31	3.8	23	3.5	8	5.6	55	12.1	3,888	14.4	133	39.9
Heterosexual	23	2.8	14	2.1	9	6.3	29	6.4	1,205	4.5	21	6.3
Perinatal	1	0.1	1	0.2	0	0.0	1	0.2	204	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	173	21.4	134	20.2	39	27.3	108	23.8	5,368	19.9	74	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,487	42.5	53	15.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15,530	57.5	280	84.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	127	100.0	106	83.5	21	16.5	89	100.0	6,087	100.0	97	100.0
RACE/ETHNICITY												
Black	71	55.9	58	54.7	13	61.9	56	62.9	3,373	55.4	57	58.8
Hispanic	47	37.0	40	37.7	7	33.3	25	28.1	2,014	33.1	28	28.9
White	6	4.7	5	4.7	1	4.8	8	9.0	596	9.8	9	9.3
Asian/Pacific Islander	3	2.4	3	2.8	0	0.0	0	0.0	63	1.0	1	1.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	2	2.1
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	1	0.9	0	0.0	0	0.0	26	0.4	0	0.0
13-19	6	4.7	4	3.8	2	9.5	4	4.5	124	2.0	1	1.0
20-29	22	17.3	20	18.9	2	9.5	6	6.7	333	5.5	0	0.0
30-39	29	22.8	27	25.5	2	9.5	27	30.3	849	13.9	6	6.2
40-49	33	26.0	27	25.5	6	28.6	28	31.5	2,213	36.4	34	35.1
50-59	25	19.7	19	17.9	6	28.6	18	20.2	1,808	29.7	38	39.2
60+	11	8.7	8	7.5	3	14.3	6	6.7	734	12.1	18	18.6
TRANSMISSION RISK												
Injection drug use history	11	8.7	10	9.4	1	4.8	16	18.0	1,397	23.0	35	36.1
Heterosexual	78	61.4	63	59.4	15	71.4	47	52.8	2,702	44.4	43	44.3
Perinatal	1	0.8	1	0.9	0	0.0	5	5.6	224	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	1	1.0
Unknown	37	29.1	32	30.2	5	23.8	21	23.6	1,744	28.7	18	18.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,370	38.9	16	16.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,717	61.1	81	83.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	430	100.0	327	76.0	103	24.0	275	100.0	11,262	100.0	136	100.0
RACE/ETHNICITY												
Black	146	34.0	116	35.5	30	29.1	110	40.0	3,965	35.2	65	47.8
Hispanic	178	41.4	133	40.7	45	43.7	100	36.4	4,589	40.7	46	33.8
White	75	17.4	58	17.7	17	16.5	49	17.8	2,170	19.3	23	16.9
Asian/Pacific Islander	29	6.7	19	5.8	10	9.7	14	5.1	464	4.1	2	1.5
Native American	1	0.2	0	0.0	1	1.0	2	0.7	35	0.3	0	0.0
Multiracial	1	0.2	1	0.3	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.3	0	0.0	0	0.0	17	0.2	0	0.0
13-19	19	4.4	19	5.8	0	0.0	4	1.5	92	0.8	0	0.0
20-29	144	33.5	130	39.8	14	13.6	56	20.4	892	7.9	2	1.5
30-39	101	23.5	69	21.1	32	31.1	75	27.3	1,868	16.6	9	6.6
40-49	107	24.9	79	24.2	28	27.2	73	26.5	3,934	34.9	30	22.1
50-59	43	10.0	24	7.3	19	18.4	52	18.9	3,235	28.7	59	43.4
60+	15	3.5	5	1.5	10	9.7	15	5.5	1,224	10.9	36	26.5
TRANSMISSION RISK												
Men who have sex with men	298	69.3	253	77.4	45	43.7	139	50.5	5,350	47.5	29	21.3
Injection drug use history	13	3.0	7	2.1	6	5.8	23	8.4	1,976	17.5	50	36.8
Heterosexual	20	4.7	9	2.8	11	10.7	30	10.9	1,049	9.3	14	10.3
Perinatal	1	0.2	1	0.3	0	0.0	1	0.4	139	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	2	1.5
Unknown	98	22.8	57	17.4	41	39.8	82	29.8	2,728	24.2	41	30.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,363	38.7	23	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,899	61.3	113	83.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	135	100.0	102	75.6	33	24.4	102	100.0	4,562	100.0	59	100.0
RACE/ETHNICITY												
Black	89	65.9	67	65.7	22	66.7	64	62.7	2,657	58.2	39	66.1
Hispanic	32	23.7	22	21.6	10	30.3	35	34.3	1,237	27.1	8	13.6
White	10	7.4	9	8.8	1	3.0	3	2.9	503	11.0	8	13.6
Asian/Pacific Islander	3	2.2	3	2.9	0	0.0	0	0.0	130	2.8	4	6.8
Native American	1	0.7	1	1.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
13-19	7	5.2	7	6.9	0	0.0	2	2.0	85	1.9	0	0.0
20-29	29	21.5	26	25.5	3	9.1	16	15.7	300	6.6	1	1.7
30-39	24	17.8	19	18.6	5	15.2	24	23.5	735	16.1	2	3.4
40-49	39	28.9	30	29.4	9	27.3	32	31.4	1,636	35.9	20	33.9
50-59	24	17.8	14	13.7	10	30.3	17	16.7	1,295	28.4	19	32.2
60+	12	8.9	6	5.9	6	18.2	11	10.8	494	10.8	17	28.8
TRANSMISSION RISK												
Injection drug use history	5	3.7	4	3.9	1	3.0	10	9.8	779	17.1	16	27.1
Heterosexual	104	77.0	76	74.5	28	84.8	69	67.6	2,446	53.6	29	49.2
Perinatal	0	0.0	0	0.0	0	0.0	2	2.0	171	3.7	1	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.5	1	1.7
Unknown	26	19.3	22	21.6	4	12.1	21	20.6	1,142	25.0	12	20.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,850	40.6	10	16.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,712	59.4	49	83.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	45	100.0	30	66.7	15	33.3	42	100.0	1,231	100.0	32	100.0
RACE/ETHNICITY												
Black	22	48.9	14	46.7	8	53.3	20	47.6	421	34.2	14	43.8
Hispanic	7	15.6	5	16.7	2	13.3	10	23.8	316	25.7	8	25.0
White	16	35.6	11	36.7	5	33.3	12	28.6	470	38.2	10	31.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
13-19	1	2.2	1	3.3	0	0.0	1	2.4	11	0.9	0	0.0
20-29	6	13.3	6	20.0	0	0.0	6	14.3	91	7.4	3	9.4
30-39	8	17.8	6	20.0	2	13.3	6	14.3	155	12.6	1	3.1
40-49	14	31.1	11	36.7	3	20.0	15	35.7	417	33.9	9	28.1
50-59	12	26.7	4	13.3	8	53.3	10	23.8	410	33.3	8	25.0
60+	4	8.9	2	6.7	2	13.3	4	9.5	143	11.6	11	34.4
TRANSMISSION RISK												
Men who have sex with men	18	40.0	15	50.0	3	20.0	11	26.2	442	35.9	7	21.9
Injection drug use history	9	20.0	5	16.7	4	26.7	8	19.0	300	24.4	11	34.4
Heterosexual	2	4.4	1	3.3	1	6.7	5	11.9	101	8.2	1	3.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.4	28	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	16	35.6	9	30.0	7	46.7	17	40.5	356	28.9	13	40.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	477	38.7	7	21.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	754	61.3	25	78.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	10	83.3	2	16.7	13	100.0	669	100.0	16	100.0
RACE/ETHNICITY												
Black	5	41.7	4	40.0	1	50.0	5	38.5	323	48.3	5	31.3
Hispanic	5	41.7	4	40.0	1	50.0	3	23.1	162	24.2	5	31.3
White	2	16.7	2	20.0	0	0.0	5	38.5	175	26.2	6	37.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
13-19	2	16.7	2	20.0	0	0.0	0	0.0	10	1.5	0	0.0
20-29	2	16.7	2	20.0	0	0.0	1	7.7	47	7.0	0	0.0
30-39	2	16.7	2	20.0	0	0.0	1	7.7	83	12.4	1	6.3
40-49	2	16.7	1	10.0	1	50.0	8	61.5	240	35.9	6	37.5
50-59	4	33.3	3	30.0	1	50.0	3	23.1	223	33.3	7	43.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	59	8.8	2	12.5
TRANSMISSION RISK												
Injection drug use history	1	8.3	1	10.0	0	0.0	3	23.1	133	19.9	4	25.0
Heterosexual	8	66.7	7	70.0	1	50.0	8	61.5	316	47.2	6	37.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	2	12.5
Unknown	3	25.0	2	20.0	1	50.0	2	15.4	186	27.8	4	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	274	41.0	3	18.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	395	59.0	13	81.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,683	100.0	1,419	84.3	264	15.7	856	100.0	37,720	100.0	274	100.0
RACE/ETHNICITY												
Black	616	36.6	526	37.1	90	34.1	349	40.8	11,145	29.5	117	42.7
Hispanic	546	32.4	458	32.3	88	33.3	267	31.2	10,756	28.5	80	29.2
White	456	27.1	384	27.1	72	27.3	217	25.4	14,829	39.3	74	27.0
Asian/Pacific Islander	60	3.6	46	3.2	14	5.3	23	2.7	841	2.2	3	1.1
Native American	2	0.1	2	0.1	0	0.0	0	0.0	85	0.2	0	0.0
Multiracial	3	0.2	3	0.2	0	0.0	0	0.0	23	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	41	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	87	5.2	74	5.2	13	4.9	26	3.0	124	0.3	0	0.0
20-29	742	44.1	665	46.9	77	29.2	252	29.4	4,151	11.0	11	4.0
30-39	452	26.9	379	26.7	73	27.7	227	26.5	7,531	20.0	33	12.0
40-49	289	17.2	223	15.7	66	25.0	231	27.0	13,716	36.4	78	28.5
50-59	85	5.1	59	4.2	26	9.8	93	10.9	8,512	22.6	88	32.1
60+	28	1.7	19	1.3	9	3.4	27	3.2	3,686	9.8	64	23.4
BOROUGH OF RESIDENCE												
Bronx	233	13.8	191	13.5	42	15.9	142	16.6	4,053	10.7	48	17.5
Brooklyn	360	21.4	293	20.6	67	25.4	221	25.8	6,897	18.3	64	23.4
Manhattan	580	34.5	493	34.7	87	33.0	261	30.5	16,330	43.3	105	38.3
Queens	298	17.7	253	17.8	45	17.0	139	16.2	5,350	14.2	29	10.6
Staten Island	18	1.1	15	1.1	3	1.1	11	1.3	442	1.2	7	2.6
Outside NYC	189	11.2	169	11.9	20	7.6	76	8.9	4,394	11.6	18	6.6
Unknown	5	0.3	5	0.4	0	0.0	6	0.7	254	0.7	3	1.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,466	46.3	51	18.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20,254	53.7	223	81.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	125	100.0	92	73.6	33	26.4	200	100.0	14,533	100.0	483	100.0
RACE/ETHNICITY												
Black	46	36.8	27	29.3	19	57.6	79	39.5	5,896	40.6	212	43.9
Hispanic	46	36.8	36	39.1	10	30.3	87	43.5	6,638	45.7	218	45.1
White	30	24.0	27	29.3	3	9.1	27	13.5	1,900	13.1	51	10.6
Asian/Pacific Islander	2	1.6	1	1.1	1	3.0	5	2.5	61	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.5	25	0.2	1	0.2
Multiracial	1	0.8	1	1.1	0	0.0	1	0.5	4	0.0	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	31	24.8	27	29.3	4	12.1	16	8.0	185	1.3	1	0.2
30-39	22	17.6	15	16.3	7	21.2	33	16.5	780	5.4	21	4.3
40-49	36	28.8	27	29.3	9	27.3	58	29.0	3,924	27.0	96	19.9
50-59	26	20.8	16	17.4	10	30.3	70	35.0	6,553	45.1	223	46.2
60+	10	8.0	7	7.6	3	9.1	23	11.5	3,091	21.3	142	29.4
BOROUGH OF RESIDENCE												
Bronx	37	29.6	32	34.8	5	15.2	48	24.0	3,802	26.2	142	29.4
Brooklyn	28	22.4	18	19.6	10	30.3	56	28.0	3,425	23.6	132	27.3
Manhattan	31	24.8	23	25.0	8	24.2	55	27.5	3,888	26.8	133	27.5
Queens	13	10.4	7	7.6	6	18.2	23	11.5	1,976	13.6	50	10.4
Staten Island	9	7.2	5	5.4	4	12.1	8	4.0	300	2.1	11	2.3
Outside NYC	7	5.6	7	7.6	0	0.0	9	4.5	1,045	7.2	14	2.9
Unknown	0	0.0	0	0.0	0	0.0	1	0.5	97	0.7	1	0.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,151	21.7	57	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11,382	78.3	426	88.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	36	92.3	3	7.7	80	100.0	5,972	100.0	153	100.0
RACE/ETHNICITY												
Black	17	43.6	14	38.9	3	100.0	41	51.3	2,897	48.5	73	47.7
Hispanic	15	38.5	15	41.7	0	0.0	31	38.8	2,367	39.6	55	35.9
White	7	17.9	7	19.4	0	0.0	8	10.0	683	11.4	21	13.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	2	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	2	1.3
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	12.8	5	13.9	0	0.0	1	1.3	62	1.0	0	0.0
30-39	6	15.4	5	13.9	1	33.3	12	15.0	429	7.2	4	2.6
40-49	12	30.8	12	33.3	0	0.0	30	37.5	2,137	35.8	40	26.1
50-59	14	35.9	12	33.3	2	66.7	28	35.0	2,625	44.0	85	55.6
60+	2	5.1	2	5.6	0	0.0	9	11.3	719	12.0	24	15.7
BOROUGH OF RESIDENCE												
Bronx	13	33.3	13	36.1	0	0.0	23	28.8	1,757	29.4	40	26.1
Brooklyn	8	20.5	7	19.4	1	33.3	22	27.5	1,617	27.1	51	33.3
Manhattan	11	28.2	10	27.8	1	33.3	16	20.0	1,397	23.4	35	22.9
Queens	5	12.8	4	11.1	1	33.3	10	12.5	779	13.0	16	10.5
Staten Island	1	2.6	1	2.8	0	0.0	3	3.8	133	2.2	4	2.6
Outside NYC	1	2.6	1	2.8	0	0.0	4	5.0	255	4.3	6	3.9
Unknown	0	0.0	0	0.0	0	0.0	2	2.5	34	0.6	1	0.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,452	24.3	18	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,520	75.7	135	88.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	145	100.0	93	64.1	52	35.9	162	100.0	5,669	100.0	98	100.0
RACE/ETHNICITY												
Black	89	61.4	51	54.8	38	73.1	107	66.0	3,071	54.2	61	62.2
Hispanic	45	31.0	34	36.6	11	21.2	47	29.0	1,932	34.1	29	29.6
White	7	4.8	5	5.4	2	3.8	6	3.7	499	8.8	7	7.1
Asian/Pacific Islander	4	2.8	3	3.2	1	1.9	2	1.2	147	2.6	1	1.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	4	2.8	3	3.2	1	1.9	2	1.2	6	0.1	0	0.0
20-29	16	11.0	13	14.0	3	5.8	15	9.3	190	3.4	0	0.0
30-39	27	18.6	20	21.5	7	13.5	29	17.9	686	12.1	7	7.1
40-49	53	36.6	32	34.4	21	40.4	63	38.9	2,205	38.9	33	33.7
50-59	30	20.7	17	18.3	13	25.0	40	24.7	1,809	31.9	29	29.6
60+	15	10.3	8	8.6	7	13.5	13	8.0	773	13.6	29	29.6
BOROUGH OF RESIDENCE												
Bronx	48	33.1	38	40.9	10	19.2	40	24.7	1,390	24.5	24	24.5
Brooklyn	40	27.6	23	24.7	17	32.7	51	31.5	1,552	27.4	35	35.7
Manhattan	23	15.9	14	15.1	9	17.3	29	17.9	1,205	21.3	21	21.4
Queens	20	13.8	9	9.7	11	21.2	30	18.5	1,049	18.5	14	14.3
Staten Island	2	1.4	1	1.1	1	1.9	5	3.1	101	1.8	1	1.0
Outside NYC	11	7.6	7	7.5	4	7.7	6	3.7	338	6.0	3	3.1
Unknown	1	0.7	1	1.1	0	0.0	1	0.6	34	0.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,934	34.1	17	17.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,735	65.9	81	82.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	600	100.0	446	74.3	154	25.7	450	100.0	15,584	100.0	211	100.0
RACE/ETHNICITY												
Black	391	65.2	286	64.1	105	68.2	304	67.6	9,205	59.1	126	59.7
Hispanic	175	29.2	134	30.0	41	26.6	125	27.8	5,055	32.4	70	33.2
White	23	3.8	16	3.6	7	4.5	19	4.2	1,064	6.8	12	5.7
Asian/Pacific Islander	8	1.3	7	1.6	1	0.6	2	0.4	192	1.2	2	0.9
Native American	3	0.5	3	0.7	0	0.0	0	0.0	46	0.3	1	0.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	27	4.5	23	5.2	4	2.6	6	1.3	57	0.4	1	0.5
20-29	131	21.8	113	25.3	18	11.7	52	11.6	1,141	7.3	0	0.0
30-39	146	24.3	119	26.7	27	17.5	118	26.2	2,895	18.6	24	11.4
40-49	157	26.2	108	24.2	49	31.8	152	33.8	5,755	36.9	79	37.4
50-59	101	16.8	61	13.7	40	26.0	90	20.0	4,047	26.0	63	29.9
60+	38	6.3	22	4.9	16	10.4	32	7.1	1,689	10.8	44	20.9
BOROUGH OF RESIDENCE												
Bronx	185	30.8	139	31.2	46	29.9	146	32.4	4,423	28.4	49	23.2
Brooklyn	199	33.2	139	31.2	60	39.0	158	35.1	4,857	31.2	77	36.5
Manhattan	78	13.0	63	14.1	15	9.7	47	10.4	2,702	17.3	43	20.4
Queens	104	17.3	76	17.0	28	18.2	69	15.3	2,446	15.7	29	13.7
Staten Island	8	1.3	7	1.6	1	0.6	8	1.8	316	2.0	6	2.8
Outside NYC	25	4.2	21	4.7	4	2.6	15	3.3	753	4.8	7	3.3
Unknown	1	0.2	1	0.2	0	0.0	7	1.6	87	0.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,448	41.4	35	16.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,136	58.6	176	83.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	14	66.7	7	33.3	19	100.0	557	100.0	10	100.0
SEX												
Male	15	71.4	10	71.4	5	71.4	11	57.9	370	66.4	7	70.0
Female	6	28.6	4	28.6	2	28.6	8	42.1	187	33.6	3	30.0
RACE/ETHNICITY												
Black	9	42.9	7	50.0	2	28.6	5	26.3	185	33.2	2	20.0
Hispanic	10	47.6	7	50.0	3	42.9	10	52.6	273	49.0	5	50.0
White	2	9.5	0	0.0	2	28.6	4	21.1	91	16.3	3	30.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
13-19	3	14.3	3	21.4	0	0.0	2	10.5	9	1.6	0	0.0
20-29	4	19.0	2	14.3	2	28.6	5	26.3	47	8.4	0	0.0
30-39	7	33.3	4	28.6	3	42.9	4	21.1	74	13.3	0	0.0
40-49	5	23.8	4	28.6	1	14.3	2	10.5	169	30.3	1	10.0
50-59	1	4.8	1	7.1	0	0.0	4	21.1	173	31.1	3	30.0
60+	1	4.8	0	0.0	1	14.3	2	10.5	81	14.5	6	60.0
TRANSMISSION RISK												
Men who have sex with men	8	38.1	6	42.9	2	28.6	4	21.1	159	28.5	3	30.0
Injection drug use history	1	4.8	1	7.1	0	0.0	0	0.0	107	19.2	1	10.0
Heterosexual	7	33.3	5	35.7	2	28.6	8	42.1	124	22.3	4	40.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	5	23.8	2	14.3	3	42.9	7	36.8	150	26.9	2	20.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	212	38.1	2	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	345	61.9	8	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	79	100.0	60	75.9	19	24.1	67	100.0	1,756	100.0	29	100.0
SEX												
Male	49	62.0	34	56.7	15	78.9	42	62.7	1,008	57.4	22	75.9
Female	30	38.0	26	43.3	4	21.1	25	37.3	748	42.6	7	24.1
RACE/ETHNICITY												
Black	48	60.8	32	53.3	16	84.2	50	74.6	1,149	65.4	18	62.1
Hispanic	24	30.4	21	35.0	3	15.8	15	22.4	476	27.1	11	37.9
White	5	6.3	5	8.3	0	0.0	2	3.0	114	6.5	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	0.6	0	0.0
Native American	2	2.5	2	3.3	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	4	5.1	3	5.0	1	5.3	1	1.5	38	2.2	0	0.0
20-29	30	38.0	22	36.7	8	42.1	17	25.4	179	10.2	1	3.4
30-39	16	20.3	14	23.3	2	10.5	18	26.9	274	15.6	0	0.0
40-49	14	17.7	11	18.3	3	15.8	18	26.9	577	32.9	7	24.1
50-59	10	12.7	6	10.0	4	21.1	10	14.9	476	27.1	11	37.9
60+	5	6.3	4	6.7	1	5.3	3	4.5	208	11.8	10	34.5
TRANSMISSION RISK												
Men who have sex with men	27	34.2	21	35.0	6	31.6	18	26.9	317	18.1	6	20.7
Injection drug use history	5	6.3	4	6.7	1	5.3	4	6.0	270	15.4	9	31.0
Heterosexual	28	35.4	24	40.0	4	21.1	22	32.8	477	27.2	5	17.2
Perinatal	0	0.0	0	0.0	0	0.0	1	1.5	61	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	19	24.1	11	18.3	8	42.1	22	32.8	628	35.8	9	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	712	40.5	6	20.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,044	59.5	23	79.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	136	100.0	104	76.5	32	23.5	117	100.0	4,235	100.0	61	100.0
SEX												
Male	97	71.3	78	75.0	19	59.4	74	63.2	2,631	62.1	46	75.4
Female	39	28.7	26	25.0	13	40.6	43	36.8	1,604	37.9	15	24.6
RACE/ETHNICITY												
Black	61	44.9	42	40.4	19	59.4	55	47.0	1,755	41.4	22	36.1
Hispanic	66	48.5	54	51.9	12	37.5	57	48.7	2,244	53.0	35	57.4
White	8	5.9	7	6.7	1	3.1	5	4.3	196	4.6	4	6.6
Asian/Pacific Islander	1	0.7	1	1.0	0	0.0	0	0.0	28	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	0	0.0	1	3.1	2	1.7	21	0.5	0	0.0
13-19	6	4.4	5	4.8	1	3.1	6	5.1	67	1.6	0	0.0
20-29	43	31.6	38	36.5	5	15.6	17	14.5	327	7.7	1	1.6
30-39	31	22.8	24	23.1	7	21.9	27	23.1	679	16.0	4	6.6
40-49	27	19.9	20	19.2	7	21.9	37	31.6	1,470	34.7	24	39.3
50-59	22	16.2	15	14.4	7	21.9	20	17.1	1,232	29.1	21	34.4
60+	6	4.4	2	1.9	4	12.5	8	6.8	439	10.4	11	18.0
TRANSMISSION RISK												
Men who have sex with men	58	42.6	50	48.1	8	25.0	28	23.9	883	20.9	8	13.1
Injection drug use history	7	5.1	7	6.7	0	0.0	14	12.0	916	21.6	21	34.4
Heterosexual	43	31.6	30	28.8	13	40.6	36	30.8	1,043	24.6	11	18.0
Perinatal	1	0.7	0	0.0	1	3.1	4	3.4	124	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	1	1.6
Unknown	27	19.9	17	16.3	10	31.3	35	29.9	1,267	29.9	20	32.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,637	38.7	10	16.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,598	61.3	51	83.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	109	100.0	81	74.3	28	25.7	93	100.0	3,586	100.0	45	100.0
SEX												
Male	83	76.1	60	74.1	23	82.1	67	72.0	2,122	59.2	32	71.1
Female	26	23.9	21	25.9	5	17.9	26	28.0	1,464	40.8	13	28.9
RACE/ETHNICITY												
Black	47	43.1	38	46.9	9	32.1	41	44.1	1,441	40.2	11	24.4
Hispanic	48	44.0	33	40.7	15	53.6	45	48.4	1,846	51.5	32	71.1
White	13	11.9	9	11.1	4	14.3	7	7.5	264	7.4	2	4.4
Asian/Pacific Islander	1	0.9	1	1.2	0	0.0	0	0.0	25	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
13-19	2	1.8	2	2.5	0	0.0	0	0.0	59	1.6	0	0.0
20-29	35	32.1	26	32.1	9	32.1	17	18.3	331	9.2	1	2.2
30-39	25	22.9	22	27.2	3	10.7	16	17.2	470	13.1	3	6.7
40-49	23	21.1	16	19.8	7	25.0	32	34.4	1,263	35.2	9	20.0
50-59	16	14.7	11	13.6	5	17.9	20	21.5	1,036	28.9	20	44.4
60+	8	7.3	4	4.9	4	14.3	8	8.6	419	11.7	12	26.7
TRANSMISSION RISK												
Men who have sex with men	43	39.4	32	39.5	11	39.3	28	30.1	689	19.2	3	6.7
Injection drug use history	6	5.5	4	4.9	2	7.1	10	10.8	783	21.8	26	57.8
Heterosexual	28	25.7	23	28.4	5	17.9	19	20.4	916	25.5	6	13.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	127	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Unknown	32	29.4	22	27.2	10	35.7	36	38.7	1,059	29.5	10	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,361	38.0	7	15.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,225	62.0	38	84.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	128	100.0	102	79.7	26	20.3	102	100.0	4,536	100.0	86	100.0
SEX												
Male	81	63.3	64	62.7	17	65.4	60	58.8	2,625	57.9	63	73.3
Female	47	36.7	38	37.3	9	34.6	42	41.2	1,911	42.1	23	26.7
RACE/ETHNICITY												
Black	61	47.7	50	49.0	11	42.3	49	48.0	2,091	46.1	45	52.3
Hispanic	63	49.2	48	47.1	15	57.7	52	51.0	2,314	51.0	40	46.5
White	3	2.3	3	2.9	0	0.0	1	1.0	100	2.2	1	1.2
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	10	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	1	1.0	0	0.0	0	0.0	25	0.6	0	0.0
13-19	9	7.0	7	6.9	2	7.7	5	4.9	89	2.0	0	0.0
20-29	33	25.8	31	30.4	2	7.7	8	7.8	347	7.6	0	0.0
30-39	30	23.4	23	22.5	7	26.9	25	24.5	645	14.2	11	12.8
40-49	27	21.1	18	17.6	9	34.6	36	35.3	1,526	33.6	19	22.1
50-59	22	17.2	16	15.7	6	23.1	22	21.6	1,339	29.5	35	40.7
60+	6	4.7	6	5.9	0	0.0	6	5.9	565	12.5	21	24.4
TRANSMISSION RISK												
Men who have sex with men	32	25.0	27	26.5	5	19.2	21	20.6	657	14.5	5	5.8
Injection drug use history	12	9.4	10	9.8	2	7.7	16	15.7	1,187	26.2	46	53.5
Heterosexual	44	34.4	35	34.3	9	34.6	37	36.3	1,163	25.6	12	14.0
Perinatal	1	0.8	1	1.0	0	0.0	2	2.0	158	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	39	30.5	29	28.4	10	38.5	26	25.5	1,363	30.0	23	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,750	38.6	11	12.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,786	61.4	75	87.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Crotona - Tremont: 10453, 10457, 10460.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	122	100.0	97	79.5	25	20.5	123	100.0	4,859	100.0	111	100.0
SEX												
Male	75	61.5	60	61.9	15	60.0	75	61.0	2,851	58.7	75	67.6
Female	47	38.5	37	38.1	10	40.0	48	39.0	2,008	41.3	36	32.4
RACE/ETHNICITY												
Black	61	50.0	46	47.4	15	60.0	64	52.0	2,537	52.2	64	57.7
Hispanic	57	46.7	48	49.5	9	36.0	54	43.9	2,168	44.6	44	39.6
White	4	3.3	3	3.1	1	4.0	5	4.1	122	2.5	3	2.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	28	0.6	0	0.0
13-19	4	3.3	3	3.1	1	4.0	2	1.6	80	1.6	0	0.0
20-29	41	33.6	34	35.1	7	28.0	30	24.4	379	7.8	1	0.9
30-39	28	23.0	26	26.8	2	8.0	22	17.9	774	15.9	6	5.4
40-49	26	21.3	18	18.6	8	32.0	36	29.3	1,602	33.0	22	19.8
50-59	18	14.8	12	12.4	6	24.0	23	18.7	1,380	28.4	48	43.2
60+	5	4.1	4	4.1	1	4.0	10	8.1	616	12.7	34	30.6
TRANSMISSION RISK												
Men who have sex with men	33	27.0	27	27.8	6	24.0	28	22.8	775	15.9	11	9.9
Injection drug use history	9	7.4	9	9.3	0	0.0	18	14.6	1,172	24.1	46	41.4
Heterosexual	48	39.3	37	38.1	11	44.0	39	31.7	1,224	25.2	21	18.9
Perinatal	0	0.0	0	0.0	0	0.0	1	0.8	159	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	32	26.2	24	24.7	8	32.0	37	30.1	1,520	31.3	33	29.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,784	36.7	27	24.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,075	63.3	84	75.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	76	78.4	21	21.6	80	100.0	3,131	100.0	61	100.0
SEX												
Male	63	64.9	53	69.7	10	47.6	54	67.5	1,966	62.8	40	65.6
Female	34	35.1	23	30.3	11	52.4	26	32.5	1,165	37.2	21	34.4
RACE/ETHNICITY												
Black	45	46.4	35	46.1	10	47.6	35	43.8	1,126	36.0	20	32.8
Hispanic	48	49.5	37	48.7	11	52.4	43	53.8	1,909	61.0	38	62.3
White	4	4.1	4	5.3	0	0.0	2	2.5	76	2.4	1	1.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.3	0	0.0	0	0.0	18	0.6	0	0.0
13-19	5	5.2	2	2.6	3	14.3	5	6.3	62	2.0	0	0.0
20-29	26	26.8	24	31.6	2	9.5	8	10.0	236	7.5	0	0.0
30-39	27	27.8	22	28.9	5	23.8	24	30.0	492	15.7	7	11.5
40-49	22	22.7	16	21.1	6	28.6	26	32.5	1,042	33.3	19	31.1
50-59	13	13.4	8	10.5	5	23.8	12	15.0	939	30.0	24	39.3
60+	3	3.1	3	3.9	0	0.0	5	6.3	342	10.9	11	18.0
TRANSMISSION RISK												
Men who have sex with men	32	33.0	28	36.8	4	19.0	15	18.8	484	15.5	8	13.1
Injection drug use history	8	8.2	8	10.5	0	0.0	9	11.3	916	29.3	27	44.3
Heterosexual	35	36.1	23	30.3	12	57.1	24	30.0	740	23.6	12	19.7
Perinatal	2	2.1	1	1.3	1	4.8	3	3.8	121	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	20	20.6	16	21.1	4	19.0	29	36.3	861	27.5	14	23.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,185	37.8	9	14.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,946	62.2	52	85.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	20	87.0	3	13.0	23	100.0	1,013	100.0	23	100.0
SEX												
Male	21	91.3	18	90.0	3	100.0	20	87.0	763	75.3	15	65.2
Female	2	8.7	2	10.0	0	0.0	3	13.0	250	24.7	8	34.8
RACE/ETHNICITY												
Black	9	39.1	9	45.0	0	0.0	5	21.7	207	20.4	7	30.4
Hispanic	0	0.0	0	0.0	0	0.0	10	43.5	487	48.1	10	43.5
White	13	56.5	11	55.0	2	66.7	7	30.4	299	29.5	6	26.1
Asian/Pacific Islander	1	4.3	0	0.0	1	33.3	1	4.3	18	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	15	1.5	0	0.0
20-29	13	56.5	12	60.0	1	33.3	5	21.7	76	7.5	0	0.0
30-39	4	17.4	3	15.0	1	33.3	7	30.4	194	19.2	3	13.0
40-49	3	13.0	3	15.0	0	0.0	5	21.7	387	38.2	8	34.8
50-59	3	13.0	2	10.0	1	33.3	5	21.7	233	23.0	10	43.5
60+	0	0.0	0	0.0	0	0.0	1	4.3	107	10.6	2	8.7
TRANSMISSION RISK												
Men who have sex with men	17	73.9	15	75.0	2	66.7	13	56.5	410	40.5	4	17.4
Injection drug use history	2	8.7	2	10.0	0	0.0	3	13.0	213	21.0	11	47.8
Heterosexual	1	4.3	1	5.0	0	0.0	3	13.0	143	14.1	4	17.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	3	13.0	2	10.0	1	33.3	4	17.4	220	21.7	4	17.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	385	38.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	628	62.0	23	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	62	73.8	22	26.2	63	100.0	3,035	100.0	40	100.0
SEX												
Male	65	77.4	50	80.6	15	68.2	46	73.0	2,279	75.1	31	77.5
Female	19	22.6	12	19.4	7	31.8	17	27.0	756	24.9	9	22.5
RACE/ETHNICITY												
Black	49	58.3	33	53.2	16	72.7	38	60.3	1,366	45.0	20	50.0
Hispanic	17	20.2	15	24.2	2	9.1	15	23.8	814	26.8	9	22.5
White	16	19.0	12	19.4	4	18.2	9	14.3	802	26.4	10	25.0
Asian/Pacific Islander	2	2.4	2	3.2	0	0.0	1	1.6	41	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	1	2.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
13-19	5	6.0	3	4.8	2	9.1	3	4.8	28	0.9	0	0.0
20-29	27	32.1	26	41.9	1	4.5	7	11.1	183	6.0	1	2.5
30-39	19	22.6	11	17.7	8	36.4	14	22.2	406	13.4	2	5.0
40-49	18	21.4	14	22.6	4	18.2	17	27.0	1,088	35.8	14	35.0
50-59	10	11.9	7	11.3	3	13.6	16	25.4	899	29.6	12	30.0
60+	5	6.0	1	1.6	4	18.2	6	9.5	422	13.9	11	27.5
TRANSMISSION RISK												
Men who have sex with men	43	51.2	34	54.8	9	40.9	25	39.7	1,307	43.1	9	22.5
Injection drug use history	2	2.4	0	0.0	2	9.1	11	17.5	571	18.8	18	45.0
Heterosexual	17	20.2	12	19.4	5	22.7	9	14.3	474	15.6	8	20.0
Perinatal	1	1.2	0	0.0	1	4.5	1	1.6	57	1.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	2.5
Unknown	21	25.0	16	25.8	5	22.7	17	27.0	624	20.6	4	10.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,171	38.6	5	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,864	61.4	35	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	220	100.0	170	77.3	50	22.7	195	100.0	6,628	100.0	150	100.0
SEX												
Male	150	68.2	115	67.6	35	70.0	116	59.5	4,145	62.5	98	65.3
Female	70	31.8	55	32.4	15	30.0	79	40.5	2,483	37.5	52	34.7
RACE/ETHNICITY												
Black	176	80.0	130	76.5	46	92.0	170	87.2	5,453	82.3	120	80.0
Hispanic	32	14.5	30	17.6	2	4.0	15	7.7	835	12.6	27	18.0
White	10	4.5	8	4.7	2	4.0	10	5.1	282	4.3	3	2.0
Asian/Pacific Islander	1	0.5	1	0.6	0	0.0	0	0.0	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	0	0.0
Multiracial	1	0.5	1	0.6	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.9	2	1.2	0	0.0	0	0.0	28	0.4	0	0.0
13-19	5	2.3	5	2.9	0	0.0	4	2.1	104	1.6	0	0.0
20-29	74	33.6	65	38.2	9	18.0	38	19.5	595	9.0	2	1.3
30-39	47	21.4	36	21.2	11	22.0	39	20.0	1,081	16.3	8	5.3
40-49	54	24.5	38	22.4	16	32.0	62	31.8	2,071	31.2	41	27.3
50-59	30	13.6	20	11.8	10	20.0	38	19.5	1,885	28.4	60	40.0
60+	8	3.6	4	2.4	4	8.0	14	7.2	864	13.0	39	26.0
TRANSMISSION RISK												
Men who have sex with men	85	38.6	71	41.8	14	28.0	49	25.1	1,590	24.0	18	12.0
Injection drug use history	8	3.6	4	2.4	4	8.0	20	10.3	1,227	18.5	54	36.0
Heterosexual	59	26.8	41	24.1	18	36.0	60	30.8	1,578	23.8	32	21.3
Perinatal	2	0.9	2	1.2	0	0.0	6	3.1	192	2.9	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
Unknown	66	30.0	52	30.6	14	28.0	60	30.8	2,026	30.6	45	30.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,524	38.1	24	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,104	61.9	126	84.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	104	100.0	81	77.9	23	22.1	80	100.0	2,657	100.0	62	100.0
SEX												
Male	71	68.3	55	67.9	16	69.6	51	63.8	1,477	55.6	39	62.9
Female	33	31.7	26	32.1	7	30.4	29	36.3	1,180	44.4	23	37.1
RACE/ETHNICITY												
Black	73	70.2	59	72.8	14	60.9	50	62.5	1,705	64.2	40	64.5
Hispanic	25	24.0	17	21.0	8	34.8	26	32.5	833	31.4	18	29.0
White	4	3.8	4	4.9	0	0.0	1	1.3	80	3.0	3	4.8
Asian/Pacific Islander	2	1.9	1	1.2	1	4.3	3	3.8	26	1.0	1	1.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.5	0	0.0
13-19	6	5.8	6	7.4	0	0.0	1	1.3	57	2.1	1	1.6
20-29	38	36.5	34	42.0	4	17.4	19	23.8	284	10.7	2	3.2
30-39	20	19.2	11	13.6	9	39.1	19	23.8	397	14.9	5	8.1
40-49	18	17.3	14	17.3	4	17.4	19	23.8	889	33.5	16	25.8
50-59	18	17.3	13	16.0	5	21.7	18	22.5	692	26.0	24	38.7
60+	4	3.8	3	3.7	1	4.3	4	5.0	326	12.3	14	22.6
TRANSMISSION RISK												
Men who have sex with men	45	43.3	38	46.9	7	30.4	22	27.5	457	17.2	3	4.8
Injection drug use history	2	1.9	2	2.5	0	0.0	10	12.5	522	19.6	18	29.0
Heterosexual	35	33.7	25	30.9	10	43.5	29	36.3	773	29.1	15	24.2
Perinatal	0	0.0	0	0.0	0	0.0	1	1.3	93	3.5	3	4.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	22	21.2	16	19.8	6	26.1	18	22.5	808	30.4	23	37.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,029	38.7	8	12.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,628	61.3	54	87.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	23	69.7	10	30.3	25	100.0	802	100.0	9	100.0
SEX												
Male	26	78.8	19	82.6	7	70.0	19	76.0	560	69.8	8	88.9
Female	7	21.2	4	17.4	3	30.0	6	24.0	242	30.2	1	11.1
RACE/ETHNICITY												
Black	3	9.1	3	13.0	0	0.0	5	20.0	116	14.5	1	11.1
Hispanic	25	75.8	16	69.6	9	90.0	18	72.0	519	64.7	7	77.8
White	5	15.2	4	17.4	1	10.0	1	4.0	124	15.5	1	11.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	4.0	41	5.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.0	1	4.3	0	0.0	0	0.0	11	1.4	0	0.0
20-29	13	39.4	10	43.5	3	30.0	8	32.0	72	9.0	0	0.0
30-39	9	27.3	5	21.7	4	40.0	6	24.0	137	17.1	1	11.1
40-49	4	12.1	3	13.0	1	10.0	9	36.0	284	35.4	1	11.1
50-59	5	15.2	4	17.4	1	10.0	1	4.0	195	24.3	3	33.3
60+	1	3.0	0	0.0	1	10.0	1	4.0	103	12.8	4	44.4
TRANSMISSION RISK												
Men who have sex with men	12	36.4	11	47.8	1	10.0	7	28.0	225	28.1	1	11.1
Injection drug use history	3	9.1	1	4.3	2	20.0	5	20.0	216	26.9	4	44.4
Heterosexual	9	27.3	6	26.1	3	30.0	5	20.0	176	21.9	1	11.1
Perinatal	0	0.0	0	0.0	0	0.0	1	4.0	22	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	9	27.3	5	21.7	4	40.0	7	28.0	160	20.0	3	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	290	36.2	4	44.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	512	63.8	5	55.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	23	69.7	10	30.3	27	100.0	1,029	100.0	12	100.0
SEX												
Male	24	72.7	16	69.6	8	80.0	20	74.1	724	70.4	7	58.3
Female	9	27.3	7	30.4	2	20.0	7	25.9	305	29.6	5	41.7
RACE/ETHNICITY												
Black	13	39.4	9	39.1	4	40.0	9	33.3	327	31.8	3	25.0
Hispanic	8	24.2	6	26.1	2	20.0	8	29.6	357	34.7	4	33.3
White	10	30.3	7	30.4	3	30.0	9	33.3	307	29.8	5	41.7
Asian/Pacific Islander	2	6.1	1	4.3	1	10.0	1	3.7	38	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	2	6.1	1	4.3	1	10.0	1	3.7	8	0.8	0	0.0
20-29	6	18.2	5	21.7	1	10.0	4	14.8	78	7.6	0	0.0
30-39	8	24.2	5	21.7	3	30.0	7	25.9	155	15.1	1	8.3
40-49	6	18.2	6	26.1	0	0.0	3	11.1	351	34.1	3	25.0
50-59	7	21.2	4	17.4	3	30.0	9	33.3	297	28.9	4	33.3
60+	4	12.1	2	8.7	2	20.0	3	11.1	138	13.4	4	33.3
TRANSMISSION RISK												
Men who have sex with men	15	45.5	13	56.5	2	20.0	4	14.8	318	30.9	3	25.0
Injection drug use history	1	3.0	1	4.3	0	0.0	4	14.8	209	20.3	5	41.7
Heterosexual	9	27.3	6	26.1	3	30.0	7	25.9	243	23.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	8	24.2	3	13.0	5	50.0	12	44.4	236	22.9	4	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	388	37.7	1	8.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	641	62.3	11	91.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	176	100.0	126	71.6	50	28.4	143	100.0	4,500	100.0	70	100.0
SEX												
Male	123	69.9	90	71.4	33	66.0	97	67.8	2,752	61.2	46	65.7
Female	53	30.1	36	28.6	17	34.0	46	32.2	1,748	38.8	24	34.3
RACE/ETHNICITY												
Black	147	83.5	99	78.6	48	96.0	124	86.7	3,765	83.7	55	78.6
Hispanic	21	11.9	19	15.1	2	4.0	16	11.2	503	11.2	11	15.7
White	4	2.3	4	3.2	0	0.0	3	2.1	176	3.9	3	4.3
Asian/Pacific Islander	3	1.7	3	2.4	0	0.0	0	0.0	45	1.0	1	1.4
Native American	1	0.6	1	0.8	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
13-19	5	2.8	4	3.2	1	2.0	5	3.5	73	1.6	0	0.0
20-29	49	27.8	43	34.1	6	12.0	23	16.1	422	9.4	1	1.4
30-39	34	19.3	26	20.6	8	16.0	27	18.9	711	15.8	4	5.7
40-49	40	22.7	22	17.5	18	36.0	44	30.8	1,407	31.3	15	21.4
50-59	29	16.5	19	15.1	10	20.0	30	21.0	1,299	28.9	34	48.6
60+	19	10.8	12	9.5	7	14.0	14	9.8	577	12.8	16	22.9
TRANSMISSION RISK												
Men who have sex with men	59	33.5	50	39.7	9	18.0	41	28.7	1,017	22.6	7	10.0
Injection drug use history	7	4.0	5	4.0	2	4.0	10	7.0	501	11.1	14	20.0
Heterosexual	48	27.3	29	23.0	19	38.0	41	28.7	1,266	28.1	18	25.7
Perinatal	0	0.0	0	0.0	0	0.0	2	1.4	109	2.4	1	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.4	0	0.0
Unknown	62	35.2	42	33.3	20	40.0	49	34.3	1,591	35.4	30	42.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,683	37.4	6	8.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,817	62.6	64	91.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	40	59.7	27	40.3	60	100.0	1,337	100.0	19	100.0
SEX												
Male	41	61.2	25	62.5	16	59.3	36	60.0	742	55.5	12	63.2
Female	26	38.8	15	37.5	11	40.7	24	40.0	595	44.5	7	36.8
RACE/ETHNICITY												
Black	54	80.6	36	90.0	18	66.7	47	78.3	1,033	77.3	12	63.2
Hispanic	6	9.0	2	5.0	4	14.8	7	11.7	160	12.0	4	21.1
White	5	7.5	1	2.5	4	14.8	4	6.7	125	9.3	3	15.8
Asian/Pacific Islander	2	3.0	1	2.5	1	3.7	2	3.3	14	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	2	3.0	2	5.0	0	0.0	1	1.7	29	2.2	0	0.0
20-29	15	22.4	11	27.5	4	14.8	8	13.3	143	10.7	0	0.0
30-39	20	29.9	14	35.0	6	22.2	16	26.7	237	17.7	4	21.1
40-49	18	26.9	9	22.5	9	33.3	22	36.7	413	30.9	5	26.3
50-59	8	11.9	2	5.0	6	22.2	10	16.7	357	26.7	7	36.8
60+	4	6.0	2	5.0	2	7.4	3	5.0	153	11.4	3	15.8
TRANSMISSION RISK												
Men who have sex with men	21	31.3	14	35.0	7	25.9	13	21.7	251	18.8	4	21.1
Injection drug use history	0	0.0	0	0.0	0	0.0	2	3.3	161	12.0	3	15.8
Heterosexual	21	31.3	13	32.5	8	29.6	18	30.0	416	31.1	6	31.6
Perinatal	0	0.0	0	0.0	0	0.0	2	3.3	47	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	25	37.3	13	32.5	12	44.4	25	41.7	457	34.2	6	31.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	549	41.1	4	21.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	788	58.9	15	78.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	7	87.5	1	12.5	10	100.0	521	100.0	14	100.0
SEX												
Male	7	87.5	6	85.7	1	100.0	9	90.0	383	73.5	11	78.6
Female	1	12.5	1	14.3	0	0.0	1	10.0	138	26.5	3	21.4
RACE/ETHNICITY												
Black	2	25.0	2	28.6	0	0.0	0	0.0	69	13.2	2	14.3
Hispanic	3	37.5	3	42.9	0	0.0	4	40.0	161	30.9	0	0.0
White	3	37.5	2	28.6	1	100.0	6	60.0	260	49.9	12	85.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	30	5.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	1	12.5	1	14.3	0	0.0	0	0.0	2	0.4	0	0.0
20-29	1	12.5	1	14.3	0	0.0	2	20.0	32	6.1	0	0.0
30-39	2	25.0	2	28.6	0	0.0	0	0.0	96	18.4	0	0.0
40-49	2	25.0	2	28.6	0	0.0	3	30.0	165	31.7	5	35.7
50-59	2	25.0	1	14.3	1	100.0	4	40.0	161	30.9	6	42.9
60+	0	0.0	0	0.0	0	0.0	1	10.0	63	12.1	3	21.4
TRANSMISSION RISK												
Men who have sex with men	4	50.0	4	57.1	0	0.0	2	20.0	205	39.3	3	21.4
Injection drug use history	2	25.0	2	28.6	0	0.0	3	30.0	115	22.1	5	35.7
Heterosexual	0	0.0	0	0.0	0	0.0	2	20.0	93	17.9	2	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	1	7.1
Unknown	2	25.0	1	14.3	1	100.0	3	30.0	100	19.2	3	21.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	202	38.8	2	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	319	61.2	12	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	37	100.0	26	70.3	11	29.7	27	100.0	1,100	100.0	25	100.0
SEX												
Male	27	73.0	21	80.8	6	54.5	17	63.0	684	62.2	19	76.0
Female	10	27.0	5	19.2	5	45.5	10	37.0	416	37.8	6	24.0
RACE/ETHNICITY												
Black	17	45.9	12	46.2	5	45.5	10	37.0	422	38.4	9	36.0
Hispanic	9	24.3	7	26.9	2	18.2	8	29.6	359	32.6	8	32.0
White	8	21.6	5	19.2	3	27.3	7	25.9	287	26.1	8	32.0
Asian/Pacific Islander	2	5.4	1	3.8	1	9.1	1	3.7	28	2.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	2.7	1	3.8	0	0.0	1	3.7	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
13-19	2	5.4	2	7.7	0	0.0	1	3.7	14	1.3	0	0.0
20-29	10	27.0	8	30.8	2	18.2	4	14.8	74	6.7	0	0.0
30-39	4	10.8	3	11.5	1	9.1	4	14.8	167	15.2	1	4.0
40-49	11	29.7	7	26.9	4	36.4	10	37.0	387	35.2	8	32.0
50-59	8	21.6	4	15.4	4	36.4	7	25.9	317	28.8	8	32.0
60+	2	5.4	2	7.7	0	0.0	1	3.7	133	12.1	8	32.0
TRANSMISSION RISK												
Men who have sex with men	10	27.0	8	30.8	2	18.2	6	22.2	237	21.5	1	4.0
Injection drug use history	2	5.4	2	7.7	0	0.0	3	11.1	248	22.5	14	56.0
Heterosexual	10	27.0	5	19.2	5	45.5	9	33.3	279	25.4	3	12.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	15	40.5	11	42.3	4	36.4	9	33.3	298	27.1	7	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	378	34.4	3	12.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	722	65.6	22	88.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	118	100.0	86	72.9	32	27.1	104	100.0	3,591	100.0	89	100.0
SEX												
Male	86	72.9	58	67.4	28	87.5	80	76.9	2,283	63.6	52	58.4
Female	32	27.1	28	32.6	4	12.5	24	23.1	1,308	36.4	37	41.6
RACE/ETHNICITY												
Black	67	56.8	47	54.7	20	62.5	63	60.6	1,935	53.9	53	59.6
Hispanic	40	33.9	31	36.0	9	28.1	31	29.8	1,434	39.9	32	36.0
White	11	9.3	8	9.3	3	9.4	9	8.7	189	5.3	3	3.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.5	1	1.1
Native American	0	0.0	0	0.0	0	0.0	*	*	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
13-19	6	5.1	4	4.7	2	6.3	3	2.9	62	1.7	0	0.0
20-29	52	44.1	43	50.0	9	28.1	25	24.0	314	8.7	1	1.1
30-39	22	18.6	16	18.6	6	18.8	23	22.1	527	14.7	7	7.9
40-49	26	22.0	19	22.1	7	21.9	25	24.0	1,229	34.2	26	29.2
50-59	9	7.6	3	3.5	6	18.8	20	19.2	1,001	27.9	40	44.9
60+	3	2.5	1	1.2	2	6.3	8	7.7	447	12.4	15	16.9
TRANSMISSION RISK												
Men who have sex with men	48	40.7	34	39.5	14	43.8	39	37.5	753	21.0	8	9.0
Injection drug use history	7	5.9	6	7.0	1	3.1	7	6.7	858	23.9	34	38.2
Heterosexual	30	25.4	24	27.9	6	18.8	24	23.1	812	22.6	19	21.3
Perinatal	1	0.8	0	0.0	1	3.1	1	1.0	94	2.6	1	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	32	27.1	22	25.6	10	31.3	33	31.7	1,070	29.8	27	30.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,344	37.4	14	15.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,247	62.6	75	84.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	146	100.0	121	82.9	25	17.1	94	100.0	4,060	100.0	56	100.0
SEX												
Male	122	83.6	103	85.1	19	76.0	78	83.0	3,082	75.9	48	85.7
Female	24	16.4	18	14.9	6	24.0	16	17.0	978	24.1	8	14.3
RACE/ETHNICITY												
Black	47	32.2	40	33.1	7	28.0	37	39.4	1,532	37.7	22	39.3
Hispanic	76	52.1	62	51.2	14	56.0	45	47.9	1,930	47.5	27	48.2
White	21	14.4	17	14.0	4	16.0	12	12.8	555	13.7	6	10.7
Asian/Pacific Islander	2	1.4	2	1.7	0	0.0	0	0.0	29	0.7	1	1.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	1	0.8	0	0.0	0	0.0	12	0.3	0	0.0
13-19	5	3.4	4	3.3	1	4.0	2	2.1	49	1.2	1	1.8
20-29	51	34.9	45	37.2	6	24.0	15	16.0	328	8.1	1	1.8
30-39	43	29.5	38	31.4	5	20.0	24	25.5	697	17.2	7	12.5
40-49	33	22.6	27	22.3	6	24.0	26	27.7	1,361	33.5	19	33.9
50-59	10	6.8	4	3.3	6	24.0	22	23.4	1,083	26.7	13	23.2
60+	3	2.1	2	1.7	1	4.0	5	5.3	530	13.1	15	26.8
TRANSMISSION RISK												
Men who have sex with men	83	56.8	71	58.7	12	48.0	42	44.7	1,615	39.8	16	28.6
Injection drug use history	3	2.1	2	1.7	1	4.0	10	10.6	636	15.7	15	26.8
Heterosexual	22	15.1	16	13.2	6	24.0	13	13.8	707	17.4	11	19.6
Perinatal	1	0.7	1	0.8	0	0.0	1	1.1	92	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Unknown	37	25.3	31	25.6	6	24.0	28	29.8	1,001	24.7	14	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,650	40.6	10	17.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,410	59.4	46	82.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	160	100.0	128	80.0	32	20.0	89	100.0	4,453	100.0	80	100.0
SEX												
Male	133	83.1	106	82.8	27	84.4	66	74.2	2,960	66.5	47	58.8
Female	27	16.9	22	17.2	5	15.6	23	25.8	1,493	33.5	33	41.3
RACE/ETHNICITY												
Black	97	60.6	79	61.7	18	56.3	57	64.0	3,277	73.6	63	78.8
Hispanic	40	25.0	32	25.0	8	25.0	19	21.3	758	17.0	15	18.8
White	19	11.9	14	10.9	5	15.6	10	11.2	360	8.1	1	1.3
Asian/Pacific Islander	4	2.5	3	2.3	1	3.1	3	3.4	35	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
13-19	8	5.0	5	3.9	3	9.4	5	5.6	70	1.6	0	0.0
20-29	50	31.3	47	36.7	3	9.4	9	10.1	382	8.6	2	2.5
30-39	34	21.3	25	19.5	9	28.1	23	25.8	708	15.9	5	6.3
40-49	35	21.9	28	21.9	7	21.9	23	25.8	1,424	32.0	22	27.5
50-59	25	15.6	18	14.1	7	21.9	22	24.7	1,246	28.0	29	36.3
60+	8	5.0	5	3.9	3	9.4	7	7.9	604	13.6	22	27.5
TRANSMISSION RISK												
Men who have sex with men	82	51.3	67	52.3	15	46.9	30	33.7	1,278	28.7	11	13.8
Injection drug use history	5	3.1	4	3.1	1	3.1	11	12.4	846	19.0	33	41.3
Heterosexual	31	19.4	22	17.2	9	28.1	24	27.0	930	20.9	22	27.5
Perinatal	0	0.0	0	0.0	0	0.0	3	3.4	121	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	42	26.3	35	27.3	7	21.9	21	23.6	1,273	28.6	14	17.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,795	40.3	12	15.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,658	59.7	68	85.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	85	100.0	62	72.9	23	27.1	68	100.0	3,054	100.0	57	100.0
SEX												
Male	55	64.7	38	61.3	17	73.9	49	72.1	2,010	65.8	38	66.7
Female	30	35.3	24	38.7	6	26.1	19	27.9	1,044	34.2	19	33.3
RACE/ETHNICITY												
Black	46	54.1	36	58.1	10	43.5	33	48.5	1,528	50.0	33	57.9
Hispanic	24	28.2	15	24.2	9	39.1	22	32.4	1,260	41.3	22	38.6
White	13	15.3	9	14.5	4	17.4	13	19.1	236	7.7	1	1.8
Asian/Pacific Islander	2	2.4	2	3.2	0	0.0	0	0.0	19	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	*	*
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	2	2.4	1	1.6	1	4.3	3	4.4	44	1.4	0	0.0
20-29	23	27.1	21	33.9	2	8.7	10	14.7	204	6.7	0	0.0
30-39	22	25.9	18	29.0	4	17.4	10	14.7	461	15.1	3	5.3
40-49	18	21.2	9	14.5	9	39.1	28	41.2	1,020	33.4	17	29.8
50-59	13	15.3	7	11.3	6	26.1	14	20.6	943	30.9	23	40.4
60+	7	8.2	6	9.7	1	4.3	3	4.4	372	12.2	14	24.6
TRANSMISSION RISK												
Men who have sex with men	37	43.5	28	45.2	9	39.1	24	35.3	738	24.2	4	7.0
Injection drug use history	2	2.4	1	1.6	1	4.3	11	16.2	822	26.9	33	57.9
Heterosexual	20	23.5	16	25.8	4	17.4	14	20.6	670	21.9	9	15.8
Perinatal	0	0.0	0	0.0	0	0.0	1	1.5	81	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	1	1.8
Unknown	26	30.6	17	27.4	9	39.1	18	26.5	736	24.1	10	17.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,148	37.6	10	17.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,906	62.4	47	82.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	55	80.9	13	19.1	53	100.0	3,293	100.0	49	100.0
SEX												
Male	59	86.8	48	87.3	11	84.6	45	84.9	2,781	84.5	42	85.7
Female	9	13.2	7	12.7	2	15.4	8	15.1	512	15.5	7	14.3
RACE/ETHNICITY												
Black	27	39.7	22	40.0	5	38.5	13	24.5	920	27.9	15	30.6
Hispanic	16	23.5	15	27.3	1	7.7	18	34.0	906	27.5	21	42.9
White	24	35.3	17	30.9	7	53.8	21	39.6	1,401	42.5	12	24.5
Asian/Pacific Islander	1	1.5	1	1.8	0	0.0	1	1.9	46	1.4	1	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	3	4.4	3	5.5	0	0.0	0	0.0	12	0.4	0	0.0
20-29	12	17.6	11	20.0	1	7.7	6	11.3	121	3.7	0	0.0
30-39	16	23.5	13	23.6	3	23.1	15	28.3	354	10.8	4	8.2
40-49	22	32.4	17	30.9	5	38.5	20	37.7	1,034	31.4	8	16.3
50-59	6	8.8	5	9.1	1	7.7	9	17.0	1,149	34.9	17	34.7
60+	9	13.2	6	10.9	3	23.1	3	5.7	619	18.8	20	40.8
TRANSMISSION RISK												
Men who have sex with men	41	60.3	34	61.8	7	53.8	31	58.5	1,808	54.9	13	26.5
Injection drug use history	2	2.9	1	1.8	1	7.7	7	13.2	500	15.2	21	42.9
Heterosexual	2	2.9	2	3.6	0	0.0	3	5.7	323	9.8	4	8.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	23	33.8	18	32.7	5	38.5	12	22.6	629	19.1	11	22.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,244	37.8	6	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,049	62.2	43	87.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	34	100.0	28	82.4	6	17.6	18	100.0	1,482	100.0	17	100.0
SEX												
Male	31	91.2	25	89.3	6	100.0	16	88.9	1,300	87.7	14	82.4
Female	3	8.8	3	10.7	0	0.0	2	11.1	182	12.3	3	17.6
RACE/ETHNICITY												
Black	7	20.6	5	17.9	2	33.3	5	27.8	306	20.6	4	23.5
Hispanic	6	17.6	5	17.9	1	16.7	5	27.8	281	19.0	8	47.1
White	19	55.9	17	60.7	2	33.3	7	38.9	850	57.4	5	29.4
Asian/Pacific Islander	2	5.9	1	3.6	1	16.7	1	5.6	40	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
20-29	7	20.6	6	21.4	1	16.7	3	16.7	52	3.5	1	5.9
30-39	10	29.4	9	32.1	1	16.7	4	22.2	173	11.7	0	0.0
40-49	8	23.5	7	25.0	1	16.7	5	27.8	512	34.5	3	17.6
50-59	6	17.6	4	14.3	2	33.3	4	22.2	450	30.4	5	29.4
60+	3	8.8	2	7.1	1	16.7	2	11.1	288	19.4	8	47.1
TRANSMISSION RISK												
Men who have sex with men	21	61.8	18	64.3	3	50.0	9	50.0	905	61.1	6	35.3
Injection drug use history	1	2.9	1	3.6	0	0.0	2	11.1	143	9.6	6	35.3
Heterosexual	2	5.9	1	3.6	1	16.7	1	5.6	128	8.6	1	5.9
Perinatal	0	0.0	0	0.0	0	0.0	1	5.6	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	10	29.4	8	28.6	2	33.3	5	27.8	294	19.8	4	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	601	40.6	5	29.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	881	59.4	12	70.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	203	100.0	173	85.2	30	14.8	94	100.0	6,221	100.0	46	100.0
SEX												
Male	192	94.6	163	94.2	29	96.7	88	93.6	5,745	92.3	40	87.0
Female	11	5.4	10	5.8	1	3.3	6	6.4	476	7.7	6	13.0
RACE/ETHNICITY												
Black	26	12.8	21	12.1	5	16.7	26	27.7	1,183	19.0	9	19.6
Hispanic	56	27.6	47	27.2	9	30.0	23	24.5	1,375	22.1	17	37.0
White	110	54.2	96	55.5	14	46.7	42	44.7	3,488	56.1	19	41.3
Asian/Pacific Islander	11	5.4	9	5.2	2	6.7	3	3.2	132	2.1	1	2.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	6	3.0	5	2.9	1	3.3	0	0.0	10	0.2	0	0.0
20-29	60	29.6	54	31.2	6	20.0	12	12.8	296	4.8	1	2.2
30-39	73	36.0	64	37.0	9	30.0	29	30.9	932	15.0	2	4.3
40-49	42	20.7	34	19.7	8	26.7	35	37.2	2,470	39.7	17	37.0
50-59	15	7.4	12	6.9	3	10.0	14	14.9	1,765	28.4	15	32.6
60+	7	3.4	4	2.3	3	10.0	4	4.3	747	12.0	11	23.9
TRANSMISSION RISK												
Men who have sex with men	159	78.3	139	80.3	20	66.7	61	64.9	4,350	69.9	22	47.8
Injection drug use history	11	5.4	11	6.4	0	0.0	8	8.5	671	10.8	13	28.3
Heterosexual	7	3.4	6	3.5	1	3.3	5	5.3	290	4.7	4	8.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	26	12.8	17	9.8	9	30.0	20	21.3	890	14.3	7	15.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,920	46.9	8	17.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,301	53.1	38	82.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	64	100.0	50	78.1	14	21.9	44	100.0	2,272	100.0	23	100.0
SEX												
Male	60	93.8	46	92.0	14	100.0	40	90.9	2,048	90.1	20	87.0
Female	4	6.3	4	8.0	0	0.0	4	9.1	224	9.9	3	13.0
RACE/ETHNICITY												
Black	14	21.9	9	18.0	5	35.7	12	27.3	543	23.9	5	21.7
Hispanic	15	23.4	12	24.0	3	21.4	12	27.3	529	23.3	10	43.5
White	32	50.0	26	52.0	6	42.9	20	45.5	1,137	50.0	8	34.8
Asian/Pacific Islander	2	3.1	2	4.0	0	0.0	0	0.0	51	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	1	1.6	1	2.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.6	1	2.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	3	4.7	3	6.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	15	23.4	14	28.0	1	7.1	4	9.1	84	3.7	0	0.0
30-39	15	23.4	12	24.0	3	21.4	10	22.7	279	12.3	3	13.0
40-49	20	31.3	15	30.0	5	35.7	17	38.6	754	33.2	7	30.4
50-59	5	7.8	2	4.0	3	21.4	8	18.2	711	31.3	6	26.1
60+	5	7.8	3	6.0	2	14.3	5	11.4	435	19.1	7	30.4
TRANSMISSION RISK												
Men who have sex with men	44	68.8	36	72.0	8	57.1	23	52.3	1,333	58.7	8	34.8
Injection drug use history	4	6.3	1	2.0	3	21.4	5	11.4	346	15.2	6	26.1
Heterosexual	1	1.6	1	2.0	0	0.0	5	11.4	156	6.9	5	21.7
Perinatal	1	1.6	1	2.0	0	0.0	0	0.0	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	14	21.9	11	22.0	3	21.4	11	25.0	422	18.6	4	17.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	930	40.9	4	17.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,342	59.1	19	82.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	56	100.0	49	87.5	7	12.5	25	100.0	2,199	100.0	25	100.0
SEX												
Male	51	91.1	44	89.8	7	100.0	25	100.0	2,107	95.8	23	92.0
Female	5	8.9	5	10.2	0	0.0	0	0.0	92	4.2	2	8.0
RACE/ETHNICITY												
Black	15	26.8	13	26.5	2	28.6	7	28.0	371	16.9	10	40.0
Hispanic	14	25.0	12	24.5	2	28.6	6	24.0	392	17.8	5	20.0
White	24	42.9	22	44.9	2	28.6	10	40.0	1,361	61.9	10	40.0
Asian/Pacific Islander	3	5.4	2	4.1	1	14.3	2	8.0	66	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.8	1	2.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	15	26.8	15	30.6	0	0.0	2	8.0	70	3.2	1	4.0
30-39	19	33.9	17	34.7	2	28.6	8	32.0	286	13.0	2	8.0
40-49	12	21.4	8	16.3	4	57.1	11	44.0	838	38.1	8	32.0
50-59	7	12.5	6	12.2	1	14.3	3	12.0	649	29.5	8	32.0
60+	2	3.6	2	4.1	0	0.0	1	4.0	355	16.1	6	24.0
TRANSMISSION RISK												
Men who have sex with men	37	66.1	33	67.3	4	57.1	14	56.0	1,551	70.5	11	44.0
Injection drug use history	4	7.1	3	6.1	1	14.3	4	16.0	207	9.4	4	16.0
Heterosexual	6	10.7	4	8.2	2	28.6	3	12.0	84	3.8	3	12.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	9	16.1	9	18.4	0	0.0	4	16.0	355	16.1	7	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	958	43.6	4	16.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,241	56.4	21	84.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	77	100.0	69	89.6	8	10.4	43	100.0	3,304	100.0	51	100.0
SEX												
Male	66	85.7	59	85.5	7	87.5	32	74.4	2,740	82.9	37	72.5
Female	11	14.3	10	14.5	1	12.5	11	25.6	564	17.1	14	27.5
RACE/ETHNICITY												
Black	26	33.8	23	33.3	3	37.5	23	53.5	675	20.4	23	45.1
Hispanic	18	23.4	17	24.6	1	12.5	11	25.6	1,110	33.6	14	27.5
White	30	39.0	27	39.1	3	37.5	8	18.6	1,376	41.6	13	25.5
Asian/Pacific Islander	3	3.9	2	2.9	1	12.5	1	2.3	123	3.7	1	2.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	3	3.9	3	4.3	0	0.0	0	0.0	19	0.6	0	0.0
20-29	18	23.4	17	24.6	1	12.5	8	18.6	164	5.0	0	0.0
30-39	20	26.0	19	27.5	1	12.5	8	18.6	401	12.1	2	3.9
40-49	16	20.8	14	20.3	2	25.0	10	23.3	1,235	37.4	16	31.4
50-59	14	18.2	10	14.5	4	50.0	12	27.9	1,014	30.7	21	41.2
60+	6	7.8	6	8.7	0	0.0	5	11.6	469	14.2	12	23.5
TRANSMISSION RISK												
Men who have sex with men	46	59.7	42	60.9	4	50.0	19	44.2	1,695	51.3	10	19.6
Injection drug use history	8	10.4	7	10.1	1	12.5	11	25.6	662	20.0	24	47.1
Heterosexual	6	7.8	6	8.7	0	0.0	6	14.0	355	10.7	3	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	17	22.1	14	20.3	3	37.5	7	16.3	547	16.6	14	27.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,247	37.7	6	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,057	62.3	45	88.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	20	83.3	4	16.7	12	100.0	492	100.0	3	100.0
SEX												
Male	23	95.8	19	95.0	4	100.0	12	100.0	412	83.7	3	100.0
Female	1	4.2	1	5.0	0	0.0	0	0.0	80	16.3	0	0.0
RACE/ETHNICITY												
Black	4	16.7	3	15.0	1	25.0	5	41.7	119	24.2	0	0.0
Hispanic	5	20.8	4	20.0	1	25.0	2	16.7	123	25.0	3	100.0
White	13	54.2	11	55.0	2	50.0	5	41.7	225	45.7	0	0.0
Asian/Pacific Islander	2	8.3	2	10.0	0	0.0	0	0.0	21	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
20-29	9	37.5	8	40.0	1	25.0	2	16.7	35	7.1	0	0.0
30-39	5	20.8	5	25.0	0	0.0	4	33.3	79	16.1	0	0.0
40-49	8	33.3	5	25.0	3	75.0	6	50.0	189	38.4	2	66.7
50-59	2	8.3	2	10.0	0	0.0	0	0.0	140	28.5	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	46	9.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men	18	75.0	15	75.0	3	75.0	5	41.7	271	55.1	0	0.0
Injection drug use history	2	8.3	2	10.0	0	0.0	2	16.7	69	14.0	3	100.0
Heterosexual	2	8.3	1	5.0	1	25.0	2	16.7	53	10.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	2	8.3	2	10.0	0	0.0	3	25.0	93	18.9	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	245	49.8	2	66.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	247	50.2	1	33.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	81	100.0	66	81.5	15	18.5	39	100.0	1,889	100.0	19	100.0
SEX												
Male	71	87.7	57	86.4	14	93.3	36	92.3	1,540	81.5	13	68.4
Female	10	12.3	9	13.6	1	6.7	3	7.7	349	18.5	6	31.6
RACE/ETHNICITY												
Black	17	21.0	14	21.2	3	20.0	6	15.4	424	22.4	6	31.6
Hispanic	30	37.0	25	37.9	5	33.3	17	43.6	759	40.2	6	31.6
White	28	34.6	23	34.8	5	33.3	13	33.3	619	32.8	7	36.8
Asian/Pacific Islander	6	7.4	4	6.1	2	13.3	2	5.1	74	3.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	6	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	2.5	2	3.0	0	0.0	1	2.6	14	0.7	0	0.0
20-29	37	45.7	32	48.5	5	33.3	15	38.5	159	8.4	0	0.0
30-39	21	25.9	16	24.2	5	33.3	12	30.8	378	20.0	2	10.5
40-49	15	18.5	12	18.2	3	20.0	10	25.6	728	38.5	4	21.1
50-59	4	4.9	4	6.1	0	0.0	0	0.0	447	23.7	10	52.6
60+	2	2.5	0	0.0	2	13.3	1	2.6	161	8.5	3	15.8
TRANSMISSION RISK												
Men who have sex with men	61	75.3	52	78.8	9	60.0	26	66.7	986	52.2	6	31.6
Injection drug use history	0	0.0	0	0.0	0	0.0	1	2.6	218	11.5	4	21.1
Heterosexual	7	8.6	6	9.1	1	6.7	1	2.6	291	15.4	5	26.3
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	26	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	13	16.0	8	12.1	5	33.3	10	25.6	365	19.3	4	21.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	841	44.5	4	21.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,048	55.5	15	78.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	164	100.0	122	74.4	42	25.6	102	100.0	4,820	100.0	43	100.0
SEX												
Male	140	85.4	105	86.1	35	83.3	85	83.3	3,824	79.3	34	79.1
Female	24	14.6	17	13.9	7	16.7	17	16.7	996	20.7	9	20.9
RACE/ETHNICITY												
Black	34	20.7	28	23.0	6	14.3	29	28.4	1,358	28.2	17	39.5
Hispanic	92	56.1	68	55.7	24	57.1	52	51.0	2,677	55.5	19	44.2
White	24	14.6	17	13.9	7	16.7	15	14.7	581	12.1	7	16.3
Asian/Pacific Islander	13	7.9	8	6.6	5	11.9	6	5.9	184	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	6	0.1	0	0.0
13-19	4	2.4	4	3.3	0	0.0	1	1.0	26	0.5	0	0.0
20-29	53	32.3	49	40.2	4	9.5	18	17.6	314	6.5	1	2.3
30-39	43	26.2	27	22.1	16	38.1	30	29.4	895	18.6	4	9.3
40-49	38	23.2	28	23.0	10	23.8	27	26.5	1,833	38.0	14	32.6
50-59	20	12.2	11	9.0	9	21.4	21	20.6	1,291	26.8	16	37.2
60+	5	3.0	2	1.6	3	7.1	5	4.9	455	9.4	8	18.6
TRANSMISSION RISK												
Men who have sex with men	105	64.0	83	68.0	22	52.4	51	50.0	1,902	39.5	7	16.3
Injection drug use history	9	5.5	7	5.7	2	4.8	9	8.8	985	20.4	22	51.2
Heterosexual	24	14.6	18	14.8	6	14.3	18	17.6	904	18.8	4	9.3
Perinatal	1	0.6	1	0.8	0	0.0	0	0.0	35	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	2.3
Unknown	25	15.2	13	10.7	12	28.6	24	23.5	991	20.6	9	20.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,810	37.6	6	14.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,010	62.4	37	86.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	8	66.7	4	33.3	10	100.0	663	100.0	8	100.0
SEX												
Male	10	83.3	7	87.5	3	75.0	7	70.0	481	72.5	7	87.5
Female	2	16.7	1	12.5	1	25.0	3	30.0	182	27.5	1	12.5
RACE/ETHNICITY												
Black	1	8.3	0	0.0	1	25.0	3	30.0	163	24.6	1	12.5
Hispanic	4	33.3	2	25.0	2	50.0	6	60.0	238	35.9	3	37.5
White	4	33.3	4	50.0	0	0.0	0	0.0	202	30.5	3	37.5
Asian/Pacific Islander	3	25.0	2	25.0	1	25.0	1	10.0	56	8.4	1	12.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
20-29	2	16.7	2	25.0	0	0.0	1	10.0	33	5.0	0	0.0
30-39	3	25.0	2	25.0	1	25.0	2	20.0	93	14.0	0	0.0
40-49	5	41.7	4	50.0	1	25.0	4	40.0	251	37.9	4	50.0
50-59	2	16.7	0	0.0	2	50.0	2	20.0	197	29.7	2	25.0
60+	0	0.0	0	0.0	0	0.0	1	10.0	85	12.8	2	25.0
TRANSMISSION RISK												
Men who have sex with men	6	50.0	4	50.0	2	50.0	4	40.0	260	39.2	2	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	10.0	112	16.9	2	25.0
Heterosexual	2	16.7	1	12.5	1	25.0	2	20.0	151	22.8	1	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	2	25.0
Unknown	4	33.3	3	37.5	1	25.0	3	30.0	129	19.5	1	12.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	234	35.3	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	429	64.7	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4	100.0	3	75.0	1	25.0	7	100.0	144	100.0	2	100.0
SEX												
Male	4	100.0	3	100.0	1	100.0	6	85.7	116	80.6	2	100.0
Female	0	0.0	0	0.0	0	0.0	1	14.3	28	19.4	0	0.0
RACE/ETHNICITY												
Black	2	50.0	2	66.7	0	0.0	2	28.6	25	17.4	1	50.0
Hispanic	2	50.0	1	33.3	1	100.0	2	28.6	30	20.8	0	0.0
White	0	0.0	0	0.0	0	0.0	3	42.9	77	53.5	1	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
20-29	1	25.0	1	33.3	0	0.0	0	0.0	13	9.0	0	0.0
30-39	1	25.0	0	0.0	1	100.0	1	14.3	8	5.6	0	0.0
40-49	2	50.0	2	66.7	0	0.0	2	28.6	39	27.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	4	57.1	57	39.6	2	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	25	17.4	0	0.0
TRANSMISSION RISK												
Men who have sex with men	3	75.0	2	66.7	1	100.0	3	42.9	56	38.9	1	50.0
Injection drug use history	0	0.0	0	0.0	0	0.0	1	14.3	22	15.3	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	2	28.6	25	17.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Unknown	1	25.0	1	33.3	0	0.0	1	14.3	32	22.2	1	50.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	57	39.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	87	60.4	2	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	31	100.0	23	74.2	8	25.8	28	100.0	992	100.0	12	100.0
SEX												
Male	26	83.9	19	82.6	7	87.5	21	75.0	724	73.0	10	83.3
Female	5	16.1	4	17.4	1	12.5	7	25.0	268	27.0	2	16.7
RACE/ETHNICITY												
Black	3	9.7	3	13.0	0	0.0	2	7.1	132	13.3	1	8.3
Hispanic	17	54.8	12	52.2	5	62.5	16	57.1	458	46.2	5	41.7
White	9	29.0	6	26.1	3	37.5	9	32.1	356	35.9	5	41.7
Asian/Pacific Islander	2	6.5	2	8.7	0	0.0	1	3.6	36	3.6	1	8.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	6.5	2	8.7	0	0.0	0	0.0	12	1.2	0	0.0
20-29	5	16.1	3	13.0	2	25.0	7	25.0	75	7.6	1	8.3
30-39	8	25.8	7	30.4	1	12.5	7	25.0	145	14.6	1	8.3
40-49	9	29.0	8	34.8	1	12.5	5	17.9	352	35.5	4	33.3
50-59	5	16.1	3	13.0	2	25.0	6	21.4	305	30.7	3	25.0
60+	2	6.5	0	0.0	2	25.0	3	10.7	102	10.3	3	25.0
TRANSMISSION RISK												
Men who have sex with men	15	48.4	13	56.5	2	25.0	13	46.4	397	40.0	3	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	2	7.1	141	14.2	3	25.0
Heterosexual	4	12.9	3	13.0	1	12.5	7	25.0	201	20.3	2	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0
Unknown	12	38.7	7	30.4	5	62.5	6	21.4	225	22.7	4	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	398	40.1	2	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	594	59.9	10	83.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	8	100.0	6	75.0	2	25.0	6	100.0	273	100.0	0	0.0
SEX												
Male	8	100.0	6	100.0	2	100.0	3	50.0	184	67.4	0	0.0
Female	0	0.0	0	0.0	0	0.0	3	50.0	89	32.6	0	0.0
RACE/ETHNICITY												
Black	4	50.0	3	50.0	1	50.0	4	66.7	118	43.2	0	0.0
Hispanic	3	37.5	2	33.3	1	50.0	0	0.0	82	30.0	0	0.0
White	1	12.5	1	16.7	0	0.0	2	33.3	57	20.9	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	2.6	0	0.0
20-29	3	37.5	3	50.0	0	0.0	2	33.3	17	6.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	16.7	37	13.6	0	0.0
40-49	3	37.5	3	50.0	0	0.0	1	16.7	105	38.5	0	0.0
50-59	2	25.0	0	0.0	2	100.0	2	33.3	71	26.0	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	35	12.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men	3	37.5	3	50.0	0	0.0	1	16.7	89	32.6	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	36	13.2	0	0.0
Heterosexual	1	12.5	0	0.0	1	50.0	1	16.7	66	24.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Unknown	4	50.0	3	50.0	1	50.0	4	66.7	72	26.4	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	119	43.6	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	154	56.4	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	59	100.0	45	76.3	14	23.7	31	100.0	1,412	100.0	13	100.0
SEX												
Male	46	78.0	35	77.8	11	78.6	23	74.2	1,001	70.9	7	53.8
Female	13	22.0	10	22.2	3	21.4	8	25.8	411	29.1	6	46.2
RACE/ETHNICITY												
Black	19	32.2	15	33.3	4	28.6	11	35.5	451	31.9	5	38.5
Hispanic	28	47.5	21	46.7	7	50.0	13	41.9	558	39.5	3	23.1
White	7	11.9	5	11.1	2	14.3	4	12.9	287	20.3	2	15.4
Asian/Pacific Islander	4	6.8	4	8.9	0	0.0	2	6.5	99	7.0	3	23.1
Native American	1	1.7	0	0.0	1	7.1	1	3.2	11	0.8	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	3	5.1	3	6.7	0	0.0	2	6.5	16	1.1	0	0.0
20-29	18	30.5	17	37.8	1	7.1	6	19.4	116	8.2	0	0.0
30-39	14	23.7	9	20.0	5	35.7	8	25.8	238	16.9	1	7.7
40-49	15	25.4	10	22.2	5	35.7	11	35.5	492	34.8	4	30.8
50-59	8	13.6	5	11.1	3	21.4	4	12.9	402	28.5	4	30.8
60+	1	1.7	1	2.2	0	0.0	0	0.0	147	10.4	4	30.8
TRANSMISSION RISK												
Men who have sex with men	31	52.5	28	62.2	3	21.4	9	29.0	488	34.6	1	7.7
Injection drug use history	1	1.7	1	2.2	0	0.0	0	0.0	214	15.2	2	15.4
Heterosexual	8	13.6	6	13.3	2	14.3	6	19.4	307	21.7	4	30.8
Perinatal	0	0.0	0	0.0	0	0.0	2	6.5	36	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	19	32.2	10	22.2	9	64.3	14	45.2	363	25.7	6	46.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	584	41.4	4	30.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	828	58.6	9	69.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	119	100.0	94	79.0	25	21.0	86	100.0	2,887	100.0	58	100.0
SEX												
Male	71	59.7	57	60.6	14	56.0	54	62.8	1,726	59.8	39	67.2
Female	48	40.3	37	39.4	11	44.0	32	37.2	1,161	40.2	19	32.8
RACE/ETHNICITY												
Black	96	80.7	75	79.8	21	84.0	72	83.7	2,216	76.8	48	82.8
Hispanic	15	12.6	14	14.9	1	4.0	10	11.6	435	15.1	8	13.8
White	5	4.2	4	4.3	1	4.0	2	2.3	155	5.4	2	3.4
Asian/Pacific Islander	3	2.5	1	1.1	2	8.0	2	2.3	68	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
13-19	9	7.6	9	9.6	0	0.0	1	1.2	49	1.7	0	0.0
20-29	33	27.7	29	30.9	4	16.0	15	17.4	252	8.7	1	1.7
30-39	15	12.6	13	13.8	2	8.0	16	18.6	420	14.5	1	1.7
40-49	36	30.3	29	30.9	7	28.0	24	27.9	904	31.3	10	17.2
50-59	15	12.6	8	8.5	7	28.0	20	23.3	873	30.2	23	39.7
60+	11	9.2	6	6.4	5	20.0	10	11.6	376	13.0	23	39.7
TRANSMISSION RISK												
Men who have sex with men	44	37.0	41	43.6	3	12.0	20	23.3	621	21.5	4	6.9
Injection drug use history	4	3.4	1	1.1	3	12.0	13	15.1	531	18.4	20	34.5
Heterosexual	43	36.1	30	31.9	13	52.0	33	38.4	781	27.1	15	25.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	83	2.9	1	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	28	23.5	22	23.4	6	24.0	20	23.3	862	29.9	18	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,087	37.7	9	15.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,800	62.3	49	84.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	31	75.6	10	24.4	25	100.0	1,099	100.0	15	100.0
SEX												
Male	26	63.4	20	64.5	6	60.0	15	60.0	649	59.1	8	53.3
Female	15	36.6	11	35.5	4	40.0	10	40.0	450	40.9	7	46.7
RACE/ETHNICITY												
Black	34	82.9	26	83.9	8	80.0	20	80.0	866	78.8	10	66.7
Hispanic	5	12.2	3	9.7	2	20.0	5	20.0	123	11.2	2	13.3
White	2	4.9	2	6.5	0	0.0	0	0.0	79	7.2	2	13.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	2.6	1	6.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19	3	7.3	3	9.7	0	0.0	1	4.0	26	2.4	0	0.0
20-29	10	24.4	10	32.3	0	0.0	3	12.0	96	8.7	0	0.0
30-39	12	29.3	9	29.0	3	30.0	7	28.0	151	13.7	0	0.0
40-49	8	19.5	4	12.9	4	40.0	9	36.0	347	31.6	6	40.0
50-59	3	7.3	3	9.7	0	0.0	2	8.0	325	29.6	5	33.3
60+	5	12.2	2	6.5	3	30.0	3	12.0	150	13.6	4	26.7
TRANSMISSION RISK												
Men who have sex with men	14	34.1	12	38.7	2	20.0	6	24.0	211	19.2	1	6.7
Injection drug use history	1	2.4	1	3.2	0	0.0	2	8.0	146	13.3	5	33.3
Heterosexual	13	31.7	8	25.8	5	50.0	10	40.0	328	29.8	5	33.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	13	31.7	10	32.3	3	30.0	7	28.0	362	32.9	4	26.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	416	37.9	3	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	683	62.1	12	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.
The following zip codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	28	66.7	14	33.3	38	100.0	891	100.0	16	100.0
SEX												
Male	24	57.1	15	53.6	9	64.3	21	55.3	486	54.5	8	50.0
Female	18	42.9	13	46.4	5	35.7	17	44.7	405	45.5	8	50.0
RACE/ETHNICITY												
Black	24	57.1	16	57.1	8	57.1	24	63.2	578	64.9	12	75.0
Hispanic	12	28.6	6	21.4	6	42.9	12	31.6	196	22.0	3	18.8
White	4	9.5	4	14.3	0	0.0	2	5.3	107	12.0	1	6.3
Asian/Pacific Islander	1	2.4	1	3.6	0	0.0	0	0.0	7	0.8	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19	3	7.1	3	10.7	0	0.0	0	0.0	19	2.1	0	0.0
20-29	10	23.8	10	35.7	0	0.0	3	7.9	81	9.1	0	0.0
30-39	6	14.3	3	10.7	3	21.4	13	34.2	115	12.9	1	6.3
40-49	14	33.3	8	28.6	6	42.9	12	31.6	274	30.8	3	18.8
50-59	8	19.0	4	14.3	4	28.6	7	18.4	305	34.2	8	50.0
60+	1	2.4	0	0.0	1	7.1	3	7.9	93	10.4	4	25.0
TRANSMISSION RISK												
Men who have sex with men	13	31.0	12	42.9	1	7.1	5	13.2	136	15.3	1	6.3
Injection drug use history	3	7.1	1	3.6	2	14.3	3	7.9	206	23.1	4	25.0
Heterosexual	22	52.4	13	46.4	9	64.3	17	44.7	301	33.8	6	37.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	4	9.5	2	7.1	2	14.3	13	34.2	215	24.1	5	31.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	364	40.9	2	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	527	59.1	14	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	6	66.7	3	33.3	6	100.0	404	100.0	8	100.0
SEX												
Male	6	66.7	3	50.0	3	100.0	6	100.0	248	61.4	5	62.5
Female	3	33.3	3	50.0	0	0.0	0	0.0	156	38.6	3	37.5
RACE/ETHNICITY												
Black	6	66.7	3	50.0	3	100.0	3	50.0	201	49.8	6	75.0
Hispanic	1	11.1	1	16.7	0	0.0	1	16.7	119	29.5	1	12.5
White	2	22.2	2	33.3	0	0.0	2	33.3	78	19.3	1	12.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0
20-29	3	33.3	3	50.0	0	0.0	0	0.0	47	11.6	1	12.5
30-39	2	22.2	2	33.3	0	0.0	0	0.0	31	7.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	4	66.7	135	33.4	1	12.5
50-59	4	44.4	1	16.7	3	100.0	2	33.3	137	33.9	6	75.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	47	11.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	2	22.2	2	33.3	0	0.0	1	16.7	76	18.8	1	12.5
Injection drug use history	3	33.3	2	33.3	1	33.3	1	16.7	100	24.8	3	37.5
Heterosexual	2	22.2	2	33.3	0	0.0	0	0.0	103	25.5	1	12.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	2	22.2	0	0.0	2	66.7	4	66.7	109	27.0	3	37.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	167	41.3	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	237	58.7	8	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	20	69.0	9	31.0	27	100.0	843	100.0	28	100.0
SEX												
Male	22	75.9	15	75.0	7	77.8	20	74.1	536	63.6	18	64.3
Female	7	24.1	5	25.0	2	22.2	7	25.9	307	36.4	10	35.7
RACE/ETHNICITY												
Black	16	55.2	10	50.0	6	66.7	17	63.0	387	45.9	10	35.7
Hispanic	8	27.6	6	30.0	2	22.2	8	29.6	208	24.7	8	28.6
White	5	17.2	4	20.0	1	11.1	2	7.4	235	27.9	10	35.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
13-19	1	3.4	1	5.0	0	0.0	0	0.0	13	1.5	0	0.0
20-29	2	6.9	2	10.0	0	0.0	2	7.4	49	5.8	0	0.0
30-39	4	13.8	2	10.0	2	22.2	5	18.5	124	14.7	1	3.6
40-49	14	48.3	11	55.0	3	33.3	12	44.4	293	34.8	12	42.9
50-59	5	17.2	3	15.0	2	22.2	4	14.8	269	31.9	8	28.6
60+	3	10.3	1	5.0	2	22.2	4	14.8	90	10.7	7	25.0
TRANSMISSION RISK												
Men who have sex with men	9	31.0	7	35.0	2	22.2	6	22.2	219	26.0	2	7.1
Injection drug use history	4	13.8	2	10.0	2	22.2	4	14.8	186	22.1	9	32.1
Heterosexual	6	20.7	5	25.0	1	11.1	7	25.9	192	22.8	5	17.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	1	3.6
Unknown	10	34.5	6	30.0	4	44.4	10	37.0	217	25.7	11	39.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	315	37.4	4	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	528	62.6	24	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	3	100.0	0	0.0	5	100.0	146	100.0	4	100.0
SEX												
Male	3	100.0	3	100.0	0	0.0	3	60.0	100	68.5	4	100.0
Female	0	0.0	0	0.0	0	0.0	2	40.0	46	31.5	0	0.0
RACE/ETHNICITY												
Black	1	33.3	1	33.3	0	0.0	0	0.0	23	15.8	1	25.0
Hispanic	0	0.0	0	0.0	0	0.0	1	20.0	33	22.6	1	25.0
White	2	66.7	2	66.7	0	0.0	4	80.0	85	58.2	2	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	33.3	1	33.3	0	0.0	2	40.0	10	6.8	1	25.0
30-39	1	33.3	1	33.3	0	0.0	1	20.0	23	15.8	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	40.0	53	36.3	1	25.0
50-59	1	33.3	1	33.3	0	0.0	0	0.0	40	27.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	18	12.3	2	50.0
TRANSMISSION RISK												
Men who have sex with men	1	33.3	1	33.3	0	0.0	1	20.0	49	33.6	1	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	2	40.0	21	14.4	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	1	20.0	31	21.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	2	66.7	2	66.7	0	0.0	1	20.0	40	27.4	3	75.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	59	40.4	2	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	87	59.6	2	50.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2010						AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	16	100.0	11	68.8	5	31.3	17	100.0	377	100.0	4	100.0
SEX												
Male	14	87.5	9	81.8	5	100.0	13	76.5	266	70.6	3	75.0
Female	2	12.5	2	18.2	0	0.0	4	23.5	111	29.4	1	25.0
RACE/ETHNICITY												
Black	4	25.0	4	36.4	0	0.0	5	29.4	76	20.2	0	0.0
Hispanic	3	18.8	2	18.2	1	20.0	3	17.6	85	22.5	3	75.0
White	9	56.3	5	45.5	4	80.0	9	52.9	212	56.2	1	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	2	12.5	2	18.2	0	0.0	1	5.9	3	0.8	0	0.0
20-29	2	12.5	2	18.2	0	0.0	3	17.6	26	6.9	0	0.0
30-39	3	18.8	3	27.3	0	0.0	1	5.9	52	13.8	1	25.0
40-49	2	12.5	1	9.1	1	20.0	5	29.4	122	32.4	1	25.0
50-59	6	37.5	2	18.2	4	80.0	7	41.2	140	37.1	1	25.0
60+	1	6.3	1	9.1	0	0.0	0	0.0	32	8.5	1	25.0
TRANSMISSION RISK												
Men who have sex with men	6	37.5	5	45.5	1	20.0	3	17.6	81	21.5	2	50.0
Injection drug use history	3	18.8	2	18.2	1	20.0	4	23.5	92	24.4	1	25.0
Heterosexual	2	12.5	1	9.1	1	20.0	5	29.4	72	19.1	1	25.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	12	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	5	31.3	3	27.3	2	40.0	4	23.5	117	31.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	150	39.8	1	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	227	60.2	3	75.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2010, are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2010**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA²	POPULATION FROM 2010 CENSUS
TOTAL	42.6	1.4	15.1	8,175,133
SEX				
Male	68.7	2.1	14.8	3,882,544
Female	18.9	0.8	15.6	4,292,589
RACE/ETHNICITY				
Black	89.2	2.7	17.6	1,861,295
Hispanic	46.1	1.6	16.1	2,336,076
White	23.4	0.8	9.2	2,722,904
Asian/Pacific Islander	9.2	0.2	8.5	1,030,914
Native American	34.4*	1.5	21.5*	17,427
AGE GROUP (YEARS)				
0-12	0.7*	0.0	0.0*	1,268,163
13-19	18.6	0.2	3.0*	726,707
20-29	78.4	0.6	3.2	1,372,775
30-39	67.2	1.3	7.1	1,249,662
40-49	69.8	3.4	11.9	1,132,972
50-59	43.9	3.2	19.8	1,017,219
60+	13.0	1.0	30.1	1,407,635

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2010, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2010**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA²	POPULATION FROM 2010 CENSUS
TOTAL	42.6	1.4	15.1	8,175,133
BRONX³	50.2	1.7	17.9	1,382,480
Crotona - Tremont	62.1	2.2	18.8	206,116
Fordham - Bronx Park	53.8	1.7	14.7	252,655
High Bridge - Morrisania	58.8	2.4	22.5	207,631
Hunts Point - Mott Haven	71.0	2.3	19.5	136,591
Kingsbridge - Riverdale	23.1	0.6	15.9*	90,892
Northeast Bronx	41.4	0.9	17.0	190,668
Pelham - Throgs Neck	36.6	1.2	12.7	297,927
BROOKLYN³	36.1	1.1	19.5	2,504,700
Bedford Stuyvesant - Crown Heights	69.0	2.1	22.6	318,898
Bensonhurst - Bay Ridge	4.0*	0.3	26.5	199,271
Borough Park	9.9	0.3	11.4	331,983
Canarsie - Flatlands	34.4	0.7	14.7	195,027
Coney Island - Sheepshead Bay	13.0	0.4	22.4	285,502
Downtown - Heights - Park Slope	37.5	1.4	12.6	224,199
East Flatbush - Flatbush	59.3	1.5	15.6	296,583
East New York	55.4	1.4	23.7	187,855
Greenpoint	18.1	0.8	23.6	127,051
Sunset Park	25.8	0.6	11.5*	127,863
Williamsburg - Bushwick	56.1	1.7	24.7	210,468
MANHATTAN³	59.3	2.1	12.3	1,577,279
Central Harlem - Morningside Heights	98.4	2.8	17.8	162,652
Chelsea - Clinton	140.1	4.3	7.2	144,896
East Harlem	77.3	2.8	18.2	109,972
Gramercy Park - Murray Hill	47.6	1.7	9.2	134,520
Greenwich Village - Soho	66.9	2.7	11.0	83,749
Lower Manhattan	45.1	0.9	5.7*	53,159
Union Square - Lower East Side	38.7	1.7	14.3	198,781
Upper East Side	15.4	0.7	10.1	220,962
Upper West Side	30.9	1.5	12.6	220,080
Washington Heights - Inwood	58.8	1.7	13.7	248,508
QUEENS³	25.3	0.7	12.7	2,235,260
Bayside - Little Neck	4.5*	0.2	9.9*	87,972
Flushing - Clearview	4.6	0.3	11.3*	259,767
Fresh Meadows	8.3*	0.3	0.0*	96,831
Jamaica	41.1	1.0	19.3	289,314
Long Island City - Astoria	39.6	0.9	11.4	204,715
Ridgewood - Forest Hills	12.6	0.4	12.4	245,746
Rockaway	36.5	0.8	17.8	114,978
Southeast Queens	21.7	0.6	13.6	189,171
Southwest Queens	22.2	0.5	9.7	266,265
West Queens	34.1	1.0	9.3	480,501
STATEN ISLAND³	12.2	0.4	25.0	468,730
Port Richmond	12.8*	0.6	16.3*	70,387
South Beach - Tottenville	8.5	0.2	11.6*	189,185
Stapleton - St. George	23.5	0.7	32.5	123,648
Willowbrook	3.5*	0.2	25.8*	85,510

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2011. Table generated January 4, 2012.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Age-adjusted to the citywide population of PWHA at the end of 2010.³Borough-level data include persons residing in unknown UHF neighborhoods.