

CLINICAL GUIDELINES FOR ADULTS EXPOSED TO THE WORLD TRADE CENTER DISASTER

REFERENCES

- Herbstman J, Frank R, Schwab M, et al. Respiratory effects of inhalation exposure among workers during the clean-up effort at the WTC disaster site. *Environ Res*. 2005;99:85–92.
- Wheeler K, McKelvey W, Cone J, et al. Workers' use of respiratory protection at the World Trade Center site and asthma diagnosed after September 11, 2001: Preliminary findings based on the WTCHR. CSTE Annual Conference, June 6, 2006.
- Prezant DJ, Weiden M, Banauch GI, et al. Cough and bronchial responsiveness in firefighters at the World Trade Center site. *N Eng J Med*. 2002;347:806–815.
- Banauch GI, Hall C, Weiden M, et al. Pulmonary function loss after World Trade Center exposure in the New York City Fire Department. *Am J Respir Crit Care Med*. 2006;174:312–319.
- Trout D, Nimgade A, Mueller C, et al. Health effects and occupational exposures among office workers near the World Trade Center disaster site. *J Occup Environ Med*. 2002;44:601–605.
- Brackbill RM, Thorpe LE, DiGrande L, et al. Surveillance for World Trade Center disaster health effects among survivors of collapsed and damaged buildings. *MMWR Surveill Summ*. 2006;55(2):1–18.
- Fagan J, Galea S, Ahern J, et al. Self-reported increase in asthma severity after the September 11 attacks on the World Trade Center—Manhattan, New York, 2001. *MMWR Morb Mortal Wkly Rep*. 2002;51:781–784.
- Reibman J, Lin S, Hwang S, et al. The WTC residents' respiratory health study: new onset respiratory symptoms and pulmonary function. *Environ Health Perspect*. 2005;113:406–411.
- Lin S, Reibman J, Bowers JA, et al. Upper respiratory symptoms and other health effects among residents living near the World Trade Center site after September 11, 2001. *Am J Epidemiol*. 2005;162:499–507.
- Lioy PJ, Weisel CP, Millette JR. Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in Lower Manhattan after the collapse of the WTC 11 September 2001. *Environ Health Perspect*. 2002;110:703–714.
- Edelman P, Osterloh J, Pirkle J, et al. Biomonitoring of chemical exposure among New York City firefighters responding to the World Trade Center fire and collapse. *Environ Health Perspect*. 2003;111(16):1906–1911.
- Yehuda R, Hyman SE. The impact of terrorism on brain, and behavior: what we know and what we need to know. *Neuropsychopharmacology*. 2005;30:1773–1780.
- Adams RE, Boscarino JA, Galea S. Social and psychological resources and health outcomes after the World Trade Center Disaster. *Soc Sci Med*. 2005;62:176–188.
- Fairbrother G, Galea S. Terrorism, mental health, and September 11, lessons learned about providing mental health services to a traumatized population. *The Century Foundation Report*; 2005.
- Schuster MA, Stein BD, Jaycox LH, et al. A national survey of stress reactions after the September 11, 2001 terrorist attacks. *New Eng J Med*. 2001;345(20):1507–1512.
- Silver RC, Holman EA, McIntosh DN, Poulin M, Gil-Rivas V. Nationwide longitudinal study of psychological responses to September 11. *JAMA*. 2002;288(10):1235–1244.
- Fireman EM, Lerman Y, Ganor E, et al. Induced sputum assessment in New York City firefighters exposed to World Trade Center dust. *Environ Health Perspect*. 2004;112:1564–1569.
- Irwin RS, Baumann MB, Bolser DC, et al. Diagnosis and management of cough. Executive summary: ACCP evidence-based clinical practice guidelines. *Chest*. 2006;129:1S–23S.
- DeVault KR, Castell DO. Updated guidelines for the diagnosis and treatment of gastroesophageal reflux disease. *Am J Gastroenterology*. 2005;100:190–200.
- Pratter MR. Chronic upper airway cough syndrome secondary to rhinosinus diseases (previously referred to as postnasal drip syndrome): ACCP evidence-based clinical practice guidelines. *Chest*. 2006;129(1 Suppl):63S–71S.
- Meltzer EO, Hamilos DL, Hadley JA, et al. Rhino-sinusitis: Establishing definitions for clinical research and patient care. *Otolaryngol Head Neck Surg*. 2004;131(6 Suppl):S1–62.
- McCroary DC, Williams JW, Dolor RJ, et al. Management of Allergic Rhinitis in the Working-Age Population. Rockville, MD: Agency for Healthcare Research and Quality. March, 2003. AHRQ Publication No. 03-E015. Available at: www.ahrq.gov/downloads/pub/evidence/pdf/rhinwork/rhinwork.pdf. Accessed June 15, 2006.
- Expert Panel Report 2: Guidelines for the Diagnosis and Management of Asthma. April 1997. NIH publication No. 97-4051. Available at: www.nhlbi.nih.gov/guidelines/asthma/asthgdln.pdf. Accessed August 7, 2006.
- National Asthma Education and Prevention Program. NAEPP Expert Panel Report Guidelines for the Diagnosis and Management of Asthma—Update on Selected Topics 2002. Available at: www.nhlbi.nih.gov/guidelines/asthma/execsumm.pdf. Accessed August 7, 2006.
- Irwin RS, Madison JM. Primary Care: The diagnosis and treatment of cough. *N Eng J Med*. 2000;343:1715–1721.
- Rom WN, Weiden M, Garcia R, et al. Acute eosinophilic pneumonia in a New York City firefighter exposed to World Trade Center dust. *Am J Resp Crit Care Med*. 2002;166:797–800.
- Safirstein BH, Klukowicz A, Miller R, Teirstein A. Granulomatous pneumonitis following exposure to the World Trade Center collapse. *Chest*. 2003;123:301–304.
- Mann JM, Sha KK, Kline G, Breuer FU, Miller A. World Trade Center dyspnea: bronchiolitis obliterans with functional improvement: a case report. *Am J Ind Med*. 2005;48(3):225–229.
- Hatlebakk JG, Katz PO, Kuo B, et al. Nocturnal gastric acidity and acid breakthrough on different regimens of omeprazole 40 mg daily. *Aliment Pharmacol Ther*. 1998;12:1235–1240.
- Armstrong D. Gastroesophageal reflux disease. *Curr Opin Pharmacol*. 2005;5:589–595.
- Irwin RS. Chronic cough due to gastroesophageal reflux disease: ACCP evidence-based clinical practice guidelines. *Chest*. 2006;129:80S–94S.
- Ellick JD, Paradis CM. The effects of the September 11 World Trade Center attack on a man with preexisting mental illness. *Psychiatr Serv*. 2004;55(11):1313–1314.
- Gebhart RJ, Neeley F. Primary Care and PTSD. *NCP Clinical Quarterly*. 1996;6(4)72,74.
- Davidson JR. Recognition and treatment of posttraumatic stress disorder. *JAMA*. 2001;286(5):584–588.

REFERENCES cont.

35. Holman EA, Solver RC, Waitzkin H. Traumatic life events in primary care patients: a study in an ethnically diverse sample. *Arch Fam Med.* 2000;9(9):802–810.
36. Yehuda R. Post-Traumatic Stress Disorder. *New Eng J Med.* 2002;346(2):108–114.
37. The New York City Department of Health and Mental Hygiene. Post-Traumatic Stress Disorder. *City Health Information.* 2003;22(1):1–4.
38. Stein MB, McQuaid JR, Perdelli P, Lenox R, McCahill ME. Posttraumatic stress disorder in the primary care medical setting. *Gen Hosp Psychiatry.* 2000;22(4):261–269.
39. Grieger TA, Fullerton CS, Ursano RJ. Posttraumatic stress disorder, depression, and perceived safety 13 months after September 11. *Psychiatr Serv.* 2004;55(9):1061–1063.
40. Farvolden P, McBride C, Bagby RM, Ravitz P. A Web-based screening instrument for depression and anxiety disorders in primary care. *J Med Internet Res.* 2003;5(3):e23.
41. Journey of Hearts a Healing Place in CyberSpace™ Loss, Change and Grief, Formal Definition of Depression. Available at: <http://www.journeyofhearts.org/jofh/kirstimd/formal.htm>.
42. Petit J, Sederer LI. Detecting and treating depression in adults. *City Health Information.* 2004;23(1):1–8.
43. National Institute of Mental Health. Depression. Bethesda, MD: National Institute of Mental Health, National Institutes of Health, US Department of Health and Human Services; 2000/2002 [Cited 2006 January 28]. (NIH Publication Number: NIH 02-3561). Available from: www.nimh.nih.gov/publicat/depression.cfm.
44. Kroenke K, Spitzer RL, Williams JBW. The patient health questionnaire-2: validity of a two-item depression screener. *Med Care.* 2003; 41:1284–1292.
45. Spitzer RL, Kroenke K, Williams JBW, and the Patient Health Questionnaire Primary Care Study Group. Validation and utility of a self-report version of PRIME-MD: the PHQ primary care study. *JAMA.* 1999;282:1737–1744.
46. Dunn AL, Trivedi MH, Kampert JB, Clark CG, Chambless HO. Exercise treatment for depression: efficacy and dose response. *Am J Prev Med.* 2005;28(1):1–8.
47. Generalized Anxiety Disorder (GAD). *Anxiety Disorders Association of America.* Available at: www.adaa.org/GettingHelp/AnxietyDisorders/GAD.asp.
48. Depression Guide Newsletter. GAD – Generalized Anxiety Disorder. www.depression-guide.com/generalized-anxiety-disorder.htm.
49. American Psychiatric Association: Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition. Washington, DC, American Psychiatric Association: 1994.
50. Stein MB. Attending to Anxiety Disorders in Primary Care. *J Clin Psychiatry.* 2003;64(suppl 15):35–39.
51. National Institute of Mental Health. Facts About Anxiety Disorders. 2001. Available at: www.nimh.nih.gov/publicat/adfacts.cfm. Accessed January 18, 2006.
52. Gliatto MF. Generalized Anxiety Disorder. *Am Fam Physician.* 2000;62(7):1591–1600,1602.
53. Weathers FW, Huska JA, Keane TM. PCL-C for DSM-IV. Boston: National Center for PTSD—Behavioral Science Division; 1991.
54. Spandorfer JM, Israel Y, Turner B. Primary Care Physician's Views on Screening and Management of Alcohol Abuse Inconsistencies with National Guidelines. *J Fam Pract.* 1999;48(11):899–902.
55. Mayo Clinic. Alcoholism. 2006. Available at: www.mayoclinic.com/health/alcoholism/DS00340. Accessed: January 12, 2006.
56. National Institute on Alcohol Abuse and Alcoholism: Alcoholism: Getting the Facts. Bethesda, MD: National Institute of Mental Health, National Institutes of Health, US Department of Health and Human Services; 2004 [Cited 2006 January 18]. (NIH Publication Number: NIH 96-4153). Available at: http://pubs.niaaa.nih.gov/publications/GettheFacts_HTML/facts.htm.
57. National Institute on Drug Abuse. Drug Abuse and Addiction: One of America's Most Challenging Public Health Problems. Available at: www.nida.nih.gov/about/welcome/aboutdrugabuse.
58. Galea S, Ahern J, Resnick H, et al. Psychological Sequelae of the September 11 Terrorist Attacks in New York City. *N Eng J. Med.* 2002; 346(13):982–987.
59. Boscarino JA, Adams RE, Galea S. Alcohol use in New York after the terrorist attacks: A study of the effects of psychological trauma on drinking behavior. *Addict Behav.* 2006;31(4):606–621.
60. National Institute of Mental Health. Anxiety Disorders page. Available at: www.nimh.nih.gov/publicat/anxiety.cfm. Accessed: January 28, 2006.
61. Veterans Affairs Employee Education System and the Offices of Quality & Performance and Patient Care Services at DoD: The Management of Substance Use Disorders-Primary Care Summary. 2001. US Dept. of Veterans Affairs. Available at: www.oqp.med.va.gov/cpg. Accessed: January 19, 2006.
62. Kolodny AJ, Sederer LI. Brief Interventions for Alcohol Problems. *City Health Information.* 2005;24(8):51–58.
63. Fleming MF, Manwell LB. Brief Intervention in Primary Care Settings: A Primary Treatment Method for At-Risk, Problem and Dependent Drinkers. *Alcohol Research and Health.* 1992;23:128–137.
64. National Institute on Drug Abuse: Stress and Substance Abuse: A Special Report. National Institutes of Health, US Department of Health and Human Services; September 12, 2001. Available at: www.drugabuse.gov/stressanddrugabuse.html. Accessed: January 12, 2006.