

**Reported Primary and Secondary (P&S) Syphilis  
New York City 1940-2006\***



\*Reported cases include males, females, and cases with unknown sex; 2006 rate based on preliminary 2006 data which have been annualized.

**Table of Contents: 1<sup>st</sup> Quarter 2006**

Overall quarterly information .....	2
<i>Chlamydia trachomatis</i> case rates by age and sex .....	3
<i>Neisseria gonorrhoeae</i> case rates by age and sex .....	4
Adolescent & young adult <i>Chlamydia trachomatis</i> by neighborhood.....	5
Adolescent & young adult <i>Neisseria gonorrhoeae</i> by neighborhood .....	6
Adolescent & young adult <i>Chlamydia trachomatis</i> trends .....	7
Adolescent & young adult <i>Neisseria gonorrhoeae</i> trends .....	7
Adolescent <i>Chlamydia trachomatis</i> by STD clinic .....	8
Young adult <i>Chlamydia trachomatis</i> by STD clinic .....	9
Adolescent <i>Neisseria gonorrhoeae</i> by STD clinic .....	10
Young adult <i>Neisseria gonorrhoeae</i> by STD clinic .....	11
HIV testing in NYC STD clinics .....	12
Fluoroquinolone-resistant <i>Neisseria gonorrhoeae</i> .....	13
Clinic visit information .....	13
Primary & Secondary and congenital syphilis trends .....	14
Primary & Secondary syphilis by neighborhood (map) .....	15
<i>Chlamydia trachomatis</i> by neighborhood (map) .....	16
<i>Neisseria gonorrhoeae</i> by neighborhood (map) .....	17
List of STD clinics/ Citation information.....	18

Article 11 of the New York City Health Code requires that physicians and laboratories report positive findings for the following diseases to the Bureau of STD Control:

- **Chlamydia** (*Chlamydia trachomatis*)
- **Gonorrhea** (*Neisseria gonorrhoeae*)
- **Syphilis** (*Treponema pallidum*)
- **Chancroid** (*Haemophilus ducreyi*)
- **Granuloma inguinal**  
(*Calymmatobacterium granulomatis*)
- **Lymphogranuloma venereum/LGV**  
(*Chlamydia trachomatis* L1, L2, L3)
- **Non-gonococcal urethritis (NGU)**

**Table 1. Cumulative cases of sexually transmitted diseases reported to the New York City Department of Health and Mental Hygiene (NYC DOHMH) Bureau of STD Control (BSTDC) through 1<sup>st</sup> quarter 2006 (Jan 01 - Mar 31, 2006) and 1<sup>st</sup> quarter 2005 (Jan 01 - Mar 31, 2005), and case rate per 100,000 population for full year 2005.**

	2006 through 1 <sup>st</sup> Quarter*	2005 through 1 <sup>st</sup> Quarter	2005 Full Year	
	N	N	N	Case Rate/100,000
<b>Chlamydia<sup>1</sup></b>	<b>10648</b>	<b>9569</b>	<b>39215</b>	<b>489.68</b>
Female	7134	6679	26946	639.43
Male	3469	2886	12242	322.65
<b>Non-Gonococcal Urethritis</b>				
Male	46	1866	7364	194.09
<b>Gonorrhea<sup>1</sup></b>	<b>2629</b>	<b>2517</b>	<b>10596</b>	<b>132.31</b>
Female	1188	1285	5051	119.86
Male	1436	1231	5540	146.01
<b>P&amp;S Syphilis<sup>1</sup></b>	<b>130</b>	<b>149</b>	<b>616</b>	<b>7.69</b>
Female	4	6	22	0.52
Male	124	143	594	15.66
<b>Early Latent Syphilis<sup>1</sup></b>	<b>279</b>	<b>226</b>	<b>980</b>	<b>12.24</b>
Female	71	44	188	4.46
Male	206	182	792	20.87
<b>Late latent Syphilis<sup>1,2</sup></b>	<b>535</b>	<b>327</b>	<b>1586</b>	<b>19.80</b>
Female	219	122	644	15.28
Male	312	205	942	24.83
<b>Neurosyphilis<sup>1,3</sup></b>	<b>2</b>	<b>8</b>	<b>37</b>	<b>0.46</b>
Female	1	0	4	0.09
Male	1	8	33	0.87
<b>Tertiary Syphilis<sup>1</sup></b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.01</b>
Female	0	0	0	0.00
Male	0	0	1	0.03
<b>Congenital Syphilis<sup>1</sup></b>	<b>0</b>	<b>5</b>	<b>5</b>	<b>0.04/1,000 live births</b>
<b>Chancroid</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>0.01</b>
Female	1	0	0	0.00
Male	2	0	1	0.03
<b>Granuloma Inguinale</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>
Female	0	0	0	0.00
Male	0	0	0	0.00
<b>Lymphogranuloma Venereum</b>	<b>2</b>	<b>9</b>	<b>31</b>	<b>0.39</b>
Female	0	0	0	0.00
Male	2	9	31	0.82


\* preliminary data. <sup>1</sup> Total case numbers and case rates includes cases with unknown sex in addition to males and females

<sup>2</sup> Includes the "Latent syphilis of unknown duration" category; N=51 (1<sup>st</sup> quarter 2006); 29 (1<sup>st</sup> quarter 2005); 131 (full year 2005).

NOTE: Beginning in 2005, NYC adopted the Centers for Disease Control and Prevention surveillance case definitions. A category of late latent syphilis previously defined as a syphilis treponemal titer  $\geq 1:32$  among persons aged 13-45 was redefined as a syphilis treponemal titer  $\geq 1:32$  among persons ages 13-35.

<sup>3</sup> In 2005, CDC changed the requirements for how neurosyphilis should be reported from local and state health departments. Prior to 2005, a diagnosis of neurosyphilis could not be given in conjunction with another syphilis diagnosis (ie. neurosyphilis was a 'stand-alone' diagnosis). Beginning in 2005, syphilis of all stages is classified with respect to the presence or absence of neurologic involvement. Neurosyphilis cases reported in 2005, therefore, are a subset of syphilis cases of all stages.


**Figure 1a. Chlamydia reported to the NYC DOHMH.**  
**Case rates (per 100,000 population) by age and sex\*, full year 2005.**



\*Excludes persons reported without information on sex or age.

Note: Because the majority of *Chlamydia trachomatis* infections are asymptomatic, differences in reported chlamydia case numbers and case rates by sex may be explained by the fact that females are more commonly screened than males.

**Figure 1b. Gonorrhea reported to the NYC DOHMH.**  
Case rates (per 100,000 population) by age and sex\*, full year 2005.



\*Excludes persons reported without information on sex or age.

Note: Gonorrhea infection detected at more than one anatomic site from the same person at the same time is counted as a single case of gonorrhea.

**Table 2. *Chlamydia trachomatis* infections among 15-19 and 20-24 year old persons, full year 2005, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group<sup>1</sup>, and neighborhood<sup>2</sup>.**

Borough/Neighborhood	Citywide <i>Chlamydia trachomatis</i>											
	Females						Males					
	15-19 years old			20-24 years old			15-19 years old			20-24 years old		
	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>
<b>BRONX</b>	<b>2291</b>	<b>4591</b>		<b>2140</b>	<b>4052</b>		<b>671</b>	<b>1331</b>		<b>1150</b>	<b>2508</b>	
Crotona	425	5096	8	404	4643	7	86	1040	14	129	1791	10
Fordham	395	4089	15	404	3569	12	100	1042	13	111	1128	19
Kingsbridge	53	2039	24	53	1788	25	6	224	32	23	885	20
Morrisania	459	5708	5	388	4883	5	132	1656	6	160	2417	6
Mott Haven	279	5177	7	250	4747	6	76	1371	8	81	1720	12
Northeast Bronx	286	4498	11	276	4473	9	41	657	19	103	1952	9
Pelham	342	3594	17	321	3075	17	194	1913	3	518	5395	2
Unknown neighborhood	52			44			36			25		
<b>BROOKLYN</b>	<b>3116</b>	<b>3585</b>		<b>3512</b>	<b>3725</b>		<b>668</b>	<b>739</b>		<b>1134</b>	<b>1275</b>	
Bensonhurst	22	462	42	49	841	38	5	97	39	13	217	39
Borough Park	70	615	39	95	837	39	11	87	40	28	232	38
Canarsie	247	3502	18	306	4621	8	56	784	16	80	1307	16
Coney Island	151	1754	26	153	1744	26	28	297	29	49	551	27
Crown Heights	810	6304	2	844	6260	1	190	1493	7	272	2512	4
Downtown Heights	155	2868	22	171	1966	22	37	657	19	65	783	24
East Flatbush	640	5079	9	758	5842	2	141	1130	11	245	2177	8
East New York	420	5532	6	415	5579	3	81	1075	12	155	2472	5
Greenpoint	46	1011	36	87	1596	29	10	201	34	32	570	26
Sunset Park	63	1563	31	92	1840	24	8	175	35	16	289	34
Williamsburg	384	4747	10	460	5314	4	75	921	15	134	1662	13
Unknown neighborhood	108			82			26			45		
<b>MANHATTAN</b>	<b>1671</b>	<b>4411</b>		<b>1533</b>	<b>2350</b>		<b>407</b>	<b>1108</b>		<b>796</b>	<b>1451</b>	
Central Harlem	320	5889	4	247	3777	11	106	1872	4	168	2981	3
Chelsea	66	3347	20	84	1636	27	28	1815	5	49	1264	17
East Harlem	241	6184	3	185	4219	10	52	1169	9	84	1762	11
Gramercy Park	39	2515	23	75	1105	34	3	279	30	20	470	29
Greenwich Village	126	10169	1	64	1622	28	65	5439	1	204	6355	1
Lower Manhattan	12	1451	33	35	1989	21	4	600	24	3	166	40
Union Square	96	1545	32	117	1240	32	22	372	26	42	506	28
Upper East Side	29	1038	35	64	842	37	6	254	31	16	323	32
Upper West Side	76	1702	27	100	1194	33	28	731	17	51	829	22
Washington Heights	389	4099	14	351	3117	16	64	636	21	97	813	23
Unknown neighborhood	277			211			29			62		
<b>QUEENS</b>	<b>1547</b>	<b>2324</b>		<b>1682</b>	<b>2134</b>		<b>786</b>	<b>1083</b>		<b>981</b>	<b>1195</b>	
Astoria	97	1763	25	122	1298	31	24	396	25	28	286	35
Bayside	15	627	38	9	403	42	2	79	41	6	268	37
Flushing	45	683	37	73	934	36	9	129	37	21	277	36
Forest Hills	70	1137	34	82	1076	35	7	107	38	22	299	33
Fresh Meadows	42	1566	30	46	1528	30	6	204	33	11	385	31
Jamaica	418	4108	13	378	3536	13	118	1134	10	156	1594	14
Rockaway	130	3649	16	114	3190	14	26	683	18	41	1257	18
Southeast Queens	236	3398	19	207	3142	15	42	617	22	94	1507	15
Southwest Queens	149	1680	28	193	1962	23	30	316	28	42	431	30
West Queens	219	1599	29	360	1993	20	506	2981	2	523	2253	7
Unknown neighborhood	126			98			16			37		
<b>STATEN ISLAND</b>	<b>276</b>	<b>1960</b>		<b>188</b>	<b>1409</b>		<b>38</b>	<b>250</b>		<b>57</b>	<b>418</b>	
Port Richmond	95	4194	12	58	2899	18	15	608	23	18	881	21
South Beach	30	560	40	22	430	41	3	50	42	6	114	42
Stapleton	125	3247	21	80	2136	19	15	371	27	27	718	25
Willowbrook	14	537	41	17	685	40	4	148	36	4	156	41
Unknown neighborhood	12			11			1			2		
<b>TOTAL NYC</b>	<b>8901</b>	<b>3486</b>		<b>9055</b>	<b>2974</b>		<b>2570</b>	<b>969</b>		<b>4118</b>	<b>1443</b>	

<sup>1</sup> Does not include cases with unknown sex or age;<sup>2</sup> Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).<sup>3</sup> Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This procedure will have little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than that of the patient.

**Table 3. *Neisseria gonorrhoeae* infections among 15-19 and 20-24 year old persons, full year 2005, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group<sup>1</sup>, and neighborhood<sup>2</sup>.**


Borough/Neighborhood	Citywide <i>Neisseria gonorrhoeae</i>											
	Females						Males					
	15-19 years old			20-24 years old			15-19 years old			20-24 years old		
	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>
<b>BRONX</b>	<b>388</b>	<b>777</b>		<b>354</b>	<b>670</b>		<b>211</b>	<b>418</b>		<b>370</b>	<b>807</b>	
Crotona	83	995	4	71	816	6	38	460	10	60	833	10
Fordham	67	694	18	69	610	12	26	271	21	52	529	16
Kingsbridge	6	231	27	3	101	40	3	112	30	5	192	30
Morrisania	73	908	8	85	1070	3	51	640	2	73	1103	4
Mott Haven	45	835	11	43	816	6	19	343	18	35	743	13
Northeast Bronx	51	802	13	36	583	15	16	256	22	50	948	5
Pelham	51	536	20	40	383	20	52	513	6	87	906	8
Unknown neighborhood	12			7			6			8		
<b>BROOKLYN</b>	<b>617</b>	<b>710</b>		<b>651</b>	<b>691</b>		<b>270</b>	<b>299</b>		<b>509</b>	<b>572</b>	
Bensonhurst	1	21	42	7	120	36	3	58	35	3	50	40
Borough Park	11	97	37	12	106	39	2	16	39	9	74	37
Canarsie	50	709	16	48	725	9	25	350	17	37	604	15
Coney Island	30	348	25	39	445	17	15	159	25	18	202	28
Crown Heights	176	1370	2	175	1298	1	71	558	4	149	1376	3
Downtown Heights	37	685	19	32	368	21	20	355	15	32	385	21
East Flatbush	112	889	10	117	902	5	44	353	16	103	915	7
East New York	105	1383	1	88	1183	2	35	465	9	59	941	6
Greenpoint	5	110	36	21	385	19	2	40	37	14	249	26
Sunset Park	2	50	40	6	120	36	3	66	33	8	145	33
Williamsburg	78	964	7	92	1063	4	42	516	5	67	831	11
Unknown neighborhood	10			14			8			10		
<b>MANHATTAN</b>	<b>237</b>	<b>626</b>		<b>215</b>	<b>330</b>		<b>137</b>	<b>373</b>		<b>313</b>	<b>570</b>	
Central Harlem	54	994	5	52	795	8	36	636	3	78	1384	2
Chelsea	9	456	21	15	292	24	6	389	14	27	696	14
East Harlem	45	1155	3	21	479	16	22	494	7	41	860	9
Gramercy Park	14	903	9	13	192	28	2	186	23	5	117	36
Greenwich Village	12	969	6	5	127	35	15	1255	1	45	1402	1
Lower Manhattan	1	121	33	5	284	25	3	450	11	3	166	32
Union Square	14	225	28	24	254	26	9	152	26	30	362	22
Upper East Side	11	394	24	7	92	41	2	85	31	10	202	28
Upper West Side	9	202	31	11	131	34	11	287	20	17	276	25
Washington Heights	38	400	23	40	355	22	15	149	27	34	285	24
Unknown neighborhood	30			22			16			23		
<b>QUEENS</b>	<b>252</b>	<b>379</b>		<b>259</b>	<b>329</b>		<b>191</b>	<b>263</b>		<b>272</b>	<b>331</b>	
Astoria	18	327	26	18	192	28	9	148	28	14	143	34
Bayside	2	84	38	3	134	33	1	39	38	5	223	27
Flushing	2	30	41	9	115	38	1	14	40	0	0	40
Forest Hills	5	81	39	11	144	31	3	46	36	10	136	35
Fresh Meadows	6	224	29	2	66	42	2	68	32	2	70	38
Jamaica	83	816	12	71	664	10	44	423	12	77	787	12
Rockaway	26	730	14	22	616	11	16	420	13	15	460	19
Southeast Queens	50	720	15	40	607	13	23	338	19	31	497	18
Southwest Queens	14	158	32	30	305	23	6	63	34	18	185	31
West Queens	30	219	30	33	183	30	82	483	8	91	392	20
Unknown neighborhood	16			20			4			9		
<b>STATEN ISLAND</b>	<b>45</b>	<b>320</b>		<b>40</b>	<b>300</b>		<b>10</b>	<b>66</b>		<b>30</b>	<b>220</b>	
Port Richmond	16	706	17	12	600	14	4	162	24	7	343	23
South Beach	6	112	35	7	137	32	0	0	40	3	57	39
Stapleton	16	416	22	15	400	18	6	148	28	19	505	17
Willowbrook	3	115	34	5	202	27	0	0	40	0	0	40
Unknown neighborhood	4			1						1		
<b>TOTAL NYC</b>	<b>1539</b>	<b>603</b>		<b>1519</b>	<b>499</b>		<b>819</b>	<b>309</b>		<b>1494</b>	<b>524</b>	

<sup>1</sup> Does not include cases with unknown sex or age;<sup>2</sup> Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).<sup>3</sup> Neighborhoods ranked from highest case rate (1) to lowest case rate (42).


NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This procedure will have little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than that of the patient.

Data sources: Frozen 2005

**Figure 2a. Chlamydia among persons aged 15-24 years reported to the NYC DOHMH. Case rates (per 100,000 population) by sex, 1999 through 2006\*.**



**Figure 2b. Gonorrhea among persons aged 15-24 years reported to the NYC DOHMH. Case rates (per 100,000 population) by sex, 1999 through 2006\*.**



\* 2005 rate based on preliminary data which have been annualized.

**Table 4.1. Chlamydia positivity for 15-19 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates\* by clinic site and sex, for 1<sup>st</sup> quarter 2006 (January 01 – March 31, 2006), compared to 1<sup>st</sup> quarter 2005 (January 01 - March 31, 2005) and full year 2005 (January 01 - December 31, 2005).**

**Chlamydia cases, 15-19 years old, BSTDC Clinics**

Clinic Name	2006 through 1 <sup>st</sup> Quarter			2005 through 1 <sup>st</sup> Quarter			2005 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem</b>	<b>226</b>	<b>45</b>	<b>( 20 )</b>	<b>163</b>	<b>32</b>	<b>( 20 )</b>	<b>665</b>	<b>133</b>	<b>( 20 )</b>
Female	154	27	( 18 )	103	18	( 17 )	452	84	( 19 )
Male	72	18	( 25 )	58	13	( 22 )	209	48	( 23 )
<b>Chelsea</b>	<b>176</b>	<b>25</b>	<b>( 14 )</b>	<b>98</b>	<b>15</b>	<b>( 15 )</b>	<b>467</b>	<b>59</b>	<b>( 13 )</b>
Female	97	14	( 14 )	49	6	( 12 )	263	26	( 10 )
Male	79	11	( 14 )	49	9	( 18 )	204	33	( 16 )
<b>Corona</b>	<b>58</b>	<b>8</b>	<b>( 14 )</b>	<b>29</b>	<b>5</b>	<b>( 17 )</b>	<b>106</b>	<b>11</b>	<b>( 10 )</b>
Female	34	7	( 21 )	15	1	( 7 )	50	2	( 4 )
Male	24	1	( 4 )	14	4	( 29 )	56	9	( 16 )
<b>Crown Heights</b>	<b>144</b>	<b>33</b>	<b>( 23 )</b>	<b>158</b>	<b>28</b>	<b>( 18 )</b>	<b>478</b>	<b>101</b>	<b>( 21 )</b>
Female	85	19	( 22 )	99	16	( 16 )	298	60	( 20 )
Male	59	14	( 24 )	59	12	( 20 )	180	41	( 23 )
<b>East Harlem</b>	<b>60</b>	<b>14</b>	<b>( 23 )</b>	<b>49</b>	<b>10</b>	<b>( 20 )</b>	<b>172</b>	<b>37</b>	<b>( 22 )</b>
Female	33	6	( 18 )	29	4	( 14 )	98	21	( 21 )
Male	27	8	( 30 )	19	5	( 26 )	73	15	( 21 )
<b>Fort Greene</b>	<b>332</b>	<b>81</b>	<b>( 24 )</b>	<b>287</b>	<b>64</b>	<b>( 22 )</b>	<b>1198</b>	<b>258</b>	<b>( 22 )</b>
Female	214	47	( 22 )	188	43	( 23 )	772	157	( 20 )
Male	117	34	( 29 )	99	21	( 21 )	420	99	( 24 )
<b>Jamaica</b>	<b>428</b>	<b>83</b>	<b>( 19 )</b>	<b>283</b>	<b>67</b>	<b>( 24 )</b>	<b>1176</b>	<b>267</b>	<b>( 23 )</b>
Female	276	51	( 18 )	193	44	( 23 )	807	187	( 23 )
Male	152	32	( 21 )	90	23	( 26 )	369	80	( 22 )
<b>Morrisania</b>	<b>285</b>	<b>64</b>	<b>( 22 )</b>	<b>238</b>	<b>58</b>	<b>( 24 )</b>	<b>1108</b>	<b>221</b>	<b>( 20 )</b>
Female	206	47	( 23 )	145	32	( 22 )	700	134	( 19 )
Male	78	17	( 22 )	93	26	( 28 )	401	85	( 21 )
<b>Richmond</b>	<b>22</b>	<b>2</b>	<b>( 9 )</b>	<b>20</b>	<b>2</b>	<b>( 10 )</b>	<b>72</b>	<b>7</b>	<b>( 10 )</b>
Female	18	1	( 6 )	9	1	( 11 )	36	5	( 14 )
Male	4	1	( 25 )	11	1	( 9 )	36	2	( 6 )
<b>Riverside</b>	<b>127</b>	<b>18</b>	<b>( 14 )</b>	<b>105</b>	<b>12</b>	<b>( 11 )</b>	<b>404</b>	<b>55</b>	<b>( 14 )</b>
Female	78	9	( 12 )	62	7	( 11 )	249	34	( 14 )
Male	49	9	( 18 )	43	5	( 12 )	155	21	( 14 )
<b>Overall</b>	<b>1858</b>	<b>373</b>	<b>( 20 )</b>	<b>1430</b>	<b>293</b>	<b>( 20 )</b>	<b>5846</b>	<b>1149</b>	<b>( 20 )</b>
Female	1195	228	( 19 )	892	172	( 19 )	3725	710	( 19 )
Male	661	145	( 22 )	535	119	( 22 )	2103	433	( 21 )

\*Chlamydia tests performed by nucleic acid amplification tests (NAAT) on male urine or urethral specimens, and female endocervical or urine specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator.

**Table 4.2 Chlamydia positivity for 20-24 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates\* by clinic site and sex, for 1<sup>st</sup> quarter 2006 (January 01 - March 31, 2006), compared to 1<sup>st</sup> quarter 2005 (January 01 - March 31, 2005) and full year 2005 (January 01 - December 31, 2005).**

**Chlamydia cases, 20-24 years old, BSTDC Clinics**

Clinic Name	2006 through 1 <sup>st</sup> Quarter			2005 through 1 <sup>st</sup> Quarter			2005 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive Tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem</b>	<b>456</b>	<b>69</b>	<b>( 15 )</b>	<b>334</b>	<b>53</b>	<b>( 16 )</b>	<b>1559</b>	<b>220</b>	<b>( 14 )</b>
Female	233	23	( 10 )	173	19	( 11 )	834	93	( 11 )
Male	222	45	( 20 )	160	34	( 21 )	722	127	( 18 )
<b>Chelsea</b>	<b>693</b>	<b>65</b>	<b>( 9 )</b>	<b>406</b>	<b>36</b>	<b>( 9 )</b>	<b>1940</b>	<b>194</b>	<b>( 10 )</b>
Female	282	24	( 9 )	174	11	( 6 )	804	72	( 9 )
Male	411	41	( 10 )	231	25	( 11 )	1135	122	( 11 )
<b>Corona</b>	<b>107</b>	<b>18</b>	<b>( 17 )</b>	<b>83</b>	<b>7</b>	<b>( 8 )</b>	<b>320</b>	<b>39</b>	<b>( 12 )</b>
Female	50	8	( 16 )	37	3	( 8 )	124	12	( 10 )
Male	57	10	( 18 )	45	4	( 9 )	195	27	( 14 )
<b>Crown Heights</b>	<b>283</b>	<b>57</b>	<b>( 20 )</b>	<b>384</b>	<b>63</b>	<b>( 16 )</b>	<b>994</b>	<b>163</b>	<b>( 16 )</b>
Female	138	21	( 15 )	177	22	( 12 )	438	54	( 12 )
Male	145	36	( 25 )	207	41	( 20 )	555	109	( 20 )
<b>East Harlem</b>	<b>138</b>	<b>13</b>	<b>( 9 )</b>	<b>140</b>	<b>13</b>	<b>( 9 )</b>	<b>514</b>	<b>74</b>	<b>( 14 )</b>
Female	62	5	( 8 )	66	5	( 8 )	239	25	( 10 )
Male	76	8	( 11 )	74	8	( 11 )	273	49	( 18 )
<b>Fort Greene</b>	<b>729</b>	<b>130</b>	<b>( 18 )</b>	<b>630</b>	<b>98</b>	<b>( 16 )</b>	<b>2563</b>	<b>404</b>	<b>( 16 )</b>
Female	324	39	( 12 )	266	31	( 12 )	1181	137	( 12 )
Male	405	91	( 22 )	364	67	( 18 )	1375	267	( 19 )
<b>Jamaica</b>	<b>705</b>	<b>120</b>	<b>( 17 )</b>	<b>526</b>	<b>89</b>	<b>( 17 )</b>	<b>2349</b>	<b>356</b>	<b>( 15 )</b>
Female	324	53	( 16 )	244	41	( 17 )	1099	148	( 13 )
Male	381	67	( 18 )	282	48	( 17 )	1248	208	( 17 )
<b>Morrisania</b>	<b>658</b>	<b>116</b>	<b>( 18 )</b>	<b>526</b>	<b>82</b>	<b>( 16 )</b>	<b>2188</b>	<b>326</b>	<b>( 15 )</b>
Female	292	35	( 12 )	264	31	( 12 )	1066	126	( 12 )
Male	366	81	( 22 )	261	51	( 20 )	1109	200	( 18 )
<b>Richmond</b>	<b>58</b>	<b>11</b>	<b>( 19 )</b>	<b>33</b>	<b>3</b>	<b>( 9 )</b>	<b>168</b>	<b>27</b>	<b>( 16 )</b>
Female	25	4	( 16 )	17	1	( 6 )	81	11	( 14 )
Male	33	7	( 21 )	16	2	( 13 )	87	16	( 18 )
<b>Riverside</b>	<b>423</b>	<b>35</b>	<b>( 8 )</b>	<b>367</b>	<b>33</b>	<b>( 9 )</b>	<b>1455</b>	<b>137</b>	<b>( 9 )</b>
Female	186	10	( 5 )	184	16	( 9 )	752	61	( 8 )
Male	236	25	( 11 )	183	17	( 9 )	703	76	( 11 )
<b>Overall</b>	<b>4250</b>	<b>634</b>	<b>( 15 )</b>	<b>3429</b>	<b>477</b>	<b>( 14 )</b>	<b>14050</b>	<b>1940</b>	<b>( 14 )</b>
Female	1916	222	( 12 )	1602	180	( 11 )	6618	739	( 11 )
Male	2332	411	( 18 )	1823	297	( 16 )	7402	1201	( 16 )

\* Chlamydia tests performed by nucleic acid amplification tests (NAAT) on male urine or urethral specimens, and female endocervical or urine specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator.

**Table 5.1 Gonorrhea positivity for 15-19 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates\* by clinic site and sex, for 1<sup>st</sup> quarter 2006 (January 01 - March 31, 2006), compared to 1<sup>st</sup> quarter 2005 (January 01 - March 31, 2005) and full year 2005 (January 01 - December 31, 2005).**

**Gonorrhea cases, 15-19 years old, BSTDC Clinics**

Clinic Name	2006 through 1 <sup>st</sup> Quarter			2005 through 1 <sup>st</sup> Quarter			2005 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem</b>	<b>226</b>	<b>15</b>	<b>(7)</b>	<b>163</b>	<b>11</b>	<b>(7)</b>	<b>665</b>	<b>33</b>	<b>(5)</b>
Female	154	11	(7)	103	6	(6)	452	19	(4)
Male	72	4	(6)	58	5	(9)	209	14	(7)
<b>Chelsea</b>	<b>176</b>	<b>2</b>	<b>(1)</b>	<b>98</b>	<b>3</b>	<b>(3)</b>	<b>467</b>	<b>16</b>	<b>(3)</b>
Female	97	0	(0)	49	0	(0)	263	10	(4)
Male	79	2	(3)	49	3	(6)	204	6	(3)
<b>Corona</b>	<b>58</b>	<b>1</b>	<b>(2)</b>	<b>29</b>	<b>2</b>	<b>(7)</b>	<b>106</b>	<b>2</b>	<b>(2)</b>
Female	34	1	(3)	15	1	(7)	50	1	(2)
Male	24	0	(0)	14	1	(7)	56	1	(2)
<b>Crown Heights</b>	<b>144</b>	<b>10</b>	<b>(7)</b>	<b>158</b>	<b>11</b>	<b>(7)</b>	<b>478</b>	<b>29</b>	<b>(6)</b>
Female	85	6	(7)	99	6	(6)	298	17	(6)
Male	59	4	(7)	59	5	(8)	180	12	(7)
<b>East Harlem</b>	<b>60</b>	<b>4</b>	<b>(7)</b>	<b>49</b>	<b>4</b>	<b>(8)</b>	<b>172</b>	<b>13</b>	<b>(8)</b>
Female	33	2	(6)	29	2	(7)	98	9	(9)
Male	27	2	(7)	19	2	(11)	73	4	(5)
<b>Fort Greene</b>	<b>332</b>	<b>26</b>	<b>(8)</b>	<b>287</b>	<b>25</b>	<b>(9)</b>	<b>1198</b>	<b>89</b>	<b>(7)</b>
Female	214	12	(6)	188	15	(8)	772	49	(6)
Male	117	14	(12)	99	10	(10)	420	40	(10)
<b>Jamaica</b>	<b>428</b>	<b>24</b>	<b>(6)</b>	<b>283</b>	<b>22</b>	<b>(8)</b>	<b>1176</b>	<b>67</b>	<b>(6)</b>
Female	276	13	(5)	193	14	(7)	807	40	(5)
Male	152	11	(7)	90	8	(9)	369	27	(7)
<b>Morrisania</b>	<b>285</b>	<b>14</b>	<b>(5)</b>	<b>238</b>	<b>14</b>	<b>(6)</b>	<b>1108</b>	<b>71</b>	<b>(6)</b>
Female	206	11	(5)	145	8	(6)	700	35	(5)
Male	78	3	(4)	93	6	(6)	401	36	(9)
<b>Richmond</b>	<b>22</b>	<b>0</b>	<b>(0)</b>	<b>20</b>	<b>0</b>	<b>(0)</b>	<b>72</b>	<b>1</b>	<b>(1)</b>
Female	18	0	(0)	9	0	(0)	36	1	(3)
Male	4	0	(0)	11	0	(0)	36	0	(0)
<b>Riverside</b>	<b>127</b>	<b>5</b>	<b>(4)</b>	<b>105</b>	<b>3</b>	<b>(3)</b>	<b>404</b>	<b>16</b>	<b>(4)</b>
Female	78	1	(1)	62	2	(3)	249	9	(4)
Male	49	4	(8)	43	1	(2)	155	7	(5)
<b>Overall</b>	<b>1858</b>	<b>101</b>	<b>(5)</b>	<b>1430</b>	<b>95</b>	<b>(7)</b>	<b>5846</b>	<b>337</b>	<b>(6)</b>
Female	1195	57	(5)	892	54	(6)	3725	190	(5)
Male	661	44	(7)	535	41	(8)	2103	147	(7)

\* Gonorrhea tests performed by nucleic acid amplification tests (NAAT) on male urine or urethral specimens, and female endocervical or urine specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator. Gonorrhea culture data are not included in this table.

**Table 5.2 Gonorrhea positivity for 20-24 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates\* by clinic site and sex, for 1<sup>st</sup> quarter 2006 (January 01 - March 31, 2006), compared to 1<sup>st</sup> quarter 2005 (January 01 - March 31, 2005) and full year 2005 (January 01 - December 31, 2005).**

**Gonorrhea cases, 20-24 years old, BSTDC Clinics**

Clinic Name	2006 through 1 <sup>st</sup> Quarter			2005 through 1 <sup>st</sup> Quarter			2005 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem</b>	<b>456</b>	<b>23</b>	<b>( 5 )</b>	<b>334</b>	<b>15</b>	<b>( 4 )</b>	<b>1559</b>	<b>83</b>	<b>( 5 )</b>
Female	233	7	( 3 )	173	5	( 3 )	834	25	( 3 )
Male	222	16	( 7 )	160	10	( 6 )	722	58	( 8 )
<b>Chelsea</b>	<b>693</b>	<b>24</b>	<b>( 3 )</b>	<b>406</b>	<b>14</b>	<b>( 3 )</b>	<b>1940</b>	<b>68</b>	<b>( 4 )</b>
Female	282	1	( 0 )	174	0	( 0 )	804	7	( 1 )
Male	411	23	( 6 )	231	14	( 6 )	1135	61	( 5 )
<b>Corona</b>	<b>107</b>	<b>1</b>	<b>( 1 )</b>	<b>83</b>	<b>0</b>	<b>( 0 )</b>	<b>320</b>	<b>3</b>	<b>( 1 )</b>
Female	50	1	( 2 )	37	0	( 0 )	124	1	( 1 )
Male	57	0	( 0 )	45	0	( 0 )	195	2	( 1 )
<b>Crown Heights</b>	<b>283</b>	<b>20</b>	<b>( 7 )</b>	<b>384</b>	<b>22</b>	<b>( 6 )</b>	<b>994</b>	<b>56</b>	<b>( 6 )</b>
Female	138	6	( 4 )	177	5	( 3 )	438	12	( 3 )
Male	145	14	( 10 )	207	17	( 8 )	555	44	( 8 )
<b>East Harlem</b>	<b>138</b>	<b>5</b>	<b>( 4 )</b>	<b>140</b>	<b>3</b>	<b>( 2 )</b>	<b>514</b>	<b>16</b>	<b>( 3 )</b>
Female	62	1	( 2 )	66	0	( 0 )	239	3	( 1 )
Male	76	4	( 5 )	74	3	( 4 )	273	13	( 5 )
<b>Fort Greene</b>	<b>729</b>	<b>32</b>	<b>( 4 )</b>	<b>630</b>	<b>36</b>	<b>( 6 )</b>	<b>2563</b>	<b>119</b>	<b>( 5 )</b>
Female	324	5	( 2 )	266	6	( 2 )	1181	26	( 2 )
Male	405	27	( 7 )	364	30	( 8 )	1375	93	( 7 )
<b>Jamaica</b>	<b>705</b>	<b>26</b>	<b>( 4 )</b>	<b>526</b>	<b>20</b>	<b>( 4 )</b>	<b>2349</b>	<b>104</b>	<b>( 4 )</b>
Female	324	10	( 3 )	244	11	( 5 )	1099	35	( 3 )
Male	381	16	( 4 )	282	9	( 3 )	1248	69	( 6 )
<b>Morrisania</b>	<b>658</b>	<b>25</b>	<b>( 4 )</b>	<b>526</b>	<b>22</b>	<b>( 4 )</b>	<b>2188</b>	<b>112</b>	<b>( 5 )</b>
Female	292	11	( 4 )	264	12	( 5 )	1066	30	( 3 )
Male	366	14	( 4 )	261	10	( 4 )	1109	82	( 7 )
<b>Richmond</b>	<b>58</b>	<b>3</b>	<b>( 5 )</b>	<b>33</b>	<b>3</b>	<b>( 9 )</b>	<b>168</b>	<b>10</b>	<b>( 6 )</b>
Female	25	1	( 4 )	17	0	( 0 )	81	4	( 5 )
Male	33	2	( 6 )	16	3	( 19 )	87	6	( 7 )
<b>Riverside</b>	<b>423</b>	<b>11</b>	<b>( 3 )</b>	<b>367</b>	<b>13</b>	<b>( 4 )</b>	<b>1455</b>	<b>45</b>	<b>( 3 )</b>
Female	186	0	( 0 )	184	6	( 3 )	752	13	( 2 )
Male	236	11	( 5 )	183	7	( 4 )	703	32	( 5 )
<b>Overall</b>	<b>4250</b>	<b>170</b>	<b>( 4 )</b>	<b>3429</b>	<b>148</b>	<b>( 4 )</b>	<b>14050</b>	<b>616</b>	<b>( 4 )</b>
Female	1916	43	( 2 )	1602	45	( 3 )	6618	156	( 2 )
Male	2332	127	( 5 )	1823	103	( 6 )	7402	460	( 6 )

\* Gonorrhea tests performed by nucleic acid amplification tests (NAAT) on male urine or urethral specimens, and female endocervical or urine specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator. Gonorrhea culture data are not included in this table.

**Table 6. Anonymous and confidential<sup>1</sup> HIV testing performed by rapid and conventional HIV tests at the NYC DOHMH BSTDC clinics. HIV positivity rates for 1<sup>st</sup> quarter 2006 (January 01 - March 31, 2006), compared to 1<sup>st</sup> quarter 2005 (January 01 - March 31, 2005) and full year 2005 (January 01 - December 31, 2005).**

HIV rapid and conventional tests at BSTDC clinics

HIV Tests	2006 through 1 <sup>st</sup> Quarter		2005 through 1 <sup>st</sup> Quarter <sup>2</sup>		2005 Full Year					
	Rapid & Conventional <sup>3</sup>		Rapid & Conventional <sup>3</sup>		Rapid & Conventional <sup>3</sup>					
	Rapid Clinics (n=10)	Rapid & Conventional <sup>3</sup> Clinics (n=10)	Rapid Clinics (n=10)	Rapid & Conventional <sup>3</sup> Clinics (n=10)	Rapid Clinics (n=10)	Rapid & Conventional <sup>3</sup> Clinics (n=10)				
	N	(%)	N	(%)	N	(%)	N	(%)	N	(%)
<b>Confidential</b>										
Total Tests	10551		11051		7517		9132		34586	37814
Returning for Test Result	10103	(95.8)	10368	(93.8)	N/A <sup>4</sup>		8399	(92.0)	N/A <sup>4</sup>	35374 (93.5 <sup>5</sup> )
<b>Positive Results</b>										
Total Tests	108	(1.0)	121	(1.1)	89	(1.2)	105	(1.1)	475	(1.4)
Returning for Test Result	104	(96.3)	110	(90.9)	N/A <sup>6</sup>		97	(92.4)	N/A <sup>6</sup>	492 (95.2 <sup>5</sup> )
<b>Anonymous</b>										
Total Tests	2320		2346		2082		2311		8662	8836
Returning for Test Result	2210	(95.3)	2223	(94.8)	N/A <sup>4</sup>		2194	(94.9)	N/A <sup>4</sup>	8453 (95.7 <sup>5</sup> )
<b>Positive Results</b>										
Total Tests	20	(0.9)	21	(0.9)	35	(1.7)	36	(1.6)	128	(1.5)
Returning for Test Result	20	(100.0)	20	(95.2)	N/A <sup>6</sup>		32	(88.9)	N/A <sup>6</sup>	118 (91.5 <sup>5</sup> )
<b>Confidential &amp; Anonymous</b>										
Total Tests	12871		13397		9599		11443		43248	46650
Returning for Test Result	12313	(95.7)	12591	(94.0)	N/A <sup>4</sup>		10593	(92.6)	N/A <sup>4</sup>	43827 (93.9 <sup>5</sup> )
<b>Positive Results</b>										
Total Tests	128	(1.0)	142	(1.1)	124	(1.3)	141	(1.2)	603	(1.4)
Returning for Test Result	124	(96.9)	130	(91.5)	N/A <sup>6</sup>		129	(91.5)	N/A <sup>6</sup>	610 (94.4 <sup>5</sup> )

<sup>1</sup> Anonymous testing uses codes for identification; confidential testing uses patient names.

<sup>2</sup> Rapid test results provided for the 11 BSTDC clinic in which rapid testing was implemented through 4<sup>th</sup> quarter 2004.

<sup>3</sup> Includes data from the column labeled "Rapid Tests"

<sup>4</sup> Rapid test result provided to patient during visit at which test is performed. A negative HIV rapid test result is considered a final result, a positive rapid result is preliminary and routinely confirmed with ELISA and Western Blot.

<sup>5</sup> The percentage of persons returning for HIV test results with a conventional test may increase with time since testing.

<sup>6</sup> Returning implies a second visit; because rapid HIV test results are given the same day, this is not an applicable measure for rapid test results.

**Table 7. Fluoroquinolone-resistant *Neisseria gonorrhoea* isolates reported by BSTDC clinics, 1<sup>st</sup> quarter 2006 (January 01 – March 31, 2006) compared to 1<sup>st</sup> quarter 2005 (January 01 – March 31, 2005) and full year 2005 (January 01 – December 31, 2005).**


Anatomic Site	2006 through 1 <sup>st</sup> Quarter			2005 through 1 <sup>st</sup> Quarter			2005 Full Year		
	Gonorrhea Culture Positive	Ciprofloxin/Ofloxin Resistant		Gonorrhea Culture Positive	Ciprofloxin/Ofloxin Resistant		Gonorrhea Culture Positive	Ciprofloxin/Ofloxin Resistant	
	N	N	(% *)	N	N	(% *)	N	N	(% *)
<b>Female</b>									
All	18	0	( 0 )	32	1	( 3 )	80	2	( 3 )
Anal	1	0	( 0 )	4	0	( 0 )	8	0	( 0 )
Oral	0	0	( 0 )	8	0	( 0 )	16	0	( 0 )
Endocervical	17	0	( 0 )	20	1	( 5 )	56	2	( 4 )
<b>Male</b>									
All	101	9	( 9 )	100	7	( 7 )	409	46	( 11 )
Anal	13	4	( 31 )	20	2	( 10 )	69	16	( 23 )
Oral	12	2	( 17 )	19	2	( 11 )	59	8	( 14 )
Urethral	76	3	( 4 )	61	3	( 5 )	281	22	( 8 )
<b>Total</b>	<b>119</b>	<b>9</b>	<b>( 8 )</b>	<b>132</b>	<b>8</b>	<b>( 6 )</b>	<b>489</b>	<b>48</b>	<b>( 10 )</b>

\* Percent calculated using total number of positive cultures for which susceptibility testing could be performed (one male anal specimen was not viable for antibiotic susceptibility testing)

**Table 8. Number of Visits, to NYC DOHMH BSTDC clinics, inclusive of all reasons for visit.**

Clinic	2006 through 1 <sup>st</sup> Quarter		2005 through 1 <sup>st</sup> Quarter		2005 Full Year	
	N	(%)	N	(%)	N	(%)
Central Harlem	3079	( 9.4 )	2282	( 8.6 )	10392	( 9.4 )
Chelsea	5896	( 18.0 )	3956	( 14.9 )	18334	( 16.5 )
Corona	1719	( 5.2 )	1431	( 5.4 )	5649	( 5.1 )
Crown Heights	1974	( 6.0 )	2089	( 7.8 )	6959	( 6.3 )
East Harlem	1293	( 3.9 )	1242	( 4.7 )	4921	( 4.4 )
Fort Greene	5109	( 15.6 )	4576	( 17.2 )	18327	( 16.5 )
Jamaica	4936	( 15.1 )	3537	( 13.3 )	15429	( 13.9 )
Morrisania	4992	( 15.2 )	4103	( 15.4 )	17613	( 15.9 )
Richmond	415	( 1.3 )	560	( 2.1 )	1809	( 1.6 )
Riverside	3344	( 10.2 )	2857	( 10.7 )	11589	( 10.4 )
<b>All Clinics</b>	<b>32757</b>	<b>( 100.0 )</b>	<b>26633</b>	<b>( 100.0 )</b>	<b>111022</b>	<b>( 100.0 )</b>

**Figure 3. Primary and secondary (P&S) syphilis and congenital syphilis reported to the NYC DOHMH. P&S syphilis Case rate (per 100,000 population) by sex, and congenital syphilis cases rate (per 1,000 live births\*), 1997 through 2006\*\*.**



\* For 2005 and 2006 congenital rate, live birth denominator based on 2005 preliminary live birth data (Bureau of Vital Statistics, NYC DOHMH)  
 \*\* 2006 syphilis rates based on preliminary data

**Table 8. Male primary and secondary (P&S) syphilis cases: interview status, report of male sex partner(s) and HIV status, 1<sup>st</sup> Quarter 2006 (January 01 – March 31, 2006) compared to 1<sup>st</sup> quarter 2005 (January 01 – March 31, 2005) and full year 2005 (January 01 – December 31, 2005).**

	Male P&S Cases								
	2006 through 1 <sup>st</sup> Quarter <sup>1</sup>			2005 through 1 <sup>st</sup> Quarter			2005 Full Year		
	N	(%)	Years	N	(%)	Years	N	(%)	Years
<b>Male cases</b>	124			143			594		
<b>Median age of men</b>			34			36			36
<b>Male cases interviewed</b>	39	(31)		96	(67)		310	(52)	
<b>Interviewed male cases reporting sex with men (MSM)</b>	35	(90)		68	(71)		242	(78)	
<b>Interviewed MSM with HIV<sup>2</sup></b>	18	(78)		32	(73)		103	(73)	
<b>Median age of MSM</b>			34			36			35

<sup>1</sup> Percent of men interviewed underestimated due to reporting time lag and delay in data entry of interviews into the surveillance system.

<sup>2</sup> Of MSM with known HIV status.

**Figure 4. New York City neighborhoods\*.**

**United Hospital Fund (UHF) Neighborhoods  
New York City**

**NYC Boroughs**

- Bronx
- Brooklyn
- Manhattan
- Queens
- Richmond




\* Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).

**Figure 5. Male primary and secondary syphilis reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2005**

**P&S Syphilis Among Men in NYC  
Reported 01/01/2005 - 12/31/2005**

**Rate / per 100,000**

- 0 - 21
- 22 - 50
- 51 - 117




Data sources: Frozen 2005 data

**Figure 6a. Female *Chlamydia trachomatis* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2005.**

**Chlamydia Among Women in NYC  
Reported 01/01/2005 - 12/31/2005**

Rate / per 100,000

- 77 - 370
- 371 - 791
- 792 - 1386




**Figure 6b. Male *Chlamydia trachomatis* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2005.**

**Chlamydia Among Men in NYC  
Reported 01/01/2005 - 12/31/2005**

Rate / per 100,000

- 24 - 272
- 273 - 717
- 718 - 1287




Data sources: Frozen 2005 data

**Figure 7a. Female *Neisseria gonorrhoeae* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2005.**

**Gonorrhea Among Women in NYC  
Reported 01/01/2005 - 12/31/2005**

Rate / per 100,000

- 23 - 80
- 81 - 162
- 163 - 325




**Figure 7b. Male *Neisseria gonorrhoeae* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2005.**

**Gonorrhea Among Men in NYC  
Reported 01/01/2005 - 12/31/2005**

Rate / per 100,000

- 5 - 77
- 78 - 243
- 244 - 456



The Bureau of STD Control operates **STD clinics and HIV Testing & Counseling sites** throughout the city. BSTDC clinics offer confidential testing and treatment for a spectrum of sexually transmitted diseases. All clinics provide confidential and anonymous HIV testing and counseling. All services are free. These clinics are located in:

CLINICS	ADDRESS	TELEPHONE
CENTRAL HARLEM	2238 5 <sup>TH</sup> AVENUE, 3 <sup>RD</sup> FLOOR, NEW YORK, NY 10037	212-690-0606
CHELSEA	303 9 <sup>TH</sup> AVENUE, 2 <sup>ND</sup> FLOOR, NEW YORK, NY 10001	212-239-1718
CORONA	34-33 JUNCTION BLVD, JACKSON HEIGHTS, NY 11372	718-476-7627
BUSHWICK*	335 CENTRAL AVENUE, BROOKLYN, NY 11221	718-573-4822
EAST HARLEM	158 EAST 115 <sup>TH</sup> STREET, 1 <sup>ST</sup> FLOOR, NEW YORK, NY 10029	212-360-5962
FORT GREENE	295 FLATBUSH AVENUE EXT, 2 <sup>ND</sup> FLOOR, BROOKLYN, NY 11201	718-643-4133
JAMAICA	90-37 PARSONS BLVD, 1 <sup>ST</sup> FLOOR, JAMAICA, NY 11432	718-262-5572
MORRISANIA	1309 FULTON AVENUE, 2 <sup>ND</sup> FLOOR, BRONX, NY 10456	718-579-6615
RICHMOND	51 STUYVESANT PLACE, 1 <sup>ST</sup> FLOOR, STATEN ISLAND, NY 10301	718-420-4995
RIVERSIDE	160 WEST 100 <sup>TH</sup> STREET, NEW YORK, NY 10025	212-865-7757

\* Formerly located in Crown Heights.

- Please call 311 to locate the nearest clinic or check our website at [www.nyc.gov/health/std](http://www.nyc.gov/health/std).
- Our staff can also assist in partner location and notification for HIV and other STD. Call the Contact Notification Assistance Program (CNAP) at (212) 693-1419.
- For provider reporting of STD:  
The Universal Reporting Form (URF) can be obtained by calling 1-866-NYC-DOH1 (1-866-692-3641) or accessing it online at: <http://www.nyc.gov/html/doh/html/hcp/hcp-urf.shtml>
- For provider reporting of HIV/AIDS:  
For assistance in reporting a case of HIV/AIDS or to receive Provider Report Forms, please call (212) 442-3388.

#### Acknowledgements:

Thanks to all the staff of the Surveillance Team for collecting and collating the data presented in the quarterly report, and to Mary Shao for the preparation of this report.

#### For questions regarding this report, please contact:

Ellen Klingler ([eklingl@health.nyc.gov](mailto:eklingl@health.nyc.gov))

or

Preeti Pathela ([ppathela@health.nyc.gov](mailto:ppathela@health.nyc.gov))

or

Mary Shao ([yshao1@health.nyc.gov](mailto:yshao1@health.nyc.gov))

#### Published by:

The Bureau of Sexually Transmitted Disease Control  
New York City Department of  
Health & Mental Hygiene

125 Worth Street, Room 207

New York, NY 10013

Tel: (212) 788-4423

Fax: (212) 788-4431

#### Suggested citation for use:

The New York City  
Department of Health and Mental Hygiene  
Bureau of Sexually Transmitted Disease Control  
*Quarterly Report Vol 4, no. 1* March 2006.