

New York City Cycling Risk

Changes in cyclist safety relative to bicycle use in New York City
2000 - 2014




Polly Trottenberg
Commissioner

Disclaimer:

The preparation of this report has been financed through the U.S. Department of Transportation's Federal Transit Administration and Federal Highway Administration. This document is disseminated under the sponsorship of the New York Metropolitan Transportation Council in the interest of information exchange. The contents of this report reflect the views of the authors who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the Federal Transit Administration, Federal Highway Administration or the State of New York. This report does not constitute a standard, specification or regulation.

This report (New York City Cycling Risk Indicator) was funded through the New York Metropolitan Transportation Council SFY 2015-2016 Unified Planning Work Program project Strategic Performance Planning Projects PTDT15D00.G05, which was funded through matching grants from the Federal Transit Administration and from the Federal Highway Administration.

New York City Cycling Risk: Bicyclist Severe Injuries and Fatalities (KSI) per Ten Million Cycling Trips



New York City Cycling Risk

Year	Bicyclist Fatalities	Bicyclist Severe Injuries	Bicyclist Fatalities and Severe Injuries (KSI)	Estimated Cycling Trips (in Millions)	KSI per 10 Million Trips
2000	18	440	458	54.9	83.4
2005	22	322	344	62.1	55.4
2006	18	351	369	65.7	56.2
2007	24	341	365	76.7	47.6
2008	22	326	348	87.8	39.6
2009	12	326	338	87.6	38.6
2010	19	387	406	91.3	44.5
2011	22	373	395	98.6	40.1
2012	18	375	393	117.1	33.6
2013	12	408	420	138.7	30.3
2014	20	341	361	153.3	23.5

New York City Cycling Risk

New York City Cycling Risk, expressed as KSI per 10 Million Trips, is measured as the number of bicyclists killed or severely injured (“KSI”) in motor vehicle traffic crashes per ten million cycling trips per year. This method describes changes in cyclist safety over the past decade while accounting for the increase in bicycle use in New York City.

The decrease in the Cycling Risk from a high of 83.4 KSI per 10 Million Trips in 2000 to 23.5 in 2014 represents a **72% decrease in the average risk of a serious injury** experienced by cyclists in New York City.

NYCDOT uses the sum of bicyclist fatalities and severe injuries for several reasons.

Severe injuries (Type A injuries, as reported by responding officers and classified by the NYS Dept. of Motor Vehicles) generally receive medical attention and are more likely than other injuries to result in medically serious outcomes such as long-term disabilities. Severe injuries are reported more consistently than non-severe injuries. Bicyclist fatalities vary widely from year to year; bicyclist severe injuries are more consistent. Summing severe injuries and fatalities allows observation of year-to-year changes in the number of serious bicyclist crashes.

Sources:

- The estimate of annual cycling trips is based on the Daily Cycling Trips Estimate from American Community Survey Journey to Work data: <http://www.nyc.gov/html/dot/downloads/pdf/cycling-in-the-city.pdf>
- Bicyclist fatalities: NYCDOT-NYPD Reconciled Traffic Fatality Database
- Bicyclist severe injuries: NYSDOT SIMS/ALIS Crash Database (as of 10/13/15)
 - Type A injuries reported in crashes involving bicycles.