

Traffic Stipulations

Number	Description
010	This permit may be extended once only, for a period of 14 at \$40. However, it must be presented for extension no later than 5 business prior to expiring.
011	Post signs meeting NYCDOT specifications for directing pedestrians to opposite sidewalk.
012	Flag person must be provided to stop pedestrians and/or vehicular traffic while lifting material overhead.
013	Maintain a minimum of 5 foot clear sidewalk.
014	Maintain a minimum of 5 foot pedestrian walk in roadway. Walkway must meet NYCDOT specifications
015	Maintain a minimum of 8 foot clear sidewalk
016	Full width of sidewalk shall be opened to pedestrians when site is unattended
017	Contractors shall notify Police, Fire, EMS, Community boards, and abutting property owners 48 hours prior to construction.
018	No noisy operations may occur after 10:00 PM.
019	Work 7 AM to 6 PM, Monday to Friday.
020	Restore all travel lanes to traffic after working hours.
021	Maintain one 12 foot lane for local and emergency traffic at all times.
022	Place barricades and post signs meeting NYC MUTCD standards stating "road Closed to Through Traffic."
023	Maintain one 11 foot lane for traffic.
024	Maintain two 11 foot lanes for traffic.
025	Maintain three 11 foot lanes for traffic.
026	Maintain four 11 foot lanes for traffic.
027	Maintain 2 lanes for traffic, 1 lane in each direction.
028	Maintain 4 lanes for traffic, 2 lanes in each direction.
029	Coordinate construction activity with theatre prior to work.
030	Occupy a maximum of 12 feet of roadway for asbestos removal.
031	Maintain two 11 foot lanes, one 11 foot lane on each side of the existing double yellow center line.
032	Maintain four 11 foot lanes, two 11 foot lanes on each side of the existing double yellow center line.
033	Maintain two 11 foot lanes, one 11 foot lane on each side of the existing center mall.
034	Maintain four 11 foot lanes, two 11 foot lanes on each side of the existing center mall.
035	Maintain one 11 foot lane for two-way traffic with flaggers at each end of the work zone.
036	No work may extend more than 8 feet from the curb without explicit authorization from OCMC.
037	Section 24-224 Administrative Code Variance granted for hours and stipulated herein.
038	Warning signs and traffic safety devices shall be provided, installed, maintained and removed by the Permittee in accordance with the "New York State Manual of Uniform Traffic Control Devices."
039	Occupy 8-foot width of roadway adjacent to the curb.
040	Occupy 12 foot width of roadway; full width of roadway restored to traffic when site is unattended.
041	Occupy one 11 foot lane.
042	Occupy two 11 foot lanes.
043	Occupy three 11 foot lanes.
044	Occupy four 11 foot lanes.
045	Occupy 12 foot width of roadway, restore all travel lanes after working hours.
047	Occupy 8 foot width of roadway adjacent to NORTH curb line.
048	Occupy 8 foot width of roadway adjacent to SOUTH curb line.
049	Occupy 8 foot width of roadway adjacent to EAST curb line.
050	Occupy 8 foot width of roadway adjacent to WEST curb line.
051	Occupy 11 foot width of roadway adjacent to NORTH curb line.
052	Occupy 11 foot width of roadway adjacent to SOUTH curb line.
053	Occupy 11 foot width of roadway adjacent to EAST curb line.
054	Occupy 11 foot width of roadway adjacent to WEST curb line.
055	Occupy 20 foot width of roadway adjacent to NORTH curb line.
056	Occupy 20 foot width of roadway adjacent to SOUTH curb line.
057	Occupy 20 foot width of roadway adjacent to EAST curb line.
058	Occupy 20 foot width of roadway adjacent to WEST curb line.
059	All containers must comply with local law 34A.
060	Work may occur 24 hours a day, seven a week.
061	All work operations must be restricted to within 11 feet of the NORTHEAST quadrant of the intersection.
062	All work operations must be restricted to within 11 feet of the NORTHWEST quadrant of the intersection.
063	All work operations must be restricted to within 11 feet of the SOUTHEAST quadrant of the intersection.

064	All work operations must be restricted to within 11 feet of the SOUTHWEST quadrant of the intersection.
065	Work crossing roadway CANNOT extend more than 11 feet at a time. Backfill and plate before proceeding.
066	Do not place materials, trailers, cranes, or equipment in front of hydrants, bus stops or driveways.
067	Work 9PM to 6AM Monday to Friday, maintain two 11 foot lanes for traffic, restore full width when site is unattended.
068	Work 11PM to 5AM Monday to Friday, maintain two 11 foot lanes for traffic, restore full width when site is unattended.
069	Work 12:01AM to 5AM Monday to Friday and/or Sunday 12:01 to 8AM, full closure of roadway, restore full width when site is unattended.
070	Working hours are Eastbound 7AM to 3PM or Westbound 10AM to 4PM, Monday through Friday.
071	Work 10AM to 4PM, Monday to Friday.
072	Work 9AM to 4PM, Monday to Friday.
073	Work Monday to Friday, 10AM to 4PM, and Saturday and Sunday, with no noisy operations after midnight.
074	Work Saturday 8AM to 6PM and Sunday 9AM to 6PM.
075	Work Saturday and Sunday and/or weeknights 7PM to 6AM.
076	Work Saturday and Sunday.
077	No noisy operations after midnight.
078	Full width of roadway shall be opened to traffic when site is unattended.
079	Work 7PM to 10AM weeknights.
080	Work 7PM to 6AM weeknights, no weekends.
081	Work 10AM to 7PM, Monday through Friday.
082	Work 7AM to 4PM, Monday through Friday.
083	Work Sunday only, 12:01AM to 6PM.
084	Work Sunday, 12:01AM to 6AM Monday morning.
085	Work from 7PM Friday through 6AM Monday.
086	Work 7AM to 3PM, Monday through Friday.
087	Work 9AM to 3PM, Monday through Friday.
088	Work 10AM to 3PM, Monday through Friday.
089	Work 9AM to 7PM except Sunday.
090	Embargo
091	This permit activity may not be started until permittee coordinates with the resident engineer.
092	Requires OCMC review.
093	Work hours are northbound 7AM to 3PM or southbound 10AM to 4PM, Monday through Friday.
094	Work hours are northbound 10AM to 4PM or southbound 7AM to 3PM, Monday through Friday.
095	Work hours are northbound 7AM to 3PM or southbound 10AM to 6PM, Monday through Friday.
096	Work hours are northbound 10AM to 6PM or southbound 7AM to 3PM, Monday through Friday.
097	Work hours are eastbound 10AM to 4PM or westbound 7AM to 3PM, Monday through Friday.
098	Work hours are eastbound 7AM to 3PM or westbound 10AM to 6PM, Monday through Friday.
100	Work hours are eastbound 10AM to 6PM or westbound 7AM to 3PM, Monday through Friday.
101	The Permittee is required to install, maintain and remove all necessary temporary parking and regulatory signs and pavement markings.
102	Work 10PM to 6AM nightly.
103	Parking of private vehicles on the street (roadway and sidewalk) work areas is prohibited.
104	Local and emergency access must be provided from each end of the block at the intersections with use of flaggers and signage.
105	Designated as cobblestone / distinctive street. Roadway / sidewalk must be restored in kind. Approval from DOT Borough Street Maintenance is required before work commences.
106	Contractors shall notify in writing Police, Fire, EMS, Community Boards, and all property owners on the affected street segment a minimum of 7 calendar days prior to closure. When applicable, NYCT or private bus companies must also be notified.
107	Loading and unloading, standing or parking in a lane adjacent to the work zone in the roadway is prohibited. This applies to permittees and all of their subcontractors.
108	NYC Administrative Code, 19-142, workers on excavations: a person to whom a permit may be issued, to use or open a street, shall be required, before such permit may be issued, to agree that none but competent workers, skilled in the work required of them, shall be employed thereon, (cont. on stip 109)
109	...and that the prevailing scale of union wages shall be the prevailing wage for similar titles as established by the fiscal officer pursuant to sec. Two hundred twenty of the labor law, paid to those so employed.
110	A VMS board must be placed a minimum of 7 calendar days prior to closures within a legal parking space entering the street to be closed and the dates and times of such closure. VMS board must be removed upon completion of the approved closure.

111	A 4' x 4' fixed orange construction sign with 5" black lettering must be placed a minimum of 7 calendar days prior to closure at a location entering the street to be closed. The sign must be placed at a height of 7-10 feet and state the street to be closed and the dates and times of such closure. Fixed sign must be removed upon completion of the approved closure.
204	This permit includes authorization for the storage of equipment and materials on the job site only. Off-site storage must be permitted separately
206	Designated landmark area. Pavement must be restored in kind. Approval from the landmarks preservation Commission is required before work commences.
410	Variance granted to work during the construction embargo as stipulated by OCMC office.