

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-01(c)	BX04	Failure of Asbestos Handler Supervisor to comply with all provisions of Asbestos Rules	1200	1000	2400	1500
1-01(e)	BX01	Knowingly made a false statement or submitted a false document to DEP	2400	1500	4800	3000
1-01(f)	BX03	Did not permit DEP inspection of Asbestos Project/Abatement Activities	2400	1500	4800	3000
1-01(g)	BX02	Interfered with or obstructed DEP personnel	2400	1500	4800	3000
		ASBESTOS INVESTIGATION CERTIFICATE				
1-16(a)	BX1F	Conducted building survey and hazard assessment without DEP certification	2400	1500	4800	3000
1-16(f)	BX1G	Failed to sign/affix valid investigators seal to plan report as required	1200	1000	2400	1500
1-21(a)	BX1H	Failed to comply with reporting and filing requirements	2400	1500	4800	3000
1-21(b)	BX1I	Failed to calculate project size and scope as required	2400	1500	4800	3000
		NOTIFICATION				
1-22(b)	BX1J	Owner failed to determine the amount of ACM to be disturbed by	2400	1500	4800	3000
1-22(c)	BX1K	Failed to file required DEP notification w/Buildings Department	2400	1500	4800	3000
1-22(d)	BX1L	Failed to notify DEP in writing of changes in project notification	1200	1000	2400	1500
1-23(b)	BX1M	Failed to file required Not an Asbestos project notice with	1200	1000	2400	1500
1-23(c)	BX1O	Failed to submit DEP Asbestos inspection report to NYC	2400	1500	4800	3000
1-23(d)	BX1Q	Failed to notify DEP in writing of any change in project notification	1200	1000	2400	1500
1-25(c)	BX1R	Failed to file Asbestos inspection report 7 days before work starts	2400	1500	4800	3000
1-25(d)	BX1S	Failed to notify DEP in writing of any change in project notification	1200	1000	2400	1500
1-26(b)	BX1T	Failed to immediately notify DEP of emergency project as required	2400	1500	4800	3000
1-26(c)	BX1U	Failed to notify DEP in writing of emergency project within 48 hours	2400	1500	4800	3000
		RECORDKEEPING REQUIREMENTS FOR INVESTIGATOR				
1-27(a)	BX1V	Failed to maintain permanent records of Asbestos surveys as	2400	1500	4800	3000
1-27(b)	BX1W	Failed to compile complete records of Asbestos survey as required	1200	1000	2400	1500

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-27(c)	BX1Y	Failed to properly record work by non-certified individual as required	1200	1000	2400	1500
1-27(d)	BX1Z	Failed to maintain records of Asbestos surveys for 30 years	1200	1000	2400	1500
1-27(e)	BX10	Failed to make Asbestos survey records available for inspection	2400	1500	4800	3000
		AIR MONITORING				
1-36(a)	BX12	Employed unqualified/uncertified Air Monitor	4800	3000	9600	6000
1-36(b)	BX13	Used lab without required qualifications to perform bulk sample	2400	1500	4800	3000
1-36(c)	BX14	Used lab without required qualifications to perform Air sample	2400	1500	4800	3000
1-36(d)	BX15	Employed unqualified analyst to perform Air sample analysis (TEM)	2400	1500	4800	3000
1-37(a)	BX16	Failed to perform bulk sampling as required	1200	1000	2400	1500
1-37(b)	BX17	Failed to utilize area Air sampling equipment for PCM per 60	1200	1000	2400	1500
1-37(c)	BX2A	Failed to utilize area Air sampling equipment for TEM as required	1200	1000	2400	1500
1-41(a)	BX2B	Failed to conduct Air sampling in accordance with required schedule	4800	3000	9600	6000
1-41(b)	BX2C	Failed to conduct Pre-Abatement Air sampling as required	1200	1000	2400	1500
1-41(c)	BX2D	Failed to conduct Air sampling during abatement as required	2400	1500	4800	3000
1-41(d)	BX2E	Failed to conduct Post-Abatement Air monitoring as required	1200	1000	2400	1500
1-42(a)	BX2F	Utilized unrepresentative sampling zone for indoor Air samples	1200	1000	2400	1500
1-42(b)	BX2G	Failed to locate ambient samplers properly	1200	1000	2400	1500
1-42(c)	BX2H	Placed Air sampling equipment in corners or near obstructions	1200	1000	2400	1500
1-42(d)	BX2I	Failed to have a chain of custody record for air samples	2400	1500	4800	3000
1-42(e)	BX2J	Failed to follow specified area sampling schedule for air monitoring	2400	1500	4800	3000
1-42(f)	BX2K	Failed to conduct air sampling for glovebag and tent procedures	2400	1500	4800	3000
1-43(a)	BX2L	Failed to confirm absence of visible ACM before final air monitoring	2400	1200	4800	2400
1-43(b)	BX2M	Failed to properly place required number of samples in work area	1200	1000	2400	1500
1-43(c)	BX2N	Failed to properly place samples outside work area	1200	1000	2400	1500
1-43(d)	BX2O	Failed to conduct aggressive sampling according to required	2400	1500	4800	3000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-43(e)	BX2P	Area Air samples did not meet schedules for Post-Abatement	2400	1500	4800	3000
1-43(f)	BX2Q	Failed to reclean and re-sample in areas that failed clearance as	2400	1500	4800	3000
1-43(g)	BX2R	Failed to meet release criteria for any independent work area	2400	1500	4800	3000
1-44(a)	BX2S	Failed to analyze and report PCM area Air samples as required	2400	1500	4800	3000
1-44(b)	BX2U	Failed to analyze and report TEM area Air samples as required	2400	1500	4800	3000
1-44(c)	BX2V	Failed to analyze and report bulk sample as required	1200	1000	2400	1500
1-44(d)	BX2W	Failed to submit bulk/Air sampling results w/in 5 days of DEP	2400	1500	4800	3000
1-45(a)	BX2X	Failed to follow proper procedures when action criteria exceeded	4800	3000	9600	6000
1-45(b)	BX2Y	Failed to meet clearance and/or reoccupancy criteria	2400	1500	4800	3000
		WORKER PROTECTION REQUIREMENTS				
1-51(a)	BX2Z	Employed uncertified workers on an Asbestos project	4800	3000	9600	6000
1-51(b)	BX21	Failed to have supervisor present during abatement activities	4800	3000	9600	6000
1-51(c)	BX22	Allowed persons inside work place w/out proper protective clothing	4800	3000	9600	6000
1-51(d)	BX23	Failed to perform personal Air monitoring as per OSHA standards	2400	1500	4800	3000
1-51(e)	BX25	Failed to meet personal hygiene requirements at work site	1200	1000	2400	1500
1-51(f)	BX26	Failed to have required info in clean room	2400	1500	4800	3000
1-51(g)	BX27	Failed to post Asbestos warning signs at all approaches to work	2400	1500	4800	3000
1-51(h)	BX28	Failed to affix required warning labels to all ACM waste containers	2400	1500	4800	3000
		MATERIALS AND EQUIPMENT				
1-61(a)	BX30	Did not store replacement materials outside work area as required	2400	1500	4800	3000
1-61(b)	BX3P	Used replacement materials which did not comply with NYC	1200	1000	2400	1500
1-61(c)	BX3Q	Failed to use plastic of 6-mil thickness or greater for plasticizing	2400	1500	4800	3000
1-61(d)	BX3R	Used duct tape and/or adhesive incapable of properly sealing plastic	2400	1500	4800	3000
1-61(e)	BX3S	Failed to use and/or label 6-mil bags or containers for ACM as	2400	1500	4800	3000
1-61(f)	BX3T	Failed to enclose ACM in airtight manner with impact resistant	2400	1500	4800	3000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-61(g)	BX3V	Failed to use HEPA filtration as required on hand power tools	1200	1000	2400	1500
1-61(h)	BX3W	Failed to provide ladders/scaffolds and/or seal joints/ends of same	2400	1500	4800	3000
1-61(i)	BX3Y	Failed to use UL listed and approved electrical equipment	1200	1000	2400	1500
1-61(j)	BX3Z	Failed to obtain DEP approval for substitute equipment/material	1200	1000	2400	1500
		GENERAL WORK PLACE PREPARATION-LARGE PROJECT				
1-81(a)	BX3A	Failed to post notice of Asbestos project as specified	1200	1000	2400	1500
1-81(b)	BX3B	Failed to vacate work place prior to and during abatement activities	4800	3000	9600	6000
1-81(c)	BX3C	Failed to provide power from outside the work area thru GFI at	4800	3000	9600	6000
1-81(d)	BX3D	Failed to install worker and/or waste decon in required sequence	4800	3000	9600	6000
1-81(e)	BX3E	Did not limit disturbance of ACM before erecting partition as required	2400	1500	4800	3000
1-81(f)	BX3F	Failed to lockout/isolate heating/ventilation/Air conditioning system	4800	3000	9600	6000
1-81(g)	BX3G	Commenced abatement prior to completion of work place	4800	3000	9600	6000
1-81(h)	BX3H	Failed to properly pre-clean and remove movables and/or cover	1200	1000	2400	1500
1-81(i)	BX3I	Failed to properly pre-clean and plasticize fixed objects in work area	1200	1000	2400	1500
1-81(j)	BX3J	Failed to properly pre-clean the work area prior to plasticizing	2400	1500	4800	3000
1-81(k)	BX3K	Failed to install isolation barriers over all openings to work place	4800	3000	9600	6000
1-81(l)	BX3L	Did not segregate work area from work site with partitions as	4800	3000	9600	6000
1-81(m)	BX3M	Failed to properly seal floors and walls with 2 layers of 6-mil plastic	4800	3000	9600	6000
1-81(n)	BX3N	Failed to remove/clean ceiling-mounted objects not previously sealed	1200	1000	2400	1500
1-81(o)	BX3O	Removed contaminated ceiling tiles prior to full work area preparation	2400	1500	4800	3000
1-81(p)	BX3P	Failed to establish and maintain emergency/fire exits from work area	4800	3000	9600	6000
1-81(q)	BX3Q	Failed to lock entrances not used for workers or as emergency exits	2400	1500	4800	3000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-81(r)	BX4O	Failed to properly seal and/or cover floor drains, pits, sumps, etc.	1200	1000	2400	1500
1-81(s)	BX4P	Did not maintain, secure, lockout elevators running thru work area	4800	3000	9600	6000
1-81(t)	BX4Q	Failed to provide adequate toilet facilities in vicinity of clean room	1200	1000	2400	1500
		WORKER DECONTAMINATION ENCLOSURE - LARGE PROJECT				
1-82(a)	BX4R	Failed to provide or locate worker decon outside work area as	4800	3000	9600	6000
1-82(b)	BX4S	Failed to construct worker decon as specified	4800	3000	9600	6000
1-82(c)	BX4T	Failed to fully line worker decon with 2 layers of opaque 6-mil plastic	2400	1500	4800	3000
1-82(d)	BX4U	Failed to secure/weatherproof outside or publicly accessible decon	2400	1500	4800	3000
1-82(e)	BX4V	Failed to provide proper prefabricated or trailer worker decon	1200	1000	2400	1500
1-82(f)	BX4W	Failed to construct and/or maintain clean room as required	1200	1000	2400	1500
1-82(g)	BX4X	Failed to install and/or maintain shower room as required	2400	1500	4800	3000
1-82(h)	BX4Z	Failed to provide shower filtration system as specified	2400	1500	4800	3000
1-82(i)	BX40	Failed to properly use or maintain equipment room	1200	1000	2400	1500
		WASTE DECONTAMINATION ENCLOSURE SYSTEM - LARGE PROJECT				
1-83(a)	BX41	Failed to properly construct waste decon as specified	4800	3000	9600	6000
1-83(b)	BX42	Failed to locate/install waste/worker decon where 1 exit exists	2400	1500	4800	3000
1-83(c)	BX43	Failed to construct waste decon in accordance with	2400	1500	4800	3000
		ENGINEERING CONTROLS - LARGE PROJECT				
1-91(a)	BX44	Failed to utilize negative pressure ventilation equipment	4800	3000	9600	6000
1-91(b)	BX45	Failed to use negative pressure ventilation equipment 24hrs/day	4800	3000	9600	6000
1-91(c)	BX46	Did not maintain static negative Air pressure of 0.02 in. water	4800	3000	9600	6000
1-91(d)	BX47	Failed to turn on negative Air units 1 by 1 to check barrier integrity	2400	1500	4800	3000
1-91(e)	BX48	Failed to use dedicated power supply for negative Air units	2400	1500	4800	3000
1-91(f)	BX49	Failed to follow procedures for loss of power to negative Air units	4800	3000	9600	6000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-91(g)	BX5A	Failed to provide one Air change every 15 mins. in work area	2400	1500	4800	3000
1-91(h)	BX5B	Failed to make openings for negative Air units airtight	1200	1000	2400	1500
1-91(i)	BX5C	Used negative Air units not in compliance w/ANSI 9.2. Standards	4800	3000	9600	6000
1-91(j)	BX5D	Operated negative Air system contrary to EPA report 560/5-85	4800	3000	9600	6000
1-91(k)	BX5E	Failed to exhaust negative Air units to outside as required	2400	1500	4800	3000
1-91(l)	BX5F	Failed to properly use second negative Air unit in series as required	2400	1500	4800	3000
1-91(n)	BX5G	Failed to smoke test/inspect/monitor ducts to ensure no fiber	1200	1000	2400	1500
		WORK PLACE ENTRY AND EXIT PROCEDURES - LARGE PROJECT				
1-92(a)	BX5H	Failed to ensure proper work place entrance procedures are followed	2400	1500	4800	3000
1-92(b)	BX5I	Failed to ensure that proper work area exit procedures are followed	4800	3000	9600	6000
		EQUIP/WASTE CONTAINER DECON & REMOVAL PROC. LARGE PROJECT				
1-93(a)	BX5J	Permitted storage of ACM/carts in clean room when used as	1200	1000	2400	1500
1-93(b)	BX5K	Improperly removed waste while workers used combined decon	1200	1000	2400	1500
1-93(c)	BX5L	Improper worker transit during waste transfer in combined decon	1200	1000	2400	1500
1-93(d)	BX5M	Did not clean ACM container/equipment properly before transfer	1200	1000	2400	1500
1-93(e)	BX5N	Failed to properly bag/package containerized ACM waste and	1200	1000	2400	1500
1-93(f)	BX5O	Improper washroom transit of workers prior to end of waste removal	1200	1000	2400	1500
1-93(g)	BX5P	Failed to properly remove waste and equipment from airlock to	1200	1000	2400	1500
1-93(h)	BX5Q	Failed to use/clean waste storage carts as required	1200	1000	2400	1500
1-93(i)	BX5R	Failed to secure exit from waste decontamination system	1200	1000	2400	1500
1-93(j)	BX5S	Failed to store waste storage carts in worksite holding area	1200	1000	2400	1500
		MAINTENANCE OF DECON SYSTEM AND BARRIERS- LARGE PROJECT				
1-94(a)	BX5T	Failed to inspect plastic barriers and partitions twice per shift	1200	1000	2400	1500
1-94(b)	BX5U	Failed to smoke test plastic barriers and decon twice daily	1200	1000	2400	1500
1-94(c)	BX5V	Failed to immediately repair damage or defects in decon	2400	1500	4800	3000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-94(d)	BX5W	Failed to follow proper procedure upon fiber release or barrier	4800	3000	9600	6000
1-94(e)	BX5X	Failed to document specified events in daily projects log	1200	1000	2400	1500
		ACM ABATEMENT PROCEDURES				
1-102(a)	BX5Y	Performed dry removal of ACM without EPA and/or DEP approval	4800	3000	9600	6000
1-102(b)	BX5Z	Failed to sufficiently wet down ACM for enhanced penetration	4800	3000	9600	6000
1-102(c)	BX50	Failed to properly apply removal encapsulant as per federal	1200	1000	2400	1500
1-102(d)	BX51	Failed to bag ACM directly upon detachment from substrate as	2400	1500	4800	3000
1-102(e)	BX52	Failed to properly wet, wrap and secure large components of ACM	2400	1500	4800	3000
1-102(f)	BX53	Failed to remove all visible ACM residue from abated surfaces	2400	1200	4800	2400
1-102(g)	BX54	Failed to encapsulate abated surfaces with pigmented encapsulant	2400	1200	4800	2400
		ENCAPSULATION PROCEDURES				
1-103(a)	BX55	Failed to repair damaged insulation w/proper replacement material	1200	1000	2400	1500
1-103(b)	BX56	Failed to properly remove loose or hanging ACM before	1200	1000	2400	1500
1-103(c)	BX57	Failed to use acceptable pigmented encapsulant	1200	1000	2400	1500
1-103(d)	BX57	Used encapsulant solvent or vehicle containing volatile hydrocarbon	1200	1000	2400	1500
1-103(e)	BX59	Improperly used latex paint as encapsulant	1200	1000	2400	1500
1-103(f)	BX6A	Failed to properly field test encapsulant prior to use	1200	1000	2400	1500
1-103(g)	BX6B	Failed to apply required thickness of bridging encapsulant over ACM	1200	1000	2400	1500
1-103(h)	BX6C	Failed to use a different color for each coat of encapsulant	1200	1000	2400	1500
1-103(i)	BX6D	Failed to properly apply penetrating encapsulant to ACM	1200	1000	2400	1500
1-103(j)	BX6E	Failed to apply encapsulant with airless spray equipment as	1200	1000	2400	1500
1-103(k)	BX6F	Failed to properly identify encapsulated ACM	2400	1500	4800	3000
		ENCLOSURE PROCEDURE				
1-104(a)	BX6G	Did not properly remove loose/hanging ACM before installing	2400	1500	4800	3000
1-104(b)	BX6H	Failed to properly repair areas damaged during enclosure procedure	1200	1000	2400	1500
1-104(c)	BX6I	Failed to properly lower/remove/replace utilities service components	1200	1000	2400	1500

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-104(d)	BX6J	Failed to properly identify enclosed ACM	2400	1500	4800	3000
		GLOVEBAG PROCEDURES				
1-105(a)	BX6K	Failed to properly conduct glovebag procedures	4800	3000	9600	6000
1-105(b)(1)	BX6M	Failed to bring tools/materials into work area before glovebag begins	2400	1500	4800	3000
1-105(b)(2)	BX6N	Failed to conduct Air monitoring during glovebag procedure as	2400	1500	4800	3000
1-105(b)(3)	BX6O	Failed to have trained/equipped workers to conduct glovebag	2400	1500	4800	3000
1-105(b)(4)	BX6P	Failed to use properly sized glovebag for diameter of insulation	2400	1500	4800	3000
1-105(b)(5)	BX6Q	Failed to wet ACM prior to stripping during glovebag procedure	4800	3000	9600	6000
1-105(b)(6)	BX6R	Failed to properly attach glovebag to insulation	4800	3000	9600	6000
1-105(b)(7)	BX6S	Failed to smoke test glovebag as required	2400	1500	4800	3000
1-105(b)(8)	BX6T	Failed to properly seal adjacent insulation during glovebag procedure	2400	1500	4800	3000
1-105(b)(9)	BX6U	Failed to properly clean/wet surface, tools, etc. before glovebag	2400	1500	4800	3000
1-105(b)(10)	BX6V	Failed to properly seal insulation ends	2400	1200	4800	3000
1-105(b)(11)	BX60	Failed to properly remove tools/tool pouch from glovebag	2400	1500	4800	3000
1-105(b)(12)	BX61	Failed to use HEPA vacuum to evacuate glovebag or for clean up	2400	1500	4800	3000
1-105(b)(13)	BX62	Failed to properly collapse or seal glovebag prior to bag removal	2400	1500	4800	3000
1-105(b)(14)	BX63	Failed to properly double-bag and detach glovebag	2400	1500	4800	3000
1-105(b)(15)	BX64	Failed to properly wet/bag, dispose of waste from glovebag	2400	1500	4800	3000
		TENT PROCEDURES				
1-106(a)	BX65	Conducted tent procedures on 260 linear ft/160 sq. or more of ACM	2400	1500	4800	3000
1-106(b)	BX66	Failed to properly install and/or construct tent	2400	1500	4800	3000
1-106(c)		Failed to wear appropriate personal protective equipment during	2400	1500	4800	3000
1-106(d)	BX67	Failed to attach tent to surface to produce an airtight seal	2400	1500	4800	3000
1-106(e)	BX68	Failed to provide/maintain proper negative Air in tent	1200	1000	2400	1500
1-106(f)	BX69	Failed to use required wet removal methods during tent procedures	2400	1500	4800	3000
1-106(g)	BX7A	Failed to place ACM removed in tent procedures in leaktight	2400	1500	4800	3000
1-106(h)	BX7B	Failed to properly clean/encapsulate enclosed surfaces in tent	2400	1500	4800	3000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-106(i)	BX7C	Failed to clean/encapsulate surfaces after tent failure/termination	2400	1500	4800	3000
1-106(j)	BX7D	Failed to properly clean/double bag ACM for disposal as specified	2400	1500	4800	3000
1-106(k)	BX7E	Failed to follow specified procedures for worker exit from tent	2400	1500	4800	3000
1-106(l)	BX7F	Failed to have 6 Air changes after abatement but before tent	2400	1500	4800	3000
1-106(m)	BX7G	Did not collapse tent or dispose of contaminated material as	2400	1500	4800	3000
		PRELIMINARY CLEANUP PROCEDURES - LARGE PROJECT				
1-111(a)	BX7H	Failed to wet/clean up loose visible accumulations of ACM as	4800	3000	9600	6000
1-111(b)	BX7I	Failed to properly clean accumulations of dust off all surfaces daily	2400	1500	4800	3000
1-111(c)	BX7J	Failed to properly clean waste decon on completion of waste	2400	1500	4800	3000
1-111(d)	BX7K	Failed to properly clean worker decon when required	2400	1500	4800	3000
1-111(e)	BX7L	Failed to stop work and dispose of excess water in work area	1200	1000	2400	1500
1-111(f)	BX7M	Failed to clean spillage of ACM in elevator shaft as required	4800	3000	9600	6000
		FINAL CLEAN-UP PROCEDURES				
1-112(a)	BX7O	Failed to HEPA vacuum all surfaces after removal of all visible ACM	1200	1000	2400	1500
1-112(b)	BX7P	Failed to wet clean all surfaces in work area (first cleaning)	2400	1500	4800	3000
1-112(c)	BX7Q	Dismantled isolation barriers/decons before final clean up completed	4800	3000	9600	6000
1-112(d)	BX7B	Failed to follow required procedures for second cleaning	1200	1000	2400	1500
1-112(e)	BX7S	Failed to follow required procedures for third cleaning	1200	1000	2400	1500
1-112(f)	BX7T	Failed to verify absence of ACM prior to clearance Air monitoring	2400	1200	4800	2400
1-112(g)	BX7U	Failed to remove containerized waste from work area as required	1200	1000	2400	1500
1-112(h)	BX7V	Failed to properly decontaminate or dispose of tools, equipment,	1200	1000	2400	1500
1-112(i)	BX7W	Removed isolation barriers before successful clearance Air monitoring	4800	3000	9600	6000
		PRE-DEMOLITION ABATEMENT PROCEDURES				
1-125(a)	BX7X	Failed to post notice of Asbestos Project as required before	2400	1500	4800	3000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-125(b)	BX7Y	Failed to evacuate all occupants prior to abatement activities	2400	1500	4800	3000
1-125(c)	BX7Z	Failed to lock out electrical power and/or provide outside power	1200	1000	2400	1500
1-125(d)	BX70	Failed to install worker waste decon in required sequence	2400	1500	4800	3000
1-125(e)	BX71	Failed to lock out HVAC and/or install isolation barriers at ducts	4800	3000	9600	6000
1-125(f)	BX72	Commenced abatement prior to completion of work place	4800	3000	9600	6000
1-125(g)	BX73	Used methods that raise dust during work area preparation	2400	1500	4800	3000
1-125(h)	BX74	Failed to properly preclean and/or remove objects from work area	1200	1000	2400	1500
1-125(i)	BX75	Failed to install required isolation barriers as specified	2400	1500	4800	3000
1-125(j)	BX76	Failed to properly cover/seal cinderblock/porous construction	2400	1500	4800	3000
1-125(k)	BX78	Failed to make flooring in work area watertight	2400	1500	4800	3000
1-125(l)	BX8A	Disturbed contaminated ceiling tiles prior to full work area prep	2400	1500	4800	3000
1-125(m)	BX8B	Failed to establish and maintain emergency/fire exits from work area	2400	1500	4800	3000
1-125(n)	BX8C	Failed to lock entrances to work area against unauthorized entry	2400	1500	4800	3000
1-125(o)	BX8D	Failed to maintain/secure/lock-out elevators running thru work area	2400	1500	4800	3000
1-125(p)	BX8E	Failed to provide adequate external toilet facilities near clean room	1200	1000	2400	1500
		ACM PROCEDURES: ORDER OF WORK				
1-126(a)	BX8F	Failed to prevent demolition from compromising abatement on	4800	3000	9600	6000
1-126(b)	BX8G	Improperly routed demolition debris through removal project	1200	1000	2400	1500
1-126(d)	BX8H	Failed to maintain proper separation between abatement and	1200	1000	2400	1500
1-126(e)	BX8I	Failed to remove ACM from underground floors in proper sequence	1200	1000	2400	1500
1-126(f)	BX8J	Failed to remove ACM from street level floor last	1200	1000	2400	1500
		LOCKDOWN ENCAPSULATION PROCEDURES				
1-127(a)	BX80	Used unacceptable lockdown encapsulants	1200	1000	2400	1500
1-127(b)	BX81	Used encapsulant solvent or vehicle containing hydrocarbons	1200	1000	2400	1500
1-127(c)	BX82	Used unacceptable latex paint as a lockdown sealant on non-metal	1200	1000	2400	1500

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
1-127(d)	BX83	Failed to apply encapsulant with airless equipment as specified	1200	1000	2400	1500
		CLEAN-UP PROCEDURES DURING ABATEMENT				
1-128(a)	BX85	Failed to properly wet/clean up loose visible accumulations of ACM	4800	3000	9600	6000
1-128(b)	BX86	Failed to properly clean accumulations of dust off all surfaces daily	2400	1500	4800	3000
1-128(c)	BX87	Failed to properly clean waste decon on completion of waste removal	2400	1500	4800	3000
1-128(d)	BX88	Failed to clean worker decon after shift/meal break as specified	2400	1500	4800	3000
1-128(e)	BX89	Failed to stop work and dispose of excess water in work area	1200	1000	2400	1500
1-128(f)	BX90	Failed to clean spillage of ACM waste in elevator shaft as required	2400	1500	4800	3000
		CLEAN-UP PREPARATION FOR CLEARANCE AIR MONITORING				
1-129(a)	BX91	Failed to properly remove/containerize visible accumulations of ACM	4800	3000	9600	6000
1-129(b)	BX92	Failed to remove containerized waste from work area as required	2400	1500	4800	3000
1-129(c)	BX93	Failed to properly wet-clean/HEPA vac surfaces in work area	2400	1500	4800	3000
1-129(d)	BX94	Failed to properly clean and/or encapsulate plastic on porous material	2400	1500	4800	3000
1-129(e)	BX95	Failed to properly encapsulate surfaces in work area	2400	1500	4800	3000
1-129(f)	BX96	Failed to remove and decontaminate all tools and equipment as required	1200	1000	2400	1500
1-129(g)	BX99	Remove isolation barriers before final Air clearance	4800	3000	9600	6000

AIR ASBESTOS

Section of Law	ECB Computer Code	Violation Description	1st Offense Penalty	1st Violation Stipulation	2nd Offense Penalty	2nd Offense Stipulation
12 NYCRR Part 56		Violation of New York State Industrial Code Rule 56-level 1 (includes sections 56-4.2, 56-4.3, 56-4.9d, 56-4.10, 56-4.12c, 56-5.1a, 56-5.1f, 56-5.1h, 56-5.1j, 56-7.1d, 56-7.2n, 56-7.4a, 56-7.4b, 56-7.5a, 56-7.5b, 56-7.5c, 56-7.5d, 56-7.5e, 56-7.6, 56-7.7, 56-7.8a, 56-7.9a, 56-7.9b, 56-7.9c, 56-7.11a, 56-7.11b, 56-7.11d, 56-7.11e, 56-8.2e, 56-8.2g, 56-8.3a, 56-8.4a, 56-8.4b, 56-8.4c, 56-8.7a, 56-8.7l, 56-8.8a, 56-8.8b, 56-8.8k, 56-9.1a, 56-9.2d, 56-9.2g, 56-11.2a, 56-11.2f, 56-11.3a, 56-11.4a, 56-11.4b, 56-11.4c, 56-11.4d, 56-11.4e, 56-11.5a, 56-11.5c, 56-11.6a, 56-11.6b, 56-11.6c, 56-11.6d, 56-11.6e, 56-11.6f, 56-11.7a, 56-11.7b, 56-11.7c, 56-11.7d, 56-11.8a, 56-11.8b, 56-11.8c, 56-11.8d)	4800	3000	9600	6000
12 NYCRR Part 56		Violation of New York State Industrial Code Rule 56-level 2 (includes sections 56-4.5, 56-4.6, 56-4.8a, 56-4.8c, 56-4.9b, 56-4.9c, 56-4.12a, 56-4.12b, 56-5.1e, 56-6.2a, 56-6.2b, 56-7.1b, 56-7.1c, 56-7.2a, 56-7.2d, 56-7.2e, 56-7.2f, 56-7.2g, 56-7.2h, 56-7.2i, 56-7.2j, 56-7.2k, 56-7.2l, 56-7.2m, 56-7.3, 56-7.4c, 56-7.5f, 56-7.10c, 56-7.11c, 56-7.11f, 56-8.2a, 56-8.2b, 56-8.2h, 56-8.4e, 56-8.4f, 56-8.4g, 56-8.4h, 56-8.4i, 56-8.5a, 56-8.5b, 56-8.5c, 56-8.5d, 56-8.5e, 56-8.7j, 56-8.7k, 56-8.8c, 56-8.8e, 56-8.8i, 56-8.8j, 56-8.9a, 56-8.9b, 56-9.1b, 56-9.1d, 56-9.2b, 56-9.3a, 56-9.3c, 56-9.3d, 56-11.3d, 56-11.3e)	2400	1500	4800	3000
12 NYCRR Part 56		Violation of New York State Industrial Code Rule 56-level 3 (includes sections 56-3.4a, 56-3.6a, 56-3.6b, 56-3.6d, 56-3.6e, 56-4.7a, 56-4.7b, 56-4.7c, 56-4.8b, 56-4.9a, 56-5.1g, 56-7.2b, 56-7.2o, 56-7.10a, 56-7.10b, 56-7.11g, 56-8.1b, 56-8.2d, 56-8.2f, 56-8.6a, 56-8.6b, 56-8.7b, 56-8.7c, 56-8.7d, 56-8.7e, 56-8.7f, 56-8.7g, 56-8.7h, 56-8.7i, 56-8.8d, 56-8.8f, 56-8.8g, 56-8.8h, 56-8.9c, 56-8.9d, 56-8.9e, 56-8.9f, 56-8.9h, 56-8.9i, 56-9.1c, 56-9.1f, 56-9.1h, 56-9.3b, 56-10.2, 56-10.4, 56-11.3c, 56-11.5b)	1200	1000	2400	1500
24-146.1(h)	BX97	Resumed work in violation of stop work order	4400	2750	8800	5500