Basic Form LR



Land Use Review Application
Department of City Planning

120 Broadway, 31 st Floor, New York, NY 10271

City Diagning will	

-1625: 	7								
City Planning will assign and stamp reference numbers here	6	APPLICATION NUMBER			APPLICATION NUMBER				
		APPLICATION NUMBER			APPLICATION NUMB	ER			
1.		LE1SUB LLC			David Karnovs	kv			
APPLICANT AND		APPLICANT (COMPANY	/AGENCY OR OTHER C	RGANIZATION) *	APPLICANT'S PRIMA	ARY REPRESENTATIVE			
APPLICANT'S REPRESENTATIV	ES	c/o Starrett Comp	pany, 70 E. 55th	St., 7th Flr.	Fried, Frank, H	arris, Shriver & Ja	CODSON LLP		
		New York	NY	10022	One New York				
		CITY	STATE	ZIP	STREET ADDRESS				
		(212) 527-9903			New York	NY	10004		
		AREA CODE TELEPH	IONE # FAX#	ŧ	CITY	STATE	ZIP		
		* List additional app	licants below:		(212) 859-8927 AREA CODE TELE	EPHONE #	FAX#		
		CO-APPLICANT (COMPA	ANY/AGENCY OR OTHE	R ORGANIZATION)					
		CO-APPLICANT (COMPADDITIONAL APPLICANT REPRE		R ORGANIZATION)					
		NAME AND PROFESSIO	NAL AFFILIATION (ATT	ORNEY/ARCHITECT	/ENGINEER ETC.)	TELEPHONE #	FAX#		
2.		259 Clinton Stree	et		259 Clinton				
SITE DATA (If the site contains more than one property complete to			the north; Clinto	n Street east;	South Street to the	,	to the west		
"LR Item 2. Site D Attachment Sheet."	ata	C6-4				12d			
			,		CICT DESIGNATION, IF ANY)	2010 020110	DNAL MAP NO(S).		
		See Attached LR TAX BLOCK AND LOT N		a Attachment	BOROU	nattan 3	DMM. DIST.		
		URBAN RENEWAL AREA							
3.		IS SITE A NEW YORK C	ITY OR OTHER LANDM	ARK? NO X YES	IF YES, IDENTIFY				
DESCRIPTION OF PROPOSA		(If the entire project de sheet, identified as "Lf See Attached De	R item 3. Description of		"see attached description	" below and submit desc	ription on a separate		
4.		CHANGE IN CITY MA	PMM	\$	X MODIFICATION	CP-21885	\$ <u>14,742.50</u>		
ACTIONS REQUESTED		ZONING MAP AMENI	DMENTZM	\$	_				
AND FEES		ZONING TEXT AMEN	DMENT ZR	\$	FOLLOW-UP		\$		
(Check appropriate		ZONING SPECIAL PE	RMITZS	\$		APPLICATION NO.			
action(s) and	Ш	ZONING AUTHORIZA	TIONZA	\$	RENEWAL		\$ 		
attach supplemental	X	ZONING CERTIFICAT	TIONZC	\$ 3,400		APPLICATION NO.			
form)	Ц	PUBLIC FACILITY, SE	EL/ACQPF	\$	OTHER		\$		
* No	Ц	DISPOSITION OF RE	AL PROPPP	\$		SPECIFY			
supplemental form required	Ц	URBAN DEVELOP=T		\$	TOTAL FEE	(For all actions)	\$ <u>98,142.50</u>		
ioinii roquiieu	\vdash	URBAN RENEWAL P		\$	Make Check or Money (Order payable to Departi	ment of City Planning		
	H	HOUSING PLAN & PF		\$ \$	-	ned check box below and			
		REVOCABLE CONSE		\$ \$		104 OHOOK DON DEIUW AH	a explain		
		CONCESSION		\$					
		LANDFILL		\$	Has pre-application mee	eting been held? X N	o \square yes		
	X	OTHER (Describe)		<u> </u>		_			
	لت	Large Project Sup	plemental Fee	\$ 80,000	· OOOI ITOIRI	nann Representative	6/19/17 Date of meeting		

Basic Form LR - continued

O. ENVIRONMENTAL	CITY ENVIRONMENTAL QUALITY REVIEW (CEQR) (Discuss with CEQR LEAD AGENCY Department of City Planning	lead agency before completing) CEQR NUMBER 17DCP148M
REVIEW	TYPE OF CEQR ACTION:	
	TYPE II Type II category:	Date determination was made: March 27, 2017
	X TYPE I Has EAS been filed? Yes X	No 🗌
	UNLISTED If yes, Date EAS filed: March 27, 2017	
	Has CEQR determination been made? Yes X	No 🗌
	If yes, what was determination? Negative Declaration	· .
	CND	Date determination made: March 27, 2017 (Attach Copy)
	Positive Declaration X	
	If Positive Declaration, has PDEIS been filed?	-
	Has Notice of Completion (NOC) for DEIS been issued?	If yes, attach copy.
	If PDEIS has not been filed, has final scope been issued?	If yes, date issued:
6. COASTAL ZONE MANAGEMENT	IS SITE IN STATE DESIGNATED COASTAL ZONE MANAGEMENT (CZM)?	AREA? No Yes 🔀
7.	LIST ALL CURRENT OR PRIOR CITY PLANNING COMMISSION ACTIONS	DELATED TO SITE
RELATED ACTIONS BY	APPLICATION NO. DESCRIPTION/ DISPOSITION/STATUS	CAL. NO. DATE
CITY PLANNING	See Attached (Item 7)	OAC. NO.
8. RELATED	LIST ALL OTHER CURRENT OR PRIOR CITY, STATE OR FEDERAL ACTION	ONS RELATED TO APPLICATION:
ACTIONS BY OTHER	REFERENCE NO. DESCRIPTION/ DISPOSITION/STATUS	CAL. NO. DATE
AGENCIES		
9.	HIGT ALL FUTURE CITY STATE OR FERENAL ACTIONS REQUIRED TO	INDIENENT THE PROPOSED ACTION
FUTURE ACTIONS	LIST ALL FUTURE CITY, STATE OR FEDERAL ACTIONS REQUIRED TO	MPLEMENT THE PROPOSED ACTION:
REQUIRED		Λ
10.	Joshua Siegel, Officer	MA (V 6/15/19
APPLICANT (Attach authorizing	NAME AND TITLE OF APPLICANT OR AUTHORIZED REPRESENTATIVE	SIGNATURE OF APPLICANT DATE
resolution(s), if applicable)	LE1SUB LLC	V
,	APPLICANT'S COMPANY/AGENCY OR OTHER ORGANIZATION (IF ANY)	
11. CO-APPLICANTS	NAME AND TITLE OF CO-APPLICANT OR AUTHORIZED REPRESENTATIVE	SIGNATURE OF CO-APPLICANT DATE
(Attach authorizing		
resolution(s), if applicable)	CO-APPLICANT'S COMPANY/AGENCY OR OTHER ORGANIZATION	
	STREET ADDRESS CITY STATE	ZIP TEL.NO. FAX
	NAME AND TITLE OF CO-APPLICANT OR AUTHORIZED REPRESENTATIVE	SIGNATURE OF CO-APPLICANT DATE
	CO-APPLICANT'S COMPANY/AGENCY OR OTHER ORGANIZATION	
	STREET ADDRESS CITY STATE	ZIP TELNO, FAX
ADMINISTRATIVE CODE	ANY PERSON WHO SHALL KNOWINGLY MAKE A FALSE REPRESENTATION ON OR WHO SHA REPORT OR OTHER DOCUMENT SUBMITTED IN CONNECTION WITH THIS APPLICATION SHO OR BOTH, PURSUANT TO SECTION 10-154 OF THE CITY OF NEW YORK ADMINISTRATIVE CO	LL BE GUILTY OF AN OFFENSE PUNISHABLE BY FINE OR IMPRISONMENT

THIS APPLICATION WILL BE DEEMED PRELIMINARY UNTIL IT IS CERTIFIED AS COMPLETE BY THE DEPARTMENT OF CITY PLANNING OR THE CITY PLANNING COMMISSION. ADDITIONAL INFORMATION MAY BE REQUESTED OF THE APPLICANT BY THE DEPARTMENT OF CITY PLANNING.

NOTICE

TAX BLOCK OR TAX BLOCK RANGE

(Enter Range only if all Lots in Range are Included)

Land Use Review Application (LR)	Item 2. Site Data
Application No.	
Enter all preparity information on this Attachment Chart if the site contains many than any preparity	

TAX LOT(S) OR TAX LOT RANGE

ADDRESS (House Number and Street Name) OR

BOUNDING STREETS OR CROSS STREETS (If No Address)

Enter all property information on this Attachment Sheet if the site contains more than one property.

245	1	Cherry Street, Montgomery Street, South Street, and Clinton Street
246	1, 5 ^{DS} & 7501	Cherry Street, Clinton Street, South Street, and Rutgers Slip
247	1 & 2	Cherry Street, Clinton Street, South Street, and Rutgers Slip
248	15*, 70* & 76*	Cherry Street, Rutgers Slip, South Street, and Pike Slip

MPF 0505 w

DS Tax lot comprises the Development Site

See Attached Statement

Specia	l Perr	nit	/Autho	rizatio	n/Cert	ific	ation	Z	S/ZA/Z	<u>'C</u>
					APPLICATION	ÑŌ.				
					ĀPPLICĀTION	ÑŌ.				
	(If more than	five acti	ions are being reg	uested. enter "see	APPLICATION attached" below, a		ILL PROPOSED ACTIO	ONS in the	same format as	
					al Permits/ Authoriz					
Action(s) requested pursuant to ZR (Check one box for each proposed action)	Special Permit (ZS) Authorization (ZA)	Certification (ZC)	PURSUANT 1 ZONING RESO SECTION NUM	DLUTION	ZONING RE	ESOLU [.]	TION SECTION TITL	.E	TO MODIFY: SECTION NO (If applicable)	
		X	32-435		Ground flo	oor us	e in high density		32-435	
					Commerci					
	Has a draft	RESTRIC	CTIVE DECLARATIO	N BEEN INCLUDED	WITH THIS APPLICA	ATION?		YES 🗌	NO 🗶	
	WILL ALL PAR	TIES IN I	NTEREST TO THE F	PROPERTY AGREE	TO A RESTRICTIVE	DECLAR	ATION IF REQUIRED?	YES X	NO 🗌	
Property ownership/ interest	Снеск Арг			ore than one box			olumn, please explaii	n below).		
IIICICSI		APPLIC		LEGT PROPERTY	APPLI		A CITY A OFNOY			
			IS OWNER OF SUE			\equiv	S A CITY AGENCY	405101		
			IS LESSEE OF SUE		JEOT DDODESTY		S A STATE OR FEDERAL	AGENCY		
			HAS CONTRACT T							
Discussion	STATEMENT	LU IN SUF	IS OTHER (explain PPORT OF REQU			DINGS/[DECLARATION OF CO	OMPLIANO	E	
of findings					ment #11. If it fits you may leave t		, it may be put here i a blank).	nstead of	in a separate	

259 Clinton Street Applicant's Project Description June 19, 2018

1. Introduction

LE1SUB LLC (the "<u>Applicant</u>") is seeking approval of a minor modification to update the site plan and zoning calculations (together, the "<u>Site Plan Revisions</u>") of Parcel 6A of the existing Two Bridges Large-Scale Residential Development, originally approved by the City Planning Commission (the "<u>CPC</u>") on May 17, 1972, application number CP-21885, and last amended on July 8, 2013, application number M 120183 ZSM (as amended, the "<u>LSRD</u>"). The LSRD consists of six parcels, each of which is a zoning lot, as follows: Parcel 4A (Block 248, Lot 70), Parcel 4B (Block 248, Lots 15 and 76), Parcel 5 (Block 247, Lots 1 and 2), Parcel 6A (Block 246, Lots 1 and 5, which includes the Development Site (as hereinafter defined)), Parcel 6B (Block 246, Lot 7501), and Parcel 7 (Block 245, Lot 1).

Additionally, the applicant is seeking a certification pursuant to Section 32-435 of the Zoning Resolution of the City of New York (the "Zoning Resolution" or "ZR") to waive the ground-floor retail requirement along Clinton Street, a "wide street" as defined in the Zoning Resolution (the "Certification" and, together with the Site Plan Revisions, the "Proposed Actions").

The Site Plan Revisions would facilitate development of a new approximately 63-story, approximately 593,407 square foot ("sf") mixed residential/commercial building containing approximately 765 dwelling units, approximately 25% of which would be permanently affordable (the "Proposed Development") at 259 Clinton Street (Block 246, Lot 5; the "Development Site"). The Development Site is zoned C6-4, and the bulk and range of uses proposed for the Proposed Development are permitted by the underlying C6-4 zoning.

As an independent application, Cherry Street Owner LLC and Two Bridges Senior Apartments, L.P. are seeking approval of a minor modification to the LSRD as it relates to Parcels 4A and 4B to update the site plan and zoning calculations to facilitate development of a new residential building and improvements to the existing buildings and public space at Parcels 4A and 4B. Additionally, as an independent application, Two Bridges Associates, LP is seeking approval of a minor modification to the LSRD as it relates to Parcel 5 to update the site plan and zoning calculations to facilitate development of a new mixed residential and community facility building and improvements to the existing buildings and public space at Parcel 5.

The bulk and uses proposed for the Proposed Development would comply with underlying C6-4 zoning regulations and not require any authorizations or special permits.

2. Background

The LSRD contains six parcels, and the existing buildings thereon were developed pursuant to a series of land use approvals granted by the CPC pursuant to ZR Sections 78-311 and 78-312. The existing buildings in the LSRD were developed over a 23-year period, between 1972 and 1995, and development on each parcel was approved separately from development elsewhere in the LSRD.

The Development Site has been zoned C6-4 since the Zoning Resolution was enacted on December 15, 1961. Development at the Development Site and 13 nearby blocks along the East River, bounded by Cherry Street to the north, Montgomery Street to the east, South Street to the south, and Market Street to the west was previously governed by the Two Bridges Urban Renewal Plan. The Two Bridges Urban Renewal Plan was adopted by the CPC on May 11, 1967 (CP-19779) and the Board of Estimate on June 9, 1967, and expired by its terms on May 11, 2007.

The LSRD was established by the CPC on May 17, 1972 (CP-21885) and the Board of Estimate on May 25, 1972. The LSRD is bounded by Cherry Street to the north, approximately mid-block between Clinton Street and Montgomery Street to the east, South Street to the south, and approximately the mid-block between Pike Slip and Rutgers Slip to the west.

-

¹ Application number M 120183 ZSM is to be withdrawn upon approval of the Site Plan Revisions.

The CPC approved the existing buildings in the LSRD in six stages, as discussed below. A full list of CPC actions relating to the LSRD is attached hereto as LR Item 7/ Related Actions by City Planning.

<u>Stage I – Parcel 7 (Block 245, Lot 1)</u>: The CPC approved Stage I on May 17, 1972 (CP-21885), and the Board of Estimate approved the Stage I special permit on May 25, 1972. Stage I included the following actions to facilitate development of a 27-story affordable residential building at 256 Clinton Street ("<u>Existing Building 7-1</u>"):

- 1. Authorization pursuant to ZR Section 78-311(a) to allow total rooms to be distributed within the LSRD without regard for zoning lot lines and district boundary lines;
- 2. Authorization pursuant to ZR Section 78-311(d) to locate Existing Building 7-1 without regard for yard regulations which would otherwise apply along portions of streets or lot lines wholly within the LSRD;
- 3. Authorization pursuant to ZR Section 78-311(e) to locate Existing Building 7-1 without regard for height and setback regulations which would otherwise apply along Clinton Street, a street wholly within the LSRD; and
- 4. Special permit pursuant to ZR Section 78-312(d) to locate Existing Building 7-1 without regard for height and setback regulations which would otherwise apply along South Street, a street on the periphery of the LSRD.

<u>Stage II – Parcel 6A (Block 246, current Lots 1 and 5)</u>: The CPC approved Stage II on June 15, 1973 (CP-22539 and CP-21885); Board of Estimate approval was not required. Stage II included the following action to allow development of a 19-story affordable residential building at 257 Clinton Street ("Existing Building 6A-1"):

1. Authorization pursuant to ZR Section 78-311(d) to locate Existing Building 6A-1 without regard for yard regulations which would otherwise apply along portions of streets or lot lines wholly within the LSRD.²

<u>Stage III – Parcel 5 (Block 247, current Lots 1 and 2)</u>: The CPC approved Stage III on February 9, 1977 (C 760143 ZLM), and the Board of Estimate approved Stage III on March 24, 1977. Stage III included the following actions to allow development of two 26-story affordable buildings at 265-281 Cherry Street (from west to east, "<u>Existing Building 5-1</u>" and "<u>Existing Building 5-2</u>"):

- 1. Special permit pursuant to ZR Section 78-312(f) to modify minimum spacing requirements as applied between Existing Building 5-1 and Existing Building 5-2, and between Existing Building 5-2 and Existing Building 6A-1; and
- 2. Special permit pursuant to ZR Section 78-312(d) to modify height and setback regulations at Existing Building 5-1 and Existing Building 5-2, which would otherwise apply on the periphery of the LSRD.

<u>Stage IV – Parcel 6B (Block 246, current Lot 7501)</u>: The CPC approved Stage IV on December 8, 1982 (N 830316 ZAM); Board of Estimate approval was not required. Stage IV involved the following actions to allow development of affordable residential townhouses at 291-311 Cherry Street (from west to east, "<u>Existing Building 6B-1</u>," "<u>Existing Building 6B-2</u>," and "<u>Existing Building 6B-3</u>"):

- 1. Authorization pursuant to ZR Section 78-311(d) to locate Existing Building 6B-1 without regard for yard regulations which would otherwise apply along portions of the rear lot line, which was wholly within the LSRD; and
- 2. Authorization pursuant to ZR Section 78-311(d) to modify minimum spacing requirements as applied between Existing Building 6B-1 and Existing Building 6A-1, which had already been completed and was on a separate zoning lot.

² Existing Building 6A-1 provides compliant yards and the authorization granted pursuant to ZR Section 78-311(d) is not required to maintain compliance.

<u>Stage V – Parcel 4A (Block 248, Lot 70)</u>: The CPC approved Stage V on August 28, 1985 (N 850737 ZAM); Board of Estimate approval was not required. Stage V involved the following action to allow development of a 10-story affordable senior building at 80 Rutgers Slip ("Existing Building 4-3"):

1. Authorization pursuant to ZR Section 78-311(e) to locate Existing Building 4-3 without regard for height and setback regulations which would otherwise apply along Rutgers Slip, a street wholly within the LSRD.

The CPC granted an additional authorization for Parcel 4A on March 17, 1986 (N 860727 ZAM); Board of Estimate approval was not required:

1. Authorization pursuant to ZR Section 78-41 to allow four permitted accessory offstreet parking spaces to be located without regard to lot lines.

<u>Stage VI – Parcel 4B (Block 248, Lots 15 and 76)</u>: The CPC approved Stage VI on January 18, 1995 (C 950078 ZSM) and the City Council approved the Stage VI special permit on March 7, 1995. Stage VI involved the following actions to allow development of a 21- story affordable residential building at 253-259 South Street ("<u>Existing Building 4-1</u>") and a one-story commercial building along Cherry Street ("<u>Existing Building 4-2</u>"):

- 1. Special permit pursuant to ZR Section 78-312(f) to modify minimum spacing requirements as applied between Existing Building 4-1 and Existing Building 4-2;
- 2. Authorization pursuant to ZR Section 78-311(e) to modify height and setback requirements along Rutgers Slip, a street wholly within the LSRD, as applied to Existing Building 4-1;
- 3. Certification pursuant to ZR Section 26-07 to modify regulations of ZR Section 26-05 prohibiting curb cuts on wide streets to allow a 25-foot curb cut along South Street at the southwest corner of Parcel 4B; and
- 4. Certification pursuant to ZR Section 37-015 to waive retail continuity along South Street.

<u>2013 Modification – Parcel 5</u>: In 2013, the CPC modified the LSRD site plan and zoning calculations to permit construction of a new community facility building (the "<u>Healthcare Chaplaincy</u>") on a portion of Parcel 5 (M 120183 ZSM), requiring the following:

- 1. An increase in community facility and total zoning floor area by 183,700 sf, total lot coverage by 16,972 sf, and floor area ratio ("FAR") by 1.23;
- 2. The relocation of 103 existing on-grade parking spaces and the addition of 45 new accessory spaces; and
- 3. Corrections of minor errors and discrepancies shown on the LSRD site plan.

The Healthcare Chaplaincy has not been developed and the application therefore, ULURP No. M 120183 ZSM, is to be withdrawn.

3. Description of the Surrounding Area

The Development Site is in the Lower East Side neighborhood of Manhattan, Community District 3. Major thoroughfares in the surrounding area include Pike Street, the northern extension of Pike Slip; Cherry Street, bordering the Development Site to the north; Madison Street, two blocks north of the Development Site; East Broadway, four blocks north of the Development Site; Rutgers Street, the northern extension of Rutgers Slip; and the FDR Drive, south of the Development Site.

The nearest subway entrance, to the East Broadway station of the F subway line, is at the corner of Madison and Rutgers Streets, approximately 1,000 feet northwest of the Development Site. Bus routes in the surrounding area include the M9, running along Rutgers Street and East

Broadway; the M15, running along Pike and Madison Streets; and the M22, running along Madison Street.

The Development Site and project area, which is conterminous with the LSRD, are in a C6-4 district bounded by Cherry Street to the north, Montgomery Street to the east, South Street to the south, and Pike Slip to the west. The LSRD is entirely within the C6-4 district.

Buildings in the LSRD contain a mix of Use Group 2 residential space, Use Group 3 community facility space, and Use Group 6 commercial/ retail space. Building heights range from one story to 27 stories. Existing and proposed development in the LSRD is discussed in Section 4 of this Project Description.

Immediately west of the LSRD but also in the C6-4 district, two buildings are under construction: 250 South Street will have a height of 78 stories and contain 815 market-rate condominium units, and 229 Cherry Street will have a height of 13 stories and contain 205 affordable units (together, "One Manhattan Square").

The blocks north of the Development Site between Cherry Street and East Broadway are zoned R7-2. The R7-2 district extends from Cherry Street at the south to East Broadway at the north and from past Pike Street, beyond the LSRD boundary to the west, to past Montgomery Street, beyond the LSRD boundary to the east. C1-5 commercial overlay districts are mapped on the south side of East Broadway between Pike Street and Clinton Street and on the west side of Clinton Street between East Broadway and Madison Street.

The R7-2 district contains two New York City Housing Authority developments. The LaGuardia Houses (Block 256, Lots 1, 3, and p/o 14; Block 258, Lots 1 and 17) is north of the Development Site, across Cherry Street, and includes nine 16-story residential buildings, 1,092 apartments, and the LaGuardia Addition (Block 256, Lot 14), a 16-story, 148-unit senior residential building at 282 Cherry Street. The LaGuardia Houses contains a number of playgrounds, with the largest being the Little Flower Playground on Madison Street. A single pre-urban-renewal element, a large public bath building, is in the middle of the Little Flower Playground and vacant. There are multiple surface parking lots in the LaGuardia Houses complex. The Rutgers Houses (Block 255, Lot 1) is directly across Cherry and Rutgers Streets, northwest of the Development Site, and includes five 20-story buildings containing 721 apartments and a mental health clinic.

The blocks northwest of the LSRD, bounded by Henry Street to the north, Pike Street to the east, Monroe Street to the South, and the Manhattan Bridge to the west, are zoned C8-4. These blocks are developed with a mix of public facilities, mixed residential/commercial buildings, and hotels. Building heights range from two to 11 stories.

The block west of the LSRD, bounded by Cherry Street to the north, Pike Slip to the east, South Street to the south, and Market Slip to the west, is zoned M1-4 and occupied by the Murry Bergtraum High School softball field. The block further west, bounded by Water Street to the north, Market Slip to the east, South Street to the south, and Catherine Slip to the west, is zoned M1-6 and occupied by a six-story industrial/ manufacturing building. The East River Waterfront Esplanade and Pier 36, south of the Development Site, are also zoned M1-4, in an area bordered by South Street to the north, the prolongation of Jackson Street to the east, the pierhead line to the south, and the prolongation of Pike Slip to the west. A C2-8 district is southwest of the LSRD, bounded by South Street to the north, the prolongation of Pike Slip to the east, the pierhead line to the south, and the Brooklyn Bridge to the west.

There are no Inclusionary Housing designated areas, individual landmarks, or historic districts in the surrounding area.

The surrounding area is primarily residential with some commercial, transportation, and utility uses, and open space. Residential buildings are generally mid- to high-rise buildings: One Manhattan Square has a height of 78 stories and numerous four- to 27-story buildings are located in the surrounding area.

Two utility sites are located in the surrounding area, one adjacent to the Development Site at 261-265 Clinton Street/ 285 South Street (Block 246, Lot 13), and the other at 230-244 Cherry Street (Block 255, Lot 12).

Parcels 4A, 4B, and 5 are west of the Development Site in the LSRD. Parcel 6B is north of the Development Site in the LSRD, and Parcel 7 is east of the Development Site in the LSRD. East of the LSRD are the Cherry Street Playground and P.S. 184, the Shuang Wen School.

South of the Development Site, across South Street, are the elevated FDR Drive, the East River Waterfront Esplanade, and the East River. Pier 36, currently used by the New York City Department of Sanitation, is south of the FDR Drive.

4. Description of the Project Area

The project area is comprised of the LSRD. The LSRD extends east from mid-block between Pike and Rutgers Slips, through the Development Site, to mid-block between Clinton and Montgomery Streets. The LSRD parcels have a total lot area of 371,076 sf. Underlying zoning regulations permit within the LSRD a maximum floor area of 3,710,760 sf (10.0 FAR); up to 4,452,912 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently allocates 1,789,942 sf (4.82 FAR) to the parcels within the LSRD.

Parcel 4A, consisting of Block 248, Lot 70, has a lot area of 20,094 sf. Underlying zoning regulations permit a maximum floor area of 200,940 sf (10.0 FAR); up to 241,128 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently permits a maximum floor area of 81,809 sf (4.07 FAR) at Parcel 4A, all for residential use, and up to 109 dwelling units. Parcel 4A received approval for four accessory parking spaces, located in the development without regard to zoning lot lines. Parcel 4A is improved with Existing Building 4-3 consistent with the LSRD.

Parcel 4B, consisting of Block 248, Lots 15 and 76, has a lot area of 49,116 sf. Underlying zoning regulations permit a maximum floor area of 491,160 sf (10.0 FAR); up to 589,392 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently permits a maximum of 264,000 sf of floor area (5.38 FAR) at Parcel 4B, including 223,600 sf for residential use (4.55 FAR), 14,300 sf for commercial use (0.29 FAR), and 26,100 sf for community facility use (0.53 FAR). Parcel 4B is permitted 198 dwelling units and 11 accessory parking spaces. Parcel 4B is improved with Existing Building 4-1 and Existing Building 4-2, consistent with the LSRD.

As an independent application, Cherry Street Owner LLC and Two Bridges Senior Apartments, L.P. are seeking approval of a minor modification to the LSRD as it relates to Parcels 4A and 4B to update the LSRD site plan and zoning calculations to combine Parcels 4A and 4B into a new parcel, Parcel 4, to facilitate construction of new mixed-use building (the "Parcel 4 Development"). If approved, the Parcel 4 Development would contain approximately 501,518 sf of floor area (approximately 7.24 FAR), approximately 660 new residential units, and 10 senior units relocated from Existing Building 4-3 (approximately 25% of the new units would be permanently affordable). The Parcel 4 Development would have a maximum envelope height of 1,008 feet, or approximately 80 stories. Additionally, approximately 2,393 sf of commercial floor area (approximately 0.03 FAR) would be added to Existing Building 4-3.

Parcel 5 occupies the western portion of the block bounded by Cherry Street to the north, Clinton Street to the east, South Street to the south, and Rutgers Slip to the west and consists of Block 247, Lots 1 and 2. Parcel 5 has a lot area of 145,031 sf. Underlying zoning regulations permit a maximum floor area of 1,450,310 sf (10.0 FAR); up to 1,740,372 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently permits a maximum floor area of 831,963 sf (5.74 FAR) at Parcel 5, of which 648,263 sf (4.47 FAR) is incorporated into the existing buildings on Parcel 5 and 183,700 sf (1.27 FAR) is permitted for the Healthcare Chaplaincy. Pursuant to the LSRD, Parcel 5 is permitted 490 dwelling units and 148 accessory parking spaces (103 in the existing buildings and 45 approved for the Healthcare Chaplaincy). The Healthcare Chaplaincy has not been built and the application therefore, ULURP No. M 120183 ZSM, is to be withdrawn upon approval of the Site Plan Revisions.

As an independent application, Two Bridges Associates, LP is seeking approval of a minor modification to the LSRD as it relates to Parcel 5 to update the site plan and zoning calculations to facilitate development of a new approximately 69-story, approximately 1,125,301 sf mixed residential and community facility building at 260 South Street (the "New Parcel 5"

<u>Building</u>"), the addition of ground floor retail space to Existing Building 5-1 and Existing Building 5-2, improvements to the existing courtyard between Existing Building 5-1 and Existing Building 5-2 and the adjacent Rutgers Park, and the relocation of the 103 exiting surface parking spaces into the New Parcel 5 Building.

Parcel 6A, which contains the Development Site, is immediately east of Parcel 5, at the southeastern portion of the block bounded by Cherry Street to the north, Clinton Street to the east, South Street to the south, and Rutgers Slip to the west, and consists of Block 246, Lots 1 and 5. Parcel 6A has a lot area of 71,357 sf. Underlying zoning regulations permit a maximum floor area of 713,570 sf (10.0 FAR); up to 856,284 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently permits a maximum floor area of 262,877 sf (3.68 FAR) at Parcel 6A, all of which is for residential use. Pursuant to the LSRD, Parcel 6A is permitted up to 256 dwelling units and 35 accessory parking spaces. The existing building at Parcel 6A, Existing Building 6A-1, was developed in 1973 pursuant to Stage II of the LSRD and is a 19-story building containing 256 rental units. Parcel 6A is improved with Existing Building 6A-1, consistent with the LSRD.

Parcel 6B is immediately north of Parcel 6A at the northeastern portion of the block bounded by Cherry Street to the north, Clinton Street to the east, South Street to the south, and Rutgers Slip to the west and consists of Block 246, Lot 7501. Parcel 6B has a lot area of 53,821 sf. Underlying zoning regulations permit a maximum floor area of 538,210 sf (10.0 FAR); up to 645,852 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently permits a maximum floor area of 65,793 sf (1.22 FAR) at Parcel 6B, all of which is for residential use. Pursuant to the LSRD, Parcel 6B is permitted up to 57 dwelling units and 12 accessory parking spaces. There are three existing townhouse buildings on Parcel 6B, Existing Building 6B-1 (291-295 Cherry Street), Existing Building 6B-2 (305-311 Cherry Street), and Existing Building 6B-3 (353-357 Clinton Street). Parcel 6B is improved consistent with the LSRD.

Parcel 7, east of Parcels 6A and 6B, at the southwestern portion of the block bounded by Cherry Street to the north, Montgomery Street to the east, South Street to the south, and Clinton Street to the west, consists of Block 245, Lot 1. Parcel 7 has a lot area of 31,657 sf. Underlying zoning permits a maximum floor area of 316,570 sf (10.0 FAR); up to 379,884 sf of floor area (12.0 FAR) is permitted pursuant to the Inclusionary Housing program. The LSRD currently permits a maximum floor area of 283,500 sf (8.96 FAR) at Parcel 7, including 278,000 sf (8.78 FAR) for residential use and 5,500 sf (0.17 FAR) for community facility use. Pursuant to the LSRD, Parcel 7 is permitted up to 250 dwelling units and 30 accessory parking spaces. Parcel 7 contains one 27-story building with 250 units and 30 parking spaces. Parcel 7 is improved with Existing Building 7-1, consistent with the LSRD.

5. Description of the Development Site and Combined Zoning Lot

The Development Site is part of LSRD Parcel 6A and located at the southeastern portion of the block bounded by Cherry Street to the north, Clinton Street to the east, South Street to the south, and Rutgers Slip to the west. The Development Site abuts Parcel 6B to the north and east, Clinton Street to the east, Block 246, Lot 13 to the east and south, South Street to the south, and Block 246, Lot 1 ("Lot 1") to the west. The Development Site has a frontage along Clinton Street of 94.54 feet and a frontage along South Street of 85.54 feet. A street widening easement with a depth of 10 feet is designated along the South Street frontage of the Development Site.

The Development Site is zoned C6-4 (a R10 equivalent). C6 commercial districts are high density districts permitting a wide range of residential, community facility, and commercial uses. The maximum overall, residential, commercial, and community facility FAR is 10.0 FAR; up to 12.0 FAR is permitted for residential and mixed buildings through the Inclusionary Housing program.

The Development Site and Lot 1 form a combined zoning lot (the "<u>Combined Zoning Lot</u>") with a lot area of 71,357 sf. The Development Site has an area of 20,177 sf and Lot 1 has an area of 51,180 sf. As set forth in the LSRD zoning analysis enclosed with the architectural drawings, Existing Building 6A-1, located on Lot 1, has a floor area of 262,877 sf (3.68 FAR), all of which is in residential use, and a total height of 19 stories (160.85 feet). The Development Site is currently a vacant lot.

The Combined Zoning Lot has two active curb cuts along South Street and part of an additional curb cut, serving adjacent Parcel 5, is at the western edge of the Combined Zoning Lot. The Combined Zoning Lot contains 24 accessory surface parking spaces.

6. Description of the Proposed Development

The Applicant is proposing to construct the Proposed Development, an approximately 63-story predominantly residential building with ground floor retail at the Development Site. The maximum envelope height of the Proposed Development is 730 feet. The Proposed Development is to contain up to approximately 765 dwelling units, approximately 25% of which would be permanently affordable, and have a total floor area of approximately 593,407 sf (approximately 8.32 FAR), including approximately 590,992 sf of residential floor area and approximately 2,415 sf of commercial floor area. The new commercial space would be along the South Street frontage of the Development Site and developed for small-format retail uses.

A portion of the affordable units would be made permanently affordable pursuant to the R10 Inclusionary Housing program, as set forth in ZR Sections 23-154(a) and 23-90. The remainder of affordable units would be made permanently affordable pursuant to a regulatory agreement with the New York City Department of Housing Preservation and Development as established in consultation with the Applicant.

Upon completion of the Proposed Development, the Combined Zoning Lot would contain up to approximately 1,021 dwelling units, have a total floor area of approximately 856,284 sf (12.00 FAR), a residential floor area of approximately 853,869 sf, and a commercial floor area of approximately 2,415 sf.

7. Actions Necessary to Facilitate the Project

The bulk and range of uses proposed for the Proposed Development are permitted by the underlying C6-4 zoning. Accordingly, the Applicant requests approval of the Site Plan Revisions to update the site plan and zoning calculations of the LSRD. The LSRD, which was originally approved by the CPC on May 17, 1972, application number CP-21885, and last amended July 8, 2013, application number M 120183 ZSM, consists of six parcels, each of which is a zoning lot, as follows: Parcel 4A (Block 248, Lot 70), Parcel 4B (Block 248, Lots 15 and 76), Parcel 5 (Block 247, Lots 1 and 2), Parcel 6A (Block 246, Lots 1 and 5, which includes the Development Site), Parcel 6B (Block 246, Lot 7501), and Parcel 7 (Block 245, Lot 1). Additionally, the applicant is seeking the Certification, pursuant to ZR Section 32-435, to waive the ground-floor retail requirement along Clinton Street, a "wide street" as defined in the Zoning Resolution.

The Site Plan Revisions are necessary to allow the location and envelope of the Proposed Development, allow additional floor area at the Development Site, allow additional lot coverage at the Development Site, and modify landscaping at the Development Site. The Proposed Development would add new housing at a variety of income levels and improve open space at the Development Site. The previously granted modification of yard regulations at Parcel 6A would not be affected. No new waivers relating to the LSRD are requested.

The Certification is necessary to waive the retail continuity requirement of ZR Section 32-435 that applies along Clinton Street, a "wide street" as defined in the Zoning Resolution. The Certification would preserve the residential character of Clinton Street. Additionally, as utilities enter the Development Site from the Clinton Street frontage, ground-floor space along Clinton Street must be allocated for utility uses such as sewer and gas rooms. The retail uses would instead be located along South Street, complementing investments in the South Street streetscape and the East River Waterfront Esplanade.

8. Conclusion

As discussed herein, the Applicant requests approval of a minor modification to update the LSRD site plan and zoning calculations for Parcel 6A to facilitate the Proposed Development. The Proposed Development would be an approximately 63-story mixed residential/ commercial building containing up to approximately 765 dwelling units,

approximately 25% of which would be permanently affordable. The Proposed Development would have a total floor area of approximately 593,407 sf (approximately 8.32 FAR), including approximately 590,992 sf of residential floor area and approximately 2,415 sf of commercial floor area.

The Proposed Development would be consistent with the existing mixed residential/commercial/community facility character in the surrounding area. Although the Proposed Development's approximately 63-story height is taller than that of Existing Building 6A-1, it is consistent with and permitted by the underlying C6-4 zoning, and there are very tall buildings in the surrounding area, including One Manhattan Square, which includes a 78-story, approximately 831.25-foot-high building under construction at Block 248, Lot 1, west of the LSRD. The Proposed Development would enhance the residential character of Clinton Street while adding retail space on South Street, enlivening South Street and supporting the use of the East River Waterfront Esplanade.

For the reasons stated herein, the Applicant respectfully requests approval of the minor modification to the LSRD site plan and zoning calculations and the Certification.

259 Clinton Street

APPLICATION NO.	DESCRIPTION/ DISPOSITION/ STATUS	CAL. NO.	DATE
CP-16479	Designation of the Two Bridges Urban Renewal Area (the " <u>URA</u> "); bounded by Cherry Street, Montgomery Street, South Street, and Pike Slip.	3	6/28/1961
CP-18161	Expansion of the URA; now bounded by Cherry Street, Montgomery Street, South Street, and Market	41	11/13/1963
CP-18160	Slip.	40	
CP-19779	Approval of the Two Bridges Urban Renewal Plan (the " <u>URP</u> ") covering area bounded by Cherry Street, Montgomery Street, South Street, and Market Slip. Project Area designated Parcel 2A and Parcel 2B; to be developed for residential and commercial use.	2	5/11/1967
CP-21750A	Amended the URP.	1	3/6/1972
CP-21753	Approval of 250-unit NYCHA development on Parcel 7 of the URA.	2	3/6/1972
CP-21882	City map change relating to streets within the URA.	3	3/6/1972
CP-21879	Zoning map change from C6-4 to M1-4 for blocks bounded by Cherry Street, Pike Slip, South Street, and Market Street.	4	3/6/1972
CP-21885	Special permit pursuant to ZR Sections 78-311(a), 78-311(d), 78-311(e), and 78-312(d) for development related to a large-scale residential development within the URA.	43	5/17/1972
CP-22359	Approval of a City-aided limited-profit rental housing project to be known as Land's End on Parcel 6A.	5	6/15/1973
CP-21885	Additional authorization pursuant to ZR Section 78-312(d).	6	6/15/1973
C 760141 HOM	Approval of rental housing project on Parcel 5.	6	2/9/1977
C 760142 HOM	Disposition of City-owned property to facilitate development on Parcel 5.	7	2/9/1977
C 760143 ZLM	Special permit pursuant to ZR Sections 78-312(d) and 78-312(f) to facilitate development on Parcel 5.	8	2/9/1977
N 760144 HCM	Minor change to the URP, Site 5, Land's End, 11A (490 DU's); increase in FAR for Site 5 & in FAR for Sites 6A & 7		2/9/1977
C 800449 HUM	Second Amendment to the URP; creating new Sites 2 & 8A; combining part of former Site 8 with former Site 4 to create Site 4A; changing land use of Site 4 from park to residential.	40	9/24/1980
N 800452 HLM	Lease of Area "A" adjacent to Manhattan Bridge for open space.	41	9/24/1980
N 800450 HDM	Disposition of Site 2 for construction of playing fields.	42	9/24/1980
N 800451 HDM	Disposition of Site 8A for supermarket.	43	9/24/1980
C 800455 ZSM	Special permit pursuant to ZR Section 74-72 regarding recreation area for Murray Bergtraum High School at Site 2.	44	9/24/1980
C 830316 ZAM	Special permit pursuant to ZR Sections 78-311(d) and 78-311(h) to facilitate development on Parcel 6B.	102	12/8/1982
C 850043 HUM	Third Amendment to the URP subdividing Site 4A into Sites 4A, 4B, and 4C, incorporating the remapped Rutgers Slip, and changing the land use of Site 9 (previously reserved for bridge reinforcement).	57	8/28/1985
C 840044 HDM	Disposition of Parcel 4A for the development of 108 units of elderly housing.	58	8/28/1985
C 850045 MMM	Remapping of Rutgers Slip between Cherry Street and South Street.	59	8/28/1985
N 850737 ZAM	Authorization under ZR Section 78-311(e) for the large-scale residential development within the URA.	60	8/28/1985
N 860727 ZAM	Authorization pursuant to ZR Section 78-41 to facilitate development of Site 4A	1	3/17/1986
C 950077 HUM	Fourth amendment to the URP; combined Sites 4B and 4C into new Site 4C; revising land use designation for new Site 4B to residential/commercial; establishing maximum FAR of 10.0 for Site 4B.	12	1/18/1995
C 950078 ZSM	Special permit pursuant to ZR Section 78-312(f), authorization pursuant to ZR Section 78-311(e), and certifications pursuant to ZR Sections 26-07 and 37-015 to facilitate development on Site 4B.	13	1/18/1995
C 950079 HAM	Designation of urban development action area and disposition of new Site 4B.	14	1/18/1995
I 070263 HUM	Fifth Amendment to the URP to extend the URP for an additional 5 years for Sites 4B, 6A, and 8A. – WITHDRAWN		1/5/2007
M 120183 ZSM	Modification to the LSRD to revise and update calculations in the LSRD documents to facilitate development of a 17-story community facility building on Parcel 5. – TO BE WITHDRAWN UPON APPROVAL OF THE PROPOSED MODIFICATION		7/8/2013

Minor Modification of the Two Bridges Large-Scale Residential Development Applicant's Response to Findings June 19, 2018

78-313 Findings

The Prior Actions:

The Two Bridges Large-Scale Residential Development (the "<u>LSRD</u>") contains six parcels, and the existing buildings thereon (the "<u>Existing LSRD Buildings</u>") were developed pursuant to a series of special permits and authorizations (collectively, the "<u>Prior Actions</u>") granted by the City Planning Commission (the "<u>CPC</u>") pursuant to Sections 78-311 and 78-312 of the Zoning Resolution of the City of New York (the "<u>Zoning Resolution</u>" or "<u>ZR</u>").

The Existing LSRD Buildings were developed over a 23-year period between 1972 and 1995 and development on each parcel was approved separately from development elsewhere in the LSRD.

- Parcel 4A (Block 248, Lot 70) was developed pursuant to an authorization pursuant to ZR Section 78-311(e) to locate the building thereon ("Existing Building 4-3") without regard for height and setback regulations which would otherwise apply along Rutgers Slip, a street wholly within the LSRD (ULURP No. N 850737 ZAM; approved by the CPC on August 28, 1985).
- Parcel 4B (Block 248, Lots 15 and 76) was developed pursuant to (i) a special permit pursuant to ZR Section 78-312(f) to modify minimum spacing requirements as applied between the buildings thereon ("Existing Building 4-1" and "Existing Building 4-2") and (ii) an authorization pursuant to ZR Section 78-311(e) to modify height and setback requirements along Rutgers Slip, a street wholly within the LSRD, as applied to Existing Building 4-1 (ULURP No. C 950078 ZSM; approved by the CPC on January 18, 1995; special permit approved by the City Council on March 7, 1995).
- Parcel 5 (Block 247, Lots 1 and 2) was developed pursuant to (i) a special permit pursuant to ZR Section 78-312(f) to modify minimum spacing requirements as applied between the buildings thereon ("Existing Building 5-1" and "Existing Building 5-2") and (ii) a special permit pursuant to ZR Section 78-312(d) to modify height and setback regulations at Existing Building 5-1 and Existing Building 5-2, which would otherwise apply on the periphery of the LSRD (ULURP No. C 760143 ZLM; approved by the CPC on February 9, 1977 and the Board of Estimate on March 24, 1977).
- Parcel 6A (Block 246, Lots 1 and 5) received an authorization pursuant to ZR Section 78-311(d) to locate the existing building thereon ("Existing Building 6A-1") without regard for yard regulations which would otherwise apply along portions of streets or lot lines wholly within the LSRD (CP-22359 and CP-21885; approved by the CPC on June 15, 1973).
- Parcel 6B (Block 246, Lot 7501) was developed pursuant to (i) an authorization pursuant to ZR Section 78-311(d) to locate the western building thereon ("Existing Building 6B-1") without regard for yard regulations which would otherwise apply along portions of the rear lot line, which was wholly within the LSRD, and (ii) an authorization pursuant to ZR Section 78-311(d) to modify minimum spacing requirements as applied between Existing Building 6B-1 and Existing Building 6A-1, which had already been completed and was on a separate zoning lot (ULURP No. N 830316 ZAM; approved by the CPC on December 8, 1982).
- Parcel 7 (Block 245, Lot 1) was developed pursuant to (i) an authorization pursuant to ZR Section 78-311(a) to allow total rooms to be distributed within the LSRD without regard for zoning lot lines and district boundary lines, (ii) an authorization pursuant to ZR Section 78-311(d) to locate the building thereon ("Existing Building 7-1") without regard for yard regulations which would otherwise apply along portions of streets or lot lines wholly within the LSRD, (iii) an authorization pursuant to ZR Section 78-311(e) to locate Existing Building 7-1 without regard for height and setback regulations which would otherwise apply along Clinton Street, a street wholly within the LSRD, and (iv) a special

permit pursuant to ZR Section 78-312(d) to locate Existing Building 7-1 without regard for height and setback regulations which would otherwise apply along South Street, a street on the periphery of the LSRD (CP-21885; approved by the CPC on May 17, 1972; special permit approved by the Board of Estimate on May 25, 1972).

The Site Plan Revisions: LE1SUB LLC (the "Applicant") is seeking approval of a minor modification to the LSRD as it relates to Parcel 6A to update the site plan and zoning calculations (the "Site Plan Revisions") to facilitate development of a new mixed-use building (the "Proposed Development"). The Applicant is also seeking a certification pursuant to ZR Section 32-435 to modify the ground-floor commercial use requirement along Clinton Street at the Proposed Development (the "Certification" and, together with the Site Plan Revisions, the "Proposed Actions"). If approved, the Proposed Development would contain approximately 593,407 sf of floor area, including approximately 590,992 sf of residential floor area and approximately 2,415 sf of commercial floor area. The Proposed Development would contain up to approximately 765 residential units and have a maximum envelope height of 730 feet (approximately 63 stories). A portion of the affordable units at the Proposed Development would be made permanently affordable pursuant to the R10 inclusionary housing program, as set forth in ZR Sections 23-154(a) and 23-90. The remainder of the affordable units would be made permanently affordable pursuant to a regulatory agreement with the New York City Department of Housing Preservation and Development as established in consultation with the Applicant.

Concurrent Application – Parcels 4A and 4B: As an independent application, Cherry Street Owner LLC and Two Bridges Senior Apartments, L.P. are seeking approval of a minor modification to the LSRD as it relates to Parcels 4A and 4B to update the LSRD site plan and zoning calculations to combine Parcels 4A and 4B into a new parcel, Parcel 4 (the "Parcel 4 Application"), to facilitate development of a new mixed-use building (the "Parcel 4 Development"). If approved, the Parcel 4 Development would contain approximately 501,518 sf of floor area (approximately 7.24 FAR), approximately 660 new residential units, and 10 senior units relocated from Existing Building 4-3. The Parcel 4 Development would have a maximum envelope height of 1,008 feet, or approximately 80 stories. Additionally, approximately 2,393 sf of commercial floor area (approximately 0.03 FAR) would be added to Existing Building 4-3. A portion of the affordable units at the Parcel 4 Development would be made permanently affordable pursuant to the R10 inclusionary housing program, as set forth in ZR Sections 23-154(a) and 23-90. The remainder of the affordable units would be made permanently affordable pursuant to a regulatory agreement with the New York City Department of Housing Preservation and Development as established in consultation with the developer of the Parcel 4 Development.

Concurrent Application – Parcel 5: As an independent application, Two Bridges Associates, LP is seeking approval of a minor modification to the LSRD as it relates to Parcel 5 to update the site plan and zoning calculations (the "Parcel 5 Application" and, together with the Parcel 4 Application, the "Concurrent Applications") to facilitate development of a new approximately 69-story, approximately 1,125,301 sf mixed residential and community facility building at 260 South Street (the "New Parcel 5 Building"), the addition of ground floor retail space to Existing Building 5-1 and Existing Building 5-2, improvements to the existing courtyard between Existing Building 5-1 and Existing Building 5-2 and the adjacent Rutgers Park, and the relocation of the 103 existing surface parking spaces into the New Parcel 5 Building (collectively, the "Parcel 5 Development" and, together with the Parcel 4 Development, the "Concurrent Development"). A portion of the affordable units at the New Parcel 5 Building would be made permanently affordable pursuant to the R10 inclusionary housing program, as set forth in ZR Sections 23-154(a) and 23-90. The remainder of the affordable units would be made permanently affordable pursuant to a regulatory agreement with the New York City Department of Housing Preservation and Development as established in consultation with the developer of the New Parcel 5 Building.

As set forth below, neither the Site Plan Revisions alone nor the Site Plan Revisions in conjunction with the Concurrent Applications would alter the basis upon which the CPC previously made any finding in connection with the Prior Actions.

As a condition precedent to the granting of authorizations under the provisions of Section 78-311 (Authorizations by the City Planning Commission) or a special permit under the provisions of Section 78-312 (Special permits by the City Planning Commission), the Commission shall make the following findings:

(a) that such modifications will aid in achieving the general purposes and intent of this Chapter as set forth in Section 78-01 (General Purposes);

The general purposes and intent of Article VII, Chapter 8 of the Zoning Resolution, as set forth in ZR Section 78-01, are to allow greater flexibility for the purpose of securing better site planning for development and provide incentives toward that end while safeguarding the present or future use and development of surrounding areas and, specifically, to achieve more efficient use of increasingly scarce land within the framework of the overall bulk controls, to enable open space in large-scale residential developments to be arranged in such a way as best to serve active and passive recreation needs of the residents, to protect and preserve scenic assets and natural features such as trees, streams, and topographic features, to foster a more stable community by providing for a population of balanced family sizes, and to encourage harmonious designs incorporating a variety of building types and variations in the siting of buildings.

In approving the Prior Actions to facilitate development of the Existing LSRD Buildings, the CPC found that modifications of regulations relating to height and setback, yards, minimum distance between buildings, and zoning rooms aided in achieving the general purposes and intent of ZR Article VII, Chapter 8, as set forth in ZR Section 78-01.

Specifically, in approving the Prior Actions, the CPC found that the Prior Actions (i) resulted in a better site plan and encouraged a harmonious design by incorporating variation in heights and orientation of buildings and (ii) allowed for a location of buildings in the LSRD that provided open spaces to meet the needs of the residents. Neither the Site Plan Revisions nor the Concurrent Applications would change the location or degree of waivers granted pursuant to the Prior Actions. The Concurrent Applications would result in the maintenance and enhancement of existing open spaces, which would continue to serve the needs of residents. Accordingly, the Site Plan Revisions and the Concurrent Applications would maintain and build on the preservation of open space facilitated by the Prior Actions.

The modifications approved by the Prior Actions facilitated construction of lower income and senior housing units, thereby providing for a diversity of ages and families in the area and fostering a more stable community. The Site Plan Revisions and Concurrent Applications would maintain the total number of existing senior and affordable housing units within the LSRD while providing up to approximately 694 new affordable housing units and approximately 2,081 new market rate housing units. In addition, existing senior and affordable housing units within the LSRD would benefit from new open space amenities and upgrades to flood resiliency systems. Therefore, with the Site Plan Revisions and Concurrent Applications, the previously granted modifications would continue to foster a stable community by providing for a population of balanced family sizes.

Accordingly, as the previously granted modifications approved pursuant to the Prior Actions would not change and no new modifications are required, the previously granted modifications would continue to aid in achieving the general purposes and intent of Article VII, Chapter 8 of the Zoning Resolution, as set forth in ZR Section 78-01.

(b) that such distribution of #floor area#, #dwelling units#, #rooming units#, #open spaces#, locations of #buildings#, or location of primary business entrances, #show windows# or #signs# will permit better site planning and will thus benefit both the residents of the #large-scale residential development# and the City as a whole;

The Prior Actions modified height and setback, yard, minimum distance between buildings, and zoning room regulations at the Existing LSRD Buildings. In granting these waivers, the CPC determined that that the resulting distribution of zoning rooms and open spaces and the location of buildings would permit better site planning and thus benefit both the residents of the LSRD and the City as a whole.

The bulk and uses proposed for the Proposed Development and Concurrent Development would comply with underlying C6-4 zoning regulations and not require any authorizations (ZR Section 78-311) or special permits (ZR Section 78-312) with regard to distribution or location of buildings. The Site Plan Revisions would result in

development of a new building at Parcel 6A, but would not change the location or degree of waivers of height and setback, yard, zoning rooms, and minimum distance between buildings regulations previously granted to facilitate development of the Existing LSRD Buildings.¹

Specifically with respect to Parcel 6A, Existing Building 6A-1 was developed subject to an authorization pursuant to ZR Section 78-311(d) to locate Existing Building 6A-1 without regard for yard regulations which would otherwise apply along portions of streets or lot lines wholly within the LSRD.² Whether considered alone or in conjunction with the Concurrent Applications, the Site Plan Revisions would not change the location or degree of the yard waiver previously granted with respect to Existing Building 6A-1.

As noted above, Existing Building 6A-1 was ultimately developed without use of the rear yard authorization that was granted pursuant to ZR Section 78-311(d). Accordingly, the Proposed Development would not affect any waiver granted with respect to Parcel 6A.

Similarly, the Concurrent Applications would result in development of new buildings at Parcels 4A, 4B, and 5. Whether considered alone or in conjunction with the Concurrent Applications, the Site Plan Revisions would not change the location or degree of waivers of height and setback, yard, and minimum distance between buildings regulations previously granted with respect to the Existing LSRD Buildings.

As the location of buildings facilitated by the previously granted modifications of height and setback, yard, and minimum spacing regulations would not change and no new modifications are required, the previously granted modifications would continue to be appropriate in the context of the LSRD, allowing better site planning and benefitting residents of the LSRD and City as a whole.

(c) that such distribution or location will not unduly increase the #bulk# of #buildings#, density of population, or intensity of #use# in any #block#, to the detriment of the occupants of #buildings# in the #block# or nearby #blocks#;

The Prior Actions modified height and setback, yard, minimum distance between buildings, and zoning room regulations at the Existing LSRD Buildings. In granting these waivers, the CPC determined that the approved location of buildings on Parcels 4A, 4B, 5, 6A, 6B, and 7 did not unduly increase the bulk of buildings, density of population, or intensity of use in any block, to the detriment of occupants of buildings in the block or nearby blocks.

The bulk and uses proposed for the Proposed Development and Concurrent Development would comply with underlying C6-4 zoning regulations and do not require any authorizations (ZR Section 78-311) or special permits (ZR Section 78-312) with regard to the distribution or location of buildings. The Site Plan Revisions would result in development of a new building at Parcel 6A, but would not change the location or degree of waivers of height and setback, yard, zoning rooms, and minimum distance between buildings regulations previously granted to facilitate development of the Existing LSRD Buildings.³ Similarly, the Concurrent Applications would result in development of new buildings at Parcels 4A, 4B, and 5. Whether considered alone or in conjunction with the Concurrent Applications, the Site Plan Revisions would not change the location or degree of waivers of height and setback, yard, and minimum distance between buildings regulations previously granted with respect to the Existing LSRD Buildings.

As the location of buildings facilitated by the previously granted modifications of height and setback, yard, and minimum spacing regulations would not change and no new modifications are required, the previously granted modifications would continue to not unduly increase the bulk of buildings, density of population, or intensity of use in any block, to the detriment of occupants of buildings in the block or nearby blocks.

¹ Regulations pertaining to zoning rooms are no longer applicable.

² Existing Building 6A-1 provides compliant yards and the authorization granted therefore is not required to maintain compliance.

³ Regulations pertaining to zoning rooms are no longer applicable.

(d) that such distribution or location will not affect adversely any other #zoning lots# outside the #large-scale residential development# by restricting access to light and air or by creating traffic congestion;

The Prior Actions modified height and setback, yard, minimum distance between buildings, and zoning room regulations with regard to the Existing LSRD Buildings. In granting these waivers, the CPC determined that the approved locations of Existing LSRD Buildings did not adversely affect any zoning lot outside the LSRD by restricting access to light and air or creating traffic congestion.

The bulk and uses proposed for the Proposed Development and Concurrent Development would comply with underlying C6-4 zoning regulations and not require any authorizations (ZR Section 78-311) or special permits (ZR Section 78-312) with regard to the distribution or location of buildings. The Site Plan Revisions would result in development of a new building at Parcel 6A, but would not change the location or degree of waivers of height and setback, yard, zoning rooms, and minimum distance between buildings regulations previously granted with regard to the Existing LSRD Buildings. Similarly, the Concurrent Applications would result in development of new buildings at Parcels 4A, 4B and 5. Whether considered alone or in conjunction with the Concurrent Applications, the Site Plan Revisions would not change the location or degree of waivers of height and setback, yard, and minimum distance between buildings regulations previously granted with respect to the Existing LSRD Buildings.

As the location of buildings facilitated by the previously granted modifications of height and setback, yard, and minimum spacing regulations would not change and no new modifications are required, the previously granted modifications would continue to not adversely affect any zoning lots outside the LSRD by restricting access to light and air or by creating traffic congestion.

(e) where portions of the total required #open space# are pooled in common #open space# areas or common parking areas, that such common areas will, by location, size, shape and other physical characteristics, and by their relationship to surrounding development and the circulation system, permit realization of the full community service of advantages for which such pooled areas are designed;

This finding was not applicable to the Prior Actions.

(f) where one or more #zoning lots# in the #large-scale residential development# do not #abut# mapped #streets#, that suitable private access to mapped #streets# will be provided conforming to standards which will ensure adequate circulation and make adequate provision for public services; and

This finding was not applicable to the Prior Actions.

(g) the modification of height and setback will not impair the essential character of the surrounding area and will not have adverse effects upon the access to light, air and privacy of adjacent properties.

The Prior Actions modified the height and setback regulations with regard to buildings at Parcels 4A, 4B, 5, and 7. In granting these height and setback modifications, the CPC determined that the approved arrangement of buildings at Parcels 4A, 4B, 5, and 7 did not impair the essential character of the surrounding area or have adverse effects upon the access to light, air and privacy of adjacent properties.

The bulk proposed for the Proposed Development and Concurrent Development would comply with underlying C6-4 zoning regulations and not require modification of height and setback regulations. The Site Plan Revisions would result in development of a new building at Parcel 6A, and Existing Building 6A-1 complies as-of-right with the applicable height and setback regulations; this compliance would not change. Similarly, the Concurrent Applications would result in development of new buildings at Parcels 4A, 4B, and 5. Whether considered alone or in conjunction with the Concurrent Applications,

_

⁴ Regulations pertaining to zoning rooms are no longer applicable.

the Site Plan Revisions would not change the location or degree of waivers of height and setback regulations previously granted with respect to the Existing LSRD Buildings.

As the location and degree of previously granted height and setback waivers would not change and no new modifications are required, the previously granted modifications of height and setback regulations would continue to (i) not impair the essential character of the surrounding area or (ii) have adverse effects upon the access to light, air, and privacy of adjacent properties.

Certification to Modify Ground-Floor Commercial Use Requirement along Clinton Street Applicant's Statement of Findings June 19, 2018

32-435
Ground floor use in high density Commercial Districts

(c) Retail Continuity

For #buildings# with front #building# walls that are at least 50 feet in width and front upon a #wide street#, a minimum of 50 percent of the width of such front #building# wall shall be occupied at the ground floor level by #commercial uses#, as permitted by district regulations.

In C1-8, C1-9, C2-7, C2-8 and C4-6 Districts and C1 or C2 Districts mapped within R9 or R10 Districts, #uses# which occupy such 50 percent of the front #building# wall shall be limited to those listed in Use Groups 6A, 6C and 6F, excluding banks and loan offices, except that in C4-6 Districts only, such #uses# may additionally include those listed in Use Groups 8A, 8B and 10A. All #uses# permitted by the underlying district regulations are permitted in the remaining 50 percent of the front #building# wall.

Such requirement of #commercial uses# for a minimum of 50 percent of the front #building# wall may be waived, or additional #uses# permitted, upon certification by the City Planning Commission to the Commissioner of Buildings that an adequate supply of such #uses# already exists at the ground floor level in the surrounding area.

The City Planning Commission may, by certification to the Commissioner of Buildings, allow modifications of the requirements of this Section. Such modifications will be permitted when the Commission finds that such modifications will enhance the design quality of the #street wall#.


Block 246, Lot 5 (the "<u>Development Site</u>") fronts partially on Clinton Street, which is mapped to a width of 80 feet +/- and is therefore a "wide street" as defined in Section 12-10 of the Zoning Resolution of the City of New York ("<u>ZR</u>"). Accordingly, per ZR Section 32-435(b), 50% of the front building wall of the proposed building at the Development Site (the "<u>Proposed</u> <u>Development</u>") along Clinton Street must be occupied by Use Groups 6A, 6C, and 6F, excluding banks and loan offices.

The Two Bridges Large-Scale Residential Development (the "LSRD") currently contains 12,750 sf of commercial floor area. The proposed minor modification to update the LSRD site plan and zoning calculations to facilitate the Proposed Development and separate but concurrent applications to facilitate other development in the LSRD will facilitate development of three new buildings and the addition of approximately 10,127 sf of commercial floor area. The Proposed Development is to include approximately 2,415 sf of ground-floor commercial space along South Street. As South Street is a "narrow street" as defined in ZR Section 12-10, this retail space is not required by zoning. The new South Street retail space and additional new retail space elsewhere in the LSRD would ensure that adequate ground-floor retail space is provided.

The Certification would enhance the design quality of the street wall along Clinton Street. Clinton Street between Cherry Street and South Street is not a commercial corridor and, instead, primarily residential in character, lined by residential buildings on LSRD Parcels 6B and 7, the Cherry Clinton Playground, the Development Site, and a utility building. As the Development Site is currently a vacant lot, there is no street wall along the Clinton Street portion of the Development Site and, absent the Proposed Actions, this condition would continue.

The Proposed Development would be built to the street line along Clinton Street, adding a street wall to the Development Site. As certain utilities enter the Development Site from Clinton Street, the Clinton Street frontage must accommodate utility rooms, limiting the amount of space available for other uses. From a design perspective, a residential lobby along Clinton Street provides the best access to the building core and private open space to the north. Approximately

60% of the Clinton Street frontage would be covered in transparent glass, creating a strong visual connection between Clinton Street and interior spaces and ensuring a lively, visually interesting streetscape. As the lobby would be lit and occupied at all times, it would provide a round-the-clock presence in a way that retail stores, which would likely be closed at certain times, cannot. Accordingly, the Certification would enhance the design quality of the streetscape.



ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:

The number(s) and/or letter(s) that follows an R, C or M District designation indicates use, bulk and other controls as described in the text of the Zoning Resolution.

R - RESIDENTIAL DISTRICT

C - COMMERCIAL DISTRICT

M - MANUFACTURING DISTRICT

SPE The area

SPECIAL PURPOSE DISTRICT The letter(s) within the shaded area designates the special purpose district as described in the text of the Zoning Resolution.

AREA(S) REZONED

Effective Date(s) of Rezoning:

*10-31-2017 C 170400 ZMK 05-10-2017 C 160221 ZMK

Special Requirements:

For a list of lots subject to CEQR environmental requirements, see APPENDIX C.

For a list of lots subject to "D" restrictive declarations, see APPENDIX D.

For Inclusionary Housing designated areas and Mandatory Inclusionary Housing areas on this map, see APPENDIX F.

MAP KEY	r	Ŏ			
12a	12c	13a			
12b	12d	13b			
16a	16c	17a			
Copyrighted by the City of New York					

NOTE: Zoning information as shown on this map is subject to change. For the most up-to-date zoning information for this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/planning or contact the Zoning Information Desk at (212) 720-3291.





NYC Digital Tax Map

: 06-30-2015 12:16:10 : Current Effective Date End Date

Manhattan Block: 248

Legend

Streets

Miscellaneous Text Possession Hooks

----- Boundary Lines 1 Lot Face Possession Hooks Regular

Underwater Tax Lot Polygon Condo Number


Tax Block Polygon

LSRD Boundary

Zoning Lot Boundaries

Development Site









NYC Digital Tax Map

: 09-23-2010 11:40:04 : Current Effective Date End Date

Manhattan Block: 246

Legend

Streets

Miscellaneous Text Possession Hooks

----- Boundary Lines 1 Lot Face Possession Hooks

Regular


Underwater
Tax Lot Polygon
Condo Number

Tax Block Polygon

LSRD Boundary


Zoning Lot Boundaries


---- Development Site





Area Map Land's End, Manhattan Block 246, Lot 5






North




1. View of the Development Site facing southwest from Clinton Street.



3. View of the sidewalk along the western side of Clinton Street facing south (Development Site at right).



2. View of the Development Site facing northwest from Clinton Street, with Parcel 6B at far right.






4. View of South Street facing east (Development Site and Parcel 7 at left).



6. View from prolongation of Jefferson Street looking east, with Development Site at right and Parcel 6A at left.



5. View of Parcel 6A from the north side of South Street between Rutgers Slip and Clinton Street facing northeast.






7. View of the sidewalk along the south side of Cherry Street facing east (Parcel 4A at right).



9. View of South Street facing east toward Rutgers Slip (Parcel 4B at left).



8. View of Rutgers Slip facing south from Cherry Street (Parcels 4A and 4B at right, Parcel 5 at left).







10. View of Rutgers Slip facing north from South Street (Parcel 4A at left, Parcel 5 at right).



12. View of the north side of Cherry Street between Rutgers Street and Jefferson Street facing northwest.



11. View of Parcel 5 at the intersection of Rutgers Slip and South Street facing northeast.






13. View of Parcel 6B at the intersection of Clinton Street and Cherry Street facing southwest.



15. View of Clinton Street facing south from Cherry Street (Parcel 6B at right, Parcel 7 at left).



14. View of the north side of Cherry Street facing northwest from Clinton Street.






16. View of the east side of Clinton Street between Cherry Street and South Street facing northeast (Parcel 7 at far right).



18. View of South Street facing west towards Clinton Street (Parcel 7 at right).



17. View of the intersection of Clinton Street and South Street facing southeast (Parcel 7 at left).







19. View of the south side of South Street and the FDR Drive facing southwest.



20. View of the intersection of Rutgers Slip and South Street facing southeast.





LANDS END

259 CLINTON STREET NEW YORK, NY

LAND USE APPLICATION JUNE 19, 2018

	DRAWING LIST	
SHEET. NO.	SHEET NAME	
Z-000.00	TITLE SHEET	
Z-001.00	LSRD ZONING ANALYSIS	
Z-002.00	LSRD SITE PLAN	
Z-003.00	ZONING LOT ZONING ANALYSIS	
Z-004.00	ZONING LOT SITE PLAN	
Z-005.00	GROUND FLOOR PLAN	
Z-006.00	ZONING LOT SECTIONS	
Z-007.00	ZONING LOT SECTIONS	
Z-008.00	ZONING LOT ELEVATION	
Z-009.00	ZONING LOT ELEVATION	

STARRETT COMPANIES 70 EAST 55TH STREET, 7TH FL NEW YORK, NY 10022

STARRETT COMPANIES
70 EAST 55TH STREET, 7TH FL
NEW YORK, NY 10022

115 FIFTH AVENUE NEW YORK, NY 10003 T. 212.353.7200 F. 212.353.7676

STRUCTURAL ENGINEER LANDSCAPE ARCHITECT MATHEWS NIELSEN
120 BROADWAY, SUITE 1040
NEW YORK, NY 10271 McNAMARA SALVIA 62 WEST 45TH STREET NEW YORK, NY 10036 MEP ENGINEER GEOTECHNICAL ENGINEER COSENTINI ASSOCIATES TWO PENN PLAZA NEW YORK, NY 10003


VERTICAL TRANSPORTATION

FACADE

PROJECT TITLE:

LE1SUB LLC

259 CLINTON STREET NEW YORK, NY 10002




1 06/19/2018 LAND USE APPLICATION

NO. DATE ISSUE

NOT FOR CONSTRUCTION

TITLE SHEET



PROJECT NO. 68430.00 DRAWING NUMBER **Z-000.00**

SUMMARY OF PREVIOUSLY GRANTED LSRD CERTIFICATIONS, <u>AUTHORIZATIONS & SPECIAL PERMITS; NO NEW WAIVERS REQUIRED</u>

PARCEL 7 (STAGE I) AUTHORIZATION—CP 21885

- 1. Sec. 78-311(a) to permit the distribution of zoning rooms without regard for zoning lot lines and district boundary lines as
- 2. Sec. 78-311(d) to permit the location of buildings without regard for yard regulations as required by Sec. 23-47 and 23-53. 3. Section 78-311(e) to permit the location of buildings without regard for height and setback regulations on the interior of the
- project as required by Sec. 23-632 and 23-64.

PARCEL 7 (STAGE I) SPECIAL PERMIT—CP21885

4. Sec. 78-312(d) to permit the locations of buildings without regard for height and setback regulations, on the periphery of the project as required by Sec. 23-632 and 23-64.

PARCEL 6A (STAGE II) AUTHORIZATION—CP21885

5. Sec. 78-311(d) to permit the location of buildings without regard for yard regulations as required by Sec. 23-47 and 23-53.

PARCEL 5 (STAGE ILL) SPECIAL PERMITS—C 760143 ZLM

6. Sec. 78-312(d) to authorize minor variations in the front height and setback regulations on the periphery of the development. 7. Sec. 78-312(f) to permit modification of the minimum spacing requirements consistent with the intent of the provisions of Sec. 23-71 (Minimum distance between buildings on a single zoning lot) and to authorize modification of the spacing required by Sec. 78-311(d) (for distance between east building on Parcel 5 and building on Parcel 6A).

PARCEL 6B (STAGE IV) AUTHORIZATIONS—N 830316 ZAM

- 8. Sec. 78-311(d) to authorize the location of the west building without regard for yard regulations which would otherwise apply along portions of the rear lot line wholly within the development.
- 9. Sec. 78-311(h) to modify the minimum spacing requirements between the west building on Parcel 6B and the building on Parcel 6A.

PARCEL 4A (STAGE V) AUTHORIZATIONS—N 850737 ZAM

10. Sec. 78-311(e) to authorize minor variations in setback regulations within the development. Deletion of Parcel 8 of Urban Renewal Plan from LSRD Plan Area.

PARCEL 4A (STAGE V) AUTHORIZATIONS—N 860727 ZAM

11. Sec. 78-41 to authorize permitted accessory, off-street parking spaces to be located within the development without regard to zoning lot lines to provide four parking spaces for Parcel 4A.

PARCEL 4B (STAGE VI) AUTHORIZATION—C 950078 ZSM

12. Sec. 78-311(e) authorize location of building without regard for height & setback regulations.

PARCEL 4B (STAGE VI) SPECIAL PERMIT—C 950078 ZSM

13. Sec. 78-312(f) authorize modification of minimum spacing requirements.

PARCEL 4B (STAGE VI) CERTIFICATIONS—C 950078 ZSM

14. Sec. 26-07 certification to modify the no curb cut on wide street regulations as required by Sec. 26-05.

15. Sec. 37-015 certification to waive retail continuity on wide street.

PARCEL 5 (UNDEVELOPED 2013 APPROVAL)-M 120183 ZSM

16. Modification to the LSRD site plan to permit an increase in community facility and total zoning floor area; to authorize a relocation of existing and development of new parking spaces; and to correct zoning calculations.

DCP LSRD WAIVER SUMMARY

LSRD ZONING CALCULATIONS

12-10 OFEN SPACE Total 31,680 55,243 29,532 21,931 10,563 149,049 Not Applicable Stating 43,920 120,686 57,521 31,890 21,094 275,121 Not Applicable Stating 43,920 120,686 57,521 31,890 21,094 275,121 Not Applicable Stating 43,920 120,686 41,825 31,890 21,094 222,027 Not Applicable Stating No front or side yards required; min. 8 side yard if provided. No rear yard required: No rear yard required ending lot. No front or side yards required at rear lot line, required opinic distribution of adjoining lot. No front or rear yards provided. Rear Yard Equivalent provided. Bear Yards Flag Provided along Clinton Steel yard if provided Steel yard if provided along Clinton Steel yard if provided			1						N. C.
Part		Parcel	-4	5	6A	6B1	71	TOTAL	NOTES
Tempor Description Part			W/Woot John All Woot	017/14990			<u> </u>	7712	7.0.120
Column C									
Control Centre Column Co		Block	248	247	246	246	245		
Control Cont	T	Lot	15, 70, 76	1, 2	1, 5	Condo 1001-1057	1		
Total Color	-								
Section Color Co									
Section Color Co									
Total Color	ſ	ZONING DISTRICT	C6-4	C6-4	C6-4	C6-4	C6-4	C6-4	Map 12d
Section Part							-		
Section Part		LOT AREA	69,210	145,031	71,357	53,821	31,657	371,076	
Company Comp	R Sections	Item	<u> </u>	***************************************	<u> </u>				
SERIOR S			1	Use group 1-2 (residentia	all: 3-4 (community facility): 5-12 (re	tail & commercial)			
Page 192	02-00[COLO E LI MILITED		Soo group 1 2 frondering	a), on toolimanity lability), or 12 (it	ical a sommitted and			
Page 192	'n	LIOPO DO OBOOCO				i i			
Manufacture Mode	3 H	The state of the s					is a	TWEN A STORY	T 2
Control Column						2			
2.3.1 (A COMMIN) 2.5.1 (A COMMIN) 2.5.2		New Building Uses		UG 2, 3, 4, 6		2	2	UG 2, 3, 4, 6	Complies
2.3.1 (A COMMIN) 2.5.1 (A COMMIN) 2.5.2		Uses Total	UG 2, 3, 4, 6	UG 2, 3, 4, 6	UG 2, 6	2	2	UG 2, 3, 4, 6	Complies
2.5 of 10 10 10 10 10 10 10 1					- A				24
1,5 16 16 17 18 18 19 19 19 18 18 18	2.9	_							
2.5 of Section 19	wa we f								
2. C. C. S. Commander Services	_								
9. 0. S. Commend	122, 23-15,[Residential		10	10	10	10	10	.2
9. 0. S. S. Commend	23, 35-23,	Community Facility	10	10	10	10	10	10	
Comment Comm			10	10	10	10	10	10	
Sept. Teles Tele	Constitution of the Consti		0		, ,	2	2		-
Dest Proposed Colors Color				40	40				
Separate 11.58	1	Maximum I otal	12	12	2	12		12	
Separate 11.58									
Common Fig. 0.38		FAR PROPOSED (New and E	Existing)						
Common Fig. 0.38	The state of the s			11.84	11.97	1.22	8.78	9 99	Complies
Commercial Com									
Number N								W	
CODE AREA PERSONNELLAND See Note 1,403 100 718,177 533,770 518,7							to the same of the		
Reserved Register	L	IVIAAIITIUITI I OLAI	12.00	12.00	12.00	1.22	L. 8.90	10.18	L Compiles
Reserved Register	Fe.								
Commons February Get 100 1,403 100 71,5070 583,270 316,507 317,7070							•		
Commercial Incidence						and the second s			78
Commercial Control C	Ī	Community Facility	692.100	1,450,310	713.570	538.210	316.570	3,710,760	
Processor 1982.55 1,400.25 1,277.1 107.58 6.3 14 7.21.18									
Proceed Process Proc	1, pa		· · · · · · · · · · · · · · · · · · ·						
Proposed	194								
Record	Ļ	Maximum I otal	630,520	1,740,372	000,284	040,802	379,884	4,402,912	l
Record									
Boating (to wram) 298-951 911,349 368,777 66,770 270,000 1,957,570 Complete 1,176,591 1,076,59									
New \$31,51* 170,097 95,836* 95,79 279,005		Residential			3	±	÷		
Total Pol D79 1,710,007 553,009 0,700 276,000 376,000 3770,00		Existing (to remain)	289,561	611,348	262,877	65,793	278,000	1,507,579	Complies
Total Part	1	New	501,518	1,105,319	590,992			2,197,829	Complies
Community design Figure	T					65 793	278 000		
Color Colo	-		101,010	1,7 10,007		00,700	270,000	0,700,400	1 compiles
New 0 10-3882 O O O 16-3982 Controller	1		0.000	· · · · · · · · · · · · · · · · · · ·	7		- FAR	24 000	F 75/
Commercial Com	51-			.0	Ü	U	5,500		
Commercial 12-76 2-024 0 12-75 0-025 0-			4—		0	. 0	0		
Existing to remain 10.728		Tota	26,322	16,362	0	0	5,500	48,184	Complies
New		Commercial		•				•	· · · · · · · · · · · · · · · · · · ·
New	-4	Existing (to remain)	10.726	2.024	0		T T	12 750	Complies
Total 13.119	ŀ					*	*		
Total	H					9	-		
Existing to small -288.486	a .		15,119	7,343	2,410	Ü	O O	22,011	Compiles
Total		an alread of the contract of t			T				
12-10 COT COMPAGE 17-40,372 56-6,294 65,702 283,500 3,778,468 Compiles	1		-296,480	613,372	262,877	65,793	283,500	929.062	
12-16 LOT CCVSRAGE Reclived		New							Outra tella es
Required			1,127,000	1,127,000	593,407	0	0		Complies
Required	1	Tota				0 65,793	0	2,847,407	
Required	[Tota				65,793	0	2,847,407	
Proposed	12-10					65,793	0	2,847,407	4
Existing 25,728 24,335 13,336 21,931 10,963 39,395 Not Applicable New 5,959 31,008 15,968 0 0 0 62,666 Not Applicable South 12,410 OPEN SPACE So	#538900 #55500g	LOT COVERAGE		1,740,372	856,284		0	2,847,407	4
New 6,932 31,008 15,686 0 0 62,056 Not Applicable 12,410 OPEN SPACE 10,069 55,943 29,532 21,931 10,069 140,049 Not Applicable 12,410 OPEN SPACE 10,069 120,069		LOT COVERAGE Required		1,740,372	856,284		0	2,847,407	<u> </u>
12-10 OPEN SPACE		LOT COVERAGE Required Proposed	830,520	1,740,372 Not applicable - LSRD refer	856,284 s to "lot coverage" for Urban Renew	al purposes (expired)	283,500	2,847,407 3,776,469	Complies
12-10 OPEN SPACE Required 13,020 120,666 57,521 31,890 21,094 275,121 Not Applicable		LOT COVERAGE Required Proposed Existing	830,520 25,728	Not applicable - LSRD references	856,284 s to "lot coverage" for Urban Renew 13,836	al purposes (expired)	283,500	2,847,407 3,776,469 96,393	Complies Not Applicab
Besting 43.920 120.68 89.688 41.825 31.890 21.094 275.121 Not Applicable 57.521 31.890 21.094 275.121 Not Applicable 79.0000000 37.530 89.688 41.825 31.890 21.094 275.121 Not Applicable 79.000000000000000000000000000000000000		LOT COVERAGE Required Proposed Existing New	25,728 5,952	1,740,372 Not applicable - LSRD reference 24,335 31,008	856,284 s to "lot coverage" for Urban Renew 13,836 15,696	al purposes (expired) 21,931	283,500 10,563 0	2,847,407 3,776,469 96,393 52,656	Complies Not Applicab Not Applicab
Besting 43,920 120,889 81 41,825 31,890 21,094 275.121 Not.Applicable 57,521 31,890 21,094 275.121 Not.Applicable 57,521 31,890 21,094 227.027 Not.Applicable 57,521 31,890 21,094 227.027 Not.Applicable 57,521 31,890 21,094 222.027 Not.Applicable 58,540 YAFUS 33,540 YAFUS 33,540 YAFUS 33,540 YAFUS 34,540		LOT COVERAGE Required Proposed Existing New	25,728 5,952	1,740,372 Not applicable - LSRD reference 24,335 31,008	856,284 s to "lot coverage" for Urban Renew 13,836 15,696	al purposes (expired) 21,931	283,500 10,563 0	2,847,407 3,776,469 96,393 52,656	Complies Not Applicab Not Applicab
Besting 43,920 120,889 81 41,825 31,890 21,094 275.121 Not.Applicable 57,521 31,890 21,094 275.121 Not.Applicable 57,521 31,890 21,094 227.027 Not.Applicable 57,521 31,890 21,094 227.027 Not.Applicable 57,521 31,890 21,094 222.027 Not.Applicable 58,540 YAFUS 33,540 YAFUS 33,540 YAFUS 33,540 YAFUS 34,540		LOT COVERAGE Required Proposed Existing New	25,728 5,952	1,740,372 Not applicable - LSRD reference 24,335 31,008	856,284 s to "lot coverage" for Urban Renew 13,836 15,696	al purposes (expired) 21,931	283,500 10,563 0	2,847,407 3,776,469 96,393 52,656	Complies Not Applicab Not Applicab
Existing 43,900 120,686 57,521 31,900 21,094 275.121 Not Applicable Proposed 37,530 89,689 41,825 31,990 21,094 22,027 Not Applicable Applicable Proposed 37,530 89,689 41,825 31,990 21,094 22,027 Not Applicable Applicabl		LOT COVERAGE Required Proposed Existing New Tota	25,728 5,952	1,740,372 Not applicable - LSRD reference 24,335 31,008	856,284 s to "lot coverage" for Urban Renew 13,836 15,696	al purposes (expired) 21,931	283,500 10,563 0	2,847,407 3,776,469 96,393 52,656	Complies Not Applicab Not Applicab
### Proposed \$7,530 \$9,688 \$41,825 \$18,890 \$21,094 \$22,027 Not Applicable \$35,50 YAPDS \$	12-10	LOT COVERAGE Required Proposed Existing New Tota	25,728 5,952	1,740,372 Not applicable - LSRD reference 24,335 31,008	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532	al purposes (expired) 21,931	283,500 10,563 0	2,847,407 3,776,469 96,393 52,656	Complies Not Applicab Not Applicab
35-50 YAPDS No front or sice yet/ds required, min. 8' side yard in provided. No reary and required in 10 required residential yard depth of 30 and required at rear lot line. Proposed No front or rear yeards provided. Proposed No front or rear yeards provided. No front or rear yeards provided. No front or rear yeards provided. Side yeard provided in excess of 8' Rear yeard equivalent provided. Rear yeard equivalent provided. Rear yeards greater than 90 provided all rear lot line. Proposed No front or rear yeards provided. Side yeard provided in excess of 8' Rear yeard equivalent provided. Rear yeard equivalent provided. Rear yeard equivalent provided. Rear yeards greater than 90 provided all rear lot lines. Side yeards provided in excess of 8' Rear yeard equivalent provided. Rear yeard equivalent provided. Rear yeards greater than 90 provided all rear lot lines. Side yeards provided in excess of 8' Rear yeard equivalent provided. Rear yeard equivalent provided. Rear yeards greater than 90 provided all rear lot lines. Side yeards provided in excess of 8' Rear yeard equivalent provided. Rear yeards greater than 90 provided all rear lot lines. Side yeards provided in excess of 8' Rear yeard equivalent provided. Rear yeards greater than 90 provided all rear lot lines. Original yeards required, min. 8' side yeard if required in excess front in equired at rear lot line. Required Minimum yeards not provided all rear lot lines. Side yeards provided all rear lot lines. Rear yeards greater than 90 provided all rear lot lines. Side yeards provided all rear lot lines. No front or side yeards required min. 8' side yeards front greater than 90 provided all rear lot lines. No front or side yeards required min. 8' side yeards front greater than 90 provided all rear lot lines. No front or side yeards required min. 8' side yeards front greater than 90 provided all rear	12-10	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required	25,728 5,952 31,680	1,740,372 Not applicable - LSRD reference 24,335 31,008 55,343	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable	al purposes (expired) 21,931 0 21,931	0 283,500 10,563 0 10,563	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab
No front or side yards required, min. 8 side yard gravited, min. 8 side yard if provided. No rear yard required in P10 equivalent where rear lot line coincides with a side to it line of adjoining lot. Proposed No front or rear yards provided; Side yard provided. No front or side yards required in P10 equivalent where rear lot line of adjoining lot. Proposed No front or rear yards provided; Side yard provided in excess of 8' Rear yard equivalent provided. Proposed No front or rear yards provided; Side yards provided in excess of 8' Rear yard equivalent provided. Proposed No front or rear yards provided; Side yards provided in excess of 8' Rear yard equivalent provided. Proposed No front or rear yards provided; Side yards provided in excess of 8' Rear yard equivalent provided. Proposed No front or side yards required, min. 8' side yard if now deed required at rear in time. 8' side yards required, required at rear in time. 8' side yards required, and in 8' side yard if provided at rear in time. 8' side yards required, required at rear in time. Proposed No front or side yards required, min. 8' side yards provided at rear in time. 8' side yards required, min. 8' side yards required. Proposed No front or side yards required, min. 8' side yards for time. 8' side yards at rear in time. Proposed No front or side yards required. No front or side yards required, min. 8' side yard if provided at rear in time. Provided 30' rear yard required at rear in time. Provided 30' rear yard required at rear in time. Provided 30' rear yard required at rear in time. Provided 30' rear yard required at rear in time. Provided 30' rear yards required. No front or side yards required. Provided 30' rear yards required. No front or side yards. Provided 30' rear yard sequired at rear in time. Provided 30' rear yard sequired	12-10	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing	25,728 5,952 31,680	1,740,372 Not applicable - LSRD reference 24,335 31,008 55,343	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521	al purposes (expired) 21,931 0 21,931	0 283,500 10,563 0 10,563	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
No front or side yards required, min. 8 side yard sard provided. No rear yard required in R10 equivalent where rear lot line coincides with a side to thine of adjoining lot. Proposed No front or rear yards provided; Side yard sprovided. No rear yard equivalent provided. Rear Yard Equivalent required. Along rear lot line, required residentially and depict of 30°cm. 8 side yard if provided and required concludes with a side to thine of adjoining lot. Proposed No front or rear yards provided; Side yard provided. Rear Yard Equivalent required. Along rear lot line, required in R10 equired commercial rear yard depth of 20°. Rear Yards: Rear yards greater than 30° provided all rear lot line. Side yards not provided in excess of 8' side yard; provided in excess of 8' side yards; pro	12-10	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing	25,728 5,952 31,680	1,740,372 Not applicable - LSRD reference 24,335 31,008 55,343	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521	al purposes (expired) 21,931 0 21,931	0 283,500 10,563 0 10,563	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
min. 8 side yard if provided. No reary and required in R10 equivalent required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. Proposed No front or near yards provided; side yard provided in excess of 8 Rear yard equivalent provided. Rear yards: Rear yards greater than 30 provided all rear lot line. Side yard provided all rear lot line. Waiver #5 (CP21885) **Waiver #8 (Side yard strong rear lot line. **Waiver #5 (CP21885) **Waiver #8 (Side yard strong rear lot line. **Waiver #8 (Side yard strong rear lot line. **Waiver #5 (CP21885) **Waiver #8 (Side yard strong rear lot line. **Waiver #8 (Side yard strong rear lot lin	12-10	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed	25,728 5,952 31,680	1,740,372 Not applicable - LSRD reference 24,335 31,008 55,343	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521	al purposes (expired) 21,931 0 21,931	0 283,500 10,563 0 10,563	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
No rear yard required in R10 equivalent where rear tot line coincides with a side tot line of adjoining lot. Proposed No front or rear yards provided; side yard provided in excess of 8 No front or rear yard equivalent provided. Rear yards; Rear yards greater than 30 provided all rear lot line. Proposed No front or rear yards provided; side yard provided in excess of 8 No front or rear yards equivalent provided. Rear yard equivalent provided. Rear yard equivalent provided. Rear yards; Rear yards greater than 30 provided all rear lot line. Provided ** Whinimum yards not provided ** ** Waiver #8 (830316 ZAM) *** Waiver #8 (920 Example of the provided of t	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 5,952 31,680 43,920 37,530	1,740,372 Not applicable - LSRD reference 24,335 31,008 55,343	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825	al purposes (expired) 21,931 0 21,931 31,890 31,890	283,500 10,563 0 10,563 21,094 21,094	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
equivalent where rear lot line coincides with a side lot fine of adjoining lot. Proposed No front or rear yards provided: side yard provided in excess of 8' Rear yard equivalent provided. Rear yards: Rear yards greater than 30 provided ali rear lot line. Proposed No front or rear yards provided in excess of 8' Rear yard equivalent provided. Rear yards: Rear yards greater than 30 provided ali rear lot lines. Side Yards: Rear yards greater than 30 provided ali rear lot lines. Side Yards: Rear yards greater than 30 provided ali rear lot lines. Waiver #8 (CP21885) Waiver #8 (Seption Yard: Provided along Clinton Street.) 23-65 HEIGHT & SETBACK 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' Max Street Wall 85, Min 10 setback, Sky minimum tower setback, Sci_1 sky exposure plane from wide/narrow street above 85' Max Street Wall 85, Min 10 setback, Sky minimum tower setback, Sci_1 sky exposure plane from wide/narrow street above 85' #Waiver #10 (N Scor37 2 Ava) %	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 5,952 31,680 43,920 37,530 No front or side yards required;	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required;	al purposes (expired) 21,931 0 21,931 31,890 No front or side yards	283,500 10,563 0 10,563 21,094 21,094 No front or side yards	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
coincides with a side lot line of adjoining lot. Proposed No front or rear yards provided; side yard provided in excess of 8' Rear yard equivalent provided. Rear yard equivalent provided. Rear yards greater than 30 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-2 does not provide side yard greater than 30 provided along Clinton 23-65 HEIGHT & SETBACK 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' Max Street Wall 85, Min 10 setback, Sky minimum tower setback, 2.7 to 1 sky exposure plane from wide street above 85' 15' minimum setback 5.6 to 1 sky exposure plane from wide street above 85' 15' minimum tower setback 5.6 to 1 sky exposure plane from wide street above 85' 15' minimum tower setback 5.6 to 1 sky exposure plane from wide street above 85' 16' minimum tower setback 5.6 to 1 sky exposure plane from wide street above 85' 16' minimum setback 5.6 to 1 sky exposure plane from wide street above 85' 16' minimum tower setback 5.7 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure plane from wide/narrow 15' minimum tower setback 5.6 to 1 sky exposure pl	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided.	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided.	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if	283,500 10,563 0 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
#Waiver #5 (CP21885) Proposed No front or rear yards provided: side yard provided in excess of 8' Rear yard equivalent provided. Rear Yards: Rear yards greater than 30 provided all rear lot lines. Side Yards: Building 6A-2 does not provide all ong South Street. Begin to 30 of 4''. Building 6A-2 does not provided along Clinton Street. 29-65 HEIGHT & SETBACK 20, 35-63 0, 23-60 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 35' Max Street Wall 85, Min 10 setback, Sky Max Street Wall 85, Min 10 setback, Sky Max Street Wall 85, Min 15 setback, Sky Min minimum tower setback; 27-11 #Waiver #5 (CP21885) Minimum yards not Minimum yards not provided** #Waiver #5 (CP21885) #Waiver #5 (CP21885) #Waiver #6 (PP2 Not	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard	283,500 10,563 0 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
Proposed No front or rear yards provided; side yard provided in excess of 8! Rear yard equivalent provided. Rear yards greater than 30 provided all rear lot lines, Side Yards: Building 6A-1 provide minimum side yard depth of 30-4". Building 6A-2 does not provide along South Street. Rear yards greater than 30 provided all rear lot lines, Side Yards: Building 6A-1 provided along South Street; not provided along South Street, not provided along South Street, not provided along Clinton Street. Rear yards greater than 30 provided all rear lot lines, Side Yards: Building 6A-1 provided along South Street; not provided along South Street, not provided along South Street, not provided along Clinton Street. Rear yards greater than 30 provided all rear lot lines, Side Yards: Building 6A-1 provided along South Street, not provided along South Street, Above 85, 10 provided along Clinton Street Above 85, 10 provided along Clinton Street. Rear yards greater than 30 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-1 provided along South Street lines, Side Yards: Building 6A-1 provided along South Street lines, Side Yards: Building 6A-1 provided along South Street lines, Side Yards: Building 6A-1 provided along South Street lines, Side Yards: Building 6A-1 provided along South Street lines, Side Yards: Building 6A-1 p	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard	283,500 10,563 0 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
Proposed No front or rear yards provided; side yard provided in excess of 8! Rear yard equivalent provided. Rear yard equivalent provided. Rear yards greater than 30' provided all rear lot lines, Side Yards: Building 6A-1 provided minimum side yard depth of 30-4". Building 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear yard equivalent provided. Rear yard equivalent provided. Rear yards greater than 30' provided all rear lot lines, Side Yards: Building 6A-1 provided ** Yards: Building 6A-1 provided ** Yards: Building 6A-1 provided all rear lot lines, Side Yards: Building 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear yards greater than 30' provided all rear lot lines, Side Yards: Building 6A-1 provided ** Yards: Building 6A-1 provided along Clinton Street. Yards: Provided ** Yards: Provided ** Yards: Building 6A-1 provided along Clinton Street. Yards: Provided	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard	283,500 10,563 0 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab
Proposed No front or rear yards provided; side yard provided in excess of 8' Rear yard equivalent provided. Rear yards; Rear yards greater than 30' provided all rear lott lines. Side Yards: Building 6A-1 provided minimum side yard depth of 30'-4'. Building 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear Yards; Rear yards greater than 30' provided all rear lott lines. Side Yards: Building 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear Yards; Rear yards greater than 30' provided all rear lott lines. Side Yards: Building 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear Yards; Rear yards greater than 30' provided all rear lott lines. Side Yards: Bioliding 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear Yards; Rear yards greater than 30' provided all rear lott lines. Side Yards: Bioliding 6A-2 does not provide side yards. Front Yard: Provided along Clinton Street. Rear Yards; Ruilding 6A-1 provided** Minimum yards not provided** Minimum yards not provided** Waiver #8 (Ragoal E ZAM) *** Wai	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard	283,500 10,563 0 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab
side yard provided in excess of 8' Side yard provided in excess of 8' Side yard provided all rear lot lines. Side yards Building 6A-1 provides minimum side yard depth of 30-4' Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton Street. Side yards. Front Yard: Provided along South Street; not provided along Clinton Street. Side yards. Front Yard: Provided along South Street; not provided along Clinton Street Side yards. Sid	12-10 35-50	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of	1,740,372 Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard	283,500 10,563 0 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab
23-65 HEIGHT & SETBACK 23-65 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' Exposure Plane 5.5.1, except for towers. South Street; Max Street Wall 85, Min 10' setback, Sky Max Street Wall 85, Min 15' setback, Sky Minimum tower setback; 2.7:1	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 A3,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot.	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'.	al purposes (expired) 21,931 0 21,931 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line.	21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line.	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab
23-65 HEIGHT & SETBACK 23-65 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' Max Street Wall 85', Min 15' setback, Sky Minimum tower setback; 2.7:1 **** Waiver #2 (CP21885) *** **** Waiver #2 (CP21885) **** Waiver #2 (CP21885) **** Waiver #2 (CP21885) *** **** Waiver #2 (CP21885) *** **** Waiver #2 (CP21885) *** *** **** Waiver #2 (CP21885) *** *** *** *** *** *** ***	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab * Waiver #5 (CP21885)
depth of 30'-4". Building 6A-2 does not provide side yeards. 23-65 HEIGHT & SETBACK Street; not provided along Clinton Street; not provided along Clinton Street. 23-60 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' South Street Wall 85', Min 10' setback, Sky Exposure plane from narrow street above 85' South Street Wall 85', Min 15' setback, Sky Max Street Wall 85', Min 15' setback, Sky Max Street Wall 85', Min 15' setback, Sky Max Street Wall 85', Min 15' setback, Sky M	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards; Rear yards greater than 30' provided all rear lot lines.	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab * Waiver #5 (CP21885) ** Waiver #8 (
depth of 30'-4". Building 6A-2 does not provide side yeards. 23-65 HEIGHT & SETBACK 30, 35-63 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 23-60 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 23-60 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 23-60 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 25-61 Sky exposure plane from narrow street above 85' 25-61 Sky exposure plane from wide street above 85' 25-61 Sky exposure plane f	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards; Rear yards greater than 30' provided all rear lot lines.	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab Not Applicab * Waiver #5 (CP21885) ** Waiver #8 (
does not provide side yards. Front Yard: Provided along South Street, not provided along Clinton Street. Cherry Street (Wide Street): Clinton Street Above 85', 10'	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe * Waiver #5 (CP21885) ** Waiver #8 (830316 ZAM)
23-65 HEIGHT & SETBACK 50, 35-63 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' Max Street Wall 85', Min 10' setback, Sky Max Street Wall 85', Min 15' setback, Sky Max Street Wall 85', Min 15' setback, Sky Max Street Wall 85', Min 15' setback, Sky Minimum tower setback South Street: Above 85', 15' Max Street Wall 85', Min 15' setback, Sky Min minimum tower setback; 2.7:1 15' minimum setback 5.6 to 1 sky exposure plane from wide street above 85' 5.6 to 1 sky exposure plane from wide street above 85' 850737 ZAM) 8 #12 (C 950078	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe * Waiver #5 (CP21885) ** Waiver #8 (830316 ZAM) *** Waiver #2
23-65 HEIGHT & SETBACK 50, 35-63 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 15' minimum setback 3.6 to 1 sky exposure plane 4.5 fo to 1 sky exposure plane 5.6 to 1 sky exposure plane 5.6 form wide street above 85' 15' minimum setback 5.6 to 1 sky exposure plane 5.6 form wide street above 85' 15' minimum setback 5.6 form wide	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe * Waiver #5 (CP21885) ** Waiver #8 (830316 ZAM) *** Waiver #2
23-65 HEIGHT & SETBACK 30, 35-63 [15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' [Exposure Plane 5.6:1, except for towers. South Street (Narrow Street): South Street (Narrow Street): South Street: Above 85', 15' minimum tower setback 5.6:1 5.6 to 1 sky exposure plane from wide street above 85' [From wide street above 85'] [Fr	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 3' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards.	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe * Waiver #5 (CP21885) ** Waiver #8 (830316 ZAM) *** Waiver #2
23-65 HEIGHT & SETBACK 50, 35-63 10, 23-60 Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 15' minimum tower setback, Sky 2.7 to 1 sky exposure plane from narrow street above 85' 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' 15' minimum setback 5.6 to 1 sky exposure plane 5.6 to 1 sky exposure plane 6.0 to 2 sky exposure plane 6.0 to 3 sky exposure plane 6.0 to 4 sky exposure plane 6.0 to 4 sky exposure plane 6.0 to 4 sky exposure plane 6.0 to 5 sky exposure plane 6.0 to 5 sky exposure plane 6.0 to 6 sky exposure 6.0 to 6 sky exposure 6.0 to 7 sky exposure 6.0 to 6 sky exposure 6.0 to	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' (Narrow Street): South Street (Narrow Street): South Street: Above 85', 10' Minimum setback 5.6 to 1 sky exposure plane from wide street above 85' plane from wide/narrow street above 85' street above 8	12-10 35-50 -20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' marrow street above 85' Max Street Wall 85', Min 10' setback, Sky Exposure plane. South Street (Narrow Street): South Street: Above 85', 10' street: Above 85', 10' minimum setback 5.6 to 1 sky exposure plane from wide street above 85' plane from wide/narrow street above 85' minimum tower setback; 2.7:1 South Street: Above 85', 15' street above 85' minimum tower setback; 2.7:1 South Street: Above 85', 15' street above 85' minimum tower setback; 2.7:1 South Street: Above 85', 15' street above 85' stree	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' narrow street above 85' Narrow Street (Narrow Street): South Street (Narrow Street): Max Street Wall 85', Min 15' setback, Sky Min 15' setback, Sk	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' narrow street above 85' Narrow Street (Narrow Street): South Street (Narrow Street): Max Street Wall 85', Min 15' setback, Sky Max Street): South Street (Narrow Street): Max Street Wall 85', Min 15' setback, Sky Min 15' setback,	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' (Narrow Street): South Street (Narrow Street): South Street: Above 85', 10' Minimum setback 5.6 to 1 sky exposure plane from wide street above 85' plane from wide/narrow street above 85' street above 8	12-10 35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Tota OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Required 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85' Max Street (Wide Street): Cherry Street (Wide Street): Clinton Street: Above 85', 10' 5.6 to 1 sky exposure plane 5.6/2.7 to 1 sky exposure plane 7.6/2.7 to 1 sky exposure 7.6/2.7 to	35-50 20, 23-40	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
2.7 to 1 sky exposure plane from narrow street above 85' Max Street Wall 85', Min 10' setback, Sky Exposure Plane 5.6:1, except for towers. South Street (Narrow Street): Max Street Wall 85', Min 15' setback, Sky Max Street Wall 85', Min 15' setback, Sky Minimum tower setback; 5.6:1 Sky exposure plane from wide street above 85' from wide street above 85' street above 85' street above 85' #12 (C 950078	35-50 20, 23-40 23-65	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed	25,728 5,952 31,680 43,920 37,530 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided;	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
narrow street above 85' Exposure Plane 5.6:1, except for towers. South Street (Narrow Street): South Street: Above 85', 15' South Street Wall 85', Min 15' setback, Sky minimum tower setback; 2.7:1 from wide street above 85' plane from wide/narrow street above 85' street above 85' street above 85' #12 (C 950078	35-50 20, 23-40 23-65 60, 35-63	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed Proposed	25,728 25,728 5,952 31,680 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided; side yard provided in excess of 8'	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required. Rear yard equivalent provided.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton Street.	al purposes (expired) 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided**	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided***	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
South Street (Narrow Street); South Street: Above 85', 15' street above 85' 850737 ZAM) 8 Max Street Wall 85', Min 15' setback, Sky minimum tower setback; 2.7:1 street above 85' 412 (C 950078	35-50 20, 23-40 23-65 60, 35-63	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed Proposed	25,728 5,952 31,680 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided; side yard provided in excess of 8'	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required. Rear yard equivalent provided.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide yide yards. Front Yard: Provided along South Street; not provided along Clinton Street.	al purposes (expired) 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided**	21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided***	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
South Street (Narrow Street); South Street: Above 85', 15' street above 85' 850737 ZAM) 8 Max Street Wall 85', Min 15' setback, Sky minimum tower setback; 2.7:1 street above 85' 412 (C 950078	35-50 -20, 23-40 23-65 -60, 35-63	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed Proposed	25,728 5,952 31,680 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided; side yard provided in excess of 8' 15' minimum tower setback 2.7 to 1 sky exposure plane from	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required. Rear yard equivalent provided. Cherry Street (Wide Street): Max Street Wall 85', Min 10' setback, Sky	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton Street. Clinton Street: Above 85', 10' minimum tower setback; 5.6:1	al purposes (expired) 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided** 15' minimum setback 5.6 to 1 sky exposure plane	10,563 10,563 10,563 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided*** 15'/20' minimum setback 5.6/2.7 to 1 sky exposure	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicate No
Max Street Wall 85', Min 15' setback, Sky minimum tower setback, 2.7:1 #12 (C 950078	35-50 35-20, 23-40 23-65 5-60, 35-63	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed Proposed	25,728 5,952 31,680 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided; side yard provided in excess of 8' 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85'	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required. Rear yard equivalent provided. Cherry Street (Wide Street): Max Street Wall 85', Min 10' setback, Sky Exposure Plane 5.6:1, except for towers.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton Street. Clinton Street: Above 85', 10' minimum tower setback; 5.6:1 sky exposure plane.	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided** 15' minimum setback 5.6 to 1 sky exposure plane from wide street above 85'	10,563 10,563 10,563 21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided*** Minimum yards not provided***	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicable Not Ap
ADDIA DE SERVICIO DE LA CONTRACTOR DE LA	35-50 3-20, 23-40 23-65 5-60, 35-63	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed Proposed	25,728 5,952 31,680 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided; side yard provided in excess of 8' 15' minimum tower setback 2.7 to 1 sky exposure plane from narrow street above 85'	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required. Rear yard equivalent provided. Cherry Street (Wide Street): Max Street Wall 85', Min 10' setback, Sky Exposure Plane 5.6:1, except for towers.	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. 8' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton Street. Clinton Street: Above 85', 10' minimum tower setback; 5.6:1 sky exposure plane.	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided** 15' minimum setback 5.6 to 1 sky exposure plane from wide street above 85'	10,563 10,563 10,563 21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided*** Minimum yards not provided***	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicabe Not Applicable Not Applicabe Not Applicable Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicabe Not Applicable Not Applicabe Not Applicable
TEACHER THE THE TALL	35-50 3-20, 23-40 23-65 5-60, 35-63	LOT COVERAGE Required Proposed Existing New Total OPEN SPACE Required Existing Proposed YARDS Required Proposed Proposed	25,728 5,952 31,680 No front or side yards required; min. 8' side yard if provided. No rear yard required in R10 equivalent where rear lot line coincides with a side lot line of adjoining lot. No front or rear yards provided; side yard provided in excess of 8'	Not applicable - LSRD refers 24,335 31,008 55,343 120,696 89,688 No front or side yards required; min. 8' side yard if provided. Rear Yard Equivalent required. Cherry Street (Wide Street): Max Street Wall 85', Min 10' setback, Sky Exposure Plane 5.6:1, except for towers. South Street (Narrow Street):	856,284 s to "lot coverage" for Urban Renew 13,836 15,696 29,532 Not applicable 57,521 41,825 No front or side yards required; min. S' side yard if provided. Along rear lot line, required residential yard depth of 30'and required commerical rear yard depth of 20'. Rear Yards: Rear yards greater than 30' provided all rear lot lines. Side Yards: Building 6A-1 provides minimum side yard depth of 30'-4". Building 6A-2 does not provide side yards. Front Yard: Provided along South Street; not provided along Clinton Street. Clinton Street: Above 85', 10' minimum tower setback; 5.6:1 sky exposure plane. South Street: Above 85', 15'	al purposes (expired) 21,931 0 21,931 31,890 31,890 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided** 15' minimum setback 5.6 to 1 sky exposure plane from wide street above 85'	10,563 10,563 10,563 21,094 21,094 21,094 No front or side yards required; min. 8' side yard if provided. 30' rear yard required at rear lot line. Minimum yards not provided*** Minimum yards not provided***	2,847,407 3,776,469 96,393 52,656 149,049	Not Applicab * Waiver #5 (CP21885) ** Waiver #8 (830316 ZAM) *** Waiver #2 (CP21885) **Waiver #10 (N 850737 ZAM) &

Glinton Street - Building 6A-2: 10' Building does not exceed 85' Clinton Street: Penetrates sky Cherry St: 15' setback at 51.5'; Cherry Street: ** Waiver #7 South Street: 40' setback above 40'; Rutger Slip: Building 4-4 Existing building rises without setback within 10' of setback above 50'-5". South Street: 40' setback above 50'-5". South Street line, and penetrate sky exposure plane to a south Street - Building 6A-2; 43'exposure plane for 155' * (C760143 ZLM) provides 15' setback; Buildings 4-3 height of 146'-6" **** & 4-1 provide 8.14' & 8.08' South Street: 3" setback above 50'-5" South Street: Penetrates sky ** Waiver #3 exposure plane for 57' *** (CP21885) & #4 setbacks; Building 4-1 penetrates Building not within initial set back distance; All (CP21885) sky exposure plane for 114.5' * portions of building that pierce sky exposure plane comply with Tower Regulations. *** Waiver #6 (C 760143 ZLM) 23-711 MINIMUM DISTANCE Wall to Wall - 40' Wall to Window - 50 Waiver #13 (C Window to Window - 60' 950078 ZSM) 30.17 between buildings 4-1 and 4 Existing buildings separated 160 Window to Buildings 6A-1 and 6A-2 abut. 37 between buildings 6A & N/A *Waiver #9 (N 830316 ZAM) Complies under current zoning *** Proposed building: Above a height of 85', Tower C ** Waiver #7 (and Tower D are separated by a min 60'. 760143 ZLM)

						r S	previously granted but no onger necessary
PARKING (Accessory) Required							
Required	0	0	0	0	0	0	
Proposed							
Proposed Existing	11.	103	34	12	30	190	Complies
Proposed	11	103	34 0	12	30	190	Complies Complies

No accessory loading required for community facility, or first 25,000 SF of retail

No loading proposed

1. Parcels 6B and 7 are within the LSRD, but are not being modified in conjunction with the proposed projects

LEGEND

ZONING DISTRICT BOUNDARY LARGE SCALE RESIDENTIAL DEVELOPMENT PLAN BOUNDARY STREET LINE BELOW ZONING LOT LINE MAXIMUM DEVELOPMENT ENVELOPE: BUILDING MAY BE LOCATED ANYWHERE WITHIN SOLID LINE ILLUSTRATIVE BUILDING ENVELOPE

GROUND FLOOR RETAIL USE WAIVER PER ZR SECTION 32-435

C6-4 ZONING DISTRICT

LOT NUMBER LSRD PARCEL NUMBER

> NUMBER OF STORIES **EXISTING BUILDING**

RESIDENTIAL DEVELOPMENT HT +380.50' ENVELOPE HEIGHT

(HT +200.00') ILLUSTRATIVE BUILDING HEIGHT

NEW BUILDING

XX STORIES NUMBER OF STORIES

BUILDING NO. NUMBER OF STORIES

PROPOSED BUILDING MAIN

PROPOSED SERVICE ACCESS

PROPOSED RETAIL ENTRANCE

TRAFFIC DIRECTION

GENERAL NOTES:

LSRD ZONING CALCULATIONS

1. APPLICANT'S STAMP AND SEAL CORRESPONDS TO THE INFORMATION REGARDING THE DEVELOPMENT SITE, ZONING LOT, AND RELATED CURB CUTS. INFORMATION REGARDING THE SURROUNDING PROPERTIES AND EXISTING STRUCTURES IS FOR ILLUSTRATIVE PURPOSES ONLY. 2. WITHIN DEVELOPMENT ENVELOPE SHAPE AND FOOTPRINT OF

BUILDING, LOCATION OF ENTRANCES, INTERIOR ARRANGEMENT OF PARTITIONS, FLOOR TO FLOOR HEIGHTS AND NOTATIONS ARE FOR ILLUSTRATIVE PURPOSE ONLY AND IS SUBJECT TO CHANGE. 3. LANDSCAPE AND HARDSCAPE INFORMATION IS SHOWN FOR ILLUSTRATIVE PURPOSES ONLY AND IT IS SUBJECT TO CHANGE.

4. ALL HEIGHTS ARE MEASURED FROM FRCE = 13.0'

STARRETT COMPANIES 70 EAST 55TH STREET, 7TH FL

NEW YORK, NY 10022 STARRETT COMPANIES 70 EAST 55TH STREET, 7TH FL

NEW YORK, NY 10022

Perkins Eastman

NEW YORK, NY 10003 T. 212.353.7200 F. 212.353.7676

STRUCTURAL ENGINEER LANDSCAPE ARCHITECT McNAMARA SALVIA MATHEWS NIELSEN 62 WEST 45TH STREET 120 BROADWAY, SUITE 1040 NEW YORK, NY 10036 NEW YORK, NY 10271 MEP ENGINEER GEOTECHNICAL ENGINEER **COSENTINI ASSOCIATES** TWO PENN PLAZA NEW YORK, NY 10003

VERTICAL TRANSPORTATION FACADE

PROJECT TITLE:

LE1SUB LLC 259 CLINTON STREET NEW YORK, NY 10002

SOUTH STREET SITE DIAGRAM

1 06/19/2018 LAND USE APPLICATION NO. DATE ISSUE


THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND AS SUCH MAY NOT BE USED FOR OTHER PROJECTS, FOR ADDITIONS TO THIS PROJECT OR COMPLETION OF THIS PROJECT BY OTHERS. COPYRIGHT 2017 PERKINS EASTMAN ALL RIGHTS RESERVED. NOT FOR CONSTRUCTION


DRAWING TITLE LSRD ZONING ANALYSIS



DATE PROJECT NO. 68430.00 DRAWN BY CHECKED BY DRAWING NUMBER

Z-001.00





GENERAL NOTES

APPLICANT'S STAMP AND SEAL CORRESPONDS TO THE INFORMATION REGARDING THE DEVELOPMENT SITE, ZONING LOT AND RELATED CURB CUTS. INFORMATION REGARDING THE SURROUNDING PROPERTIES IS FOR ILLUSTRATIVE PURPOSES ONLY.

WITHIN DEVELOPMENT ENVELOPE: SHAPE AND FOOTPRINT OF BUILDING, LOCATIONS OF ENTRANCES, INTERIOR ARRANGEMENT OF PARTITIONS, FLOOR TO FLOOR HEIGHTS AND NOTATIONS ARE SUBJECT TO CHANGE.

INFORMATION RELATED TO LANDSCAPE DESIGN IS PROVIDED FOR ILLUSTRATIVE PURPOSES ONLY AND IS SUBJECT TO CHANGE.

ALL ELEVATIONS REFERENCE NAVD 88 DATUM. ALL HEIGHTS ARE MEASURED ABOVE THE BASE PLANE/DESIGN FLOOD ELEVATION (DFE) PER ZR 64-131. DFE = +12.0' ABOVÈ SEÁ LEVEL (0.0') IN NAVD 88 DATUM.

STARRETT

COMPANIES 70 EAST 55TH STREET, 7TH FL NEW YORK, NY 10022

CLIENT STARRETT COMPANIES
70 EAST 55TH STREET, 7TH FL NEW YORK, NY 10022

Perkins Eastman

115 FIFTH AVENUE NEW YORK, NY 10003 T. 212.353.7200 F. 212.353.7676

STRUCTURAL ENGINEER LANDSCAPE ARCHITECT McNAMARA SALVIA

MATHEWS NIELSEN 120 BROADWAY, SUITE 1040 NEW YORK, NY 10271 62 WEST 45TH STREET NEW YORK, NY 10036 MEP ENGINEER GEOTECHNICAL ENGINEER COSENTINI ASSOCIATES TWO PENN PLAZA NEW YORK, NY 10003

CIVIL ENGINEER VERTICAL TRANSPORTATION LIGHTING FACADE

PROJECT TITLE:


LE1SUB LLC 259 CLINTON STREET NEW YORK, NY 10002

SOUTH STREET SITE DIAGRAM


1 06/19/2018 LAND USE APPLICATION
NO. DATE ISSUE THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND AS SUCH MAY NOT BE USED FOR OTHER PROJECTS, FOR ADDITIONS TO THIS PROJECT OR COMPLETION OF THIS PROJECT BY OTHERS.

COPYRIGHT 2017 PERKINS EASTMAN ALL RIGHTS RESERVED. NOT FOR CONSTRUCTION

DRAWING TITLE LSRD SITE PLAN



GRAPHIC APPLICABLE TO ALL NON-DIMENSIONED ELEMENTS SITE PLAN 1/50" = 1'-0"



TOWER PORTION	SF LOT COVERAGE
6A - 1	13,632
6A - 2	11,954
TOTAL	25.586

TOWER LOT COVERAGE	25,586
TOTAL ZONING LOT AREA	71,357
% LOT COVERAGE	35.9% < 40%
	(COMPLIES

0' 8' 16' 32' 64'

 $\frac{1}{32}$ " = 1'-0"


GRAPHIC APPLICABLE TO ALL NON-DIMENSIONED ELEMENTS

GRAPHIC APPLICABLE TO ALL NON-DIMENSIONED ELEMENTS

 $\frac{1}{32}$ " = 1'-0"

BASE PLANE CALCULATION MAP

TOWER COVERAGE AT 85'



FORMULA	ELEV. NAVD88		ELEV. NAVD88	FRCE	BASE PLANE
$\frac{A+B}{2} =$	8.0' + 8.0'	=	8.00	13.0	13.0
$\frac{C+D}{2} = \frac{9}{9}$	9.55' + 12.09'	=	10.82	13.0	13.0

CURB ELEV. NAVD8				
Α	8.00'			
В	8.00'			
С	9.55'			
D	12.09'			

	Tax Block	246		-		
	Tax Lots	1 and 5		-		
	Community District	3		1		
		3		_		
Man 40 4	In Manhattan Core	Yes		_		
Map 12d	Zoning District	C6-4 (R10 Equivalent)	I Davidsonat David 64	_		
	LSRD	Two Bridges Large Scale Residentia	Development, Parcel 6A			
ZR Section	Subject	Permitted/ Required	Existing	Proposed	Total	Compliance/ Notes
		<u> </u>		·		
2	2. LOT AREA Lot 1	51,180				
	Lot 5 Total	20,177 71,357				
3	USES					
32-10	Permitted Uses	Use Groups 1 through 12	Use Group 2	Use Groups 2 and 6	Use Groups 2 and 6	Complies
32-422	Location of Uses		No Commercial	Commercial on first floor	Commercial on first floor	Complies
32-435, 37- 34	Minimum Transparency Requirements	At least 50% of the surface area of the street wall between heights of 2'	N/A	50% of the surface area of the street wall between heights of 2' and	50% of the surface area of the street wall between heights of 2' and	Complies
		and 12' must be glazed with transparent materials		12' is glazed along Clinton and South Streets	12' is glazed along Clinton and South Streets	
32-435 e.	Sign Regulations		None	Sinage is at or below 17'	Sinage is at or below 17'	Complies
4	FAR	1122,11				
23-154	Residential	10.00	3.68	6.28	9.97	Complies
24-11	Community Facility		0.00	0.00	0.00	Complies
33-122	Commercial		0.00	0.03	0.03	Complies
23-154, 35-	Inclusionary Bonus		0.00	2.00	2.00	Complies
31 23-154, 35-		40.00	0.00		44.07	O
31 23-154, 35-			3.68	8.28	11.97	Complies
31	Total Site with Inclusionary Bonus	12.00	3.68	8.32	12.00	Complies
5	FLOOR AREA	_		·	·	
23-154	Residential	713,571	262,877	448,279	711,156	Complies
24-11	Community Facility	713,571	0	0	0	Complies
33-122	Commercial	713,571	0	2,415	2,415	Complies
23-154, 35- 31	Inclusionary Bonus	142,714	0	142,714	142,714	Complies
	Resdential w Inclusionary Bonus	856,285	262,877	590,993	853,870	Complies
	Total Site with Inclusionary Bonus	856,285	262,877	593,408	856,285	Complies
<u>. </u>	YARDS					
35-51 23-45	Front Yard Requirements	None	South Street: 95"	none provided	None	Complies
	Side Yard Requirements	None Required, Min 8' if provided	Distance between existing building			Complies
33-32, 26-46, 33-25	Side Yard Requirements		and parcel 5: 30'-4"	O .	and parcel 5: 30'-4"	Compiles
	Minimum Required Rear Yards	Residential: 30', Commercial: 20'	Distance between existing building	0'	Distance between existing building	Compline
35-26	Willimum Negalieu Neal Falus		and parcel 6B: 36'-4"		and parcel 6B: 36'-4" Proposed Development: Range of distance between proposed development and parcel 6B: Seismic Joint and	Общриев
					31'-4"	
35-53, 23- 471, 35-261	Rear Yards- Beyond 100' of a Stree Line	t The portions of side lot lines beyond 100' from a street line are considered rear lit lines along which rear yards are required	Distance between existing building and parcel 5: 36'-4"	N/A	Building 6A-1; Distance between existing building and parcel 5: 36'-4"	Complies
33-23	Permitted Obstructions Rear Yards	1 story and 23 ft high for non- residential use	None	None	None	Complies
7	HEIGHT AND SETBACK	I walaan saw				
	Base Plane	FRCE is higher than average curb	FRCE= 13.0 NAVD88	FRCE= 13.0 NAVD88	FRCE= 13.0 NAVD88	Complies
00.044	Olar Francisco Blanca	elevation.	E 0/4 33/6/4 Ot 0 7/4 Norman Ot	COMMENT OF O THE NAME OF	5 0/4 10/1-da Ot O 7/4 Names Ot	O a manufacture
23-641 35-64 (C)	Sky Exposure Plane Tower Regulations for Mixed Buildings	5.6/1 Wide St, 2.7/1 Narrow St Standard Tower if no more than 2 floors non residentialr	5.6/1 Wide St, 2.7/1 Narrow St No non residential	5.6/1 Wide St, 2.7/1 Narrow St One floor non-residential	5.6/1 Wide St, 2.7/1 Narrow St One floor non-residential	Complies
	Standard Tower Regulations					
23-652	Maximum Front Wall Height	85 feet	NA	60 feet	60 feet	Complies
23-65	Tower Height and Setback	Tower may penetrate the Sky	NA NA	Tower penetrates the sky exposure	Tower penetrates the sky exposure	Complies
23-65	Tower Setback	Exposure Plane. 10' Wide St	more than 10' from Wide St	plane 10' from Wide St	plane 10' from Wide St	Complies
23-65	Tower Lot Coverage	15' Narrow St 28,542 sf	more than 15' from Narrow St 13,632	More than 15' Narrow St 11,624	More than 15' Narrow St 25,256	Complies
<u> </u>		40%	19.1%	16.3%	35.4%	<u> </u>
8 13-10	ACCESSORY OFF STREET PARK Required Parking		24 spaces	None Provided	24 spaces	Complies
13-11	Permitted	20% permitted				Complies
9	ENCLOSED BICYCLE PARKING -		T		T	T
36-70	Enclosed Bicycle Parking Spaces	Enclosed Bicycle Parking Spaces		204	204	Complian
	Residential	1 per 2 dwelling units = 384 spaces	0	384	384	Complies
	Commercial Total	1 per 10,000 sf = 0 spaces 384 spaces	0	0 384	0 384	Complies Complies
10	STREET TREE PLANTING					
33-03	Street Tree Planting	Street tree planting in commercial				
	1	dietriate			The state of the s	

2 trees planted on site

18 trees

12 trees to tree fund

14 trees

271-283 South Street 259-261 Clinton Street

Manhattan

Required trees 1 per 25 ft frontage 18 trees

Existing trees to remain Trees planted on site

Trees to pay into tree fund Total Trees

LEGEND

ZONING DISTRICT BOUNDARY LARGE SCALE RESIDENTIAL DEVELOPMENT PLAN BOUNDARY

STREET LINE BELOW ZONING LOT LINE

MAXIMUM DEVELOPMENT ENVELOPE: BUILDING MAY BE LOCATED ANYWHERE WITHIN SOLID LINE

ILLUSTRATIVE BUILDING ENVELOPE

GROUND FLOOR RETAIL USE WAIVER PER ZR SECTION 32-435 C6-4 ZONING DISTRICT

BLOCK NUMBER

LOT NUMBER

NUMBER OF STORIES

LSRD PARCEL NUMBER

EXISTING BUILDING

NEW BUILDING

RESIDENTIAL DEVELOPMENT HT +380.50' ENVELOPE HEIGHT

(HT +200.00') ILLUSTRATIVE BUILDING HEIGHT XX STORIES NUMBER OF STORIES

BUILDING NO.

NUMBER OF STORIES

PROPOSED BUILDING MAIN


PROPOSED SERVICE ACCESS

PROPOSED RETAIL ENTRANCE

VEHICULAR ACCESS / EGRESS TRAFFIC DIRECTION

Complies

- 1. APPLICANT'S STAMP AND SEAL CORRESPONDS TO THE INFORMATION REGARDING THE DEVELOPMENT SITE, ZONING LOT, AND RELATED CURB CUTS. INFORMATION REGARDING THE SURROUNDING PROPERTIES AND EXISTING STRUCTURES IS FOR ILLUSTRATIVE PURPOSES ONLY. 2. WITHIN DEVELOPMENT ENVELOPE SHAPE AND FOOTPRINT OF
- BUILDING, LOCATION OF ENTRANCES, INTERIOR ARRANGEMENT OF PARTITIONS, FLOOR TO FLOOR HEIGHTS AND NOTATIONS ARE FOR ILLUSTRATIVE PURPOSE ONLY AND IS SUBJECT TO CHANGE.
- 3. LANDSCAPE AND HARDSCAPE INFORMATION IS SHOWN FOR ILLUSTRATIVE PURPOSES ONLY AND IT IS SUBJECT TO CHANGE. 4. ALL HEIGHTS ARE MEASURED FROM FRCE = 13.0'



SOUTH STREET

DRAWING TITLE

SEAL & SIGNATURE

SOUTH STREET

1 06/19/2018 LAND USE APPLICATION

NO. DATE ISSUE

ZONING LOT ZONING ANALYSIS

THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND AS SUCH MAY NOT BE USED FOR OTHER PROJECTS, FOR ADDITIONS TO THIS PROJECT OR COMPLETION OF THIS PROJECT BY OTHERS.

COPYRIGHT 2017 PERKINS EASTMAN ALL RIGHTS RESERVED.

NOT FOR CONSTRUCTION

DATE PROJECT NO. 68430.00 DRAWING NUMBER **Z-003.00**

KEY PLAN

STARRETT COMPANIES
70 EAST 55TH STREET, 7TH FL
NEW YORK, NY 10022

70 EAST 55TH STREET, 7TH FL NEW YORK, NY 10022

STARRETT

COMPANIES

Perkins Eastman 115 FIFTH AVENUE NEW YORK, NY 10003 T. 212.353.7200 F. 212.353.7676


STRUCTURAL ENGINEER LANDSCAPE ARCHITECT MATHEWS NIELSEN
120 BROADWAY, SUITE 1040 62 WEST 45TH STREET NEW YORK, NY 10036 NEW YORK, NY 10271

MEP ENGINEER GEOTECHNICAL ENGINEER **COSENTINI ASSOCIATES** TWO PENN PLAZA NEW YORK, NY 10003


VERTICAL TRANSPORTATION FACADE

PROJECT TITLE:

LE1SUB LLC 259 CLINTON STREET NEW YORK, NY 10002




LANDSCAPE ARCHITECT MATHEWS NIELSEN 120 BROADWAY, SUITE 1040 NEW YORK, NY 10271



Perkins Eastman

LE1SUB LLC



STARRETT

Perkins Eastman


GEOTECHNICAL ENGINEER


VERTICAL TRANSPORTATION


LE1SUB LLC

SITE DIAGRAM

DRAWING NUMBER **Z-006.00**







STARRETT COMPANIES


Perkins Eastman 115 FIFTH AVENUE

VERTICAL TRANSPORTATION

LE1SUB LLC

SITE DIAGRAM

06/19/2018 LAND USE APPLICATION



DRAWING NUMBER **Z-009.00**