

Appendix D – Transit and Pedestrian Technical Back-up Data

Appendix D-1: Pedestrian Count Summary




15-Minutes Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Water Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-6:45 AM	0	0	0	2	1	0	0	1	4
	6:45-7:00 AM	0	0	1	3	0	2	1	4	11
	7:00-7:15 AM	0	0	3	2	2	0	0	0	7
	7:15-7:30 AM	0	0	0	3	2	2	5	0	12
	7:30-7:45 AM	2	1	2	1	0	1	1	3	11
	7:45-8:00 AM	0	0	1	0	0	0	4	0	5
	8:00-8:15 AM	1	2	2	5	0	4	1	0	15
	8:15-8:30 AM	2	0	4	6	0	0	3	0	15
	8:30-8:45 AM	7	5	6	7	0	2	5	3	35
	8:45-9:00 AM	6	3	4	2	2	0	1	2	20
	9:00-9:15 AM	1	2	0	3	1	1	4	3	15
	9:15-9:30 AM	3	4	2	1	3	4	1	1	19
Peak 15-Minutes 8:30-8:45 AM		7	5	6	7	0	2	5	3	35

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-11:45 AM	1	1	2	4	4	0	5	5	22
	11:45-12:00 PM	3	4	1	2	1	1	4	1	17
	12:00-12:15 PM	5	4	5	6	2	4	5	13	44
	12:15-12:30 PM	7	4	9	9	2	3	5	1	40
	12:30-12:45 PM	3	1	5	6	0	0	6	3	24
	12:45-1:00 PM	8	5	2	8	1	1	8	6	39
	1:00-1:15 PM	3	4	11	6	0	0	6	5	35
	1:15-1:30 PM	5	5	3	2	0	1	8	4	28
	1:30-1:45 PM	6	4	7	1	0	0	4	9	31
	1:45-2:00 PM	2	2	2	5	0	0	4	5	20
	2:00-2:15 PM	1	3	1	10	0	0	4	0	19
	2:15-2:30 PM	4	5	3	8	1	8	6	3	38
Peak 15-Minutes 12:45-1:00 PM		8	5	2	8	1	1	8	6	39

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-4:15 PM	4	7	2	4	0	0	2	3	22
	4:15-4:30 PM	3	2	1	3	0	3	4	4	20
	4:30-4:45 PM	6	2	0	5	0	0	10	7	30
	4:45-5:00 PM	3	0	2	4	0	0	8	5	22
	5:00-5:15 PM	5	3	6	10	0	0	9	10	43
	5:15-5:30 PM	2	3	2	5	0	0	7	9	28
	5:30-5:45 PM	1	1	1	3	0	3	11	6	26
	5:45-6:00 PM	5	0	10	5	0	0	4	5	29
	6:00-6:15 PM	1	0	5	2	0	3	9	4	24
	6:15-6:30 PM	1	1	2	4	1	1	5	6	21
	6:30-6:45 PM	5	4	4	3	2	3	7	10	38
	6:45-7:00 PM	7	1	2	6	5	0	5	2	28
	7:00-7:15 PM	0	5	1	7	0	0	0	8	21
	7:15-7:30 PM	0	4	6	3	0	0	2	4	19
Peak 15-Minutes 5:00-5:15 PM		5	3	6	10	0	0	9	10	43




Hourly Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Water Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-7:30 AM	0	0	4	10	5	4	6	5	34
	6:45-7:45 AM	2	1	6	9	4	5	7	7	41
	7:00-8:00 AM	2	1	6	6	4	3	10	3	35
	7:15-8:15 AM	3	3	5	9	2	7	11	3	43
	7:30-8:30 AM	5	3	9	12	0	5	9	3	46
	7:45-8:45 AM	10	7	13	18	0	6	13	3	70
	8:00-9:00 AM	16	10	16	20	2	6	10	5	85
	8:15-9:15 AM	16	10	14	18	3	3	13	8	85
	8:30-9:30 AM	17	14	12	13	6	7	11	9	89
Peak Hour 8:00-9:00 AM		16	10	16	20	2	6	10	5	85
			26		36		8		15	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-12:30 AM	16	13	17	21	9	8	19	20	123
	11:45-12:45 PM	18	13	20	23	5	8	20	18	125
	12:00-1:00 PM	23	14	21	29	5	8	24	23	147
	12:15-1:15 PM	21	14	27	29	3	4	25	15	138
	12:30-1:30 PM	19	15	21	22	1	2	28	18	126
	12:45-1:45 PM	22	18	23	17	1	2	26	24	133
	1:00-2:00 PM	16	15	23	14	0	1	22	23	114
	1:15-2:15 PM	14	14	13	18	0	1	20	18	98
	1:30-2:30 PM	13	14	13	24	1	8	18	17	108
Peak Hour 12:30-1:30 PM		19	15	21	22	1	2	28	18	126
			34		43		3		46	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	EB	WB	NB	SB	
PM	4:00-5:00 PM	16	11	5	16	0	3	24	19	94
	4:15-5:15 PM	17	7	9	22	0	3	31	26	115
	4:30-5:30 PM	16	8	10	24	0	0	34	31	123
	4:45-5:45 PM	11	7	11	22	0	3	35	30	119
	5:00-6:00 PM	13	7	19	23	0	3	31	30	126
	5:15-6:15 PM	9	4	18	15	0	6	31	24	107
	5:30-6:30 PM	8	2	18	14	1	7	29	21	100
	5:45-6:45 PM	12	5	21	14	3	7	25	25	112
	6:00-7:00 PM	14	6	13	15	8	7	26	22	111
	6:15-7:15 PM	13	11	9	20	8	4	17	26	108
	6:30-7:30 PM	12	14	13	19	7	3	14	24	106
Peak Hour 4:30-5:30 PM		16	8	10	24	0	0	34	31	123
			24		34		0		65	




15-Minutes Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Prospect Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-6:45 AM	0	1	0	3	6	5	0	1	16
	6:45-7:00 AM	0	2	0	5	8	22	1	3	41
	7:00-7:15 AM	1	0	2	3	0	6	1	2	15
	7:15-7:30 AM	1	1	1	2	2	12	1	2	22
	7:30-7:45 AM	0	0	0	0	0	5	1	2	8
	7:45-8:00 AM	0	0	1	1	0	0	1	1	4
	8:00-8:15 AM	3	0	4	1	4	0	3	3	18
	8:15-8:30 AM	0	0	2	1	0	6	2	2	13
	8:30-8:45 AM	0	1	0	2	1	3	11	8	26
	8:45-9:00 AM	0	0	0	4	0	4	5	4	17
	9:00-9:15 AM	1	0	4	2	0	4	2	5	18
9:15-9:30 AM	8	1	5	6	5	2	6	2	35	
Peak 15-Minutes 8:30-8:45 AM		0	1	0	2	1	3	11	8	26

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-11:45 AM	0	5	2	10	5	2	15	7	46
	11:45-12:00 PM	1	3	1	9	3	2	11	6	36
	12:00-12:15 PM	1	3	6	4	2	1	5	4	26
	12:15-12:30 PM	3	3	15	9	0	0	4	13	47
	12:30-12:45 PM	4	4	14	5	5	1	6	22	61
	12:45-1:00 PM	1	2	10	11	4	8	8	5	49
	1:00-1:15 PM	0	3	10	7	2	1	6	18	47
	1:15-1:30 PM	0	0	11	4	0	1	12	11	39
	1:30-1:45 PM	1	4	4	2	5	3	2	18	39
	1:45-2:00 PM	0	0	1	3	2	0	10	12	28
	2:00-2:15 PM	2	3	6	4	5	3	7	7	37
	2:15-2:30 PM	0	1	8	8	8	3	12	18	58
Peak 15-Minutes 12:30-12:45 PM		4	4	14	5	5	1	6	22	61

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-4:15 PM	0	2	12	8	1	6	6	4	39
	4:15-4:30 PM	2	3	4	4	0	0	8	7	28
	4:30-4:45 PM	0	0	6	8	2	5	10	15	46
	4:45-5:00 PM	1	2	4	9	0	2	8	12	38
	5:00-5:15 PM	0	1	2	13	0	0	19	6	41
	5:15-5:30 PM	0	0	4	4	0	2	4	7	21
	5:30-5:45 PM	2	4	8	8	6	0	15	10	53
	5:45-6:00 PM	0	6	6	14	4	4	10	8	52
	6:00-6:15 PM	0	1	18	10	0	0	8	12	49
	6:15-6:30 PM	3	0	4	12	5	2	5	10	41
	6:30-6:45 PM	0	1	3	12	0	2	5	13	36
	6:45-7:00 PM	2	0	4	7	3	3	10	6	35
	7:00-7:15 PM	0	2	5	3	0	0	6	4	20
	7:15-7:30 PM	0	0	4	4	0	8	4	10	30
Peak 15-Minutes 4:30-4:45 PM		0	0	6	8	2	5	10	15	46




Hourly Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Prospect Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-7:30 AM	2	4	3	13	16	45	3	8	94
	6:45-7:45 AM	2	3	3	10	10	45	4	9	86
	7:00-8:00 AM	2	1	4	6	2	23	4	7	49
	7:15-8:15 AM	4	1	6	4	6	17	6	8	52
	7:30-8:30 AM	3	0	7	3	4	11	7	8	43
	7:45-8:45 AM	3	1	7	5	5	9	17	14	61
	8:00-9:00 AM	3	1	6	8	5	13	21	17	74
	8:15-9:15 AM	1	1	6	9	1	17	20	19	74
	8:30-9:30 AM	9	2	9	14	6	13	24	19	96
Peak Hour 8:00-9:00 AM		3	1	6	8	5	13	21	17	74
			4		14		18		38	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-12:30 AM	5	14	24	32	10	5	35	30	155
	11:45-12:45 PM	9	13	36	27	10	4	26	45	170
	12:00-1:00 PM	9	12	45	29	11	10	23	44	183
	12:15-1:15 PM	8	12	49	32	11	10	24	58	204
	12:30-1:30 PM	5	9	45	27	11	11	32	56	196
	12:45-1:45 PM	2	9	35	24	11	13	28	52	174
	1:00-2:00 PM	1	7	26	16	9	5	30	59	153
	1:15-2:15 PM	3	7	22	13	12	7	31	48	143
	1:30-2:30 PM	3	8	19	17	20	9	31	55	162
Peak Hours 12:30-1:30 PM		5	9	45	27	11	11	32	56	196
			14		72		22		88	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-5:00 PM	3	7	26	29	3	13	32	38	151
	4:15-5:15 PM	3	6	16	34	2	7	45	40	153
	4:30-5:30 PM	1	3	16	34	2	9	41	40	146
	4:45-5:45 PM	3	7	18	34	6	4	46	35	153
	5:00-6:00 PM	2	11	20	39	10	6	48	31	167
	5:15-6:15 PM	2	11	36	36	10	6	37	37	175
	5:30-6:30 PM	5	11	36	44	15	6	38	40	195
	5:45-6:45 PM	3	8	31	48	9	8	28	43	178
	6:00-7:00 PM	5	2	29	41	8	7	28	41	161
	6:15-7:15 PM	3	7	18	34	6	4	46	35	153
	6:30-7:30 PM	2	11	20	39	10	6	48	31	167
Peak Hour 4:30-5:30 PM		1	3	16	34	2	9	41	40	146
			4				11		81	




15-Minutes Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Wave Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-6:45 AM	0	0	0	0	0	0	0	0	0
	6:45-7:00 AM	1	0	1	5	0	2	2	7	18
	7:00-7:15 AM	2	1	4	4	0	2	3	2	18
	7:15-7:30 AM	1	1	2	3	0	1	3	4	15
	7:30-7:45 AM	0	0	1	5	0	2	4	3	15
	7:45-8:00 AM	2	1	4	2	0	6	11	7	33
	8:00-8:15 AM	0	0	3	7	2	1	5	2	20
	8:15-8:30 AM	1	0	3	4	0	1	9	0	18
	8:30-8:45 AM	0	0	6	8	0	3	5	6	28
	8:45-9:00 AM	0	2	3	6	1	0	4	10	26
	9:00-9:15 AM	0	1	2	3	0	0	2	5	13
9:15-9:30 AM	0	1	4	7	0	1	1	7	21	
Peak 15-Minutes 8:30-8:45 AM		0	0	6	8	0	3	5	6	28

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-11:45 AM	2	0	7	9	0	0	12	15	45
	11:45-12:00 PM	0	1	4	7	1	1	7	16	37
	12:00-12:15 PM	3	1	5	9	0	0	9	11	38
	12:15-12:30 PM	4	0	11	10	1	0	19	26	71
	12:30-12:45 PM	5	0	6	6	2	0	7	25	51
	12:45-1:00 PM	1	0	7	9	1	0	8	22	48
	1:00-1:15 PM	0	0	4	10	0	0	5	11	30
	1:15-1:30 PM	0	0	2	4	0	0	10	13	29
	1:30-1:45 PM	1	0	2	11	0	3	15	10	42
	1:45-2:00 PM	1	0	7	6	0	0	9	11	34
	2:00-2:15 PM	1	5	8	11	0	0	6	7	38
	2:15-2:30 PM	1	2	5	6	0	2	3	7	26
Peak 15-Minutes 12:30-12:45 PM		5	0	6	6	2	0	7	25	51

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-4:15 PM	1	0	10	7	1	2	5	6	32
	4:15-4:30 PM	0	0	4	3	0	0	2	7	16
	4:30-4:45 PM	2	0	2	6	1	0	8	12	31
	4:45-5:00 PM	2	1	5	9	0	0	6	10	33
	5:00-5:15 PM	1	1	2	11	3	0	21	5	44
	5:15-5:30 PM	4	1	3	9	0	1	4	5	27
	5:30-5:45 PM	2	0	9	7	0	0	18	7	43
	5:45-6:00 PM	0	0	5	7	0	0	8	7	27
	6:00-6:15 PM	0	0	16	8	0	1	7	10	42
	6:15-6:30 PM	4	0	4	10	1	1	6	9	35
	6:30-6:45 PM	0	0	4	9	0	0	5	8	26
	6:45-7:00 PM	2	2	4	7	1	1	8	4	29
	7:00-7:15 PM	0	0	4	2	0	0	4	6	16
	7:15-7:30 PM	0	1	7	3	0	0	4	9	24
Peak 15-Minutes 5:00-5:15 PM		1	1	2	11	3	0	21	5	44




Hourly Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Wave Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-7:30 AM	4	2	7	12	0	5	8	13	51
	6:45-7:45 AM	4	2	8	17	0	7	12	16	66
	7:00-8:00 AM	5	3	11	14	0	11	21	16	81
	7:15-8:15 AM	3	2	10	17	2	10	23	16	83
	7:30-8:30 AM	3	1	11	18	2	10	29	12	86
	7:45-8:45 AM	3	1	16	21	2	11	30	15	99
	8:00-9:00 AM	1	2	15	25	3	5	23	18	92
	8:15-9:15 AM	1	3	14	21	1	4	20	21	85
	8:30-9:30 AM	0	4	15	24	1	4	12	28	88
Peak Hour 8:00-9:00 AM		1	2	15	25	3	5	23	18	92
			3		40		8		41	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-12:30 AM	9	2	27	35	2	1	47	68	191
	11:45-12:45 PM	12	2	26	32	4	1	42	78	197
	12:00-1:00 PM	13	1	29	34	4	0	43	84	208
	12:15-1:15 PM	10	0	28	35	4	0	39	84	200
	12:30-1:30 PM	6	0	19	29	3	0	30	71	158
	12:45-1:45 PM	2	0	15	34	1	3	38	56	149
	1:00-2:00 PM	2	0	15	31	0	3	39	45	135
	1:15-2:15 PM	3	5	19	32	0	3	40	41	143
	1:30-2:30 PM	4	7	22	34	0	5	33	35	140
Peak Hours 12:30-1:30 PM		6	0	19	29	3	0	30	71	158
			6		48		3		101	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-5:00 PM	5	1	21	25	2	2	21	35	112
	4:15-5:15 PM	5	2	13	29	4	0	37	34	124
	4:30-5:30 PM	9	3	12	35	4	1	39	32	135
	4:45-5:45 PM	9	3	19	36	3	1	49	27	147
	5:00-6:00 PM	7	2	19	34	3	1	51	24	141
	5:15-6:15 PM	6	1	33	31	0	2	37	29	139
	5:30-6:30 PM	6	0	34	32	1	2	39	33	147
	5:45-6:45 PM	4	0	29	34	1	2	26	34	130
	6:00-7:00 PM	6	2	28	34	2	3	26	31	132
	6:15-7:15 PM	6	2	16	28	2	2	23	27	106
	6:30-7:30 PM	2	3	19	21	1	1	21	27	95
Peak Hour 4:30-5:30 PM		9	3	12	35	4	1	39	32	135
			12		47		5		71	




15-Minutes Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Front Street and Prospect Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-6:45 AM	0	0	0	0	0	0	0	0	0
	6:45-7:00 AM	0	0	0	0	0	0	0	0	0
	7:00-7:15 AM	0	0	0	0	0	0	0	0	0
	7:15-7:30 AM	0	0	0	0	0	0	0	0	0
	7:30-7:45 AM	0	0	0	0	0	0	0	0	0
	7:45-8:00 AM	0	0	0	0	0	0	0	0	0
	8:00-8:15 AM	0	0	0	0	0	0	0	0	0
	8:15-8:30 AM	0	0	0	0	0	0	0	0	0
	8:30-8:45 AM	0	0	0	0	0	0	0	0	0
	8:45-9:00 AM	0	0	0	0	0	0	0	0	0
	9:00-9:15 AM	0	0	0	0	0	0	0	0	0
9:15-9:30 AM	0	0	0	0	0	0	0	0	0	
Peak 15-Minutes 8:00-8:15 AM		0	0	0	0	0	0	0	0	0

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-11:45 AM	0	0	0	0	0	0	0	0	0
	11:45-12:00 PM	0	0	0	0	0	0	0	0	0
	12:00-12:15 PM	0	0	0	0	0	0	0	0	0
	12:15-12:30 PM	0	0	0	0	0	0	0	0	0
	12:30-12:45 PM	0	0	0	0	0	0	0	0	0
	12:45-1:00 PM	0	0	0	0	0	0	0	0	0
	1:00-1:15 PM	0	0	0	0	0	0	0	0	0
	1:15-1:30 PM	0	0	0	0	0	0	0	0	0
	1:30-1:45 PM	0	0	0	0	0	0	0	0	0
	1:45-2:00 PM	0	0	0	0	0	0	0	0	0
	2:00-2:15 PM	0	0	0	0	0	0	0	0	0
	2:15-2:30 PM	0	0	0	0	0	0	0	0	0
Peak 15-Minutes 12:30-12:45 PM		0	0	0	0	0	0	0	0	0

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-4:15 PM	0	0	0	0	0	0	0	0	0
	4:15-4:30 PM	0	0	0	0	0	0	0	0	0
	4:30-4:45 PM	0	0	0	0	0	0	0	0	0
	4:45-5:00 PM	2	0	0	0	0	0	0	0	2
	5:00-5:15 PM	2	0	0	0	0	0	0	0	2
	5:15-5:30 PM	5	0	0	0	0	0	0	1	6
	5:30-5:45 PM	3	0	0	0	0	0	0	0	3
	5:45-6:00 PM	2	0	0	0	0	0	1	0	3
	6:00-6:15 PM	1	0	0	0	0	0	0	0	1
	6:15-6:30 PM	1	0	0	0	0	0	0	0	1
	6:30-6:45 PM	2	0	0	0	0	0	0	0	2
	6:45-7:00 PM	1	0	0	0	0	0	0	0	1
	7:00-7:15 PM	0	0	0	0	0	0	0	0	0
	7:15-7:30 PM	0	0	0	0	0	0	0	0	0
Peak 15-Minutes 5:15-5:30 PM		5	0	0	0	0	0	0	1	6




Hourly Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Front Street and Prospect Street

Date: Tuesday March 22, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-7:30 AM	0	0	0	0	0	0	0	0	0
	6:45-7:45 AM	0	0	0	0	0	0	0	0	0
	7:00-8:00 AM	0	0	0	0	0	0	0	0	0
	7:15-8:15 AM	0	0	0	0	0	0	0	0	0
	7:30-8:30 AM	0	0	0	0	0	0	0	0	0
	7:45-8:45 AM	0	0	0	0	0	0	0	0	0
	8:00-9:00 AM	0	0	0	0	0	0	0	0	0
	8:15-9:15 AM	0	0	0	0	0	0	0	0	0
	8:30-9:30 AM	0	0	0	0	0	0	0	0	0
Peak Hour 8:00-9:00 AM		0	0	0	0	0	0	0	0	0
			0		0		0		0	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-12:30 AM	0	0	0	0	0	0	0	0	0
	11:45-12:45 PM	0	0	0	0	0	0	0	0	0
	12:00-1:00 PM	0	0	0	0	0	0	0	0	0
	12:15-1:15 PM	0	0	0	0	0	0	0	0	0
	12:30-1:30 PM	0	0	0	0	0	0	0	0	0
	12:45-1:45 PM	0	0	0	0	0	0	0	0	0
	1:00-2:00 PM	0	0	0	0	0	0	0	0	0
	1:15-2:15 PM	0	0	0	0	0	0	0	0	0
	1:30-2:30 PM	0	0	0	0	0	0	0	0	0
Peak Hours 12:30-1:30 PM		0	0	0	0	0	0	0	0	0
			0		0		0		0	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-5:00 PM	2	0	0	0	0	0	0	0	2
	4:15-5:15 PM	4	0	0	0	0	0	0	0	4
	4:30-5:30 PM	9	0	0	0	0	0	0	1	10
	4:45-5:45 PM	12	0	0	0	0	0	0	1	13
	5:00-6:00 PM	12	0	0	0	0	0	1	1	14
	5:15-6:15 PM	11	0	0	0	0	0	1	1	13
	5:30-6:30 PM	7	0	0	0	0	0	1	0	8
	5:45-6:45 PM	6	0	0	0	0	0	1	0	7
	6:00-7:00 PM	5	0	0	0	0	0	0	0	5
	6:15-7:15 PM	4	0	0	0	0	0	0	0	4
	6:30-7:30 PM	3	0	0	0	0	0	0	0	3
Peak Hour 4:30-5:30 PM		9	0	0	0	0	0	0	1	10
			9		0		0		1	




15-Minutes Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Canal Street

Date: Thursday March 24, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-6:45 AM	0	1	3	2	1	0	2	3	12
	6:45-7:00 AM	1	2	2	2	0	1	1	2	11
	7:00-7:15 AM	1	3	3	3	1	0	2	3	16
	7:15-7:30 AM	0	3	3	3	0	0	0	1	10
	7:30-7:45 AM	0	1	1	1	1	0	0	1	5
	7:45-8:00 AM	0	0	3	2	0	0	0	0	5
	8:00-8:15 AM	5	0	0	5	0	0	0	0	10
	8:15-8:30 AM	0	0	3	1	2	0	1	2	9
	8:30-8:45 AM	1	0	5	5	1	0	2	1	15
	8:45-9:00 AM	0	0	1	2	0	0	3	0	6
	9:00-9:15 AM	0	0	0	2	0	0	2	4	8
9:15-9:30 AM	1	0	0	1	1	0	3	6	12	
Peak 15-Minutes 8:30-8:45 AM		1	0	5	5	1	0	2	1	15

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-11:45 AM	0	0	1	2	0	0	2	4	9
	11:45-12:00 PM	1	1	2	3	0	0	5	2	14
	12:00-12:15 PM	1	0	4	2	0	0	3	5	15
	12:15-12:30 PM	0	2	2	2	0	0	5	7	18
	12:30-12:45 PM	1	3	3	1	1	0	8	13	30
	12:45-1:00 PM	0	2	2	2	0	0	4	8	18
	1:00-1:15 PM	0	1	1	3	1	0	6	7	19
	1:15-1:30 PM	0	3	2	2	1	1	5	5	19
	1:30-1:45 PM	1	0	1	1	0	0	3	4	10
	1:45-2:00 PM	0	2	3	3	0	0	4	2	14
	2:00-2:15 PM	1	1	2	2	0	2	2	2	12
	2:15-2:30 PM	0	1	2	1	0	0	2	3	9
Peak 15-Minutes 12:30-12:45 PM		1	3	3	1	1	0	8	13	30

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-4:15 PM	0	1	2	2	0	0	4	5	14
	4:15-4:30 PM	1	0	2	4	0	1	2	8	18
	4:30-4:45 PM	0	4	4	2	1	0	4	8	23
	4:45-5:00 PM	2	0	6	4	0	0	2	2	16
	5:00-5:15 PM	0	6	5	5	0	0	2	4	22
	5:15-5:30 PM	0	2	2	6	0	0	1	2	13
	5:30-5:45 PM	4	0	3	6	0	1	7	2	23
	5:45-6:00 PM	0	0	2	2	0	0	2	3	9
	6:00-6:15 PM	0	2	6	2	2	0	8	3	23
	6:15-6:30 PM	2	0	3	4	0	2	2	2	15
	6:30-6:45 PM	0	0	4	8	4	0	3	6	25
	6:45-7:00 PM	2	1	2	2	0	0	4	4	15
	7:00-7:15 PM	1	0	2	3	0	0	1	4	11
	7:15-7:30 PM	0	0	0	5	0	0	2	6	13
Peak 15-Minutes 4:30-4:45 PM		0	4	4	2	1	0	4	8	23




Hourly Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Canal Street

Date: Thursday March 24, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-7:30 AM	2	9	11	10	2	1	5	9	49
	6:45-7:45 AM	2	9	9	9	2	1	3	7	42
	7:00-8:00 AM	1	7	10	9	2	0	2	5	36
	7:15-8:15 AM	5	4	7	11	1	0	0	2	30
	7:30-8:30 AM	5	1	7	9	3	0	1	3	29
	7:45-8:45 AM	6	0	11	13	3	0	3	3	39
	8:00-9:00 AM	6	0	9	13	3	0	6	3	40
	8:15-9:15 AM	1	0	9	10	3	0	8	7	38
	8:30-9:30 AM	2	0	6	10	2	0	10	11	41
Peak Hour 8:00-9:00 AM		6	0	9	13	3	0	6	3	40
			6		22		3		9	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-12:30 AM	2	3	9	9	0	0	15	18	56
	11:45-12:45 PM	3	6	11	8	1	0	21	27	77
	12:00-1:00 PM	2	7	11	7	1	0	20	33	81
	12:15-1:15 PM	1	8	8	8	2	0	23	35	85
	12:30-1:30 PM	1	9	8	8	3	1	23	33	86
	12:45-1:45 PM	1	6	6	8	2	1	18	24	66
	1:00-2:00 PM	1	6	7	9	2	1	18	18	62
	1:15-2:15 PM	2	6	8	8	1	3	14	13	55
	1:30-2:30 PM	2	4	8	7	0	2	11	11	45
Peak Hours 12:30-1:30 PM		1	9	8	8	3	1	23	33	86
			10		16		4		56	

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	SB	NB	SB	
PM	4:00-5:00 PM	3	5	14	12	1	1	12	23	71
	4:15-5:15 PM	3	10	17	15	1	1	10	22	79
	4:30-5:30 PM	2	12	17	17	1	0	9	16	74
	4:45-5:45 PM	6	8	16	21	0	1	12	10	74
	5:00-6:00 PM	4	8	12	19	0	1	12	11	67
	5:15-6:15 PM	4	4	13	16	2	1	18	10	68
	5:30-6:30 PM	6	2	14	14	2	3	19	10	70
	5:45-6:45 PM	2	2	15	16	6	2	15	14	72
	6:00-7:00 PM	4	3	15	16	6	2	17	15	78
	6:15-7:15 PM	5	1	11	17	4	2	10	16	66
	6:30-7:30 PM	3	1	8	18	4	0	10	20	64
Peak Hour 4:30-5:30 PM		2	12	17	17	1	0	9	16	74
			14		34		1		25	




15-Minutes Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Thompson Street

Date: Thursday March 24, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-6:45 AM	2	1	4	1	2	4	2	3	19
	6:45-7:00 AM	0	1	4	2	0	2	2	4	15
	7:00-7:15 AM	6	1	6	5	1	3	8	7	37
	7:15-7:30 AM	2	2	2	6	2	0	7	2	23
	7:30-7:45 AM	1	0	1	8	3	1	5	2	21
	7:45-8:00 AM	0	2	7	6	0	1	0	1	17
	8:00-8:15 AM	1	0	3	4	2	1	2	1	14
	8:15-8:30 AM	0	1	0	2	0	0	2	3	8
	8:30-8:45 AM	0	1	0	2	0	0	3	5	11
	8:45-9:00 AM	0	0	1	0	2	5	4	6	18
	9:00-9:15 AM	0	0	0	2	0	2	5	1	10
9:15-9:30 AM	3	1	1	1	0	1	3	1	11	
Peak 15-Minutes 8:45-9:00 AM		0	0	1	0	2	5	4	6	18

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-11:45 AM	1	0	8	6	3	2	4	3	27
	11:45-12:00 PM	1	0	4	2	0	2	3	4	16
	12:00-12:15 PM	0	1	5	9	0	4	6	5	30
	12:15-12:30 PM	1	2	2	6	0	0	12	2	25
	12:30-12:45 PM	5	2	7	4	1	1	2	9	31
	12:45-1:00 PM	1	0	4	3	2	0	10	4	24
	1:00-1:15 PM	0	3	6	4	0	0	3	2	18
	1:15-1:30 PM	0	1	4	6	1	2	3	6	23
	1:30-1:45 PM	2	1	2	4	1	0	6	8	24
	1:45-2:00 PM	2	1	7	5	0	0	3	2	20
	2:00-2:15 PM	1	0	8	3	2	1	2	5	22
	2:15-2:30 PM	0	1	3	2	0	0	4	2	12
Peak 15-Minutes 12:30-12:45 PM		5	2	7	4	1	1	2	9	31

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
PM	4:00-4:15 PM	1	1	2	2	1	3	4	4	18
	4:15-4:30 PM	0	1	4	1	1	2	2	6	17
	4:30-4:45 PM	4	0	6	3	0	0	2	5	20
	4:45-5:00 PM	2	2	4	6	1	1	7	6	29
	5:00-5:15 PM	1	0	4	2	0	0	5	8	20
	5:15-5:30 PM	0	2	4	5	0	3	3	2	19
	5:30-5:45 PM	1	0	4	3	0	0	5	4	17
	5:45-6:00 PM	0	0	6	9	1	4	7	3	30
	6:00-6:15 PM	1	0	2	4	1	2	3	5	18
	6:15-6:30 PM	3	0	1	10	0	2	2	3	21
	6:30-6:45 PM	0	1	4	2	0	1	8	5	21
	6:45-7:00 PM	4	0	1	8	0	5	6	2	26
	7:00-7:15 PM	0	0	2	3	0	0	5	2	12
	7:15-7:30 PM	0	1	2	6	1	0	2	1	13
Peak 15-Minutes 4:45-5:00 PM		2	2	4	6	1	1	7	6	29




Hourly Pedestrian Count Data Summary

Project: New Stapleton Waterfront Development Plan DEIS

Location: Bay Street and Thompson Street

Date: Thursday March 24, 2005



Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
AM	6:30-7:30 AM	10	5	16	14	5	9	19	16	94
	6:45-7:45 AM	9	4	13	21	6	6	22	15	96
	7:00-8:00 AM	9	5	16	25	6	5	20	12	98
	7:15-8:15 AM	4	4	13	24	7	3	14	6	75
	7:30-8:30 AM	2	3	11	20	5	3	9	7	60
	7:45-8:45 AM	1	4	10	14	2	2	7	10	50
	8:00-9:00 AM	1	2	4	8	4	6	11	15	51
	8:15-9:15 AM	0	2	1	6	2	7	14	15	47
	8:30-9:30 AM	3	2	2	5	2	8	15	13	50
Peak Hour 8:00-9:00 AM		1	2	4	8	4	6	11	15	51
		3		12		10		26		

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	EB	NB	SB	
Midday	11:30-12:30 AM	3	3	19	23	3	8	25	14	98
	11:45-12:45 PM	7	5	18	21	1	7	23	20	102
	12:00-1:00 PM	7	5	18	22	3	5	30	20	110
	12:15-1:15 PM	7	7	19	17	3	1	27	17	98
	12:30-1:30 PM	6	6	21	17	4	3	18	21	96
	12:45-1:45 PM	3	5	16	17	4	2	22	20	89
	1:00-2:00 PM	4	6	19	19	2	2	15	18	85
	1:15-2:15 PM	5	3	21	18	4	3	14	21	89
	1:30-2:30 PM	5	3	20	14	3	1	15	17	78
Peak Hours 12:30-1:30 PM		6	6	21	17	4	3	18	21	96
		12		38		7		39		

Period	Time Interval	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
		EB	WB	SB	NB	WB	SB	NB	SB	
PM	4:00-5:00 PM	7	4	16	12	3	6	15	21	84
	4:15-5:15 PM	7	3	18	12	2	3	16	25	86
	4:30-5:30 PM	7	4	18	16	1	4	17	21	88
	4:45-5:45 PM	4	4	16	16	1	4	20	20	85
	5:00-6:00 PM	2	2	18	19	1	7	20	17	86
	5:15-6:15 PM	2	2	16	21	2	9	18	14	84
	5:30-6:30 PM	5	0	13	26	2	8	17	15	86
	5:45-6:45 PM	4	1	13	25	2	9	20	16	90
	6:00-7:00 PM	8	1	8	24	1	10	19	15	86
	6:15-7:15 PM	7	1	8	23	0	8	21	12	80
	6:30-7:30 PM	4	2	9	19	1	6	21	10	72
Peak Hour 4:30-5:30 PM		7	4	18	16	1	4	17	21	88
		11		34		5		38		



15-Minutes Pedestrian Count Data Summary

Project: Stapleton, Staten Island

Location: 3 Transit Stations: Tompkinsville, Stapleton, and Clifton Street

Date: Thursday, March 24, 2005

Period	Time Interval	Tompkinsville Station			Stapleton Station			Clifton Station						Total
		South Stairway			^a North Stairway			SB (to Tottenville)			NB (to St George Terminal) North Stairway			
		Up	Down	Total	Up	Down	Total	Up	Down	Total	Up	Down	Total	
AM	6:30-6:45 AM	0	0	0	4	2	6	13	1	14	24	4	28	48
	6:45-7:00 AM	2	0	2	6	0	6	10	1	11	10	2	12	31
	7:00-7:15 AM	4	0	4	17	9	26	22	1	23	16	4	20	73
	7:15-7:30 AM	0	0	0	22	4	26	23	3	26	12	2	14	66
	7:30-7:45 AM	0	0	0	2	9	11	17	6	23	26	4	30	64
	7:45-8:00 AM	1	3	4	7	4	11	3	0	3	8	5	13	31
	8:00-8:15 AM	1	2	3	5	2	7	26	1	27	4	2	6	43
	8:15-8:30 AM	1	3	4	6	12	18	12	7	19	13	3	16	57
	8:30-8:45 AM	0	1	1	5	3	8	15	1	16	28	10	38	63
	8:45-9:00 AM	0	0	0	1	4	5	10	12	22	10	8	18	45
	9:00-9:15 AM	0	0	0	6	5	11	2	5	7	2	6	8	26
9:15-9:30 AM	0	0	0	2	0	2	3	6	9	6	4	10	21	
Peak 15-Minutes 7:45-8:00 AM		4	0	4	17	9	26	22	1	23	16	4	20	73

Period	Time Interval	Tompkinsville Station			Stapleton Station			Clifton Station						Total
		South Stairway			^a North Stairway			SB (to Tottenville)			NB (to St George Terminal) North Stairway			
		Up	Down	Total	Up	Down	Total	Up	Down	Total	Up	Down	Total	
Midday	11:30-11:45 AM	0	1	1	4	12	16	10	4	14	4	8	12	43
	11:45-12:00 PM	1	1	2	0	2	2	18	10	28	6	3	9	41
	12:00-12:15 PM	0	3	3	3	14	17	14	8	22	2	2	4	46
	12:15-12:30 PM	2	0	2	9	0	9	11	4	15	4	6	10	36
	12:30-12:45 PM	0	0	0	16	0	16	13	6	19	4	2	6	41
	12:45-1:00 PM	0	0	0	1	0	1	15	5	20	8	14	22	43
	1:00-1:15 PM	1	0	1	6	0	6	4	7	11	3	2	5	23
	1:15-1:30 PM	2	2	4	2	0	2	9	0	9	12	4	16	31
	1:30-1:45 PM	0	5	5	1	0	1	4	5	9	2	3	5	20
	1:45-2:00 PM	1	0	1	1	11	12	1	0	1	4	4	8	22
	2:00-2:15 PM	0	3	3	2	0	2	5	7	12	2	3	5	22
2:15-2:30 PM	0	0	0	0	1	1	6	5	11	3	2	5	17	
Peak 15-Minutes 2:15-2:30 PM		0	3	3	3	14	17	14	8	22	2	2	4	46

Period	Time Interval	Tompkinsville Station			Stapleton Station			Clifton Station						Total
		South Stairway			^a North Stairway			SB (to Tottenville)			NB (to St George Terminal) North Stairway			
		Up	Down	Total	Up	Down	Total	Up	Down	Total	Up	Down	Total	
	4:00-4:15 PM	2	1	3	0	0	0	7	4	11	6	9	15	29
	4:15-4:30 PM	1	0	1	0	8	8	10	6	16	7	13	20	45
PM	4:30-4:45 PM	3	0	3	5	16	21	13	5	18	8	4	12	54
	4:45-5:00 PM	1	0	1	1	11	12	9	7	16	5	5	10	39
	5:00-5:15 PM	2	2	4	2	1	3	6	4	10	4	7	11	28
	5:15-5:30 PM	0	1	1	1	3	4	8	6	14	2	8	10	29
	5:30-5:45 PM	0	0	0	0	25	25	5	13	18	3	12	15	58
	5:45-6:00 PM	0	0	0	1	0	1	8	2	10	1	0	1	12
	6:00-6:15 PM	1	1	2	0	0	0	3	0	3	0	10	10	15
	6:15-6:30 PM	1	2	3	1	0	1	6	14	20	3	12	15	39
	6:30-6:45 PM	1	0	1	1	11	12	5	7	12	2	2	4	29
	6:45-7:00 PM	1	0	1	0	2	2	4	15	19	7	2	9	31
	7:00-7:15 PM	0	1	1	4	8	12	2	14	16	8	2	10	39
7:15-7:30 PM	2	1	3	2	12	14	2	2	4	3	4	7	28	
Peak 15-Minutes 4:30-4:45 PM		0	0	0	0	25	25	5	13	18	3	12	15	58



Hourly Pedestrian Count Data Summary

Project: Stapleton, Staten Island

Location: 3 Transit Stations: Tompkinsville, Stapleton, and Clifton

Date: Thursday, March 24, 2005

Period	Time Interval	Tompkinsville Station		Stapleton Station		Clifton Station				Total
		South Stairway		North Stairway		To Tottenville		To St George Terminal		
		Up	Down	Up	Down	Up	Down	Up	Down	
AM	6:30-7:30 AM	6	0	49	15	68	6	62	12	218
	6:45-7:45 AM	6	0	47	22	72	11	64	12	234
	7:00-8:00 AM	5	3	48	26	65	10	62	15	234
	7:15-8:15 AM	2	5	36	19	69	10	50	13	204
	7:30-8:30 AM	3	8	20	27	58	14	51	14	195
	7:45-8:45 AM	3	9	23	21	56	9	53	20	194
	8:00-9:00 AM	2	6	17	21	63	21	55	23	208
	8:15-9:15 AM	1	4	18	24	39	25	53	27	191
	8:30-9:30 AM	0	1	14	12	30	24	46	28	155
Peak Hour 8:15-9:15 AM		5	3	48	26	65	10	62	15	234
			8		74		75		77	

Period	Time Interval	Tompkinsville Station		Stapleton Station		Clifton Station				Total
		South Stairway		North Stairway		To Tottenville		To St George Terminal		
		Up	Down	Up	Down	Up	Down	Up	Down	
Midday	11:30-12:30 PM	3	5	16	28	53	26	16	19	166
	11:45-12:45 PM	3	4	28	16	56	28	16	13	164
	12:00-1:00 PM	2	3	29	14	53	23	18	24	166
	12:15-1:15 PM	3	0	32	0	43	22	19	24	143
	12:30-1:30 PM	3	2	25	0	41	18	27	22	138
	12:45-1:45 PM	3	7	10	0	32	17	25	23	117
	1:00-2:00 PM	4	7	10	11	18	12	21	13	96
	1:15-2:15 PM	3	10	6	11	19	12	20	14	95
	1:30-2:30 PM	1	8	4	12	16	17	11	12	81
Peak Hour 11:30-12:30 PM		2	3	29	14	53	23	18	24	166
			5		43		76		42	

Period	Time Interval	Tompkinsville Station		Stapleton Station		Clifton Station				Total
		South Stairway		North Stairway		To Tottenville		To St George Terminal		
		Up	Down	Up	Down	Up	Down	Up	Down	
PM	4:30-5:30 PM	7	1	6	35	39	22	26	31	167
	4:45-5:45 PM	7	2	8	36	38	22	24	29	166
	5:00-6:00 PM	6	3	9	31	36	22	19	24	150
	5:15-6:15 PM	3	3	4	40	28	30	14	32	154
	5:30-6:30 PM	2	3	4	29	27	25	10	27	127
	5:45-6:45 PM	1	2	2	28	24	21	6	30	114
	6:00-7:00 PM	2	3	2	25	22	29	7	34	124
	6:15-7:15 PM	3	3	3	11	22	23	6	24	95
	6:30-7:30 PM	4	3	2	13	18	36	12	26	114
	Peak Hour 4:30-5:30 PM		7	1	6	35	39	22	26	31
			8		41		61		57	

Appendix D-2: Stairway Analysis

NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
Subway Pedestrian Analysis
2005 Existing Conditions

Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS
				Up	Down	Total			
				Peak Surge	Peak Surge	Peak Surge			
Tompkinsville Station	South Stairway	4.33	1.0	4	0	4	650	0.01	A
Stapleton Station	North Stairway	4.50	0.9	17	9	26	608	0.05	A
Clifton Station	NB Platform (North Stairway)	4.25	0.8	16	4	20	510	0.05	A
Clifton Station	SB Platform	4.33	0.8	22	1	23	520	0.06	A

Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS
				Up	Down	Total			
				Peak Surge	Peak Surge	Peak Surge			
Tompkinsville Station	South Stairway	4.33	1.0	0	3	3	650	0.01	A
Stapleton Station	North Stairway	4.50	0.8	3	14	17	540	0.04	A
Clifton Station	NB Platform (North Stairway)	4.25	0.9	2	2	4	574	0.01	A
Clifton Station	SB Platform	4.33	0.9	14	8	22	585	0.05	A

Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS
				Up	Down	Total			
				Peak Surge	Peak Surge	Peak Surge			
Tompkinsville Station	South Stairway	4.33	1.0	0	0	0	650	0.00	A
Stapleton Station	North Stairway	4.50	1.0	0	25	25	675	0.05	A
Clifton Station	NB Platform (North Stairway)	4.25	0.8	3	12	15	510	0.04	A
Clifton Station	SB Platform	4.33	0.8	5	13	18	520	0.04	A

Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS
				Up	Down	Total			
				Peak Surge	Peak Surge	Peak Surge			
Tompkinsville Station	South Stairway	4.33	0.8	1	2	3	520	0.01	A
Stapleton Station	North Stairway	4.50	0.9	13	17	30	608	0.06	A
Clifton Station	NB Platform (North Stairway)	4.25	0.8	3	1	4	510	0.01	A
Clifton Station	SB Platform	4.33	0.9	6	4	10	585	0.02	A

Note: The effective width of a stairway is assumed to be 1 foot less than the actual width to account for handrails and similar obstructions
The Capacity for Stairs = 10 persons per minute per foot

Source: City Environmental Quality Review Technical Manual

NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
Subway Pedestrian Analysis
2015 No Build Condition

		AM Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.8	6	2	8	520	0.02	A	
Stapleton Station	North Stairway	4.50	0.8	23	11	34	540	0.08	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.8	19	5	24	510	0.06	A	
Clifton Station	SB Platform	4.33	0.8	26	1	27	520	0.06	A	

		Midday Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.8	1	4	5	520	0.01	A	
Stapleton Station	North Stairway	4.50	0.8	7	20	27	540	0.06	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.9	2	2	4	574	0.01	A	
Clifton Station	SB Platform	4.33	0.9	16	9	25	585	0.05	A	

		PM Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.8	3	1	4	520	0.01	A	
Stapleton Station	North Stairway	4.50	0.8	4	34	38	540	0.09	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.8	3	14	17	510	0.04	A	
Clifton Station	SB Platform	4.33	0.8	6	15	21	520	0.05	A	

		SATMD Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.9	2	3	5	585	0.01	A	
Stapleton Station	North Stairway	4.50	0.9	20	26	46	608	0.09	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.8	3	1	4	510	0.01	A	
Clifton Station	SB Platform	4.33	0.9	7	5	12	585	0.03	A	

Note: The effective width of a stairway is assumed to be 1 foot less than the actual width to account for handrails and similar obstructions
The Capacity for Stairs = 10 persons per minute per foot

Source: City Environmental Quality Review Technical Manual

NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
Subway Pedestrian Analysis
2015 Build Condition

		AM Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.8	9	3	12	520	0.03	A	
Stapleton Station	North Stairway	4.50	0.9	38	23	61	608	0.13	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.8	19	5	24	510	0.06	A	
Clifton Station	SB Platform	4.33	0.8	26	1	27	520	0.06	A	

		Midday Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.8	2	5	7	520	0.02	A	
Stapleton Station	North Stairway	4.50	0.9	35	49	84	608	0.17	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.9	2	2	4	574	0.01	A	
Clifton Station	SB Platform	4.33	0.9	16	9	25	585	0.05	A	

		PM Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.9	4	4	8	585	0.02	A	
Stapleton Station	North Stairway	4.50	0.8	29	68	97	540	0.22	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.8	3	14	17	510	0.04	A	
Clifton Station	SB Platform	4.33	0.8	6	15	21	520	0.05	A	

		SATMD Peak 15-Minute								
Stations	Station Elements	Effective Width (ft)	Friction Factor	Pedestrian Volumes			SVCD Capacity	V/SVCD Ratio	LOS	
				Up	Down	Total				
Tompkinsville Station	South Stairway	4.33	0.8	3	6	9	520	0.02	A	
Stapleton Station	North Stairway	4.50	0.9	52	50	102	608	0.21	A	
Clifton Station	NB Platform (North Stairway)	4.25	0.8	3	1	4	510	0.01	A	
Clifton Station	SB Platform	4.33	0.9	7	5	12	585	0.03	A	

Note: The effective width of a stairway is assumed to be 1 foot less than the actual width to account for handrails and similar obstructions
The Capacity for Stairs = 10 persons per minute per foot

Source: City Environmental Quality Review Technical Manual

Appendix D-3: Pedestrian Volume Projection

NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
Pedestrian Crosswalk Volumes - 2015 Build Condition
Trip Generation Projection

AM Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	2	2	2	1	4	2	1	1	15
Bay Street and Prospect Street	3	9	3	4	4	2	4	2	31
Bay Street and Wave Street	3	4	3	4	7	5	4	3	33
Front Street and Water Street	0	0	0	0	0	0	7	11	18
Front Street and Prospect Street	3	5	0	0	12	8	8	7	43
Front Street and Wave Street	2	2	0	0	6	5	3	2	20
Bay Street and Canal Street	4	4	4	2	7	5	2	3	31
Bay Street and Thompson Street	0	0	4	3	0	0	2	5	14
Front Street and Canal Street	10	6	0	0	12	9	6	7	50

Midday Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	15	15	10	11	16	16	9	9	101
Bay Street and Prospect Street	16	19	19	20	12	11	11	10	118
Bay Street and Wave Street	25	25	25	26	33	32	30	30	226
Front Street and Water Street	0	0	0	0	0	0	38	38	76
Front Street and Prospect Street	18	20	0	0	37	34	46	46	201
Front Street and Wave Street	12	12	0	0	22	21	20	20	107
Bay Street and Canal Street	21	21	13	13	22	22	13	13	138
Bay Street and Thompson Street	0	0	18	19	0	0	12	11	60
Front Street and Canal Street	31	31	0	0	23	23	31	31	170

PM Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	11	11	8	9	13	13	7	7	79
Bay Street and Prospect Street	15	17	15	16	10	9	9	9	100
Bay Street and Wave Street	19	20	20	20	28	26	23	23	179
Front Street and Water Street	0	0	0	0	0	0	37	30	67
Front Street and Prospect Street	14	17	0	0	38	27	39	37	172
Front Street and Wave Street	9	9	0	0	20	18	15	15	86
Bay Street and Canal Street	16	18	10	13	19	18	12	10	116
Bay Street and Thompson Street	0	0	14	16	0	0	10	9	49
Front Street and Canal Street	22	29	0	0	18	24	28	25	146

SATMD Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	14	13	9	10	15	16	8	8	93
Bay Street and Prospect Street	19	16	18	18	10	12	9	10	112
Bay Street and Wave Street	24	22	24	22	29	33	26	28	208
Front Street and Water Street	0	0	0	0	0	0	35	34	69
Front Street and Prospect Street	20	16	0	0	32	40	44	40	192
Front Street and Wave Street	12	10	0	0	18	25	17	18	100
Bay Street and Canal Street	20	18	11	12	19	23	12	12	127
Bay Street and Thompson Street	0	0	16	19	0	0	13	10	58
Front Street and Canal Street	28	25	0	0	23	17	26	28	147

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
Pedestrian Crosswalk Volumes - 2015 Build Condition**

AM Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	10	9	11	10	4	4	7	4	59
Bay Street and Prospect Street	4	13	5	11	9	6	19	12	79
Bay Street and Wave Street	3	4	11	14	7	8	11	11	69
Front Street and Water Street	0	0	0	0	0	0	7	11	18
Front Street and Prospect Street	3	5	0	0	12	8	8	7	43
Front Street and Wave Street	2	2	0	0	6	5	3	2	20
Bay Street and Canal Street	5	4	11	9	8	5	4	4	50
Bay Street and Thompson Street	0	0	6	4	2	6	6	12	36
Front Street and Canal Street	10	6	0	0	12	9	6	7	50

Midday Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	27	24	22	30	19	19	20	18	179
Bay Street and Prospect Street	26	29	49	41	26	20	24	40	255
Bay Street and Wave Street	34	28	39	40	37	34	46	66	324
Front Street and Water Street	0	0	0	0	0	0	38	38	76
Front Street and Prospect Street	18	20	0	0	37	34	46	46	201
Front Street and Wave Street	12	12	0	0	22	21	20	20	107
Bay Street and Canal Street	23	25	23	21	24	23	24	29	192
Bay Street and Thompson Street	6	2	32	29	1	1	15	22	108
Front Street and Canal Street	31	31	0	0	23	23	31	31	170

PM Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	19	16	23	28	15	15	19	20	155
Bay Street and Prospect Street	21	22	36	37	19	23	25	32	215
Bay Street and Wave Street	22	23	28	37	33	28	52	36	259
Front Street and Water Street	0	0	0	0	0	0	37	30	67
Front Street and Prospect Street	20	17	0	0	38	27	39	38	179
Front Street and Wave Street	9	9	0	0	20	18	15	15	86
Bay Street and Canal Street	17	23	19	21	21	19	18	21	159
Bay Street and Thompson Street	2	2	23	28	1	1	19	17	93
Front Street and Canal Street	22	29	0	0	18	24	28	25	146


SATMD Peak 15-Minutes Volumes

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk		Total
	EB	WB	SB	NB	WB	EB	NB	SB	
Bay Street and Water Street	17	17	20	20	17	18	18	18	145
Bay Street and Prospect Street	28	25	39	38	20	24	34	18	226
Bay Street and Wave Street	26	25	41	37	31	37	54	38	289
Front Street and Water Street	0	0	0	0	0	0	35	34	69
Front Street and Prospect Street	20	16	0	0	32	40	44	40	192
Front Street and Wave Street	12	10	0	0	18	25	17	18	100
Bay Street and Canal Street	22	21	18	28	27	27	29	24	196
Bay Street and Thompson Street	0	1	28	41	0	1	25	28	124
Front Street and Canal Street	28	25	0	0	23	17	26	28	147

**Appendix D-4: Pedestrian LOS Worksheets
for Signalized Intersections**

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2005 Existing
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	1	FROM 5->6:	1	2<->3:	0
FROM 2->1:	0	FROM 6->5:	0	4<->5:	0
FROM 3->4:	5	FROM 7->8:	2	6<->7:	0
FROM 4->3:	5	FROM 8->7:	1	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	1	FROM 5->6:	1
FROM 2->1:	0	FROM 6->5:	0
FROM 3->4:	5	FROM 7->8:	2
FROM 4->3:	5	FROM 8->7:	1

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	2	37
EAST	37.8	11	1	73
SOUTH	41	12.5	1	37
WEST	32	11.5	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	14114	A	13233	A	4379	A
EAST	2599	A	2560	A	641	A
SOUTH	14344	A	13936	A	4850	A
WEST	9056	A	9056	A	1933	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... AM 2005 Existing ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2005 Existing
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	1	FROM 5->6:	1	2<->3:	0
FROM 2->1:	3	FROM 6->5:	0	4<->5:	0
FROM 3->4:	3	FROM 7->8:	8	6<->7:	0
FROM 4->3:	1	FROM 8->7:	13	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	31	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	1	FROM 5->6:	1
FROM 2->1:	3	FROM 6->5:	0
FROM 3->4:	3	FROM 7->8:	8
FROM 4->3:	1	FROM 8->7:	13

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	4	31
EAST	37.8	11	1	49
SOUTH	41	12.5	1	37
WEST	32	11.5	0	31

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	3874	A	3287	A	1469	A
EAST	5692	A	5563	A	1785	A
SOUTH	19125	A	18582	A	7084	A
WEST	690	A	690	A	228	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... MD 2005 Existing ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2005 Existing
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	0	FROM 5->6:	1	2<->3:	0
FROM 2->1:	4	FROM 6->5:	0	4<->5:	0
FROM 3->4:	4	FROM 7->8:	4	6<->7:	0
FROM 4->3:	2	FROM 8->7:	8	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	0	FROM 5->6:	1
FROM 2->1:	4	FROM 6->5:	0
FROM 3->4:	4	FROM 7->8:	4
FROM 4->3:	2	FROM 8->7:	8

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	4	37
EAST	37.8	11	1	73
SOUTH	41	12.5	2	37
WEST	32	11.5	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	3529	A	3088	A	1095	A
EAST	4331	A	4266	A	1068	A
SOUTH	14344	A	13529	A	4850	A
WEST	2264	A	2264	A	483	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... PM 2005 Existing ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Existing
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	1	FROM 5->6:	6	2<->3:	0
FROM 2->1:	2	FROM 6->5:	3	4<->5:	0
FROM 3->4:	2	FROM 7->8:	14	6<->7:	0
FROM 4->3:	9	FROM 8->7:	9	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	31	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	1	FROM 5->6:	6
FROM 2->1:	2	FROM 6->5:	3
FROM 3->4:	2	FROM 7->8:	14
FROM 4->3:	9	FROM 8->7:	9

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	5	31
EAST	37.8	11	2	49
SOUTH	41	12.5	2	37
WEST	32	11.5	0	31

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	5166	A	4187	A	1958	A
EAST	2070	A	1976	A	649	A
SOUTH	2125	A	2004	A	787	A
WEST	630	A	630	A	208	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... SAT 2015 Existing ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 No Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	1	FROM 5->6:	1	2<->3:	0
FROM 2->1:	0	FROM 6->5:	0	4<->5:	0
FROM 3->4:	7	FROM 7->8:	2	6<->7:	0
FROM 4->3:	7	FROM 8->7:	1	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	1	FROM 5->6:	1
FROM 2->1:	0	FROM 6->5:	0
FROM 3->4:	7	FROM 7->8:	2
FROM 4->3:	7	FROM 8->7:	1

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	3	37
EAST	37.8	11	1	73
SOUTH	41	12.5	1	37
WEST	32	11.5	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	14114	A	12792	A	4379	A
EAST	1856	A	1828	A	458	A
SOUTH	14344	A	13936	A	4850	A
WEST	9056	A	9056	A	1933	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... AM 2015 No Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 No Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	2	FROM 5->6:	2	2<->3:	0
FROM 2->1:	4	FROM 6->5:	1	4<->5:	0
FROM 3->4:	10	FROM 7->8:	11	6<->7:	0
FROM 4->3:	8	FROM 8->7:	16	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	31	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION	SQ.FT. PER PEDESTRIAN	LOS
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	2	FROM 5->6:	2
FROM 2->1:	4	FROM 6->5:	1
FROM 3->4:	10	FROM 7->8:	11
FROM 4->3:	8	FROM 8->7:	16

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	4	31
EAST	37.8	11	1	49
SOUTH	41	12.5	1	37
WEST	32	11.5	0	31

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES		WITH VEHICLES		MAXIMUM SURGE	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	2583	A	2191	A	979	A
EAST	1265	A	1236	A	397	A
SOUTH	6375	A	6194	A	2361	A
WEST	537	A	537	A	177	A

IDENTIFYING INFORMATION

FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... MD 2015 No Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 No Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	1	FROM 5->6:	2	2<->3:	0
FROM 2->1:	5	FROM 6->5:	1	4<->5:	0
FROM 3->4:	9	FROM 7->8:	6	6<->7:	0
FROM 4->3:	8	FROM 8->7:	11	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	1	FROM 5->6:	2
FROM 2->1:	5	FROM 6->5:	1
FROM 3->4:	9	FROM 7->8:	6
FROM 4->3:	8	FROM 8->7:	11

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	4	37
EAST	37.8	11	1	73
SOUTH	41	12.5	2	37
WEST	32	11.5	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	2352	A	2059	A	730	A
EAST	1529	A	1506	A	377	A
SOUTH	4781	A	4510	A	1617	A
WEST	1598	A	1598	A	341	A

IDENTIFYING INFORMATION

FACILITY LOCATION.... Bay Street and Canal Street
TIME AND DATE..... PM 2015 No Build ; 02-14-2006
OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 No Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	2	FROM 5->6:	8	2<->3:	0
FROM 2->1:	3	FROM 6->5:	4	4<->5:	0
FROM 3->4:	7	FROM 7->8:	17	6<->7:	0
FROM 4->3:	16	FROM 8->7:	12	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	31	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	2	FROM 5->6:	8
FROM 2->1:	3	FROM 6->5:	4
FROM 3->4:	7	FROM 7->8:	17
FROM 4->3:	16	FROM 8->7:	12

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	5	31
EAST	37.8	11	2	49
SOUTH	41	12.5	2	37
WEST	32	11.5	0	31

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	3100	A	2512	A	1175	A
EAST	990	A	945	A	311	A
SOUTH	1594	A	1503	A	590	A
WEST	500	A	500	A	165	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... SAT 2015 No Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Prospect Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	3	FROM 5->6:	12	2<->3:	0
FROM 2->1:	5	FROM 6->5:	8	4<->5:	0
FROM 3->4:	0	FROM 7->8:	8	6<->7:	0
FROM 4->3:	0	FROM 8->7:	7	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	3	FROM 5->6:	12
FROM 2->1:	5	FROM 6->5:	8
FROM 3->4:	0	FROM 7->8:	8
FROM 4->3:	0	FROM 8->7:	7

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	2	31
EAST	0	0	1	49
SOUTH	30	10	3	31
WEST	26	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	1417	A	1328	A	633	A
EAST	1150	A	1108	A	235	A
SOUTH	630	A	541	A	197	A
WEST	1518	A	1518	A	345	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Prospect Street
 TIME AND DATE..... AM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	2	FROM 5->6:	6	2<->3:	0
FROM 2->1:	2	FROM 6->5:	5	4<->5:	0
FROM 3->4:	0	FROM 7->8:	3	6<->7:	0
FROM 4->3:	0	FROM 8->7:	2	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	2	FROM 5->6:	6
FROM 2->1:	2	FROM 6->5:	5
FROM 3->4:	0	FROM 7->8:	3
FROM 4->3:	0	FROM 8->7:	2

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	50	6	1	31
EAST	0	0	0	49
SOUTH	31	9	1	31
WEST	30	11	2	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	1890	A	1837	A	923	A
EAST	1150	A	1108	A	235	A
SOUTH	1031	A	984	A	331	A
WEST	4554	A	4293	A	1172	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Wave Street
 TIME AND DATE..... AM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

		SIDEWALK FLOW	
FROM 1->2:	5	FROM 5->6:	8
FROM 2->1:	4	FROM 6->5:	5
FROM 3->4:	11	FROM 7->8:	4
FROM 4->3:	9	FROM 8->7:	4
		2<->3:	0
		4<->5:	0
		6<->7:	0
		1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION	SQ.FT. PER PEDESTRIAN	LOS
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	5	FROM 5->6:	8
FROM 2->1:	4	FROM 6->5:	5
FROM 3->4:	11	FROM 7->8:	4
FROM 4->3:	9	FROM 8->7:	4

LOCATION	CURB->CURB		CONFLICTING VEHICLE VOL. WITH PEDS (Veh/Cycle)	PED GREEN TIME (Sec)
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)		
NORTH	37.3	12.3	3	37
EAST	37.8	11	2	73
SOUTH	41	12.5	1	37
WEST	32	11.5	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES		WITH VEHICLES		MAXIMUM SURGE	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	1568	A	1421	A	487	A
EAST	1299	A	1260	A	320	A
SOUTH	1103	A	1072	A	373	A
WEST	3396	A	3396	A	725	A

IDENTIFYING INFORMATION

FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... AM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	10	FROM 5->6:	12	2<->3:	0
FROM 2->1:	6	FROM 6->5:	9	4<->5:	0
FROM 3->4:	0	FROM 7->8:	6	6<->7:	0
FROM 4->3:	0	FROM 8->7:	7	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	10	FROM 5->6:	12
FROM 2->1:	6	FROM 6->5:	9
FROM 3->4:	0	FROM 7->8:	6
FROM 4->3:	0	FROM 8->7:	7

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	0	31
EAST	0	0	0	49
SOUTH	45	10	1	31
WEST	34	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	709	A	709	A	316	A
EAST	1299	A	1260	A	320	A
SOUTH	600	A	581	A	268	A
WEST	1752	A	1752	A	502	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Canal Street
 TIME AND DATE..... AM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Prospect Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	18	FROM 5->6:	37	2<->3:	0
FROM 2->1:	20	FROM 6->5:	34	4<->5:	0
FROM 3->4:	0	FROM 7->8:	46	6<->7:	0
FROM 4->3:	0	FROM 8->7:	46	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	18	FROM 5->6:	37
FROM 2->1:	20	FROM 6->5:	34
FROM 3->4:	0	FROM 7->8:	46
FROM 4->3:	0	FROM 8->7:	46

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	1	31
EAST	0	0	1	49
SOUTH	30	10	2	31
WEST	26	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	298	A	289	A	133	A
EAST	390	A	363	A	104	B
SOUTH	177	A	161	A	55	B
WEST	248	A	248	A	56	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Prospect Street
 TIME AND DATE..... MD 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	12	FROM 5->6:	22	2<->3:	0
FROM 2->1:	12	FROM 6->5:	21	4<->5:	0
FROM 3->4:	0	FROM 7->8:	20	6<->7:	0
FROM 4->3:	0	FROM 8->7:	20	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION	SQ.FT. PER PEDESTRIAN	LOS
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	12	FROM 5->6:	22
FROM 2->1:	12	FROM 6->5:	21
FROM 3->4:	0	FROM 7->8:	20
FROM 4->3:	0	FROM 8->7:	20

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	50	6	1	31
EAST	0	0	0	49
SOUTH	31	9	2	31
WEST	30	11	3	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES		WITH VEHICLES		MAXIMUM SURGE	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	315	A	306	A	154	A
EAST	390	A	363	A	104	B
SOUTH	264	A	240	A	85	B
WEST	569	A	520	A	147	A

IDENTIFYING INFORMATION

FACILITY LOCATION.... Front Street and Wave Street
 TIME AND DATE..... MD 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 20115 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	23	FROM 5->6:	24	2<->3:	0
FROM 2->1:	25	FROM 6->5:	23	4<->5:	0
FROM 3->4:	23	FROM 7->8:	24	6<->7:	0
FROM 4->3:	21	FROM 8->7:	29	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	31	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	23	FROM 5->6:	24
FROM 2->1:	25	FROM 6->5:	23
FROM 3->4:	23	FROM 7->8:	24
FROM 4->3:	21	FROM 8->7:	29

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	4	31
EAST	37.8	11	2	49
SOUTH	41	12.5	2	37
WEST	32	11.5	0	31

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	323	A	274	A	122	B
EAST	517	A	494	A	162	A
SOUTH	407	A	384	A	151	A
WEST	273	A	273	A	90	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... MD 20115 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	31	FROM 5->6:	23	2<->3:	0
FROM 2->1:	31	FROM 6->5:	23	4<->5:	0
FROM 3->4:	0	FROM 7->8:	31	6<->7:	0
FROM 4->3:	0	FROM 8->7:	31	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	31	FROM 5->6:	23
FROM 2->1:	31	FROM 6->5:	23
FROM 3->4:	0	FROM 7->8:	31
FROM 4->3:	0	FROM 8->7:	31

LOCATION	CURB->CURB		CONFLICTING VEHICLE VOL. WITH PEDS (Veh/Cycle)	PED GREEN TIME (Sec)
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)		
NORTH	45	9	0	31
EAST	0	0	0	49
SOUTH	45	10	1	31
WEST	34	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	183	A	183	A	82	B
EAST	652	A	652	A	165	A
SOUTH	274	A	265	A	122	B
WEST	367	A	367	A	105	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Canal Street
 TIME AND DATE..... MD 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Prospect Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	20	FROM 5->6:	38	2<->3:	0
FROM 2->1:	17	FROM 6->5:	27	4<->5:	0
FROM 3->4:	0	FROM 7->8:	39	6<->7:	0
FROM 4->3:	0	FROM 8->7:	38	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	20	FROM 5->6:	38
FROM 2->1:	17	FROM 6->5:	27
FROM 3->4:	0	FROM 7->8:	39
FROM 4->3:	0	FROM 8->7:	38

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	2	31
EAST	0	0	3	49
SOUTH	30	10	3	31
WEST	26	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	306	A	287	A	137	A
EAST	436	A	404	A	89	B
SOUTH	194	A	166	A	60	B
WEST	296	A	296	A	67	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Prospect Street
 TIME AND DATE..... PM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	9	FROM 5->6:	20	2<->3:	0
FROM 2->1:	9	FROM 6->5:	18	4<->5:	0
FROM 3->4:	0	FROM 7->8:	15	6<->7:	0
FROM 4->3:	0	FROM 8->7:	15	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	9	FROM 5->6:	20
FROM 2->1:	9	FROM 6->5:	18
FROM 3->4:	0	FROM 7->8:	15
FROM 4->3:	0	FROM 8->7:	15

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	50	6	2	31
EAST	0	0	0	49
SOUTH	31	9	2	31
WEST	30	11	3	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	420	A	396	A	205	A
EAST	436	A	404	A	89	B
SOUTH	298	A	271	A	96	B
WEST	759	A	694	A	195	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Wave Street
 TIME AND DATE..... PM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	17	FROM 5->6:	21	2<->3:	0
FROM 2->1:	23	FROM 6->5:	19	4<->5:	0
FROM 3->4:	19	FROM 7->8:	18	6<->7:	0
FROM 4->3:	21	FROM 8->7:	21	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	17	FROM 5->6:	21
FROM 2->1:	23	FROM 6->5:	19
FROM 3->4:	19	FROM 7->8:	18
FROM 4->3:	21	FROM 8->7:	21

LOCATION	CURB->CURB STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	CONFLICTING VEHICLE VOL. WITH PEDS (Veh/Cycle)	PED GREEN TIME (Sec)
NORTH	37.3	12.3	4	37
EAST	37.8	11	3	73
SOUTH	41	12.5	2	37
WEST	32	11.5	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	353	A	309	A	109	B
EAST	650	A	621	A	160	A
SOUTH	359	A	338	A	121	B
WEST	697	A	697	A	149	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... PM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	22	FROM 5->6:	18	2<->3:	0
FROM 2->1:	29	FROM 6->5:	24	4<->5:	0
FROM 3->4:	0	FROM 7->8:	28	6<->7:	0
FROM 4->3:	0	FROM 8->7:	25	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	22	FROM 5->6:	18
FROM 2->1:	29	FROM 6->5:	24
FROM 3->4:	0	FROM 7->8:	28
FROM 4->3:	0	FROM 8->7:	25

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	0	31
EAST	0	0	0	49
SOUTH	45	10	2	31
WEST	34	11	1	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	222	A	222	A	99	B
EAST	650	A	621	A	160	A
SOUTH	300	A	281	A	134	A
WEST	430	A	419	A	123	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Canal Street
 TIME AND DATE..... PM 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Prospect Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	20	FROM 5->6:	32	2<->3:	0
FROM 2->1:	16	FROM 6->5:	40	4<->5:	0
FROM 3->4:	0	FROM 7->8:	44	6<->7:	0
FROM 4->3:	0	FROM 8->7:	40	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	20	FROM 5->6:	32
FROM 2->1:	16	FROM 6->5:	40
FROM 3->4:	0	FROM 7->8:	44
FROM 4->3:	0	FROM 8->7:	40

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	2	31
EAST	0	0	2	49
SOUTH	30	10	3	31
WEST	26	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	315	A	295	A	141	A
EAST	325	A	298	A	84	B
SOUTH	175	A	150	A	55	B
WEST	271	A	271	A	62	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Prospect Street
 TIME AND DATE..... SAT 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	12	FROM 5->6:	18	2<->3:	0
FROM 2->1:	10	FROM 6->5:	25	4<->5:	0
FROM 3->4:	0	FROM 7->8:	17	6<->7:	0
FROM 4->3:	0	FROM 8->7:	18	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	12	FROM 5->6:	18
FROM 2->1:	10	FROM 6->5:	25
FROM 3->4:	0	FROM 7->8:	17
FROM 4->3:	0	FROM 8->7:	18

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	50	6	1	31
EAST	0	0	0	49
SOUTH	31	9	2	31
WEST	30	11	2	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	344	A	334	A	168	A
EAST	325	A	298	A	84	B
SOUTH	264	A	240	A	85	B
WEST	651	A	613	A	167	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Front Street and Wave Street
 TIME AND DATE..... SAT 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	22	FROM 5->6:	27	2<->3:	0
FROM 2->1:	21	FROM 6->5:	27	4<->5:	0
FROM 3->4:	18	FROM 7->8:	29	6<->7:	0
FROM 4->3:	28	FROM 8->7:	24	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	22	FROM 5->6:	27
FROM 2->1:	21	FROM 6->5:	27
FROM 3->4:	18	FROM 7->8:	29
FROM 4->3:	28	FROM 8->7:	24

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37.3	12.3	5	31
EAST	37.8	11	4	49
SOUTH	41	12.5	3	31
WEST	32	11.5	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	360	A	292	A	137	A
EAST	495	A	450	A	155	A
SOUTH	292	A	261	A	120	B
WEST	449	A	449	A	122	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Canal Street
 TIME AND DATE..... SAT 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Canal Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	28	FROM 5->6:	23	2<->3:	0
FROM 2->1:	25	FROM 6->5:	17	4<->5:	0
FROM 3->4:	0	FROM 7->8:	26	6<->7:	0
FROM 4->3:	0	FROM 8->7:	28	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	28	FROM 5->6:	23
FROM 2->1:	25	FROM 6->5:	17
FROM 3->4:	0	FROM 7->8:	26
FROM 4->3:	0	FROM 8->7:	28

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	0	31
EAST	0	0	0	49
SOUTH	45	10	2	31
WEST	34	11	1	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	214	A	214	A	96	B
EAST	495	A	450	A	155	A
SOUTH	315	A	295	A	141	A
WEST	422	A	411	A	121	B

IDENTIFYING INFORMATION

FACILITY LOCATION.... Front Street and Canal Street
 TIME AND DATE..... SAT 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay St and Water St
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	10	FROM 5->6:	4	2<->3:	0
FROM 2->1:	9	FROM 6->5:	4	4<->5:	0
FROM 3->4:	11	FROM 7->8:	7	6<->7:	0
FROM 4->3:	10	FROM 8->7:	4	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	10	FROM 5->6:	4
FROM 2->1:	9	FROM 6->5:	4
FROM 3->4:	11	FROM 7->8:	7
FROM 4->3:	10	FROM 8->7:	4

LOCATION	CURB->CURB		CONFLICTING VEHICLE VOL. WITH PEDS (Veh/Cycle)	PED GREEN TIME (Sec)
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)		
NORTH	37	10	0	37
EAST	29.4	12.6	0	73
SOUTH	36.5	6	1	37
WEST	27	12	6	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	604	A	604	A	186	A
EAST	1418	A	1418	A	281	A
SOUTH	861	A	833	A	262	A
WEST	2577	A	2253	A	473	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay St and Water St
 TIME AND DATE..... AM 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Prospect St
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	4	FROM 5->6:	9	2<->3:	0
FROM 2->1:	13	FROM 6->5:	6	4<->5:	0
FROM 3->4:	5	FROM 7->8:	19	6<->7:	0
FROM 4->3:	11	FROM 8->7:	12	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	4	FROM 5->6:	9
FROM 2->1:	13	FROM 6->5:	6
FROM 3->4:	5	FROM 7->8:	19
FROM 4->3:	11	FROM 8->7:	12

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	36.5	9	0	37
EAST	27	10	2	73
SOUTH	37	8	1	37
WEST	30.8	13.2	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	607	A	607	A	185	A
EAST	1477	A	1415	A	271	A
SOUTH	612	A	593	A	188	A
WEST	1006	A	1006	A	208	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Prospect St
 TIME AND DATE..... AM 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... AM 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	3	FROM 5->6:	7	2<->3:	0
FROM 2->1:	4	FROM 6->5:	8	4<->5:	0
FROM 3->4:	11	FROM 7->8:	11	6<->7:	0
FROM 4->3:	14	FROM 8->7:	11	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	36	
SOUTHEAST	0	EAST	74	
SOUTHWEST	0	SOUTH	36	
NORTHWEST	0	WEST	74	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	3	FROM 5->6:	7
FROM 2->1:	4	FROM 6->5:	8
FROM 3->4:	11	FROM 7->8:	11
FROM 4->3:	14	FROM 8->7:	11

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	35.6	9	1	36
EAST	30.3	12	2	74
SOUTH	37.4	8	1	36
WEST	20.5	10	1	74

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	1432	A	1384	A	434	A
EAST	1150	A	1108	A	235	A
SOUTH	594	A	575	A	188	A
WEST	1089	A	1060	A	157	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Wave Street
 TIME AND DATE..... AM 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay St and Water St
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	27	FROM 5->6:	19	2<->3:	0
FROM 2->1:	24	FROM 6->5:	19	4<->5:	0
FROM 3->4:	22	FROM 7->8:	20	6<->7:	0
FROM 4->3:	30	FROM 8->7:	18	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	19	
SOUTHEAST	0	EAST	61	
SOUTHWEST	0	SOUTH	19	
NORTHWEST	0	WEST	61	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	27	FROM 5->6:	19
FROM 2->1:	24	FROM 6->5:	19
FROM 3->4:	22	FROM 7->8:	20
FROM 4->3:	30	FROM 8->7:	18

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37	10	1	19
EAST	29.4	12.6	0	61
SOUTH	36.5	6	0	19
WEST	27	12	7	61

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	141	A	132	A	79	B
EAST	632	A	632	A	166	A
SOUTH	114	B	114	B	63	B
WEST	824	A	678	A	202	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay St and Water St
 TIME AND DATE..... MD 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Prospect St
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	26	FROM 5->6:	26	2<->3:	0
FROM 2->1:	29	FROM 6->5:	20	4<->5:	0
FROM 3->4:	49	FROM 7->8:	24	6<->7:	0
FROM 4->3:	41	FROM 8->7:	40	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	26	FROM 5->6:	26
FROM 2->1:	29	FROM 6->5:	20
FROM 3->4:	49	FROM 7->8:	24
FROM 4->3:	41	FROM 8->7:	40

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	36.5	9	0	31
EAST	27	10	3	49
SOUTH	37	8	0	31
WEST	30.8	13.2	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	206	A	206	A	77	B
EAST	230	A	208	A	54	B
SOUTH	219	A	219	A	82	B
WEST	427	A	427	A	112	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Prospect St
 TIME AND DATE..... MD 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	34	FROM 5->6:	37	2<->3:	0
FROM 2->1:	28	FROM 6->5:	34	4<->5:	0
FROM 3->4:	39	FROM 7->8:	46	6<->7:	0
FROM 4->3:	40	FROM 8->7:	66	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	20	
SOUTHEAST	0	EAST	60	
SOUTHWEST	0	SOUTH	20	
NORTHWEST	0	WEST	60	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	34	FROM 5->6:	37
FROM 2->1:	28	FROM 6->5:	34
FROM 3->4:	39	FROM 7->8:	46
FROM 4->3:	40	FROM 8->7:	66

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	35.6	9	1	20
EAST	30.3	12	3	60
SOUTH	37.4	8	2	20
WEST	20.5	10	0	60

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	111	B	104	B	57	B
EAST	390	A	363	A	104	B
SOUTH	86	B	75	B	47	B
WEST	229	A	229	A	44	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Wave Street
 TIME AND DATE..... MD 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Front Street and Prospect Street
 ANALYST..... RED
 TIME OF ANALYSIS..... MD 2015 Build
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	18	FROM 5->6:	37	2<->3:	0
FROM 2->1:	20	FROM 6->5:	34	4<->5:	0
FROM 3->4:	0	FROM 7->8:	46	6<->7:	0
FROM 4->3:	0	FROM 8->7:	46	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION	SQ.FT. PER PEDESTRIAN	LOS
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	18	FROM 5->6:	37
FROM 2->1:	20	FROM 6->5:	34
FROM 3->4:	0	FROM 7->8:	46
FROM 4->3:	0	FROM 8->7:	46

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	1	31
EAST	0	0	1	49
SOUTH	30	10	2	31
WEST	26	11	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES		WITH VEHICLES		MAXIMUM SURGE	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	298	A	289	A	133	A
EAST	390	A	363	A	104	B
SOUTH	177	A	161	A	55	B
WEST	248	A	248	A	56	B

IDENTIFYING INFORMATION

FACILITY LOCATION.... Front Street and Prospect Street
 TIME AND DATE..... MD 2015 Build ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay St and Water St
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	19	FROM 5->6:	15	2<->3:	0
FROM 2->1:	16	FROM 6->5:	15	4<->5:	0
FROM 3->4:	23	FROM 7->8:	19	6<->7:	0
FROM 4->3:	28	FROM 8->7:	20	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	19	FROM 5->6:	15
FROM 2->1:	16	FROM 6->5:	15
FROM 3->4:	23	FROM 7->8:	19
FROM 4->3:	28	FROM 8->7:	20

LOCATION	CURB->CURB		CONFLICTING VEHICLE VOL. WITH PEDS (Veh/Cycle)	PED GREEN TIME (Sec)
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)		
NORTH	37	10	1	37
EAST	29.4	12.6	0	73
SOUTH	36.5	6	1	37
WEST	27	12	9	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	328	A	318	A	101	B
EAST	584	A	584	A	116	B
SOUTH	229	A	222	A	70	B
WEST	727	A	590	A	134	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay St and Water St
 TIME AND DATE..... PM 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Prospect St
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	21	FROM 5->6:	19	2<->3:	0
FROM 2->1:	22	FROM 6->5:	23	4<->5:	0
FROM 3->4:	36	FROM 7->8:	25	6<->7:	0
FROM 4->3:	37	FROM 8->7:	32	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION	SQ.FT. PER PEDESTRIAN	LOS
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	21	FROM 5->6:	19
FROM 2->1:	22	FROM 6->5:	23
FROM 3->4:	36	FROM 7->8:	25
FROM 4->3:	37	FROM 8->7:	32

LOCATION	CURB->CURB STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	CONFLICTING VEHICLE VOL. WITH PEDS (Veh/Cycle)	PED GREEN TIME (Sec)
NORTH	36.5	9	0	37
EAST	27	10	5	73
SOUTH	37	8	1	37
WEST	30.8	13.2	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES		WITH VEHICLES		MAXIMUM SURGE	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	240	A	240	A	73	B
EAST	324	A	290	A	59	B
SOUTH	219	A	212	A	67	B
WEST	547	A	547	A	113	B

IDENTIFYING INFORMATION

FACILITY LOCATION.... Bay Street and Prospect St
 TIME AND DATE..... PM 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... PM 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	22	FROM 5->6:	33	2<->3:	0
FROM 2->1:	23	FROM 6->5:	28	4<->5:	0
FROM 3->4:	28	FROM 7->8:	52	6<->7:	0
FROM 4->3:	37	FROM 8->7:	36	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	37	
SOUTHEAST	0	EAST	73	
SOUTHWEST	0	SOUTH	37	
NORTHWEST	0	WEST	73	CYCLE LENGTH: 120

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	22	FROM 5->6:	33
FROM 2->1:	23	FROM 6->5:	28
FROM 3->4:	28	FROM 7->8:	52
FROM 4->3:	37	FROM 8->7:	36

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	35.6	9	2	37
EAST	30.3	12	4	73
SOUTH	37.4	8	1	37
WEST	20.5	10	0	73

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	230	A	214	A	68	B
EAST	436	A	404	A	89	B
SOUTH	150	A	146	A	47	B
WEST	268	A	268	A	38	C

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Wave Street
 TIME AND DATE..... PM 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay St and Water St
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	17	FROM 5->6:	17	2<->3:	0
FROM 2->1:	17	FROM 6->5:	18	4<->5:	0
FROM 3->4:	20	FROM 7->8:	18	6<->7:	0
FROM 4->3:	20	FROM 8->7:	18	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	17	FROM 5->6:	17
FROM 2->1:	17	FROM 6->5:	18
FROM 3->4:	20	FROM 7->8:	18
FROM 4->3:	20	FROM 8->7:	18

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	37	10	1	31
EAST	29.4	12.6	0	49
SOUTH	36.5	6	1	31
WEST	27	12	7	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	371	A	356	A	139	A
EAST	652	A	652	A	165	A
SOUTH	216	A	208	A	80	B
WEST	690	A	536	A	162	A

IDENTIFYING INFORMATION

FACILITY LOCATION.... Bay St and Water St
TIME AND DATE..... SAT 2015 Mitigation ; 02-14-2006
OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Prospect St
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	28	FROM 5->6:	20	2<->3:	0
FROM 2->1:	25	FROM 6->5:	24	4<->5:	0
FROM 3->4:	39	FROM 7->8:	34	6<->7:	0
FROM 4->3:	38	FROM 8->7:	18	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	31	
SOUTHEAST	0	EAST	49	
SOUTHWEST	0	SOUTH	31	
NORTHWEST	0	WEST	49	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	28	FROM 5->6:	20
FROM 2->1:	25	FROM 6->5:	24
FROM 3->4:	39	FROM 7->8:	34
FROM 4->3:	38	FROM 8->7:	18

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	36.5	9	0	31
EAST	27	10	4	49
SOUTH	37	8	1	31
WEST	30.8	13.2	0	49

LEVEL OF SERVICE RESULTS:


	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	214	A	214	A	80	B
EAST	269	A	235	A	63	B
SOUTH	229	A	220	A	86	B
WEST	525	A	525	A	138	A

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Prospect St
 TIME AND DATE..... SAT 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

FACILITY LOCATION.... Bay Street and Wave Street
 ANALYST..... RED
 TIME OF ANALYSIS..... SAT 2015 Mitigation
 DATE OF ANALYSIS..... 02-14-2006
 OTHER INFORMATION....

A) INTERSECTION SCHEMATIC



B) CORNER ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES (VOLS. ARE OUTBOUND FROM CORNER)				SIDEWALK FLOW	
FROM 1->2:	26	FROM 5->6:	31	2<->3:	0
FROM 2->1:	25	FROM 6->5:	37	4<->5:	0
FROM 3->4:	41	FROM 7->8:	54	6<->7:	0
FROM 4->3:	37	FROM 8->7:	38	1<->8:	0

CORNER LOCATION	CURB RADII (Ft.)	XWALK LOCATION	PED GREEN TIME (Sec)	
NORTHEAST	0	NORTH	30	
SOUTHEAST	0	EAST	50	
SOUTHWEST	0	SOUTH	30	
NORTHWEST	0	WEST	50	CYCLE LENGTH: 90

WALKWAY	ACTUAL WALKWAY WIDTH (Feet)	WALKWAY	ACTUAL WALKWAY WIDTH (Feet)
1	0	5	0
2	0	6	0
3	0	7	0
4	0	8	0

CORNER LEVEL OF SERVICE RESULTS:

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

 15-MINUTE PEDESTRIAN VOLUMES
 (VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	26	FROM 5->6:	31
FROM 2->1:	25	FROM 6->5:	37
FROM 3->4:	41	FROM 7->8:	54
FROM 4->3:	37	FROM 8->7:	38

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	35.6	9	1	30
EAST	30.3	12	3	50
SOUTH	37.4	8	2	30
WEST	20.5	10	0	50

LEVEL OF SERVICE RESULTS:

	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	214	A	206	A	80	B
EAST	325	A	298	A	84	B
SOUTH	143	A	132	A	56	B
WEST	230	A	230	A	42	B

IDENTIFYING INFORMATION

 FACILITY LOCATION.... Bay Street and Wave Street
 TIME AND DATE..... SAT 2015 Mitigation ; 02-14-2006
 OTHER INFORMATION....

CORNER LOCATION *****	SQ.FT. PER PEDESTRIAN *****	LOS ***
NORTHEAST	0	
SOUTHEAST	0	
SOUTHWEST	0	
NORTHWEST	0	

B) CROSSWALK ANALYSIS

15-MINUTE PEDESTRIAN VOLUMES
(VOLS. ARE OUTBOUND FROM CORNER)

FROM 1->2:	28	FROM 5->6:	23
FROM 2->1:	25	FROM 6->5:	17
FROM 3->4:	0	FROM 7->8:	26
FROM 4->3:	0	FROM 8->7:	28

LOCATION	CURB->CURB		CONFLICTING	PED
	STREET WIDTH (Ft.)	XWALK WIDTH (Ft.)	VEHICLE VOL. WITH PEDS (Veh/Cycle)	GREEN TIME (Sec)
NORTH	45	9	0	31
EAST	0	0	0	49
SOUTH	45	10	2	31
WEST	34	11	1	49

LEVEL OF SERVICE RESULTS:

	WITHOUT VEHICLES *****		WITH VEHICLES *****		MAXIMUM SURGE *****	
	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS	SQ.FT. PER PEDESTRIAN	LOS
NORTH	214	A	214	A	96	B
EAST	495	A	450	A	155	A
SOUTH	315	A	295	A	141	A
WEST	422	A	411	A	121	B

IDENTIFYING INFORMATION


FACILITY LOCATION.... Front Street and Canal Street
 TIME AND DATE..... SAT 2015 Build ; 02-14-2006
 OTHER INFORMATION....

**Appendix D-5: Pedestrian LOS Worksheets
for Unsignalized Intersections**



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Water St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _C	N _P	d _P (sec)	LOS	
AM	North	EB	7	10.0	0.008	1047	0.29	37.0	12.3	2,358	2,000	198.3	F	
		WB	5	10.0	0.006		0.00	37.0	12.3					
	East	SB	6	12.6	0.007	11	0.00	29.4	10.4	1,002	1,000	0.0	A	
		NB	4	12.6	0.008		0.00	29.4	10.4					
	South	WB	0	6.0	0.000	1041	0.29	36.5	12.1	1,220	1,000	100.1	F	
		EB	6	6.0	0.002		0.00	36.5	12.1					
	West	NB	7	12.0	0.006	175	0.05	27.0	9.8	1,024	1,000	2.7	A	
		SB	8	12.0	0.003		0.00	27.0	9.8					
	MD	North	EB	8	10.0	0.009	1113	0.31	37.0	12.3	2,770	2,000	248.6	F
			WB	5	12.6	0.006		0.00	37.0	12.3				
		East	SB	2	12.6	0.002	55	0.02	29.4	10.4	1,009	1,000	0.7	A
			NB	8	12.6	0.009		0.00	29.4	10.4				
South		WB	1	6.0	0.001	1106	0.31	36.5	12.1	1,264	1,000	120.3	F	
		EB	6	6.0	0.001		0.00	36.5	12.1					
West		NB	7	12.0	0.009	284	0.08	27.0	9.8	1,073	1,000	4.9	A	
		SB	8	12.0	0.007		0.00	27.0	9.8					
PM		North	EB	5	10.0	0.006	1116	0.31	37.0	12.3	2,115	1,000	128.7	F
			WB	3	12.6	0.003		0.00	37.0	12.3				
		East	SB	6	12.6	0.007	43	0.01	29.4	10.4	1,011	1,000	0.8	A
			NB	4	12.6	0.011		0.00	29.4	10.4				
	South	WB	0	6.0	0.000	1124	0.31	36.5	12.1	1,000	1,000	0.0	A	
		EB	6	6.0	0.000		0.00	36.5	12.1					
	West	NB	9	12.0	0.010	249	0.07	27.0	9.8	1,083	1,000	4.0	A	
		SB	10	12.0	0.011		0.00	27.0	9.8					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_C = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$


$$t_G = t_c + 2(N_p - 1)$$

$$d_p = \frac{1}{v} \left(e^{v t_G} - v t_G - 1 \right)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Prospect St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	v (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	0	9.0	0.000	1025	0.28	36.5	12.1	1.106	1,000	95.0	F	
		WB	1	9.0	0.001		0.00	36.5	12.1					
	East	SB	0	10.0	0.000	42	0.01	27.0	9.8	1.001	1,000	0.9	A	
		NB	2	10.0	0.002		0.00	27.0	9.8					
	South	WB	1	8.0	0.001	1027	0.29	37.0	12.3	1.438	1,000	99.2	F	
		EB	3	8.0	0.003		0.00	37.0	12.3					
	West	NB	11	13.2	0.012	28	0.01	30.8	10.7	1.009	1,000	0.0	A	
		SB	8	13.2	0.009		0.00	30.8	10.7					
	MD	North	EB	4	9.0	0.004	1113	0.31	36.5	12.1	2.059	1,000	122.2	F
			WB	4	10.0	0.004		0.00	36.5	12.1				
		East	SB	14	10.0	0.016	49	0.01	27.0	9.8	1.013	1,000	0.7	A
			NB	5	10.0	0.006		0.00	27.0	9.8				
South		WB	5	8.0	0.006	1103	0.31	37.0	12.3	1.810	1,000	123.3	F	
		EB	1	8.0	0.001		0.00	37.0	12.3					
West		NB	6	13.2	0.007	29	0.01	30.8	10.7	1.013	1,000	0.0	A	
		SB	22	13.2	0.024		0.00	30.8	10.7					
PM		North	EB	0	9.0	0.000	1068	0.30	36.5	12.1	1.000	1,000	0.0	A
			WB	0	10.0	0.000		0.00	36.5	12.1				
		East	SB	6	10.0	0.007	60	0.02	27.0	9.8	1.012	1,000	0.6	A
			NB	8	10.0	0.009		0.00	27.0	9.8				
	South	WB	2	8.0	0.002	1108	0.31	37.0	12.3	1.956	1,000	125.4	F	
		EB	5	8.0	0.006		0.00	37.0	12.3					
	West	NB	10	13.2	0.011	36	0.01	30.8	10.7	1.015	1,000	1.0	A	
		SB	15	13.2	0.017		0.00	30.8	10.7					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Wave St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	v (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	0	9.0	0.000	1044	0.29	35.6	11.9	1.000	1.000	0.0	A	
		WB	0	9.0	0.000		0.00	35.6	11.9					
	East	SB	6	12.0	0.007	75	0.02	30.3	10.6	1.019	1.000	1.4	A	
		NB	8	12.0	0.009		0.00	30.3	10.6					
	South	WB	0	8.0	0.000	1025	0.28	37.4	12.4	1.338	1.000	102.8	F	
		EB	3	8.0	0.003		0.00	37.4	12.4					
	West	NB	5	10.0	0.006	14	0.00	20.5	8.1	1.002	1.000	0.0	A	
		SB	6	10.0	0.007		0.00	20.5	8.1					
	MD	North	EB	5	9.0	0.006	1084	0.30	35.6	11.9	1.571	1.000	103.9	F
			WB	0	12.0	0.000		0.00	35.6	11.9				
		East	SB	6	12.0	0.007	188	0.05	30.3	10.6	1.045	1.000	3.4	A
			NB	6	12.0	0.007		0.00	30.3	10.6				
South		WB	2	8.0	0.002	1093	0.30	37.4	12.4	1.275	1.000	124.4	F	
		EB	0	8.0	0.000		0.00	37.4	12.4					
West		NB	7	10.0	0.008	19	0.01	20.5	8.1	1.006	1.000	0.0	A	
		SB	25	10.0	0.028		0.00	20.5	8.1					
PM		North	EB	1	9.0	0.001	1093	0.30	35.6	11.9	1.236	1.000	106.6	F
			WB	1	12.0	0.001		0.00	35.6	11.9				
		East	SB	2	12.0	0.002	145	0.04	30.3	10.6	1.036	1.000	2.7	A
			NB	11	12.0	0.012		0.00	30.3	10.6				
	South	WB	3	8.0	0.003	1053	0.29	37.4	12.4	1.366	1.000	110.6	F	
		EB	0	8.0	0.000		0.00	37.4	12.4					
	West	NB	21	10.0	0.023	11	0.00	20.5	8.1	1.003	1.000	0.0	A	
		SB	5	10.0	0.006		0.00	20.5	8.1					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} \left(e^{v t_G} - v t_G - 1 \right)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Water St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB	0	10.0	0.000	594	0.17	27.8	10.0	1.000	1.000	0.0	A		
		WB	0	10.0	0.000		0.00	27.8	10.0						
	East	SB	0	-	-	0	-	-	-	-	-	-	-	-	
		NB	0	-	-		-	-	-	-	-	-	-	-	
	South	WB	0	9.0	0.000	595	0.17	27.8	10.0	1.000	1.000	0.0	A		
		EB	0	9.0	0.000		0.00	27.8	10.0						
	West	NB	0	11.0	0.000	11	0.00	28.7	10.2	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.7	10.2						
	MD	North	EB	0	10.0	0.000	550	0.15	27.8	10.0	1.000	1.000	0.0	A	
			WB	0	-	0.000		0.00	27.8	10.0					
		East	SB	0	-	-	0	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
South		WB	0	9.0	0.000	583	0.16	27.8	10.0	1.000	1.000	0.0	A		
		EB	0	9.0	0.000		0.00	27.8	10.0						
West		NB	0	11.0	0.000	55	0.02	28.7	10.2	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.7	10.2						
PM		North	EB	0	10.0	0.000	627	0.17	27.8	10.0	1.000	1.000	0.0	A	
			WB	0	-	0.000		0.00	27.8	10.0					
		East	SB	0	-	-	0	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
	South	WB	0	9.0	0.000	640	0.18	27.8	10.0	1.000	1.000	0.0	A		
		EB	0	9.0	0.000		0.00	27.8	10.0						
	West	NB	0	11.0	0.000	43	0.01	28.7	10.2	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.7	10.2						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Prospect St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB	0	9.0	0.000	572	0.16	27.1	9.8	1.000	1.000	0.0	A		
		WB	0	9.0	0.000		0.00	27.1	9.8						
	East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-	
		NB	0	-	-		-	-	-	-	-	-	-	-	
	South	WB	0	10.0	0.000	594	0.17	27.3	9.8	1.000	1.000	0.0	A		
		EB	0	10.0	0.000		0.00	27.3	9.8						
	West	NB	0	11.0	0.000	42	0.01	28.2	10.1	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.2	10.1						
	MD	North	EB	0	9.0	0.000	525	0.15	27.1	9.8	1.000	1.000	0.0	A	
			WB	0	9.0	0.000		0.00	27.1	9.8					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
South		WB	0	10.0	0.000	550	0.15	27.3	9.8	1.000	1.000	0.0	A		
		EB	0	10.0	0.000		0.00	27.3	9.8						
West		NB	0	11.0	0.000	49	0.01	28.2	10.1	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.2	10.1						
PM		North	EB	5	9.0	0.006	611	0.17	27.1	9.8	1.084	1.000	15.3	C	
			WB	0	9.0	0.000		0.00	27.1	9.8					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
	South	WB	0	10.0	0.000	627	0.17	27.3	9.8	1.000	1.000	0.0	A		
		EB	0	10.0	0.000		0.00	27.3	9.8						
	West	NB	0	11.0	0.000	60	0.02	28.2	10.1	1.001	1.000	1.2	A		
		SB	1	11.0	0.001		0.00	28.2	10.1						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} \left(e^{v t_G} - v t_G - 1 \right)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Wave St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB	0	6.0	0.000	539	0.15	29.2	10.3	1,000	1,000	0.0	A		
		WB	0	6.0	0.000		0.00	29.2	10.3						
	East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-	
		NB	0	-	-	-	-	-	-	-	-	-	-	-	
	South	WB	0	9.0	0.000	572	0.16	27.3	9.8	1,000	1,000	0.0	A		
		EB	0	9.0	0.000		0.00	27.3	9.8						
	West	NB	0	11.0	0.000	75	0.02	29.2	10.3	1,000	1,000	0.0	A		
		SB	0	11.0	0.000		0.00	29.2	10.3						
	MD	North	EB	0	6.0	0.000	421	0.12	29.2	10.3	1,000	1,000	0.0	A	
			WB	0	-	0.000		0.00	29.2	10.3					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-	-	-	-	-	-	-	-	-	-
South		WB	0	9.0	0.000	525	0.15	27.3	9.8	1,000	1,000	0.0	A		
		EB	0	9.0	0.000		0.00	27.3	9.8						
West		NB	0	11.0	0.000	188	0.05	29.2	10.3	1,000	1,000	0.0	A		
		SB	0	11.0	0.000		0.00	29.2	10.3						
PM		North	EB	0	6.0	0.000	558	0.16	29.2	10.3	1,000	1,000	0.0	A	
			WB	0	-	0.000		0.00	29.2	10.3					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-	-	-	-	-	-	-	-	-	-
	South	WB	0	9.0	0.000	611	0.17	27.3	9.8	1,000	1,000	0.0	A		
		EB	0	9.0	0.000		0.00	27.3	9.8						
	West	NB	0	11.0	0.000	145	0.04	29.2	10.3	1,000	1,000	0.0	A		
		SB	0	11.0	0.000		0.00	29.2	10.3						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Thompson St. 2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _C	N _P	d _P (sec)	LOS	
AM	North	EB	0	10.0	0.000	1013	0.28	35.5	11.9	1.000	1.000	0.0	A	
		WB	0	10.0	0.000		0.00	35.5	11.9					
	East	SB	1	10.7	0.001	25	0.01	32.7	11.2	1.000	1.000	0.0	A	
		NB	0	10.7	0.000		0.00	32.7	11.2					
	South	WB	2	7.0	0.002	1028	0.29	37.7	12.4	1.805	1.000	106.0	F	
		EB	5	7.0	0.006		0.00	37.7	12.4					
	West	NB	4	9.0	0.004	12	0.00	24.8	9.2	1.002	1.000	0.0	A	
		SB	6	9.0	0.007		0.00	24.8	9.2					
	MD	North	EB	5	10.0	0.006	1007	0.28	35.5	11.9	1.637	1.000	83.4	F
			WB	2	10.7	0.002		0.00	35.5	11.9				
		East	SB	7	10.7	0.008	21	0.01	32.7	11.2	1.004	1.000	0.0	A
			NB	4	10.7	0.004		0.00	32.7	11.2				
South		WB	1	7.0	0.001	1013	0.28	37.7	12.4	1.224	1.000	101.7	F	
		EB	1	7.0	0.001		0.00	37.7	12.4					
West		NB	2	9.0	0.002	17	0.00	24.8	9.2	1.002	1.000	0.0	A	
		SB	9	9.0	0.010		0.00	24.8	9.2					
PM		North	EB	2	10.0	0.002	1082	0.30	35.5	11.9	1.452	1.000	103.0	F
			WB	2	10.7	0.002		0.00	35.5	11.9				
		East	SB	4	10.7	0.004	36	0.01	32.7	11.2	1.007	1.000	1.0	A
			NB	4	10.7	0.007		0.00	32.7	11.2				
	South	WB	1	7.0	0.001	1085	0.30	37.7	12.4	1.275	1.000	124.0	F	
		EB	1	7.0	0.001		0.00	37.7	12.4					
	West	NB	7	9.0	0.008	19	0.01	24.8	9.2	1.003	1.000	0.0	A	
		SB	6	9.0	0.007		0.00	24.8	9.2					

If no platooning is observed, spatial distribution of pedestrians (N_P) is assumed to be 1.

S_P = pedestrian walking speed = 4.0 ft/sec

T_S = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

V = vehicular flow rate (veh/sec)

V_P = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_C = total number of pedestrians in the crossing platoon (p)

N_P = spatial distribution of pedestrians (sec)

d_P = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$


$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS

Front St. and Canal St.
2005 Existing Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	0	9.0	0.000	595	0.17	30.0	10.5	1,000	1,000	0.0	A	
		WB	0	9.0	0.000	595	0.17	30.0	10.5	1,000	1,000	0.0	A	
	East	SB	0	-	-	0.00	-	-	-	-	-	-	-	
		NB	0	-	-	0.00	-	-	-	-	-	-	-	
	South	WB	0	10.0	0.000	563	0.16	34.0	11.5	1,000	1,000	0.0	A	
		EB	0	10.0	0.000	563	0.16	34.0	11.5	1,000	1,000	0.0	A	
	West	NB	0	11.0	0.000	76	0.02	30.0	10.5	1,000	1,000	0.0	A	
		SB	0	11.0	0.000	76	0.02	30.0	10.5	1,000	1,000	0.0	A	
	MD	North	EB	0	9.0	0.000	583	0.16	30.0	10.5	1,000	1,000	0.0	A
			WB	0	-	0.000	0.00	0.00	30.0	10.5	1,000	1,000	0.0	A
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-
			NB	0	-	-	0.00	-	-	-	-	-	-	-
South		WB	0	10.0	0.000	553	0.15	34.0	11.5	1,000	1,000	0.0	A	
		EB	0	10.0	0.000	553	0.15	34.0	11.5	1,000	1,000	0.0	A	
West		NB	0	11.0	0.000	98	0.03	30.0	10.5	1,000	1,000	0.0	A	
		SB	0	11.0	0.000	98	0.03	30.0	10.5	1,000	1,000	0.0	A	
PM		North	EB	0	9.0	0.000	640	0.18	30.0	10.5	1,000	1,000	0.0	A
			WB	0	-	0.000	0.00	0.00	30.0	10.5	1,000	1,000	0.0	A
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-
			NB	0	-	-	0.00	-	-	-	-	-	-	-
	South	WB	0	10.0	0.000	633	0.18	34.0	11.5	1,000	1,000	0.0	A	
		EB	0	10.0	0.000	633	0.18	34.0	11.5	1,000	1,000	0.0	A	
	West	NB	0	11.0	0.000	91	0.03	30.0	10.5	1,000	1,000	0.0	A	
		SB	0	11.0	0.000	91	0.03	30.0	10.5	1,000	1,000	0.0	A	

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Water St. 2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	v (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	8	10.0	0.009	1249	0.35	37.0	12.3	3.992	3.000	792.1	F	
		WB	7	10.0	0.008		0.00	37.0	12.3					
	East	SB	9	12.6	0.010	21	0.01	29.4	10.4	1.006	1.000	0.0	A	
		NB	9	12.6	0.010		0.00	29.4	10.4					
	South	WB	0	6.0	0.000	1249	0.35	36.5	12.1	1.394	1.000	179.1	F	
		EB	2	6.0	0.002		0.00	36.5	12.1					
	West	NB	6	12.0	0.007	201	0.06	27.0	9.8	1.031	1.000	3.2	A	
		SB	3	12.0	0.003		0.00	27.0	9.8					
	MD	North	EB	12	10.0	0.013	1344	0.37	37.0	12.3	6.405	5.000	5119.5	F
			WB	9	12.6	0.010		0.00	37.0	12.3				
		East	SB	12	12.6	0.013	71	0.02	29.4	10.4	1.035	1.000	1.0	A
			NB	19	12.6	0.021		0.00	29.4	10.4				
South		WB	3	6.0	0.003	1344	0.37	36.5	12.1	2.528	3.000	1083.6	F	
		EB	3	6.0	0.003		0.00	36.5	12.1					
West		NB	11	12.0	0.012	327	0.09	27.0	9.8	1.123	1.000	6.1	B	
		SB	9	12.0	0.010		0.00	27.0	9.8					
PM		North	EB	8	10.0	0.009	1380	0.38	37.0	12.3	4.783	4.000	2839.9	F
			WB	5	12.6	0.006		0.00	37.0	12.3				
		East	SB	15	12.6	0.017	63	0.02	29.4	10.4	1.033	1.000	1.1	A
			NB	19	12.6	0.021		0.00	29.4	10.4				
	South	WB	2	6.0	0.002	1401	0.39	36.5	12.1	2.202	2.000	612.1	F	
		EB	2	6.0	0.002		0.00	36.5	12.1					
	West	NB	12	12.0	0.013	296	0.08	27.0	9.8	1.133	1.000	5.2	B	
		SB	13	12.0	0.014		0.00	27.0	9.8					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Prospect St. 2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	1	9.0	0.001	1218	0.34	36.5	12.1	1.897	1,000	163.3	F	
		WB	4	9.0	0.004		0.00	36.5	12.1					
	East	SB	2	10.0	0.002	62	0.02	27.0	9.8	1.008	1,000	1.2	A	
		NB	7	10.0	0.008		0.00	27.0	9.8					
	South	WB	5	8.0	0.006	1227	0.34	37.0	12.3	2.714	2,000	361.3	F	
		EB	6	8.0	0.004		0.00	37.0	12.3					
	West	NB	15	13.2	0.017	37	0.01	30.8	10.7	1.015	1,000	1.0	A	
		SB	10	13.2	0.011		0.00	30.8	10.7					
	MD	North	EB	10	9.0	0.011	1337	0.37	36.5	12.1	5.819	5,000	4701.6	F
			WB	10	10.0	0.011		0.00	36.5	12.1				
		East	SB	30	10.0	0.033	80	0.02	27.0	9.8	1.054	1,000	1.4	A
			NB	21	10.0	0.023		0.00	27.0	9.8				
South		WB	14	8.0	0.016	1332	0.37	37.0	12.3	6.692	6,000	10115.1	F	
		EB	9	8.0	0.010		0.00	37.0	12.3					
West		NB	13	13.2	0.014	37	0.01	30.8	10.7	1.025	1,000	1.0	A	
		SB	30	13.2	0.033		0.00	30.8	10.7					
PM		North	EB	6	9.0	0.007	1316	0.37	36.5	12.1	3.556	3,000	969.8	F
			WB	5	10.0	0.006		0.00	36.5	12.1				
		East	SB	21	10.0	0.023	126	0.04	27.0	9.8	1.076	1,000	1.7	A
			NB	21	10.0	0.023		0.00	27.0	9.8				
	South	WB	9	8.0	0.010	1371	0.38	37.0	12.3	7.363	7,000	27021.8	F	
		EB	14	8.0	0.016		0.00	37.0	12.3					
	West	NB	16	13.2	0.018	45	0.01	30.8	10.7	1.028	1,000	0.8	A	
		SB	23	13.2	0.026		0.00	30.8	10.7					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$t_G = t_c + 2(N_p - 1)$$


$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS

Bay St. and Wave St.
2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	v (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS
AM	North	EB	0	9.0	0.000	1240	0.34	35.6	11.9	1.000	1.000	0.0	A
		WB	0	9.0	0.000		0.00	35.6	11.9				
	East	SB	8	12.0	0.009	85	0.02	30.3	10.6	1.027	1.000	1.3	A
		NB	10	12.0	0.011		0.00	30.3	10.6				
	South	WB	0	8.0	0.000	1218	0.34	37.4	12.4	1.587	1.000	177.9	F
		EB	3	8.0	0.003		0.00	37.4	12.4				
	West	NB	7	10.0	0.008	15	0.00	20.5	8.1	1.002	1.000	0.0	A
		SB	8	10.0	0.009		0.00	20.5	8.1				
MD	North	EB	9	9.0	0.010	1306	0.36	35.6	11.9	3.481	3.000	864.9	F
		WB	3	12.0	0.003		0.00	35.6	11.9				
	East	SB	14	12.0	0.016	209	0.06	30.3	10.6	1.113	1.000	4.0	A
		NB	14	12.0	0.016		0.00	30.3	10.6				
	South	WB	4	8.0	0.004	1316	0.37	37.4	12.4	2.540	2.000	504.2	F
		EB	2	8.0	0.002		0.00	37.4	12.4				
	West	NB	16	10.0	0.018	21	0.01	20.5	8.1	1.010	1.000	0.0	A
		SB	36	10.0	0.040		0.00	20.5	8.1				
PM	North	EB	3	9.0	0.003	1342	0.37	35.6	11.9	2.391	2.000	460.1	F
		WB	3	12.0	0.003		0.00	35.6	11.9				
	East	SB	8	12.0	0.009	161	0.04	30.3	10.6	1.075	1.000	2.9	A
		NB	17	12.0	0.019		0.00	30.3	10.6				
	South	WB	5	8.0	0.006	1299	0.36	37.4	12.4	2.707	2.000	475.3	F
		EB	2	8.0	0.002		0.00	37.4	12.4				
	West	NB	29	10.0	0.032	12	0.00	20.5	8.1	1.005	1.000	0.0	A
		SB	13	10.0	0.014		0.00	20.5	8.1				

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Water St. 2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _C	N _P	d _P (sec)	LOS		
AM	North	EB	0	10.0	0.000	758	0.21	27.8	10.0	1.000	1.000	0.0	A		
		WB	0	10.0	0.000		0.00	27.8	10.0						
	East	SB	0	-	-	0	-	-	-	-	-	-	-	-	
		NB	0	-	-		-	-	-	-	-	-	-	-	
	South	WB	0	9.0	0.000	752	0.21	27.8	10.0	1.000	1.000	0.0	A		
		EB	0	9.0	0.000		0.00	27.8	10.0						
	West	NB	0	11.0	0.000	20	0.01	28.7	10.2	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.7	10.2						
	MD	North	EB	0	10.0	0.000	696	0.19	27.8	10.0	1.000	1.000	0.0	A	
			WB	0	-	0.000		0.00	27.8	10.0					
		East	SB	0	-	-	0	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
South		WB	0	9.0	0.000	732	0.20	27.8	10.0	1.000	1.000	0.0	A		
		EB	0	9.0	0.000		0.00	27.8	10.0						
West		NB	0	11.0	0.000	68	0.02	28.7	10.2	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.7	10.2						
PM		North	EB	0	10.0	0.000	795	0.22	27.8	10.0	1.000	1.000	0.0	A	
			WB	0	-	0.000		0.00	27.8	10.0					
		East	SB	0	-	-	0	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
	South	WB	0	9.0	0.000	808	0.22	27.8	10.0	1.000	1.000	0.0	A		
		EB	0	9.0	0.000		0.00	27.8	10.0						
	West	NB	0	11.0	0.000	59	0.02	28.7	10.2	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	28.7	10.2						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_C = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$


$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS

Front St. and Prospect St.
2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB	0	9.0	0.000	725	0.20	27.1	9.8	1,000	1,000	0.0	A		
		WB	0	9.0	0.000		0.00	27.1	9.8						
	East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-	
		NB	0	-	-	-	-	-	-	-	-	-	-	-	
	South	WB	0	10.0	0.000	758	0.21	27.3	9.8	1,000	1,000	0.0	A		
		EB	0	10.0	0.000		0.00	27.3	9.8						
	West	NB	0	11.0	0.000	99	0.03	28.2	10.1	1,000	1,000	0.0	A		
		SB	0	11.0	0.000		0.00	28.2	10.1						
	MD	North	EB	0	9.0	0.000	664	0.18	27.1	9.8	1,000	1,000	0.0	A	
			WB	0	9.0	0.000		0.00	27.1	9.8					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-	-	-	-	-	-	-	-	-	-
South		WB	0	10.0	0.000	696	0.19	27.3	9.8	1,000	1,000	0.0	A		
		EB	0	10.0	0.000		0.00	27.3	9.8						
West		NB	0	11.0	0.000	76	0.02	28.2	10.1	1,000	1,000	0.0	A		
		SB	0	11.0	0.000		0.00	28.2	10.1						
PM		North	EB	6	9.0	0.007	773	0.21	27.1	9.8	1,154	1,000	23.6	D	
			WB	0	9.0	0.000		0.00	27.1	9.8					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-	-	-	-	-	-	-	-	-	-
	South	WB	0	10.0	0.000	795	0.22	27.3	9.8	1,000	1,000	0.0	A		
		EB	0	10.0	0.000		0.00	27.3	9.8						
	West	NB	0	11.0	0.000	92	0.03	28.2	10.1	1,002	1,000	1.6	A		
		SB	1	11.0	0.001		0.00	28.2	10.1						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Wave St. 2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	0	6.0	0.000	688	0.19	29.2	10.3	1,000	1,000	0.0	A	
		WB	0	6.0	0.000		0.00	29.2	10.3					
	East	SB	0	-	-	0.00	-	-	-	-	-	-	-	
		NB	0	-	-	-	-	-	-	-	-	-	-	
	South	WB	0	9.0	0.000	725	0.20	27.3	9.8	1,000	1,000	0.0	A	
		EB	0	9.0	0.000		0.00	27.3	9.8					
	West	NB	0	11.0	0.000	85	0.02	29.2	10.3	1,000	1,000	0.0	A	
		SB	0	11.0	0.000		0.00	29.2	10.3					
	MD	North	EB	0	6.0	0.000	549	0.15	29.2	10.3	1,000	1,000	0.0	A
			WB	0	-	0.000		0.00	29.2	10.3				
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-
			NB	0	-	-	-	-	-	-	-	-	-	-
South		WB	0	9.0	0.000	664	0.18	27.3	9.8	1,000	1,000	0.0	A	
		EB	0	9.0	0.000		0.00	27.3	9.8					
West		NB	0	11.0	0.000	209	0.06	29.2	10.3	1,000	1,000	0.0	A	
		SB	0	11.0	0.000		0.00	29.2	10.3					
PM		North	EB	0	6.0	0.000	715	0.20	29.2	10.3	1,000	1,000	0.0	A
			WB	0	-	0.000		0.00	29.2	10.3				
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-
			NB	0	-	-	-	-	-	-	-	-	-	-
	South	WB	0	9.0	0.000	773	0.21	27.3	9.8	1,000	1,000	0.0	A	
		EB	0	9.0	0.000		0.00	27.3	9.8					
	West	NB	0	11.0	0.000	162	0.05	29.2	10.3	1,000	1,000	0.0	A	
		SB	0	11.0	0.000		0.00	29.2	10.3					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berard Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Thompson St. 2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _p (ped/s)	V _{veh} (veh/hr)	v (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	0	10.0	0.000	1229	0.34	35.5	11.9	1.000	1.000	0.0	A	
		WB	0	10.0	0.000		0.00	35.5	11.9					
	East	SB	2	10.7	0.002	33	0.01	32.7	11.2	1.002	1.000	1.1	A	
		NB	4	10.7	0.001		0.00	32.7	11.2					
	South	WB	2	7.0	0.002	1252	0.35	37.7	12.4	2.749	2.000	418.1	F	
		EB	6	7.0	0.007		0.00	37.7	12.4					
	West	NB	4	9.0	0.004	14	0.00	24.8	9.2	1.002	1.000	0.0	A	
		SB	7	9.0	0.008		0.00	24.8	9.2					
	MD	North	EB	6	10.0	0.007	1240	0.34	35.5	11.9	2.380	2.000	329.0	F
			WB	2	10.7	0.002		0.00	35.5	11.9				
		East	SB	14	10.7	0.016	27	0.01	32.7	11.2	1.012	1.000	0.0	A
			NB	10	10.7	0.011		0.00	32.7	11.2				
South		WB	1	7.0	0.001	1250	0.35	37.7	12.4	1.442	1.000	199.1	F	
		EB	1	7.0	0.001		0.00	37.7	12.4					
West		NB	3	9.0	0.003	19	0.01	24.8	9.2	1.003	1.000	0.0	A	
		SB	11	9.0	0.012		0.00	24.8	9.2					
PM		North	EB	2	10.0	0.002	1357	0.38	35.5	11.9	1.962	1.000	219.5	F
			WB	2	10.7	0.002		0.00	35.5	11.9				
		East	SB	9	10.7	0.010	45	0.01	32.7	11.2	1.018	1.000	0.8	A
			NB	12	10.7	0.013		0.00	32.7	11.2				
	South	WB	1	7.0	0.001	1366	0.38	37.7	12.4	1.617	1.000	277.6	F	
		EB	1	7.0	0.001		0.00	37.7	12.4					
	West	NB	9	9.0	0.010	20	0.01	24.8	9.2	1.004	1.000	0.0	A	
		SB	8	9.0	0.009		0.00	24.8	9.2					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Beraer Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Canal St. 2015 No Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _C	N _P	d _P (sec)	LOS		
AM	North	EB	0	9.0	0.000	753	0.21	30.0	10.5	1.000	1.000	0.0	A		
		WB	0	9.0	0.000		0.00	30.0	10.5						
	East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-	
		NB	0	-	-		-	-	-	-	-	-	-	-	
	South	WB	0	10.0	0.000	714	0.20	34.0	11.5	1.000	1.000	0.0	A		
		EB	0	10.0	0.000		0.00	34.0	11.5						
	West	NB	0	11.0	0.000	95	0.03	30.0	10.5	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	30.0	10.5						
	MD	North	EB	0	9.0	0.000	732	0.20	30.0	10.5	1.000	1.000	0.0	A	
			WB	0	-	0.000		0.00	30.0	10.5					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
South		WB	0	10.0	0.000	697	0.19	34.0	11.5	1.000	1.000	0.0	A		
		EB	0	10.0	0.000		0.00	34.0	11.5						
West		NB	0	11.0	0.000	115	0.03	30.0	10.5	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	30.0	10.5						
PM		North	EB	0	9.0	0.000	808	0.22	30.0	10.5	1.000	1.000	0.0	A	
			WB	0	-	0.000		0.00	30.0	10.5					
		East	SB	0	-	-	0.00	-	-	-	-	-	-	-	-
			NB	0	-	-		-	-	-	-	-	-	-	-
	South	WB	0	10.0	0.000	795	0.22	34.0	11.5	1.000	1.000	0.0	A		
		EB	0	10.0	0.000		0.00	34.0	11.5						
	West	NB	0	11.0	0.000	105	0.03	30.0	10.5	1.000	1.000	0.0	A		
		SB	0	11.0	0.000		0.00	30.0	10.5						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_C = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$


$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS

Bay St. and Water St.
2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS
AM	North	EB 1>>2	10	10.0	0.011	1424	0.40	37.0	12.3	7.176	5.000	#####	F
		WB 2>>1	9	10.0	0.010		0.00	37.0	12.3				
	East	SB 3>>4	11	12.6	0.012	47	0.01	29.4	10.4	1.016	1.000	0.8	A
		NB 4>>5	10	12.6	0.011		0.00	29.4	10.4				
	South	WB 5>>6	4	6.0	0.004	1426	0.40	36.5	12.1	3.553	4.000	#####	F
		EB 6>>5	4	6.0	0.004		0.00	36.5	12.1				
	West	NB 7>>8	7	12.0	0.008	211	0.06	27.0	9.8	1.040	1.000	3.4	A
		SB 8>>7	4	12.0	0.004		0.00	27.0	9.8				
MD	North	EB 1>>2	27	10.0	0.030	1509	0.42	37.0	12.3	20.665	16.000	#####	F
		WB 2>>1	24	12.6	0.027		0.00	37.0	12.3				
	East	SB 3>>4	23	12.6	0.026	100	0.03	29.4	10.4	1.080	1.000	1.8	A
		NB 4>>5	30	12.6	0.033		0.00	29.4	10.4				
	South	WB 5>>6	19	6.0	0.021	1514	0.42	36.5	12.1	15.498	20.000	#####	F
		EB 6>>5	19	6.0	0.021		0.00	36.5	12.1				
	West	NB 7>>8	20	12.0	0.022	341	0.09	27.0	9.8	1.235	1.000	6.2	B
		SB 8>>7	18	12.0	0.020		0.00	27.0	9.8				
PM	North	EB 1>>2	19	10.0	0.021	1637	0.45	37.0	12.3	21.255	17.000	#####	F
		WB 2>>1	16	12.6	0.018		0.00	37.0	12.3				
	East	SB 3>>4	23	12.6	0.026	93	0.03	29.4	10.4	1.072	1.000	1.5	A
		NB 4>>5	28	12.6	0.031		0.00	29.4	10.4				
	South	WB 5>>6	15	6.0	0.017	1661	0.46	36.5	12.1	18.740	24.000	#####	F
		EB 6>>5	15	6.0	0.017		0.00	36.5	12.1				
	West	NB 7>>8	19	12.0	0.021	311	0.09	27.0	9.8	1.212	1.000	5.6	B
		SB 8>>7	20	12.0	0.022		0.00	27.0	9.8				

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Prospect St. 2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	4	9.0	0.004	1388	0.39	36.5	12.1	5.766	5.000	#####	F	
		WB	13	9.0	0.014		0.00	36.5	12.1					
	East	SB	6	10.0	0.007	76	0.02	27.0	9.8	9.8	1.020	1.000	0.9	A
		NB	12	10.0	0.013		0.00	27.0	9.8					
	South	WB	9	8.0	0.010	1403	0.39	37.0	12.3	12.3	5.638	5.000	#####	F
		EB	6	8.0	0.007		0.00	37.0	12.3					
	West	NB	19	13.2	0.021	41	0.01	30.8	10.7	10.7	1.021	1.000	0.9	A
		SB	12	13.2	0.013		0.00	30.8	10.7					
MD	North	EB	27	9.0	0.030	1475	0.41	36.5	12.1	19.357	17.000	#####	F	
		WB	29	10.0	0.032		0.00	36.5	12.1					
	East	SB	56	10.0	0.062	119	0.03	27.0	9.8	9.8	1.145	1.000	1.8	A
		NB	48	10.0	0.053		0.00	27.0	9.8					
	South	WB	26	8.0	0.029	1498	0.42	37.0	12.3	12.3	18.372	18.000	#####	F
		EB	20	8.0	0.022		0.00	37.0	12.3					
	West	NB	24	13.2	0.027	44	0.01	30.8	10.7	10.7	1.041	1.000	0.8	A
		SB	40	13.2	0.044		0.00	30.8	10.7					
PM	North	EB	21	9.0	0.023	1534	0.43	36.5	12.1	18.540	16.000	#####	F	
		WB	23	10.0	0.026		0.00	36.5	12.1					
	East	SB	41	10.0	0.046	181	0.05	27.0	9.8	9.8	1.202	1.000	2.8	A
		NB	43	10.0	0.048		0.00	27.0	9.8					
	South	WB	19	8.0	0.021	1629	0.45	37.0	12.3	12.3	24.396	24.000	#####	F
		EB	23	8.0	0.026		0.00	37.0	12.3					
	West	NB	25	13.2	0.028	54	0.02	30.8	10.7	10.7	1.047	1.000	0.7	A
		SB	32	13.2	0.036		0.00	30.8	10.7					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$


$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS

Bay St. and Wave St.
2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB 1>>2	3	9.0	0.003	1401	0.39	35.6	11.9	2.905	2.000	558.2	F		
		WB 2>>1	4	9.0	0.004		0.00	35.6	11.9						
	East	SB 3>>4	11	12.0	0.012	115	0.03	30.3	10.6	10.6	1.051	1.000	1.9	A	
		NB 4>>5	14	12.0	0.016		0.00	30.3	10.6						
	South	WB 5>>6	7	8.0	0.008	1386	0.39	37.4	12.4	12.4	5.599	5.000	#####	F	
		EB 6>>5	8	8.0	0.009		0.00	37.4	12.4						
	West	NB 7>>8	12	10.0	0.013	16	0.00	20.5	8.1	8.1	1.004	1.000	0.0	A	
		SB 8>>7	12	10.0	0.013		0.00	20.5	8.1						
	MD	North	EB 1>>2	36	9.0	0.040	1438	0.40	35.6	11.9	18.342	16.000	#####	F	
			WB 2>>1	30	12.0	0.033		0.00	35.6	11.9					
		East	SB 3>>4	40	12.0	0.044	238	0.07	30.3	10.6	10.6	1.320	1.000	4.7	A
			NB 4>>5	40	12.0	0.044		0.00	30.3	10.6					
South		WB 5>>6	39	8.0	0.043	1453	0.40	37.4	12.4	12.4	25.307	25.000	#####	F	
		EB 6>>5	36	8.0	0.040		0.00	37.4	12.4						
West		NB 7>>8	49	10.0	0.054	21	0.01	20.5	8.1	8.1	1.019	1.000	0.0	A	
		SB 8>>7	69	10.0	0.077		0.00	20.5	8.1						
PM		North	EB 1>>2	24	9.0	0.027	1555	0.43	35.6	11.9	19.576	17.000	#####	F	
			WB 2>>1	25	12.0	0.028		0.00	35.6	11.9					
		East	SB 3>>4	28	12.0	0.031	199	0.06	30.3	10.6	10.6	1.218	1.000	3.8	A
			NB 4>>5	37	12.0	0.041		0.00	30.3	10.6					
	South	WB 5>>6	35	8.0	0.039	1517	0.42	37.4	12.4	12.4	26.983	26.000	#####	F	
		EB 6>>5	30	8.0	0.033		0.00	37.4	12.4						
	West	NB 7>>8	55	10.0	0.061	13	0.00	20.5	8.1	8.1	1.010	1.000	0.0	A	
		SB 8>>7	38	10.0	0.042		0.00	20.5	8.1						

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Water St. 2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB	1>>2	10.0	0.000	777	0.22	45.0	14.3	1.000	1.000	0.0	A		
		WB	2>>1	10.0	0.000		0.00	45.0	14.3						
		SB	3>>4	0	-	-	3	-	-	-	-	-	-	-	
	East	EB	4>>5	0	-	-		-	-	-	-	-	-	-	
		WB	5>>6	0	9.0	0.000	764	0.21	30.0	10.5	1.000	1.000	0.0	A	
		SB	6>>5	0	9.0	0.000		0.00	30.0	10.5					
	South	EB	7>>8	7	11.0	0.008	32	0.01	26.0	9.5	1.008	1.000	0.0	A	
		WB	8>>7	11	11.0	0.012		0.00	26.0	9.5					
		SB													
	MD	North	EB	1>>2	10.0	0.000	882	0.25	45.0	14.3	1.000	1.000	0.0	A	
			WB	2>>1	0	-	0.000		0.00	45.0	14.3				
			SB	3>>4	0	-	-	9	-	-	-	-	-	-	-
East		EB	4>>5	0	-	-		-	-	-	-	-	-	-	
		WB	5>>6	0	9.0	0.000	909	0.25	30.0	10.5	1.000	1.000	0.0	A	
		SB	6>>5	0	9.0	0.000		0.00	30.0	10.5					
South		EB	7>>8	38	11.0	0.042	88	0.02	26.0	9.5	1.079	1.000	1.2	A	
		WB	8>>7	38	11.0	0.042		0.00	26.0	9.5					
		SB													
PM		North	EB	1>>2	0	10.0	0.000	934	0.26	45.0	14.3	1.000	1.000	0.0	A
			WB	2>>1	0	-	0.000		0.00	45.0	14.3				
			SB	3>>4	0	-	-	9	-	-	-	-	-	-	-
	East	EB	4>>5	0	-	-		-	-	-	-	-	-	-	
		WB	5>>6	0	9.0	0.000	946	0.26	30.0	10.5	1.000	1.000	0.0	A	
		SB	6>>5	0	9.0	0.000		0.00	30.0	10.5					
	South	EB	7>>8	37	11.0	0.041	79	0.02	26.0	9.5	1.064	1.000	0.9	A	
		WB	8>>7	30	11.0	0.033		0.00	26.0	9.5					
		SB													

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Prospect St. 2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB 1>>2	3	9.0	0.003	733	0.20	45.0	14.3	1.606	1.000	70.1	F		
		WB 2>>1	5	9.0	0.006		0.00	45.0	14.3						
		SB 3>>4	0	-	-	78.00	-	-	-	-	-	-	-	-	
	East	EB 4>>5	0	-	-	-	-	-	-	-	-	-	-	-	
		WB 5>>6	12	10.0	0.013	777	0.22	30.0	10.5	1.647	1.000	29.7	D		
		SB 6>>5	9	10.0	0.010		0.00	30.0	10.5						
	South	EB 7>>8	8	11.0	0.009	108	0.03	26.0	9.5	1.024	1.000	1.7	A		
		WB 8>>7	7	11.0	0.008		0.00	26.0	9.5						
		SB													
	MD	North	EB 1>>2	18	9.0	0.020	858	0.24	45.0	14.3	4.958	4.000	500.9	F	
			WB 2>>1	20	9.0	0.022		0.00	45.0	14.3					
			SB 3>>4	0	-	-	119.00	-	-	-	-	-	-	-	-
East		EB 4>>5	0	-	-	-	-	-	-	-	-	-	-	-	
		WB 5>>6	43	10.0	0.048	882	0.25	30.0	10.5	3.885	3.000	123.5	F		
		SB 6>>5	41	10.0	0.046		0.00	30.0	10.5						
South		EB 7>>8	46	11.0	0.051	105	0.03	26.0	9.5	1.110	1.000	1.4	A		
		WB 8>>7	45	11.0	0.050		0.00	26.0	9.5						
		SB													
PM		North	EB 1>>2	20	9.0	0.022	919	0.26	45.0	14.3	5.751	5.000	####	F	
			WB 2>>1	17	9.0	0.019		0.00	45.0	14.3					
			SB 3>>4	0	-	-	161.00	-	-	-	-	-	-	-	-
	East	EB 4>>5	0	-	-	-	-	-	-	-	-	-	-	-	
		WB 5>>6	43	10.0	0.048	934	0.26	30.0	10.5	4.054	3.000	147.2	F		
		SB 6>>5	33	10.0	0.037		0.00	30.0	10.5						
	South	EB 7>>8	39	11.0	0.043	128	0.04	26.0	9.5	1.121	1.000	1.7	A		
		WB 8>>7	38	11.0	0.042		0.00	26.0	9.5						
		SB													

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$

$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$


$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS

Front St. and Wave St.
2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS		
AM	North	EB	1	6.0	0.001	697	0.19	50.0	15.5	1.274	1.000	83.1	F		
		WB	2	6.0	0.002		0.00	50.0	15.5						
		SB	3	0	-	-	0.00	-	-	-	-	-	-	-	
	East	EB	4	0	-	-	-	-	-	-	-	-	-	-	
		WB	5	5	9.0	0.006	733	0.20	31.0	10.8	1.303	1.000	28.2	D	
		SB	6	5	9.0	0.006		0.00	31.0	10.8					
	South	EB	7	3	11.0	0.003	112	0.03	30.0	10.5	1.010	1.000	1.9	A	
		WB	8	2	11.0	0.002		0.00	30.0	10.5					
		SB	9	9	6.0	0.010	748	0.21	50.0	15.5	2.868	3.000	252.0	F	
	MD	North	EB	1	6.0	0.010	748	0.21	50.0	15.5	2.868	3.000	252.0	F	
			WB	2	9	-	0.010		0.00	50.0	15.5				
			SB	3	0	-	-	0.00	-	-	-	-	-	-	-
East		EB	4	0	-	-	-	-	-	-	-	-	-	-	
		WB	5	18	9.0	0.020	858	0.24	31.0	10.8	2.384	2.000	70.8	F	
		SB	6	17	9.0	0.019		0.00	31.0	10.8					
South		EB	7	19	11.0	0.021	234	0.07	30.0	10.5	1.172	1.000	4.5	A	
		WB	8	20	11.0	0.022		0.00	30.0	10.5					
		SB	9	7	6.0	0.008	865	0.24	50.0	15.5	3.258	4.000	706.4	F	
PM		North	EB	1	6.0	0.008	865	0.24	50.0	15.5	3.258	4.000	706.4	F	
			WB	2	7	-	0.008		0.00	50.0	15.5				
			SB	3	0	-	-	0.00	-	-	-	-	-	-	-
	East	EB	4	0	-	-	-	-	-	-	-	-	-	-	
		WB	5	17	9.0	0.019	919	0.26	31.0	10.8	2.500	2.000	84.4	F	
		SB	6	15	9.0	0.017		0.00	31.0	10.8					
	South	EB	7	15	11.0	0.017	202	0.06	30.0	10.5	1.114	1.000	3.7	A	
		WB	8	15	11.0	0.017		0.00	30.0	10.5					
		SB	9	15	11.0	0.017		0.00	30.0	10.5					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

V_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Bay St. and Thompson St. 2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB	0	10.0	0.000	1436	0.40	35.5	11.9	1.000	1.000	0.0	A	
		WB	0	10.0	0.000		0.00	35.5	11.9					
	East	SB	6	10.7	0.007	49	0.01	32.7	11.2	1.009	1.000	0.7	A	
		NB	3	10.7	0.003		0.00	32.7	11.2					
	South	WB	2	7.0	0.002	1475	0.41	37.7	12.4	4.327	4.000	#####	F	
		EB	6	7.0	0.007		0.00	37.7	12.4					
	West	NB	6	9.0	0.007	14	0.00	24.8	9.2	1.003	1.000	0.0	A	
		SB	12	9.0	0.013		0.00	24.8	9.2					
	MD	North	EB	6	10.0	0.007	1456	0.40	35.5	11.9	3.501	3.000	#####	F
			WB	2	10.7	0.002		0.00	35.5	11.9				
		East	SB	32	10.7	0.036	52	0.01	32.7	11.2	1.050	1.000	0.7	A
			NB	28	10.7	0.031		0.00	32.7	11.2				
South		WB	1	7.0	0.001	1491	0.41	37.7	12.4	1.884	2.000	928.5	F	
		EB	1	7.0	0.001		0.00	37.7	12.4					
West		NB	15	9.0	0.017	19	0.01	24.8	9.2	1.008	1.000	0.0	A	
		SB	23	9.0	0.026		0.00	24.8	9.2					
PM		North	EB	2	10.0	0.002	1660	0.46	35.5	11.9	3.219	2.000	#####	F
			WB	2	10.7	0.002		0.00	35.5	11.9				
		East	SB	23	10.7	0.026	75	0.02	32.7	11.2	1.066	1.000	1.4	A
			NB	28	10.7	0.031		0.00	32.7	11.2				
	South	WB	1	7.0	0.001	1699	0.47	37.7	12.4	2.618	2.000	#####	F	
		EB	1	7.0	0.001		0.00	37.7	12.4					
	West	NB	20	9.0	0.022	20	0.01	24.8	9.2	1.009	1.000	0.0	A	
		SB	18	9.0	0.020		0.00	24.8	9.2					

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$t_G = t_c + 2(N_p - 1)$$


$$N_p = INT \left[\frac{8.0(N_c - 1)}{W_E} \right] + 1$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$



The Louis Berger Group, Inc.

LOS for Pedestrians at Unsignalized Intersection New Stapleton Waterfront Development Plan DEIS Front St. and Canal St. 2015 Build Condition



Time Period	Crosswalk	Direction	V ₁₅ (ped/15min)	W _E (feet)	V _P (ped/s)	V _{veh} (veh/hr)	V (veh/sec)	L (feet)	t _c (sec)	N _c	N _p	d _p (sec)	LOS	
AM	North	EB 1>>2	10	9.0	0.011	764	0.21	45.0	14.3	2.307	2.000	127.5	F	
		WB 2>>1	6	9.0	0.007		0.00	45.0	14.3					
		SB 3>>4	0	-	-	0.00	-	-	-	-	-	-	-	-
	East	EB 4>>5	0	-	-	-	-	-	-	-	-	-	-	-
		WB 5>>6	12	10.0	0.013	733	0.20	45.0	14.3	2.515	2.000	113.4	F	
		SB 6>>5	9	10.0	0.010		0.00	45.0	14.3					
	South	EB 7>>8	6	11.0	0.007	149	0.04	34.0	11.5	1.044	1.000	3.4	A	
		WB 8>>7	7	11.0	0.008		0.00	34.0	11.5					
		SB												
	MD	North	EB 1>>2	32	9.0	0.036	909	0.25	45.0	14.3	8.218	7.000	####	F
			WB 2>>1	31	-	0.034		0.00	45.0	14.3				
			SB 3>>4	0	-	-	0.00	-	-	-	-	-	-	-
East		EB 4>>5	0	-	-	-	-	-	-	-	-	-	-	-
		WB 5>>6	23	10.0	0.026	847	0.24	45.0	14.3	5.497	4.000	471.7	F	
		SB 6>>5	23	10.0	0.026		0.00	45.0	14.3					
South		EB 7>>8	32	11.0	0.036	178	0.05	34.0	11.5	1.220	1.000	4.0	A	
		WB 8>>7	31	11.0	0.034		0.00	34.0	11.5					
		SB												
PM		North	EB 1>>2	22	9.0	0.024	946	0.26	45.0	14.3	7.869	7.000	####	F
			WB 2>>1	29	-	0.032		0.00	45.0	14.3				
			SB 3>>4	0	-	-	0.00	-	-	-	-	-	-	-
	East	EB 4>>5	0	-	-	-	-	-	-	-	-	-	-	-
		WB 5>>6	18	10.0	0.020	899	0.25	45.0	14.3	5.962	4.000	606.8	F	
		SB 6>>5	24	10.0	0.027		0.00	45.0	14.3					
	South	EB 7>>8	28	11.0	0.031	177	0.05	34.0	11.5	1.190	1.000	4.1	A	
		WB 8>>7	25	11.0	0.028		0.00	34.0	11.5					
		SB												

If no platooning is observed, spatial distribution of pedestrians (N_p) is assumed to be 1.

S_p = pedestrian walking speed = 4.0 ft/sec

T_s = pedestrian Start-up time and clearance time = 3.0 sec

W_E = effective crosswalk width (ft)

L = crosswalk length (ft)

v = vehicular flow rate (veh/sec)

v_p = pedestrian flow rate (p/sec)

t_c = critical gap for a single pedestrian (sec)

N_c = total number of pedestrians in the crossing platoon (p)

N_p = spatial distribution of pedestrians (sec)

d_p = average delay per pedestrian (sec)

$$t_c = \frac{L}{S_p} + t_s$$

$$N_c = \frac{v_p e^{v_p t_c} + v e^{-v t_c}}{(v_p + v) e^{(v_p - v) t_c}}$$

$$N_p = INT \left[\frac{8.0 (N_c - 1)}{W_E} \right] + 1$$

$$t_G = t_c + 2(N_p - 1)$$

$$d_p = \frac{1}{v} (e^{v t_G} - v t_G - 1)$$

Appendix D-6: Pedestrian Assignments

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS, SIR, AND WALK
TOTAL DEVELOPMENTS**

AM

218 252 470
In Out

IN & OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	6	7	6	5	11	7	3	4
Bay Street and Prospect Street	8	28	9	13	13	5	12	5
Bay Street and Wave Street	9	12	9	12	22	15	14	11
Front Street and Water Street	0	0	0	0	0	0	22	37
Front Street and Prospect Street	10	16	0	0	37	27	25	23
Front Street and Wave Street	6	6	0	0	19	17	9	7
Bay Street and Canal Street	13	13	14	6	23	16	8	11
Bay Street and Thompson Street	0	0	14	8	0	0	7	15
Front Street and Canal Street	33	19	0	0	38	30	18	24

MD

985 881 1866

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	48	47	33	34	52	53	29	29
Bay Street and Prospect Street	52	60	60	62	37	35	34	32
Bay Street and Wave Street	80	80	81	82	104	101	95	95
Front Street and Water Street	0	0	0	0	0	0	121	120
Front Street and Prospect Street	58	63	0	0	118	110	147	146
Front Street and Wave Street	39	38	0	0	72	68	65	65
Bay Street and Canal Street	66	67	41	42	70	71	42	41
Bay Street and Thompson Street	0	0	57	59	0	0	37	36
Front Street and Canal Street	100	99	0	0	74	73	101	100

PM

822 773 1595

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	37	37	25	28	41	43	22	21
Bay Street and Prospect Street	47	56	49	52	32	30	29	27
Bay Street and Wave Street	62	63	63	64	88	84	74	74
Front Street and Water Street	0	0	0	0	0	0	117	95
Front Street and Prospect Street	46	55	0	0	120	88	124	117
Front Street and Wave Street	28	30	0	0	65	57	50	49
Bay Street and Canal Street	51	58	32	40	61	58	40	33
Bay Street and Thompson Street	0	0	45	52	0	0	34	30
Front Street and Canal Street	71	93	0	0	58	76	89	80

SATMD

1026 766 1792

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	45	41	29	31	46	52	25	24
Bay Street and Prospect Street	62	52	58	57	33	38	30	33
Bay Street and Wave Street	75	70	76	71	93	106	83	90
Front Street and Water Street	0	0	0	0	0	0	111	109
Front Street and Prospect Street	63	52	0	0	102	128	142	129
Front Street and Wave Street	38	32	0	0	58	81	56	58
Bay Street and Canal Street	63	58	36	39	61	73	40	37
Bay Street and Thompson Street	0	0	51	62	0	0	42	33
Front Street and Canal Street	91	80	0	0	72	53	84	91

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS**

AM

All Sites Bus
49 105
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	1	0	1	0	0
Bay Street and Prospect Street	4	0	1	1	0	1	0	1
Bay Street and Wave Street	0	0	0	0	0	4	0	0
Front Street and Water Street	0	0	0	0	0	0	1	0
Front Street and Prospect Street	1	0	0	0	0	5	1	1
Front Street and Wave Street	0	0	0	0	0	7	0	0
Bay Street and Canal Street	5	0	8	0	0	6	0	5
Bay Street and Thompson Street	0	0	0	1	0	0	1	0
Front Street and Canal Street	8	0	0	0	16	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	2	0	5	0	0	0
Bay Street and Prospect Street	0	22	2	5	9	0	9	0
Bay Street and Wave Street	0	0	0	0	8	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	2
Front Street and Prospect Street	0	7	0	0	18	0	5	2
Front Street and Wave Street	0	0	0	0	6	0	0	0
Bay Street and Canal Street	0	3	0	2	13	0	3	0
Bay Street and Thompson Street	0	0	6	0	0	0	0	10
Front Street and Canal Street	0	0	0	0	0	19	1	0

MD

All Sites Bus
92 98
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	2	0	3	0	0
Bay Street and Prospect Street	15	0	4	2	0	6	0	6
Bay Street and Wave Street	0	0	0	0	0	8	0	0
Front Street and Water Street	0	0	0	0	0	0	2	0
Front Street and Prospect Street	5	0	0	0	0	20	2	4
Front Street and Wave Street	0	0	0	0	0	11	0	0
Bay Street and Canal Street	2	0	2	0	0	5	0	2
Bay Street and Thompson Street	0	0	0	4	0	0	3	0
Front Street and Canal Street	1	0	0	0	8	0	0	1

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	2	0	4	0	0	0
Bay Street and Prospect Street	0	23	1	5	8	0	8	0
Bay Street and Wave Street	0	0	0	0	11	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	2
Front Street and Prospect Street	0	9	0	0	25	0	5	1
Front Street and Wave Street	0	0	0	0	14	0	0	0
Bay Street and Canal Street	0	3	0	2	6	0	3	0
Bay Street and Thompson Street	0	0	3	0	0	0	0	3
Front Street and Canal Street	0	1	0	0	0	8	1	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS**

PM

All Sites Bus
133 135
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	4	0	5	0	0
Bay Street and Prospect Street	19	0	5	3	0	8	0	8
Bay Street and Wave Street	0	0	0	0	0	11	0	0
Front Street and Water Street	0	0	0	0	0	0	4	0
Front Street and Prospect Street	5	0	0	0	0	18	3	5
Front Street and Wave Street	0	0	0	0	0	13	0	0
Bay Street and Canal Street	3	0	2	0	0	11	0	3
Bay Street and Thompson Street	0	0	0	9	0	0	8	0
Front Street and Canal Street	0	0	0	0	20	0	0	1

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	2	0	4	0	0	0
Bay Street and Prospect Street	0	28	1	6	9	0	9	0
Bay Street and Wave Street	0	0	0	0	14	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	2
Front Street and Prospect Street	0	12	0	0	33	0	6	1
Front Street and Wave Street	0	0	0	0	18	0	0	0
Bay Street and Canal Street	0	9	0	10	13	0	9	0
Bay Street and Thompson Street	0	0	3	0	0	0	0	3
Front Street and Canal Street	0	9	0	0	0	22	1	0

SATMD

All Sites Bus
172 97
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	4	0	6	0	0
Bay Street and Prospect Street	28	0	6	4	0	11	0	11
Bay Street and Wave Street	0	0	0	0	0	15	0	0
Front Street and Water Street	0	0	0	0	0	0	4	0
Front Street and Prospect Street	9	0	0	0	0	37	4	6
Front Street and Wave Street	0	0	0	0	0	22	0	0
Bay Street and Canal Street	3	0	2	0	0	12	0	3
Bay Street and Thompson Street	0	0	0	10	0	0	9	0
Front Street and Canal Street	0	0	0	0	20	0	0	2

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	2	0	4	0	0	0
Bay Street and Prospect Street	0	22	1	5	8	0	8	0
Bay Street and Wave Street	0	0	0	0	10	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	2
Front Street and Prospect Street	0	8	0	0	21	0	5	1
Front Street and Wave Street	0	0	0	0	10	0	0	0
Bay Street and Canal Street	0	4	0	3	8	0	4	0
Bay Street and Thompson Street	0	0	3	0	0	0	0	4
Front Street and Canal Street	0	2	0	0	0	11	1	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS**

AM

Site B4 Bus
21 1
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	5	0	8	0	0	5	0	5
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	8	0	0	0	13	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	1	0	0

MD

Site B4 Bus
3 4
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	1	0	1	0	0	1	0	1
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	1	0	0	0	2	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	1	0	1	1	0	1	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	3	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS**

PM

Site B4 Bus
1 25
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	1	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	7	0	9	7	0	7	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	9	0	0	0	16	0	0

SATMD

Site B4 Bus
0 6
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	2	0	2	2	0	2	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	2	0	0	0	4	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS**

AM

Site B5 Bus
3 18
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	1	0	0
Bay Street and Thompson Street	0	0	0	1	0	0	1	0
Front Street and Canal Street	0	0	0	0	3	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	10	0	0	0
Bay Street and Thompson Street	0	0	4	0	0	0	0	10
Front Street and Canal Street	0	0	0	0	0	18	0	0

MD

Site B5 Bus
6 5
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	3	0	0
Bay Street and Thompson Street	0	0	0	2	0	0	3	0
Front Street and Canal Street	0	0	0	0	6	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	3	0	0	0
Bay Street and Thompson Street	0	0	1	0	0	0	0	3
Front Street and Canal Street	0	0	0	0	0	5	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - BUS**

PM

Site B5 Bus
19 6
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	8	0	0
Bay Street and Thompson Street	0	0	0	5	0	0	8	0
Front Street and Canal Street	0	0	0	0	19	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	3	0	0	0
Bay Street and Thompson Street	0	0	1	0	0	0	0	3
Front Street and Canal Street	0	0	0	0	0	6	0	0

SATMD

Site B5 Bus
20 7
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	9	0	0
Bay Street and Thompson Street	0	0	0	6	0	0	9	0
Front Street and Canal Street	0	0	0	0	20	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	4	0	0	0
Bay Street and Thompson Street	0	0	2	0	0	0	0	4
Front Street and Canal Street	0	0	0	0	0	7	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - SIR**

AM

All Sites SIR
44 37
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	22
Front Street and Prospect Street	2	0	0	0	0	14	6	0
Front Street and Wave Street	0	0	0	0	0	2	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	10	0	0	0	10	0	0	11

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	11	0
Front Street and Prospect Street	0	1	0	0	12	0	0	8
Front Street and Wave Street	0	0	0	0	1	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	2	0	0	0	2	6	0

MD

All Sites SIR
86 89
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	18
Front Street and Prospect Street	6	0	0	0	0	31	25	0
Front Street and Wave Street	3	0	0	0	0	6	3	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	3	0	0	0	3	0	0	9

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	17	0
Front Street and Prospect Street	0	7	0	0	34	0	0	26
Front Street and Wave Street	0	3	0	0	7	0	0	3
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	3	0	0	0	3	9	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - SIR**

AM

Site B4 SIR
29 2
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	19
Front Street and Prospect Street	0	0	0	0	0	10	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	10	0	0	0	10	0	0	10

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	1	0
Front Street and Prospect Street	0	0	0	0	1	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	1	1	0

MD

Site B4 SIR
8 9
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	5
Front Street and Prospect Street	0	0	0	0	0	3	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	3	0	0	0	3	0	0	3

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	6	0
Front Street and Prospect Street	0	0	0	0	3	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	3	0	0	0	3	3	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

All Sites Walk
42 64
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	2	0	1	0	0	2	0
Bay Street and Prospect Street	2	0	2	0	0	2	0	1
Bay Street and Wave Street	5	0	5	0	0	5	0	5
Front Street and Water Street	0	0	0	0	0	0	0	1
Front Street and Prospect Street	5	0	0	0	0	5	0	2
Front Street and Wave Street	4	0	0	0	0	6	0	3
Bay Street and Canal Street	5	0	0	1	0	5	1	0
Bay Street and Thompson Street	0	0	0	2	0	0	3	0
Front Street and Canal Street	10	0	0	0	8	0	2	1

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	3	0	1	3	0	0
Bay Street and Prospect Street	0	3	1	2	2	0	0	1
Bay Street and Wave Street	0	6	0	7	8	0	7	0
Front Street and Water Street	0	0	0	0	0	0	1	0
Front Street and Prospect Street	0	7	0	0	7	0	2	1
Front Street and Wave Street	0	6	0	0	11	0	3	0
Bay Street and Canal Street	0	7	2	0	7	0	0	2
Bay Street and Thompson Street	0	0	3	0	0	0	0	4
Front Street and Canal Street	0	15	0	0	0	9	1	4

MD

All Sites Walk
349 359
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	19	0	3	1	0	18	2
Bay Street and Prospect Street	14	0	15	2	0	12	3	2
Bay Street and Wave Street	39	0	40	0	0	46	0	39
Front Street and Water Street	0	0	0	0	0	0	1	5
Front Street and Prospect Street	44	0	0	0	0	55	1	19
Front Street and Wave Street	32	0	0	0	0	47	0	22
Bay Street and Canal Street	39	0	2	12	0	39	14	1
Bay Street and Thompson Street	0	0	0	18	0	0	24	0
Front Street and Canal Street	87	0	0	0	54	0	16	4

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	19	1	3	19	0	2
Bay Street and Prospect Street	0	14	2	16	12	0	3	3
Bay Street and Wave Street	0	41	0	42	47	0	41	0
Front Street and Water Street	0	0	0	0	0	0	6	1
Front Street and Prospect Street	0	45	0	0	57	0	20	1
Front Street and Wave Street	0	34	0	0	49	0	23	0
Bay Street and Canal Street	0	40	13	2	40	0	2	15
Bay Street and Thompson Street	0	0	18	0	0	0	0	25
Front Street and Canal Street	0	90	0	0	0	57	4	17

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM

All Sites Walk
259 261
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	13	0	1	1	0	13	2	0
Bay Street and Prospect Street	10	0	11	2	0	8	2	0
Bay Street and Wave Street	29	0	30	0	0	36	0	30
Front Street and Water Street	0	0	0	0	0	0	1	1
Front Street and Prospect Street	34	0	0	0	0	42	1	13
Front Street and Wave Street	25	0	0	0	0	37	0	16
Bay Street and Canal Street	29	0	0	10	0	27	11	0
Bay Street and Thompson Street	0	0	0	13	0	0	19	0
Front Street and Canal Street	64	0	0	0	33	0	13	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	14	0	1	14	0	1	2
Bay Street and Prospect Street	0	10	2	11	9	0	1	2
Bay Street and Wave Street	0	31	0	32	38	0	31	0
Front Street and Water Street	0	0	0	0	0	0	2	0
Front Street and Prospect Street	0	35	0	0	44	0	14	1
Front Street and Wave Street	0	27	0	0	40	0	17	0
Bay Street and Canal Street	0	30	10	1	29	0	0	12
Bay Street and Thompson Street	0	0	13	0	0	0	0	19
Front Street and Canal Street	0	67	0	0	0	37	1	13

SATMD

All Sites Walk
309 278
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	16	0	1	1	0	16	2	0
Bay Street and Prospect Street	12	0	13	2	0	10	3	0
Bay Street and Wave Street	35	0	36	0	0	44	0	36
Front Street and Water Street	0	0	0	0	0	0	1	1
Front Street and Prospect Street	41	0	0	0	0	51	1	15
Front Street and Wave Street	31	0	0	0	0	46	0	19
Bay Street and Canal Street	34	0	0	12	0	33	14	0
Bay Street and Thompson Street	0	0	0	15	0	0	22	0
Front Street and Canal Street	77	0	0	0	39	0	16	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	15	0	0	15	0	0	2
Bay Street and Prospect Street	0	10	1	12	9	0	0	2
Bay Street and Wave Street	0	33	0	34	41	0	33	0
Front Street and Water Street	0	0	0	0	0	0	1	0
Front Street and Prospect Street	0	38	0	0	48	0	14	1
Front Street and Wave Street	0	29	0	0	42	0	18	0
Bay Street and Canal Street	0	32	11	0	30	0	0	13
Bay Street and Thompson Street	0	0	14	0	0	0	0	21
Front Street and Canal Street	0	71	0	0	0	36	0	14

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

Site B1 Walk
4 8
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	0	0	0

MD

Site B1 Walk
30 27
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	1	0	0	1	0	1	1	0
Bay Street and Wave Street	0	0	0	0	0	1	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	2	0	0	0	0	1	0	0
Front Street and Wave Street	0	0	0	0	0	1	0	0
Bay Street and Canal Street	2	0	0	1	0	2	1	0
Bay Street and Thompson Street	0	0	0	1	0	0	1	0
Front Street and Canal Street	4	0	0	0	1	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	1	1	0	1	0	0	1
Bay Street and Wave Street	0	0	0	0	1	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	2	0	0	1	0	0	0
Front Street and Wave Street	0	0	0	0	1	0	0	0
Bay Street and Canal Street	0	2	1	0	2	0	0	1
Bay Street and Thompson Street	0	0	1	0	0	0	0	1
Front Street and Canal Street	0	3	0	0	0	1	0	1

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM Site A Walk
Site B1 22 8
IN In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	1	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	1	0	0	0	0	1	0	0
Front Street and Wave Street	0	0	0	0	0	1	0	0
Bay Street and Canal Street	1	0	0	0	0	1	1	0
Bay Street and Thompson Street	0	0	0	1	0	0	1	0
Front Street and Canal Street	3	0	0	0	1	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	0	0	0

SATMD Site A Walk
Site B1 22 10
IN In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	1	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	1	0	0	0	0	1	0	0
Front Street and Wave Street	0	0	0	0	0	1	0	0
Bay Street and Canal Street	1	0	0	0	0	1	1	0
Bay Street and Thompson Street	0	0	0	1	0	0	1	0
Front Street and Canal Street	3	0	0	0	1	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	1	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	1	0	0	1	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	0	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

Site B2 Walk
8 22
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	1	0	0	0	0	0	0	0
Bay Street and Wave Street	1	0	1	0	0	1	0	1
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	1	0	0	0	0	0	0	0
Front Street and Wave Street	1	0	0	0	0	3	0	0
Bay Street and Canal Street	1	0	0	0	0	1	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	2	0	0	0	1	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	1	0	0	0	0	0	1
Bay Street and Prospect Street	0	2	1	0	1	0	0	1
Bay Street and Wave Street	0	3	0	2	3	0	3	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	3	0	0	1	0	0	0
Front Street and Wave Street	0	3	0	0	7	0	1	0
Bay Street and Canal Street	0	2	1	0	2	0	0	1
Bay Street and Thompson Street	0	0	1	0	0	0	0	1
Front Street and Canal Street	0	5	0	0	0	2	0	2

MD

Site B2 Walk
40 42
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	1	0	0	0	0	1	2	0
Bay Street and Prospect Street	3	0	0	1	0	2	2	0
Bay Street and Wave Street	5	0	4	0	0	6	0	5
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	5	0	0	0	0	2	1	0
Front Street and Wave Street	6	0	0	0	0	13	0	2
Bay Street and Canal Street	4	0	0	2	0	4	2	0
Bay Street and Thompson Street	0	0	0	2	0	0	2	0
Front Street and Canal Street	10	0	0	0	4	0	4	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	1	0	0	1	0	0	2
Bay Street and Prospect Street	0	3	1	0	2	0	0	2
Bay Street and Wave Street	0	5	0	4	7	0	5	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	5	0	0	2	0	0	1
Front Street and Wave Street	0	6	0	0	14	0	3	0
Bay Street and Canal Street	0	5	2	0	4	0	0	2
Bay Street and Thompson Street	0	0	3	0	0	0	0	3
Front Street and Canal Street	0	10	0	0	0	4	0	4

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM

Site B2 Walk
35 39
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	1	0	0	0	0	1	1	0
Bay Street and Prospect Street	3	0	0	1	0	2	2	0
Bay Street and Wave Street	4	0	4	0	0	5	0	4
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	4	0	0	0	0	2	1	0
Front Street and Wave Street	5	0	0	0	0	12	0	2
Bay Street and Canal Street	4	0	0	1	0	3	1	0
Bay Street and Thompson Street	0	0	0	2	0	0	2	0
Front Street and Canal Street	9	0	0	0	3	0	3	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	1	0	0	1	0	0	2
Bay Street and Prospect Street	0	3	1	0	2	0	0	2
Bay Street and Wave Street	0	5	0	4	6	0	5	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	5	0	0	2	0	0	1
Front Street and Wave Street	0	5	0	0	13	0	2	0
Bay Street and Canal Street	0	4	1	0	4	0	0	2
Bay Street and Thompson Street	0	0	2	0	0	0	0	2
Front Street and Canal Street	0	10	0	0	0	4	0	4

SATMD

Site B2 Walk
46 37
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	2	0	0	0	0	1	2	0
Bay Street and Prospect Street	4	0	0	2	0	2	2	0
Bay Street and Wave Street	6	0	5	0	0	7	0	6
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	6	0	0	0	0	2	1	0
Front Street and Wave Street	6	0	0	0	0	15	0	3
Bay Street and Canal Street	5	0	0	2	0	5	2	0
Bay Street and Thompson Street	0	0	0	3	0	0	3	0
Front Street and Canal Street	11	0	0	0	4	0	4	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	1	0	0	1	0	0	1
Bay Street and Prospect Street	0	3	1	0	2	0	0	2
Bay Street and Wave Street	0	5	0	4	6	0	5	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	4	0	0	2	0	0	1
Front Street and Wave Street	0	5	0	0	12	0	2	0
Bay Street and Canal Street	0	4	1	0	4	0	0	2
Bay Street and Thompson Street	0	0	2	0	0	0	0	2
Front Street and Canal Street	0	9	0	0	0	4	0	4

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

Site B3 Walk
22 27
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	1	0	0	0	0	1	0	0
Bay Street and Prospect Street	1	0	1	0	0	1	0	0
Bay Street and Wave Street	3	0	3	0	0	3	0	3
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	3	0	0	0	0	4	0	1
Front Street and Wave Street	2	0	0	0	0	3	0	2
Bay Street and Canal Street	3	0	0	1	0	2	1	0
Bay Street and Thompson Street	0	0	0	1	0	0	2	0
Front Street and Canal Street	6	0	0	0	3	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	2	0	0	2	0	0	0
Bay Street and Prospect Street	0	1	0	1	1	0	0	0
Bay Street and Wave Street	0	3	0	4	4	0	3	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	4	0	0	6	0	2	0
Front Street and Wave Street	0	3	0	0	3	0	2	0
Bay Street and Canal Street	0	3	1	0	3	0	0	1
Bay Street and Thompson Street	0	0	1	0	0	0	0	2
Front Street and Canal Street	0	7	0	0	0	4	0	1

MD

Site B3 Walk
244 252
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	15	0	0	0	0	15	0	0
Bay Street and Prospect Street	7	0	13	0	0	7	0	0
Bay Street and Wave Street	31	0	32	0	0	38	0	31
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	35	0	0	0	0	50	0	15
Front Street and Wave Street	25	0	0	0	0	31	0	17
Bay Street and Canal Street	29	0	0	10	0	27	12	0
Bay Street and Thompson Street	0	0	0	12	0	0	20	0
Front Street and Canal Street	64	0	0	0	33	0	11	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	15	0	0	15	0	0	0
Bay Street and Prospect Street	0	8	0	13	8	0	0	0
Bay Street and Wave Street	0	32	0	33	39	0	32	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	36	0	0	51	0	16	0
Front Street and Wave Street	0	26	0	0	32	0	17	0
Bay Street and Canal Street	0	30	10	0	28	0	0	12
Bay Street and Thompson Street	0	0	13	0	0	0	0	20
Front Street and Canal Street	0	67	0	0	0	34	0	11

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM

Site B3 Walk
195 203
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	12	0	0	0	0	12	0	0
Bay Street and Prospect Street	6	0	10	0	0	6	0	0
Bay Street and Wave Street	24	0	26	0	0	30	0	24
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	28	0	0	0	0	40	0	12
Front Street and Wave Street	20	0	0	0	0	25	0	13
Bay Street and Canal Street	23	0	0	8	0	22	9	0
Bay Street and Thompson Street	0	0	0	10	0	0	16	0
Front Street and Canal Street	52	0	0	0	26	0	9	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	12	0	0	12	0	0	0
Bay Street and Prospect Street	0	6	0	11	6	0	0	0
Bay Street and Wave Street	0	25	0	27	31	0	25	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	29	0	0	41	0	13	0
Front Street and Wave Street	0	21	0	0	26	0	14	0
Bay Street and Canal Street	0	24	8	0	23	0	0	10
Bay Street and Thompson Street	0	0	10	0	0	0	0	16
Front Street and Canal Street	0	54	0	0	0	28	0	9

SATMD

Site B3 Walk
234 227
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	14	0	0	0	0	14	0	0
Bay Street and Prospect Street	7	0	12	0	0	7	0	0
Bay Street and Wave Street	29	0	31	0	0	36	0	29
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	34	0	0	0	0	48	0	15
Front Street and Wave Street	24	0	0	0	0	30	0	16
Bay Street and Canal Street	28	0	0	10	0	26	11	0
Bay Street and Thompson Street	0	0	0	12	0	0	19	0
Front Street and Canal Street	62	0	0	0	32	0	11	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	14	0	0	14	0	0	0
Bay Street and Prospect Street	0	7	0	12	7	0	0	0
Bay Street and Wave Street	0	28	0	30	35	0	28	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	33	0	0	46	0	14	0
Front Street and Wave Street	0	23	0	0	29	0	16	0
Bay Street and Canal Street	0	27	9	0	25	0	0	11
Bay Street and Thompson Street	0	0	11	0	0	0	0	18
Front Street and Canal Street	0	60	0	0	0	31	0	10

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

Site B4 Walk
7 1
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	0	1	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	1	0	1	0	0	0	0	1
Front Street and Water Street	0	0	0	0	0	0	0	1
Front Street and Prospect Street	0	0	0	0	0	1	0	1
Front Street and Wave Street	0	0	0	0	0	0	0	1
Bay Street and Canal Street	1	0	0	0	0	1	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	2	0	0	0	3	0	0	1

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	0	0	0

MD

Site B4 Walk
29 34
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	2	0	2	0	0	2	0
Bay Street and Prospect Street	2	0	2	0	0	2	0	2
Bay Street and Wave Street	3	0	3	0	0	1	0	3
Front Street and Water Street	0	0	0	0	0	0	0	4
Front Street and Prospect Street	2	0	0	0	0	2	0	3
Front Street and Wave Street	1	0	0	0	0	2	0	3
Bay Street and Canal Street	3	0	1	0	0	5	0	1
Bay Street and Thompson Street	0	0	0	2	0	0	1	0
Front Street and Canal Street	8	0	0	0	14	0	0	3

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	2	0	3	2	0	2
Bay Street and Prospect Street	0	2	0	2	2	0	2	0
Bay Street and Wave Street	0	3	0	4	1	0	3	0
Front Street and Water Street	0	0	0	0	0	0	5	0
Front Street and Prospect Street	0	2	0	0	3	0	4	0
Front Street and Wave Street	0	2	0	0	2	0	3	0
Bay Street and Canal Street	0	4	0	2	6	0	1	0
Bay Street and Thompson Street	0	0	2	0	0	0	0	1
Front Street and Canal Street	0	9	0	0	0	17	4	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM

Site B4 Walk
0 9
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	1	0	1	1	0	1	0
Bay Street and Prospect Street	0	1	0	1	0	0	1	0
Bay Street and Wave Street	0	1	0	1	0	0	1	0
Front Street and Water Street	0	0	0	0	0	0	1	0
Front Street and Prospect Street	0	1	0	0	1	0	1	0
Front Street and Wave Street	0	0	0	0	0	0	1	0
Bay Street and Canal Street	0	1	0	0	2	0	0	0
Bay Street and Thompson Street	0	0	1	0	0	0	0	0
Front Street and Canal Street	0	2	0	0	0	4	1	0

SATMD

Site B4 Walk
0 2
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	1	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

Site B5 Walk

1 6

IN

In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	1	0	0	0	0
Bay Street and Prospect Street	0	0	0	1	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	1	0
Front Street and Water Street	0	0	0	0	0	0	1	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	1	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	2	0	0

MD

Site B5 Walk

6 4

IN

In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	1	0	0	0	0	0
Bay Street and Prospect Street	0	0	1	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	1
Front Street and Water Street	0	0	0	0	0	0	0	1
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	1	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	1	0	0	0	2	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	1	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM

Site B5 Walk

7 2
In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	1	0	0	0	0	0
Bay Street and Prospect Street	0	0	1	0	0	0	0	0
Bay Street and Wave Street	0	0	1	0	0	0	0	1
Front Street and Water Street	0	0	0	0	0	0	0	1
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	1	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	1	0	0	0	2	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	1	0	0

SATMD

Site B5 Walk

7 2
In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	1	0	0	0	0	0
Bay Street and Prospect Street	0	0	1	0	0	0	0	0
Bay Street and Wave Street	0	0	1	0	0	0	0	1
Front Street and Water Street	0	0	0	0	0	0	0	1
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	1	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	1	0	0	0	2	0	0	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	0	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	0	0	0	0	1	0	0

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM

All Sites Walk
50 46
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	4	0	1	1	0	4	1	1
Bay Street and Prospect Street	3	0	3	1	0	2	1	1
Bay Street and Wave Street	5	0	4	0	0	6	0	6
Front Street and Water Street	0	0	0	0	0	0	6	3
Front Street and Prospect Street	2	0	0	0	0	2	3	5
Front Street and Wave Street	2	0	0	0	0	2	0	4
Bay Street and Canal Street	4	0	1	2	0	5	2	0
Bay Street and Thompson Street	0	0	0	5	0	0	3	0
Front Street and Canal Street	5	0	0	0	4	0	5	2

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	4	2	2	4	0	1	2
Bay Street and Prospect Street	0	3	1	4	2	0	2	1
Bay Street and Wave Street	0	5	0	5	6	0	7	0
Front Street and Water Street	0	0	0	0	0	0	4	8
Front Street and Prospect Street	0	0	0	0	0	0	8	5
Front Street and Wave Street	0	0	0	0	0	0	5	0
Bay Street and Canal Street	0	3	2	1	3	0	1	2
Bay Street and Thompson Street	0	0	5	0	0	0	0	1
Front Street and Canal Street	0	1	0	0	0	1	3	6

MD

All Sites Walk
358 335
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	29	0	16	12	0	31	15	10
Bay Street and Prospect Street	23	0	31	7	0	17	7	14
Bay Street and Wave Street	41	0	41	0	0	48	0	56
Front Street and Water Street	0	0	0	0	0	0	62	33
Front Street and Prospect Street	4	0	0	0	0	4	35	60
Front Street and Wave Street	4	0	0	0	0	3	0	40
Bay Street and Canal Street	25	0	9	17	0	27	18	5
Bay Street and Thompson Street	0	0	0	38	0	0	10	0
Front Street and Canal Street	9	0	0	0	8	0	45	26

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	28	12	16	30	0	10	15
Bay Street and Prospect Street	0	22	7	30	17	0	14	6
Bay Street and Wave Street	0	39	0	40	45	0	54	0
Front Street and Water Street	0	0	0	0	0	0	33	61
Front Street and Prospect Street	0	2	0	0	2	0	59	34
Front Street and Wave Street	0	2	0	0	2	0	39	0
Bay Street and Canal Street	0	23	16	9	24	0	5	17
Bay Street and Thompson Street	0	0	36	0	0	0	0	8
Front Street and Canal Street	0	5	0	0	0	4	26	43

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM All Sites Walk
279 271
IN In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	23	0	13	10	0	25	12
Bay Street and Prospect Street	18	0	25	6	0	14	5	12
Bay Street and Wave Street	33	0	33	0	0	38	0	45
Front Street and Water Street	0	0	0	0	0	0	51	27
Front Street and Prospect Street	2	0	0	0	0	2	29	49
Front Street and Wave Street	2	0	0	0	0	2	0	32
Bay Street and Canal Street	19	0	7	13	0	20	15	4
Bay Street and Thompson Street	0	0	0	30	0	0	7	0
Front Street and Canal Street	4	0	0	0	4	0	36	21

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	22	9	13	24	0	8
Bay Street and Prospect Street	0	17	5	24	13	0	11	5
Bay Street and Wave Street	0	31	0	32	36	0	43	0
Front Street and Water Street	0	0	0	0	0	0	26	48
Front Street and Prospect Street	0	2	0	0	3	0	47	27
Front Street and Wave Street	0	2	0	0	2	0	31	0
Bay Street and Canal Street	0	19	13	7	20	0	4	14
Bay Street and Thompson Street	0	0	29	0	0	0	0	7
Front Street and Canal Street	0	5	0	0	0	5	20	34

SATMD All Sites Walk
354 316
IN In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	29	0	15	11	0	30	14
Bay Street and Prospect Street	22	0	30	7	0	17	6	14
Bay Street and Wave Street	40	0	40	0	0	47	0	54
Front Street and Water Street	0	0	0	0	0	0	59	32
Front Street and Prospect Street	5	0	0	0	0	6	33	57
Front Street and Wave Street	5	0	0	0	0	5	0	38
Bay Street and Canal Street	25	0	8	16	0	28	17	5
Bay Street and Thompson Street	0	0	0	37	0	0	11	0
Front Street and Canal Street	12	0	0	0	11	0	43	25

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	26	11	15	28	0	9
Bay Street and Prospect Street	0	20	6	28	16	0	13	6
Bay Street and Wave Street	0	36	0	37	42	0	50	0
Front Street and Water Street	0	0	0	0	0	0	30	56
Front Street and Prospect Street	0	3	0	0	3	0	54	31
Front Street and Wave Street	0	3	0	0	2	0	36	0
Bay Street and Canal Street	0	22	15	8	23	0	5	16
Bay Street and Thompson Street	0	0	33	0	0	0	0	9
Front Street and Canal Street	0	6	0	0	0	6	24	40

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

AM Open Space 21 Walk 4 0%
IN In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	1	0	0	0	0	1	0	0
Bay Street and Prospect Street	1	0	0	0	0	1	0	0
Bay Street and Wave Street	1	0	1	0	0	2	0	1
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	2	0	0	0	0	2	0	0
Front Street and Wave Street	2	0	0	0	0	2	0	0
Bay Street and Canal Street	2	0	0	0	0	3	0	0
Bay Street and Thompson Street	0	0	0	1	0	0	2	0
Front Street and Canal Street	5	0	0	0	4	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	0	0	0	0	0	0	0
Bay Street and Prospect Street	0	0	0	0	0	0	0	0
Bay Street and Wave Street	0	0	0	0	0	0	0	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	0	0	0	0	0	0	0
Front Street and Wave Street	0	0	0	0	0	0	0	0
Bay Street and Canal Street	0	0	0	0	1	0	0	0
Bay Street and Thompson Street	0	0	0	0	0	0	0	0
Front Street and Canal Street	0	1	0	0	0	1	0	0

MD Open Space 40 Walk 21
IN In Out

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	2	0	0	0	0	2	0	0
Bay Street and Prospect Street	1	0	1	0	0	1	0	0
Bay Street and Wave Street	3	0	2	0	0	4	0	3
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	4	0	0	0	0	4	0	0
Front Street and Wave Street	4	0	0	0	0	3	0	1
Bay Street and Canal Street	4	0	0	1	0	6	1	0
Bay Street and Thompson Street	0	0	0	3	0	0	4	0
Front Street and Canal Street	9	0	0	0	8	0	2	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
Bay Street and Water Street	0	1	0	0	1	0	0	0
Bay Street and Prospect Street	0	1	0	0	1	0	0	0
Bay Street and Wave Street	0	1	0	1	2	0	1	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	2	0	0	2	0	0	0
Front Street and Wave Street	0	2	0	0	2	0	0	0
Bay Street and Canal Street	0	2	0	0	3	0	0	0
Bay Street and Thompson Street	0	0	1	0	0	0	0	2
Front Street and Canal Street	0	5	0	0	0	4	0	1

**NEW STAPLETON WATERFRONT DEVELOPMENT PLAN DEIS
PEDESTRIAN ASSIGNMENTS - WALK**

PM

Open Space Walk
18 23
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	1	0	0	0	0	1	0
Bay Street and Prospect Street	1	0	0	0	0	1	0	0
Bay Street and Wave Street	1	0	1	0	0	2	0	1
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	2	0	0	0	0	2	0	0
Front Street and Wave Street	2	0	0	0	0	2	0	0
Bay Street and Canal Street	2	0	0	0	0	3	0	0
Bay Street and Thompson Street	0	0	0	1	0	0	2	0
Front Street and Canal Street	4	0	0	0	4	0	1	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	1	0	0	1	0	0
Bay Street and Prospect Street	0	1	0	1	1	0	0	0
Bay Street and Wave Street	0	2	0	1	2	0	2	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	2	0	0	3	0	0	0
Front Street and Wave Street	0	2	0	0	2	0	1	0
Bay Street and Canal Street	0	2	0	0	4	0	0	0
Bay Street and Thompson Street	0	0	2	0	0	0	0	2
Front Street and Canal Street	0	5	0	0	0	5	0	1

SATMD

Open Space Walk
53 29
In Out

IN

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	3	0	0	0	0	3	0
Bay Street and Prospect Street	2	0	1	0	0	2	0	0
Bay Street and Wave Street	4	0	2	0	0	5	0	4
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	5	0	0	0	0	6	0	0
Front Street and Wave Street	5	0	0	0	0	5	0	1
Bay Street and Canal Street	5	0	0	1	0	9	1	0
Bay Street and Thompson Street	0	0	0	4	0	0	5	0
Front Street and Canal Street	12	0	0	0	11	0	3	0

OUT

Intersection	North Crosswalk		East Crosswalk		South Crosswalk		West Crosswalk	
	EB	WB	SB	NB	WB	EB	NB	SB
	Bay Street and Water Street	0	2	0	0	2	0	0
Bay Street and Prospect Street	0	1	0	1	1	0	0	0
Bay Street and Wave Street	0	2	0	1	3	0	2	0
Front Street and Water Street	0	0	0	0	0	0	0	0
Front Street and Prospect Street	0	3	0	0	3	0	0	0
Front Street and Wave Street	0	3	0	0	2	0	1	0
Bay Street and Canal Street	0	3	1	0	5	0	0	1
Bay Street and Thompson Street	0	0	2	0	0	0	0	3
Front Street and Canal Street	0	6	0	0	0	6	0	1