

Table of Contents

Executive Summary	S-1
A. Project Description.....	S-1
Project Identification	S-1
Site Conditions	S-2
Background History	S-3
Project Purpose and Need	S-3
Description of Proposed Project.....	S-4
B. Probable Impacts of the Proposed Project.....	S-4
Land Use, Zoning, and Public Policy.....	S-4
Socioeconomic Conditions.....	S-5
Community Facilities	S-5
Open Space.....	S-5
Historic Resources.....	S-6
Urban Design.....	S-6
Neighborhood Character	S-6
Hazardous Materials.....	S-7
Infrastructure	S-8
Solid Waste	S-8
Energy	S-8
Traffic and Parking.....	S-8
Transit and Pedestrians.....	S-9
Air Quality.....	S-9
Noise	S-9
Construction	S-10
Public Health.....	S-11
Growth Inducing Aspects.....	S-12
Irreversible and Irretrievable Commitment of Resources	S-12
Unavoidable Significant Adverse Impacts	S-13
C. Alternatives to the Proposed Project	S-13
No Action Alternative	S-13
No Unmitigated Significant Adverse Impacts Alternative.....	S-16
D. Impact Avoidance Measures and Mitigation	S-16
Mitigation	S-16
1: Project Description	1-1
A. Project Identification.....	1-1
B. Site Conditions	1-2
C. Background History	1-3
D. Project Purpose and Need	1-3
E. Description of Proposed Project.....	1-4

The Shops at the Armory DEIS

F. Public Review Process..... 1-4
Uniform Land Use Review Procedure (ULURP) 1-4
Content of the EIS and Methodology 1-6

2: Land Use, Zoning, and Public Policy2-1

A. Introduction2-1
B. Background and Development History2-1
C. Existing Conditions2-2
Land Use.....2-2
Zoning.....2-5
Public Policy.....2-7
D. The Future Without the Proposed Project2-7
Land Use.....2-7
Zoning and Public Policy.....2-8
E. Probable Impacts of the Proposed Project2-8
Land Use.....2-9
Zoning.....2-9
Public Policy.....2-9

3: Socioeconomic Conditions3-1

A. Introduction3-1
B. Methodology.....3-1
Study Area and Data Sources3-2
C. Preliminary Assessment3-3
Direct Residential Displacement3-3
Direct Business and Institutional Displacement3-3
Indirect Residential Displacement3-3
Indirect Business and Institutional Displacement.....3-6
D. Detailed Analysis: Indirect Business Displacement Due to Competition3-12
Existing Conditions3-12
E. Conclusion.....3-37

4: Community Facilities and Services4-1

A. Introduction4-1
B. Screening Analyses.....4-1
Direct Effects4-1
Indirect Effects.....4-2

5: Open Space5-1

A. Introduction5-1
B. Methodology.....5-2
Direct Effects Analysis5-2
Indirect Effects Analysis.....5-2
C. Existing Conditions5-5
Open Space User Population5-5
Open Space Inventory.....5-6
Adequacy of Open Spaces5-7
D. The Future Without the Proposed Project5-8

Open Space User Population	5-8
Open Space Inventory	5-8
Adequacy of Open Spaces.....	5-9
E. Probable Impacts of the Proposed Project.....	5-9
Open Space User Population.....	5-9
Open Space Inventory	5-9
Adequacy of Open Spaces.....	5-10
F. Conclusions.....	5-10
6: Historic Resources	6-1
A. Introduction	6-1
B. Kingsbridge Heights Background and Development History	6-2
C. Existing Conditions	6-3
Project Site	6-3
Study Area.....	6-4
D. Future Without the Proposed Project	6-6
Other Future Projects	6-6
E. Probable Impacts of the Proposed Project.....	6-7
Project Site	6-7
Study Area.....	6-8
7: Urban Design and Visual Resources	7-1
A. Introduction	7-1
B. Existing Conditions	7-2
Project Site	7-2
Study Area.....	7-2
C. The Future Without the Proposed Project	7-6
Project Site	7-6
Other Future Projects	7-6
D. Probable Impacts of the Proposed Project.....	7-7
Project Site	7-7
Study Area.....	7-8
8: Neighborhood Character	8-1
A. Introduction	8-1
B. Existing Conditions	8-2
C. The Future Without the Proposed Project	8-5
D. Probable Impacts of the Proposed Project.....	8-5
9: Hazardous Materials	9-1
A. Introduction	9-1
Conclusions	9-1
B. Existing Conditions	9-2
Subsurface Conditions.....	9-2
Phase I Environmental Site Assessment	9-2
Phase II Environmental Site Investigation Report.....	9-3
C. The Future Without the Proposed Project	9-3
D. Probable Impacts of the Proposed Project.....	9-3

10: Infrastructure	10-1
A. Introduction	10-1
B. Methodology	10-1
Water Supply	10-1
Sanitary Sewage.....	10-1
Stormwater.....	10-2
C. Existing Conditions	10-2
Water Supply	10-2
Sanitary Sewage.....	10-3
Stormwater Runoff	10-4
D. The Future Without the Proposed Project	10-5
Water Supply	10-5
Sanitary Sewage.....	10-5
Stormwater Runoff	10-5
E. Probable Impacts of the Proposed Project	10-5
Water Supply	10-5
Sanitary Sewage.....	10-5
Stormwater Runoff	10-6
11: Solid Waste and Sanitation Services	11-1
A. Introduction	11-1
B. Methodology.....	11-1
C. Existing Conditions	11-1
Solid Waste Services	11-1
Solid Waste Generation	11-2
D. The Future Without the Proposed Project	11-2
E. Probable Impacts of the Proposed Project	11-2
12: Energy	12-1
A. Introduction	12-1
B. Methodology.....	12-1
C. Existing Conditions	12-1
Energy Providers	12-1
Existing Demand At Project Site.....	12-2
D. The Future Without the Proposed Project	12-2
E. Probable Impacts of the Proposed Project	12-3
13: Traffic and Parking	13-1
A. Introduction	13-1
Principal Conclusions	13-1
B. Existing Conditions	13-2
Roadway Network and Traffic Study Area	13-2
Existing Traffic Volumes and Levels of Service.....	13-3
Parking.....	13-6
C. The Future Without the Proposed Project	13-6
No Build Volumes and Levels of Service	13-7
Parking.....	13-9
D. Probable Impacts of the Proposed Project	13-9

Trip Generation and Modal Split.....	13-9
Trip Distribution and Assignment.....	13-13
New Roadway Design.....	13-14
Project-Generated Traffic Volumes	13-15
Traffic Levels of Service and Impacts	13-16
Parking	13-18
14: Transit and Pedestrians	14-1
A. Introduction.....	14-1
B. Methodology	14-1
Pedestrian Operations.....	14-1
Pedestrian Study Area	14-2
Transit Study Area	14-3
C. Existing Conditions.....	14-6
Subway Station Operations	14-6
Subway Line Haul Levels	14-7
Bus Line Haul Levels.....	14-8
Street-Level Pedestrian Operations.....	14-8
D. The Future Without the Proposed Project.....	14-13
Transit and Pedestrian Volume Projections	14-13
Analysis Results	14-13
Subway Station Operations	14-13
Subway Line Haul Levels	14-14
Bus Line Haul Levels.....	14-14
E. Probable Impacts of the Proposed Project.....	14-18
New Roadway Design.....	14-19
Trip Distribution and Assignment.....	14-19
Subway Station Operations	14-20
Subway Line Haul Levels	14-21
Bus Line Haul Levels.....	14-21
F. Pedestrian Safety.....	14-25
School Safety	14-27
15: Air Quality	15-1
A. Introduction.....	15-1
B. Pollutants for Analysis	15-1
Carbon Monoxide.....	15-2
Nitrogen Oxides, VOCs, and Ozone	15-2
Lead.....	15-3
Respirable Particulate Matter—PM ₁₀ and PM _{2.5}	15-3
Sulfur Dioxide	15-4
C. Air Quality Regulations, Standards, and Benchmarks.....	15-4
National and State Air Quality Standards	15-4
NAAQS Attainment Status and State Implementation Plans (SIP)	15-5
Determining the Significance of Air Quality Impacts.....	15-7
D. Methodology for Predicting Pollutant Concentrations.....	15-8
Mobile Sources.....	15-8
Stationary Sources.....	15-13

The Shops at the Armory DEIS

E. Existing Conditions	15-14
Existing Monitored Air Quality Conditions	15-14
Calculated Existing Co Concentrations	15-14
F. Future Without the Proposed Project.....	15-15
Mobile Source Analysis.....	15-15
Stationary Source Analysis.....	15-16
G. Probable Impacts of the Proposed Project	15-16
Mobile Sources Analysis	15-16
Stationary Source Analysis.....	15-18
H. Conclusions	15-18
16: Noise	16-1
A. Introduction	16-1
B. Noise Fundamentals	16-1
“A”-Weighted Sound Level (dBA).....	16-1
Ability to Perceive Changes in Noise Levels	16-2
C. Noise Standards and Criteria	16-3
New York City Noise Control Code.....	16-3
New York CEQR Noise Criteria	16-3
D. Noise Prediction Methodology	16-5
General Methodology	16-5
Analysis Procedure	16-6
Selection of Noise Receptor Locations.....	16-7
Selection of Noise Analysis Conditions	16-7
Noise Monitoring.....	16-7
Equipment Used During Noise Monitoring.....	16-7
E. Impact Definition.....	16-8
F. Existing Conditions	16-8
Site Description	16-8
Results of Baseline Measurements	16-8
G. The Future Without the Proposed Project	16-9
H. Probable Impacts of the Proposed Project	16-10
I. Attenuation Requirements	16-11
J. Mechanical Systems	16-12
K. Conclusions	16-12
17: Construction Impacts	17-1
A. Introduction	17-1
B. Overview of Construction Activities	17-1
Environmental Remediation and Interior Demolition	17-1
Excavation and Grading	17-2
Site Preparation and Framework Construction.....	17-2
Infrastructure Improvements	17-2
Interior Construction.....	17-2
Exterior Construction / Renovation	17-2
Roadway Changes and Repaving	17-3
Site Finishes and Improvements.....	17-3
Workers and Truck Trip Estimates By Construction Phase	17-3

C. Construction Equipment and Activities	17-4
D. Probable Impacts of the Proposed Project.....	17-5
Economic Impacts	17-5
Land Use and Neighborhood Character	17-5
Historic Resources.....	17-6
Hazardous Materials.....	17-6
Traffic and Parking.....	17-6
Transit and Pedestrians.....	17-10
Air Quality.....	17-10
Rodent Control	17-14
18: Public Health.....	18-1
A. Introduction	18-1
B. Methodology	18-1
C. Potential Sources of Air Pollution.....	18-3
Construction	18-3
Project Operations	18-3
D. Pollutants of Concern.....	18-4
Particulate Matter	18-4
E. Air Quality Regulations and Standards.....	18-5
The National Ambient Air Quality Standard (NAAQS) for PM _{2.5}	18-5
F. Health Effects Related to Asthma	18-6
Background	18-6
Causes and Triggers	18-6
Prevalence, Morbidity, and Mortality	18-7
G. Determining the Significance of Public Health Impacts	18-8
Interim Guidance Criteria (Threshold Levels) Regarding PM _{2.5} Impacts	18-9
H. Probable Impacts of the Proposed Project.....	18-10
Construction	18-10
Project Operations	18-11
19: Mitigation	19-1
A. Introduction	19-1
B. Traffic and Parking	19-1
Kingsbridge Road Corridor	19-2
Fordham Road/West 207th Street Corridor.....	19-4
Reservoir Avenue/Jerome Avenue Corridors.....	19-5
Grand Concourse Corridor	19-5
Implementation.....	19-5
C. Air Quality	19-5
20: Alternatives	20-1
A. Introduction	20-1
B. No Action Alternative	20-1
Land Use, Zoning and Public Policy	20-1
Socioeconomic Conditions.....	20-1
Community Facilities	20-2
Open Space.....	20-2

The Shops at the Armory DEIS

Historic Resources 20-2
Urban Design and Visual Resources 20-2
Neighborhood Character 20-2
Hazardous Materials 20-3
Infrastructure 20-3
Solid Waste and Sanitation Services 20-3
Energy 20-3
Traffic and Parking 20-3
Transit and Pedestrians 20-3
Air Quality 20-4
Noise 20-4
Construction 20-4
Public Health 20-4
C. No Significant Adverse Unmitigated Impacts Alternative 20-4

21: Unavoidable Significant Adverse Impacts 21-1

22: Growth-Inducing Aspects of the Proposed Project 22-1

23: Irreversible and Irretrievable Commitment of Resources 23-1

APPENDICES:

Appendix A Socioeconomic Conditions

Appendix B Traffic and Parking

Appendix C Transit and Pedestrians

Appendix D Noise

Appendix E Mitigation

List of Tables

1-1	Program Summary	1-2
2-1	Projects in the Study Area Expected to Be Completed By 2013	2-7
3-1	2000 Employment By Industry Sector.....	3-8
3-2	Retail Employment and Sales in Bronx, NY 1997-2006	3-13
3-3	Retail Employment and Sales in New York City 1997-2006	3-14
3-4	Population, Households, and Median Household Income in Primary Trade Area, Bronx and New York City, 1990 and 2000	3-16
3-5	Vehicles Available for Use By Household Members in Primary Trade Area, Bronx and New York City, 2000	3-17
3-6	Retail Storefronts in the 1.5-Mile Study Area	3-18
3-7	Household Retail Demand in the Primary Trade Area, Bronx, Manhattan, and NYC, 2008.....	3-23
3-8	Household Retail Expenditures and Total Retail Sales, Primary Trade Area, 2008....	3-24
3-9	Household Retail Expenditures and Total Retail Sales, Bronx, 2008.....	3-25
3-10	Household Retail Expenditures and Total Retail Sales, Manhattan, 2008	3-25
3-11	Household Retail Expenditures and Total Retail Sales, New York City, 2008.....	3-25
3-12	Estimated Sales Captured By Primary Trade Area Residents from Retail Projects to Be Built in the Primary Trade Area By 2013	3-27
3-13	Estimated Retail Sales under Proposed Project Reasonable Worst-Case Development Scenario	3-28
3-14	Comparison of Estimated Retail Capture Rates in Primary Trade Area.....	3-29
3-15	Selected Supermarkets Within the 1.5-Mile Trade Area	3-33
4-1	Preliminary Screening Analysis Criteria	4-1
5-1	Open Space Ratios Summary.....	5-1
5-2	Existing Population in Commercial Study Area	5-5
5-3	Age Distribution of 2000 Population.....	5-6
5-4	Study Area Open Space Inventory.....	5-6
5-5	Study Area Open Space Guidelines and Ratios in Existing Conditions	5-8
5-6	Study Area Open Space Guidelines and Ratios in Future Without the Proposed Project....	5-9

The Shops at the Armory DEIS

5-7 Study Area Open Space Guidelines and Ratios in the Future with the Proposed Project.. 5-10

10-1 Actual Average Monthly Flows At Wards Island WPCP 10-3

10-2 Projected Water Consumption 10-6

11-1 Projected Solid Waste Generation..... 11-3

12-1 Energy Consumption for the Proposed Project in 2013 12-3

13-1 Existing Traffic Level of Service Summary..... 13-4

13-2 Background Development Projects 13-7

13-3 Projected Vehicle Trip Generation from Background Development Projects 13-7

13-4 Traffic Level of Service Summary Comparison Existing vs. Future
No Build Conditions (2013)..... 13-8

13-5 Weekday Travel Demand Characteristics: Build Condition 13-10

13-6 Saturday Midday Travel Demand Characteristics: Build Condition..... 13-11

13-7 2013 Build Vehicle Trip Generation 13-13

13-8 Traffic Level of Service Summary Comparison Future No Build
vs. Future Build Conditions (2013)..... 13-16

13-9 Project Garage Parking Accumulation—2013 Build Condition 13-18

14-1 Level of Service Criteria for Pedestrian Elements 14-2

14-2 NYCT Local Bus Routes Serving the Study Area 14-4

14-3 Level of Service Criteria for Subway Station Elements..... 14-4

14-5 2008 Existing Conditions: Subway Station Control Area Analysis 14-7

14-6 2008 Existing Condition: Peak Hour Subway Line Haul..... 14-8

14-7 2008 Existing Conditions: Bus Line Haul At NYCT Maximum Load Points 14-8

14-8 2008 Existing Conditions: Pedestrian LOS Analysis for Sidewalks..... 14-9

14-9 2008 Existing Conditions: Pedestrian LOS Analysis for Corner Reservoirs 14-12

14-10 2008 Existing Conditions: Pedestrian Crosswalk Los Analysis..... 14-12

14-12 2013 No Build Conditions: Subway Station Control Area Analysis 14-14

14-13 2013 No Build Condition: Peak Hour Subway Line Haul 14-14

14-14 2013 No Build Conditions: Bus Line Haul At NYCT Maximum Load Points..... 14-14

14-15 2013 No Build Conditions: Pedestrian LOS Analysis for Sidewalks 14-15

14-16 2013 No Build Conditions: Pedestrian LOS Analysis for Corner Reservoirs..... 14-18

14-17 2013 No Build Conditions: Pedestrian Crosswalk LOS Analysis..... 14-18

14-19 2013 Build Conditions: Subway Station Control Area Analysis 14-21

14-20 2013 Build Condition: Peak Hour Subway Line Haul 14-21

14-21	2013 Build Conditions: Bus Line Haul At NYCT Maximum Load Points	14-21
14-22	2013 Build Conditions: Pedestrian LOS Analysis for Sidewalks	14-22
14-23	2013 Build Conditions: Pedestrian LOS Analysis for Corner Reservoirs	14-25
14-24	2013 Build Conditions: Pedestrian Crosswalk LOS Analysis	14-25
14-25	Accident Data	14-26
15-1	National Ambient Air Quality Standards (NAAQS)	15-5
15-2	Mobile Source Analysis Intersection Locations	15-12
15-3	Representative Monitored Ambient Air Quality Data	15-14
15-4	Maximum Predicted Existing (2007) 8-Hour Average Co Concentrations	15-15
15-5	Maximum Predicted Future (2013) No Build 8-Hour Average Co Concentrations ..	15-15
15-6	Maximum Predicted Future (2013) No Build 24-Hour Average PM ₁₀ Concentrations ..	15-16
15-7	Maximum Predicted Future (2013) 8-Hour Average No Build and Build Co Concentrations	15-16
15-8	Maximum Predicted Future (2013) 24-Hour Average No Build and Build PM ₁₀ Concentrations	15-17
15-9	Maximum Predicted Future (2013) 24-Hour Average PM _{2.5} Concentrations.....	15-17
15-10	Maximum Predicted Future (2013) Annual Average PM _{2.5} Concentrations	15-17
16-1	Common Noise Levels.....	16-2
16-2	Average Ability to Perceive Changes in Noise Levels	16-3
16-3	New York City Noise Codes	16-4
16-4	Noise Exposure Guidelines for Use in City Environmental Impact Review1	16-4
16-5	Required Attenuation Values to Achieve Acceptable Interior Noise Levels.....	16-5
16-6	Noise Receptor Locations	16-7
16-7	Existing Noise Levels (in dBA).....	16-9
16-8	2013 No Build Noise Levels (in dBA)	16-10
16-9	2013 Build Noise Levels (in dBA)	16-11
16-10	Building Attenuation (in dBA): Year 2013	16-12
17-1	Daily Number of Construction Workers and Delivery Trucks	17-4
17-2	Monthly Peak Hour Construction Vehicle Trips	17-4
17-3	Peak Construction Vehicle Trip Projections—First Quarter of 2011	17-8
17-4	Comparison of Vehicle Trips—Construction Phase vs. Build Conditions	17-9
17-5	Typical Noise Emission Levels for Construction Equipment.....	17-13
18-1	1997 and 2005 Hospitalization Rates Per 1,000 Persons (Aged 0 to 14 Years)	18-8

The Shops at the Armory DEIS

19-1 Traffic Impact Mitigation Summary 19-1

19-2 2013 Maximum Predicted 8-Hour Average No Build and Build CO
Concentrations (With Traffic Mitigation) 19-6

19-3 2013 Maximum Predicted 24-Hour Average No Build and Build PM₁₀
Concentrations (With Traffic Mitigation) 19-6

19-4 2013 Maximum Predicted 24-Hour Average PM_{2.5} Concentrations
(With Traffic Mitigation) 19-6

19-5 2013 Maximum Predicted Annual Average PM_{2.5} Concentrations
(With Traffic Mitigation) 19-6

List of Figures

		<u>Following</u> <u>Page</u>
S-1	Project Location Map.....	S-2
S-2	Site Plan	S-2
S-3	Proposed Project—West Kingsbridge Road Perspective.....	S-2
S-4	Proposed Project—Cross Section	S-2
S-5	Proposed Garage Access at Reservoir Avenue.....	S-2
S-6	Existing and Proposed Zoning	S-4
1-1	Project Location Map.....	1-2
1-2	Site Plan	1-2
1-3	Proposed Project—West Kingsbridge Road Perspective.....	1-2
1-4	Proposed Project—Cross Section	1-2
1-5	Proposed Garage Access at Reservoir Avenue.....	1-2
1-6	Existing and Proposed Zoning	1-4
2-1	Land Use	2-2
2-2	Zoning.....	2-6
2-3	No Build Projects.....	2-8
3-1	1.5-Mile Trade Area Retail Concentrations.....	3-2
3-2	Primary Trade Area	3-2
3-3	Major Supermarkets within the 1.5-Mile Trade Area.....	3-32
5-1	Open Space Study Area	5-4
5-2	Open Space Inventory.....	5-6
6-1	Architectural Resources	6-2
6-2	Known Architectural Resources—Project Site.....	6-4
6-3	Known Architectural Resources—Project Site.....	6-4
6-4	Known Architectural Resources—Project Site.....	6-4
6-5	Known Architectural Resources—Project Site.....	6-4
6-6	Known Architectural Resources—Study Area	6-6
6-7	Known Architectural Resources—Study Area	6-6
6-8	Known Architectural Resources—Study Area	6-6
6-9	Known Architectural Resources—Study Area	6-6
6-10	Known Architectural Resources—Study Area	6-6
6-11	Known Architectural Resources—Study Area	6-6

The Shops at the Armory DEIS

6-12 Known Architectural Resources—Study Area..... 6-6

6-13 Proposed Project—View to the Project Site from Kingsbridge Road and Reservoir
Avenue 6-8

6-14 Proposed Project—Proposed Interior Configuration..... 6-8

6-15 Proposed Project—Interior View West from Near the Jerome Avenue Entrance 6-8

6-16 Proposed Project—Interior View West of the Upper Level from Near the Jerome
Avenue Entrance 6-8

6-17 Proposed Project—Interior View East from Near the Reservoir Avenue Entrance..... 6-8

6-18 Proposed Project—Interior View East from the Upper Level..... 6-8

7-1 Urban Design and Visual Resources 7-2

7-2 Urban Design and Visual Resources—Project Site..... 7-2

7-3 Urban Design and Visual Resources—Project Site..... 7-2

7-4 Urban Design and Visual Resources—Project Site..... 7-2

7-5 Urban Design and Visual Resources—Study Area 7-2

7-6 Urban Design and Visual Resources—Study Area 7-4

7-7 Urban Design and Visual Resources—Study Area 7-4

7-8 Urban Design and Visual Resources—Study Area 7-4

7-9 Proposed Project—View to the Project Site from Kingsbridge Road and Reservoir
Avenue 7-8

13-1 Traffic Study Area..... 13-4

13-2 Existing Traffic Levels of Service—Weekday AM Peak Hour 13-6

13-3 Existing Traffic Levels of Service—Weekday Midday Peak Hour 13-6

13-4 Existing Traffic Levels of Service—Weekday PM Peak Hour 13-6

13-5 Existing Traffic Levels of Service—Saturday Midday Peak Hour 13-6

13-6 Background Development Projects 13-8

13-7 No Build Traffic Levels of Service—Weekday AM Peak Hour 13-8

13-8 No Build Traffic Levels of Service—Weekday Midday Peak Hour 13-8

13-9 No Build Traffic Levels of Service—Weekday PM Peak Hour 13-8

13-10 No Build Traffic Levels of Service—Saturday Midday Peak Hour..... 13-8

13-11 Proposed Roadway Geometry 13-14

13-12 Build Traffic Levels of Service—Weekday AM Peak Hour..... 13-16

13-13 Build Traffic Levels of Service—Weekday Midday Peak Hour..... 13-16

13-14 Build Traffic Levels of Service—Weekday PM Peak Hour 13-16

13-15 Build Traffic Levels of Service—Saturday Midday Peak Hour 13-16

14-1 Pedestrian Study Area 14-4

14-2 Study Area Transit Network 14-4

15-1 Air Quality Receptor Locations 15-12

16-1 Noise Receptor Locations 16-8

19-1 Traffic Mitigation Overview—Weekday AM Peak Hour..... 19-2

19-2 Traffic Mitigation Overview—Weekday Midday Peak Hour..... 19-2

List of Figures

19-3 Traffic Mitigation Overview—Weekday PM Peak Hour19-2
19-4 Traffic Mitigation Overview—Saturday Midday Peak Hour19-2

*