

Table of Contents

Foreword.....	F-1
Executive Summary	S-1
A. Project Description.....	S-1
Project Identification	S-1
Site Conditions	S-2
Background History	S-3
Project Purpose and Need	S-3
Description of Proposed Project.....	S-4
B. Probable Impacts of the Proposed Project.....	S-4
Land Use, Zoning, and Public Policy	S-4
Socioeconomic Conditions.....	S-5
Community Facilities	S-5
Open Space.....	S-5
Historic Resources.....	S-6
Urban Design.....	S-6
Neighborhood Character	S-6
Hazardous Materials.....	S-7
Infrastructure	S-8
Solid Waste	S-8
Energy	S-8
Traffic and Parking.....	S-8
Transit and Pedestrians.....	S-9
Air Quality.....	S-9
Noise	S-9
Construction	S-10
Public Health.....	S-11
Growth Inducing Aspects.....	S-12
Irreversible and Irretrievable Commitment of Resources	S-12
Unavoidable Significant Adverse Impacts	S-13
C. Alternatives to the Proposed Project.....	S-13
No Action Alternative	S-13
No Unmitigated Significant Adverse Impacts Alternative.....	S-16
D. Impact Avoidance Measures and Mitigation	S-16
Mitigation	S-16
1: Project Description	1-1
A. Project Identification.....	1-1
B. Site Conditions	1-2
C. Background History	1-3

The Shops at the Armory FEIS

D. Project Purpose and Need.....	1-3
E. Description of Proposed Project.....	1-4
F. Public Review Process.....	1-4
Uniform Land Use Review Procedure (ULURP).....	1-4
Content of the EIS and Methodology.....	1-6
2: Land Use, Zoning, and Public Policy	2-1
A. Introduction	2-1
B. Background and Development History	2-1
C. Existing Conditions	2-2
Land Use.....	2-2
Zoning.....	2-5
Public Policy.....	2-7
D. The Future Without the Proposed Project	2-7
Land Use.....	2-7
Zoning and Public Policy.....	2-8
E. Probable Impacts of the Proposed Project	2-8
Land Use.....	2-9
Zoning.....	2-9
Public Policy.....	2-9
3: Socioeconomic Conditions.....	3-1
A. Introduction	3-1
B. Methodology.....	3-1
Study Area and Data Sources	3-2
C. Preliminary Assessment	3-3
Direct Residential Displacement	3-3
Direct Business and Institutional Displacement	3-3
Indirect Residential Displacement	3-3
Indirect Business and Institutional Displacement.....	3-6
D. Detailed Analysis: Indirect Business Displacement Due to Competition	3-12
Existing Conditions	3-12
E. Conclusion.....	3-37
4: Community Facilities and Services	4-1
A. Introduction	4-1
B. Screening Analyses.....	4-1
Direct Effects	4-1
Indirect Effects.....	4-2
5: Open Space	5-1
A. Introduction	5-1
B. Methodology.....	5-2
Direct Effects Analysis.....	5-2
Indirect Effects Analysis.....	5-2
C. Existing Conditions	5-5
Open Space User Population	5-5
Open Space Inventory.....	5-6

Adequacy of Open Spaces.....	5-7
D. The Future Without the Proposed Project	5-8
Open Space User Population.....	5-8
Open Space Inventory	5-8
Adequacy of Open Spaces.....	5-9
E. Probable Impacts of the Proposed Project.....	5-9
Open Space User Population.....	5-9
Open Space Inventory	5-9
Adequacy of Open Spaces.....	5-10
F. Conclusions.....	5-10
6: Historic Resources	6-1
A. Introduction.....	6-1
B. Kingsbridge Heights Background and Development History	6-2
C. Existing Conditions.....	6-3
Project Site	6-3
Study Area.....	6-4
D. Future Without the Proposed Project	6-6
Other Future Projects	6-6
E. Probable Impacts of the Proposed Project.....	6-7
Project Site	6-7
Study Area.....	6-8
7: Urban Design and Visual Resources	7-1
A. Introduction.....	7-1
B. Existing Conditions.....	7-2
Project Site	7-2
Study Area.....	7-2
C. The Future Without the Proposed Project	7-6
Project Site	7-6
Other Future Projects	7-6
D. Probable Impacts of the Proposed Project.....	7-7
Project Site	7-7
Study Area.....	7-8
8: Neighborhood Character	8-1
A. Introduction.....	8-1
B. Existing Conditions.....	8-2
C. The Future Without the Proposed Project	8-5
D. Probable Impacts of the Proposed Project.....	8-5
9: Hazardous Materials	9-1
A. Introduction.....	9-1
Conclusions	9-1
B. Existing Conditions.....	9-2
Subsurface Conditions.....	9-2
Phase I Environmental Site Assessment	9-2
Phase Ii Environmental Site Investigation Report.....	9-3

The Shops at the Armory FEIS

C. The Future Without the Proposed Project 9-3
D. Probable Impacts of the Proposed Project 9-3

10: Infrastructure 10-1

A. Introduction 10-1
B. Methodology 10-1
 Water Supply 10-1
 Sanitary Sewage..... 10-1
 Stormwater..... 10-2
C. Existing Conditions 10-2
 Water Supply 10-2
 Sanitary Sewage..... 10-3
 Stormwater Runoff 10-4
D. The Future Without the Proposed Project 10-5
 Water Supply 10-5
 Sanitary Sewage..... 10-5
 Stormwater Runoff 10-5
E. Probable Impacts of the Proposed Project 10-5
 Water Supply 10-5
 Sanitary Sewage..... 10-5
 Stormwater Runoff 10-6

11: Solid Waste and Sanitation Services 11-1

A. Introduction 11-1
B. Methodology..... 11-1
C. Existing Conditions 11-1
 Solid Waste Services 11-1
 Solid Waste Generation 11-2
D. The Future Without the Proposed Project 11-2
E. Probable Impacts of the Proposed Project 11-2

12: Energy 12-1

A. Introduction 12-1
B. Methodology..... 12-1
C. Existing Conditions 12-1
 Energy Providers 12-1
 Existing Demand At Project Site 12-2
D. The Future Without the Proposed Project 12-2
E. Probable Impacts of the Proposed Project 12-3

13: Traffic and Parking 13-1

A. Introduction 13-1
 Principal Conclusions 13-1
B. Existing Conditions 13-2
 Roadway Network and Traffic Study Area 13-2
 Existing Traffic Volumes and Levels of Service..... 13-3
 Parking..... 13-6

C.	The Future Without the Proposed Project	13-6
	No Build Volumes and Levels of Service	13-8
	Parking	13-9
D.	Probable Impacts of the Proposed Project.....	13-9
	Trip Generation and Modal Split.....	13-10
	Trip Distribution and Assignment	13-12
	New Roadway Design.....	13-14
	Project-Generated Traffic Volumes	13-15
	Traffic Levels of Service and Impacts	13-16
	Parking	13-18
14: Transit and Pedestrians		14-1
A.	Introduction	14-1
B.	Methodology	14-1
	Pedestrian Operations.....	14-1
	Pedestrian Study Area	14-2
	Transit Study Area	14-3
C.	Existing Conditions	14-6
	Subway Station Operations	14-6
	Subway Line Haul Levels	14-7
	Bus Line Haul Levels	14-8
	Street-Level Pedestrian Operations	14-8
D.	The Future Without the Proposed Project	14-13
	Transit and Pedestrian Volume Projections	14-13
	Analysis Results	14-13
	Subway Station Operations	14-13
	Subway Line Haul Levels	14-14
	Bus Line Haul Levels	14-14
E.	Probable Impacts of the Proposed Project.....	14-18
	New Roadway Design.....	14-19
	Trip Distribution and Assignment	14-19
	Subway Station Operations	14-20
	Subway Line Haul Levels	14-21
	Bus Line Haul Levels	14-21
F.	Pedestrian Safety	14-25
	School Safety	14-27
15: Air Quality		15-1
A.	Introduction	15-1
B.	Pollutants for Analysis	15-1
	Carbon Monoxide.....	15-2
	Nitrogen Oxides, VOCs, and Ozone	15-2
	Lead.....	15-3
	Respirable Particulate Matter—PM ₁₀ and PM _{2.5}	15-3
	Sulfur Dioxide	15-4
C.	Air Quality Regulations, Standards, and Benchmarks	15-4
	National and State Air Quality Standards	15-4
	NAAQS Attainment Status and State Implementation Plans (SIP)	15-5

The Shops at the Armory FEIS

Determining the Significance of Air Quality Impacts	15-7
D. Methodology for Predicting Pollutant Concentrations	15-8
Mobile Sources	15-8
Stationary Sources	15-13
E. Existing Conditions	15-14
Existing Monitored Air Quality Conditions	15-14
Calculated Existing Co Concentrations	15-14
F. Future Without the Proposed Project.....	15-15
Mobile Source Analysis.....	15-15
Stationary Source Analysis.....	15-16
G. Probable Impacts of the Proposed Project	15-16
Mobile Sources Analysis	15-16
Stationary Source Analysis	15-18
H. Conclusions	15-18
16: Noise	16-1
A. Introduction	16-1
B. Noise Fundamentals	16-1
“A”-Weighted Sound Level (dBA).....	16-1
Ability to Perceive Changes in Noise Levels	16-2
C. Noise Standards and Criteria	16-3
New York City Noise Control Code.....	16-3
New York CEQR Noise Criteria	16-3
D. Noise Prediction Methodology.....	16-5
General Methodology	16-5
Analysis Procedure	16-6
Selection of Noise Receptor Locations.....	16-7
Selection of Noise Analysis Conditions	16-7
Noise Monitoring.....	16-7
Equipment Used During Noise Monitoring.....	16-7
E. Impact Definition.....	16-8
F. Existing Conditions	16-8
Site Description	16-8
Results of Baseline Measurements	16-8
G. The Future Without the Proposed Project	16-9
H. Probable Impacts of the Proposed Project	16-10
I. Attenuation Requirements	16-11
J. Mechanical Systems	16-12
K. Conclusions	16-12
17: Construction Impacts	17-1
A. Introduction	17-1
B. Overview of Construction Activities	17-1
Environmental Remediation and Interior Demolition	17-1
Excavation and Grading	17-2
Site Preparation and Framework Construction.....	17-2
Infrastructure Improvements	17-2
Interior Construction.....	17-2

Exterior Construction / Renovation.....	17-2
Roadway Changes and Repaving.....	17-3
Site Finishes and Improvements.....	17-3
Workers and Truck Trip Estimates By Construction Phase.....	17-3
C. Construction Equipment and Activities	17-4
D. Probable Impacts of the Proposed Project.....	17-5
Economic Impacts	17-5
Land Use and Neighborhood Character	17-5
Historic Resources.....	17-6
Hazardous Materials.....	17-6
Traffic and Parking.....	17-6
Transit and Pedestrians.....	17-10
Air Quality.....	17-10
Rodent Control	17-14
18: Public Health.....	18-1
A. Introduction.....	18-1
B. Methodology	18-1
C. Potential Sources of Air Pollution.....	18-3
Construction	18-3
Project Operations	18-3
D. Pollutants of Concern.....	18-4
Particulate Matter	18-4
E. Air Quality Regulations and Standards.....	18-5
The National Ambient Air Quality Standard (NAAQS) for PM _{2.5}	18-5
F. Health Effects Related to Asthma	18-6
Background	18-6
Causes and Triggers	18-6
Prevalence, Morbidity, and Mortality	18-7
G. Determining the Significance of Public Health Impacts	18-8
Interim Guidance Criteria (Threshold Levels) Regarding PM _{2.5} Impacts	18-9
H. Probable Impacts of the Proposed Project.....	18-10
Construction	18-10
Project Operations	18-11
19: Mitigation	19-1
A. Introduction.....	19-1
B. Traffic and Parking	19-1
Kingsbridge Road Corridor.....	19-2
Fordham Road/West 207th Street Corridor.....	19-4
Reservoir Avenue/Jerome Avenue Corridors.....	19-5
Grand Concourse Corridor	19-5
Implementation.....	19-5
C. Air Quality	19-6
20: Alternatives	20-1
A. Introduction.....	20-1
B. No Action Alternative.....	20-1

The Shops at the Armory FEIS

Land Use, Zoning and Public Policy 20-1
Socioeconomic Conditions 20-1
Community Facilities..... 20-2
Open Space 20-2
Historic Resources 20-2
Urban Design and Visual Resources 20-2
Neighborhood Character..... 20-2
Hazardous Materials 20-3
Infrastructure 20-3
Solid Waste and Sanitation Services 20-3
Energy..... 20-3
Traffic and Parking 20-3
Transit and Pedestrians 20-3
Air Quality 20-4
Noise..... 20-4
Construction..... 20-4
Public Health 20-4
C. No Significant Adverse Unmitigated Impacts Alternative 20-4

21: Unavoidable Significant Adverse Impacts 21-1

22: Growth-Inducing Aspects of the Proposed Project..... 22-1

23: Irreversible and Irretrievable Commitment of Resources..... 23-1

24: Response to Comments on the DEIS 24-1

APPENDICES:

Appendix ASocioeconomic Conditions

Appendix B..... Traffic and Parking

Appendix C Transit and Pedestrians

Appendix D Noise

Appendix E.....Mitigation

List of Tables

1-1	Program Summary	1-2
2-1	Projects in the Study Area Expected to Be Completed By 2013	2-7
3-1	2000 Employment By Industry Sector.....	3-8
3-2	Retail Employment and Sales in Bronx, NY 1997-2006	3-13
3-3	Retail Employment and Sales in New York City 1997-2006	3-14
3-4	Population, Households, and Median Household Income in Primary Trade Area, Bronx and New York City, 1990 and 2000	3-16
3-5	Vehicles Available for Use By Household Members in Primary Trade Area, Bronx and New York City, 2000	3-17
3-6	Retail Storefronts in the 1.5-Mile Study Area	3-18
3-7	Household Retail Demand in the Primary Trade Area, Bronx, Manhattan, and NYC, 2008.....	3-23
3-8	Household Retail Expenditures and Total Retail Sales, Primary Trade Area, 2008....	3-24
3-9	Household Retail Expenditures and Total Retail Sales, Bronx, 2008.....	3-25
3-10	Household Retail Expenditures and Total Retail Sales, Manhattan, 2008	3-25
3-11	Household Retail Expenditures and Total Retail Sales, New York City, 2008.....	3-25
3-12	Estimated Sales Captured By Primary Trade Area Residents from Retail Projects to Be Built in the Primary Trade Area By 2013	3-27
3-13	Estimated Retail Sales under Proposed Project Reasonable Worst-Case Development Scenario	3-28
3-14	Comparison of Estimated Retail Capture Rates in Primary Trade Area.....	3-29
3-15	Selected Supermarkets Within the 1.5-Mile Trade Area	3-33
4-1	Preliminary Screening Analysis Criteria	4-1
5-1	Open Space Ratios Summary.....	5-1
5-2	Existing Population in Commercial Study Area	5-5
5-3	Age Distribution of 2000 Population.....	5-6
5-4	Study Area Open Space Inventory.....	5-6
5-5	Study Area Open Space Guidelines and Ratios in Existing Conditions	5-8
5-6	Study Area Open Space Guidelines and Ratios in Future Without the Proposed Project....	5-9

The Shops at the Armory FEIS

5-7 Study Area Open Space Guidelines and Ratios in the Future with the Proposed Project.. 5-10

10-1 Actual Average Monthly Flows At Wards Island WPCP 10-3

10-2 Projected Water Consumption 10-6

11-1 Projected Solid Waste Generation..... 11-3

12-1 Energy Consumption for the Proposed Project in 2013 12-3

13-1 Existing Traffic Level of Service Summary..... 13-4

13-2 Background Development Projects 13-7

13-3 Projected Vehicle Trip Generation from Background Development Projects 13-7

13-4 Traffic Level of Service Summary Comparison Existing vs. Future No Build
Conditions (2013)..... 13-8

13-5 Weekday Travel Demand Characteristics: Build Condition 13-10

13-6 Saturday Midday Travel Demand Characteristics: Build Condition..... 13-11

13-7 2013 Build Vehicle Trip Generation 13-13

13-8 Traffic Level of Service Summary Comparison Future No Build vs.
Future Build Conditions (2013) 13-16

13-9 Project Garage Parking Accumulation—2013 Build Condition 13-18

14-1 Level of Service Criteria for Pedestrian Elements 14-2

14-2 NYCT Local Bus Routes Serving the Study Area 14-4

14-3 Level of Service Criteria for Subway Station Elements..... 14-4

14-5 2008 Existing Conditions: Subway Station Control Area Analysis 14-7

14-6 2008 Existing Condition: Peak Hour Subway Line Haul..... 14-8

14-7 2008 Existing Conditions: Bus Line Haul At NYCT Maximum Load Points 14-8

14-8 2008 Existing Conditions: Pedestrian LOS Analysis for Sidewalks..... 14-9

14-9 2008 Existing Conditions: Pedestrian LOS Analysis for Corner Reservoirs 14-12

14-10 2008 Existing Conditions: Pedestrian Crosswalk Los Analysis..... 14-12

14-12 2013 No Build Conditions: Subway Station Control Area Analysis 14-14

14-13 2013 No Build Condition: Peak Hour Subway Line Haul 14-14

14-14 2013 No Build Conditions: Bus Line Haul At NYCT Maximum Load Points..... 14-14

14-15 2013 No Build Conditions: Pedestrian LOS Analysis for Sidewalks 14-15

14-16 2013 No Build Conditions: Pedestrian LOS Analysis for Corner Reservoirs..... 14-18

14-17 2013 No Build Conditions: Pedestrian Crosswalk LOS Analysis..... 14-18

14-19 2013 Build Conditions: Subway Station Control Area Analysis 14-21

14-20 2013 Build Condition: Peak Hour Subway Line Haul 14-21

14-21	2013 Build Conditions: Bus Line Haul At NYCT Maximum Load Points	14-21
14-22	2013 Build Conditions: Pedestrian LOS Analysis for Sidewalks	14-22
14-23	2013 Build Conditions: Pedestrian LOS Analysis for Corner Reservoirs	14-25
14-24	2013 Build Conditions: Pedestrian Crosswalk LOS Analysis	14-25
14-25	Accident Data	14-26
15-1	National Ambient Air Quality Standards (NAAQS)	15-5
15-2	Mobile Source Analysis Intersection Locations	15-12
15-3	Representative Monitored Ambient Air Quality Data	15-14
15-4	Maximum Predicted Existing (2007) 8-Hour Average Co Concentrations	15-15
15-5	Maximum Predicted Future (2013) No Build 8-Hour Average Co Concentrations ..	15-15
15-6	Maximum Predicted Future (2013) No Build 24-Hour Average PM ₁₀ Concentrations ..	15-16
15-7	Maximum Predicted Future (2013) 8-Hour Average No Build and Build Co Concentrations	15-16
15-8	Maximum Predicted Future (2013) 24-Hour Average No Build and Build PM ₁₀ Concentrations	15-17
15-9	Maximum Predicted Future (2013) 24-Hour Average PM _{2.5} Concentrations.....	15-17
15-10	Maximum Predicted Future (2013) Annual Average PM _{2.5} Concentrations	15-17
16-1	Common Noise Levels.....	16-2
16-2	Average Ability to Perceive Changes in Noise Levels	16-3
16-3	New York City Noise Codes	16-4
16-4	Noise Exposure Guidelines for Use in City Environmental Impact Review1	16-4
16-5	Required Attenuation Values to Achieve Acceptable Interior Noise Levels.....	16-5
16-6	Noise Receptor Locations	16-7
16-7	Existing Noise Levels (in dBA).....	16-9
16-8	2013 No Build Noise Levels (in dBA)	16-10
16-9	2013 Build Noise Levels (in dBA)	16-11
16-10	Building Attenuation (in dBA): Year 2013	16-12
17-1	Daily Number of Construction Workers and Delivery Trucks	17-4
17-2	Monthly Peak Hour Construction Vehicle Trips	17-4
17-3	Peak Construction Vehicle Trip Projections—First Quarter of 2011	17-8
17-4	Comparison of Vehicle Trips—Construction Phase vs. Build Conditions	17-9
17-5	Typical Noise Emission Levels for Construction Equipment.....	17-13
18-1	1997 and 2005 Hospitalization Rates Per 1,000 Persons (Aged 0 to 14 Years)	18-8

The Shops at the Armory FEIS

19-1 Traffic Impact Mitigation Summary 19-1

19-2 2013 Maximum Predicted 8-Hour Average No Build and Build CO
Concentrations (With Traffic Mitigation) 19-6

19-3 2013 Maximum Predicted 24-Hour Average No Build and Build PM₁₀
Concentrations (With Traffic Mitigation) 19-6

19-4 2013 Maximum Predicted 24-Hour Average PM_{2.5} Concentrations
(With Traffic Mitigation) 19-6

19-5 2013 Maximum Predicted Annual Average PM_{2.5} Concentrations
(With Traffic Mitigation) 19-6

List of Figures

		<u>Following</u> <u>Page</u>
S-1	Project Location Map.....	S-2
S-2	Site Plan	S-2
S-3	Proposed Project—West Kingsbridge Road Perspective.....	S-2
S-4	Proposed Project—Cross Section	S-2
S-5	Proposed Garage Access at Reservoir Avenue.....	S-2
S-6	Existing and Proposed Zoning	S-4
1-1	Project Location Map.....	1-2
1-2	Site Plan	1-2
1-3	Proposed Project—West Kingsbridge Road Perspective.....	1-2
1-4	Proposed Project—Cross Section	1-2
1-5	Proposed Garage Access at Reservoir Avenue.....	1-2
1-6	Existing and Proposed Zoning	1-4
2-1	Land Use	2-2
2-2	Zoning.....	2-6
2-3	No Build Projects.....	2-8
3-1	1.5-Mile Trade Area Retail Concentrations.....	3-2
3-2	Primary Trade Area	3-2
3-3	Major Supermarkets within the 1.5-Mile Trade Area.....	3-32
5-1	Open Space Study Area	5-4
5-2	Open Space Inventory.....	5-6
6-1	Architectural Resources	6-2
6-2	Known Architectural Resources—Project Site.....	6-4
6-3	Known Architectural Resources—Project Site.....	6-4
6-4	Known Architectural Resources—Project Site.....	6-4
6-5	Known Architectural Resources—Project Site.....	6-4
6-6	Known Architectural Resources—Study Area	6-6
6-7	Known Architectural Resources—Study Area	6-6
6-8	Known Architectural Resources—Study Area	6-6
6-9	Known Architectural Resources—Study Area	6-6
6-10	Known Architectural Resources—Study Area	6-6
6-11	Known Architectural Resources—Study Area	6-6

The Shops at the Armory FEIS

6-12	Known Architectural Resources—Study Area.....	6-6
6-13	Proposed Project—View to the Project Site from Kingsbridge Road and Reservoir Avenue	6-8
6-14	Proposed Project—Proposed Interior Configuration.....	6-8
6-15	Proposed Project—Interior View West from Near the Jerome Avenue Entrance	6-8
6-16	Proposed Project—Interior View West of the Upper Level from Near the Jerome Avenue Entrance	6-8
6-17	Proposed Project—Interior View East from Near the Reservoir Avenue Entrance.....	6-8
6-18	Proposed Project—Interior View East from the Upper Level.....	6-8
7-1	Urban Design and Visual Resources	7-2
7-2	Urban Design and Visual Resources—Project Site.....	7-2
7-3	Urban Design and Visual Resources—Project Site.....	7-2
7-4	Urban Design and Visual Resources—Project Site.....	7-2
7-5	Urban Design and Visual Resources—Study Area	7-2
7-6	Urban Design and Visual Resources—Study Area	7-4
7-7	Urban Design and Visual Resources—Study Area	7-4
7-8	Urban Design and Visual Resources—Study Area	7-4
7-9	Proposed Project—View to the Project Site from Kingsbridge Road and Reservoir Avenue	7-8
13-1	Traffic Study Area.....	13-4
13-2	Existing Traffic Levels of Service—Weekday AM Peak Hour	13-6
13-3	Existing Traffic Levels of Service—Weekday Midday Peak Hour	13-6
13-4	Existing Traffic Levels of Service—Weekday PM Peak Hour.....	13-6
13-5	Existing Traffic Levels of Service—Saturday Midday Peak Hour	13-6
13-6	Background Development Projects	13-8
13-7	No Build Traffic Levels of Service—Weekday AM Peak Hour.....	13-8
13-8	No Build Traffic Levels of Service—Weekday Midday Peak Hour.....	13-8
13-9	No Build Traffic Levels of Service—Weekday PM Peak Hour	13-8
13-10	No Build Traffic Levels of Service—Saturday Midday Peak Hour.....	13-8
13-11	Proposed Roadway Geometry	13-14
13-12	Build Traffic Levels of Service—Weekday AM Peak Hour.....	13-16
13-13	Build Traffic Levels of Service—Weekday Midday Peak Hour.....	13-16
13-14	Build Traffic Levels of Service—Weekday PM Peak Hour	13-16
13-15	Build Traffic Levels of Service—Saturday Midday Peak Hour	13-16
14-1	Pedestrian Study Area	14-2
14-2	Study Area Transit Network	14-4
15-1	Air Quality Receptor Locations	15-12
16-1	Noise Receptor Locations	16-8
19-1	Traffic Mitigation Overview—Weekday AM Peak Hour.....	19-2
19-2	Traffic Mitigation Overview—Weekday Midday Peak Hour.....	19-2

List of Figures

19-3 Traffic Mitigation Overview—Weekday PM Peak Hour19-2
19-4 Traffic Mitigation Overview—Saturday Midday Peak Hour19-2

*