

SEWARD PARK MIXED-USE DEVELOPMENT PROJECT

DRAFT GENERIC ENVIRONMENTAL IMPACT STATEMENT

CEQR No: 11DME012M

Lead Agency:

Office of the Deputy Mayor for Economic Development

Lead Agency Contact:

Robert R. Kulikowski, Ph.D.

Preparers:

AKRF, Inc.

VHB/Eng-Wong, Taub & Associates

Beyer Blinder Belle

March 23, 2012

**SEWARD PARK MIXED-USE DEVELOPMENT PROJECT
DRAFT GENERIC ENVIRONMENTAL IMPACT STATEMENT (DGEIS)**

Project Location:	Community District 3 Borough of Manhattan
CEQR No.	11DME012M
Type of Action:	Type I
ULURP Nos.	120226ZMM, N120227ZRM, 120228ZSM, 120229ZSM, N120230ZAM, 120231ZSM, 120233ZSM, 120234ZSM, 120235ZSM, 120236HAM, 120237PQM, 120156MMM
Lead Agency:	Office of the Deputy Mayor for Economic Development
Lead Agency Contact:	Robert R. Kulikowski, Ph.D.
Project Applicants:	New York City Economic Development Corporation and City of New York Department of Housing, Preservation, & Development
Preparers:	AKRF, Inc. 440 Park Avenue South New York, NY 10016 VHB/Eng-Wong, Taub & Associates Two Penn Plaza, Suite 2602 New York, NY 10121 Beyer Blinder Belle Architects & Planners LLP 41 East 11th Street, New York, NY 10003
Acceptance Date:	March 23, 2012

The DGEIS is available for review on the website of the Mayor's Office of Environmental Coordination.

<http://www.nyc.gov/oec>

Table of Contents

Executive Summary	S-1
A. Introduction.....	S-1
B. Project Background	S-2
Seward Park Extension Urban Renewal Area	S-2
2011 Community Board 3 Planning Guidelines.....	S-2
C. Project Description.....	S-3
Site Description	S-3
Site Plan and Urban Design.....	S-4
Discretionary Actions Subject to CEQR and SEQRA	S-6
D. Analytical Framework for Environmental Review	S-7
Reasonable Worst-Case Development Scenario	S-8
E. Probable Impacts of the Proposed Project.....	S-10
Land Use, Zoning, and Public Policy	S-10
Socioeconomic Conditions.....	S-10
Community Facilities and Services	S-14
Open Space.....	S-15
Shadows	S-16
Historic and Cultural Resources.....	S-17
Urban Design and Visual Resources	S-18
Hazardous Materials.....	S-18
Water and Sewer Infrastructure.....	S-19
Solid Waste and Sanitation Services	S-19
Energy	S-19
Transportation	S-20
Air Quality.....	S-22
Greenhouse Gas Emissions	S-23
Noise	S-23
Public Health	S-23
Neighborhood Character	S-24
Construction	S-24
F. Alternatives	S-30
No Action Alternative	S-30
Essex Street Market Alternative.....	S-33
No Unmitigated Significant Impacts Alternative	S-35
G. Mitigation Measures.....	S-36
Historic and Cultural Resources.....	S-36
Transportation	S-37
Construction	S-40
H. Unavoidable Adverse Impacts	S-42
I. Growth-Inducing Aspects of the Proposed Actions.....	S-44
J. Irreversible and Irretrievable Commitments of Resources.....	S-44

Seward Park Mixed-Use Development Project

1: Project Description	1-1
A. Introduction	1-1
B. Project Background	1-2
Seward Park Extension Urban Renewal Area	1-2
2011 Community Board 3 Planning Guidelines	1-3
C. Project Description	1-3
Site Description.....	1-3
Site Plan and Urban Design	1-4
Discretionary Actions Subject to CEQR and SEQRA.....	1-6
D. Analytical Framework for Environmental Review.....	1-8
Reasonable Worst-Case Development Scenario.....	1-8
2: Land Use, Zoning, and Public Policy	2-1
A. Introduction	2-1
Principal Conclusions	2-1
B. Methodology.....	2-2
C. Background and Development History.....	2-2
D. Existing Conditions	2-4
Land Use.....	2-4
Zoning.....	2-11
Public Policy	2-15
E. The Future Without the Proposed Actions	2-17
Land Use.....	2-17
Zoning.....	2-17
Public Policy	2-17
F. Probable Impacts of the Proposed Actions	2-19
Land Use.....	2-21
Zoning.....	2-23
Public Policy	2-27
3: Socioeconomic Conditions.....	3-1
A. Introduction	3-1
Principal Conclusions	3-1
B. Methodology.....	3-6
Background.....	3-6
Determining Whether A Socioeconomic Assessment Is Appropriate	3-6
Analysis Format.....	3-7
Study Area Delineation.....	3-8
Data Sources	3-9
C. Preliminary Assessment.....	3-9
Direct Residential Displacement	3-9
Direct Business Displacement	3-10
Indirect Residential Displacement	3-15
Indirect Business Displacement Due to Increased Rents.....	3-18
Indirect Business Displacement Due to Market Saturation	3-22
Adverse Effects On Specific Industries	3-32
D. Detailed Analysis: Indirect Business Displacement Due to Retail Market Saturation	3-33
Existing Conditions.....	3-34

The Future Without the Proposed Actions	3-40
Probable Impacts of the Proposed Actions	3-41
4: Community Facilities and Services	4-1
A. Introduction	4-1
Principal Conclusions	4-1
B. Preliminary Screening	4-2
Direct Effects	4-2
Indirect Effects	4-3
C. Direct Effects On Health Care Services	4-4
D. Indirect Effects On Public Elementary and Intermediate Schools	4-5
Methodology	4-5
Existing Conditions	4-6
The Future Without the Proposed Actions	4-7
Probable Impacts of the Proposed Actions	4-9
E. Indirect Effects On Child Care Services	4-11
Methodology	4-11
Existing Conditions	4-12
The Future Without the Proposed Actions	4-12
Probable Impacts of the Proposed Actions	4-14
5: Open Space.....	5-1
A. Introduction	5-1
Principal Conclusions	5-1
B. Methodology	5-2
Direct Effects Analysis	5-2
Indirect Effects Analysis	5-2
C. Preliminary Assessment	5-6
Existing Conditions	5-6
The Future Without the Proposed Actions	5-12
Probable Impacts of the Proposed Actions	5-14
D. Conclusions	5-16
6: Shadows	6-1
A. Introduction	6-1
Principal Conclusions	6-1
B. Definitions and Methodology	6-2
Definitions	6-2
Methodology	6-3
C. Preliminary Screening Assessment	6-3
Tier 1 Screening Assessment	6-4
Tier 2 Screening Assessment	6-5
Tier 3 Screening Assessment	6-6
D. Detailed Shadow Analysis	6-9
March 21/September 21	6-10
May 6/August 6	6-11
June 21	6-12
December 21	6-13

E. Conclusions	6-13
7: Historic and Cultural Resources.....	7-1
A. Introduction	7-1
Principal Conclusions	7-1
B. Methodology.....	7-2
Archaeological Resources.....	7-2
Architectural Resources	7-3
C. Existing Conditions	7-5
Archaeological Resources.....	7-5
Architectural Resources	7-7
D. The Future Without the Proposed Actions	7-15
Archaeological Resources.....	7-16
Architectural Resources	7-16
E. Probable Impacts of the Proposed Actions	7-18
Overview.....	7-18
Archaeological Resources.....	7-19
Architectural Resources	7-20
8: Urban Design and Visual Resources	8-1
A. Introduction	8-1
Principal Conclusions	8-1
B. Preliminary Assessment.....	8-1
C. Methodology.....	8-2
D. Existing Conditions	8-3
Urban Design	8-3
Visual Resources.....	8-8
E. The Future Without the Proposed Actions	8-10
Effects of Other Future Projects	8-10
F. Probable Impacts of the Proposed Actions	8-10
Urban Design	8-10
Visual Resources.....	8-15
9: Hazardous Materials.....	9-1
A. Introduction	9-1
Principal Conclusions	9-1
B. Existing Conditions	9-2
C. The Future Without the Proposed Actions	9-2
D. Probable Impacts of the Proposed Actions	9-2
10: Water and Sewer Infrastructure	10-1
A. Introduction	10-1
Principal Conclusions	10-1
B. Methodology.....	10-2
C. Existing Conditions	10-3
Water Supply	10-3
Water Consumption	10-3
Sanitary Sewage.....	10-3

Stormwater	10-4
D. The Future Without the Proposed Actions	10-5
E. Probable Impacts of the Proposed Actions	10-5
Water Supply	10-5
Sanitary Sewage	10-6
Stormwater	10-7
Stormwater Bmp Concept Plan	10-9
11: Solid Waste and Sanitation Services	11-1
A. Introduction	11-1
Principal Conclusions	11-1
B. Existing Conditions	11-1
Description of Current Solid Waste Sanitation Services	11-1
Solid Waste Generation	11-2
C. The Future Without the Proposed Actions	11-3
D. Probable Impacts of the Proposed Actions	11-3
12: Energy	12-1
A. Introduction	12-1
Principal Conclusions	12-1
B. Energy Supply	12-1
Energy Provider	12-1
Recent Energy Conservation Directives	12-2
C. Existing Conditions	12-3
D. The Future Without the Proposed Actions	12-3
E. Probable Impacts of the Proposed Actions	12-3
Chapter 13: Transportation	13-1
A. Introduction	13-1
Principal Conclusions	13-1
B. Preliminary Analysis Methodology	13-4
C. Level 1 Screening Assessment	13-4
Background	13-4
Transportation Planning Assumptions	13-5
Trip Generation	13-7
D. Level 2 Screening Assessment	13-10
Traffic	13-14
Transit	13-15
Pedestrians	13-16
E. Transportation Analysis Methodologies	13-19
Traffic Operations	13-19
Transit Operations	13-21
Pedestrian Operations	13-23
Vehicular and Pedestrian Safety Evaluation	13-26
Parking Conditions Assessment	13-26
F. Traffic	13-26
2011 Existing Conditions	13-26
2022 No Action Condition	13-36

Seward Park Mixed-Use Development Project

2022 With Action Condition.....	13-47
G. Transit.....	13-59
Transit Study Areas	13-59
2011 Existing Conditions—Subway Station Operations	13-60
2011 Existing Conditions—Bus Line-Haul Operations.....	13-60
2022 No Action Condition—Subway Station Operations	13-62
2022 No Action Condition—Bus Line-Haul Levels	13-64
2022 With Action Condition—Subway Station Operations	13-64
2022 With Action Condition—Bus Line-Haul Levels	13-66
H. Pedestrians	13-67
2011 Existing Conditions.....	13-67
2022 No Action Condition.....	13-78
2022 With Action Condition.....	13-88
I. Vehicular and Pedestrian Safety	13-99
Allen Street and Delancey Street	13-99
Clinton Street and Delancey Street.....	13-105
Essex Street and Delancey Street.....	13-105
Norfolk Street and Delancey Street	13-105
Suffolk Street and Delancey Street.....	13-106
Avenue A and Houston Street	13-106
Bowery and Houston Street	13-106
Allen Street and Grand Street	13-107
Clinton Street and Grand Street	13-107
Essex Street and Grand Street.....	13-107
J. Parking.....	13-108
2011 Existing Conditions.....	13-108
2022 No Action Condition.....	13-109
2022 With Action Condition.....	13-109
14: Air Quality	14-1
A. Introduction	14-1
Principal Conclusions	14-1
B. Pollutants for Analysis.....	14-2
Carbon Monoxide	14-2
Nitrogen Oxides, VOCs, and Ozone.....	14-2
Lead	14-3
Respirable Particulate Matter—PM ₁₀ and PM _{2.5}	14-3
Sulfur Dioxide.....	14-4
Noncriteria Pollutants	14-4
C. Air Quality Regulations, Standards, and Benchmarks.....	14-5
NAAQS Attainment Status and State Implementation Plans	14-6
Determining the Significance of Air Quality Impacts	14-8
D. Methodology.....	14-9
Mobile Sources	14-9
Stationary Sources	14-14
E. Existing Conditions	14-17
F. The Future Without the Proposed Actions	14-18
Mobile Sources	14-18

Stationary Sources	14-18
G. Probable Impacts of the Proposed Actions	14-19
Mobile Sources.....	14-19
Stationary Sources.....	14-21
15: Greenhouse Gas Emissions	15-1
A. Introduction.....	15-1
Principal Conclusions.....	15-1
B. Pollutants of Concern.....	15-2
C. Policy, Regulations, Standards, and Benchmarks	15-3
D. Methodology	15-5
Building Operational Emissions.....	15-5
Mobile Source Emissions	15-5
Construction Emissions.....	15-6
Emissions from Solid Waste Management	15-6
E. Probable Impacts of the Proposed Actions	15-7
Greenhouse Gas Emissions	15-7
Assessment of Consistency With the GHG Reduction Goal.....	15-8
16: Noise.....	16-1
A. Introduction.....	16-1
Principal Conclusions.....	16-1
B. Noise Fundamentals.....	16-1
“A”-Weighted Sound Level (dBA)	16-1
Effects of Distance On Sound	16-2
Sound Level Descriptors	16-2
C. Noise Standards and Criteria.....	16-3
New York CEQR Noise Standards	16-3
HUD Development Guidelines	16-3
D. Existing Noise Levels	16-5
Measurement Program	16-5
Equipment Used During Noise Monitoring	16-5
Noise Survey Results	16-6
E. Noise Attenuation Measures	16-6
F. Noise Levels at Open Space Areas	16-8
G. Mechanical Equipment.....	16-8
17: Public Health.....	17-1
A. Introduction.....	17-1
Principal Conclusions.....	17-1
B. Public Health Assessment—Construction Noise	17-1
18: Neighborhood Character	18-1
A. Introduction.....	18-1
Principal Conclusions.....	18-1
B. Methodology	18-2
Neighborhood Character Components	18-2
C. Preliminary Assessment	18-3

Seward Park Mixed-Use Development Project

Defining Features.....	18-3
Potential to Affect the Defining Features of the Neighborhood	18-6
Conclusion	18-12
19: Construction	19-1
A. Introduction	19-1
Principal Conclusions	19-2
B. Methodology.....	19-7
Conceptual Construction Phasing and Schedule.....	19-7
Construction Description	19-8
C. Existing Conditions	19-15
D. The Future Without the Proposed Actions	19-15
E. Probable Impacts of the Proposed Actions	19-15
Transportation.....	19-15
Traffic and Parking	19-15
Air Quality	19-26
Noise and Vibration	19-38
Other Technical Areas	19-54
Rodent Control.....	19-60
20: Alternatives.....	20-1
A. Introduction	20-1
B. No Action Alternative.....	20-1
Description.....	20-1
No Action Alternative Compared With the Proposed Actions	20-1
C. Essex Street Market Alternative	20-7
Description.....	20-7
Essex Street Market Alternative Compared With the Proposed Actions.....	20-8
D. No Unmitigated Significant Impacts Alternative	20-17
Description.....	20-17
Historic and Cultural Resources	20-17
Traffic	20-18
Construction.....	20-19
21: Mitigation Measures	21-1
A. Introduction	21-1
B. Historic and Cultural Resources	21-1
C. Transportation.....	21-3
Traffic	21-3
Transit.....	21-7
Pedestrians	21-8
Effects of Traffic Mitigation Measures On Air Quality	21-10
D. Construction.....	21-11
Traffic	21-11
Noise.....	21-11
22: Unavoidable Adverse Impacts	22-1
A. Introduction	22-1

B. Historic and Cultural Resources.....	22-1
C. Transportation	22-2
D. Construction	22-3
23: Growth-Inducing Aspects of the Proposed Actions.....	23-1
24: Irreversible and Irretrievable Commitments of Resources	24-1
APPENDICES	
Appendix A—Proposed Zoning Text	
Appendix B—Socioeconomic Conditions	
Appendix C—Historic and Cultural Resources Agency Correspondence	
Appendix D—Noise	
Appendix E—Construction	

List of Tables

S-1	Proposed Development Sites – Existing Conditions	S-4
S-2	Reasonable Worst-Case Development Scenario (RWCDs) Program.....	S-9
S-3	2022 Future with the Proposed Actions: Open Space Ratios Summary	S-16
S-4	Traffic Impact Mitigation Summary	S-37
S-5	2022 Mitigated Future with the Proposed Actions Condition (Capacity Improvement): Bus Line Haul Levels	S-39
S-6	2022 No Action, With Action, and Mitigated With Action Conditions Pedestrian Level of Service Analysis.....	S-39
S-7	Predicted Noise Impact Locations	S-42
1-1	Proposed Development Sites – Existing Conditions	1-4
1-2	Reasonable Worst-Case Development Scenario (RWCDs) Program.....	1-9
2-1	Zoning Districts Located in the Secondary Study Area	2-12
2-2	Development under Construction or Proposed within ¼-Mile of the Project Sites	2-18
3-1	Study Area Employment in 2010	3-11
3-2	Employment and Businesses Currently Located On Projected Development Sites.....	3-12
3-3	Potential Direct Business Displacement.....	3-13
3-4	Average Household Income (1999, 2006-2010)	3-16
3-5	Median Household Income (1999, 2006-2010).....	3-16
3-6	Population Change (2000-2010)	3-18
3-7	Estimated Population Change	3-18
3-8	Retail Sales in the 2-Mile Primary Trade Area	3-25
3-9	Household Retail Demand in the 2-Mile Primary Trade Area	3-26
3-10	Household Retail Expenditures and Total Retail Sales, 2-Mile Primary Trade Area, 2010.....	3-28
3-11	Household Retail Expenditures and Total Retail Sales, Manhattan, 2010	3-28
3-12	Household Retail Expenditures and Total Retail Sales, New York City, 2010	3-29
3-13	Estimated Sales at Stores Introduced Under the Proposed Actions	3-30
3-14	Estimated Retail Demand from Households to Be Introduced By Proposed Actions.....	3-31
3-15	Comparison of Estimated Retail Capture Rates in 2-Mile Primary Trade Area: Existing Conditions and Future with the Proposed Actions	3-32
3-16	Key Retail Concentrations in the ½-Mile Local Trade Area.....	3-34
3-17	Storefronts in Key Retail Concentrations in the ½-Mile Local Trade Area.....	3-35
3-18	Selected Grocery Stores in ½-Mile Local Trade Area	3-42
4-1	Preliminary Screening Analysis Criteria	4-3

4-2	Public Schools Serving the Project Sites, Enrollment and Capacity Data, 2010-2011 School Year.....	4-7
4-3	Estimated Number of Students Introduced by Development in the Future without the Proposed Actions	4-8
4-4	Estimated Public Elementary and Intermediate School Enrollment, Capacity, and Utilization: 2022 No Action Condition.....	4-9
4-5	Estimated Number of Students Introduced in the Study Areas: 2022 Future with the Proposed Actions	4-9
4-6	Estimated Public Elementary and Intermediate School Enrollment, Capacity, and Utilization: 2022 With Action Condition	4-10
4-7	Publicly Funded Child Care Facilities Serving the Study Area.....	4-13
5-1	2022 Future with the Proposed Actions: Open Space Ratios Summary	5-2
5-2	Existing Worker Population in the Commercial Study Area – 2011 Estimate	5-6
5-3	Existing Residential Population in the Residential Study Area – 2010 Census	5-7
5-4	Open Space Inventory.....	5-8
5-5	Existing Conditions: Adequacy of Open Space Resources	5-11
5-6	Future without the Proposed Actions: Adequacy of Open Space Resources.....	5-14
5-7	Future with the Proposed Actions: Adequacy of Open Space Resources.....	5-15
5-8	Future with the Proposed Actions: Open Space Ratios Summary	5-17
6-1	Heights and Maximum Shadow Lengths of the Development Sites.....	6-4
6-2	Public Open Spaces in Longest Shadow Study Area.....	6-5
6-3	Incremental Shadow Durations.....	6-10
7-1	Architectural Resources	7-8
7-2	Summary of Impacts on Architectural Resources.....	7-21
8-1	Proposed Development Sites – Existing Conditions.....	8-3
8-2	Preliminary Massing Scenario	8-12
10-1	Existing Water Consumption.....	10-3
10-2	Existing Surface Coverage.....	10-5
10-3	Future with the Proposed Actions Water Consumption.....	10-6
10-4	Proposed Surface Coverage	10-7
10-5	DEP Flow Volume Matrix: Existing and Build Volume Comparison.....	10-8
11-1	Existing Conditions: Solid Waste Generation	11-3
11-2	The Future with the Proposed Actions: Solid Waste Generation	11-4
12-1	Estimated Existing Energy Consumption	12-3
12-2	Estimated Future Energy Consumption	12-4
13-1	Reasonable Worst-Case Development Scenario (RWCDs) Program	13-5
13-2	Travel Demand Assumptions	13-6
13-3	Trip Generation Summary - Person Trips	13-11
13-3 (Cont'd)	Trip Generation Summary - Person Trips.....	13-12
13-3 (Cont'd)	Trip Generation Summary - Person Trips.....	13-13

Seward Park Mixed-Use Development Project

13-4 Trip Generation Summary - Vehicle Trips	13-13
13-5 Pedestrian Analysis Locations	13-17
13-5 (Cont'd) Pedestrian Analysis Locations.....	13-18
13-6 Los Criteria for Signalized Intersections.....	13-19
13-7 Los Criteria for Unsignalized Intersections	13-20
13-8 Los Criteria for Subway Station Elements.....	13-21
13-9 Significant Impact Guidance for Stairs and Passageways.....	13-22
13-10 Level of Service Criteria for Pedestrian Elements	13-24
13-11 Significant Impact Guidance for Sidewalks.....	13-24
13-12 Significant Impact Guidance for Corners and Crosswalks	13-25
13-13a Existing Traffic Level of Service Summary – Overall Intersections	13-29
13-13b Existing Traffic Level of Service Summary – Traffic Movements.....	13-30
13-14 Seward Park Development EIS 2011 Existing Traffic Levels of Service.....	13-30
13-14 (Cont'd) Seward Park Development EIS 2011 Existing Traffic Levels of Service	13-31
13-14 (Cont'd) Seward Park Development EIS 2011 Existing Traffic Levels of Service	13-32
13-14 (Cont'd) Seward Park Development EIS 2011 Existing Traffic Levels of Service	13-33
13-15 No Action Projects	13-37
13-16a Traffic Level of Service Summary Comparison – Overall Intersections: Existing Vs. No Action Conditions (2022).....	13-40
13-16b Traffic Level of Service Summary Comparison – Traffic Movements: Existing Vs. No Action Conditions (2022).....	13-40
13-17 Seward Park Development EIS 2022 No Action Traffic Levels of Service	13-41
13-17 (Cont'd) Seward Park Development EIS 2022 No Action Traffic Levels of Service...	13-42
13-17 (Cont'd) Seward Park Development EIS 2022 No Action Traffic Levels of Service...	13-43
13-17 (Cont'd) Seward Park Development EIS 2022 No Action Traffic Levels of Service...	13-44
13-18a Traffic Level of Service Summary Comparison – Overall Intersections: No Action Vs. With Action Conditions (2022).....	13-51
13-18b Traffic Level of Service Summary Comparison – Traffic Movements: No Action Vs. With Action Conditions (2022).....	13-51
13-20 NYCT Local Bus Routes Serving the Study Area	13-60
13-21 2011 Existing Conditions: Subway Stairway Analysis.....	13-61
13-22 2011 Existing Conditions: Subway Control Area Analysis	13-61
13-23 2011 Existing Conditions: Bus Line-Haul Analysis	13-62
13-24 2022 No Action Condition: Subway Stairway Analysis	13-63
13-25 2022 No Action Condition: Subway Control Area Analysis	13-63
13-26 2022 No Action Condition: Bus Line-Haul Analysis	13-64
13-27 2022 With Action Condition: Subway Stairway Analysis.....	13-65
13-28 2022 With Action Condition: Subway Control Area Analysis	13-66
13-29 2022 With Action Condition: Bus Line-Haul Analysis	13-67
13-30 Existing Pedestrian Sidewalk Level of Service Summary	13-68

Table of Contents

13-31 Existing Pedestrian Corner Level of Service Summary	13-68
13-32 Existing Pedestrian Crosswalk Level of Service Summary.....	13-68
13-33 2011 Existing Condition Sidewalk Analysis	13-68
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-69
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-70
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-71
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-72
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-73
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-74
13-33 (Cont'd) 2011 Existing Condition Sidewalk Analysis	13-75
13-34 2011 Existing Condition Corner Analysis.....	13-76
13-35 2011 Existing Condition Crosswalk Analysis	13-77
13-36 Pedestrian Sidewalk Level of Service Summary Comparison Existing Vs. No Action Conditions (2022)	13-78
13-37 Pedestrian Corner Level of Service Summary Comparison Existing Vs. No Action Conditions (2022)	13-78
13-38 Pedestrian Crosswalk Level of Service Summary Comparison Existing Vs. No Action Conditions (2022)	13-79
13-39 2022 No Action Condition Sidewalk Analysis.....	13-79
13-39 (Cont'd) 2022 No Action Condition Sidewalk Analysis	13-80
13-39 (Cont'd) 2022 No Action Condition Sidewalk Analysis	13-81
13-39 (Cont'd) 2022 No Action Condition Sidewalk Analysis	13-82
13-39 (Cont'd) 2022 No Action Condition Sidewalk Analysis	13-83
13-39 (Cont'd) 2022 No Action Condition Sidewalk Analysis	13-84
13-39 (Cont'd) 2022 No Action Condition Sidewalk Analysis	13-85
13-40 2022 No Action Condition Corner Analysis	13-86
13-41 2022 No Action Condition Crosswalk Analysis.....	13-87
13-42 Pedestrian Sidewalk Level of Service Summary Comparison No Action Vs. With Action Conditions (2022)	13-89
13-43 Pedestrian Corner Level of Service Summary Comparison No Action Vs. With Action Conditions (2022)	13-89
13-44 Pedestrian Crosswalk Level of Service Summary Comparison No Action Vs. With Action Conditions (2022)	13-89
13-45 2022 With Action Condition Sidewalk Analysis.....	13-90
13-45 (Cont'd) 2022 With Action Condition Sidewalk Analysis	13-91
13-45 (Cont'd) 2022 With Action Condition Sidewalk Analysis	13-92
13-45 (Cont'd) 2022 With Action Condition Sidewalk Analysis	13-93
13-45 (Cont'd) 2022 With Action Condition Sidewalk Analysis	13-94
13-45 (Cont'd) 2022 With Action Condition Sidewalk Analysis	13-95
13-45 (Cont'd) 2022 With Action Condition Sidewalk Analysis	13-96

Seward Park Mixed-Use Development Project

13-46 2022 With Action Condition Corner Analysis	13-97
13-47 2022 With Action Condition Crosswalk Analysis	13-98
13-48 Accident Summary	13-100
13-49 Vehicle and Pedestrian Accident Details	13-100
13-49 (Cont'd)	13-102
Vehicle and Pedestrian Accident Details	13-102
13-49 (Cont'd)	13-103
Vehicle and Pedestrian Accident Details	13-103
13-49 (Cont'd)	13-104
Vehicle and Pedestrian Accident Details	13-104
13-49 (Cont'd)	13-105
Vehicle and Pedestrian Accident Details	13-105
13-50 Inventory of Existing Public Parking Lots and Garages (Quarter-Mile Radius)	13-108
13-51a Weekday Garage Parking Accumulation—2022 With Action Condition	13-110
13-51b Saturday Garage Parking Accumulation—2022 With Action Condition	13-111
14-1 National Ambient Air Quality Standards (NAAQS)	14-6
14-2 Mobile Source Analysis Sites	14-13
14-3 Emission Rates and Stack Parameters for Proposed Sites	14-17
14-4 Representative Monitored Ambient Air Quality Data	14-17
14-5 Future (2022) Maximum Predicted 8-Hour Average CO Concentrations without the Proposed Actions (ppm)	14-18
14-6 Future (2022) Maximum Predicted 24-Hour Average PM ₁₀ Concentrations without the Proposed Actions (µg/m ³)	14-18
14-7 Future (2022) Maximum Predicted 8-Hour Average CO Concentrations with and without the Proposed Actions (ppm)	14-19
14-8 Future (2022) Maximum Predicted 24-Hour Average PM ₁₀ Concentrations with and without the Proposed Actions (µg/m ³)	14-19
14-9 Maximum Predicted 24-Hour Average PM _{2.5} Increments (µg/m ³)	14-20
14-10 Maximum Predicted Annual Average PM _{2.5} Increments (µg/m ³)	14-20
14-11 Potential Future NO ₂ Concentrations from the Heat and Hot Water Systems (µg/m ³)	14-22
15-1 Global Warming Potential (GWP) for Major GHGs	15-3
15-2 Total Vehicle Travel (vehicle-miles per year)	15-6
15-3 Building Operational Emissions	15-7
15-4 Mobile Source Emissions (metric tons CO ₂ e)	15-7
16-1 Common Noise Levels	16-2
16-2 Noise Exposure Guidelines for Use in City Environmental Impact Review	16-4
16-3 Required Attenuation Values to Achieve Acceptable Interior Noise Levels	16-4
16-4 HUD Exterior Noise Standards	16-5
16-5 Noise Receptor Locations	16-5
16-6 Summary of Measured Existing Noise Levels (in dBA)	16-6

16-7	Building Attenuation Requirements (in dBA)	16-7
19-1	Conceptual Construction Schedule	19-8
19-2	Construction Oversight in New York City	19-10
19-3	Average Number of Daily Workers and Trucks by Quarter	19-14
19-4	Peak Construction Vehicle Trip Projections—Third Quarter of 2017.....	19-17
19-5	Comparison of Vehicle Trips—Construction Phase vs. With Action Conditions	19-17
19-6	2011 Existing Construction Traffic Levels of Service.....	19-19
19-7	2017 No Action Without Construction Traffic Levels of Service	19-20
19-8	2017 No Action Without Construction vs. 2017 Construction vs. 2017 Construction with Mitigation Weekday AM Peak Hour Traffic Levels of Service	19-22
19-9	2017 No Action Without Construction vs. 2017 Construction vs. 2017 Construction With Mitigation Weekday PM Peak Hour Traffic Levels of Service.....	19-23
19-10	Background Pollutant Concentrations	19-31
19-11	Mobile Source Analysis Sites	19-31
19-12	Maximum Predicted Future No Action 8-Hour Average Carbon Monoxide Concentrations	19-32
19-13	Maximum Predicted Future No Action 24-Hour Average PM ₁₀ Concentrations	19-32
19-14	Maximum Predicted Pollutant Concentrations from Construction Site Sources—Sites 2, 3, 4, and 5 (µg/m ³)	19-33
19-15	Maximum Predicted Pollutant Concentrations from Construction Site Sources—Sites 8, 9, and 10 (µg/m ³)	19-34
19-16	Maximum Predicted Future No Action and With Action 8-Hour Average Carbon Monoxide Concentrations.....	19-36
19-17	Maximum Predicted Future No Action and With Action 24-Hour Average PM ₁₀ Concentrations	19-36
19-18	Maximum Predicted Future 24-Hour Average PM _{2.5} Concentrations	19-36
19-19	Maximum Predicted Future Annual Average PM _{2.5} Concentrations	19-37
19-20	Typical Construction Equipment Noise Emission Levels (dBA)	19-42
19-21	Noise Receptor Locations.....	19-43
19-22	Locations Where Noise Increases Exceed CEQR Criteria for Two or More Consecutive Years	19-45
19-23	Predicted Noise Impact Locations	19-50
19-24	Vibration Source Levels for Construction Equipment.....	19-54
20-1	Comparison of the Essex Street Market Alternative and the Proposed Actions	20-8
20-2	Person-Trip Comparisons: Essex Street Alternative vs. Proposed Actions.....	20-14
20-3	Vehicle-Trip Comparisons: Essex Street Alternative vs. Proposed Actions	20-15
21-1	Traffic Impact Mitigation Summary.....	21-3
21-2	2022 Mitigated Future with the Proposed Actions Condition (Capacity Improvement): Bus Line Haul Levels	21-8
21-3	2022 No Action, With Action, and Mitigated With Action Conditions Pedestrian Level of Service Analysis.....	21-9

Seward Park Mixed-Use Development Project

21-4	Future (2022) Maximum Predicted 8-Hour Average Carbon Monoxide With Action and With Action-Traffic Mitigation Concentrations (ppm).....	21-10
21-5	Future (2022) Maximum Predicted 24-Hour Average PM ₁₀ With Action and With Action-Traffic Mitigation Concentrations (µg/m ³)	21-10
21-6	Future (2022) Maximum Predicted 24-Hour Average PM _{2.5} With Action and With Action-Traffic Mitigation Increments (µg/m ³).....	21-11
21-7	Future (2022) Maximum Predicted Annual Average Pm _{2.5} With Action and With Action-Traffic Mitigation Increments (µg/m ³).....	21-11
21-8	Predicted Noise Impact Locations.....	21-13
	<i>Levels of Service (LOS) Tables:</i>	
	2022 No Action vs. 2022 With Action Vs. 2022 Mitigation Weekday AM Peak Hour Traffic Levels of Service.....	21-15
	2022 No Action vs. 2022 With Action Vs. 2022 Mitigation Weekday Midday Peak Hour Traffic Levels of Service.....	21-22
	2022 No Action vs. 2022 With Action Vs. 2022 Mitigation Weekday PM Peak Hour Traffic Levels of Service.....	21-30
	2022 No Action vs. 2022 With Action Vs. 2022 Mitigation Saturday Peak Hour Traffic Levels of Service	21-37

List of Figures

	<i>following page</i>
S-1	Proposed Development Sites S-2
S-2	Proposed Street Mapping and Demapping Actions S-2
S-3	Proposed Large Scale General Development Boundary S-6
S-4a	Illustrative LSGD Massing (Sites 1, 4, 5, and 6) S-6
S-4b	Illustrative LSGD Massing (Sites 2 and 3) S-6
S-5	Illustrative Rendering with Maximum Building Envelopes and RWCDS Massing - View South S-6
1-1	Proposed Development Sites 1-2
1-2	Proposed Street Mapping and Demapping Actions 1-2
1-3	Proposed Large Scale General Development Boundary 1-6
1-4a	Illustrative LSGD Massing (Sites 1, 4, 5, and 6) 1-6
1-4b	Illustrative LSGD Massing (Sites 2 and 3) 1-6
1-5	Illustrative Rendering with Maximum Building Envelopes and RWCDS Massing - View South 1-6
2-1	Land Use 2-2
2-2	Existing Zoning 2-12
2-3	No Action Projects 2-18
2-4	Proposed Zoning 2-24
2-5	Proposed Street Mapping and Demapping Actions 2-24
2-6	Proposed Large Scale General Development Boundary 2-24
3-1	Socioeconomic Study Area 3-8
3-2	Two-Mile Primary Trade Area 3-8
3-3	Retail Concentrations in the Half-Mile Local Trade Area 3-8
3-4	Selected Grocery Stores in the Half-Mile Local Trade Area 3-42
4-1	Public Elementary and Intermediate Schools Serving the Study Areas 4-6
4-2	Publicly Funded Child Care and Head Start Facilities Serving the Study Areas 4-12
5-1	Open Space Study Areas 5-4
5-2	Open Space Resources 5-6
6-1	Tier 1 Screening Assessment 6-15
6-2	Tier 2 Screening Assessment - Open Spaces 6-15
6-3	Tier 2 Screening Assessment - Historic Resources 6-15
6-4	Tier 3 Assessment - Site 1 6-15
6-5	Tier 3 Assessment - Site 2 6-15

Seward Park Mixed-Use Development Project

6-6	Tier 3 Assessment - Site 3	6-15
6-7	Tier 3 Assessment - Site 4	6-15
6-8	Tier 3 Assessment - Site 5	6-15
6-9	Tier 3 Assessment - Site 6	6-15
6-10	Tier 3 Assessment - Site 8	6-15
6-11	Tier 3 Assessment - Site 9	6-15
6-12	Tier 3 Assessment - Site 10	6-15
6-13	Illustrative Three-Dimensional Computer Model View Southwest	6-15
6-14	March 21/September 21 - 9:30 AM	6-15
6-15	March 21/September 21 - 10:30 AM	6-15
6-16	March 21/September 21 - 11:30 AM	6-15
6-17	March 21/September 21 - 1:30 PM	6-15
6-18	March 21/September 21 - 2:30 PM	6-15
6-19	March 21/September 21 - 3:30 PM	6-15
6-20	March 21/September 21 - 4:29 PM	6-15
6-21	May 6/August 6 - 6:40 AM	6-15
6-22	May 6/August 6 - 11:00 AM	6-15
6-23	May 6/August 6 - 1:30 PM	6-15
6-24	May 6/August 6 - 2:30 PM	6-15
6-25	May 6/August 6 - 3:30 PM	6-15
6-26	May 6/August 6 - 4:30 PM	6-15
6-27	May 6/August 6 - 5:18 PM	6-15
6-28	June 21 - 6:00 AM	6-15
6-29	June 21 - 7:00 AM	6-15
6-30	June 21 - 1:00 PM	6-15
6-31	June 21 - 2:00 PM	6-15
6-32	June 21 - 3:00 PM	6-15
6-33	June 21 - 4:00 PM	6-15
6-34	December 21 - 9:00 AM	6-15
6-35	December 21 - 10:00 AM	6-15
6-36	December 21 - 11:00 AM	6-15
6-37	December 21 - 12:00 PM	6-15
6-38	December 21 - 1:00 PM	6-15
6-39	December 21 - 2:00 PM	6-15
6-40	December 21 - 2:53 PM	6-15
7-1	Historic Resources	7-4
7-2	Sanborn Map, 1951 Showing Areas of Archaeological Sensitivity	7-8
7-3	Historic Resources - Project Site	7-10
7-4	Historic Resources - Project Site	7-10

Table of Contents

7-5	Historic Resources - Project Site	7-10
7-6	Historic Resources - Study Area Lower East Side Historic District.....	7-12
7-7	Historic Resources - Study Area Lower East Side Historic District.....	7-12
7-8	Historic Resources - Study Area Lower East Side Historic District.....	7-12
7-9	Historic Resources - Study Area Lower East Side Historic District.....	7-12
7-10	Historic Resources - Study Area Lower East Side Historic District.....	7-12
7-11	Historic Resources - Study Area Potential Clinton, Rivington, Stanton Street Historic District.....	7-12
7-12	Historic Resources - Study Area Potential Clinton, Rivington, Stanton Street Historic District.....	7-12
7-13	Historic Resources - Study Area.....	7-12
7-14	Historic Resources - Study Area.....	7-12
7-15	Historic Resources - Study Area.....	7-14
7-16	Historic Resources - Study Area.....	7-14
7-17	Historic Resources - Study Area.....	7-14
7-18	Historic Resources - Study Area.....	7-16
7-19	Historic Resources - Study Area.....	7-16
7-20a	Historic Resources Illustrative LSGD Massing (Sites 1, 4, 5, and 6).....	7-20
7-20b	Historic Resources Illustrative LSGD Massing (Sites 2 and 3).....	7-20
7-21	Historic Resources Illustrative Three-Dimensional Computer Model of Maximum Zoning Envelopes View Southwest	7-20
7-22	Historic Resources Illustrative Rendering with Maximum Building Envelopes and RWCDS Massing - View South.....	7-20
8-1	Urban Design and Visual Resources Study Area.....	8-4
8-2	Aerial Photograph of Development Sites and Study Area.....	8-4
8-3	Photographs of Development Sites Views 1 & 2.....	8-4
8-4	Photographs of Development Sites Views 3 & 4.....	8-4
8-5	Photographs of Development Sites Views 5 & 6.....	8-4
8-6	Photographs of Development Sites Views 7 & 8.....	8-4
8-7	Photographs of Development Sites Views 9 & 10.....	8-4
8-8	Photographs of Development Sites Views 11 & 12.....	8-4
8-9	Photographs of Development Sites Views 13 & 14.....	8-6
8-10	Photographs of Development Sites and Study Area Views 15 & 16.....	8-6
8-11	Photographs of Study Area Views 17 & 18.....	8-6
8-12	Photographs of Study Area Views 19 & 20.....	8-6
8-13	Photographs of Study Area Views 21 & 22.....	8-6
8-14	Photographs of Study Area Views 23 & 24.....	8-6
8-15	Photographs of Study Area Views 25 & 26.....	8-8
8-16	Photographs of Study Area Views 27 & 28.....	8-8
8-17	Photographs of Study Area Views 29 & 30.....	8-8

Seward Park Mixed-Use Development Project

8-18	Photographs of Development Sites Views 31 & 32	8-8
8-19	Photographs of Study Area Views 33 & 34	8-8
8-20	Photographs of Study Area Views 35 & 36	8-10
8-21	Photographs of Study Area Views 37 & 38	8-10
8-22	Photographs of Study Area Views 39 & 40	8-10
8-23	Photographs of Study Area Views 41 & 42	8-10
8-24	Photographs of Study Area Views 43 & 44	8-10
8-25	No Action Projects	8-10
8-26	Illustrative Three-Dimensional Computer Model of Maximum Zoning Envelopes View Southwest.....	8-10
8-27a	Illustrative LSGD Massing Site 1 - Northeast View	8-12
8-27b	Illustrative LSGD Massing Site 2 - Southwest View	8-12
8-27c	Illustrative LSGD Massing Site 3 - Northeast View	8-12
8-27d	Illustrative LSGD Massing Site 4 - Southwest View	8-12
8-27e	Illustrative LSGD Massing Site 5 - Northeast View	8-12
8-27f	Illustrative LSGD Massing Site 6 - Southwest View	8-12
8-28	Illustrative Rendering with Maximum Building Envelopes and RWCDs Massing - View South.....	8-12
8-29	Illustrative Rendering with Maximum Building Envelopes and RWCDs Massing - View Northeast.....	8-12
8-30	Illustrative Rendering of Broome Street View West from Clinton Street.....	8-14
8-31	Illustrative Rendering of Proposed Development Aerial View South.....	8-14
10-1	CSO Subcatchment Area Location.....	10-4
10-2	Stormwater Best Management Practices Concept Plan.....	10-10
13-1	Traffic Study Area.....	13-14
13-2	Public Transit Options.....	13-16
13-3	Transit and Pedestrian Analysis Locations.....	13-16
13-4a	Existing Traffic Levels of Service - Overall Intersections Weekday AM Peak Hour	13-34
13-4b	Existing Traffic Levels of Service - Unacceptable Traffic Movements Weekday AM Peak Hour	13-34
13-5a	Existing Traffic Levels of Service - Overall Intersections Weekday Midday Peak Hour	13-34
13-5b	Existing Traffic Levels of Service - Unacceptable Traffic Movements Weekday Midday Peak Hour	13-34
13-6a	Existing Traffic Levels of Service - Overall Intersections Weekday PM Peak Hour	13-34
13-6b	Existing Traffic Levels of Service - Unacceptable Traffic Movements Weekday PM Peak Hour	13-34
13-7a	Existing Traffic Levels of Service - Overall Intersections Saturday Peak Hour	13-34
13-7b	Existing Traffic Levels of Service - Unacceptable Traffic Movements Saturday Peak Hour	13-34

Table of Contents

13-8—No Action Projects.....	13-36
13-9a—No Action Traffic Levels of Service - Overall Intersections Weekday AM Peak Hour	13-40
13-9b—No Action Traffic Levels of Service - Unacceptable Traffic Movements Weekday AM Peak Hour	13-40
13-10a—No Action Traffic Levels of Service - Overall Intersections Weekday Midday Peak Hour	13-40
13-10b—No Action Traffic Levels of Service - Unacceptable Traffic Movements Weekday Midday Peak Hour	13-40
13-11a—No Action Traffic Levels of Service - Overall Intersections Weekday PM Peak Hour....	13-46
13-11b—No Action Traffic Levels of Service - Unacceptable Traffic Movements Weekday PM Peak Hour.....	13-46
13-12a—No Action Traffic Levels of Service - Overall Intersections Saturday Peak Hour	13-46
13-12b—No Action Traffic Levels of Service - Unacceptable Traffic Movements Saturday Peak Hour	13-46
13-13a With Action Traffic Levels of Service - Overall Intersections Weekday AM Peak Hour	13-52
13-13b—With Action Traffic Levels of Service - Unacceptable Traffic Movements Weekday AM Peak Hour	13-52
13-14a—With Action Traffic Levels of Service - Overall Intersections Weekday Midday Peak Hour	13-52
13-14b—With Action Traffic Levels of Service - Unacceptable Traffic Movements Weekday Midday Peak Hour	13-52
13-15a—With Action Traffic Levels of Service - Overall Intersections Weekday PM Peak Hour.....	13-52
13-15b—With Action Traffic Levels of Service - Unacceptable Traffic Movements Weekday PM Peak Hour.....	13-52
13-16a—With Action Traffic Levels of Service - Overall Intersections Saturday Peak Hour.	13-52
13-16b—With Action Traffic Levels of Service - Unacceptable Traffic Movements Saturday Peak Hour	13-52
13-17—Proposed Sidewalk Configurations.....	13-88
13-18—Parking Study Area.....	13-108
<i>Volume Maps:</i>	
Existing Traffic Volumes Weekday AM Peak Hour	13-111
Existing Traffic Volumes Weekday Midday Peak Hour	13-111
Existing Traffic Volumes Weekday PM Peak Hour	13-111
Existing Traffic Volumes Saturday Peak Hour.....	13-111
No Action Traffic Volumes Weekday AM Peak Hour.....	13-111
No Action Traffic Volumes Weekday Midday Peak Hour.....	13-111
No Action Traffic Volumes Weekday PM Peak Hour	13-111
No Action Traffic Volumes Saturday Peak Hour	13-111
2022 With Action Traffic Volume Increments Weekday AM Peak Hour.....	13-111

Seward Park Mixed-Use Development Project

	2022 With Action Traffic Volume Increments Weekday Midday Peak Hour	13-111
	2022 With Action Traffic Volume Increments Weekday PM Peak Hour	13-111
	2022 With Action Traffic Volume Increments Saturday Peak Hour	13-111
	2022 With Action Traffic Volumes Weekday AM Peak Hour	13-111
	2022 With Action Traffic Volumes Weekday Midday Peak Hour	13-111
	2022 With Action Traffic Volumes Weekday PM Peak Hour	13-111
	2022 With Action Traffic Volumes Saturday Peak Hour	13-111
	2011 Existing Pedestrian Volumes Weekday AM Peak 15 Minutes	13-111
	2011 Existing Pedestrian Volumes Weekday Midday Peak 15 Minutes	13-111
	2011 Existing Pedestrian Volumes Weekday PM Peak 15 Minutes	13-111
	2011 Existing Pedestrian Volumes Saturday Peak 15 Minutes	13-111
	2022 No Action Pedestrian Volumes Weekday AM Peak 15 Minutes	13-111
	2022 No Action Pedestrian Volumes Weekday Midday Peak 15 Minutes	13-111
	2022 No Action Pedestrian Volumes Weekday PM Peak 15 Minutes	13-111
	2022 No Action Pedestrian Volumes Saturday Peak 15 Minutes	13-111
	Project Generated Pedestrian Volumes Weekday AM Peak Hour	13-111
	Project Generated Pedestrian Volumes Weekday AM Peak Hour	13-111
	Project Generated Pedestrian Volumes Weekday Midday Peak Hour	13-111
	Project Generated Pedestrian Volumes Weekday Midday Peak Hour	13-111
	Project Generated Pedestrian Volumes Weekday PM Peak Hour	13-111
	Project Generated Pedestrian Volumes Weekday PM Peak Hour	13-111
	Project Generated Pedestrian Volumes Saturday Peak Hour	13-111
	Project Generated Pedestrian Volumes Saturday Peak Hour	13-111
	2022 With Action Pedestrian Volumes - Peak 15 Minutes Weekday AM Peak Hour	13-111
	2022 With Action Pedestrian Volumes - Peak 15 Minutes Weekday Midday Peak Hour	13-111
	2022 With Action Pedestrian Volumes - Peak 15 Minutes Weekday PM Peak Hour	13-111
	2022 With Action Pedestrian Volumes - Peak 15 Minutes Saturday Peak Hour	13-111
16-1	Noise Receptor Locations	16-6
19-1	Conceptual Construction Schedule	19-8
19-2	Short Term (24-Hour Average) PM _{2.5} Construction Emissions Profile	19-30
19-3	Annual (Moving 12-Month Average) PM _{2.5} Construction Emissions Profile	19-30
19-4	Noise Receptor Location	19-42
21-1	Traffic Mitigation Overview Weekday AM Peak Hour	21-4
21-2	Traffic Mitigation Overview Weekday Midday Peak Hour	21-4
21-3	Traffic Mitigation Overview Weekday PM Peak Hour	21-4
21-4	Traffic Mitigation Overview Saturday Peak Hour	21-4

★