

**SOUTH BRONX CHARTER SCHOOL FOR
INTERNATIONAL CULTURE & ARTS**

611 EAST 133RD STREET
BRONX, NEW YORK

Remedial Investigation Report

NYC OER Project Number: 13RHAZ408X

VCP Site # 13CVCP132X

(NYCDEP File Number: 08DEPTECH282X)

Prepared for:

South Bronx Charter School for International Culture & Arts

577 East 139 Street

Bronx, NY 10454 (718) 292-5737

Prepared by:

PVE Sheffler, LLC

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

(845) 454-2544

May 2013

REMEDIAL INVESTIGATION REPORT

TABLE OF CONTENTS

FIGURES.....	3
LIST OF ACRONYMS	4
CERTIFICATION	6
EXECUTIVE SUMMARY	7
REMEDIAL INVESTIGATION REPORT	11
1.0 SITE BACKGROUND.....	11
1.1 Site Location and Current Usage	11
1.2 Proposed Redevelopment Plan	11
1.3 Description of Surrounding Property.....	12
2.0 SITE HISTORY	13
2.1 Past Uses and Ownership.....	13
2.2 Previous Investigations	13
2.3 Site Inspection.....	14
2.4 Areas of Concern	14
3.0 PROJECT MANAGEMENT	15
3.1 Project Organization	15
3.2 Health and Safety	15
3.3 Materials Management.....	15
4.0 REMEDIAL INVESTIGATION ACTIVITIES.....	16
4.1 Geophysical Investigation.....	16
4.2 Borings and Monitoring Wells.....	17
4.3 Sample Collection and Chemical Analysis.....	18
5.0 ENVIRONMENTAL EVALUATION.....	22
5.1 Geological and Hydrogeological Conditions.....	22
5.2 Soil Chemistry	22
5.3 Groundwater Chemistry.....	23
5.4 Soil Vapor Chemistry	24
5.5 Prior Activity	24
5.6 Impediments to Remedial Action	25

FIGURES

- Figure 1 - Site Location
- Figure 2 - Selected Site Features
- Figure 3 - Areas of Concern
- Figure 4 - Soil Boring Locations
- Figure 5 - Groundwater Sample Locations
- Figure 6 - Vapor Sample Locations
- Figure 7 - Surrounding Land Usage

TABLES

- Table 1 - VOCs in Soil Samples
- Table 2 - SVOCs in Soil Samples
- Table 3 - Metals in Soil Samples
- Table 4 - PCBs in Soil Samples
- Table 5 - Pesticides in Soil Samples
- Table 6 - VOCs in Groundwater Samples
- Table 7 - SVOCs in Groundwater Samples
- Table 8 - Metals in Groundwater Samples
- Table 9 - PCBs in Groundwater Samples
- Table 10 - Pesticides in Groundwater Samples
- Table 11 - VOCs in Vapor Samples

APPENDICES

- Appendix A - Soil Boring Logs
- Appendix B - Laboratory Reports
- Appendix C - Previous Phase I ESA

LIST OF ACRONYMS

Acronym	Definition
AOC	Area of Concern
CAMP	Community Air Monitoring Plan
COC	Contaminant of Concern
CPP	Citizen Participation Plan
CSM	Conceptual Site Model
DER-10	New York State Department of Environmental Conservation Technical Guide 10
FID	Flame Ionization Detector
GPS	Global Positioning System
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
IRM	Interim Remedial Measure
NAPL	Non-aqueous Phase Liquid
NYC VCP	New York City Voluntary Cleanup Program
NYC DOHMH	New York City Department of Health and Mental Hygiene
NYC OER	New York City Office of Environmental Remediation
NYS DOH ELAP	New York State Department of Health Environmental Laboratory Accreditation Program
OSHA	Occupational Safety and Health Administration
PCBs	Polychlorinated biphenyls
PID	Photoionization Detector
QEP	Qualified Environmental Professional
RI	Remedial Investigation
RIR	Remedial Investigation Report
SCO	Soil Cleanup Objective
SPEED	Searchable Property Environmental Electronic Database
SVOCs	Semi-volatile Organic Compounds


TAL	Target Analyte List
UST	Underground Storage Tank
VOCs	Volatile Organic Compounds

CERTIFICATION

I, Christopher Brown, am a Qualified Environmental Professional, as defined in RCNY § 43-1402(ar). I have primary direct responsibility for implementation of the Remedial Investigation for the 611 East 133rd Street (South Bronx Charter School for International Culture and the Arts), (NYC OER Project No. 13RHAZ408X, and 13CVCP132X). I am responsible for the content of this Remedial Investigation Report (RIR), have reviewed its contents and certify that this RIR is accurate to the best of my knowledge and contains all available environmental information and data regarding the property.

Christopher B. Brown

May 7, 2013



Qualified Environmental Professional

Date

Signature

EXECUTIVE SUMMARY

The Remedial Investigation Report (RIR) provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy pursuant to RCNY§ 43-1407(f). The remedial investigation (RI) described in this document is consistent with applicable guidance.

Site Location and Current Usage

The Site is located at 611 East 133rd Street in the Port Morris section in the Bronx, New York and is identified as Block 2546 and Lot 27 on the New York City Tax Map. Figure 1 shows the Site location. The Site is 8,772-square feet and is bounded by Cypress Place to the north, East 133rd Street to the south, Cypress Place to the east, and Cypress Place to the west. A map of the site boundary is shown in Figure 2. Currently, the Site is vacant but was most recently used as an adult entertainment establishment and contains a two-story 16,000 square foot building with a partial basement.

Summary of Proposed Redevelopment Plan

The proposed future use of the Site will consist of complete demolition of this building for the construction of a new charter school. The new school will cover the entire building lot. The total square footage of the future school will be 39,000 square feet and will consist of five floors with no grade-level open spaces. A 1,000 square foot basement and mechanical room will be located sub-grade along the north-central portion of the proposed building. Excavation depths will range from 2 feet to approximately 15 feet (into bedrock). The estimated volume of excavated materials will be 62,000 cubic feet (2,295 cubic yards). Layout of the proposed site development is presented in Figures A-100, A-201, and A-203. Excavation is not anticipated below the groundwater table. The current zoning designation is MX-1 (M1-2/R6A), which is a Special Mixed Use District with mixed manufacturing and residential. The proposed use is consistent with existing zoning for the property, as the project has received a variance from the NYC Board of Standards and Appeals.

Summary of Past Uses of Site and Areas of Concern

Historically the Site has been operated as a retail gasoline station, automotive repair facility, and for various industrial purposes. Currently the Site is vacant but was most recently used as an adult entertainment establishment and contains one two-story 16,000 square foot building.

The AOCs identified for this site include:

1. Gasoline/filling stations (two)
2. Manufacturing and vehicle service building (differing uses based on time)
3. Gasoline tanks (as many as six)

Summary of the Work Performed under the Remedial Investigation

In 2008 and 2013, Conrad Geoscience/PVE Sheffler performed the following scope of work for the enrollee, South Bronx Charter School:

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed seven soil borings across the entire project Site, and collected seven soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed four temporary groundwater monitoring wells throughout the Site and collected four groundwater samples for chemical analysis to evaluate groundwater quality; (the elevations of the wells were not surveyed so groundwater flow direction was not established);
4. Installed four sub-slab vapor sampling ports beneath the slab of the on-site building and collected one sample from each, plus one indoor air sample, for chemical analysis.

Summary of Environmental Findings

1. Elevation of the property ranges from approximately 18 to 20 feet.
2. Depth to groundwater ranges from 8 to 15 feet at the Site.
3. Groundwater flow direction beneath the Site is unknown.

4. Depth to bedrock ranges from 0 to 6 feet at the Site.
5. The stratigraphy of the site, from the surface down, consists of 0 to 6 feet of unconsolidated soil and fill, and at least 21.5 feet of Manhattan Schist.
6. Soil/fill samples collected during the RI showed no SVOCs at concentrations exceeding 6NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs). Several VOCs were detected at trace levels with the exception of acetone (detected in all samples ranging from 70 to 318 ppb), and was detected above Unrestricted Use SCOs. Five metals (cadmium, chromium, lead, mercury and zinc) exceeded Unrestricted Use SCOs in six out of seven soil samples, and of these cadmium (at 5 ppm in one sample) and lead (ranging from 3 ppm to 11,200 ppm) were reported above Restricted Residential SCOs. Total PCBs were detected at concentrations exceeding Unrestricted Use SCOs in only one sample (at 0.856 mg/kg). Pesticides including Dieldrin (at 5.6 ppm and 29.5 ppm) and 4,4'-DDE (at 9.47 ppm) were detected at concentrations exceeding Unrestricted Use SCOs in two out of seven soil samples. From this data, lead contamination is concentrated in the central-western portion of the property.
7. Pesticides and PCBs were not detected in any of the groundwater samples collected at the site. VOCs including Ethylbenzene (23.6 ug/L), m,p-Xylene (36.6 ug/L), n-Propylbenzene (45.3 ug/L), and 1,2,4-Trimethylbenzene (222 ug/L) were detected at concentrations exceeding NYSDEC GQS in one sample. The only SVOCs detected above GQS, was Napthalene detected at 18.0 ug/L. The dissolved concentrations of the metals arsenic, iron, nickel and thallium were detected slightly above NYSDEC GQS in groundwater samples.
8. Trace concentrations of chlorinated and petroleum-related VOCs were detected in soil vapor samples. All VOC compounds were detected at a concentrations less than 10 $\mu\text{g}/\text{m}^3$ with the exception of acetone, which was detected in all samples ranging from 39 to 140 $\mu\text{g}/\text{m}^3$. Tetrachloroethene (PCE) was identified in all four samples at a concentration ranging from 0.97 to 5.9 $\mu\text{g}/\text{m}^3$. Trichloroethene (TCE) was detected in one sample at 1.2 $\mu\text{g}/\text{m}^3$. 1,1,1-Trichloroethane (TCA) was detected in one sample at 1.9 $\mu\text{g}/\text{m}^3$. Indoor air sample detected trace levels of acetone and PCE. These concentrations

are all below the monitoring level ranges established within the DOH soil Vapor guidance matrix.

REMEDIAL INVESTIGATION REPORT

1.0 SITE BACKGROUND

South Bronx Charter School for International Culture and the Arts has enrolled in the New York City Voluntary Cleanup Program (NYC VCP) to investigate and remediate a 8,772-square foot site located at 611 East 133rd Street in Port Morris section of the Bronx, New York. Use of the site as a school is proposed for the property. The RI work was performed between July 15, 2008 and July 17, 2008, and resumed April 19, 2013. This RIR summarizes the nature and extent of contamination and provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy that is protective of human health and the environment consistent with the use of the property pursuant to RCNY § 43-1407(f).

1.1 Site Location and Current Usage

The Site is located at 611 East 133rd Street in the Port Morris section in the Bronx, New York and is identified as Block 2546 and Lot 27 on the New York City Tax Map. Figure 1 shows the Site location. The Site is 8,772-square feet and is bounded by Cypress Place to the north, East 133rd Street to the south, Cypress Place to the east, and Cypress Place to the west. A map of the site boundary is shown in Figure 2. Currently, the Site is vacant but was most recently used as an adult entertainment establishment and contains one two-story 16,000 square foot building with a partial basement.

1.2 Proposed Redevelopment Plan

The proposed future use of the Site will consist of complete demolition of this building for the construction of a new charter school. The new school will cover the entire building lot. The total square footage of the future school will be 39,000 square feet and will consist of five floors with no grade-level open spaces. A 1,000 square foot basement and mechanical room will be located sub-grade along the north-central portion of the proposed building. Excavation depths will range from 2 feet to approximately 15 feet (into bedrock). The estimated volume of

excavated materials will be 62,000 cubic feet (2,295 cubic yards). Layout of the proposed site development is presented in Figures A-100, A-201, and A-203. Excavation is not anticipated below the groundwater table. The current zoning designation is MX-1 (M1-2/R6A), which is a Special Mixed Use District with mixed manufacturing and residential. The proposed use is not consistent with existing zoning for the property, but the project has received a variance from the NYC Board of Standards and Appeals (August 2008, Reauthorized April 2013)

1.3 Description of Surrounding Property

Figure 7 shows the surrounding land usage. Surrounding usage is mainly industrial, commercial, or municipal, with a few residential structures. Some playgrounds/parks are present within the 500-foot radius from the subject property. No schools, hospitals, or day care facilities were identified within 500 feet of the subject property.

2.0 SITE HISTORY

2.1 Past Uses and Ownership

Historically the Site has been operated as follows: two gasoline stations (1935-1984), manufacturer of surgical appliances (1946-1984), vehicle sales and service (1944-1968). Sanborn Fire Insurance Maps from 1935-1944 indicate gasoline tanks underneath the current building. Sanborn Fire Insurance maps from 1935-1946 indicated gasoline tanks at the western portion of the property, west of the current building.

Currently the Site is vacant but was most recently used as an adult entertainment establishment and contains one two-story 16,000 square foot building

2.2 Previous Investigations

Airtek Environmental conducted two rounds of soil borings (reported in June and August of 2007) during which five soil samples were collected (GP-1 through GP-5, see Figure 4). Groundwater was not encountered above bedrock and, therefore, only soil samples were collected. Petroleum odors were noted in soil samples collected from the western portion of the property, where the former gasoline station operated. Historical Sanborn Fire Insurance maps depict six gasoline storage tanks across the property. Fill ports were subsequently observed in the field by NYCDEP representatives. Laboratory analysis of soil samples identified tetrachloroethylene (PCE), a chlorinated solvent used in various industrial and commercial applications. PCE is not a constituent of gasoline.

Geo Tech Consultants completed three geotechnical borings (B-1 through B-3, See Figure 4) on November 28-29, 2007. No environmental investigation was completed. The first floor slab was 2"-4" thick with 6"-8" of crushed stone below and a few inches of decomposed rock fragments. Bedrock was encountered in the borings at depths varying from 1.5' to 2.5' below the first floor slab. The bedrock was highly fractured Manhattan Schist.

2.3 Site Inspection

On June 30, 2008, Conrad Geoscience personnel inspected the subject property to plot boring locations, evaluate site access, infrastructure, and obstacles to field investigations. During this inspection three fill ports that may have been connected to underground storage tanks (USTs) were observed in the sidewalk at the southwestern corner of the building. These fill ports were plugged with concrete. One additional fill port and vent line were observed in the sidewalk to the north of the building. Inspection of the basement and foundation in this area did not reveal evidence of USTs or aboveground storage tanks (ASTs).

A private utility mark-out was conducted immediately preceding completion of soil borings to identify private utilities and survey the property for possible USTs. The mark-out detected a geophysical anomaly adjacent to the western side of the building. This location corresponds to a small shed depicted on Sanborn fire insurance maps as recently as 1989. Although the presence of USTs could not be ruled out, no other tank-like anomalies were noted in the western portion of the property.

The sidewalk in the vicinity of the fill port on the northern side of the building was also screened for the presence of USTs. A weak electric current was induced on the vent line adjacent to the building and traced using electromagnetic techniques. No UST was identified in the vicinity of the fill port or vent line.

2.4 Areas of Concern

The AOCs identified for this site include:

1. Gasoline/filling stations (two)
2. Manufacturing and vehicle service building (differing uses based on time)
3. Gasoline tanks (as many as six)

Phase 1 Report is presented in Appendix C. A map showing areas of concern is presented in Figure 3.

3.0 PROJECT MANAGEMENT

3.1 Project Organization

The Qualified Environmental Profession (QEP) responsible for preparation of this RIR is Christopher Brown.

3.2 Health and Safety

All work described in this RIR was performed in full compliance with applicable laws and regulations, including Site and OSHA worker safety requirements and HAZWOPER requirements.

3.3 Materials Management

All material encountered during the RI was managed in accordance with applicable laws and regulations.

4.0 REMEDIAL INVESTIGATION ACTIVITIES

Note: The majority of the subsurface investigations occurred in 2008 by Conrad Geoscience personnel. In 2011, Conrad Geoscience merged with PVE Sheffler LLC and primarily operates under the PVE Sheffler name. Subsurface investigations occurring after 2011 are referenced as having been performed by PVE Sheffler.

In 2008 and 2013, Conrad Geoscience/PVE Sheffler performed the following scope of work for the enrollee, South Bronx Charter School:

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed seven soil borings across the entire project Site, and collected seven soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed four temporary groundwater monitoring wells throughout the Site and collected four groundwater samples for chemical analysis to evaluate groundwater quality; (the elevations of the wells were not surveyed so groundwater flow direction was not established);
4. Installed four sub-slab vapor sampling ports through the slab of the on-site building and collected four sub-slab soil vapor samples, and one indoor air sample, for chemical analysis.

4.1 Geophysical Investigation

A private utility mark-out was conducted immediately preceding soil borings to identify private utilities and survey the property for possible USTs. The mark-out detected a geophysical anomaly adjacent to the western side of the building (Figure 2). This location corresponds to a small shed depicted on Sanborn fire insurance maps as recently as 1989. Although the presence of USTs could not be ruled out, no other tank-like anomalies were noted in the western portion of the property.

The sidewalk in the vicinity of the fill port on the northern side of the building was also screened for the presence of USTs. A weak electric current was induced on the vent line adjacent to the

building and traced using electromagnetic techniques. No UST was identified in the vicinity of the fill port or vent line.

A specific geophysical report was not prepared.

4.2 Borings and Monitoring Wells

Drilling and Soil Logging

In July 2008, a total of seven soil borings were performed across the site. The seven soil boring locations were chosen to gain representative soil quality information across the areas of the site accessible with a drill rig. No samples were collected from SB-5 and SB-6. The seven soil borings were completed by ADT were advanced using a track-mounted drilling rig equipped with 4 ¼-inch hollow-stem augers in accordance with NYSDEC/USEPA protocols. Split-spoon soil samples were collected continuously from ground surface to the top of bedrock, or refusal. Borings were advanced to groundwater using a down-hole hammer and compressor connected to the rig. Bedrock was encountered at depths between 0 and 6 feet below land surface (bls). Groundwater was encountered between 8 and 15 feet bls.

Boring logs prepared by Conrad Geoscience/PVE Sheffler are attached in Appendix A. A map showing the location of soil borings is shown in Figure 4.

Groundwater Monitoring Well Construction

A slotted PVC screen was inserted into the open borehole to create the temporary monitoring wells. Temporary monitor well locations are shown in Figure 5.

Survey

Soil borings were placed evenly across the subject property and in locations which would be considered representative of site conditions.

Water Level Measurement

Water level measurements were collected in some of the temporary wells. Depth to water in boring SB-1 was measured between 8'6" and 10'1" below ground surface. Depth to water in boring SB-4 was measured at 8.7' below ground surface. Depth to water in boring SB-5 was measured at 15.2' below ground surface.

4.3 Sample Collection and Chemical Analysis

Sampling performed as part of the field investigation was conducted for all Areas of Concern and also considered other means for bias of sampling based on professional judgment, area history, discolored soil, stressed vegetation, drainage patterns, field instrument measurements, odor, or other field indicators. All media including soil, groundwater and soil vapor have been sampled and evaluated in the RIR. Discrete (grab) samples have been used for final delineation of the nature and extent of contamination and to determine the impact of contaminants on public health and the environment. The sampling performed and presented in this RIR provides sufficient basis for evaluation of remedial action alternatives, establishment of a qualitative human health exposure assessment, and selection of a final remedy.

Soil Sampling

Seven soil samples were collected for chemical analysis during this RI in July 2008. Data on soil sample collection for chemical analyses, including dates of collection and sample depths, is reported in Tables 1-5 and Appendix B. Figure 4 shows the location of samples collected in this investigation. Laboratories and analytical methods are shown below.

Conrad Geoscience retained the services of Aquifer Drilling and Testing (ADT) for the completion of seven soil borings. Soil borings were completed on July 15, 16, and 17, 2008.

The seven soil borings completed by ADT were advanced using a track-mounted drilling rig equipped with 4 ¼-inch hollow-stem augers in accordance with NYSDEC/USEPA protocols. Split-spoon soil samples were collected continuously from ground surface to the top of bedrock, or refusal. Borings were advanced to groundwater using a down-hole hammer and compressor connected to the rig. Bedrock was encountered at depths between 0 and 6 feet below land surface (bls). Groundwater was encountered between 8 and 15 feet bls. Boring logs are provided in Appendix A.

Conrad Geoscience screened soil samples in the field for the presence of VOCs using a photoionization detector (PID) and headspace techniques. Background PID readings after field calibration ranged from 0-2 ppm. Once screened with the PID, the soil samples were placed in laboratory-provided unpreserved glass soil jars, labeled, and placed on ice. A chain of custody was completed for each sampling day. No duplicate samples were collected. Soil samples were submitted via overnight delivery to Paradigm Environmental Services to a NYSDOH approved

laboratory for analysis of VOCs via USEPA Method 8260, SVOCs via USEPA Method 8270, the Target Analyte List of Metals and Pesticides/PCBs via EPA 8081/8082. No soil samples were collected from SB-5 or SB-6 due to no soil being encountered in those borings.

Groundwater Sampling

Four groundwater samples were collected for chemical analysis during this RI. Groundwater sample collection data is reported in Tables 6-10. Figure 5 shows the location of groundwater sampling. Laboratories and analytical methods are shown below.

Groundwater samples were collected from temporary monitoring wells. A slotted PVC screen was inserted into the open borehole to create the temporary monitoring wells. Groundwater samples were collected from each of these wells using a peristaltic pump and dedicated polyethylene tubing. Filtered and un-filtered samples were collected from each location for analysis of TAL Metals. Samples were dispensed into laboratory provided containers, labeled, and placed on ice. A chain of custody was completed for each sampling day. Samples were shipped via overnight delivery to Paradigm Environmental Services, of Rochester, New York for analysis of VOCs via USEPA Method 8260, SVOCs via USEPA Method 8270, the Target Analyte List of Metals and Pesticides/PCBs via EPA 8081/8082. No duplicate samples or field or lab blank samples were collected.

Soil Vapor Sampling

Four sub-slab soil vapor probes were installed and four sub-slab soil vapor samples were collected in addition to one indoor vapor sample for chemical analysis during this RI. Soil vapor sampling locations are shown in Figure 6. Soil vapor sample collection data is reported in Table 11. Methodologies used for soil vapor assessment conform to the *NYS DOH Final Guidance on Soil Vapor Intrusion, October 2006*.

Four sub-slab soil vapor sampling ports were installed through the slab of the onsite building. Each sub-slab sampling port was installed by coring a 3/4-inch diameter borehole beneath the floor slab to a depth of approximately 6 inches. A 6-inch by 1/4-inch stainless steel screen was inserted into the borehole. A 3/8-inch OD, 1/4-inch ID length of polyethylene tubing was connected to the top of the screen that extended above the top of the slab. Sand was placed in the borehole around the screen to the base of the slab. The remaining portion of the borehole was filled with cement to the top of the slab.

On April 25, 2013, PVE Sheffler collected a sub-slab vapor sample at each of the four locations. Prior to sample collection, each sampling port was purged with a syringe plunger so that approximately two air volumes of the port were removed. After purging, PVE Sheffler collected sub-slab vapor samples by connecting each sampling port to a 1-liter summa canister with dedicated Teflon® tubing. The summa canister was fitted with a flow controller, which was set to collect a 1-liter sample over an 8-hour period at a flow rate not exceeding 0.2 L/min. We also collected a simultaneous ambient indoor air sample. (An ambient outdoor air sample was expected to be collected but equipment malfunctions inhibited sample collection.) The indoor sample was collected with a summa canister fitted with a flow controller set to collect a 1-liter sample over an 8-hour period at a flow rate not exceeding 0.2 L/min.

On April 25, 2013, at the end of the 8-hour sampling period, PVE Sheffler personnel completed a chain of custody for the samples and shipped the summa canisters via overnight delivery to Centek Laboratories in Syracuse, NY, a NYSDOH-certified laboratory. Samples were analyzed for VOCs via USEPA Method TO-15.

Chemical Analysis

Chemical analytical work presented in this RIR has been performed in the following manner:

Factor	Description
Quality Assurance Officer	The chemical analytical quality assurance is directed by Bruce Hoogesteger, Technical Director of Paradigm Environmental Services.
Chemical Analytical Laboratory	Chemical analytical laboratory(s) used in the RI is NYS ELAP certified and were Paradigm Environmental Services of Rochester, NY and Centek Laboratories of Syracuse, NY
Chemical Analytical Methods	Soil analytical methods: <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010B (rev. 1996);

	<ul style="list-style-type: none"> • VOCs by EPA Method 8260B (rev. 1996); • SVOCs by EPA Method 8270C (rev. 1996); • Pesticides by EPA Method 8081A (rev. 1996); • PCBs by EPA Method 8082 (rev. 1996); <p>Groundwater analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010B (rev. 1996); • VOCs by EPA Method 8260B (rev. 1996); • SVOCs by EPA Method 8270C (rev. 1996); • Pesticides by EPA Method 8081A (rev. 1996); • PCBs by EPA Method 8082 (rev. 1996); <p>Soil vapor analytical methods:</p> <ul style="list-style-type: none"> • VOCs by TO-15 VOC parameters.
--	---

Results of Chemical Analyses

Laboratory data for soil, groundwater and soil vapor are summarized in Tables 1-11, respectively. Laboratory data deliverables for all samples evaluated in this RIR are provided in digital form in Appendix B.

5.0 ENVIRONMENTAL EVALUATION

5.1 Geological and Hydrogeological Conditions

Stratigraphy

Boring logs are appended (Appendix A). The deepest boring was to 22 feet. Sand and/or fill is located above bedrock. Depth to bedrock ranges from 0 to 6 feet below ground surface.

Bedrock consists of Manhattan Schist. Groundwater is not encountered in the unconsolidated sediment; groundwater is encountered in bedrock.

Hydrogeology

The average depth to groundwater is 11 feet and the range in depth is 8 to 15 feet. The temporary wells were not surveyed so a groundwater flow map was not prepared.

5.2 Soil Chemistry

Data collected during the RI is sufficient to delineate the vertical and horizontal distribution of contaminants in soil/fill at the Site. A summary table of data for chemical analyses performed on soil samples is included in Tables 1-5. Figure 4 shows the location and posts the values for soil/fill that exceed the 6NYCRR Part 375-6.8 Track 1 Unrestricted Soil Cleanup Objectives.

Soil/fill samples collected during the RI showed no SVOCs at concentrations exceeding 6NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs). Several VOCs were detected at trace levels with the exception of acetone (detected in all samples ranging from 70 to 318 ppb), and was detected above Unrestricted Use SCOs. Five metals (cadmium, chromium, lead, mercury and zinc) exceeded Unrestricted Use SCOs in six out of seven soil samples, and of these cadmium (at 5 ppm in one sample) and lead (ranging from 3 ppm to 11,200 ppm) were reported above Restricted Residential SCOs. Total PCBs were detected at concentrations exceeding Unrestricted Use SCOs in only one sample (at 0.856 mg/kg). Pesticides including Dieldrin (at 5.6 ppm and 29.5 ppm) and 4,4'-DDE (at 9.47 ppm) were detected at concentrations exceeding Unrestricted Use SCOs in two out of seven soil samples.

Conclusions

In 2008, soil was only sampled in the western half of the subject property. From this data, soil contamination is concentrated in the central-western portion of the subject property and consists of metals contamination. This portion of the subject property is the AOC where a filling station and associated gasoline tanks were located. This area is also partially overlapped by the AOC of the building which, historically, operated as both an automobile sales and service business and a manufacturer of surgical appliances.

5.3 Groundwater Chemistry

Data collected during the RI is sufficient to delineate the distribution of contaminants in groundwater at the Site. A summary table of data for chemical analyses performed on groundwater samples is included in Tables 6-10. Exceedences of applicable groundwater standards are shown. Figure 5 shows the location and posts the values for groundwater that exceed the New York State 6NYCRR Part 703.5 Class GA groundwater standards (GQS).

Pesticides and PCBs were not detected in any of the groundwater samples collected at the site. VOCs including Ethylbenzene (23.6 ug/L), m,p-Xylene (36.6 ug/L), n-Propylbenzene (45.3 ug/L), and 1,2,4-Trimethylbenzene (222 ug/L) were detected at concentrations exceeding NYSDEC GQS in one sample (SB-1 GW). The only SVOCs detected above GQS was Napthalene (18.0 ug/L) in SB-1 GW. The dissolved concentrations of the metals arsenic, iron, nickel and thallium were detected slightly above NYSDEC GQS in groundwater samples.

Conclusions

Groundwater contamination is concentrated in the western portion of the subject property and mainly consists of metals contamination. Only a few petroleum hydrocarbons (VOCs and SVOCs) were detected. The western portion of the subject property is the AOC where a filling station and associated gasoline tanks were located. This area is also partially overlapped by the AOC of the building which, historically, operated as both an automobile sales and service business and a manufacturer of surgical appliances.

A small quantity of free product (thickness 0.01 feet) was measured in SB-5, on the water table, 15 feet below the ground floor of the building. The slab of the ground floor is directly above bedrock and no contaminated soil was encountered in this boring. Groundwater samples collected from this boring did not contain elevated concentrations of VOCs, SVOCs, PCBs, or pesticides. USTs are depicted on Sanborn Fire Insurance Maps in the vicinity of SB-5, and the presence of tanks beneath the building cannot be ruled out. These tanks could represent the source of free product. Considering the depth to groundwater in this location, it is possible that free product may have originated from an off-site source.

5.4 Soil Vapor Chemistry

Sub-slab soil gas collected during the RI showed trace concentrations of chlorinated and petroleum-related VOCs. All compounds were detected at a concentrations less than $10 \mu\text{g}/\text{m}^3$ with the exception of acetone, which was detected in all samples ranging from 39 to $140 \mu\text{g}/\text{m}^3$. Tetrachloroethene (PCE) was identified in all four samples at a concentration ranging from 0.97 to $5.9 \mu\text{g}/\text{m}^3$. Trichloroethene (TCE) was detected in one sample at $1.2 \mu\text{g}/\text{m}^3$. 1,1,1-Trichloroethane (TCA) was detected in one sample at $1.9 \mu\text{g}/\text{m}^3$. Indoor air sample detected trace levels of acetone and PCE. These concentrations are all below the monitoring level ranges established within the DOH soil Vapor guidance matrix.

Data collected during the RI is sufficient to delineate the distribution of contaminants in soil vapor at the Site. Figure 6 shows the location of the sub-slab sampling points and indoor air sampling location and depicts the concentrations of contaminants detected at each sampling location. A summary table of data for chemical analyses performed on soil vapor samples is included in Table 11.


5.5 Prior Activity

Based on an evaluation of the data and information from the RIR, disposal of significant amounts of hazardous waste is not suspected at this site.

5.6 Impediments to Remedial Action

There are no known impediments to remedial action at this property.

FIGURES



SITE LOCATION MAP

SOUTH BRONX CHARTER SCHOOL
 611 EAST 133rd STREET
 BRONX, NEW YORK


FIGURE 1

	DATE:	04/17/2013
	SCALE:	As Indicated
	PROJECT NUMBER:	160862

ALL LOCATIONS APPROXIMATE




One Civic Center Plaza
 Suite 501
 Poughkeepsie, New York 12601
 Phone: (845) 454-2544
 Fax: (845) 454-2655



Legend

- Suspected UST Fill Port
- Suspected Fuel Oil Vent
- Geophysical Anomaly
- Building Outline

BASEMAP:
 "ALTA/ACSM LAND TITLE SURVEY",
 ARTISTOTLE BOURNAZOS, P.C.,
 DATED 6-15-2007



SELECTED SITE FEATURES
 SOUTH BRONX CHARTER SCHOOL
 611 EAST 133rd STREET
 BRONX, NEW YORK

One Civic Center Plaza
 Suite 501
 Poughkeepsie, New York 12601
 Phone: (845) 454-2544
 Fax: (845) 454-2655


FIGURE 2

	DATE:	04/17/2013
	SCALE:	As Indicated
	PROJECT NUMBER:	160862

ALL LOCATIONS APPROXIMATE

Legend

-  Manufacturer of Surgical Appliances / Auto Sales & Service
-  Filling Station
-  Gas Tank



BASEMAP:
 "ALTA/ACSM LAND TITLE SURVEY",
 ARTISTOTLE BOURNAZOS, P.C.,
 DATED 6-15-2007


AREAS OF CONCERN FROM HISTORIC MAPS

SOUTH BRONX CHARTER SCHOOL
 611 EAST 133rd STREET
 BRONX, NEW YORK




One Civic Center Plaza
 Suite 501
 Poughkeepsie, New York 12601
 Phone: (845) 454-2544
 Fax: (845) 454-2655

FIGURE 3



DATE:	04/18/2013
SCALE:	As Indicated
PROJECT NUMBER:	160862


ALL LOCATIONS APPROXIMATE



BASEMAP:
"ALTA/ACSM LAND TITLE SURVEY",
ARTISTOTLE BOURNAZOS, P.C.,
DATED 6-15-2007

EXCEEDENCES ONLY LISTED FOR 2008
SAMPLES.

EXCEEDENCES BASED ON NYSDEC PART
375 UNRESTRICTED USE SOIL CLEANUP
OBJECTIVES.



SOIL BORING SAMPLE LOCATIONS WITH EXCEEDENCES OF STANDARDS

SOUTH BRONX CHARTER SCHOOL
611 EAST 133rd STREET, BRONX, NEW YORK



One Civic Center Plaza
Suite 501
Poughkeepsie, New York 12601
Phone: (845) 454-2544
Fax: (845) 454-2655

FIGURE 4




DATE: 04/17/2013

SCALE: As Indicated

PROJECT
NUMBER: 160862

ALL LOCATIONS APPROXIMATE




Legend

- Groundwater Samples, Conrad Geoscience, 2008
- Suspected UST Fill Port
- Suspected Fuel Oil Vent
- Geophysical Anomaly
- Building Outline

BASEMAP:
 "ALTA/ACSM LAND TITLE SURVEY",
 ARTISTOTLE BOURNAZOS, P.C.,
 DATED 6-15-2007

EXCEEDENCES BASED ON 6NYCRR PART
 703.5 CLASS GA GROUNDWATER
 STANDARDS. RESULTS FOR UNFILTERED
 SAMPLES UNLESS OTHERWISE STATED.



**GROUNDWATER SAMPLE LOCATIONS
 WITH EXCEEDENCES OF STANDARDS**
 SOUTH BRONX CHARTER SCHOOL
 611 EAST 133rd STREET, BRONX, NEW YORK



One Civic Center Plaza
 Suite 501
 Poughkeepsie, New York 12601
 Phone: (845) 454-2544
 Fax: (845) 454-2655

FIGURE 5

	DATE:	04/17/2013
	SCALE:	As Indicated
	PROJECT NUMBER:	160862

ALL LOCATIONS APPROXIMATE

Legend

- Indoor Air Sample (ground floor)
- ▲ Sub-Slab Sample (ground floor)


1,2,4-Trimethylbenzene: 8.3
 1,3,5-Trimethylbenzene: 1.5
 2,2,4-Trimethylpentane: 1.9
 4-Ethyltoluene: 1.5
 Acetone: 140
 Benzene: 0.71
 Cyclohexane: 0.87
 Ethylbenzene: 1.2
 Freon 11: 1.4
 Freon 12: 7.8
 Hexane: 1.6
 Isopropyl alcohol: 4.2
 m&p-Xylene: 4.7
 Methyl Ethyl Ketone: 2.2
 Methyl Isobutyl Ketone: 5.3
 Methylene chloride: 0.53
 o-Xylene: 2.1
 Tetrachloroethylene: 3.2
 Toluene: 4.1

1,2,4-Trimethylbenzene: 2.6
 1,3,5-Trimethylbenzene: 0.65
 2,2,4-Trimethylpentane: 1.1
 4-Ethyltoluene: 0.50
 Acetone: 96
 Benzene: 0.68
 Chloroethane: 0.94
 Ethylbenzene: 0.93
 Freon 11: 1.7
 Freon 113: 2.6
 Freon 12: 3.3
 Heptane: 0.92
 Hexane: 2.7
 Isopropyl alcohol: 4.4
 m&p-Xylene: 2.8
 Methyl Ethyl Ketone: 2.6
 Methyl Isobutyl Ketone: 3.2
 Methylene chloride: 0.85
 o-Xylene: 0.97
 Tetrachloroethylene: 4.1
 Toluene: 3.8

1,2,4-Trimethylbenzene: 3.2
 1,3,5-Trimethylbenzene: 0.65
 2,2,4-Trimethylpentane: 0.62
 4-Ethyltoluene: 0.60
 Acetone: 39
 Benzene: 0.71
 Ethylbenzene: 0.62
 Freon 11: 1.4
 Freon 12: 2.8
 Hexane: 1.2
 Isopropyl alcohol: 1.8
 m&p-Xylene: 2.0
 Methyl Ethyl Ketone: 1.7
 Methyl Isobutyl Ketone: 1.7
 Methylene chloride: 0.67
 o-Xylene: 0.71
 Tetrachloroethylene: 2.3
 Toluene: 2.8


1,1,1-Trichloroethane: 1.9
 1,2,4-Trimethylbenzene: 4.6
 1,3,5-Trimethylbenzene: 1.0
 2,2,4-Trimethylpentane: 1.0
 4-Ethyltoluene: 0.90
 Acetone: 86
 Benzene: 0.97
 cis-1,2-Dichloroethene: 0.60
 Ethylbenzene: 0.93
 Freon 11: 1.5
 Freon 113: 28
 Freon 12: 3.2
 Heptane: 1.2
 Hexane: 1.6
 Isopropyl alcohol: 5.4
 m&p-Xylene: 2.9
 Methyl Ethyl Ketone: 2.0
 Methyl Isobutyl Ketone: 4.2
 Methylene chloride: 0.67
 o-Xylene: 1.2
 Tetrachloroethylene: 5.9
 Toluene: 2.9

1,2,4-Trimethylbenzene: 1.1
 2,2,4-Trimethylpentane: 0.47
 Acetone: 48
 Benzene: 0.65
 Carbon tetrachloride: 0.58
 Chloromethane: 1.2
 Ethylbenzene: 0.71
 Freon 11: 1.5
 Freon 12: 3.3
 Heptane: 0.71
 m&p-Xylene: 1.6
 Methyl Ethyl Ketone: 2.1
 Methylene chloride: 0.64
 o-Xylene: 0.57
 Tetrachloroethylene: 0.97
 Toluene: 2.3



BASEMAP:
 "ALTA/ACSM LAND TITLE SURVEY" by
 ARTISTOTLE BOURNAZOS, P.C.,
 June 15, 2007

VAPOR RESULT UNITS ARE MICROGRAMS
 PER CUBIC METER (UG/M3)




**VAPOR SAMPLE LOCATIONS
 WITH DETECTED CONCENTRATIONS
 SOUTH BRONX CHARTER SCHOOL
 611 EAST 133rd STREET, BRONX, NEW YORK**




One Civic Center Plaza
 Suite 501
 Poughkeepsie, New York 12601
 Phone: (845) 454-2544
 Fax: (845) 454-2655

FIGURE 6



DATE:	04/30/2013
SCALE:	As Indicated
PROJECT NUMBER:	160862

ALL LOCATIONS APPROXIMATE



AERIAL PHOTO:
 BING MAPS AERIAL, ESRI BASEMAP,
 ACCESSED APRIL 2013

SURROUNDING LAND USAGE
 SOUTH BRONX CHARTER SCHOOL
 611 EAST 133rd STREET
 BRONX, NEW YORK



One Civic Center Plaza
 Suite 501
 Poughkeepsie, New York 12601
 Phone: (845) 454-2544
 Fax: (845) 454-2655




FIGURE 7

	DATE:	04/02/2013
	SCALE:	As Indicated
	PROJECT NUMBER:	160862

ALL LOCATIONS APPROXIMATE

TABLES

Table 1.

Volatile Organic Compounds (VOCs) in Soil Boring Samples; USEPA Method 8260;
collected **July 15-17, 2008;** South Bronx Charter School, Bronx, New York;
PVE Sheffler File #160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
<i>Volatile Organic Compounds</i>										
Bromodichloromethane	75-27-4	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Bromomethane	74-83-9	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Bromoform	75-25-2	NE	NE	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
Carbon tetrachloride	56-23-5	760	2,400	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
Chloroethane	75-00-3	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Chloromethane	74-87-3	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
2-Chloroethyl vinyl ether	110-75-8	NE	NE	ND<63.2	ND<42.1	ND<35.8	ND<48.3	ND<44.4	ND<44.3	ND<45.6
Chloroform	67-66-3	370	49,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Dibromochloromethane	124-48-1	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,1-Dichloroethane	75-34-3	270	26,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,2-Dichloroethane	107-06-2	20	3,100	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,1-Dichloroethene	75-35-4	330	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
cis-1,2-Dichloroethene	156-59-2	250	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
trans-1,2-Dichloroethene	156-60-5	190	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,2-Dichloropropane	78-87-5	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
cis-1,3-Dichloropropene	10061-01-5	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
trans-1,3-Dichloropropene	10061-02-6	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Methylene chloride	75-09-2	50	100,000	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
1,1,2,2-Tetrachloroethane	79-34-5	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Tetrachloroethene	127-18-4	1,300	19,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,1,1-Trichloroethane	71-55-6	680	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,1,2-Trichloroethane	79-00-5	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Trichloroethene	79-01-6	470	21,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Trichlorofluoromethane	75-69-4	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Vinyl Chloride	75-01-4	20	900	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Benzene	71-43-2	60	4,800	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Chlorobenzene	108-90-7	1,100	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Ethylbenzene	100-41-4	1,000	41,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Toluene	108-88-3	700	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
m/p-Xylene	1330-20-7	260	100,000	31.3	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
o-Xylene	1330-20-7	260	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Styrene	100-42-5	NE	NE	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
1,2-Dichlorobenzene	95-50-1	1,100	100,000	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
1,3-Dichlorobenzene	541-73-1	2,400	49,000	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
1,4-Dichlorobenzene	106-46-7	1,800	13,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Acetone	67-64-1	50	100,000	318	154	125	73.8	107	70.5	85.1
2-Butanone	78-93-3	120	100,000	ND<63.2	ND<42.1	ND<35.8	ND<48.3	ND<44.4	ND<44.3	ND<45.6
2-Hexanone	591-78-6	NE	NE	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
4-Methyl-2-pentanone	108-10-1	NE	Ne	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
Carbon disulfide	75-15-0	NE	NE	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Vinyl acetate	108-05-4	NE	NE	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
n-Butylbenzene	104-51-8	12,000	100,000	66	ND<42.1	ND<35.8	ND<48.3	ND<44.4	ND<44.3	ND<45.6
sec-Butylbenzene	135-98-8	11,000	100,000	20	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
tert-Butylbenzene	98-06-6	5,900	100,000	ND<31.6	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
n-propylbenzene	103-65-1	3,900	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13
Isopropylbenzene	98-82-8	NE	NE	ND<63.2	ND<42.1	ND<35.8	ND<48.3	ND<44.4	ND<44.3	ND<45.6
p-Isopropyltoluene	99-87-6	NE	NE	ND<63.2	ND<42.1	ND<35.8	ND<48.3	ND<44.4	ND<44.3	ND<45.6
Naphthalene	91-20-3	12,000	100,000	217	ND<21.0	ND<17.9	ND<24.2	ND<22.2	ND<22.1	ND<22.8
1,2,4-Trimethylbenzene	95-63-6	3,600	52,000	27.1	ND<8.42	7.87	ND<9.66	ND<8.87	ND<8.85	ND<9.13
1,3,5-Trimethylbenzene	108-67-8	8,400	52,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13

Table 1.

Volatile Organic Compounds (VOCs) in Soil Boring Samples; USEPA Method 8260;
 collected **July 15-17, 2008**; South Bronx Charter School, Bronx, New York;
 PVE Sheffler File #160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
<i>Volatile Organic Compounds</i>										
Methyl tert-butyl ether	1634-04-4	930	100,000	ND<12.6	ND<8.42	ND<7.16	ND<9.66	ND<8.87	ND<8.85	ND<9.13

Notes:

1 – Standards are for soils according NYSDEC Part 375, *Unrestricted Use Soil Cleanup Objectives*;

3 - Standards are for soils according NYSDEC Part 375, *Restricted-Residential Use Soil Cleanup Objectives*;

All concentrations are in ug/kg unless otherwise indicated;

Boldface type designates those compounds detected at concentrations exceeding NYSDEC Unrestricted Use Limit;

ND = Not detected, detection limit listed;

NE = No standard established.

Table 2.

Semi-Volatile Organic Compounds (SVOCs) in Soil Boring Samples; USEPA Method 8270
collected **July 15-17, 2008**; South Bronx Charter School, Bronx, New York;
PVE Sheffler File #160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
<i>Semi-Volatile Organic Compounds</i>										
Acenaphthene	83-32-9	20,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Anthracene	120-12-7	100,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzo(a)anthracene	56-55-3	1,000	1,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzo(a)pyrene	50-32-8	1,000	1,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzo(b)fluoranthene	205-99-2	1,000	1,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzo(g,h,i)perylene	191-24-2	100,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzo(k)fluoranthene	207-08-9	800	3,900	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Chrysene	218-01-9	1,000	3,900	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Diethyl phthalate	84-66-2	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Dimethyl phthalate	131-11-3	NE	NE	ND<327	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
Butylbenzylphthalate	85-68-7	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Di-n-butylphthalate	84-74-2	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Di-n-octylphthalate	117-84-0	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Bis(2-ethylhexyl)phthalate	117-81-7	NE	NE	836	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2-Chloronaphthalene	91-58-7	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Hexachlorobenzene	118-74-1	330	1,200	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Hexachloroethane	67-72-1	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Hexachlorocyclopentadiene	77-47-4	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Hexachlorobutadiene	87-68-3	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
N-Nitroso-di-n-propylamine	621-64-7	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
N-Nitrosodiphenylamine	86-30-6	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
N-Nitrosodimethylamine	62-75-9	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Isophorone	78-59-1	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzyl alcohol	100-51-6	NE	NE	ND<327	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
Dibenzofuran	132-64-9	7,000	59,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2-Methylnaphthalene	91-57-6	NE	NE	915	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Dibenz(a,h)anthracene	53-70-3	330	330	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Fluoranthene	206-44-0	100,000	100,000	367	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Fluorene	86-73-7	30,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Indeno(1,2,3-cd)pyrene	193-39-5	500	500	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Napthalene	91-20-3	12,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Phenanthrene	85-01-8	100,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Pyrene	129-00-0	100,000	100,000	354	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Acenaphthylene	208-96-8	100,000	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
1,2-Dichlorobenzene	95-50-1	1,100	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
1,3-Dichlorobenzene	541-73-1	2,400	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
1,4-Dichlorobenzene	106-46-7	1,800	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
1,2,4-Trichlorobenzene	120-82-1	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Nitrobenzene	98-95-3	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2,4-Dinitrotoluene	121-14-2	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2,6-Dinitrotoluene	606-20-2	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Bis(2-chloroethyl)ether	111-44-4	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Bis(2-chloroisopropyl)ether	39638-32-9	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Bis(2-chlorethoxy)methane	111-91-1	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
4-Bromophenyl phenyl ether	101-55-3	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
4-Chlorophenyl phenyl ether	7005-72-3	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Benzidine	92-87-5	NE	NE	ND<817	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
3,3'-Dichlorobenzidine	91-94-1	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
4-Chloroaniline	106-47-8	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2-Nitroaniline	88-74-4	NE	NE	ND<327	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
3-Nitroaniline	99-09-2	NE	NE	ND<327	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
4-Nitroaniline	100-01-6	NE	NE	ND<327	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
Phenol	108-95-2	330	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2-Chlorophenol	95-57-8	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2,4-Dichlorophenol	120-83-2	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295

Table 2.

Semi-Volatile Organic Compounds (SVOCs) in Soil Boring Samples; USEPA Method 8270
collected **July 15-17, 2008**; South Bronx Charter School, Bronx, New York;
PVE Sheffler File #160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
<i>Semi-Volatile Organic Compounds</i>										
2,6-Dichlorophenol	87-65-0	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2,4,5-Trichlorophenol	95-95-4	NE	NE	ND<817	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
2,4,6-Trichlorophenol	88-06-2	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
Pentachlorophenol	87-86-5	800	6,700	ND<817	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
4-Chloro-3-methylphenol	59-50-7	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2-Methylphenol	95-48-7	330	100,000	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
3&4-Methylphenol	108-39-4	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2,4-Dimethylphenol	105-67-9	NE	NE	ND<327	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
2-Nitrophenol	88-75-5	NE	NE	ND<817	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
4-Nitrophenol	100-02-7	NE	NE	ND<327	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
2,4-Dinitrophenol	51-28-5	NE	NE	ND<817	ND<332	ND<320	ND<295	ND<311	ND<293	ND<295
4,6-Dinitro-2-methylphenol	534-52-1	NE	NE	ND<817	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737
Benzoic acid	66-85-0	NE	NE	ND<817	ND<830	ND<801	ND<736	ND<777	ND<734	ND<737

Notes:

1 - Standards are for soils according NYSDEC Part 375, *Unrestricted Use Soil Cleanup Objectives*;

3 - Standards are for soils according NYSDEC Part 375, *Restricted-Residential Use Soil Cleanup Objectives*;

All concentrations are in ug/kg (ppb) unless otherwise indicated;

Boldface type designates those compounds detected at concentrations exceeding NYSDEC Unrestricted Use standards;

NE = No standard established;

MDL = Method Detection Limit.

Table 3.

TAL Metals in Soil Samples; USEPA Method 6010 and 7471;
collected July 15-17, 2008; South Bronx Charter School, Port Morris, New York;
PVE Sheffler File #160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
<i>Inorganic Compounds</i>										
Aluminum	7429-90-5	NE	NE	7,830	2,860	6,910	15,400	24,000	23,200	12,800
Antimony	7440-36-0	NE	NE	ND<6.50	ND<4.81	ND<6.34	ND<5.06	ND<6.18	ND<517	33.7
Arsenic	7440-38-2	13	16	3.27	0.884	ND<0.529	ND<0.463	ND<0.515	ND<0.430	ND<0.370
Barium	7440-39-3	350	400	102	15.9	70.1	170	302	296	124
Beryllium	7440-41-7	7.2	72	ND<0.542	ND<0.401	ND<0.529	ND<0.463	ND<0.515	ND<0.430	ND<0.370
Cadmium	7440-43-9	2.5	4.3	5.06	ND<0.401	ND<0.529	ND<0.463	ND<0.515	ND<0.430	ND<0.370
Calcium	7440-70-2	NE	NE	25,700	469	1,690	4,940	3,600	2,480	9,980
Chromium	7440-47-3	30*	180*	36.4	16.3	18	38.5	37.4	39.4	22.8
Cobalt	7440-48-4	NE	NE	7.57	3.08	8.76	21.4	31	30.1	11.9
Copper	7440-50-8	50	270	29.2	4.27	6.58	48.9	32.3	15.9	23.7
Iron	7439-89-8	NE	NE	35,900	8,410	15,500	39,900	46,900	42,400	21,300
Lead	7439-92-1	63	400	238	21.5	69	144	65.6	3.18	11,200
Magnesium	7439-95-4	NE	NE	3,610	695	3,400	8,100	9,570	9,730	5,320
Manganese	7439-96-5	1,600	2,000	270	115	270	608	835	769	365
Total Mercury	None	0.12**	5.8**	0.112	ND<0.0082	0.0222	0.7751	0.014	ND<0.0075	1.004
Nickel	7440-02-0	30	310	19.2	9.57	12.8	23.7	29.4	29.6	13.5
Potassium	7440-09-7	NE	NE	2,080	670	3,950	8,110	21,800	21,600	5,290
Selenium	7782-49-2	36	NE	ND<0.542	ND<0.401	ND<0.529	ND<0.463	ND<0.515	ND<0.430	ND<0.370
Silver	7440-22-4	36	NE	ND<1.08	ND<0.803	ND<1.06	ND<0.926	ND<1.03	ND<0.862	ND<.868
Sodium	7440-23-5	NE	NE	218	ND<80.3	ND<106	143	251	241	363
Thallium	7440-28-0	NE	NE	ND<0.650	ND<0.481	ND<0.634	ND<0.556	ND<0.618	ND<0.517	ND<0.444
Vanadium	7440-62-2	NE	NE	24.4	10.4	23.2	53.7	56.3	57	31.8
Zinc	7440-66-6	109	10,000	1,140	16.8	55.6	88.5	176	116	67.3

Notes:

1 – Standards are for soils according NYSDEC Part 375, *Unrestricted Use Soil Cleanup Objectives*;

3 - Standards are for soils according NYSDEC Part 375, *Restricted-Residential Use Soil Cleanup Objectives*;

All concentrations are in mg/kg unless otherwise indicated;

* NYSDEC limit for trivalent Chromium is listed;

** NYSDEC limit for Mercury (inorganic salts) is listed (see Technical Support Document Table 5.6-1);

Boldface type designates those compounds detected at concentrations exceeding NYSDEC Unrestricted Use Limit;

Boldface and gray-highlighted type designates those compounds detected at concentrations exceeding NYSDEC Restricted-Residential Limits;

ND = Not detected, detection limit listed;

NE = No standard established.

Table 4. **PCBs in Soil Samples; USEPA Method 8082; collected July 15-17, 2008;**
 South Bronx Charter School, Port Morris, New York;
 PVE Sheffler File # 160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
PCBs										
Aroclor 1016	12674-11-2	NE	NE	ND<0.324	ND<0.353	ND<0.331	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Aroclor 1221	11104-28-2	NE	NE	ND<0.324	ND<0.353	ND<0.331	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Aroclor 1232	11141-16-5	NE	NE	ND<0.324	ND<0.353	ND<0.331	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Aroclor 1242	53469-21-9	NE	NE	ND<0.324	ND<0.353	ND<0.331	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Aroclor 1248	12672-29-6	NE	NE	ND<0.324	ND<0.353	ND<0.331	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Aroclor 1254	11097-69-1	NE	NE	ND<0.324	ND<0.353	ND<0.331	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Aroclor 1260	11096-82-5	NE	NE	ND<0.324	ND<0.353	0.865	ND<0.309	ND<0.326	ND<0.304	ND<0.311
Total PCBs	1336-36-3	0.1	1	ND	ND	0.865	ND	ND	ND	ND

Notes:

1 – Standards are for soils according NYSDEC Part 375, *Unrestricted Use Soil Cleanup Objectives*;

3 - Standards are for soils according NYSDEC Part 375, *Restricted-Residential Use Soil Cleanup Objectives*;

All concentrations are in mg/kg unless otherwise indicated;

Boldface type designates those compounds detected at concentrations exceeding NYSDEC Unrestricted Use Limit;

ND = Not detected, detection limit listed;

NE = No standard established.

Table 5. **Pesticides in Soil Samples;** USEPA Method 8081;
collected **July 15-17, 2008;** South Bronx Charter School, Port Morris, New York;
PVE Sheffler File #160862

Chemical Constituent	CAS Number	NYSDEC Limit ¹	NYSDEC Limit ³	Sample Identification						
				SB-1 (2-4.5')	SB-2 (2-4')	SB-2 (4-6')	SB-3 (0-1')	SB-4 (1-2')	SB-4 (2.5')	SB-7 (1-2')
<i>Pesticides</i>										
Aldrin	309-00-2	5	97	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
alpha-BHC	319-84-6	20	480	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
beta-BHC	319-85-7	36	360	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
delta-BHC	319-86-8	40	100,000	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
gamma-BHC	58-89-9	60	1,300	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
gamma-Chlordane	5566-34-7	NE	NE	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
alpha-Chlordane	5103-71-9	94	4,200	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
4,4'-DDD	72-54-8	3.3	13,000	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
4,4'-DDE	72-55-9	3.3	8,900	ND<3.26	ND<3.32	9.47	ND<2.92	ND<3.11	ND<2.91	ND<2.92
4,4'-DDT	50-29-3	3.3	7,900	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Dieldrin	60-57-1	5	200	5.69	ND<3.32	29.5	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Endosulfan I	959-98-8	2,400	24,000	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Endosulfan II	33213-65-9	2,400	24,000	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Endosulfan Sulfate	1031-07-8	2,400	24,000	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Endrin	72-20-8	14	11,000	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Endrin Aldehyde	7421-93-4	NE	NE	ND<3.26	ND<3.32	3.73	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Heptachlor	76-44-8	42	2,100	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Heptachlor Epoxide	1024-57-3	NE	NE	ND<3.26	ND<3.32	ND<3.21	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Methoxychlor	72-43-5	NE	NE	ND<3.26	ND<3.32	5.23	ND<2.92	ND<3.11	ND<2.91	ND<2.92
Toxaphene	8001-35-2	NE	NE	ND<163	ND<166	ND<161	ND<146	ND<155	ND<145	ND<146

Notes:

1 – Standards are for soils according NYSDEC Part 375, *Unrestricted Use Soil Cleanup Objectives*;

3 - Standards are for soils according NYSDEC Part 375, *Restricted-Residential Use Soil Cleanup Objectives*;

All concentrations are in ug/kg unless otherwise indicated;

Boldface type designates those compounds detected at concentrations exceeding NYSDEC Unrestricted Use Limit;

ND = Not detected, detection limit listed;

NE = No standard established.

Table 6. **Volatile Organic Compounds (VOCs) in Groundwater Samples; USEPA Method 8260; collected July 15-17, 2008; South Bronx Charter School, Bronx, New York;**
PVE Sheffler File #160862

Constituent	NYSDEC Limit ¹	Sample Identification			
		SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
<i>Volatile Organic Compounds</i>					
Bromodichloromethane	50	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Bromomethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Bromoform	50	ND<50.0	ND<5.00	ND<5.00	ND<5.00
Carbon tetrachloride	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Chloroethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Chloromethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
2-Chloroethyl vinyl ether	50	ND<100	ND<10.0	ND<10.00	ND<10.0
Chloroform	7	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Dibromochloromethane	50	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,1-Dichloroethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,2-Dichloroethane	0.6	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,1-Dichloroethene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
cis-1, 2-Dichloroethene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
trans-1,2-Dichloroethene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,2-Dichloropropane	1	ND<20.0	ND<2.00	ND<2.00	ND<2.00
cis-1,3-Dichloropropene	5	ND<20.00	ND<2.00	ND<2.00	ND<2.00
trans-1,3-Dichloropropene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Methylene chloride	5	ND<50.0	ND<5.00	ND<5.00	ND<5.00
1,1,1,2-Tetrachloroethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Tetrachloroethene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,1,1-Trichloroethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,1,2-Trichloroethane	1	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Trichloroethene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Trichlorofluoromethane	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Vinyl Chloride	2	ND<20.0	ND<2.00	ND<2.00	ND<2.00

Notes:

1 - Standards are for Class GA groundwater according to 6NYCRR Part 700-705.

All concentrations are in ug/L unless otherwise indicated.

ND=Not detected, detection limit listed.

Boldface type designates those compounds detected at concentrations exceeding NYSDEC standard.

E = Exceeded calibration range of instrumentation.

Table 6 (cont.) **Volatile Organic Compounds (VOCs) in Groundwater Samples; USEPA Method 8260; collected July 15-17, 2008; South Bronx Charter School, Bronx, New York;**
PVE Sheffler File #160862

Constituent	NYSDEC Limit ¹	Sample Identification			
		SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
<i>Volatile Organic Compounds</i>					
Benzene	0.7	ND<7.00	ND<.700	ND<.700	ND<.700
Chlorobenzene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Ethylbenzene	5	23.6	ND<2.00	ND<2.00	ND<2.00
Toluene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
m,p-Xylene	5	36.6	ND<2.00	ND<2.00	ND<2.00
o-Xylene	5	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Styrene	5	ND<50.0	ND<5.00	ND<5.00	ND<5.00
1,2-Dichlorobenzene	3	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,3-Dichlorobenzene	3	ND<20.0	ND<2.00	ND<2.00	ND<2.00
1,4-Dichlorobenzene	3	ND<20.0	ND<2.00	ND<2.00	ND<2.00
Acetone	50	ND<10.0	ND<10.0	ND<10.00	ND<10.0
2-Butanone	50	ND<10.00	ND<10.0	ND<10.00	ND<10.0
2-Hexanone	50	ND<50.00	ND<5.00	ND<5.00	ND<5.00
4-Methyl-2-pentanone	50	ND<50.00	ND<5.00	ND<5.00	ND<5.00
Carbon disulfide	50	ND<50.00	ND<5.00	ND<5.00	ND<5.00
Vinyl acetate	50	ND<50.00	ND<5.00	ND<5.00	ND<5.00
n-Butylbenzene	5	ND<50.00	ND<5.00	ND<5.00	ND<5.00
sec-Butylbenzene	5	ND<50.00	ND<5.00	ND<5.00	ND<5.00
tert-Butylbenzene	5	ND<50.00	ND<5.00	ND<5.00	ND<5.00
n-propylbenzene	5	45.3	ND<2.00	ND<2.00	ND<2.00
Isopropylbenzene	5	ND<50.00	ND<5.00	ND<5.00	ND<5.00
p-Isopropyltoluene	5	ND<50.00	ND<5.00	ND<5.00	ND<5.00
Naphthalene	10	ND<50.00	ND<5.00	ND<5.00	ND<5.00
1, 2, 4-Trimethylbenzene	5	222	ND<5.00	ND<5.00	ND<5.00
1, 3, 5-Trimethylbenzene	5	ND<50.00	ND<5.00	ND<5.00	ND<5.00
Methyl tert-butyl ether	10	ND<20.0	ND<2.00	ND<2.00	ND<2.00

Notes:

1 - Standards are for Class GA groundwater according to 6NYCRR Part 700-705.

All concentrations are in ug/L unless otherwise indicated.

ND=Not detected, detection limit listed.

Boldface type designates those compounds detected at concentrations exceeding NYSDEC standard.

E = Exceeded calibration range of instrumentation.

Table 7.

Semi-Volatile Organic Compounds (SVOCs) in Groundwater Samples; USEPA Method 8270; collected July 15-17, 2008; South Bronx Charter School, Bronx, New York;
PVE Sheffler File #160862

Chemical Constituent	NYSDEC Limit ¹	Sample Identification			
		SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
<i>Base Neutrals</i>					
Acenaphthene	20	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Anthracene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzo(a)anthracene	0.002	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzo(a)pyrene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzo(b)fluoranthene	0.002	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzo(g,h,i)perylene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzo(k)fluoranthene	0.002	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Chrysene	0.002	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Diethyl phthalate	50	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
Dimethyl phthalate	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Butyl benzyl phthalate	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Di-n-butylphthalate	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Di-n-octylphthalate	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Bis(2-ethylhexyl)phthalate	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2-Chloronaphthalene	10	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Hexachlorobenzene	0.004	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Hexachloroethane	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Hexachlorocyclopentadiene	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Hexachlorbutadiene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
N-Nitroso-di-n-propylamine	50	ND< 10.0	ND< 320	ND< 10.0	ND< 10.0
N-Nitrosodiphenylamine	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
N-Nitrosodimethylamine	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Isophorone	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzyl alcohol	50	ND<25.0	ND<25.0	ND<25.0	ND<25.0
Dibenzofuran	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2-Methylnaphthalene	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0

Notes:

1 – Standards are for Class GA groundwater as established in 6NYCRR Part 700-705.

All concentrations are in ug/kg (ppb) unless otherwise indicated;

Boldface type designates those compounds detected at concentrations exceeding NYSDEC standards;

NE = No standard established.

MDL = Method Detection Limit

Table 7 (cont'd). **Semi-Volatile Organic Compounds (SVOCs) in Groundwater Samples; USEPA Method 8270; collected July 15-17, 2008; South Bronx Charter School, Bronx, New York;**
PVE Sheffler File #160862

Chemical Constituent	NYSDEC Limit ¹	Sample Identification			
		SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
<i>Base Neutrals</i>					
Dibenzo(a,h)anthracene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Fluoranthene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Fluorene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Indeno(1,2,3-cd)pyrene	0.002	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Napthalene	10	18.0	ND< 10.0	ND< 10.0	ND< 10.0
Phenanthrene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Pyrene	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Acenaphthylene	20	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
1,2-Dichlorobenzene*	3	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
1,3-Dichlorobenzene*	3	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
1,4-Dichlorobenzene*	3	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
1,2,4-Trichlorobenzene*	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Nitrobenzene	0.4	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2,4-Dinitrotoluene*	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2,6-Dinitrotoluene	5	ND< 10.0	ND< 332	ND< 10.0	ND< 10.0
Bis(2-chloroethyl)ether*	10	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Bis(2-chloroisopropyl)ether*	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Bis(2-chlorethoxy)methane*	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
4-Bromophenyl phenyl ether*	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
4-Chlorophenyl phenyl ether*	50	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Benzidine*	5	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
3,3'-Dichlorobenzidine	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
4-Chloroaniline	5	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2-Nitroaniline	5	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
3-Nitroaniline	5	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
4-Nitroaniline*	5	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0

Notes:
1 - Standards are for Class GA groundwater according to 6NYCRR Part 700-705.
All concentrations are in ug/kg (ppb) unless otherwise indicated;
Boldface type designates those compounds detected at concentrations exceeding NYSDEC standards;
NE = No standard established.
MDL = Method Detection Limit

Table 7 (cont'd). **Semi-Volatile Organic Compounds (SVOCs) in Groundwater Samples; USEPA Method 8270; collected July 15-17, 2008; South Bronx Charter School, Bronx, New York;**
PVE Sheffler File #160862

Chemical Constituent	NYSDEC Limit ¹	Sample Identification			
		SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
<i>Acids</i>					
Phenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2-Chlorophenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2,4-Dichlorophenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2,6-Dichlorophenol*	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2,4,5-Trichlorophenol	1	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
2,4,6-Trichlorophenol*	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
Pentachlorophenol	1	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
4-Chloro-3-methylphenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2-Methylphenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
3&4-Methylphenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2,4-Dimethylphenol*	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
2-Nitrophenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
4-Nitrophenol	1	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
2,4-Dinitrophenol	1	ND< 10.0	ND< 10.0	ND< 10.0	ND< 10.0
4,6-Dinitro-2-methylphenol*	1	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0
Benzoic acid*	50	ND< 25.0	ND< 25.0	ND< 25.0	ND< 25.0

Notes:

1 - Standards are for Class GA groundwater according to 6NYCRR Part 700-705.

All concentrations are in ug/kg (ppb) unless otherwise indicated;

Boldface type designates those compounds detected at concentrations exceeding NYSDEC standards;

NE = No standard established.

MDL = Method Detection Limit

Table 8. **TAL Metals in Groundwater Samples; USEPA Method 6010; collected July 15, 2008; South Bronx Charter School, Bronx, New York; PVE Sheffler File #160862**

Chemical Constituent	NYSDEC Limit ¹	SB-1 GW	SB-1GW F	SB-2 GW	SB-2 GW F	SB-4 GW	SB-4 GW F	SB-5 GW	SB-5 GW F
<i>Inorganic Parameters</i>									
Aluminum	NE	426	ND<0.200	382	0.340	9.30	ND<0.200	2.55	ND<0.200
Antimony	.003	ND<0.060	ND<0.060	ND<0.060	ND<0.060	ND<0.060	ND<0.060	ND<0.060	ND<0.060
Arsenic	.025	1.40	0.600	ND<0.005	ND<0.005	0.008	ND<0.005	ND<0.005	ND<0.005
Barium	1.00	3.53	0.066	3.52	0.031	0.112	0.044	0.204	0.157
Beryllium	0.003	0.018	ND<0.005	0.029	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
Cadmium	0.005	0.046	ND<0.005	0.020	ND<0.005	ND<0.005	ND<0.005	ND<0.005	ND<0.005
Calcium	NE	228	71.3	261	35.1	58.9	59.3	86.2	83.4
Chromium	0.050	0.816	ND<0.010	0.808	ND<0.010	ND<0.010	0.045	ND<0.010	ND<0.010
Cobalt	NE	0.367	ND<0.010	0.408	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010
Copper	0.200	6.17	ND<0.010	1.72	ND<0.010	0.041	ND<0.010	ND<0.010	ND<0.010
Iron	0.300	1310	0.239	1620	0.335	7.73	0.173	6.72	1.29
Lead	0.025	10.5	ND<0.005	3.67	ND<0.005	0.013	ND<0.005	ND<0.005	ND<0.005
Magnesium	35000000	123	4.05	150	2.53	6.90	5.34	40.4	38.4
Manganese	300000	19.8	0.104	30.1	0.134	0.182	0.084	2.37	2.22
Mercury	0.007	0.0093	ND<0.0002	0.0036	ND<0.0002	0.0015	ND<0.0002	ND<0.0002	ND<0.0002
Nickel	0.100	0.739	ND<0.040	0.635	ND<0.040	ND<0.040	0.161	ND<0.040	ND<0.040
Potassium	NE	181	17.9	349	11.7	15.9	14.2	26.6	25.3
Selenium	0.010	ND<0.005	ND<0.005	0.0254	ND<0.005	0.005	0.005	ND<0.005	ND<0.005
Silver	0.050	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010
Sodium	NE	44.4	72.2	46.3	77.4	92.2	95.0	137	134
Thallium	0.005	ND<0.006	ND<0.006	ND<0.006	ND<0.006	ND<0.006	0.006	ND<0.006	ND<0.006
Vanadium	NE	0.945	ND<0.010	0.911	ND<0.010	ND<0.010	ND<0.010	ND<0.010	ND<0.010
Zinc	2000000	32.4	ND<0.020	11.8	ND<0.020	0.049	ND<0.020	ND<0.020	ND<0.020

Notes:

1 – Standards are for Class GA groundwater as established in 6NYCRR Part 700-705.

All concentrations are in mg/L unless otherwise indicated;

F = Filtered sample

NE = No standard established.

Boldface designates those compounds detected at concentrations exceeding NYSDEC standards.

Table 9. **PCBs in Groundwater Samples**; USEPA Method 8082; collected **July 15-17, 2008**; South Bronx Charter School, Bronx, New York; PVE Sheffler File #160862

Chemical Constituent	NYSDEC Limit ¹	SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
Polychlorinated Biphenyls					
PCB 1016	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB 1221	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB 1232	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB 1242	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB 1248	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB 1254	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB 1260	0.09	ND<1.0	ND<1.0	ND<1.0	ND<1.0
PCB Total	0.09	ND	ND	ND	ND

Notes:

1 - Standards are for Class GA groundwater according to 6NYCRR Part 700-705.

NE = Not Established

Boldface type indicates those parameters which exceed NYSDEC standards.

Units are in ug/l unless otherwise stated.

Table 10. **Pesticides in Groundwater Samples**; USEPA Method 8081; collected **July 15-17, 2008**; South Bronx Charter School, Bronx, New York; PVE Sheffler File #160862

Chemical Constituent	NYSDEC Limit ¹	SB-1 GW	SB-2 GW	SB-4 GW	SB-5 GW
<i>Pesticides</i>					
Aldrin	ND<0.01	ND<0.100	ND<0.100	ND<0.100	ND<0.100
alpha-BHC	ND<0.05	ND<0.100	ND<0.100	ND<0.100	ND<0.100
beta-BHC	ND<0.05	ND<0.100	ND<0.100	ND<0.100	ND<0.100
delta-BHC	ND<0.05	ND<0.100	ND<0.100	ND<0.100	ND<0.100
gamma-BHC (Lindane)	ND<0.05	ND<0.100	ND<0.100	ND<0.100	ND<0.100
alpha-Chlordane	0.05	ND<0.100	ND<0.100	ND<0.100	ND<0.100
gamma-Chlordane	0.05	ND<0.100	ND<0.100	ND<0.100	ND<0.100
4,4'-DDD	0.3	ND<0.100	ND<0.100	ND<0.100	ND<0.100
4,4'-DDE	0.2	ND<0.100	ND<0.100	ND<0.100	ND<0.100
4,4'-DDT	0.2	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Dieldrin	0.004	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Endosulfan I	NE	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Endosulfan II	NE	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Endosulfan sulfate	NE	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Endrin	NE	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Endrin aldehyde	5	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Heptachlor	0.04	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Heptachlor epoxide	0.03	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Methoxychlor	35	ND<0.100	ND<0.100	ND<0.100	ND<0.100
Toxaphene	0.06	ND<5.00	ND<5.00	ND<5.00	ND<5.00

Notes:

1 – Standards are for Class GA groundwater as established in 6NYCRR Part 700-705.

NE = Not Established

Boldface type indicates those parameters which exceed NYSDEC standards.

Units are in ug/l unless otherwise stated

Table 11. Volatile Organic Compounds (VOCs) in Vapor Samples

USEPA TO-15; collected April 25, 2013
 South Bronx Charter School, Bronx, New York
 PVE Sheffler File #160862

Constituent	CAS number	NYSDOH 2003 Median Concentration (1)	NYSDOH 2003 99th Percentile Concentration (2)	Sample Identification														
				SS-1			SS-2			SS-3			SS-4			IA-1 (INDOOR)		
				sub-slab sample (ground floor)														
Result	Detection Limit	Qualifier	Result	Detection Limit	Qualifier	Result	Detection Limit	Qualifier	Result	Detection Limit	Qualifier	Result	Detection Limit	Qualifier	Result	Detection Limit	Qualifier	
1,1,1-Trichloroethane	71-55-6	0.3	41	ND<	0.83		ND<	0.83		1.9	0.83		ND<	0.83		ND<	0.83	
1,1,2,2-Tetrachloroethane	79-34-5	<0.25	0.8	ND<	1.0													
1,1,2-Trichloroethane	79-00-5	<0.25	1	ND<	0.83													
1,1-Dichloroethane	75-34-3	<0.25	0.4	ND<	0.62													
1,1-Dichloroethene	75-35-4	<0.25	6.3	ND<	0.60													
1,2,4-Trichlorobenzene	120-82-1	<0.25	26	ND<	1.1													
1,2,4-Trimethylbenzene	95-63-6	1.9	35	3.2	0.75		8.3	0.75		4.6	0.75		2.6	0.75		1.1	0.75	
1,2-Dibromoethane	106-93-4	<0.25	<0.25	ND<	1.2													
1,2-Dichlorobenzene	95-50-1	<0.25	2.3	ND<	0.92													
1,2-Dichloroethane	107-06-2	<0.25	0.4	ND<	0.62													
1,2-Dichloropropane	78-87-5	<0.25	9	ND<	0.70													
1,3,5-Trimethylbenzene	108-67-8	0.6	25	0.65	0.75	J	1.5	0.75		1.0	0.75		0.65	0.75	J	ND<	0.75	
1,3-butadiene	106-99-0	NA	NA	ND<	0.34													
1,3-Dichlorobenzene	541-73-1	<0.25	1.6	ND<	0.92													
1,4-Dichlorobenzene	106-46-7	<0.25	25	ND<	0.92													
1,4-Dioxane	123-91-1	NA	NA	ND<	1.1													
2,2,4-trimethylpentane	540-84-1	NA	NA	0.62	0.71	J	1.9	0.71		1.0	0.71		1.1	0.71		0.47	0.71	J
4-ethyltoluene	622-96-8	2.1	120	0.60	0.75	J	1.5	0.75		0.90	0.75		0.50	0.75	J	ND<	0.75	
Acetone	67-64-1	21	200	39	14		140	14		86	14		96	14		48	7.2	
Allyl chloride	107-05-1	NA	NA	ND<	0.48													
Benzene	71-43-2	2.1	120	0.71	0.49		0.71	0.49		0.97	0.49		0.68	0.49		0.65	0.49	
Benzyl chloride	100-44-7	NA	NA	ND<	0.88													
Bromodichloromethane	75-27-4	NA	NA	ND<	1.0													
Bromoform	75-25-2	NA	NA	ND<	1.6													
Bromomethane	74-83-9	<0.25	3.2	ND<	0.59													
Carbon disulfide	75-15-0	NA	NA	ND<	0.47													
Carbon tetrachloride	56-23-5	<0.25	3.2	ND<	0.96		0.58	0.26										
Chlorobenzene	108-90-7	<0.25	3.2	ND<	0.70													
Chloroethane	75-00-3	<0.25	0.9	ND<	0.40		ND<	0.40		ND<	0.40		0.94	0.40		ND<	0.40	
Chloroform	67-66-3	<0.25	13	ND<	0.74													
Chloromethane	74-87-3	0.5	14	ND<	0.31		1.2	0.31										
cis-1,2-Dichloroethene	156-59-2	<0.25	4.6	ND<	0.60		ND<	0.60		0.60	0.60		ND<	0.60		ND<	0.60	
cis-1,3-Dichloropropene	10061-01-5	<0.25	2.1	ND<	0.69													
Cyclohexane	110-82-7	0.8	88	ND<	0.52		0.87	0.52		ND<	0.52		ND<	0.52		ND<	0.52	
Dibromochloromethane	124-48-1	NA	NA	ND<	1.3													
Ethyl acetate	141-78-6	NA	NA	ND<	0.92													
Ethylbenzene	100-41-4	1	26	0.62	0.66	J	1.2	0.66		0.93	0.66		0.93	0.66		0.71	0.66	
Freon 11	75-69-4	NA	NA	1.4	0.86		1.4	0.86		1.5	0.86		1.7	0.86		1.5	0.86	
Freon 113	76-13-1	NA	NA	ND<	1.2		ND<	1.2		28	23		2.6	1.2		ND<	1.2	
Freon 114	76-14-2	<0.25	23	ND<	1.1													
Freon 12	75-71-8	<0.25	180	2.8	0.75		7.8	0.75		3.2	0.75		3.3	0.75		3.3	0.75	
Heptane	142-82-5	2.8	72	ND<	0.62		ND<	0.62		1.2	0.62		0.92	0.62		0.71	0.62	
Hexachloro-1,3-butadiene	87-68-3	<0.25	29	ND<	1.6													
Hexane	110-54-3	1.6	93	1.2	0.54		1.6	0.54		1.6	0.54		2.7	0.54		ND<	0.54	
Isopropyl alcohol	67-63-0	NA	NA	1.8	0.37		4.2	0.37		5.4	0.37		4.4	0.37		ND<	0.37	
m&p-Xylene	79601-23-1	1.5	46	2.0	1.3		4.7	1.3		2.9	1.3		2.8	1.3		1.6	1.3	
Methyl Butyl Ketone	591-78-6	0.3	16	ND<	1.2													
Methyl Ethyl Ketone	78-93-3	3.4	79	1.4	0.90		2.2	0.90		2.0	0.90		2.6	0.90		2.1	0.90	
Methyl Isobutyl Ketone	108-10-1	0.3	16	1.7	1.2		5.3	1.2		4.2	1.2		3.2	1.2		ND<	1.2	
Methyl tert-butyl ether	1634-04-4	0.8	230	ND<	0.55													
Methylene chloride	75-09-2	1.4	310	0.67	0.53		0.53	0.53		0.67	0.53		0.85	0.53		0.64	0.53	
o-Xylene	95-47-6	1.1	32	0.71	0.66		2.1	0.66		1.2	0.66		0.97	0.66		0.57	0.66	J
Propylene	115-07-1	NA	NA	ND<	0.26													
Styrene	100-42-5	0.3	6.2	ND<	0.65													
Tetrachloroethylene	127-18-4	0.3	20	2.3	1.0		3.2	1.0		5.9	1.0		4.1	1.0		0.97	1.0	J
Tetrahydrofuran	109-99-9	<0.25	19	ND<	0.45													
Toluene	108-88-3	9.6	300	2.8	0.57		4.1	0.57		2.9	0.57		3.8	0.57		2.3	0.57	
trans-1,2-Dichloroethene	156-60-5	NA	NA	ND<	0.60													
trans-1,3-Dichloropropene	10061-02-6	<0.25	<0.25	ND<	0.69													
Trichloroethene	79-01-6	<0.25	7.4	ND<	0.82		ND<	0.82		1.2	0.82		ND<	0.82		ND<	0.82	
Vinyl acetate	108-05-4	NA	NA	ND<	0.54													
Vinyl Bromide	593-60-2	NA	NA	ND<	0.67													
Vinyl chloride	75-01-4	<0.25	0.8	ND<	0.39													

Notes:

All units are µg/m³ unless otherwise noted

IA prefix represents ambient indoor air samples

Face type indicates exceedance of NYSDOH median concentration, October 2006, Appendix C

ND = Not detected at the reporting limit

J = Analyte detected at or below quantitation limits

B = Compound found in associated method blank

E = Estimated, concentration exceeds calibration range

S = Spike recovery outside accepted recovery limits

1- NYSDOH "Guidance for Evaluating Soil Vapor Intrusion in the State of New York," October 2006, Appendix C.1 NYSDOH 2003: Study of Volatile Organic Chemicals in Air of Fuel Oil Heated Homes, 1997-2003, Indoor Air- Median Result

2- NYSDOH "Guidance for Evaluating Soil Vapor Intrusion in the State of New York," October 2006, Appendix C.1 NYSDOH 2003: Study of Volatile Organic Chemicals in Air of Fuel Oil Heated Homes, 1997-2003, Indoor Air- 99th Percentile Result

NA = Analyte not analyzed in NYSDOH 2003 study

APPENDICES

APPENDIX A
Soil Boring Logs



**CONRAD
GEOSCIENCE
CORP.**

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-1**

TOTAL DEPTH: **10.1**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-15-08**


DRILLING INFORMATION

DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **8.4**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------





CONRAD GEOSCIENCE CORP.

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-2**

TOTAL DEPTH: **9**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-15-08**


DRILLING INFORMATION

DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **8.0**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------





**CONRAD
GEOSCIENCE
CORP.**

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-3**

TOTAL DEPTH: **2.0**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-15-08**

DRILLING INFORMATION


DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **Not Encountered**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------

0



CONCRETE

FILL: Silty Sand: Hand excavated to 1.5' bls, moist gray silty sand with trace gravel, no odor

SCHIST: Manhattan Schist

SP-3 0-1

0.00 ppm

50



**CONRAD
GEOSCIENCE
CORP.**

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-4**

TOTAL DEPTH: **12.5**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-16-08**


DRILLING INFORMATION

DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **8.7**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------





**CONRAD
GEOSCIENCE
CORP.**

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-5**

TOTAL DEPTH: **20**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-16-08**


DRILLING INFORMATION

DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **15**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------





**CONRAD
GEOSCIENCE
CORP.**

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-6**

TOTAL DEPTH: **22**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-17-08**


DRILLING INFORMATION

DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **Not Encountered**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------





**CONRAD
GEOSCIENCE
CORP.**

One Civic Center Plaza, Suite 501, Poughkeepsie, New York 12601

SOIL BORING LOG

BOREHOLE NO.: **SB-7**

TOTAL DEPTH: **14**

PROJECT INFORMATION

PROJECT #: **SP080270**
 SITE LOCATION: **611 E. 1333rd Street - Bronx**
 LOGGED BY: **CBB**
 PROJECT MANAGER: **Christopher Brown**
 DATES DRILLED: **7-17-08**


DRILLING INFORMATION

DRILLING CO.: **ADT**
 RIG TYPE: **DK-50**
 METHOD OF DRILLING: **Split Spoon/DHH**
 SAMPLING METHODS: **2' split spoon SPT**
 HAMMER WT./DROP **140#/ 30"**
 DEPTH TO WATER **Not Encountered**

NOTES:
75 degrees F

☒ Water level during drilling

DEPTH	SOIL SYMBOLS	SOIL DESCRIPTION	Sample Depth	PID (ppm)
-------	--------------	------------------	--------------	-----------



APPENDIX B

Laboratory Reports

Analytical Report Cover Page

Conrad Geoscience

For Lab Project # 08-2518

Issued July 28, 2008

This report contains a total of 19 pages

The reported results relate only to the samples as they have been received by the laboratory.

Any noncompliant QC parameters having impact on the data are flagged or documented on the final report.

All soil or solid samples have been reported on a dry weight basis, unless qualified "reported as received".

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of frequently used data flags and their meaning:

"ND" = analyzed for but not detected.

"E" = Result has been estimated, calibration limit exceeded.

"D" = Duplicate results outside QC limits. May indicate a non-homogenous matrix.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.



Client: Conrad Geoscience
Client Job Site: South Bronx Charter School
Client Job No.: SP080270
Field Location: SB-5-GW
Field ID No.: N/A


Lab Project No.: 08-2518
Lab Sample No.: 8504
Sample Type: Water
Date Sampled: 07/17/2008
Date Received: 07/18/2008

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	07/23/2008	SW846 6010	2.55
Antimony	07/23/2008	SW846 6010	<0.060
Arsenic	07/23/2008	SW846 6010	<0.005
Barium	07/23/2008	SW846 6010	0.204
Beryllium	07/23/2008	SW846 6010	<0.005
Cadmium	07/23/2008	SW846 6010	<0.005
Calcium	07/23/2008	SW846 6010	86.2
Chromium	07/23/2008	SW846 6010	<0.010
Cobalt	07/23/2008	SW846 6010	<0.010
Copper	07/23/2008	SW846 6010	<0.010
Iron	07/23/2008	SW846 6010	6.72
Lead	07/23/2008	SW846 6010	<0.005
Magnesium	07/23/2008	SW846 6010	40.4
Manganese	07/23/2008	SW846 6010	2.37
Mercury	07/22/2008	SW846 7470	<0.0002
Nickel	07/23/2008	SW846 6010	<0.040
Potassium	07/23/2008	SW846 6010	26.6
Selenium	07/23/2008	SW846 6010	<0.005
Silver	07/23/2008	SW846 6010	<0.010
Sodium	07/23/2008	SW846 6010	137
Thallium	07/23/2008	SW846 6010	<0.006
Vanadium	07/23/2008	SW846 6010	<0.010
Zinc	07/23/2008	SW846 6010	<0.020

ELAP ID No.:10958

Comments:

Approved By: 
 Bruce Hoogesteger, Technical Director


Client:	<u>Conrad Geoscience</u>	Lab Project No.:	08-2518
Client Job Site:	South Bronx Charter School	Lab Sample No.:	8505
Client Job No.:	SP080270	Sample Type:	Water
Field Location:	SB-5-GW-F	Date Sampled:	07/17/2008
Field ID No.:	N/A	Date Received:	07/18/2008

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	07/23/2008	SW846 6010	<0.200
Antimony	07/23/2008	SW846 6010	<0.060
Arsenic	07/23/2008	SW846 6010	<0.005
Barium	07/23/2008	SW846 6010	0.157
Beryllium	07/23/2008	SW846 6010	<0.005
Cadmium	07/23/2008	SW846 6010	<0.005
Calcium	07/23/2008	SW846 6010	83.4
Chromium	07/23/2008	SW846 6010	<0.010
Cobalt	07/23/2008	SW846 6010	<0.010
Copper	07/23/2008	SW846 6010	<0.010
Iron	07/23/2008	SW846 6010	1.29
Lead	07/23/2008	SW846 6010	<0.005
Magnesium	07/23/2008	SW846 6010	38.4
Manganese	07/23/2008	SW846 6010	2.22
Mercury	07/22/2008	SW846 7470	<0.0002
Nickel	07/23/2008	SW846 6010	<0.040
Potassium	07/23/2008	SW846 6010	25.3
Selenium	07/23/2008	SW846 6010	<0.005
Silver	07/23/2008	SW846 6010	<0.010
Sodium	07/23/2008	SW846 6010	134
Thallium	07/23/2008	SW846 6010	<0.006
Vanadium	07/23/2008	SW846 6010	<0.010
Zinc	07/23/2008	SW846 6010	<0.020

ELAP ID No.:10958

Comments:

Approved By: 
 Bruce Hoogesteger, Technical Director

Client:	Conrad Geoscience	Lab Project No.:	08-2518
Client Job Site:	South Bronx Charter School	Lab Sample No.:	8506
Client Job No.:	SP080270	Sample Type:	Soil
Field Location:	SB-7 1-2	Date Sampled:	07/17/2008
Field ID No.:	N/A	Date Received:	07/18/2008


Laboratory Report for TAL Metals Analysis in Solid

Parameter	Date Analyzed	Analytical Method	Result (mg/kg)
Aluminum	07/23/2008	SW846 6010	12800
Antimony	07/23/2008	SW846 6010	33.7
Arsenic	07/23/2008	SW846 6010	<0.370
Barium	07/23/2008	SW846 6010	124
Beryllium	07/23/2008	SW846 6010	<0.370
Cadmium	07/23/2008	SW846 6010	<0.370
Calcium	07/23/2008	SW846 6010	9980
Chromium	07/23/2008	SW846 6010	22.8
Cobalt	07/23/2008	SW846 6010	11.9
Copper	07/24/2008	SW846 6010	23.7
Iron	07/23/2008	SW846 6010	21300
Lead	07/23/2008	SW846 6010	11200
Magnesium	07/23/2008	SW846 6010	5320
Manganese	07/23/2008	SW846 6010	365
Mercury	07/22/2008	SW846 7471	1.004
Nickel	07/23/2008	SW846 6010	13.5
Potassium	07/23/2008	SW846 6010	5290
Selenium	07/23/2008	SW846 6010	<0.370
Silver	07/23/2008	SW846 6010	0.868
Sodium	07/23/2008	SW846 6010	363
Thallium	07/23/2008	SW846 6010	<0.444
Vanadium	07/23/2008	SW846 6010	31.8
Zinc	07/23/2008	SW846 6010	67.3

ELAP ID No.:10958

Comments:

Approved By:



Bruce Hoogesteger, Technical Director



PCB Analysis Report for Non-potable Water

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2518

Lab Sample Number: 8504

Client Job Number: SP080270

Field Location: SB-5-GW

Date Sampled: 07/17/2008

Field ID Number: N/A

Date Received: 07/18/2008

Sample Type: Water

Date Analyzed: 07/23/2008

PCB Identification	Results in ug / L
Aroclor 1016	ND< 1.00
Aroclor 1221	ND< 1.00
Aroclor 1232	ND< 1.00
Aroclor 1242	ND< 1.00
Aroclor 1248	ND< 1.00
Aroclor 1254	ND< 1.00
Aroclor 1260	ND< 1.00

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogsteger: Technical Director

PCB Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2518
Client Job Number:	SP080270	Lab Sample Number:	8506
Field Location:	SB-7 1-2	Date Sampled:	07/17/2008
Field ID Number:	N/A	Date Received:	07/18/2008
Sample Type:	Soil	Date Analyzed:	07/23/2008


PCB Identification	Results in mg / Kg
Aroclor 1016	ND< 0.311
Aroclor 1221	ND< 0.311
Aroclor 1232	ND< 0.311
Aroclor 1242	ND< 0.311
Aroclor 1248	ND< 0.311
Aroclor 1254	ND< 0.311
Aroclor 1260	ND< 0.311

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
mg / Kg = milligram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

Pesticide Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience


Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2518
		Lab Sample Number:	8506
Client Job Number:	SP080270	Date Sampled:	07/17/2008
Field Location:	SB-7 1-2	Date Received:	07/18/2008
Field ID Number:	N/A	Date Analyzed:	07/26/2008
Sample Type:	Soil		

Pesticide Identification	Results in ug / Kg
Aldrin	ND< 2.92
alpha-BHC	ND< 2.92
beta-BHC	ND< 2.92
delta-BHC	ND< 2.92
gamma-BHC	ND< 2.92
alpha-Chlordane	ND< 2.92
gamma-Chlordane	ND< 2.92
4,4'-DDD	ND< 2.92
4,4'-DDE	ND< 2.92
4,4'-DDT	ND< 2.92
Dieldrin	ND< 2.92
Endosulfan I	ND< 2.92
Endosulfan II	ND< 2.92
Endosulfan Sulfate	ND< 2.92
Endrin	ND< 2.92
Endrin Aldehyde	ND< 2.92
Heptachlor	ND< 2.92
Heptachlor Epoxide	ND< 2.92
Methoxychlor	ND< 2.92
Toxaphene	ND< 146

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: 
Bruce Hoogesteger: Technical Director

Pesticide Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2518
		Lab Sample Number:	8504
Client Job Number:	SP080270	Date Sampled:	07/17/2008
Field Location:	SB-5-GW	Date Received:	07/18/2008
Field ID Number:	N/A	Date Analyzed:	07/25/2008
Sample Type:	Water		

Pesticide Identification	Results in ug / L
Aldrin	ND< 0.100
alpha-BHC	ND< 0.100
beta-BHC	ND< 0.100
delta-BHC	ND< 0.100
gamma-BHC	ND< 0.100
alpha-Chlordane	ND< 0.100
gamma-Chlordane	ND< 0.100
4,4'-DDD	ND< 0.100
4,4'-DDE	ND< 0.100
4,4'-DDT	ND< 0.100
Dieldrin	ND< 0.100
Endosulfan I	ND< 0.100
Endosulfan II	ND< 0.100
Endosulfan Sulfate	ND< 0.100
Endrin	ND< 0.100
Endrin Aldehyde	ND< 0.100
Heptachlor	ND< 0.100
Heptachlor Epoxide	ND< 0.100
Methoxychlor	ND< 0.100
Toxaphene	ND< 5.00

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / L = microgram per Liter
Surrogate outliers indicate probable matrix interference

Signature: 
Bruce Högsteger: Technical Director

Semi -Volatile Analysis Report for Non-potable Water

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School Lab Project Number: 08-2518
 Client Job Number: SP080270 Lab Sample Number: 8504
 Field Location: SB-5-GW Date Sampled: 07/17/2008
 Field ID Number: N/A Date Received: 07/18/2008
 Sample Type: Water Date Analyzed: 07/23/2008

Base / Neutrals	Results in ug / L	Base / Neutrals	Results in ug / L
Acenaphthene	ND< 10.0	Dibenz (a,h) anthracene	ND< 10.0
Anthracene	ND< 10.0	Fluoranthene	ND< 10.0
Benzo (a) anthracene	ND< 10.0	Fluorene	ND< 10.0
Benzo (a) pyrene	ND< 10.0	Indeno (1,2,3-cd) pyrene	ND< 10.0
Benzo (b) fluoranthene	ND< 10.0	Naphthalene	ND< 10.0
Benzo (g,h,i) perylene	ND< 10.0	Phenanthrene	ND< 10.0
Benzo (k) fluoranthene	ND< 10.0	Pyrene	ND< 10.0
Chrysene	ND< 10.0	Acenaphthylene	ND< 10.0
Diethyl phthalate	ND< 10.0	1,2-Dichlorobenzene	ND< 10.0
Dimethyl phthalate	ND< 25.0	1,3-Dichlorobenzene	ND< 10.0
Butylbenzylphthalate	ND< 10.0	1,4-Dichlorobenzene	ND< 10.0
Di-n-butyl phthalate	ND< 10.0	1,2,4-Trichlorobenzene	ND< 10.0
Di-n-octylphthalate	ND< 10.0	Nitrobenzene	ND< 10.0
Bis (2-ethylhexyl) phthalate	ND< 10.0	2,4-Dinitrotoluene	ND< 10.0
2-Chloronaphthalene	ND< 10.0	2,6-Dinitrotoluene	ND< 10.0
Hexachlorobenzene	ND< 10.0	Bis (2-chloroethyl) ether	ND< 10.0
Hexachloroethane	ND< 10.0	Bis (2-chloroisopropyl) ether	ND< 10.0
Hexachlorocyclopentadiene	ND< 10.0	Bis (2-chloroethoxy) methan	ND< 10.0
Hexachlorobutadiene	ND< 10.0	4-Bromophenyl phenyl ether	ND< 10.0
N-Nitroso-di-n-propylamine	ND< 10.0	4-Chlorophenyl phenyl ether	ND< 10.0
N-Nitrosodiphenylamine	ND< 10.0	Benzidine	ND< 25.0
N-Nitrosodimethylamine	ND< 10.0	3,3'-Dichlorobenzidine	ND< 10.0
Isophorone	ND< 10.0	4-Chloroaniline	ND< 10.0
Benzyl alcohol	ND< 25.0	2-Nitroaniline	ND< 25.0
Dibenzofuran	ND< 10.0	3-Nitroaniline	ND< 25.0
2-Methylnapthalene	ND< 10.0	4-Nitroaniline	ND< 25.0

Acids	Results in ug / L	Acids	Results in ug / L
Phenol	ND< 10.0	2-Methylphenol	ND< 10.0
2-Chlorophenol	ND< 10.0	3&4-Methylphenol	ND< 10.0
2,4-Dichlorophenol	ND< 10.0	2,4-Dimethylphenol	ND< 10.0
2,6-Dichlorophenol	ND< 10.0	2-Nitrophenol	ND< 10.0
2,4,5-Trichlorophenol	ND< 25.0	4-Nitrophenol	ND< 25.0
2,4,6-Trichlorophenol	ND< 10.0	2,4-Dinitrophenol	ND< 10.0
Pentachlorophenol	ND< 25.0	4,6-Dinitro-2-methylphenol	ND< 25.0
4-Chloro-3-methylphenol	ND< 10.0	Benzoic acid	ND< 25.0

ELAP Number 10958

Method: EPA 8270C

Data File: S41022.D

Comments: ND denotes Non Detect
 ug / L = microgram per Liter

Signature: 
 Bruce Hoogesteger: Technical Director

Semi -Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2518

Lab Sample Number: 8504

Client Job Number: SP080270

Field Location: SB-5-GW

Date Sampled: 07/17/2008

Field ID Number: N/A

Date Received: 07/18/2008

Sample Type: Water

Date Analyzed: 07/23/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
None Found	N/A	N/A	ND < 10.0	N/A

ELAP Number 10958

Method: EPA 8270C

Data File: S41022.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2518
		Lab Sample Number:	8506
Client Job Number:	SP080270	Date Sampled:	07/17/2008
Field Location:	SB-7 1-2	Date Received:	07/18/2008
Field ID Number:	N/A	Date Analyzed:	07/24/2008
Sample Type:	Soil		

Base / Neutrals	Results in ug / Kg	Base / Neutrals	Results in ug / Kg
Acenaphthene	ND< 295	Dibenz (a,h) anthracene	ND< 295
Anthracene	ND< 295	Fluoranthene	ND< 295
Benzo (a) anthracene	ND< 295	Fluorene	ND< 295
Benzo (a) pyrene	ND< 295	Indeno (1,2,3-cd) pyrene	ND< 295
Benzo (b) fluoranthene	ND< 295	Naphthalene	ND< 295
Benzo (g,h,i) perylene	ND< 295	Phenanthrene	ND< 295
Benzo (k) fluoranthene	ND< 295	Pyrene	ND< 295
Chrysene	ND< 295	Acenaphthylene	ND< 295
Diethyl phthalate	ND< 295	1,2-Dichlorobenzene	ND< 295
Dimethyl phthalate	ND< 737	1,3-Dichlorobenzene	ND< 295
Butylbenzylphthalate	ND< 295	1,4-Dichlorobenzene	ND< 295
Di-n-butyl phthalate	ND< 295	1,2,4-Trichlorobenzene	ND< 295
Di-n-octylphthalate	ND< 295	Nitrobenzene	ND< 295
Bis (2-ethylhexyl) phthalate	ND< 295	2,4-Dinitrotoluene	ND< 295
2-Chloronaphthalene	ND< 295	2,6-Dinitrotoluene	ND< 295
Hexachlorobenzene	ND< 295	Bis (2-chloroethyl) ether	ND< 295
Hexachloroethane	ND< 295	Bis (2-chloroisopropyl) ether	ND< 295
Hexachlorocyclopentadiene	ND< 295	Bis (2-chloroethoxy) methan	ND< 295
Hexachlorobutadiene	ND< 295	4-Bromophenyl phenyl ether	ND< 295
N-Nitroso-di-n-propylamine	ND< 295	4-Chlorophenyl phenyl ether	ND< 295
N-Nitrosodiphenylamine	ND< 295	Benzidine	ND< 737
N-Nitrosodimethylamine	ND< 295	3,3'-Dichlorobenzidine	ND< 295
Isophorone	ND< 295	4-Chloroaniline	ND< 295
Benzyl alcohol	ND< 737	2-Nitroaniline	ND< 737
Dibenzofuran	ND< 295	3-Nitroaniline	ND< 737
2-Methylnaphthalene	ND< 295	4-Nitroaniline	ND< 737


Acids	Results in ug / Kg	Acids	Results in ug / Kg
Phenol	ND< 295	2-Methylphenol	ND< 295
2-Chlorophenol	ND< 295	3&4-Methylphenol	ND< 295
2,4-Dichlorophenol	ND< 295	2,4-Dimethylphenol	ND< 295
2,6-Dichlorophenol	ND< 295	2-Nitrophenol	ND< 295
2,4,5-Trichlorophenol	ND< 737	4-Nitrophenol	ND< 737
2,4,6-Trichlorophenol	ND< 295	2,4-Dinitrophenol	ND< 295
Pentachlorophenol	ND< 737	4,6-Dinitro-2-methylphenol	ND< 737
4-Chloro-3-methylphenol	ND< 295	Benzoic acid	ND< 737

ELAP Number 10958

Method: EPA 8270C

Data File: S41093.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: 
Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2518
		Lab Sample Number:	8506
Client Job Number:	SP080270	Date Sampled:	07/17/2008
Field Location:	SB-7 1-2	Date Received:	07/18/2008
Field ID Number:	N/A	Date Analyzed:	07/24/2008
Sample Type:	Soil		

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Complex Hydrocarbon	N/A	17.03	2,440	N/A

ELAP Number 10958

Method: EPA 8270C

Data File: S41093.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School
Client Job Number: SP080270
Field Location: SB-5-GW
Field ID Number: N/A
Sample Type: Water

Lab Project Number: 08-2518
Lab Sample Number: 8504
Date Sampled: 07/17/2008
Date Received: 07/18/2008
Date Analyzed: 07/24/2008

Halocarbons	Results in ug / L
Bromodichloromethane	ND< 2.00
Bromomethane	ND< 2.00
Bromoform	ND< 5.00
Carbon Tetrachloride	ND< 2.00
Chloroethane	ND< 2.00
Chloromethane	ND< 2.00
2-Chloroethyl vinyl Ether	ND< 10.0
Chloroform	ND< 2.00
Dibromochloromethane	ND< 2.00
1,1-Dichloroethane	ND< 2.00
1,2-Dichloroethane	ND< 2.00
1,1-Dichloroethene	ND< 2.00
cis-1,2-Dichloroethene	ND< 2.00
trans-1,2-Dichloroethene	ND< 2.00
1,2-Dichloropropane	ND< 2.00
cis-1,3-Dichloropropene	ND< 2.00
trans-1,3-Dichloropropene	ND< 2.00
Methylene chloride	ND< 5.00
1,1,2,2-Tetrachloroethane	ND< 2.00
Tetrachloroethene	ND< 2.00
1,1,1-Trichloroethane	ND< 2.00
1,1,2-Trichloroethane	ND< 2.00
Trichloroethene	ND< 2.00
Trichlorofluoromethane	ND< 2.00
Vinyl chloride	ND< 2.00

Aromatics	Results in ug / L
Benzene	ND< 0.700
Chlorobenzene	ND< 2.00
Ethylbenzene	ND< 2.00
Toluene	ND< 2.00
m,p-Xylene	ND< 2.00
o-Xylene	ND< 2.00
Styrene	ND< 5.00
1,2-Dichlorobenzene	ND< 2.00
1,3-Dichlorobenzene	ND< 2.00
1,4-Dichlorobenzene	ND< 2.00

Ketones	Results in ug / L
Acetone	ND< 10.0
2-Butanone	ND< 10.0
2-Hexanone	ND< 5.00
4-Methyl-2-pentanone	ND< 5.00

Miscellaneous	Results in ug / L
Carbon disulfide	ND< 5.00
Vinyl acetate	ND< 5.00

ELAP Number 10958

Method: EPA 8260B

Data File: V58342.D

Comments: ND denotes Non Detect
 ug / L = microgram per Liter

Signature:


 Bruce Hoogesteger: Technical Director



Volatile Analysis Report for Non-potable Water (Additional STARS Compounds)

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2518

Lab Sample Number: 8504

Client Job Number: SP080270

Field Location: SB-5-GW

Date Sampled: 07/17/2008

Field ID Number: N/A

Date Received: 07/18/2008

Sample Type: Water

Date Analyzed: 07/24/2008

Aromatics	Results in ug / L	Aromatics	Results in ug / L
n-Butylbenzene	ND< 5.00	1,2,4-Trimethylbenzene	ND< 5.00
sec-Butylbenzene	ND< 5.00	1,3,5-Trimethylbenzene	ND< 5.00
tert-Butylbenzene	ND< 5.00		
n-Propylbenzene	ND< 2.00	Miscellaneous	
Isopropylbenzene	ND< 5.00	Methyl tert-butyl Ether	ND< 2.00
p-Isopropyltoluene	ND< 5.00		
Naphthalene	ND< 5.00		

ELAP Number 10958

Method: EPA 8260B

Data File: V58342.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Non-potable Water

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2518

Lab Sample Number: 8504

Client Job Number: SP080270

Field Location: SB-5-GW

Date Sampled: 07/17/2008

Field ID Number: N/A

Date Received: 07/18/2008

Sample Type: Water

Date Analyzed: 07/24/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
None Found	N/A	N/A	ND < 2.00	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V58342.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School
 Client Job Number: SP080270
 Field Location: SB-7 1-2
 Field ID Number: N/A
 Sample Type: South

Lab Project Number: 08-2518
 Lab Sample Number: 8506
 Date Sampled: 07/17/2008
 Date Received: 07/18/2008
 Date Analyzed: 07/24/2008

Halocarbons	Results in ug / Kg
Bromodichloromethane	ND< 9.13
Bromomethane	ND< 9.13
Bromoform	ND< 22.8
Carbon Tetrachloride	ND< 22.8
Chloroethane	ND< 9.13
Chloromethane	ND< 9.13
2-Chloroethyl vinyl Ether	ND< 45.6
Chloroform	ND< 9.13
Dibromochloromethane	ND< 9.13
1,1-Dichloroethane	ND< 9.13
1,2-Dichloroethane	ND< 9.13
1,1-Dichloroethene	ND< 9.13
cis-1,2-Dichloroethene	ND< 9.13
trans-1,2-Dichloroethene	ND< 9.13
1,2-Dichloropropane	ND< 9.13
cis-1,3-Dichloropropene	ND< 9.13
trans-1,3-Dichloropropene	ND< 9.13
Methylene chloride	ND< 22.8
1,1,2,2-Tetrachloroethane	ND< 9.13
Tetrachloroethene	ND< 9.13
1,1,1-Trichloroethane	ND< 9.13
1,1,2-Trichloroethane	ND< 9.13
Trichloroethene	ND< 9.13
Trichlorofluoromethane	ND< 9.13
Vinyl chloride	ND< 9.13

Aromatics	Results in ug / Kg
Benzene	ND< 9.13
Chlorobenzene	ND< 9.13
Ethylbenzene	ND< 9.13
Toluene	ND< 9.13
m,p-Xylene	ND< 9.13
o-Xylene	ND< 9.13
Styrene	ND< 22.8
1,2-Dichlorobenzene	ND< 22.8
1,3-Dichlorobenzene	ND< 22.8
1,4-Dichlorobenzene	ND< 9.13

Ketones	Results in ug / Kg
Acetone	85.1
2-Butanone	ND< 45.6
2-Hexanone	ND< 22.8
4-Methyl-2-pentanone	ND< 22.8


Miscellaneous	Results in ug / Kg
Carbon disulfide	ND< 9.13
Vinyl acetate	ND< 22.8

ELAP Number 10958

Method: EPA 8260B

Data File: V58351.D

Comments: ND denotes Non Detect
 ug / Kg = microgram per Kilogram

Signature: 
 Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School	Lab Project Number: 08-2518	Lab Sample Number: 8506
Client Job Number: SP080270	Date Sampled: 07/17/2008	
Field Location: SB-7 1-2	Date Received: 07/18/2008	
Field ID Number: N/A	Date Analyzed: 07/24/2008	
Sample Type: South		

Aromatics	Results in ug / Kg	Aromatics	Results in ug / Kg
n-Butylbenzene	ND< 45.6	1,2,4-Trimethylbenzene	ND< 9.13
sec-Butylbenzene	ND< 9.13	1,3,5-Trimethylbenzene	ND< 9.13
tert-Butylbenzene	ND< 22.8		
n-Propylbenzene	ND< 9.13	Miscellaneous	
Isopropylbenzene	ND< 45.6	Methyl tert-butyl Ether	ND< 9.13
p-Isopropyltoluene	ND< 45.6		
Naphthalene	ND< 22.8		

ELAP Number 10958

Method: EPA 8260B

Data File: V58351.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director



Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2518

Lab Sample Number: 8506

Client Job Number: SP080270

Field Location: SB-7 1-2

Date Sampled: 07/17/2008

Field ID Number: N/A

Date Received: 07/18/2008

Sample Type: South

Date Analyzed: 07/24/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
None Found	N/A	N/A	ND < 9.13	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V58351.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: 
Bruce Hoogsteger: Technical Director

PARADIGM ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue
Rochester, NY 14608
(585) 647-2530 • (800) 724-1997
FAX: (585) 647-3311

CHAIN OF CUSTODY

REPORT TO: CONRAD GEOSCIENCE INVOICE TO: SAME

COMPANY: CONRAD GEOSCIENCE
ADDRESS: ONE CIVIC CENTER PLAZA #501
CITY: ROCHESTER NY STATE: NY ZIP: 14601
PHONE: 585-454-2514 FAX: -2655
ATTN: C. BROWN

LAB PROJECT #: 08-2518 CLIENT PROJECT #: SPO80270
TURNAROUND TIME: (WORKING DAYS)
1 2 3 4 5
STD OTHER

PROJECT NAME/SITE NAME: SOUTH BENTON CHURCH SCHOOL
COMMENTS: Pls return cooler

QUOTE #: MS070108A

DATE	TIME	COMPOSITE	GRA B	SAMPLE LOCATION/FIELD ID	MATRIX	CONTAINERS	REQUESTED ANALYSIS	REMARKS	PARADIGM LAB SAMPLE NUMBER
7/17	0920		✓	SB-5-GW	GW	4	TAL Metals PCBs/Pest 808/82 SVOCs via 8270 VOCs via 8260		8504
↓	0923		✓	SB-5-GW-F	GW	1		No Sample	8505
				SB-7-GW	GW				
				SB-7-GW-F	GW				
7/17	1350		✓	SB-7 1-2	Soil	1		Per quote and CO VOC=8260TCLT* +VOC TCS SVOC=8270 ABN +SVOC TCS EDH 7/18	8506

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/ELAP 210/241/242/243/244

Receipt Parameter NELAC Compliance

Container Type: Y N

Preservation: Y N

Comments: HNO3 added to metals waters for lab

Temperature: 10°C iced

Sampled By: [Signature] Date/Time: 7-17-08 1535
Relinquished By: [Signature] Date/Time: 7-17-08 1200
Received By: Elizabeth A. Homch Date/Time: 7/18/08 1400
Received @ Lab By: [Signature] P.I.F.

Analytical Report Cover Page

Conrad Geoscience

For Lab Project # 08-2467

Issued July 25, 2008

Re-Issued July 30, 2008

This report contains a total of 44 pages

This report has been re-issued to correct the erroneous client job site on the Volatile Analysis reports.

The reported results relate only to the samples as they have been received by the laboratory.

Any noncompliant QC parameters having impact on the data are flagged or documented on the final report.

All soil or solid samples have been reported on a dry weight basis, unless qualified "reported as received".

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of frequently used data flags and their meaning:

"ND" = analyzed for but not detected.

"E" = Result has been estimated, calibration limit exceeded.

"D" = Duplicate results outside QC limits. May indicate a non-homogenous matrix.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311


Client: Conrad Geoscience Lab Project No.: 08-2467
 Client Job Site: South Bronx Charter School Lab Sample No.: 8330
 Client Job No.: SP080270 Sample Type: Water
 Field Location: SB-1 GW Date Sampled: 07/15/2008
 Field ID No.: N/A Date Received: 07/16/2008

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	07/18/2008	SW846 6010	426
Antimony	07/18/2008	SW846 6010	<0.060
Arsenic	07/22/2008	SW846 6010	0.140
Barium	07/18/2008	SW846 6010	3.53
Beryllium	07/18/2008	SW846 6010	0.018
Cadmium	07/18/2008	SW846 6010	0.046
Calcium	07/18/2008	SW846 6010	228
Chromium	07/18/2008	SW846 6010	0.816
Cobalt	07/18/2008	SW846 6010	0.367
Copper	07/22/2008	SW846 6010	6.17
Iron	07/22/2008	SW846 6010	1310
Lead	07/18/2008	SW846 6010	10.5
Magnesium	07/18/2008	SW846 6010	123
Manganese	07/22/2008	SW846 6010	19.8
Mercury	07/22/2008	SW846 7470	0.0093
Nickel	07/18/2008	SW846 6010	0.739
Potassium	07/22/2008	SW846 6010	181
Selenium	07/22/2008	SW846 6010	<0.005
Silver	07/18/2008	SW846 6010	<0.010
Sodium	07/18/2008	SW846 6010	44.4
Thallium	07/18/2008	SW846 6010	<0.006
Vanadium	07/18/2008	SW846 6010	0.945
Zinc	07/22/2008	SW846 6010	32.4

ELAP ID No.:10958

Comments:

Approved By: 

Bruce Hoogsteger, Technical Director



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Conrad Geoscience

Lab Project No.: 08-2467

Lab Sample No.: 8331

Client Job Site: South Bronx Charter School

Sample Type: Water

Client Job No.: SP080270

Date Sampled: 07/15/2008

Field Location: SB-1 GWF

Date Received: 07/16/2008


Field ID No.: N/A

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	07/18/2008	SW846 6010	<0.200
Antimony	07/18/2008	SW846 6010	<0.060
Arsenic	07/18/2008	SW846 6010	0.006
Barium	07/18/2008	SW846 6010	0.066
Beryllium	07/18/2008	SW846 6010	<0.005
Cadmium	07/18/2008	SW846 6010	<0.005
Calcium	07/18/2008	SW846 6010	71.3
Chromium	07/18/2008	SW846 6010	<0.010
Cobalt	07/18/2008	SW846 6010	<0.010
Copper	07/18/2008	SW846 6010	<0.010
Iron	07/18/2008	SW846 6010	0.239
Lead	07/18/2008	SW846 6010	<0.005
Magnesium	07/18/2008	SW846 6010	4.05
Manganese	07/18/2008	SW846 6010	0.104
Mercury	07/22/2008	SW846 7470	<0.0002
Nickel	07/18/2008	SW846 6010	<0.040
Potassium	07/18/2008	SW846 6010	17.9
Selenium	07/22/2008	SW846 6010	<0.005
Silver	07/18/2008	SW846 6010	<0.010
Sodium	07/18/2008	SW846 6010	72.2
Thallium	07/18/2008	SW846 6010	<0.006
Vanadium	07/18/2008	SW846 6010	<0.010
Zinc	07/18/2008	SW846 6010	<0.020

ELAP ID No.:10958

Comments:

Approved By: 
Bruce Hoogesteger, Technical Director



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311


Client: Conrad Geoscience Lab Project No.: 08-2467
 Client Job Site: South Bronx Charter School Lab Sample No.: 8334
 Client Job No.: SP080270 Sample Type: Water
 Field Location: SB-2 GW Date Sampled: 07/15/2008
 Field ID No.: N/A Date Received: 07/16/2008

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	07/18/2008	SW846 6010	382
Antimony	07/18/2008	SW846 6010	<0.060
Arsenic	07/22/2008	SW846 6010	<0.005
Barium	07/18/2008	SW846 6010	3.52
Beryllium	07/18/2008	SW846 6010	0.029
Cadmium	07/18/2008	SW846 6010	0.020
Calcium	07/18/2008	SW846 6010	261
Chromium	07/18/2008	SW846 6010	0.808
Cobalt	07/18/2008	SW846 6010	0.408
Copper	07/22/2008	SW846 6010	1.72
Iron	07/22/2008	SW846 6010	1620
Lead	07/18/2008	SW846 6010	3.67
Magnesium	07/18/2008	SW846 6010	150
Manganese	07/22/2008	SW846 6010	30.1
Mercury	07/18/2008	SW846 7470	0.0036
Nickel	07/18/2008	SW846 6010	0.635
Potassium	07/22/2008	SW846 6010	349
Selenium	07/22/2008	SW846 6010	0.0254
Silver	07/18/2008	SW846 6010	<0.010
Sodium	07/18/2008	SW846 6010	46.3
Thallium	07/18/2008	SW846 6010	<0.006
Vanadium	07/18/2008	SW846 6010	0.911
Zinc	07/22/2008	SW846 6010	11.8

ELAP ID No.:10958

Comments:

Approved By: 

Bruce Hoogesteger, Technical Director



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311


Client: **Conrad Geoscience** Lab Project No.: 08-2467
 Client Job Site: South Bronx Charter School Lab Sample No.: 8335
 Client Job No.: SP080270 Sample Type: Water
 Field Location: SB-2 GW F Date Sampled: 07/15/2008
 Field ID No.: N/A Date Received: 07/16/2008

Laboratory Report for TAL Metals Analysis in Waters

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Aluminum	07/18/2008	SW846 6010	0.340
Antimony	07/18/2008	SW846 6010	<0.060
Arsenic	07/18/2008	SW846 6010	<0.005
Barium	07/18/2008	SW846 6010	0.031
Beryllium	07/18/2008	SW846 6010	<0.005
Cadmium	07/18/2008	SW846 6010	<0.005
Calcium	07/18/2008	SW846 6010	35.1
Chromium	07/18/2008	SW846 6010	<0.010
Cobalt	07/18/2008	SW846 6010	<0.010
Copper	07/18/2008	SW846 6010	<0.010
Iron	07/18/2008	SW846 6010	0.335
Lead	07/18/2008	SW846 6010	<0.005
Magnesium	07/18/2008	SW846 6010	2.53
Manganese	07/18/2008	SW846 6010	0.134
Mercury	07/18/2008	SW846 7470	<0.0002
Nickel	07/18/2008	SW846 6010	<0.040
Potassium	07/18/2008	SW846 6010	11.7
Selenium	07/22/2008	SW846 6010	<0.005
Silver	07/18/2008	SW846 6010	<0.010
Sodium	07/18/2008	SW846 6010	77.4
Thallium	07/18/2008	SW846 6010	<0.006
Vanadium	07/18/2008	SW846 6010	<0.010
Zinc	07/18/2008	SW846 6010	<0.020

ELAP ID No.:10958

Comments:

Approved By: 
 Bruce Hoogesteger, Technical Director



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Conrad Geoscience **Lab Project No.:** 08-2467
Client Job Site: South Bronx Charter School **Lab Sample No.:** 8329
Client Job No.: SP080270 **Sample Type:** Soil
Field Location: SB-1 2-4.5 **Date Sampled:** 07/15/2008
Field ID No.: N/A **Date Received:** 07/16/2008

Laboratory Report for TAL Metals Analysis in Solid

Parameter	Date Analyzed	Analytical Method	Result (mg/kg)
Aluminum	07/21/2008	SW846 6010	7830
Antimony	07/21/2008	SW846 6010	<6.50
Arsenic	07/21/2008	SW846 6010	3.27
Barium	07/21/2008	SW846 6010	102
Beryllium	07/21/2008	SW846 6010	<0.542
Cadmium	07/21/2008	SW846 6010	5.06
Calcium	07/21/2008	SW846 6010	25700
Chromium	07/21/2008	SW846 6010	36.4
Cobalt	07/21/2008	SW846 6010	7.57
Copper	07/22/2008	SW846 6010	29.2
Iron	07/22/2008	SW846 6010	35900
Lead	07/21/2008	SW846 6010	238
Magnesium	07/21/2008	SW846 6010	3610
Manganese	07/21/2008	SW846 6010	270
Mercury	07/22/2008	SW846 7471	0.1120
Nickel	07/21/2008	SW846 6010	19.2
Potassium	07/21/2008	SW846 6010	2080
Selenium	07/21/2008	SW846 6010	<0.542
Silver	07/21/2008	SW846 6010	<1.08
Sodium	07/21/2008	SW846 6010	218
Thallium	07/22/2008	SW846 6010	<0.650
Vanadium	07/21/2008	SW846 6010	24.4
Zinc	07/22/2008	SW846 6010	1140

ELAP ID No.:10958

Comments:

Approved By:


 Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional sample information, including compliance with sample condition requirements upon receipt.

File ID:082467.xls


Client:	<u>Conrad Geoscience</u>	Lab Project No.:	08-2467
Client Job Site:	South Bronx Charter School	Lab Sample No.:	8332
Client Job No.:	SP080270	Sample Type:	Soil
Field Location:	SB-2 2-4	Date Sampled:	07/15/2008
Field ID No.:	N/A	Date Received:	07/16/2008

Laboratory Report for TAL Metals Analysis in Solid

Parameter	Date Analyzed	Analytical Method	Result (mg/kg)
Aluminum	07/21/2008	SW846 6010	2860
Antimony	07/21/2008	SW846 6010	<4.81
Arsenic	07/21/2008	SW846 6010	0.884
Barium	07/21/2008	SW846 6010	15.9
Beryllium	07/21/2008	SW846 6010	<0.401
Cadmium	07/21/2008	SW846 6010	<0.401
Calcium	07/21/2008	SW846 6010	469
Chromium	07/21/2008	SW846 6010	16.3
Cobalt	07/21/2008	SW846 6010	3.08
Copper	07/22/2008	SW846 6010	4.27
Iron	07/22/2008	SW846 6010	8410
Lead	07/21/2008	SW846 6010	21.5
Magnesium	07/21/2008	SW846 6010	695
Manganese	07/21/2008	SW846 6010	115
Mercury	07/22/2008	SW846 7471	<0.0082
Nickel	07/21/2008	SW846 6010	9.57
Potassium	07/21/2008	SW846 6010	670
Selenium	07/21/2008	SW846 6010	<0.401
Silver	07/21/2008	SW846 6010	<0.803
Sodium	07/21/2008	SW846 6010	<80.3
Thallium	07/22/2008	SW846 6010	<0.481
Vanadium	07/21/2008	SW846 6010	10.4
Zinc	07/22/2008	SW846 6010	16.8

ELAP ID No.:10958

Comments:

Approved By: 
 Bruce Hoogesteger, Technical Director



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client:	Conrad Geoscience	Lab Project No.:	08-2467
Client Job Site:	South Bronx Charter School	Lab Sample No.:	8333
Client Job No.:	SP080270	Sample Type:	Soil
Field Location:	SB-2 4-6	Date Sampled:	07/15/2008
Field ID No.:	N/A	Date Received:	07/16/2008

Laboratory Report for TAL Metals Analysis in Solid

Parameter	Date Analyzed	Analytical Method	Result (mg/kg)
Aluminum	07/21/2008	SW846 6010	6910
Antimony	07/21/2008	SW846 6010	<6.34
Arsenic	07/21/2008	SW846 6010	<0.529
Barium	07/21/2008	SW846 6010	70.1
Beryllium	07/21/2008	SW846 6010	<0.529
Cadmium	07/21/2008	SW846 6010	<0.529
Calcium	07/21/2008	SW846 6010	1690
Chromium	07/21/2008	SW846 6010	18.0
Cobalt	07/21/2008	SW846 6010	8.76
Copper	07/22/2008	SW846 6010	6.58
Iron	07/22/2008	SW846 6010	15500
Lead	07/21/2008	SW846 6010	69.0
Magnesium	07/21/2008	SW846 6010	3400
Manganese	07/21/2008	SW846 6010	270
Mercury	07/22/2008	SW846 7471	0.0222
Nickel	07/21/2008	SW846 6010	12.8
Potassium	07/21/2008	SW846 6010	3950
Selenium	07/21/2008	SW846 6010	<0.529
Silver	07/21/2008	SW846 6010	<1.06
Sodium	07/21/2008	SW846 6010	<106
Thallium	07/22/2008	SW846 6010	<0.634
Vanadium	07/21/2008	SW846 6010	23.2
Zinc	07/22/2008	SW846 6010	55.6

ELAP ID No.:10958

Comments:

Approved By:

 Bruce Hoogesteger, Technical Director

This report is part of a multipage document and should only be evaluated in its entirety. Chain of Custody provides additional sample information, including compliance with sample condition requirements upon receipt.

File ID:082467.xls

PCB Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8329
Client Job Number:	SP080270	Date Sampled:	07/15/2008
Field Location:	SB-1 2-4.5	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/17/2008
Sample Type:	Soil		

PCB Identification	Results in mg / Kg
Aroclor 1016	ND< 0.324
Aroclor 1221	ND< 0.324
Aroclor 1232	ND< 0.324
Aroclor 1242	ND< 0.324
Aroclor 1248	ND< 0.324
Aroclor 1254	ND< 0.324
Aroclor 1260	ND< 0.324

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
mg / Kg = milligram per Kilogram

Signature: 
Bruce Hoogesteger: Technical Director

PCB Analysis Report for Non-potable Water

Client: Conrad Geoscience


Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8330
Field Location:	SB-1 GW	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Water	Date Analyzed:	07/23/2008

PCB Identification	Results in ug / L
Aroclor 1016	ND< 1.00
Aroclor 1221	ND< 1.00
Aroclor 1232	ND< 1.00
Aroclor 1242	ND< 1.00
Aroclor 1248	ND< 1.00
Aroclor 1254	ND< 1.00
Aroclor 1260	ND< 1.00

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: 
Bruce Hoogesteger: Technical Director

PCB Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8332

Client Job Number: SP080270

Field Location: SB-2 2-4

Date Sampled: 07/15/2008

Field ID Number: N/A

Date Received: 07/16/2008

Sample Type: Soil

Date Analyzed: 07/17/2008

PCB Identification	Results in mg / Kg
Aroclor 1016	ND< 0.353
Aroclor 1221	ND< 0.353
Aroclor 1232	ND< 0.353
Aroclor 1242	ND< 0.353
Aroclor 1248	ND< 0.353
Aroclor 1254	ND< 0.353
Aroclor 1260	ND< 0.353

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
mg / Kg = milligram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

PCB Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**


Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8333
Client Job Number:	SP080270	Date Sampled:	07/15/2008
Field Location:	SB-2 4-6	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/17/2008
Sample Type:	Soil		

PCB Identification	Results in mg / Kg
Aroclor 1016	ND< 0.331
Aroclor 1221	ND< 0.331
Aroclor 1232	ND< 0.331
Aroclor 1242	ND< 0.331
Aroclor 1248	ND< 0.331
Aroclor 1254	ND< 0.331
Aroclor 1260	0.865

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
mg / Kg = milligram per Kilogram

Signature: 
Bruce Hoogesteger: Technical Director

PCB Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8334
Field Location:	SB-2 GW	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Water	Date Analyzed:	07/23/2008

PCB Identification	Results in ug / L
Aroclor 1016	ND< 1.00
Aroclor 1221	ND< 1.00
Aroclor 1232	ND< 1.00
Aroclor 1242	ND< 1.00
Aroclor 1248	ND< 1.00
Aroclor 1254	ND< 1.00
Aroclor 1260	ND< 1.00

ELAP Number 10958

Method: EPA 8082

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: 
Bruce Hoogesteger: Technical Director

Pesticide Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8329
Client Job Number:	SP030270	Date Sampled:	07/15/2008
Field Location:	SB-1 2-4.5	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/23/2008
Sample Type:	Soil		

Pesticide Identification	Results in ug / Kg
Aldrin	ND< 3.26
alpha-BHC	ND< 3.26
beta-BHC	ND< 3.26
delta-BHC	ND< 3.26
gamma-BHC	ND< 3.26
alpha-Chlordane	ND< 3.26
gamma-Chlordane	ND< 3.26
4,4'-DDD	ND< 3.26
4,4'-DDE	ND< 3.26
4,4'-DDT	ND< 3.26
Dieldrin	5.69
Endosulfan I	ND< 3.26
Endosulfan II	ND< 3.26
Endosulfan Sulfate	ND< 3.26
Endrin	ND< 3.26
Endrin Aldehyde	ND< 3.26
Heptachlor	ND< 3.26
Heptachlor Epoxide	ND< 3.26
Methoxychlor	ND< 3.26
Toxaphene	ND< 163

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: 
Bruce Hoogesteger: Technical Director

Pesticide Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8330
Client Job Number:	SP030270	Date Sampled:	07/15/2008
Field Location:	SB-1 GW	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/24/2008
Sample Type:	Water		

Pesticide Identification	Results in ug / L
Aldrin	ND< 0.100
alpha-BHC	ND< 0.100
beta-BHC	ND< 0.100
delta-BHC	ND< 0.100
gamma-BHC	ND< 0.100
alpha-Chlordane	ND< 0.100
gamma-Chlordane	ND< 0.100
4,4'-DDD	ND< 0.100
4,4'-DDE	ND< 0.100
4,4'-DDT	ND< 0.100
Dieldrin	ND< 0.100
Endosulfan I	ND< 0.100
Endosulfan II	ND< 0.100
Endosulfan Sulfate	ND< 0.100
Endrin	ND< 0.100
Endrin Aldehyde	ND< 0.100
Heptachlor	ND< 0.100
Heptachlor Epoxide	ND< 0.100
Methoxychlor	ND< 0.100
Toxaphene	ND< 5.00

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Pesticide Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**


Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP030270	Lab Sample Number:	8332
Field Location:	SB-2 2-4	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/23/2008

Pesticide Identification	Results in ug / Kg
Aldrin	ND< 3.32
alpha-BHC	ND< 3.32
beta-BHC	ND< 3.32
delta-BHC	ND< 3.32
gamma-BHC	ND< 3.32
alpha-Chlordane	ND< 3.32
gamma-Chlordane	ND< 3.32
4,4'-DDD	ND< 3.32
4,4'-DDE	ND< 3.32
4,4'-DDT	ND< 3.32
Dieldrin	ND< 3.32
Endosulfan I	ND< 3.32
Endosulfan II	ND< 3.32
Endosulfan Sulfate	ND< 3.32
Endrin	ND< 3.32
Endrin Aldehyde	ND< 3.32
Heptachlor	ND< 3.32
Heptachlor Epoxide	ND< 3.32
Methoxychlor	ND< 3.32
Toxaphene	ND< 166

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: 
Bruce Hoogestege, Technical Director

Pesticide Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**


Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8333
Client Job Number:	SP030270		
Field Location:	SB-2 4-6	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/23/2008

Pesticide Identification	Results in ug / Kg
Aldrin	ND< 3.21
alpha-BHC	ND< 3.21
beta-BHC	ND< 3.21
delta-BHC	ND< 3.21
gamma-BHC	ND< 3.21
alpha-Chlordane	ND< 3.21
gamma-Chlordane	ND< 3.21
4,4'-DDD	ND< 3.21
4,4'-DDE	9.47
4,4'-DDT	ND< 3.21
Dieldrin	29.5
Endosulfan I	ND< 3.21
Endosulfan II	ND< 3.21
Endosulfan Sulfate	ND< 3.21
Endrin	ND< 3.21
Endrin Aldehyde	3.73
Heptachlor	ND< 3.21
Heptachlor Epoxide	ND< 3.21
Methoxychlor	5.23
Toxaphene	ND< 161

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: 

Bruce Hoogesteger: Technical Director

Pesticide Analysis Report for Non-potable Water

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP030270	Lab Sample Number:	8334
Field Location:	SB-2 GW	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Water	Date Analyzed:	07/24/2008

Pesticide Identification	Results in ug / L
Aldrin	ND< 0.100
alpha-BHC	ND< 0.100
beta-BHC	ND< 0.100
delta-BHC	ND< 0.100
gamma-BHC	ND< 0.100
alpha-Chlordane	ND< 0.100
gamma-Chlordane	ND< 0.100
4,4'-DDD	ND< 0.100
4,4'-DDE	ND< 0.100
4,4'-DDT	ND< 0.100
Dieldrin	ND< 0.100
Endosulfan I	ND< 0.100
Endosulfan II	ND< 0.100
Endosulfan Sulfate	ND< 0.100
Endrin	ND< 0.100
Endrin Aldehyde	ND< 0.100
Heptachlor	ND< 0.100
Heptachlor Epoxide	ND< 0.100
Methoxychlor	ND< 0.100
Toxaphene	ND< 5.00

ELAP Number 10958

Method: EPA 8081

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: 
Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School	Lab Project Number: 08-2467	Lab Sample Number: 8329
Client Job Number: SP080270	Date Sampled: 07/15/2008	Date Analyzed: 07/17/2008
Field Location: SB-1 2-4.5	Date Received: 07/16/2008	
Field ID Number: N/A		
Sample Type: Soil		

Base / Neutrals	Results in ug / Kg	Base / Neutrals	Results in ug / Kg
Acenaphthene	ND< 327	Dibenz (a,h) anthracene	ND< 327
Anthracene	ND< 327	Fluoranthene	367
Benzo (a) anthracene	ND< 327	Fluorene	ND< 327
Benzo (a) pyrene	ND< 327	Indeno (1,2,3-cd) pyrene	ND< 327
Benzo (b) fluoranthene	ND< 327	Naphthalene	ND< 327
Benzo (g,h,i) perylene	ND< 327	Phenanthrene	ND< 327
Benzo (k) fluoranthene	ND< 327	Pyrene	354
Chrysene	ND< 327	Acenaphthylene	ND< 327
Diethyl phthalate	ND< 327	1,2-Dichlorobenzene	ND< 327
Dimethyl phthalate	ND< 817	1,3-Dichlorobenzene	ND< 327
Butylbenzylphthalate	ND< 327	1,4-Dichlorobenzene	ND< 327
Di-n-butyl phthalate	ND< 327	1,2,4-Trichlorobenzene	ND< 327
Di-n-octylphthalate	ND< 327	Nitrobenzene	ND< 327
Bis (2-ethylhexyl) phthalate	836	2,4-Dinitrotoluene	ND< 327
2-Chloronaphthalene	ND< 327	2,6-Dinitrotoluene	ND< 327
Hexachlorobenzene	ND< 327	Bis (2-chloroethyl) ether	ND< 327
Hexachloroethane	ND< 327	Bis (2-chloroisopropyl) ether	ND< 327
Hexachlorocyclopentadiene	ND< 327	Bis (2-chloroethoxy) methan	ND< 327
Hexachlorobutadiene	ND< 327	4-Bromophenyl phenyl ether	ND< 327
N-Nitroso-di-n-propylamine	ND< 327	4-Chlorophenyl phenyl ether	ND< 327
N-Nitrosodiphenylamine	ND< 327	Benzidine	ND< 817
N-Nitrosodimethylamine	ND< 327	3,3'-Dichlorobenzidine	ND< 327
Isophorone	ND< 327	4-Chloroaniline	ND< 327
Benzyl alcohol	ND< 817	2-Nitroaniline	ND< 817
Dibenzofuran	ND< 327	3-Nitroaniline	ND< 817
2-Methylnaphthalene	915	4-Nitroaniline	ND< 817

Acids	Results in ug / Kg	Acids	Results in ug / Kg
Phenol	ND< 327	2-Methylphenol	ND< 327
2-Chlorophenol	ND< 327	3&4-Methylphenol	ND< 327
2,4-Dichlorophenol	ND< 327	2,4-Dimethylphenol	ND< 327
2,6-Dichlorophenol	ND< 327	2-Nitrophenol	ND< 327
2,4,5-Trichlorophenol	ND< 817	4-Nitrophenol	ND< 817
2,4,6-Trichlorophenol	ND< 327	2,4-Dinitrophenol	ND< 327
Pentachlorophenol	ND< 817	4,6-Dinitro-2-methylphenol	ND< 817
4-Chloro-3-methylphenol	ND< 327	Benzoic acid	ND< 817


ELAP Number 10958

Method: EPA 8270C

Data File: S40954.D

Comments: ND denotes Non Detect
 ug / Kg = microgram per Kilogram
 Surrogate outliers indicate probable matrix interference

Signature:



 Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8329
Field Location:	SB-1 2-4.5	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/17/2008


Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Unknown Hydrocarbon	N/A	9.13	1,380	N/A
Unknown Hydrocarbon	N/A	9.25	1,090	N/A
Alkyl Cyclohexane	N/A	9.38	1,060	N/A
Unknown Hydrocarbon	N/A	9.67	2,630	N/A
Unknown Hydrocarbon	N/A	10.15	1,120	N/A
Unknown Hydrocarbon	N/A	10.31	1,260	N/A
Unknown Hydrocarbon	N/A	10.71	954	N/A
Unknown Hydrocarbon	N/A	10.79	1,660	N/A
Unknown Hydrocarbon	N/A	10.83	1,640	N/A
n,n'- Dimethylnaphthalene	N/A	10.89	967	N/A
n,n'- Dimethylnaphthalene	N/A	11.02	2,600	N/A
Unknown Hydrocarbon	N/A	11.15	951	N/A
Unknown Hydrocarbon	N/A	11.41	993	N/A
Unknown Hydrocarbon	N/A	13.05	1,310	N/A
Unknown Hydrocarbon	N/A	14.75	951	N/A
Unknown Hydrocarbon	N/A	15.85	1,040	N/A
Unknown Hydrocarbon	N/A	17.16	1,550	N/A
Unknown Hydrocarbon	N/A	19.71	1,070	N/A
Unknown Hydrocarbon	N/A	20.48	1,360	N/A
Unknown Hydrocarbon	N/A	20.76	1,700	N/A

ELAP Number 10958

Method: EPA 8270C

Data File: S40954.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: 
Bruce Hoogesteger: Technical Director

Semi -Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School	Lab Project Number: 08-2467
Client Job Number: SP080270	Lab Sample Number: 8330
Field Location: SB-1 GW	Date Sampled: 07/15/2008
Field ID Number: N/A	Date Received: 07/16/2008
Sample Type: Water	Date Analyzed: 07/21/2008

Base / Neutrals	Results in ug / L	Base / Neutrals	Results in ug / L
Acenaphthene	ND< 10.0	Dibenz (a,h) anthracene	ND< 10.0
Anthracene	ND< 10.0	Fluoranthene	ND< 10.0
Benzo (a) anthracene	ND< 10.0	Fluorene	ND< 10.0
Benzo (a) pyrene	ND< 10.0	Indeno (1,2,3-cd) pyrene	ND< 10.0
Benzo (b) fluoranthene	ND< 10.0	Naphthalene	18.0
Benzo (g,h,i) perylene	ND< 10.0	Phenanthrene	ND< 10.0
Benzo (k) fluoranthene	ND< 10.0	Pyrene	ND< 10.0
Chrysene	ND< 10.0	Acenaphthylene	ND< 10.0
Diethyl phthalate	ND< 10.0	1,2-Dichlorobenzene	ND< 10.0
Dimethyl phthalate	ND< 25.0	1,3-Dichlorobenzene	ND< 10.0
Butylbenzylphthalate	ND< 10.0	1,4-Dichlorobenzene	ND< 10.0
Di-n-butyl phthalate	ND< 10.0	1,2,4-Trichlorobenzene	ND< 10.0
Di-n-octylphthalate	ND< 10.0	Nitrobenzene	ND< 10.0
Bis (2-ethylhexyl) phthalate	ND< 10.0	2,4-Dinitrotoluene	ND< 10.0
2-Chloronaphthalene	ND< 10.0	2,6-Dinitrotoluene	ND< 10.0
Hexachlorobenzene	ND< 10.0	Bis (2-chloroethyl) ether	ND< 10.0
Hexachloroethane	ND< 10.0	Bis (2-chloroisopropyl) ether	ND< 10.0
Hexachlorocyclopentadiene	ND< 10.0	Bis (2-chloroethoxy) methan	ND< 10.0
Hexachlorobutadiene	ND< 10.0	4-Bromophenyl phenyl ether	ND< 10.0
N-Nitroso-di-n-propylamine	ND< 10.0	4-Chlorophenyl phenyl ether	ND< 10.0
N-Nitrosodiphenylamine	ND< 10.0	Benzidine	ND< 25.0
N-Nitrosodimethylamine	ND< 10.0	3,3'-Dichlorobenzidine	ND< 10.0
Isophorone	ND< 10.0	4-Chloroaniline	ND< 10.0
Benzyl alcohol	ND< 25.0	2-Nitroaniline	ND< 25.0
Dibenzofuran	ND< 10.0	3-Nitroaniline	ND< 25.0
2-Methylnaphthalene	ND< 10.0	4-Nitroaniline	ND< 25.0

Acids	Results in ug / L	Acids	Results in ug / L
Phenol	ND< 10.0	2-Methylphenol	ND< 10.0
2-Chlorophenol	ND< 10.0	3&4-Methylphenol	ND< 10.0
2,4-Dichlorophenol	ND< 10.0	2,4-Dimethylphenol	ND< 10.0
2,6-Dichlorophenol	ND< 10.0	2-Nitrophenol	ND< 10.0
2,4,5-Trichlorophenol	ND< 25.0	4-Nitrophenol	ND< 25.0
2,4,6-Trichlorophenol	ND< 10.0	2,4-Dinitrophenol	ND< 10.0
Pentachlorophenol	ND< 25.0	4,6-Dinitro-2-methylphenol	ND< 25.0
4-Chloro-3-methylphenol	ND< 10.0	Benzoic acid	ND< 25.0


ELAP Number 10958

Method: EPA 8270C

Data File: S41019.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____


Bruce Hoogesteger: Technical Director

Semi -Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8330
Field Location:	SB-1 GW	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Water	Date Analyzed:	07/21/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
1-Ethyl-n-methylbenzene	N/A	6.36	11.4	N/A
1,2,n-Trimethylbenzene	N/A	7.10	24.2	N/A
Unknown Hydrocarbon	N/A	7.26	19.1	N/A
Unknown Hydrocarbon	N/A	8.14	13.7	N/A
Alkyl Benzene	N/A	8.19	11.4	N/A
Alkyl Benzene	N/A	8.50	15.6	N/A

ELAP Number 10958

Method: EPA 8270C

Data File: S41019.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8332
Field Location:	SB-2 2-4	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/17/2008

Base / Neutrals	Results in ug / Kg	Base / Neutrals	Results in ug / Kg
Acenaphthene	ND< 332	Dibenz (a,h) anthracene	ND< 332
Anthracene	ND< 332	Fluoranthene	ND< 332
Benzo (a) anthracene	ND< 332	Fluorene	ND< 332
Benzo (a) pyrene	ND< 332	Indeno (1,2,3-cd) pyrene	ND< 332
Benzo (b) fluoranthene	ND< 332	Naphthalene	ND< 332
Benzo (g,h,i) perylene	ND< 332	Phenanthrene	ND< 332
Benzo (k) fluoranthene	ND< 332	Pyrene	ND< 332
Chrysene	ND< 332	Acenaphthylene	ND< 332
Diethyl phthalate	ND< 332	1,2-Dichlorobenzene	ND< 332
Dimethyl phthalate	ND< 830	1,3-Dichlorobenzene	ND< 332
Butylbenzylphthalate	ND< 332	1,4-Dichlorobenzene	ND< 332
Di-n-butyl phthalate	ND< 332	1,2,4-Trichlorobenzene	ND< 332
Di-n-octylphthalate	ND< 332	Nitrobenzene	ND< 332
Bis (2-ethylhexyl) phthalate	ND< 332	2,4-Dinitrotoluene	ND< 332
2-Chloronaphthalene	ND< 332	2,6-Dinitrotoluene	ND< 332
Hexachlorobenzene	ND< 332	Bis (2-chloroethyl) ether	ND< 332
Hexachloroethane	ND< 332	Bis (2-chloroisopropyl) ether	ND< 332
Hexachlorocyclopentadiene	ND< 332	Bis (2-chloroethoxy) methan	ND< 332
Hexachlorobutadiene	ND< 332	4-Bromophenyl phenyl ether	ND< 332
N-Nitroso-di-n-propylamine	ND< 332	4-Chlorophenyl phenyl ether	ND< 332
N-Nitrosodiphenylamine	ND< 332	Benzidine	ND< 830
N-Nitrosodimethylamine	ND< 332	3,3'-Dichlorobenzidine	ND< 332
Isophorone	ND< 332	4-Chloroaniline	ND< 332
Benzyl alcohol	ND< 830	2-Nitroaniline	ND< 830
Dibenzofuran	ND< 332	3-Nitroaniline	ND< 830
2-Methylnaphthalene	ND< 332	4-Nitroaniline	ND< 830

Acids	Results in ug / Kg	Acids	Results in ug / Kg
Phenol	ND< 332	2-Methylphenol	ND< 332
2-Chlorophenol	ND< 332	3&4-Methylphenol	ND< 332
2,4-Dichlorophenol	ND< 332	2,4-Dimethylphenol	ND< 332
2,6-Dichlorophenol	ND< 332	2-Nitrophenol	ND< 332
2,4,5-Trichlorophenol	ND< 830	4-Nitrophenol	ND< 830
2,4,6-Trichlorophenol	ND< 332	2,4-Dinitrophenol	ND< 332
Pentachlorophenol	ND< 830	4,6-Dinitro-2-methylphenol	ND< 830
4-Chloro-3-methylphenol	ND< 332	Benzoic acid	ND< 830

ELAP Number 10958

Method: EPA 8270C

Data File: S40955.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: 
Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8332
Field Location:	SB-2 2-4	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/17/2008


Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Unknown Hydrocarbon	N/A	15.85	402	N/A
Unknown Hydrocarbon	N/A	17.14	411	N/A

ELAP Number 10958

Method: EPA 8270C

Data File: S40955.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: 
Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8333
Field Location:	SB-2 4-6	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/17/2008

Base / Neutrals	Results in ug / Kg	Base / Neutrals	Results in ug / Kg
Acenaphthene	ND< 320	Dibenz (a,h) anthracene	ND< 320
Anthracene	ND< 320	Fluoranthene	ND< 320
Benzo (a) anthracene	ND< 320	Fluorene	ND< 320
Benzo (a) pyrene	ND< 320	Indeno (1,2,3-cd) pyrene	ND< 320
Benzo (b) fluoranthene	ND< 320	Naphthalene	ND< 320
Benzo (g,h,i) perylene	ND< 320	Phenanthrene	ND< 320
Benzo (k) fluoranthene	ND< 320	Pyrene	ND< 320
Chrysene	ND< 320	Acenaphthylene	ND< 320
Diethyl phthalate	ND< 320	1,2-Dichlorobenzene	ND< 320
Dimethyl phthalate	ND< 801	1,3-Dichlorobenzene	ND< 320
Butylbenzylphthalate	ND< 320	1,4-Dichlorobenzene	ND< 320
Di-n-butyl phthalate	ND< 320	1,2,4-Trichlorobenzene	ND< 320
Di-n-octylphthalate	ND< 320	Nitrobenzene	ND< 320
Bis (2-ethylhexyl) phthalate	ND< 320	2,4-Dinitrotoluene	ND< 320
2-Chloronaphthalene	ND< 320	2,6-Dinitrotoluene	ND< 332
Hexachlorobenzene	ND< 320	Bis (2-chloroethyl) ether	ND< 320
Hexachloroethane	ND< 320	Bis (2-chloroisopropyl) ether	ND< 320
Hexachlorocyclopentadiene	ND< 320	Bis (2-chloroethoxy) methan	ND< 320
Hexachlorobutadiene	ND< 320	4-Bromophenyl phenyl ether	ND< 320
N-Nitroso-di-n-propylamine	ND< 320	4-Chlorophenyl phenyl ether	ND< 320
N-Nitrosodiphenylamine	ND< 320	Benzidine	ND< 801
N-Nitrosodimethylamine	ND< 320	3,3'-Dichlorobenzidine	ND< 320
Isophorone	ND< 320	4-Chloroaniline	ND< 320
Benzyl alcohol	ND< 801	2-Nitroaniline	ND< 801
Dibenzofuran	ND< 320	3-Nitroaniline	ND< 801
2-Methylnaphthalene	ND< 320	4-Nitroaniline	ND< 801


Acids	Results in ug / Kg	Acids	Results in ug / Kg
Phenol	ND< 320	2-Methylphenol	ND< 320
2-Chlorophenol	ND< 320	3&4-Methylphenol	ND< 320
2,4-Dichlorophenol	ND< 320	2,4-Dimethylphenol	ND< 320
2,6-Dichlorophenol	ND< 320	2-Nitrophenol	ND< 320
2,4,5-Trichlorophenol	ND< 801	4-Nitrophenol	ND< 801
2,4,6-Trichlorophenol	ND< 320	2,4-Dinitrophenol	ND< 320
Pentachlorophenol	ND< 801	4,6-Dinitro-2-methylphenol	ND< 801
4-Chloro-3-methylphenol	ND< 320	Benzoic acid	ND< 801

ELAP Number 10958

Method: EPA 8270C

Data File: S40956.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: 
Bruce Hoogesteger: Technical Director

Semi-Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8333
Field Location:	SB-2 4-6	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/17/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Cyclic octaatomic sulfur	010544-50-0	15.46	426	90
Unknown Hydrocarbon	N/A	17.15	609	N/A
Unknown Hydrocarbon	N/A	18.77	532	N/A
Unknown Hydrocarbon	N/A	19.53	410	N/A
Unknown Hydrocarbon	N/A	19.69	465	N/A
Unknown Hydrocarbon	N/A	20.47	481	N/A
Unknown Hydrocarbon	N/A	20.76	804	N/A

ELAP Number 10958

Method: EPA 8270C

Data File: S40956.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: _____

Bruce Hodgesteger: Technical Director

Semi -Volatile Analysis Report for Non-potable Water

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8334
Field Location:	SB-2 GW	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Water	Date Analyzed:	07/21/2008

Base / Neutrals	Results in ug / L	Base / Neutrals	Results in ug / L
Acenaphthene	ND< 10.0	Dibenz (a,h) anthracene	ND< 10.0
Anthracene	ND< 10.0	Fluoranthene	ND< 10.0
Benzo (a) anthracene	ND< 10.0	Fluorene	ND< 10.0
Benzo (a) pyrene	ND< 10.0	Indeno (1,2,3-cd) pyrene	ND< 10.0
Benzo (b) fluoranthene	ND< 10.0	Naphthalene	ND< 10.0
Benzo (g,h,i) perylene	ND< 10.0	Phenanthrene	ND< 10.0
Benzo (k) fluoranthene	ND< 10.0	Pyrene	ND< 10.0
Chrysene	ND< 10.0	Acenaphthylene	ND< 10.0
Diethyl phthalate	ND< 10.0	1,2-Dichlorobenzene	ND< 10.0
Dimethyl phthalate	ND< 25.0	1,3-Dichlorobenzene	ND< 10.0
Butylbenzylphthalate	ND< 10.0	1,4-Dichlorobenzene	ND< 10.0
Di-n-butyl phthalate	ND< 10.0	1,2,4-Trichlorobenzene	ND< 10.0
Di-n-octylphthalate	ND< 10.0	Nitrobenzene	ND< 10.0
Bis (2-ethylhexyl) phthalate	ND< 10.0	2,4-Dinitrotoluene	ND< 10.0
2-Chloronaphthalene	ND< 10.0	2,6-Dinitrotoluene	ND< 332
Hexachlorobenzene	ND< 10.0	Bis (2-chloroethyl) ether	ND< 10.0
Hexachloroethane	ND< 10.0	Bis (2-chloroisopropyl) ether	ND< 10.0
Hexachlorocyclopentadiene	ND< 10.0	Bis (2-chloroethoxy) methan	ND< 10.0
Hexachlorobutadiene	ND< 10.0	4-Bromophenyl phenyl ether	ND< 10.0
N-Nitroso-di-n-propylamine	ND< 320	4-Chlorophenyl phenyl ether	ND< 10.0
N-Nitrosodiphenylamine	ND< 10.0	Benzidine	ND< 25.0
N-Nitrosodimethylamine	ND< 10.0	3,3'-Dichlorobenzidine	ND< 10.0
Isophorone	ND< 10.0	4-Chloroaniline	ND< 10.0
Benzyl alcohol	ND< 25.0	2-Nitroaniline	ND< 25.0
Dibenzofuran	ND< 10.0	3-Nitroaniline	ND< 25.0
2-Methylnaphthalene	ND< 10.0	4-Nitroaniline	ND< 25.0

Acids	Results in ug / L	Acids	Results in ug / L
Phenol	ND< 10.0	2-Methylphenol	ND< 10.0
2-Chlorophenol	ND< 10.0	3&4-Methylphenol	ND< 10.0
2,4-Dichlorophenol	ND< 10.0	2,4-Dimethylphenol	ND< 10.0
2,6-Dichlorophenol	ND< 10.0	2-Nitrophenol	ND< 10.0
2,4,5-Trichlorophenol	ND< 25.0	4-Nitrophenol	ND< 25.0
2,4,6-Trichlorophenol	ND< 10.0	2,4-Dinitrophenol	ND< 10.0
Pentachlorophenol	ND< 25.0	4,6-Dinitro-2-methylphenol	ND< 25.0
4-Chloro-3-methylphenol	ND< 10.0	Benzoic acid	ND< 25.0

ELAP Number 10958

Method: EPA 8270C

Data File: S41020.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature:



Bruce Hoogesteger: Technical Director

Semi -Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8334
Field Location:	SB-2 GW	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Water	Date Analyzed:	07/21/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
Alkyl Hydrocarbon	N/A	7.18	43.3	N/A
Unknown Hydrocarbon	N/A	12.02	21.2	N/A


ELAP Number 10958

Method: EPA 8270C

Data File: S41020.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature:



Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School
Client Job Number: SP080270
Field Location: SB-1 2-4.5
Field ID Number: N/A
Sample Type: Soil

Lab Project Number: 08-2467
Lab Sample Number: 8329
Date Sampled: 07/15/2008
Date Received: 07/16/2008
Date Analyzed: 07/21/2008
Date Reissued: 07/30/2008

Halocarbons	Results in ug / Kg
Bromodichloromethane	ND< 12.6
Bromomethane	ND< 12.6
Bromoform	ND< 31.6
Carbon Tetrachloride	ND< 31.6
Chloroethane	ND< 12.6
Chloromethane	ND< 12.6
2-Chloroethyl vinyl Ether	ND< 63.2
Chloroform	ND< 12.6
Dibromochloromethane	ND< 12.6
1,1-Dichloroethane	ND< 12.6
1,2-Dichloroethane	ND< 12.6
1,1-Dichloroethene	ND< 12.6
cis-1,2-Dichloroethene	ND< 12.6
trans-1,2-Dichloroethene	ND< 12.6
1,2-Dichloropropane	ND< 12.6
cis-1,3-Dichloropropene	ND< 12.6
trans-1,3-Dichloropropene	ND< 12.6
Methylene chloride	ND< 31.6
1,1,2,2-Tetrachloroethane	ND< 12.6
Tetrachloroethene	ND< 12.6
1,1,1-Trichloroethane	ND< 12.6
1,1,2-Trichloroethane	ND< 12.6
Trichloroethene	ND< 12.6
Trichlorofluoromethane	ND< 12.6
Vinyl chloride	ND< 12.6

Aromatics	Results in ug / Kg
Benzene	ND< 12.6
Chlorobenzene	ND< 12.6
Ethylbenzene	ND< 12.6
Toluene	ND< 12.6
m,p-Xylene	31.3
o-Xylene	ND< 12.6
Styrene	ND< 31.6
1,2-Dichlorobenzene	ND< 31.6
1,3-Dichlorobenzene	ND< 31.6
1,4-Dichlorobenzene	ND< 12.6

Ketones	Results in ug / Kg
Acetone	318
2-Butanone	ND< 63.2
2-Hexanone	ND< 31.6
4-Methyl-2-pentanone	ND< 31.6

Miscellaneous	Results in ug / Kg
Carbon disulfide	ND< 12.6
Vinyl acetate	ND< 31.6

ELAP Number 10958

Method: EPA 8260B

Data File: V58239.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram
Surrogate outliers indicate probable matrix interference

Signature: _____

Bruce Hoogesteger, Technical Director

Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School	Lab Project Number: 08-2467
	Lab Sample Number: 8329
Client Job Number: SP080270	
Field Location: SB-1 2-4.5	Date Sampled: 07/15/2008
Field ID Number: N/A	Date Received: 07/16/2008
Sample Type: Soil	Date Analyzed: 07/21/2008
	Date Reissued: 07/30/2008

Aromatics	Results in ug / Kg	Aromatics	Results in ug / Kg
n-Butylbenzene	66.0	1,2,4-Trimethylbenzene	27.1
sec-Butylbenzene	20.0	1,3,5-Trimethylbenzene	ND< 12.6
tert-Butylbenzene	ND< 31.6		
n-Propylbenzene	ND< 12.6	Miscellaneous	
Isopropylbenzene	ND< 63.2	Methyl tert-butyl Ether	ND< 12.6
p-Isopropyltoluene	ND< 63.2		
Naphthalene	217		

ELAP Number 10958

Method: EPA 8260B

Data File: V58239.D

Comments: ND denotes Non Detect
 ug / Kg = microgram per Kilogram
 Surrogate outliers indicate probable matrix interference

Signature:



 Bruce Hoogesteger, Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School	Lab Project Number: 08-2467	Lab Sample Number: 8329
Client Job Number: SP080270	Date Sampled: 07/15/2008	Date Received: 07/16/2008
Field Location: SB-1 2-4.5	Date Analyzed: 07/21/2008	Date Reissued: 07/30/2008
Field ID Number: N/A		
Sample Type: Soil		

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
Alkyl Cyclohexane	N/A	11.12	633	N/A
Alkyl Cyclohexane	N/A	11.19	445	N/A
Alkyl Benzene	N/A	11.31	566	N/A
Alkyl Hydrocarbon	N/A	11.51	399	N/A
Complex Hydrocarbon	N/A	11.70	654	N/A
Alkyl Cyclohexane	N/A	11.80	482	N/A
Alkyl Benzene	N/A	11.85	541	N/A
Complex Hydrocarbon	N/A	11.93	668	N/A
Complex Hydrocarbon	N/A	12.00	504	N/A
Alkyl Benzene	N/A	12.09	482	N/A
Complex Hydrocarbon	N/A	12.37	1,420	N/A
Alkyl Hydrocarbon	N/A	12.51	917	N/A
Complex Hydrocarbon	N/A	12.55	579	N/A
Complex Hydrocarbon	N/A	12.77	492	N/A
Complex Hydrocarbon	N/A	12.82	461	N/A
Complex Hydrocarbon	N/A	12.89	486	N/A
Alkyl Hydrocarbon	N/A	13.13	890	N/A
Complex Hydrocarbon	N/A	13.21	766	N/A
Alkyl Cyclohexane	N/A	13.31	588	N/A
Complex Hydrocarbon	N/A	13.59	701	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V58239.D

Comments: ND denotes Non Detect
 ug / Kg = microgram per Kilogram
 Surrogate outliers indicate probable matrix interference

Signature:



Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Non-potable Water

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8330

Client Job Number: SP080270

Field Location: SB-1 GW

Date Sampled: 07/15/2008

Field ID Number: N/A

Date Received: 07/16/2008

Sample Type: Water

Date Analyzed: 07/21/2008

Date Reissued: 07/30/2008

Halocarbons	Results in ug / L
Bromodichloromethane	ND< 20.0
Bromomethane	ND< 20.0
Bromoform	ND< 50.0
Carbon Tetrachloride	ND< 20.0
Chloroethane	ND< 20.0
Chloromethane	ND< 20.0
2-Chloroethyl vinyl Ether	ND< 100
Chloroform	ND< 20.0
Dibromochloromethane	ND< 20.0
1,1-Dichloroethane	ND< 20.0
1,2-Dichloroethane	ND< 20.0
1,1-Dichloroethene	ND< 20.0
cis-1,2-Dichloroethene	ND< 20.0
trans-1,2-Dichloroethene	ND< 20.0
1,2-Dichloropropane	ND< 20.0
cis-1,3-Dichloropropene	ND< 20.0
trans-1,3-Dichloropropene	ND< 20.0
Methylene chloride	ND< 50.0
1,1,2,2-Tetrachloroethane	ND< 20.0
Tetrachloroethene	ND< 20.0
1,1,1-Trichloroethane	ND< 20.0
1,1,2-Trichloroethane	ND< 20.0
Trichloroethene	ND< 20.0
Trichlorofluoromethane	ND< 20.0
Vinyl chloride	ND< 20.0

Aromatics	Results in ug / L
Benzene	ND< 7.00
Chlorobenzene	ND< 20.0
Ethylbenzene	23.6
Toluene	ND< 20.0
m,p-Xylene	36.6
o-Xylene	ND< 20.0
Styrene	ND< 50.0
1,2-Dichlorobenzene	ND< 20.0
1,3-Dichlorobenzene	ND< 20.0
1,4-Dichlorobenzene	ND< 20.0

Ketones	Results in ug / L
Acetone	ND< 100
2-Butanone	ND< 100
2-Hexanone	ND< 50.0
4-Methyl-2-pentanone	ND< 50.0

Miscellaneous	Results in ug / L
Carbon disulfide	ND< 50.0
Vinyl acetate	ND< 50.0

ELAP Number 10958

Method: EPA 8260B

Data File: V58225.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Non-potable Water (Additional STARS Compounds)

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8330
Client Job Number:	SP080270	Date Sampled:	07/15/2008
Field Location:	SB-1 GW	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/21/2008
Sample Type:	Water	Date Reissued:	07/30/2008

Aromatics	Results in ug / L	Aromatics	Results in ug / L
n-Butylbenzene	ND< 50.0	1,2,4-Trimethylbenzene	222
sec-Butylbenzene	ND< 50.0	1,3,5-Trimethylbenzene	ND< 50.0
tert-Butylbenzene	ND< 50.0		
n-Propylbenzene	45.3	Miscellaneous	
Isopropylbenzene	ND< 50.0	Methyl tert-butyl Ether	ND< 20.0
p-Isopropyltoluene	ND< 50.0		
Naphthalene	ND< 50.0		

ELAP Number 10958

Method: EPA 8260B

Data File: V58225.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____


Bruce Hoogesteger, Technical Director

Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8330
Client Job Number:	SP080270	Date Sampled:	07/15/2008
Field Location:	SB-1 GW	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/21/2008
Sample Type:	Water	Date Reissued:	07/30/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
Complex Hydrocarbon	N/A	5.15	68.0	N/A
Alkyl Benzene	N/A	9.69	86.0	N/A
Alkyl Benzene	N/A	10.65	72.0	N/A
Complex Hydrocarbon	N/A	10.87	91.0	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V58225.D

Comments: ND denotes Non Detect
 ug / L = microgram per Liter

Signature:



 Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

 Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8332

Client Job Number: SP080270

Field Location: SB-2 2-4

Date Sampled: 07/15/2008

Date Received: 07/16/2008

Field ID Number: N/A

Date Analyzed: 07/22/2008

Sample Type: Soil

Date Reissued: 07/30/2008

Halocarbons	Results in ug / Kg
Bromodichloromethane	ND< 8.42
Bromomethane	ND< 8.42
Bromoform	ND< 21.0
Carbon Tetrachloride	ND< 21.0
Chloroethane	ND< 8.42
Chloromethane	ND< 8.42
2-Chloroethyl vinyl Ether	ND< 42.1
Chloroform	ND< 8.42
Dibromochloromethane	ND< 8.42
1,1-Dichloroethane	ND< 8.42
1,2-Dichloroethane	ND< 8.42
1,1-Dichloroethene	ND< 8.42
cis-1,2-Dichloroethene	ND< 8.42
trans-1,2-Dichloroethene	ND< 8.42
1,2-Dichloropropane	ND< 8.42
cis-1,3-Dichloropropene	ND< 8.42
trans-1,3-Dichloropropene	ND< 8.42
Methylene chloride	ND< 21.0
1,1,2,2-Tetrachloroethane	ND< 8.42
Tetrachloroethene	ND< 8.42
1,1,1-Trichloroethane	ND< 8.42
1,1,2-Trichloroethane	ND< 8.42
Trichloroethene	ND< 8.42
Trichlorofluoromethane	ND< 8.42
Vinyl chloride	ND< 8.42

ELAP Number 10958

Method: EPA 8260B

Aromatics	Results in ug / Kg
Benzene	ND< 8.42
Chlorobenzene	ND< 8.42
Ethylbenzene	ND< 8.42
Toluene	ND< 8.42
m,p-Xylene	ND< 8.42
o-Xylene	ND< 8.42
Styrene	ND< 21.0
1,2-Dichlorobenzene	ND< 21.0
1,3-Dichlorobenzene	ND< 21.0
1,4-Dichlorobenzene	ND< 8.42


Ketones	Results in ug / Kg
Acetone	154
2-Butanone	ND< 42.1
2-Hexanone	ND< 21.0
4-Methyl-2-pentanone	ND< 21.0

Miscellaneous	Results in ug / Kg
Carbon disulfide	ND< 8.42
Vinyl acetate	ND< 21.0

Data File: V58240.D

Comments: ND denotes Non Detect
 ug / Kg = microgram per Kilogram

Signature:



 Bruce Hoogesteger: Technical Director



Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8332

Client Job Number: SP080270

Field Location: SB-2 2-4

Date Sampled: 07/15/2008

Field ID Number: N/A

Date Received: 07/16/2008

Sample Type: Soil

Date Analyzed: 07/22/2008

Date Reissued: 07/30/2008

Aromatics	Results in ug / Kg	Aromatics	Results in ug / Kg
n-Butylbenzene	ND< 42.1	1,2,4-Trimethylbenzene	ND< 8.42
sec-Butylbenzene	ND< 8.42	1,3,5-Trimethylbenzene	ND< 8.42
tert-Butylbenzene	ND< 21.0		
n-Propylbenzene	ND< 8.42	Miscellaneous	
Isopropylbenzene	ND< 42.1	Methyl tert-butyl Ether	ND< 8.42
p-Isopropyltoluene	ND< 42.1		
Naphthalene	ND< 21.0		

ELAP Number 10958

Method: EPA 8260B

Data File: V58240.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8332
Client Job Number:	SP080270	Date Sampled:	07/15/2008
Field Location:	SB-2 2-4	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/22/2008
Sample Type:	Soil	Date Reissued:	07/30/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
None Found	N/A	N/A	ND< 8.42	N/A


ELAP Number 10958

Method: EPA 8260B

Data File: V58240.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

Client: **Conrad Geoscience**

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8333

Client Job Number: SP080270

Field Location: SB-2 4-6

Date Sampled: 07/15/2008

Date Received: 07/16/2008

Field ID Number: N/A

Date Analyzed: 07/22/2008

Sample Type: Soil

Date Reissued: 07/30/2008

Halocarbons	Results in ug / Kg
Bromodichloromethane	ND< 7.16
Bromomethane	ND< 7.16
Bromoform	ND< 17.9
Carbon Tetrachloride	ND< 17.9
Chloroethane	ND< 7.16
Chloromethane	ND< 7.16
2-Chloroethyl vinyl Ether	ND< 35.8
Chloroform	ND< 7.16
Dibromochloromethane	ND< 7.16
1,1-Dichloroethane	ND< 7.16
1,2-Dichloroethane	ND< 7.16
1,1-Dichloroethene	ND< 7.16
cis-1,2-Dichloroethene	ND< 7.16
trans-1,2-Dichloroethene	ND< 7.16
1,2-Dichloropropane	ND< 7.16
cis-1,3-Dichloropropene	ND< 7.16
trans-1,3-Dichloropropene	ND< 7.16
Methylene chloride	ND< 17.9
1,1,2,2-Tetrachloroethane	ND< 7.16
Tetrachloroethene	ND< 7.16
1,1,1-Trichloroethane	ND< 7.16
1,1,2-Trichloroethane	ND< 7.16
Trichloroethene	ND< 7.16
Trichlorofluoromethane	ND< 7.16
Vinyl chloride	ND< 7.16

Aromatics	Results in ug / Kg
Benzene	ND< 7.16
Chlorobenzene	ND< 7.16
Ethylbenzene	ND< 7.16
Toluene	ND< 7.16
m,p-Xylene	ND< 7.16
o-Xylene	ND< 7.16
Styrene	ND< 17.9
1,2-Dichlorobenzene	ND< 17.9
1,3-Dichlorobenzene	ND< 17.9
1,4-Dichlorobenzene	ND< 7.16

Ketones	Results in ug / Kg
Acetone	125
2-Butanone	ND< 35.8
2-Hexanone	ND< 17.9
4-Methyl-2-pentanone	ND< 17.9

Miscellaneous	Results in ug / Kg
Carbon disulfide	ND< 7.16
Vinyl acetate	ND< 17.9

ELAP Number 10958

Method: EPA 8260B

Data File: V58243.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: _____

Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges (Additional STARS Compounds)

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8333
Field Location:	SB-2 4-6	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/22/2008
		Date Reissued:	07/30/2008

Aromatics	Results in ug / Kg	Aromatics	Results in ug / Kg
n-Butylbenzene	ND< 35.8	1,2,4-Trimethylbenzene	7.87
sec-Butylbenzene	ND< 7.16	1,3,5-Trimethylbenzene	ND< 7.16
tert-Butylbenzene	ND< 17.9		
n-Propylbenzene	ND< 7.16	Miscellaneous	
Isopropylbenzene	ND< 35.8	Methyl tert-butyl Ether	ND< 7.16
p-Isopropyltoluene	ND< 35.8		
Naphthalene	ND< 17.9		

ELAP Number 10958

Method: EPA 8260B

Data File: V58243.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Soils/Solids/Sludges

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
Client Job Number:	SP080270	Lab Sample Number:	8333
Field Location:	SB-2 4-6	Date Sampled:	07/15/2008
Field ID Number:	N/A	Date Received:	07/16/2008
Sample Type:	Soil	Date Analyzed:	07/22/2008
		Date Reissued:	07/30/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / Kg	Percent Fit
None Found	N/A	N/A	ND< 7.16	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V58243.D

Comments: ND denotes Non Detect
ug / Kg = microgram per Kilogram

Signature: _____


Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8334

Client Job Number: SP080270

Field Location: SB-2 GW

Date Sampled: 07/15/2008

Field ID Number: N/A

Date Received: 07/16/2008

Sample Type: Water

Date Analyzed: 07/21/2008

Date Reissued: 07/30/2008

Halocarbons	Results in ug / L
Bromodichloromethane	ND< 2.00
Bromomethane	ND< 2.00
Bromoform	ND< 5.00
Carbon Tetrachloride	ND< 2.00
Chloroethane	ND< 2.00
Chloromethane	ND< 2.00
2-Chloroethyl vinyl Ether	ND< 10.0
Chloroform	ND< 2.00
Dibromochloromethane	ND< 2.00
1,1-Dichloroethane	ND< 2.00
1,2-Dichloroethane	ND< 2.00
1,1-Dichloroethene	ND< 2.00
cis-1,2-Dichloroethene	ND< 2.00
trans-1,2-Dichloroethene	ND< 2.00
1,2-Dichloropropane	ND< 2.00
cis-1,3-Dichloropropene	ND< 2.00
trans-1,3-Dichloropropene	ND< 2.00
Methylene chloride	ND< 5.00
1,1,2,2-Tetrachloroethane	ND< 2.00
Tetrachloroethene	ND< 2.00
1,1,1-Trichloroethane	ND< 2.00
1,1,2-Trichloroethane	ND< 2.00
Trichloroethene	ND< 2.00
Trichlorofluoromethane	ND< 2.00
Vinyl chloride	ND< 2.00

Aromatics	Results in ug / L
Benzene	ND< 0.700
Chlorobenzene	ND< 2.00
Ethylbenzene	ND< 2.00
Toluene	ND< 2.00
m,p-Xylene	ND< 2.00
o-Xylene	ND< 2.00
Styrene	ND< 5.00
1,2-Dichlorobenzene	ND< 2.00
1,3-Dichlorobenzene	ND< 2.00
1,4-Dichlorobenzene	ND< 2.00

Ketones	Results in ug / L
Acetone	ND< 10.0
2-Butanone	ND< 10.0
2-Hexanone	ND< 5.00
4-Methyl-2-pentanone	ND< 5.00

Miscellaneous	Results in ug / L
Carbon disulfide	ND< 5.00
Vinyl acetate	ND< 5.00

ELAP Number 10958

Method: EPA 8260B

Data File: V58226.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

Volatile Analysis Report for Non-potable Water (Additional STARS Compounds)

Client: Conrad Geoscience

Client Job Site:	South Bronx Charter School	Lab Project Number:	08-2467
		Lab Sample Number:	8334
Client Job Number:	SP080270	Date Sampled:	07/15/2008
Field Location:	SB-2 GW	Date Received:	07/16/2008
Field ID Number:	N/A	Date Analyzed:	07/21/2008
Sample Type:	Water	Date Reissued:	07/30/2008

Aromatics	Results in ug / L	Aromatics	Results in ug / L
n-Butylbenzene	ND< 5.00	1,2,4-Trimethylbenzene	ND< 5.00
sec-Butylbenzene	ND< 5.00	1,3,5-Trimethylbenzene	ND< 5.00
tert-Butylbenzene	ND< 5.00		
n-Propylbenzene	ND< 2.00	Miscellaneous	
Isopropylbenzene	ND< 5.00	Methyl tert-butyl Ether	ND< 2.00
p-Isopropyltoluene	ND< 5.00		
Naphthalene	ND< 5.00		

ELAP Number 10958

Method: EPA 8260B

Data File: V58226.D

Comments: ND denotes Non Detect
 ug / L = microgram per Liter

Signature:



 Bruce Hoogesteger: Technical Director



Volatile Analysis Report for Non-potable Water

Client: Conrad Geoscience

Client Job Site: South Bronx Charter School

Lab Project Number: 08-2467

Lab Sample Number: 8334

Client Job Number: SP080270

Field Location: SB-2 GW

Date Sampled: 07/15/2008

Field ID Number: N/A

Date Received: 07/16/2008

Sample Type: Water

Date Analyzed: 07/21/2008

Date Reissued: 07/30/2008

Tentatively Identified Compounds	CAS Number	Retention Time	Results in ug / L	Percent Fit
None Found	N/A	N/A	ND< 2.00	N/A

ELAP Number 10958

Method: EPA 8260B

Data File: V58226.D

Comments: ND denotes Non Detect
ug / L = microgram per Liter

Signature: _____

Bruce Hoogesteger: Technical Director

PARADIGM ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue
Rochester, NY 14608
(585) 647-2530 • (800) 724-1997
FAX: (585) 647-3311

PROJECT NAME/SITE NAME:
SOUTH BAYVIEW CHARTER
SPO80270 School

CHAIN OF CUSTODY

REPORT TO: INVOICE TO

COMPANY: **CONRAD GEOSCIENCE** COMPANY: **Same** LAB PROJECT #: **08-2467** CLIENT PROJECT #: **SPO80270**
 ADDRESS: **ONE CIVIC CENTER PLAZA #501** ADDRESS: TURNAROUND TIME: (WORKING DAYS)
 CITY: **ROUGHLIEPSIE NY** CITY: STATE: ZIP: OTHER
 PHONE: **845 454-2544** PHONE: FAX: STD M V 5
 ATTN: **C. BROWN** ATTN: **S. GOODWIN** QUOTE #: **MS070108A**

DATE	TIME	COMPOSITE	GRA B	SAMPLE LOCATION/FIELD ID	MATRIX	CONTAINERS	NUMBERS	REQUESTED ANALYSIS	REMARKS	PARADIGM LAB SAMPLE NUMBER
1 7-15-08	1130	✓		SB-1 2-4S	Soil	✓	17	VOC'S 8260	*Pesti/PCB'S 8081 + 8082 per CB as per JD, VOC add SVBA and 7116 ↑ add SVBA and 7116 TICS EAH	8 3 2 9
2 7-15-08	1405		✓	SB-1 (GW)	GW	✓	5	VOC'S 8260	SVOC'S: Start ABN per quote EAH 7116	8 3 3 0
3 7-15-08	1400		✓	SB-1 (GW) F	GW	✓	1	TAL METALS only for SB-1 GW F	per quote EAH 7116 and per CB 7116	8 3 3 1
4 7-15-08	1540		✓	SB-2 2-4	Soil	✓	1	VOC'S 8260		8 3 3 2
5 7-15-08	1558		✓	SB-2 4-6	Soil	✓	1	VOC'S 8260	Do not decant metals waters w/ sediment.	8 3 3 3
6 7-15-08	1620		✓	SB-2 GW	GW	✓	5	TAL METALS only for SB-2 GW F	run entire sample EAH 7116	8 3 3 4
7 7-15-08	1623		✓	SB-2 -GW-F	GW	✓	1	TAL METALS only for SB-2 GW F		8 3 3 5
8										
9										
10										

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/E LAP 210/241/242/243/244

Receipt Parameter NELAC Compliance

Container Type: Y N

Comments: SB-1 GW, SB-2 GW Metals not y
 Comments: 4-2, believe we see absorbed
 Comments: 4-2 acid Holding Time:
 Comments: add more acid at lab
 Comments: 7116 Temperature: 14°C

Sampled By: _____ Date/Time: _____

Relinquished By: _____ Date/Time: _____

Received By: **Elizabeth A. Honch** Date/Time: **7/16/08 1200**

Received @ Lab By: _____ Date/Time: _____

Total Cost: _____

P.I.F. _____

APPENDIX C

**Phase I Environmental Site Assessment
by
Airtek Environmental Corp.**



AIRTEK ENVIRONMENTAL CORP.

39 WEST 38TH STREET, 12TH FLOOR, NEW YORK, NY 10018
PHONE (212) 768-0516 FAX (212) 768-0759
WWW.AIRTEKENV.COM

Phase I Environmental Site Assessment

Submitted To:

South Bronx Charter School for International Cultures and the Arts
383 East 139th Street, Room 314
Bronx, NY 10454

Premises:


611 East 133rd Street
Bronx, NY

Prepared By:

Airtek Environmental Corp.
39 West 38th Street, 12th Floor
New York, NY 10018

Airtek Project Number: 07-0436

Report by:


Victor J. Ricchezza, Staff Geologist/Project Manager
B.A. Geology

Report reviewed by:



Mike S. Zouak, President

TABLE OF CONTENTS

Section	Title	Page
	EXECUTIVE SUMMARY	i
1.0	INTRODUCTION	1
	1.1 Purposes	
	1.2 Detailed Scope of Work	
	1.3 Significant Assumptions	
	1.4 Limitations and Exceptions	
	1.5 Special Terms and Conditions	
	1.6 Use Reliance	
2.0	SITE DESCRIPTION	5
	2.1 Site Location and Legal Description	
	2.2 Site and Vicinity General Characteristics	
	2.3 Current Use of the Property	
	2.4 Description of Site Improvements	
	2.5 Current Use of Adjoining Properties	
3.0	USER PROVIDED INFORMATION	7
	3.1 Title Records	
	3.2 Environmental Liens or Activity and Use Limitations	
	3.3 Specialized Knowledge	
	3.4 Commonly Used or Reasonably Ascertainable Information	
	3.5 Valuation Reduction for Environmental Issues	
	3.6 Owner, Property Manager, and Occupant Information	
	3.7 Reason for Performing Phase I ESA	
	3.8 Other	
4.0	RECORD REVIEW	9
	4.1 Standard Environmental Records Sources	
	4.2 Additional Environmental Record Sources	
	4.3 Physical Setting Sources	
	4.3.1 Topography	
	4.3.2 Soils/Geology	
	4.3.3 Hydrology	
	4.3.4 Flood Zone Information	
	4.3.5 Oil and Gas Exploration	
	4.4 Historical Use Information on the Property	
	4.4.1 Aerial Photographs	
	4.4.2 Fire Insurance Maps	
	4.4.3 City Directories	
	4.4.4 Historical Topographic Maps	
	4.4.5 Additional Historical Record Sources	
	4.4.6 Prior Assessment Reports	
	4.5 Historical Use Information on Adjoining Properties	
5.0	SITE RECONNAISSANCE	20
	5.1 Methodology and Limiting Conditions	
	5.2 General Site Setting	
	5.3 Exterior Observations	
	5.3.1 Solid Waste Disposal	
	5.3.2 Surface Water Drainage	

	5.3.3	Wells and Cisterns	
	5.3.4	Wastewater	
	5.3.5	Additional Site Observations	
5.4		Interior Observations	
5.5		Potential Environmental Conditions	
	5.5.1	Hazardous Materials and Petroleum Products Used or Stored at the Site	
	5.5.2	Evidence of Releases	
	5.5.3	Polychlorinated Biphenyls (PCBs)	
	5.5.4	Landfills	
	5.5.5	Pits, Ponds, Lagoons, Sumps, and Catch Basins	
	5.5.6	On-Site USTs and ASTs	
	5.5.7	Radiological Hazards	
	5.5.8	Drinking Water	
	5.5.9	Additional Hazard Analysis	
	5.5.10	Asbestos-Containing Materials (ACM)	
	5.5.11	Radon	
	5.5.12	Lead-Based Paint	
	5.5.13	Mold Evaluation	
6.0		INTERVIEWS.....	25
	6.1	Interview with Owner	
	6.2	Interview with Occupants	
	6.3	Interview with Local Government Officials	
	6.4	Interview with Others	
7.0		FINDINGS AND CONCLUSIONS	26
	7.1	Findings	
	7.1.1	On-Site Environmental Conditions	
	7.1.2	Off-Site Environmental Conditions	
	7.1.3	Previously Resolved Environmental Conditions	
	7.1.4	De Minimus Environmental Conditions	
	7.2	Opinion	
	7.3	Conclusions	
	7.4	Deviations	
8.0		REFERENCES	28

APPENDICES:

APPENDIX A.	Site Photographs
APPENDIX B.	Historical Research Documentation
	Exhibit B-1 Aerial Photographs
	Exhibit B-2 Fire Insurance Maps
	Exhibit B-3 Historical Topographic Maps
APPENDIX C.	Regulatory Records Documentation
	Exhibit C-1 Mapped Database Report
	Exhibit C-2 General Public Records
APPENDIX D.	Interview Records
APPENDIX E.	Qualification of Environmental Professionals
APPENDIX F.	Environmental Lien Search

EXECUTIVE SUMMARY

Airtek Environmental Corp. (Airtek) was retained by South Bronx Charter School for International Cultures and the Arts (the Client) to conduct a Phase I Environmental Site Assessment (ESA) of the property located at 611 East 133rd Street, Bronx, New York (the Site). The Site lot consists of approximately 8,772 square feet of land occupied by a two-story building with one basement level. The Site is currently owned by 611 East 133rd Street Inc.

This report presents the findings of the Phase I ESA of the above-referenced property. The Site investigation conducted by Airtek included a Site reconnaissance, an interview with the property owner, Site history research, a United States Environmental Protection Agency (EPA) and New York State Department of Environmental Conservation (NYSDEC) records search, and a limited inspection of suspect asbestos-containing materials (ACM). The objective of this assessment was to determine the present condition of the Site and to determine the potential for past contamination of the Site by hazardous materials, hazardous wastes, or petroleum products.

A review of the Sanborn Maps revealed that a former automotive fueling station was located on the site from at least 1935 to 1984. The former fueling station represents an REC.

Airtek's review of the EDR Radius MapTM Report and Airtek's site visit revealed that the subject Site is not listed in any database searched by EDR. However, the EDR Report did reveal the presence of two open spill sites within one eighth mile. These spill sites represent Recognized Environmental Conditions (RECs).

Airtek's limited visual asbestos inspection did not observe friable suspect asbestos-containing materials at the Site.

Airtek's inspection did not observe any electrical transformers at the Site.

A review of relevant federal and state databases indicated that the Site is not known to be impacted by any environmental contamination associated with hazardous waste sites, landfills, hazardous waste generators or hazardous waste treatment, storage or disposal facilities, except as noted above.

Airtek's recommends soil and groundwater testing at the Site for VOCs, SVOCs, Organic Pesticides, PCBs, and TAL Metals. Airtek also recommends non-invasive subsurface testing for the presence of USTs.

**Phase I Environmental Site Assessment for
611 East 133rd Street
Bronx, NY 10454**

1.0 INTRODUCTION

This report presents the findings of the Phase I Environmental Site Assessment (ESA) of the property located at 611 133rd Street, the Borough and County of Bronx, the City and State of New York (the Site). The site reconnaissance was conducted by Victor J. Ricchezza of Airtek on May 9, 2007 in accordance with the United States Environmental Protection Agency (USEPA)'s "All Appropriate Inquiries" Standard and the American Society for Testing and Materials (ASTM) in the Standard Practice for Environmental Site Assessments: Environmental Site Assessment Process (ASTM Standard E-1527-05) and the scope of work provided to South Bronx Charter School for International Cultures and the Arts (the Client) by Airtek. During the Site visit, all accessible spaces were accessed for inspection purposes.

1.1 Purposes

The purposes of this Phase I Environmental Site Assessment were:

1. To identify the presence or release of any hazardous substances, hazardous wastes, or petroleum products affecting the Site;
2. To determine the level of compliance with current environmental standards, laws, regulations and permits (if any) with respect to the Site;

3. To provide information pertinent to the valuation of the Site;
4. To evaluate any risk to the health and well-being of the Client's agents, employees, and contractors, as well as to the general public;
5. To identify whether any hazardous substances, hazardous wastes, or petroleum products have been stored, released or disposed of on the Site; and
6. To identify the need for additional testing to evaluate the scope, location, source and nature of any release of hazardous substances, hazardous wastes, or petroleum products affecting the Site.

1.2 Detailed Scope of Work

The scope of work for the ESA is in general accordance with the requirements of ASTM Standard E 1527-05. Airtek warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in Airtek proposal #07-064.VJR. These methodologies are described as representing good commercial and customary practice for conducting an ESA of a property for the purpose of identifying Recognized Environmental Conditions (RECs).

No other warranties are implied or expressed.

1.3 Significant Assumptions

No ESA can cover every possible environmental condition, and it remains a possibility that conditions may exist on the property which were not discovered due to not being readily ascertainable from the available information. Airtek believes that the information obtained from the record review and the interviews concerning the site is reliable. However, Airtek cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. The methodologies of this assessment are not intended to produce all inclusive or comprehensive results, but rather to provide South Bronx Charter School for International Cultures and the Arts with

information relating to the property.

1.4 Limitations and Exceptions

The findings and conclusions contain all of the limitations inherent in these methodologies that are referred to in ASTM 1527-05. Specific limitations and exceptions to this ESA are more specifically set forth below:

Due to the preponderance of environmental sites within the five boroughs of the City of New York, ASTM search standard distances for leaking tanks were shortened to one-quarter mile. Leaking tank sites beyond one quarter mile are highly unlikely to impact the subject site.

1.5 Special Terms and Conditions

The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. The conclusions presented in the report are based solely on the services described therein, not on scientific tasks or procedures beyond the scope of agreed-upon services or the time and budgeting restraints imposed by the clients. No subsurface exploratory drilling or sampling was done under the scope of this work. Unless specifically stated otherwise in the report, no chemical analyses have been performed during the course of this ESA.

Some of the information provided in this report is based on personal interviews, and research of available documents, records, and maps held by the appropriate government and private agencies. This is subject to the limits of historical documentation, availability, and accuracy of pertinent records and the personal recollections of those persons contacted.

The scope of work for this investigation consists of a Site reconnaissance and a review of available information regarding the Site obtained from relevant regulatory agencies. This report summarizes the results of the Site reconnaissance and includes a summary of pertinent regulatory files searched with regard to hazardous materials, hazardous wastes or petroleum products. Data gaps if any are identified and mentioned.

The field investigation included a Site assessment, observation of neighboring properties and verification of permits and building records as necessary. The review and inspection were performed by Mr. Vic Ricchezza of Airtek.

Airtek has made a reasonable effort, using commonly accepted industry standards, i.e., ASTM Standard E-1527-05, to perform this Phase I ESA. Airtek's inquiry was limited to interviews, review of available documents and visual observations of readily accessible areas of the Site. Airtek's findings and recommendations for further Site action can be found in Section 5.0 of this report.

1.6 Use Reliance

All reports, both verbal and written, are for the benefit of South Bronx Charter School for International Cultures and the Arts, its successors and assigns. This report has no other purpose and may not be relied upon by any other person or entity without the written consent of Airtek Environmental Corp.

2.0 SITE DESCRIPTION

This section describes the location of the Site, description of the adjacent properties, Site area overview and the Site history.

2.1 Site Location and Legal Description

The Site is located at 611 East 133rd Street, the Borough and County of Bronx, the City and State of New York. The site is located on a small semi-triangular "island" block near the entrance of the Bruckner Expressway. The building takes up the entire block, excepting a small paved portion outside the building to the west (large enough for 3-5 cars), the east side of 27th Street between Bronx Plaza South to the north and 42nd Road to the south. Photographs of the Site are provided in Appendix A. The site is legally designated as Block 422, Lot 5. The site occupies 2,500 square feet in ground space, of which 2,319 square feet is devoted to building space.

According to the New York City Department of City Planning, the Site is located in a mixed manufacturing/residential portion of the MX-1 Port Morris Mixed Use District. Specific to the site this District is broken into General Manufacturing District M1-6 and General Residential R10. The surrounding area is of mainly manufacturing and commercial usage. Historically, commercial and manufacturing uses have been the predominant activities in the surrounding area since development.

2.2 Site and Vicinity General Characteristics

The site is a triangular parcel, occupied by a two-story building with one basement level. The building is owned by 611 East 133rd Street INC. The property is zoned by the New York City Department of City Planning as the Port Morris Mixed Use District MX-1. Most of the surrounding properties are mixed light manufacturing and commercial. The site is level with no abrupt changes in elevation.

A visual inspection of the neighboring properties' exteriors showed them to be in fair condition. No suspicious discharges, emissions or apparent sources of contamination from most adjoining properties were observed. Mixed light manufacturing and commercial with some residential uses are

predominant in the area. No obvious illegal hazardous waste activities were noted in the vicinity of the Site.

2.3 Current Use of the Property

The property is an exotic dance club, owned by the KMF Property Group, Inc. The club (Golden Lady) occupies the ground floor, and the second floor is used for parking.

2.4 Description of Site Improvements

The site is occupied by a two-floor building with one basement level. The building has a natural gas powered heater. On-site parking is on the paved portion of the lot to the west and on the second floor. The building contains approximately 15,714 square feet of space, with 8,000 square feet devoted to the club. The lot has a footprint of 8,772 square feet.

2.5 Current Use of Adjoining Properties

The property is right near the entrance to a major highway (Bruckner Expressway) and consequently there are no properties that can reasonably be considered adjacent to the north or west. Adjacent to the east is a small park. Adjacent to the south are two large warehouse style buildings serving as contractor supply stores.

3.0 USER PROVIDED INFORMATION

3.1 Title Records

According to PropertyShark.com, the title to the site is owned by 611 East 133rd Street Inc. No title documents were provided to Airtek for review.

3.2 Environmental Liens or Activity and Use Limitations

An environmental lien search was performed by Airtek at the request of the client. No environmental liens were found. A copy of the lien search results provided by EDR are included in Appendix F.

3.3 Specialized Knowledge

Airtek inquired with the site contact regarding any specialized knowledge of environmental conditions associated with the property. The site contact was not aware of any environmental conditions associated with the property.

3.4 Commonly Used or Reasonably Ascertainable Information

Airtek inquired with the User regarding any specialized knowledge of environmental conditions associated with the property. The User was not aware of any environmental conditions associated with the property.

3.5 Valuation Reduction for Environmental Issues

Airtek inquired with the site contact regarding any knowledge of reductions in property value due to environmental issues. The site contact was not aware of any valuation reductions associated with the property.

3.6 Owner, Property Manager, and Occupant Information

The site is owned by 611 East 133rd Street Inc. The building is occupied by Golden Lady Enterprises. The property is managed by the owner.

3.7 Reason for Performing Phase I ESA

The purpose of this Phase I ESA was to identify existing or potential Recognized Environmental Conditions (as defined by ASTM Standard E-1527-05) in connection with the property. This ESA was performed to provide the User (South Bronx Charter School for International Cultures and the Arts) with information necessary to evaluate a pending financial transaction in connection with the property.

3.8 Other

No other issues were identified.

4.0 RECORD REVIEW

4.1 Standard Environmental Records Sources

Environmental Data Resources, Inc. (EDR) was subcontracted for the task of performing the record search for the subject Site. The following records were reviewed in the EDR Radius Map™ Report:

1. National Priority List (NPL)
2. Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)
3. CORRACTS (Corrective Action Report)
4. Resource Conservation and Recovery Information System (RCRIS)
 - Treatment, storage and disposal sites (TSD Facilities)
 - Large quantity generators
 - Small quantity generators
5. Emergency Response Notification System (ERNS)
6. State Hazardous Waste Sites (SHWS)
7. State Solid Waste Facilities/Landfill Sites (SWF/LF)
8. Leaking Underground Storage Tank Incident Reports (LUST)
9. Petroleum Bulk Storage (PBS) Database
10. Chemical Bulk Storage (CBS) Database
11. Major Oil Storage Facilities Database (MOSF)
12. Hazardous Substance Waste Disposal Site Inventory (HSWDS)
13. Spills Information Database
14. Drycleaners
15. Voluntary Cleanup Program (VCP)
16. Coal Gas
17. NY Manifest

National Priority List (NPL)

National Priorities List (NPL) is EPA's subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. A review of this list did not reveal any NPL sites located within one mile of the subject Site.

Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS)

CERCLIS contains data on potentially hazardous waste sites that have been reported to the EPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). A review of this list did not reveal any CERCLIS sites located within one-half mile of the subject Site.

CORRACTS (Corrective Action Report)

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity. A review of this database did not reveal any CORRACTS sites located within one mile of the subject site.

Resource Conservation and Recovery Information System (RCRIS)

Treatment, storage and disposal sites (TSD Facilities)

Large quantity generators

Small quantity generators

Resource Conservation and Recovery Information System (RCRIS) includes selective information on sites that generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

A review of the database did not reveal any RCRA-TSD facilities located within one half mile of the subject Site.

A review of the database revealed two (2) facilities that generate greater than 1,000 kg per month of

nonacutely hazardous waste or more than 1 kg per month of acutely hazardous waste (large quantity generator) within one quarter mile of the subject Site. One of these LQG sites is within one eighth mile of the subject site. This LQG site, NYCDEP-BWT Bronx Grit Chamber, produces lead and PCB wastes.

According to the database search, fifteen (15) facilities that generate between 100 and 1,000 kg per month of nonacutely hazardous waste (small quantity generators) are located within one quarter mile of the subject Site. One (1) of these SQG sites is located within one eighth mile of the subject Site. The subject Site is not on this list. None of the adjacent properties are on this list.

Emergency Response Notification System (ERNS)

Emergency Response Notification System (ERNS): records and stores information on reported releases of oil and hazardous substances. A review of this database did not reveal any ERNS records associated with the subject Site.

State Hazardous Waste Sites (SHWS)

State Hazardous Waste Sites (SHWS) records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. A review of this database did not reveal any SHWS sites located within one mile from the subject Site.

State Solid Waste Facilities/Landfill Sites (SWF/LF)

The State Solid Waste Facilities/Landfill Sites (SWF/LF) records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites. A review of this database revealed eight (8) SWF/LF sites located within one half mile of the subject Site. One of these sites, O'Brien Sanitation Corp, is located within one-eighth mile of the subject Site.

Leaking Storage Tank Incident Reports (LTANKS)

LTANKS records contain an inventory of reported leaking storage tank incidents reported from April 1, 1986 through the most recent update. These tanks can be either underground storage tanks or aboveground storage tanks. A review of this database revealed a total of thirteen (13) LTANKS sites located within one-quarter mile of the subject Site. The subject site is not listed under LTANKS. Four (4) of the LTANKS sites are within one eighth mile of the subject Site. One of these four cases, Bronx Sewage Treatment, remains open. Of the remaining LTANKS sites, three (3) spill cases remain open.

Petroleum Bulk Storage (PBS) Database

This data contains registered facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons, including above ground storage tanks (ASTs) and underground storage tanks (USTs). A review of this data revealed twenty-one (21) UST sites and twenty (20) AST sites located within a quarter mile of the subject Site. The subject Site is not on this list. The adjacent south site, S&J Sheet Metal Supply, Inc., at 608 East 133rd Street, is on this list.

Chemical Bulk Storage (CBS) Database

This database contains facilities that store regulated hazardous substances in above ground storage tanks (ASTs) with capacities of 185 gallons or greater and in underground tanks of any size (USTs). A review of this database revealed one (1) CBS AST site located within one quarter mile of the subject Site. This CBS site stores methylene chloride, and is more than one eighth mile from the subject site.

Major Oil Storage Facilities Database (MOSF)

This database contains facilities that may be on shore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater. A review of this database did not reveal any MOSF sites

located within one half mile of the subject Site.

Hazardous Substance Waste Disposal Site Inventory (HSWDS)

This list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. The database did not list any HSWDS sites within one half mile of the subject Site.

Spills Information Database

This data collected on spills reported to the NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6NYCRR Section 613.8 (from BPS regs), or 6NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date. A review of this list revealed thirty (30) spills reported within one eighth mile of the subject Site. Two of these spills remain open. The Site is not listed in the spills information database. None of the adjacent sites is on this list. Of the two open spills, one is only 343 feet from the subject site at 158 Bruckner Blvd.

Drycleaners

A review of the EDR report revealed two (2) drycleaner sites located within one-quarter mile of the subject Site. Both drycleaner sites are more than one quarter mile from the subject Site, and no spills were reported at either facility.

NY Voluntary Cleanup Program (VCP)

A review of the EDR report did not reveal any VCP sites located within one-half mile of the subject Site.

Coal Gas

A review of the EDR report revealed four (4) Coal Gas sites located within one mile of the subject Site. All of these coal gas sites are more than one-quarter mile from the subject Site.

Manifest

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to the Treatment Storage and Disposal (TSD) facility. A review of the Manifest database revealed thirty-seven (37) NY Manifest sites within one quarter mile of the subject Site. Ten (14) NY Manifest sites are within one quarter mile of the subject Site. The subject Site is not on this list. None of these sites is adjacent to the subject Site.

4.2 Additional Environmental Record Sources

4.2.1 Fire Department

The Fire Department of New York maintains records on storage tanks in the City of New York. A request form was submitted to the FDNY for removed or closed tanks at the subject site. No response was received at the time this report was submitted. Airtek will forward any response to the client upon receipt.

4.2.2 Building Department

The New York City Department of Buildings maintains records on all properties in the City of New York. According to the NYCDOB website, the subject site is not listed as being under any environmental restrictive declarations. Copies of the NYCDOB information can be found in Appendix C, Exhibit C-3.

4.2.3 Property Shark

The website PropertyShark.com maintains records assembled from various public data sources. No environmental issues were noted in the Property Shark report, which is included in Appendix C, Exhibit C-3.



4.2.4 Department of City Planning

The New York City Department of City Planning (NYCDCP) maintains zoning maps for the five boroughs of New York City. According to the NYCDCP zoning map, the site is in the MX-1 Mixed Use-1 Port Morris, Bronx District. Copies of the zoning map for the site area are included in Appendix C, Exhibit C-3.

4.3 Physical Setting Sources

4.3.1 Topography

The United States Geologic Survey (USGS) Central Park, New York Quadrangle 7.5-Minute series topographic map was reviewed for this ESA. The map was published by the USGS in 1995. According to the contour lines on the map the property is located at approximately 20 feet above mean sea level. Bronx Kill is located approximately about 1200 feet to the southwest of the Site. Due to the metropolitan nature of the area, only significant landmarks are included on the map. No specific topographic attributes, such as retaining walls, creeks, slopes, etc. are shown. No surface water is depicted as present on or adjacent to the property, nor are production wells or other significant surface features depicted on the USGS map.

4.3.2 Soils/Geology

According to the Geocheck addendum to the EDR Report, bedrock is present at greater than 10 inches below grade in the area of the subject site, and is comprised of Ordovician Eugeosynclinal deposits of Paleozoic age. Soils in the vicinity of the site are mostly urban fill materials, but may also include silty and sandy loam.

4.3.3 Hydrology

No information was available regarding groundwater in the immediate vicinity of the site. Groundwater in New York City is not used as a drinking water source.

4.3.4 Flood Zone Information

According to the EDR Report, the site is not in a FEMA flood zone.

4.3.5 Oil and Gas Exploration

No oil or gas exploration is known to occur in the region.

4.4 Historical Information on the Property

4.4.1 Aerial Photographs

Aerial photographs of the area from 1954, 1966, 1975, 1984, and 1994 were reviewed for this report.

The 1954 aerial photograph of the Site shows it to be developed with a building as noted during the inspection. The shape of the building can be noted, and the surrounding areas are heavily developed.

The 1966, 1975, 1984, and 1994 aerial photographs show no noticeable changes to the immediate Site area.

4.4.2 Fire Insurance Maps

The 1891, 1908, 1935, 1944, 1946, 1947, 1951, 1968, 1969, 1977, 1978, 1980, 1981, 1984, 1986, 1989, 1991, 1993, 1995 and 1996 Sanborn Maps of the Bronx for the site area were reviewed. All Sanborn maps were provided by EDR and are included in Appendix B Exhibit B-2.

The 1891 Map shows the Site and most surrounding areas to be undeveloped. Cypress Place is not depicted on the map, and the park area currently seen to the east, as well as the current Cypress Place, all seem to be part of the same block as the subject Site.

The 1908 shows the Site still undeveloped, with the adjacent land to the north and east occupied by a

piano factory. No other major changes were noted.

The 1935 Map indicates that the Site is used as a filling station and auto garage, with six (6) gasoline tanks depicted. The main building is two floors with a basement and appears to match the configuration of the current building. To the south, steel and iron manufacturing is noted. No other major changes were shown.

The 1944 Map shows the Site unchanged. The adjacent properties to the east and the north are shown as being undeveloped. No other major changes were noted.

The 1946 Map shows the Site used for "Auto Truck Sales and Service" as well as a filling station.

The 1947 Map shows the second floor of the Site building used for "Surgical Appliance Manufacturing". No other major changes are noted on-site. The land to the adjacent north is now shown as being a park.

The 1951 Map shows no major changes to the site or surrounding areas.

The 1968 Map now only shows a filling station and Surgical Appliance Manufacturing on-site. To the south, one the former iron works is now shown as a Venetian blinds/shades/awnings manufacturing site. To the east, Cypress Place is now present in its current configuration. To the east across Cypress Place the formerly vacant land is now shown as a park.

The 1969 and 1977 Maps show no major changes.

The 1978 Map indicates the Venetian blind manufacturer is now a steel column factory. No other major changes were noted.

The 1980, 1981, and 1984 Maps show no major changes to the area.

The 1986 Map no longer shows a filling station on Site. The subject Site is now simply listed as being used for Manufacturing.

No major changes were noted in the 1989 Map.

The 1991 Map shows the adjacent property to the southwest as "Empire Glass". No other major changes were noted.

No major changes were noted in the 1993 Map.

The 1995 Map now shows the subject Site as being a commercial property.

No major changes were noted in the 1996 Map.

4.4.3 City Directories

The EDR City Directory Abstract included information from city telephone listings from the following years: 1927, 1931, 1939, 1940, 1949, 1956, 1961, 1965, 1971, 1976, 1983, 1993, 2000, and 2005.

The subject property at 611 East 133rd Street, is not listed in the 1927, 1931, or 1939 directories. The subject property is listed as John B. Flaherty Surgical Elastic Supports from 1949-1976. No information on the subject property was available in 1983. In 1993 a realty office and a door and hardware listing are shown. In 2000 the site is listed as "Club Divine" and in 2005 as "Golden Lady".

Multiple industrial uses are shown for adjoining properties for multiple years, as noted in Fire Insurance Maps.

4.4.4 Historical Topographic Maps

The Historical Topographic Maps of 1897, 1947, 1966, 1979, and 1995 were reviewed.

All maps show black blocks or pink filling, indicating a metropolitan area where the number of

buildings does not allow room for showing site buildings, excepting major landmarks.

Historic topographic maps were provided by EDR and are included in Appendix B, Exhibit B-3

4.4.5 Additional Historical Record Sources

No additional historical record sources were identified.

4.4.6 Prior Assessment Reports

Airtek was not provided with any previous reports associated with the Subject Site. According to Mr. Darien Jackson, the tenant and former owner, a Phase I ESA was performed at some point by parties unknown, but no copies of this ESA were provided to Airtek.

4.5 Historical Use Information of Adjoining Properties

Information from the above sources indicated that the subject property was developed between 1908 and 1935. Development of the surrounding properties was complete by 1908. Surrounding properties are noted as being mixed commercial and manufacturing.

5.0 SITE RECONNAISSANCE

5.1 Methodology and Limiting Conditions

On May 9, 2007, a Site reconnaissance was conducted by Mr. Vic Ricchezza of Airtek. Mr. Darien Jackson of Golden Lady (the Tenant of the Property) accompanied Mr. Ricchezza during the inspection. The objective of the site reconnaissance was to observe any unusual features indicative of potential environmental contamination (i.e., leaking, staining, soil discoloration, and stressed vegetation). During the inspection, all accessible common spaces were inspected.

5.2 General Site Setting

The parcel is a triangular lot and is almost completely occupied by a two-floor building with one basement level. The ground floor of the building is used as an exotic dance club and bar. The second floor of the building is used for parking. The basement houses meters and limited storage. The building was built in the 1930s according to the owner, but exact dates were unavailable. It is currently owned by 611 East 133rd Street INC.

The building walls are composed of brick with portions covered by sheet rock, and the floors are made of concrete. Heating is currently provided by natural gas, through ceiling-mounted heaters. .

Electricity is supplied underground by Consolidated Edison of New York, Inc. Natural gas for heating is also provided by ConEd through underground utilities. Drinking water is provided by the City of New York. Liquid and sewage waste disposal and storm drainage are through the New York City combined sewer system.

There were no electrical transformers observed on-site.

5.3 Exterior Observations

The exterior of the building is of brick construction. Parking is provided on-site on the paved western portion of the site, although this area is only large enough for a few cars to park on.

5.3.1 Solid Waste Disposal

Solid waste disposal at the site is handled by private carting companies.

5.3.2 Surface Water Drainage

Surface water drainage runs off into street drains leading directly to the New York City combined sewer system.

5.3.3 Wells and Cisterns

No wells or cisterns were noted on-site.

5.3.4 Wastewater

Wastewater empties to the New York City combined sewer system. No indications of industrial wastewater disposal or treatment facilities were noted on-site.

5.3.5 Additional Site Observations

No additional relevant site characteristics were observed.

5.4 Interior Observations

Airtek viewed all interior areas of the site and the front and rear outdoor areas. No environmental conditions were noted or reported.

5.5 Potential Environmental Conditions

5.5.1 Hazardous Materials and Petroleum Products Used or Stored at the Site

No evidence of hazardous wastes was observed on the property. No evidence of the significant use of hazardous materials was observed. No unlabeled containers or drums were noted, and no indications were seen of hazardous waste disposal, generation, or storage.

5.5.2 Evidence of Releases

No obvious indications of hazardous materials or petroleum product releases, such as strained vegetation or stained areas, were observed during the site visit or reported during interviews.

5.5.3 Polychlorinated Biphenyls (PCBs)

No electrical transformers were noted on site. Fluorescent lights were noted onsite, of indeterminate age. Such lights may contain PCBs in the ballasts. Airtek recommends that all ballasts be disposed of in accordance with all applicable laws and regulations.

5.5.4 Landfills

No evidence of on-site land filling was observed or reported during the site visit.

5.5.5 Pits, Ponds, Lagoons, Sumps, and Catch Basins

No evidence of on-site pits, ponds, or lagoons was observed or reported during the site visit. No evidence of sumps or catch basins, other than drains used for storm runoff, was observed or reported during the site visit.

5.5.6 On-Site USTs and ASTs

No evidence of USTs or ASTs was noted on site. No suspicious fill or vent pipes were noted.

5.5.7 Radiological Hazards

No radiological substances or equipment were observed or reported on-site.

5.5.8 Drinking Water

Drinking water is provided by the City of New York. No testing of drinking water was performed.

5.5.9 Additional Hazard Analysis

No additional hazards were observed on-site.

5.5.10 Asbestos-Containing Material (ACM)

A limited asbestos inspection consists of a visual inspection, inventory of friable exposed suspected asbestos-containing materials (ACM), and limited sampling of the suspected friable ACM. The purpose of the inspection is to determine the presence of friable exposed asbestos by type and quantity, with an evaluation of the condition and corrective action recommendations as needed.

During Airtek's inspection no suspect friable ACM was observed. All non-friable materials were observed to be in good condition. Non-friable materials are sampled only when these materials show evidence of previous damage. No attempt was made to sample non-friable materials if they were unbroken and undamaged. Typically, non-friable materials include floor tiles and mastic, other miscellaneous floor coverings and roofing compounds. When these materials are present and not sampled, they are assumed to be ACM.

Since locating all asbestos materials could only be definitively achieved by conducting exploratory demolition and sampling every section of pipe insulation, every fitting or valve covering, and every square foot of other surface coating materials, Airtek recommends bulk sampling and analysis of all materials prior to any renovation or demolition. Should any of the materials analyzed be positive, these materials should be removed. Airtek makes no warranty that there are no ACM in the building at the Site.

5.5.11 Radon

No formal radon study was conducted on the Site, and the Site building has no basement. However, Airtek's research has revealed information concerning the radon level in the general area of the Site. According to "Basement Radon Screening Data By County", dated December 1997 and provided by the New York State Department of Health, a total of 74 homes in Bronx County were tested, the average radon level is 1.7 pCi/l (pico curies per liter), the geo mean radon level is 0.8 pCi/l and the maximum radon level is 16.0 pCi/l. According to U.S. Environmental Protection Agency (EPA) guidance document entitled "A Citizen's Guide to Radon" (August 1986), radon exposures in the range of 4.0 pCi/l "are considered average or slightly above average for residential structures.

6.0 INTERVIEWS

6.1 Interview with Owner

The site is owned by 611 East 133rd Street INC. Mr. Jacob Selechnik is President of the ownership firm, but no contact information was provided for Mr. Selechnik, therefore he was not interviewed for this investigation. The previous owner was interviewed as discussed below.

6.2 Interview with Occupants

The manager of Golden Lady Enterprises, Mr. Darien Jackson, was interviewed on-site during the inspection. Mr. Jackson is the former owner of the property.

6.3 Interview with Local Government Officials

No local government officials were interviewed in connection with this ESA.

6.4 Interviews with Others

No others were interviewed in connection with this ESA.

7.0 FINDINGS AND CONCLUSIONS

7.1 Findings

7.1.1 On-Site Environmental Conditions

Past usage of the subject property as a fueling station represents a Recognized Environmental Condition (REC).

7.1.2 Off-Site Environmental Conditions

Thirty spill incidents have been reported within one eighth mile of the subject Site, two of which remain open. This item represents an REC.

7.1.3 Previously Resolved Environmental Conditions

No Previously Resolved Environmental Conditions were identified with respect to the subject Site.

7.1.4 De Minimus Environmental Conditions

Multiple metal fabrication uses were noted off-site. These uses are unlikely to impact the subject site.

7.2 Opinion

On- and off-site Recognized Environmental Conditions (RECs) were identified in this investigation. These RECs represent a risk for contamination from petroleum products.

7.3 Conclusions

Airtek recommends that a subsurface investigation be performed at the subject Site. This investigation should include soil and groundwater testing for VOCs, Semivolatile Organic

Compounds (SVOCs), organic pesticides, polychlorinated biphenyls, and Target Analyte List (TAL) Metals. Prior to subsurface disturbance, non-invasive testing (such as ground penetrating radar) should be performed in order to determine whether any USTs remain in the subsurface.

7.4 Deviations

The search distances for UST, AST, and MOSF AST were set at one-quarter mile. The reason for this is that due to the highly metropolitan nature of New York City, greater search radii generally result in much larger reports from EDR, and sites outside the ¼ mile radius are far less likely to impact the subject site.

8.0 REFERENCES

- Mr. Darien Jackson, Manager of Golden Lady Enterprises, Tenant and Past Owner of the Property
- Zoning Information, City of New York Department of City Planning
- Building Information, City of New York Department of Buildings
- The EDR Radius Map™ Report, Environmental Data Resources, Inc., May 2007
- The EDR Historical Topographic Maps, Environmental Data Resources, Inc., May 2007
- The EDR Aerial Photo Decade Package, Environmental Data Resources, Inc., May 2007
- The Sanborn Maps of the Bronx: 1891, 1908, 1935, 1944, 1946, 1947, 1951, 1968, 1969, 1977, 1978, 1980, 1981, 1984, 1986, 1989, 1991, 1993, 1995 and 1996
- The EDR City Directory Abstract, Environmental Data Resources, Inc., May 2007
- U.S.G.S. (U.S. Geological Survey) 7.5 Minute Series Topographic Map Central Park, NY, Quadrangle, dated 1995
- Property Shark (pshark.com)

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

APPENDIX A: SITE PHOTOGRAPHS

Site Photographs
611 East 133rd Street, Bronx, NY




611 East 133rd Street (Center)



611 East 133rd Street

Site Photographs
611 East 133rd Street, Bronx, NY



Bar and Stage



Kitchen

Site Photographs
611 East 133rd Street, Bronx, NY



Storage area




Cleaning chemicals

Site Photographs
611 East 133rd Street, Bronx, NY



Second floor parking area




Second floor parking area

Site Photographs
611 East 133rd Street, Bronx, NY




Gas heater at ceiling of second floor




Basement

Site Photographs
611 East 133rd Street, Bronx, NY




Adjacent Property South



Adjacent parkland to east

Site Photographs
611 East 133rd Street, Bronx, NY



Adjacent south, facing east

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

APPENDIX B: HISTORICAL RESEARCH DOCUMENTATION

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

Exhibit B-1: Aerial Photographs



EDR® Environmental
Data Resources Inc

The EDR Aerial Photo Decade Package

**Golden Lady
611 East 133rd Street
Bronx, NY 10454**

Inquiry Number: 1923959.5

May 10, 2007

The Standard in Environmental Risk Information

**440 Wheelers Farms Road
Milford, Connecticut 06461**

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDRs professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2007 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography May 10, 2007

Target Property:

611 East 133rd Street

Bronx, NY 10454

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1954	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: February 23, 1954	EDR
1966	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: February 23, 1966	EDR
1975	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: April 01, 1975	EDR
1984	Aerial Photograph. Scale: 1"=750'	Panel #: 2440073-G8/Flight Date: April 27, 1984	EDR
1994	Aerial Photograph. Scale: 1"=833'	Panel #: 2440073-G8/Flight Date: April 04, 1994	EDR



INQUIRY #: 1923959.5

YEAR: 1954

| = 750'





INQUIRY #: 1923959.5

YEAR: 1966

| = 750'





INQUIRY #: 1923959.5

YEAR: 1975

| = 750'





INQUIRY #: 1923959.5

YEAR: 1984

— = 750'





INQUIRY #: 1923959.5

YEAR: 1994

Scale: = 833'





INQUIRY #: 1923959.5
YEAR: 1984
| = 750'





INQUIRY #: 1923959.5

YEAR: 1994

— = 833'



South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

Exhibit B-2: Fire Insurance Maps

Certified Sanborn® Map Report




Sanborn® Library search results
Certification # A301-4A43-986D

Golden Lady
611 East 133rd Street
Bronx, NY 10454

Inquiry Number 1923959.3s

May 11, 2007



EDR® Environmental
Data Resources Inc

The Standard in Environmental Risk Information

440 Wheelers Farms Rd
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

Certified Sanborn® Map Report

5/11/07

Site Name:

Golden Lady
611 East 133rd Street
Bronx, NY 10454

Client Name:

Airtek Env. Corp.
39 W. 38th Street
New York, NY 10018

EDR Inquiry # 1923959.3s

Contact: Vic Ricchezza



The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by Airtek Env. Corp. were identified for the years listed below (selected maps only*). The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: Golden Lady
Address: 611 East 133rd Street
City, State, Zip: Bronx, NY 10454
Cross Street:
P.O. # 07-0436
Project: 07-0436
Certification # A301-4A43-986D



Sanborn® Library search results
Certification # A301-4A43-986D

* Environmental Data Resources, Inc. has been instructed by Airtek Env. Corp. to print ONLY the Sanborn Maps for the years listed below:

1891 (1)	1951 (1)	1981 (1)	1995 (1)
1908 (1)	1968 (1)	1984 (1)	1996 (1)
1935 (1)	1969 (1)	1986 (1)	
1944 (1)	1977 (1)	1989 (1)	
1946 (1)	1978 (1)	1991 (1)	
1947 (1)	1980 (1)	1993 (1)	

Total Maps: 20

Limited Permission To Make Copies

Airtek Env. Corp. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection


Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2007 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

17
(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

5/11/2007 3:36:06 PM
Inquiry: 1923959.3s
User: Airtak Env. Corp.
Site Name: Golden Lady
Address: 611 East 133rd Street
City, ST, ZIP: Bronx NY 10454
Certification #: A301-4A43-986D



© 1996 Sanborn Co., EDR Sanborn, Inc.

17
(10 23)



Certification # A301-4A43-986D

Certification # A301-4A43-986D


Date: 5/11/2007 3:36:07 PM
 EDR Inquiry: 1923959.3s
 Client: Airtek Env. Corp.
 Site Name: Golden Lady
 Address: 6111 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D



© 1995 Sanborn Co., EDR Sanborn, Inc.

17

(10-23)



Certification # A301-443-886D

A301-443-886D


Certification #

Date: 5/11/2007 3:36:09 PM
 File: 1923959.3a
 Client: Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-443-886D



17

(10-23)



Certification #

A301-4A43-986D

Certification #

A301-4A43-986D

Date: 5/11/2007 3:36:09 PM
 EDR Inquiry: 1923899.3s
 Client: Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D




Research Associate: KJT

Copyright: 1986

Scale 50 FT. (1:62,500)
 Copyright 1986 by The Sanborn Map Co.

17
(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

5/11/2007 3:38:10 PM
July
1923659.3s
Airtok Env. Corp.
Site Name: Golden Lady
Address: 611 East 133rd Street
City, ST, ZIP: Bronx NY 10454
Certification # A301-4A43-986D



Research Associate: KJT Copyright: 1984

17
(10-23)



Certification # A301-4A43-986D

Certification # A301-4A43-986D


Date: 5/11/2007 3:36:10 PM
 EDR Inquiry: 1923959.3s
 Client: Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 511 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D



Research Associate: KJT Copyright: 1981

CYPRESS AVE.

17
(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

5/11/2007 3:36:11 PM
 19223959.3e
 Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification # A301-4A43-986D



17

(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

Date: 5/11/2007 3:36:11 PM
 EDR Inquiry: 1823959.3s
 Client: Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 511 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D



Research Associate: KJT Copyright: 1978

17
(10-23)



Certification # A 1443-986D


Certification # A301-4A43-986D

5/11/2007 3:36:13 PM
 Inquiry: 1023959.3s
 Client: Airtek Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D



Research Associate: KJJ Copyright: 1977

17
(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

Date: 5/11/2007 3:36:13 PM
 EDR Inquiry: 1923959.36
 Client: Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D



Research Associate: KJT Copyright: 1969

17
(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

5/11/2007 3:36:14 PM
 Inquiry: 1923959.3s
 Agent: Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D



17

(10-23)



Certification # A301-4A43-986D


Certification # A301-4A43-986D

5/11/2007 3:36:15 PM
 1923959.3e
 Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification # A301-4A43-986D



SCALE 50 FT. TO ONE INCH
 Copyright 1925 by The Sanborn Map Co.

17
(10-23)




Certification # A301-4A43-986D

Certification # A301-4A43-986D

Date: 5/11/2007 3:36:15 PM
 EDR Inquiry: 1923959.3s
 Client: Airtak Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification # A301-4A43-986D



Research Associate: KJT Copyright: 1947




Certification # A301-4A43-986D

Certification # A301-4A43-986D

5/11/2007 3:36:16 PM
 1923958.3s
 Airtex Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification # A301-4A43-986D






Certification # A301-4A43-986D

Certification # A301-4A43-986D

Date: 5/11/2007 3:36:16 PM
 EDR Inquiry: 1923859.3e
 Client: Airtek Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D






Certification # A-1443-986D

Certification # A301-4A43-986D

5/11/2007 3:36:17 PM
 Inquiry: 1923959.3s
 Client: Airtak Env. Corp.
 Site Name: Golden Lady
 Address: 611 East 133rd Street
 City, ST, ZIP: Bronx NY 10454
 Certification #: A301-4A43-986D







Certification # A 1443-986D

Certification # A301-4A43-986D

5/11/2007 3:36:18 PM
1923959.3s
Client: Airtex Env. Corp.
Site Name: Golden Lady
Address: 611 East 133rd Street
City, ST, ZIP: Bronx NY 10454
Certification #: A301-4A43-986D
Research Associate: KJT
Copyright: 1891



BRONX
KILLS



Copyright 1891, by William Pennell. Copyright 1891, by Sanborn-Ford Map Co., U.S.A.

Certification #
A301-4A43-986D

Certification #
A301-4A43-986D

Date: 5/11/2007 3:36:18 PM
EDR Inquiry: 1923959.3s
Client: Airtex Env. Corp.
Site Name: Golden Lady
Address: 611 East 133rd Street
City, ST, ZIP: Bronx NY 10454
Certification #: A301-4A43-986D



Research Associate: KJT Copyright: 1891

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

Exhibit B-3: Historical Topographic Maps

EDR Historical Topographic Map Report

**Golden Lady
611 East 133rd Street
Bronx, NY 10454**

Inquiry Number: 1923959.4

May 10, 2007



**EDR® Environmental
Data Resources Inc**

The Standard in Environmental Risk Information

**440 Wheelers Farms Rd
Milford, Connecticut 06461**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.'s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2007 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




N 	TARGET QUAD NAME: HARLEM MAP YEAR: 1897	SITE NAME: Golden Lady ADDRESS: 611 East 133rd Street Bronx, NY 10454 LAT/LONG: 40.803 / 73.9184	CLIENT: Airtek Env. Corp. CONTACT: Vic Ricchezza INQUIRY#: 1923959.4 RESEARCH DATE: 05/10/2007
	SERIES: 15 SCALE: 1:62500		

Historical Topographic Map



N 	TARGET QUAD NAME: CENTRAL PARK MAP YEAR: 1947	SITE NAME: Golden Lady ADDRESS: 611 East 133rd Street Bronx, NY 10454	CLIENT: Airtek Env. Corp. CONTACT: Vic Ricchezza INQUIRY#: 1923959.4
	SERIES: 7.5 SCALE: 1:25000	LAT/LONG: 40.803 / 73.9184	RESEARCH DATE: 05/10/2007

Historical Topographic Map



<p>N ↑</p>	<p>TARGET QUAD NAME: CENTRAL PARK MAP YEAR: 1966</p>	<p>SITE NAME: Golden Lady ADDRESS: 611 East 133rd Street Bronx, NY 10454 LAT/LONG: 40.803 / 73.9184</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Vic Ricchezza INQUIRY#: 1923959.4 RESEARCH DATE: 05/10/2007</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>		

Historical Topographic Map



<p>N ↑</p>	TARGET QUAD	SITE NAME:	Golden Lady	CLIENT:	Airtek Env. Corp.	
	NAME:	CENTRAL PARK	ADDRESS:	611 East 133rd Street	CONTACT:	Vic Ricchezza
	MAP YEAR:	1979		Bronx, NY 10454	INQUIRY#:	1923959.4
	PHOTOREVISED FROM:	1966	LAT/LONG:	40.803 / 73.9184	RESEARCH DATE:	05/10/2007
	SERIES:	7.5				
	SCALE:	1:24000				

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: CENTRAL PARK MAP YEAR: 1995</p>	<p>SITE NAME: Golden Lady ADDRESS: 611 East 133rd Street Bronx, NY 10454</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Vic Ricchezza INQUIRY#: 1923959.4 RESEARCH DATE: 05/10/2007</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>	<p>LAT/LONG: 40.803 / 73.9184</p>	

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

APPENDIX C: REGULATORY RECORDS DOCUMENTATION

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

Exhibit C-1: The EDR RadiusTM Mapped Database Report



EDR® Environmental
Data Resources Inc

The EDR Radius Map with GeoCheck®

**Golden Lady
611 East 133rd Street
Bronx, NY 10454**

Inquiry Number: 1923959.2s

May 10, 2007

The Standard in Environmental Risk Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary.....	ES1
Overview Map.....	2
Detail Map.....	3
Map Summary.....	4
Map Findings.....	6
Orphan Summary.....	560
Government Records Searched/Data Currency Tracking.....	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum.....	A-1
Physical Setting Source Summary.....	A-2
Physical Setting Source Map.....	A-7
Physical Setting Source Map Findings.....	A-8
Physical Setting Source Records Searched.....	A-17

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2007 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

611 EAST 133RD STREET
BRONX, NY 10454

COORDINATES

Latitude (North): 40.803000 - 40° 48' 10.8"
Longitude (West): 73.918400 - 73° 55' 6.2"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 591237.8
UTM Y (Meters): 4517240.0

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-G8 CENTRAL PARK, NY
Most Recent Revision: 1995

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL..... National Priority List
Proposed NPL..... Proposed National Priority List Sites
Delisted NPL..... National Priority List Deletions
NPL LIENS..... Federal Superfund Liens
CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP..... CERCLIS No Further Remedial Action Planned
CORRACTS..... Corrective Action Report
RCRA-TSDF..... Resource Conservation and Recovery Act Information
ERNS..... Emergency Response Notification System
HMIRS..... Hazardous Materials Information Reporting System

EXECUTIVE SUMMARY

US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
US BROWNFIELDS	A Listing of Brownfields Sites
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
ODI	Open Dump Inventory
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
SSTS	Section 7 Tracking Systems
RADINFO	Radiation Information Database
US CDL	Clandestine Drug Labs
HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing
ICIS	Integrated Compliance Information System
LUCIS	Land Use Control Information System
DOT OPS	Incident and Accident Data
PADS	PCB Activity Database System
MLTS	Material Licensing Tracking System
MINES	Mines Master Index File
FINDS	Facility Index System/Facility Registry System
RAATS	RCRA Administrative Action Tracking System

STATE AND LOCAL RECORDS

HSWDS	Hazardous Substance Waste Disposal Site Inventory
SHWS	Inactive Hazardous Waste Disposal Sites in New York State
DEL SHWS	Delisted Registry Sites
SWTIRE	Registered Waste Tire Storage & Facility List
CBS UST	Chemical Bulk Storage Database
MOSF UST	Major Oil Storage Facilities Database
HIST AST	Historical Petroleum Bulk Storage Database
MOSF AST	Major Oil Storage Facilities Database
ENG CONTROLS	Registry of Engineering Controls
INST CONTROL	Registry of Institutional Controls
VCP	Voluntary Cleanup Agreements
BROWNFIELDS	Brownfields Site List
SPDES	State Pollutant Discharge Elimination System
AIRS	Air Emissions Data
RES DECL	Restrictive Declarations Listing
MOSF	Major Oil Storage Facility Site Listing

TRIBAL RECORDS

INDIAN RESERV	Indian Reservations
INDIAN LUST	Leaking Underground Storage Tanks on Indian Land
INDIAN UST	Underground Storage Tanks on Indian Land

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

EXECUTIVE SUMMARY

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

FEDERAL RECORDS

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-LQG list, as provided by EDR, and dated 06/13/2006 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>NYCDEP-BWT BRONX GRIT CHAMBER</i>	<i>158 BRUCKNER BLVD</i>	<i>0 - 1/8 WNW</i>	<i>B11</i>	<i>29</i>
<i>NYPA-HARLEM RIVER YARD</i>	<i>E 132ND ST BETW TRIBORO</i>	<i>1/8 - 1/4 SSW</i>	<i>I48</i>	<i>160</i>

RCRAInfo: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System(RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month Large quantity generators generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

A review of the RCRA-SQG list, as provided by EDR, and dated 06/13/2006 has revealed that there are 15 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>HIRD BLAKER INC</i>	<i>620 E 132ND ST</i>	<i>0 - 1/8 WSW</i>	<i>C14</i>	<i>46</i>
<i>NYCHA - MILLBROOK HOUSES</i>	<i>160 ST ANNS AVE</i>	<i>1/8 - 1/4 N</i>	<i>K54</i>	<i>206</i>
<i>AAMCO TRANSMISSIONS</i>	<i>131 BRUCKNER BLVD</i>	<i>1/8 - 1/4 WNW</i>	<i>L57</i>	<i>217</i>
<i>POOK DIEMONT & OHL INC</i>	<i>701 E 132ND ST</i>	<i>1/8 - 1/4 SE</i>	<i>M60</i>	<i>225</i>
<i>MERIT OIL CORP</i>	<i>126 BRUCKNER BLVD</i>	<i>1/8 - 1/4 WNW</i>	<i>L62</i>	<i>230</i>
<i>BRUCKNER BROOK GASOLINE CORP</i>	<i>119 BRUCKNER BLVD</i>	<i>1/8 - 1/4 WNW</i>	<i>O65</i>	<i>363</i>
<i>INTREPID MAINTENANCE CORP</i>	<i>119 BRUCKNER BLVD</i>	<i>1/8 - 1/4 WNW</i>	<i>O70</i>	<i>412</i>
<i>USPS - BRONX VMF & ADMIN OFFI</i>	<i>500 E 132ND ST</i>	<i>1/8 - 1/4 WNW</i>	<i>N73</i>	<i>426</i>
<i>RACON MANUFACTURING COMPANY</i>	<i>178 BRUCKNER BLVD</i>	<i>1/8 - 1/4 E</i>	<i>79</i>	<i>438</i>

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
A & S CLEANERS	216 SAINT ANNS AVE	1/8 - 1/4 N	S82	445
KEY REGULATOR REBUILDERS INC	725 E 135TH ST	1/8 - 1/4 E	P85	456
MAJESTIC DRUG CO	711 E 134TH ST	1/8 - 1/4 ESE	R88	464
CHAMPION CLEANERS INC	690 E 137TH ST	1/8 - 1/4 ENE	T90	466
SHELL SERVICE STATION	114 BRUCKNER BLVD	1/8 - 1/4 WNWU92		477
WEDETECH CORP	112 BRUCKNER BLVD	1/8 - 1/4 WNWU96		535

STATE AND LOCAL RECORDS

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, and dated 01/30/2007 has revealed that there are 8 SWF/LF sites within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
O'BRIEN SANITATION CORP	155 BRUCKNER BLVD	0 - 1/8 WNW	E16	62
HARLEM RIVER YARD TS	ST. ANN'S / LINCOLN A	1/8 - 1/4 SSW	I49	169
INWOOD SANITATION CO.;INC.	688 EAST 135 STREET	1/8 - 1/4 E	P76	434
ARISTY AUTO REPAIR & WRECKERS	200 BRUCKNER BLVD	1/4 - 1/2 E	101	554
ALL CITY RECYCLING; LLC	850 EAST 133RD STREET	1/4 - 1/2 ESE	102	555
NEW YORK AUTOCLAVE	780 E. 138TH ST	1/4 - 1/2 ENE	103	556
PER SCOLAS INC.	131 WALNUT AVENUE	1/4 - 1/2 ESE	104	556
USA WASTE (891 135TH; VIGLIOT	891 EAST 135 STREET	1/4 - 1/2 ESE	105	558

Registered Recycling Facility List from the Department of Environmental Conservation.

A review of the SWRCY list, as provided by EDR, and dated 02/12/2007 has revealed that there is 1 SWRCY site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PER SCOLAS INC.	131 WALNUT AVENUE	1/4 - 1/2 ESE	104	556

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 01/17/2007 has revealed that there are 13 LTANKS sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
US POSTAL SERV Date Closed: 03/05/03	510 E 133 ST	0 - 1/8 WNW	A2	8
BRONX SEWAGE TREATMENT Date Closed: / /	158 BRUCKNER BLVD	0 - 1/8 WNW	B9	24

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MANHOLE #2644 Date Closed: 03/21/03	150 BRUCKNER BLVD	0 - 1/8 WNW	E19	69
U S POSTAL SRVCE Date Closed: 03/05/03	(NO STREET INFO)	0 - 1/8 W	45	152
MILLBROOK HOUSES Date Closed: / /	160 SAINT ANNS AVENUE	1/8 - 1/4 N	K52	201
MILLBROOK Date Closed: 02/11/93	160 ST ANN'S AVE	1/8 - 1/4 N	K53	204
MILLBROOK Date Closed: 01/18/06	160 ST ANNES AVE	1/8 - 1/4 NNW	55	207
126-128 BRUCKNER BLVD Date Closed: / /	126-28 BRUCKNER BLVD	1/8 - 1/4 WNW	L61	227
126-128 BRUCKNER/MERIT Date Closed: 07/22/94	126-128 BRUCKNER BLVD	1/8 - 1/4 WNW	L63	356
BRUCKNER BROOK GASOLINE C Date Closed: 10/25/04	119 BRUCKNER BLVD	1/8 - 1/4 WNW	O69	408
SHELL SERVICE STATION Date Closed: 02/25/03 Date Closed: 02/25/03	114 BRUCKNER BLVD	1/8 - 1/4 WNW	U92	477
BOULVERARD TRUCKING Date Closed: 02/26/96	719 EAST 134TH ST	1/8 - 1/4 ESE	R97	538
PARKING GARAGE Date Closed: / /	719 E 134TH ST	1/8 - 1/4 ESE	R99	550

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 12 HIST LTANKS sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
US POSTAL SERV	510 E 133 ST	0 - 1/8 WNW	A2	8
BRONX SEWAGE TREATMENT	158 BRUCKNER BLVD	0 - 1/8 WNW	B9	24
U S POSTAL SRVCE	(NO STREET INFO)	0 - 1/8 W	45	152
MILLBROOK HOUSES	160 SAINT ANNS AVENUE	1/8 - 1/4 N	K52	201
MILLBROOK	160 ST ANN'S AVE	1/8 - 1/4 N	K53	204
MILLBROOK	160 ST ANNES AVE	1/8 - 1/4 NNW	55	207
126-128 BRUCKNER BLVD	126-28 BRUCKNER BLVD	1/8 - 1/4 WNW	L61	227
126-128 BRUCKNER/MERIT	126-128 BRUCKNER BLVD	1/8 - 1/4 WNW	L63	356
BRUCKNER BROOK GASOLINE C	119 BRUCKNER BLVD	1/8 - 1/4 WNW	O69	408
SHELL SERVICE STATION	114 BRUCKNER BLVD	1/8 - 1/4 WNW	U92	477
BOULVERARD TRUCKING	719 EAST 134TH ST	1/8 - 1/4 ESE	R97	538
PARKING GARAGE	719 E 134TH ST	1/8 - 1/4 ESE	R99	550

EXECUTIVE SUMMARY

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 04/02/2007 has revealed that there are 21 UST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
S & J SHEET METAL SUPPLY, INC.	608 EAST 133RD STREET	0 - 1/8 SE	A1	6
O'BRIEN SANITATION CORP	155 BRUCKNER BLVD	0 - 1/8 WNW	E16	62
AMERICAN BUILDING SUPPLY CORP.	150 BRUCKNER BLVD.	0 - 1/8 WNW	E20	74
PORT MORRIS REALTY LTD.	151 BRUCKNER BLVD	0 - 1/8 WNW	E22	83
ZARO BAKE SHOP INC	138 BRUCKNER BOULEVARD	0 - 1/8 WNW	H47	157
BRONX WEST FOUR	720 EAST 132ND STREET	1/8 - 1/4 SE	J50	169
NEW YORK CITY STREET SWEEPING	765 EAST 132 STREET	1/8 - 1/4 SE	J51	191
MILLBROOK & EXT.	164 ST. ANN'S AVENUE	1/8 - 1/4 N	K56	210
MOBIL S/S 1JARDH AAMCO TRANAS	MOBIL S/S 1JARDH AAMCO	1/8 - 1/4 WNW	L59	223
MERIT OIL CORP	126 BRUCKNER BLVD	1/8 - 1/4 WNW	L62	230
220 EAST REALTY LLC	517 EAST 132ND STREET	1/8 - 1/4 WNW	N64	358
MOBIL S/S 17-634 BRUCKNER S/S	119 BRUCKNER BLVD	1/8 - 1/4 WNW	O67	367
SHELL SERVICE STATION	119 BRUCKNER BOULEVARD	1/8 - 1/4 WNW	O68	393
220 EAST REALTY INC.	511-517 EAST 132 STREET	1/8 - 1/4 WNW	N72	413
BRONX EAST SIDE PARCEL POST AN	500 EAST 132ND STREET	1/8 - 1/4 WNW	N74	426
687 EAST 137TH STREET, LLC	687 EAST 137TH STREET	1/8 - 1/4 ENE	Q86	457
BARAK SPEEDY LUBE	115 BRUCKNER BLVD	1/8 - 1/4 WNW	U91	467
SHELL SVC. STA. 138576	114 BRUCKNER BOULEVARD	1/8 - 1/4 WNW	U93	486
D/B/A -SPECTRUM MINI STORAGE	112 BRUCKNER BLVD	1/8 - 1/4 WNW	U94	527
112 BRUCKNER ASSOCIATES,LP	112 BRUCKNER BLVD	1/8 - 1/4 WNW	U95	530
BOULEVARD & INGENERI TRUCKING	719 E. 134 STREET	1/8 - 1/4 ESE	R98	542

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 22 HIST UST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
S & J SHEET METAL SUPPLY, INC.	608 EAST 133RD STREET	0 - 1/8 SE	A1	6
BRONX GRIT CHAMBER	158 BRUCKNER BLVD	0 - 1/8 WNW	B10	26
O'BRIEN SANITATION CORP	155 BRUCKNER BLVD	0 - 1/8 WNW	E16	62
PORT MORRIS REALTY LTD.	151 BRUCKNER BLVD	0 - 1/8 WNW	E21	81
N.Y.C. D.S.N.Y. BRONX 1 GARA	680 EAST 132ND STREET	0 - 1/8 SSE	G33	106
ZARO BAKE SHOP INC	138 BRUCKNER BOULEVARD	0 - 1/8 WNW	H47	157
BRONX WEST FOUR	720 EAST 132ND STREET	1/8 - 1/4 SE	J50	169
NEW YORK CITY STREET SWEEPING	765 EAST 132 STREET	1/8 - 1/4 SE	J51	191
MILLBROOK & EXT.	164 ST. ANN'S AVENUE	1/8 - 1/4 N	K56	210
MOBIL S/S 1JARDH AAMCO TRANAS	MOBIL S/S 1JARDH AAMCO	1/8 - 1/4 WNW	L59	223
MERIT OIL CORP	126 BRUCKNER BLVD	1/8 - 1/4 WNW	L62	230
220 EAST REALTY LLC	517 EAST 132ND STREET	1/8 - 1/4 WNW	N64	358
MOBIL S/S 17-634 BRUCKNER S/S	119 BRUCKNER BLVD	1/8 - 1/4 WNW	O67	367
SHELL SERVICE STATION	119 BRUCKNER BOULEVARD	1/8 - 1/4 WNW	O68	393
220 EAST REALTY INC.	511-517 EAST 132 STREET	1/8 - 1/4 WNW	N72	413
BRONX EAST SIDE PARCEL POST AN	500 EAST 132ND STREET	1/8 - 1/4 WNW	N74	426
H LIEBLICH & CO INC	687 EAST 137TH STREET	1/8 - 1/4 ENE	Q87	459

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BARAK SPEEDY LUBE	115 BRUCKNER BLVD	1/8 - 1/4 WNWU91		467
SHELL SVC. STA. 138576	114 BRUCKNER BOULEVARD	1/8 - 1/4 WNWU93		486
D/B/A -SPECTRUM MINI STORAGE	112 BRUCKNER BLVD	1/8 - 1/4 WNWU94		527
112 BRUCKNER ASSOCIATES,LP	112 BRUCKNER BLVD	1/8 - 1/4 WNWU95		530
BOULEVARD & INGENERI TRUCKING	719 E. 134 STREET	1/8 - 1/4 ESE R98		542

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 04/02/2007 has revealed that there are 20 AST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
ALBEE SPECIALTIES, INC.	621 EAST 132ND STREET	0 - 1/8 SSW 5		15
132 ST. ANN'S AVENUE	132 SAINT ANN'S AVENUE	0 - 1/8 NW	E24	86
147 BRUCKNER REAL ESTATE CORP	147 BRUCKNER BLVD	0 - 1/8 WNW	E25	87
PAPER ENTERPRISES/NYC DEPT OF	680-750 EAST 132ND ST	0 - 1/8 SSE	G32	105
N.Y.C. D.S.N.Y. BRONX 1 GARA	680 EAST 132ND STREET	0 - 1/8 SSE	G33	106
BRONX WEST FOUR	720 EAST 132ND STREET	1/8 - 1/4 SE	J50	169
AAMCO TRANSMISSIONS	131 BRUCKNER BLVD	1/8 - 1/4 WNW	L57	217
695 EAST 132ND STREET	695 EAST 132ND STREET	1/8 - 1/4 SE	M58	220
JOHN B FLAHERTY CO INC	120 BRUCKNER BLVD	1/8 - 1/4 WNW	O66	364
SHELL SERVICE STATION	119 BRUCKNER BOULEVARD	1/8 - 1/4 WNW	O68	393
ARTISTIC DESK PAD & NOVELTY CO	721 E 133RD STREET	1/8 - 1/4 ESE	71	412
LADOL REALTY CORP	597-601 E 137 ST	1/8 - 1/4 NNE	75	431
ALEXANDER'S INC-BROOK AVE	500 EAST 134TH ST	1/8 - 1/4 NW	77	434
APARTMENT BUILDING	673 EAST 137 STREET	1/8 - 1/4 NE	Q78	437
700 EAST 134 ST	700 EAST 134 ST	1/8 - 1/4 ESE	R80	442
543 JUB ASSOC INC	543 E 137TH ST (110 LA	1/8 - 1/4 N	84	454
H LIEBLICH & CO INC	687 EAST 137TH STREET	1/8 - 1/4 ENE	Q87	459
SHELL SVC. STA. 138576	114 BRUCKNER BOULEVARD	1/8 - 1/4 WNW	U93	486
112 BRUCKNER ASSOCIATES,LP	112 BRUCKNER BLVD	1/8 - 1/4 WNW	U95	530
699 VENTURE CORP.	699-703 EAST 137TH STRE	1/8 - 1/4 ENE	T100	553

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RACON MANUFACTURING COMPANY	178 BRUCKNER BLVD	1/8 - 1/4 E	79	438

EXECUTIVE SUMMARY

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 10/26/2006 has revealed that there are 14 NY MANIFEST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYCDEP-BWT BRONX GRIT CHAMBER	158 BRUCKNER BLVD	0 - 1/8 WNW	B11	29
HIRD BLAKER INC	620 E 132ND ST	0 - 1/8 WSW	C14	46
CONSOLIDATED EDISON	CYPRESS AVE / 132ND S	0 - 1/8 SSE	G31	103
NYPA-HARLEM RIVER YARD	E 132ND ST BETW TRIBORO	1/8 - 1/4 SSW	I48	160
POOK DIEMONT & OHL INC	701 E 132ND ST	1/8 - 1/4 SE	M60	225
MERIT OIL CORP	126 BRUCKNER BLVD	1/8 - 1/4 WNW	L62	230
BRUCKNER BROOK GASOLINE CORP	119 BRUCKNER BLVD	1/8 - 1/4 WNW	O65	363
RACON MANUFACTURING COMPANY	178 BRUCKNER BLVD	1/8 - 1/4 E	79	438
A & S CLEANERS	216 SAINT ANNS AVE	1/8 - 1/4 N	S82	445
A & S CLEANERS	216 SAINT ANNS AVE	1/8 - 1/4 N	S83	453
MAJESTIC DRUG CO	711 E 134TH ST	1/8 - 1/4 ESE	R88	464
CHAMPION CLEANERS INC	690 E 137TH ST	1/8 - 1/4 ENE	T90	466
SHELL SERVICE STATION	114 BRUCKNER BLVD	1/8 - 1/4 WNW	U92	477
WEDTECH CORP	112 BRUCKNER BLVD	1/8 - 1/4 WNW	U96	535

SPILLS: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 01/17/2007 has revealed that there are 30 NY Spills sites within approximately 0.125 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYCDEP-SEWAGE TREATMENT Date Closed: 04/29/04	158 BUECKNER BLVD	0 - 1/8 NW	B3	11
MANHOLE 2913 Date Closed: 02/27/02	EAST 133RD ST/CYPRESS P	0 - 1/8 ESE	4	13
VAULT 1438 Date Closed: 06/27/05	605 EAST 132 ST	0 - 1/8 SW	C6	18
BRONX GRID CHAMBER Date Closed: 04/21/04 Date Closed: 01/11/05	158 BRUCKNER BLVD	0 - 1/8 WNW	B7	19
158 BRUCKNER BLVD. Date Closed: 08/07/95	158 BRUCKNER BLVD.	0 - 1/8 WNW	B8	22
BRONX GRIT CHAMBER Date Closed: 04/08/05	158 BRUCKNER BLVD	0 - 1/8 WNW	B10	26
Not reported Date Closed: / /	158 BRUCKNER BLVD	0 - 1/8 WNW	B12	42
MH 5969 Date Closed: 03/31/99	OPP 615 EAST 132 ST	0 - 1/8 S	D13	44
MANHOLE 5969 Date Closed: 03/31/99	620 E 132ND ST	0 - 1/8 WSW	C15	59
MANHOLE # 5969 Date Closed: 06/18/03	IFO 621 E 132ND ST	0 - 1/8 SSE	D17	65

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MERIT GAS STATION Date Closed: 12/29/95	BRUCKNER BLVD / ST ANNS	0 - 1/8 WNW	E18	67
MANHOLE #2644 Date Closed: 05/12/00	150 BRUCKNER BLVD	0 - 1/8 WNW	E19	69
MANHOLE #2422 Date Closed: 04/05/00	150 BRUCKNER BLVD	0 - 1/8 WNW	E23	84
MANHOLE 12350 Date Closed: 02/14/03	EAST 134 ST / ST ANNS	0 - 1/8 NNW	F26	90
MANHOLE 12350 Date Closed: 12/30/02	134TH ST / ST ANNS	0 - 1/8 NNW	F27	92
MH 29559 Date Closed: 01/17/02 Date Closed: 02/21/03	ST ANNS AV/EAST 134 ST	0 - 1/8 NNW	F28	95
MANHOLE 6161 Date Closed: 02/19/03	EAST 134 ST / ST ANNS	0 - 1/8 NNW	F29	98
NYC DEPT OF SANITATION Date Closed: 08/05/97	680 EAST 132ND ST	0 - 1/8 SSE	G30	100
E. 137TH STREET Date Closed: 04/15/03	IRT#6 LINE - CYPRESS AV	0 - 1/8 SE	G34	123
MANHOLE #5971 Date Closed: 11/04/04	E 132 ST / CYPRESS AV	0 - 1/8 SSE	G35	126
MANHOLE #5970 Date Closed: 02/19/02	CYPRESS AV/132ND ST	0 - 1/8 SSE	G36	128
MH #5968 Date Closed: 12/20/99	132ND ST / CYPRESS AV	0 - 1/8 SSE	G37	131
MH #5971 Date Closed: 06/06/02	132ND ST / CYPRESS AV	0 - 1/8 SSE	G38	133
MANHOLE 5971 Date Closed: / / Date Closed: 02/05/04	CYPRESS AV / E 132 ST	0 - 1/8 SSE	G39	136
CYPRESS AV & 132ND ST Date Closed: 12/12/96	CYPRESS AV / 132ND ST	0 - 1/8 SSE	G40	140
MH #5969 Date Closed: 12/20/99	132ND ST / CYPRESS AV	0 - 1/8 SSE	G41	143
MANHOLE 5971 Date Closed: 10/18/99	CYPRESS AV / 132ND ST	0 - 1/8 SSE	G42	145
MH 5970 Date Closed: 03/31/99	EAST 132 ST/CYPRESS ST	0 - 1/8 SSE	G43	148
MH 5971 Date Closed: 03/31/99	EAST 132 ST/CYPRESS ST	0 - 1/8 SSE	G44	150
BUSINESS Date Closed: 11/17/03	138 BROOKNER BLVD	0 - 1/8 WNW	H46	155

EXECUTIVE SUMMARY

HIST SPILLS: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 26 NY Hist Spills sites within approximately 0.125 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NYCDEP-SEWAGE TREATMENT	158 BUECKNER BLVD	0 - 1/8 NW	B3	11
MANHOLE 2913	EAST 133RD ST/CYPRESS P	0 - 1/8 ESE	4	13
158 BRUCKNER BLVD.	158 BRUCKNER BLVD.	0 - 1/8 WNW	B8	22
MH 5969	OPP 615 EAST 132 ST	0 - 1/8 S	D13	44
MANHOLE 5969	620 E 132ND ST	0 - 1/8 WSW	C15	59
MANHOLE # 5969	IFO 621 E 132ND ST	0 - 1/8 SSE	D17	65
MERIT GAS STATION	BRUCKNER BLVD / ST ANNS	0 - 1/8 WNW	E18	67
MANHOLE #2644	150 BRUCKNER BLVD	0 - 1/8 WNW	E19	69
MANHOLE #2422	150 BRUCKNER BLVD	0 - 1/8 WNW	E23	84
MANHOLE 12350	EAST 134 ST / ST ANNS	0 - 1/8 NNW	F26	90
MANHOLE 12350	134TH ST / ST ANNS	0 - 1/8 NNW	F27	92
MH 29559	ST ANNS AV/EAST 134 ST	0 - 1/8 NNW	F28	95
MANHOLE 6161	EAST 134 ST / ST ANNS	0 - 1/8 NNW	F29	98
NYC DEPT OF SANITATION	680 EAST 132ND ST	0 - 1/8 SSE	G30	100
E. 137TH STREET	IRT#6 LINE - CYPRESS AV	0 - 1/8 SE	G34	123
MANHOLE #5971	E 132 ST / CYPRESS AV	0 - 1/8 SSE	G35	126
MANHOLE #5970	CYPRESS AV/132ND ST	0 - 1/8 SSE	G36	128
MH #5968	132ND ST / CYPRESS AV	0 - 1/8 SSE	G37	131
MH #5971	132ND ST / CYPRESS AV	0 - 1/8 SSE	G38	133
MANHOLE 5971	CYPRESS AV / E 132 ST	0 - 1/8 SSE	G39	136
CYPRESS AV & 132ND ST	CYPRESS AV / 132ND ST	0 - 1/8 SSE	G40	140
MH #5969	132ND ST / CYPRESS AV	0 - 1/8 SSE	G41	143
MANHOLE 5971	CYPRESS AV / 132ND ST	0 - 1/8 SSE	G42	145
MH 5970	EAST 132 ST/CYPRESS ST	0 - 1/8 SSE	G43	148
MH 5971	EAST 132 ST/CYPRESS ST	0 - 1/8 SSE	G44	150
BUSINESS	138 BROOKNER BLVD	0 - 1/8 WNW	H46	155

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 06/15/2004 has revealed that there are 2 DRYCLEANERS sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
A & S CLEANER	216 SAINT ANNS AVENUE	1/8 - 1/4 N	S81	445
CHAMPION CLEANERS	690 EAST 137TH STREET	1/8 - 1/4 ENE	T89	466

EXECUTIVE SUMMARY

CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the CBS list, as provided by EDR, and dated 03/06/2007 has revealed that there is 1 CBS site within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RACON MANUFACTURING COMPANY	178 BRUCKNER BLVD	1/8 - 1/4 E	79	438

EDR PROPRIETARY RECORDS

EDR Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there are 4 Manufactured Gas Plants sites within approximately 1 mile of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - EAST 137TH ST. ST	136TH ST. - 137TH ST.	1/4 - 1/2 E	106	558
NY MGP	EAST 138TH - EAST 140TH	1/2 - 1 E	107	558
PINTSCH GAS WORKS	LOCUST AVENUE	1/2 - 1 E	108	559
CON EDISON - EAST 115TH ST. WO	EAST 114TH - EAST 116TH	1/2 - 1 SW	109	559

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:


Site Name	Database(s)
CONSOLIDATED EDISON	NY MANIFEST
CON EDISON - MH 26747	RCRA-LQG, NY MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
CON EDISON - MH 17473	RCRA-LQG, NY MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
MH6205	RCRA-SQG, NY MANIFEST
NYCDOT - BIN 2233050 HARLEM RIVER	RCRA-SQG, FINDS, NY MANIFEST
TRIBORO FIBERS INC	SWF/LF, SWRCY
NYCDEP WARDS ISLAND COMPOST	SWF/LF
MH #31366	NY Spills, NY Hist Spills
HELL GATE SUBSTATION	NY Spills, NY Hist Spills
MANHOLE #23756	NY Spills
BRUCKNER SUBSTATION	NY Spills
MANHOLE 23757	NY Spills
WILLIS AVE	NY Spills, NY Hist Spills
MANHOLE 2192	NY Spills, NY Hist Spills
MANHOLE 22009	NY Spills, NY Hist Spills
MAN HOLE # 26744	NY Spills, NY Hist Spills
MANHOLE 6183	NY Spills, NY Hist Spills
BRUCKNER SUB STATION	NY Spills, NY Hist Spills
MANHOLE #MH6129	NY Spills, NY Hist Spills
MANHOLE #518	NY Spills, NY Hist Spills
MANHOLE 6432	NY Spills, NY Hist Spills
MANHOLE # 12371	NY Spills, NY Hist Spills
IFO CONSTRUCTION SITE	NY Spills
FURNITURE WAREHOUSE	NY Spills
MANHOLE 3407	NY Spills
BRUCKNER BLVD.	NY Spills, NY Hist Spills
BRUCKNER BLVD	NY Spills, NY Hist Spills
BRUCKNER BLVD	NY Spills, NY Hist Spills
BRUCKNER BLVD @ ELDER AVE	NY Spills
MANHOLE 26188	NY Spills, NY Hist Spills
NEAR ROADWAY	NY Spills
POSSIBLE MOBIL GAS	NY Spills, NY Hist Spills
BRUCKNER BLVD-LONG WOOD A	NY Spills, NY Hist Spills
COR OF BRUCKNER BLVD.	NY Spills, NY Hist Spills
MANHOLE 518	NY Spills, NY Hist Spills
MANHOLE 28613	NY Spills, NY Hist Spills
MANHOLE 6183	NY Spills, NY Hist Spills
MANHOLE 6208	NY Spills
MANHOLE 12	NY Spills, NY Hist Spills

OVERVIEW MAP - 1923959.2s



- ★ Target Property
- ▲ Toxic Sites
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites

- ▨ Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory
- State Wetlands




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Golden Lady
 ADDRESS: 611 East 133rd Street
 Bronx NY 10454
 LAT/LONG: 40.8030 / 73.9184

CLIENT: Airtek Env. Corp.
 CONTACT: Vic Ricchezza
 INQUIRY #: 1923959.2s
 DATE: May 10, 2007 12:33 pm

DETAIL MAP - 1923959.2s



- ★ Target Property
- ▲ Toxic Sites
- ▲ Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites

- ▨ Indian Reservations BIA
- ▨ County Boundary
- ▨ Power transmission lines
- ▨ Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- ▨ National Wetland Inventory
- ▨ State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

<p>SITE NAME: Golden Lady ADDRESS: 611 East 133rd Street Bronx NY 10454 LAT/LONG: 40.8030 / 73.9184</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Vic Ricchezza INQUIRY #: 1923959.2s DATE: May 10, 2007 12:33 pm</p>
---	--

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
<u>FEDERAL RECORDS</u>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.500	0	0	0	NR	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
RCRA TSD		0.500	0	0	0	NR	NR	0
RCRA Lg. Quan. Gen.		0.250	1	1	NR	NR	NR	2
RCRA Sm. Quan. Gen.		0.250	1	14	NR	NR	NR	15
ERNS	TP		NR	NR	NR	NR	NR	0
HMIRS	TP		NR	NR	NR	NR	NR	0
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
CDL	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
LUCIS		0.500	0	0	0	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
<u>STATE AND LOCAL RECORDS</u>								
HSWDS		0.500	0	0	0	NR	NR	0
State Haz. Waste		1.000	0	0	0	0	NR	0
DEL SHWS		1.000	0	0	0	0	NR	0
State Landfill		0.500	1	2	5	NR	NR	8
SWRCY		0.500	0	0	1	NR	NR	1
SWTIRE		0.500	0	0	0	NR	NR	0
LTANKS		0.250	4	9	NR	NR	NR	13
HIST LTANKS		0.250	3	9	NR	NR	NR	12
UST		0.250	5	16	NR	NR	NR	21

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
HIST UST		0.250	6	16	NR	NR	NR	22
AST		0.250	5	15	NR	NR	NR	20
CBS AST		0.250	0	1	NR	NR	NR	1
HIST AST	TP		NR	NR	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
MANIFEST		0.250	3	11	NR	NR	NR	14
NY Spills		0.125	30	NR	NR	NR	NR	30
NY Hist Spills		0.125	26	NR	NR	NR	NR	26
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
DRYCLEANERS		0.250	0	2	NR	NR	NR	2
BROWNFIELDS		0.500	0	0	0	NR	NR	0
SPDES	TP		NR	NR	NR	NR	NR	0
AIRS	TP		NR	NR	NR	NR	NR	0
CBS		0.250	0	1	NR	NR	NR	1
RES DECL		0.180	0	0	NR	NR	NR	0
MOSF		0.500	0	0	0	NR	NR	0
<u>TRIBAL RECORDS</u>								
INDIAN RESERV		1.000	0	0	0	0	NR	0
INDIAN LUST		0.500	0	0	0	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
<u>EDR PROPRIETARY RECORDS</u>								
Manufactured Gas Plants		1.000	0	0	1	3	NR	4

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

A1
 SE
 < 1/8
 29 ft.

S & J SHEET METAL SUPPLY, INC.
608 EAST 133RD STREET
BRONX, NY 10454

UST U003200563
HIST UST N/A

Site 1 of 2 in cluster A

UST:

Facility ID: 2-603096
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 1500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground/Underground Combination
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 08/01/97

UST:

Facility Id: 2-603096
 Expiration Date: 08/15/02
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: C/O S & J SUPPLY
 Mailing Title: Not reported
 Mailing Contact: STEVEN SCHWARTZ
 Mailing Address: 526 EAST 134TH STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-2853
 Mailing Email: Not reported
 Owner Title: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

S & J SHEET METAL SUPPLY, INC. (Continued)

U003200563

Owner Name: Not reported
 Owner Address: 526 EAST 134TH STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 585-2853
 Owner Company: BRUCKNER BLVD ASSOC LLC
 Emergency Contact: MIKE DRAGONE
 Emergency Phone: (718) 585-2853
 Operator: STEVEN SCHWARTZ
 Operator Phone: (718) 993-0460
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-603096
 SPDES Number: Not reported
 Emergency Contact: MIKE DRAGONE
 Emergency Telephone: (718) 585-2853
 Operator: STEVEN SCHWARTZ
 Operator Telephone: (718) 993-0460
 Owner Name: BRUCKNER BLVD ASSOC LLC
 Owner Address: 526 EAST 134TH STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 585-2853
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: C/O S & J SUPPLY
 Mailing Address: 526 EAST 134TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: STEVEN SCHWARTZ
 Mailing Telephone: (718) 585-2853
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 1500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Aboveground/Underground Combination
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 08/01/1997

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

S & J SHEET METAL SUPPLY, INC. (Continued)

U003200563

Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 08/15/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**A2
 WNW
 < 1/8
 67 ft.**

**US POSTAL SERV
 510 E 133 ST
 BRONX, NY**

**LTANKS S100145506
 HIST LTANKS N/A**

Site 2 of 2 in cluster A

LTANKS:

Site ID: 75113
 Spill Date: 07/14/89
 Facility Addr2: Not reported
 Facility ID: 8903777
 Program Number: 8903777
 SWIS: 0301
 Region of Spill: 2
 Investigator: ADMIN. CLOSED
 Referred To: Not reported
 Reported to Dept: 07/14/89
 CID: Not reported
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Tank Tester
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

US POSTAL SERV (Continued)

S100145506

Spill Closed Dt: 03/05/03
 Remediation Phase: 0
 Date Entered In Computer: 07/17/89
 Spill Record Last Update: 03/14/03
 Spille Namer: Not reported
 Spiller Company: US POSTAL SERV
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 8903777
 DER Facility ID: 70367
 Site ID: 75113
 Operable Unit ID: 931382
 Operable Unit: 01
 Material ID: 447853
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Pounds
 Recovered: 0.00
 Resource Affected: Groundwater
 Oxygenate: False
 Site ID: 75113
 Spill Tank Test: 10287
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0.00
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/01/04
 Test Method: Unknown
 DEC Remarks: Start DECRemark - 8903777 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ADMIN.CLOSED" 03/05/2003- Closed Due To The Nature / Extent Of
 The Spill Report END DECRemark - 8903777
 Remarks: Start CallerRemark - 8903777 TWO 10K TANK-SYSTEM FAILS HORNER-EZY. L R =
 0.35577GPH. WILL ISOLATE & RETEST.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES
 NOT MEET ANY CLEAN UP REQUIREMENTS. END CallerRemark - 8903777

HIST LTANKS:

Region of Spill: 2
 Spill Number: 8903777
 Investigator: BATTISTA
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

US POSTAL SERV (Continued)

S100145506

Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 07/14/1989
 Spill Time: 18:30
 Reported to Department Date: 07/14/89
 Reported to Department Time: 20:10
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extension: Not reported
 Spiller Name: SAME
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Facility Contact: Not reported
 Facility Phone: Not reported
 Facility Extension: Not reported
 Spill Cause: Tank Test Failure
 Resource Affectd: Groundwater
 Water Affected: Not reported
 Spill Source: Other Non Commercial/Industrial
 Spill Notifier: Tank Tester
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 / /
 Spill Closed Dt: / /
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 07/17/89
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 11/27/92
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: 0
 Test Method: Not reported
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Not reported
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

US POSTAL SERV (Continued)

S100145506

Spill Cause: TWO 10K TANK-SYSTEM FAILS HORNER-EZY. L R = 0.35577GPH. WILL ISOLATE RETEST.

**B3
 NW
 < 1/8
 221 ft.**

**NYCDEP-SEWAGE TREATMENT
 158 BUECKNER BLVD
 BRONX, NY**

**NY Spills S102149671
 NY Hist Spills N/A**

Site 1 of 7 in cluster B

NY Spills:

Site ID: 154762
 Facility Addr2: Not reported
 Facility ID: 9415509
 Spill Number: 9415509
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: ADZHITOM
 Referred To: Not reported
 Spill Date: 02/27/95
 Reported to Dept: 02/27/95
 CID: Not reported
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/29/04
 Remediation Phase: 0
 Date Entered In Computer: 04/20/95
 Spill Record Last Update: 04/29/04
 Spiller Name: Not reported
 Spiller Company: NYC DEP
 Spiller Address: SAME
 Spiller City,St,Zip: ZZ
 Spiller Company: 001
 Spiller Phone: (212) 860-9364
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9415509
 DER Facility ID: 131187
 Site ID: 154762
 Operable Unit ID: 1012799
 Operable Unit: 01
 Material ID: 370693
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Pounds
 Recovered: 0.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

NYCDEP-SEWAGE TREATMENT (Continued)

S102149671

Resource Affected: Sewer
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9415509 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ZHITOMIRSKY" 04/29/04: Closed by Rashid Ahmed. END DECRemark -
 9415509
 Remarks: Start CallerRemark - 9415509 OIL COMING OUT OF GRID CHAMBER. UNKNOWN AMOUNT,
 SEWAGE TREATMENT PLANT END CallerRemark - 9415509

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9415509
 Investigator: ZHITOMIRSKY
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 02/27/1995 23:20
 Reported to Dept Date/Time: 02/27/95 23:28
 SWIS: 60
 Spiller Name: NYC DEP
 Spiller Contact: Not reported
 Spiller Phone: (212) 860-9364
 Spiller Address: SAME
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: In Sewer
 Water Affected: Not reported
 Spill Source: 01
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 04/20/95
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 10/14/97
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NYCDEP-SEWAGE TREATMENT (Continued)

S102149671

Unkonwn Quantity Spilled: False
 Units: Pounds
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: OIL COMING OUT OF GRID CHAMBER. UNKNOWN AMOUNT, SEWAGE TREATMENT PLANT

**4
 ESE
 < 1/8
 254 ft.**

**MANHOLE 2913
 EAST 133RD ST/CYPRESS PL
 BRONX, NY**

**NY Spills S104509986
 NY Hist Spills N/A**

NY Spills:
 Site ID: 136528
 Facility Addr2: Not reported
 Facility ID: 9913053
 Spill Number: 9913053
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 02/16/00
 Reported to Dept: 02/16/00
 CID: 205
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/27/02
 Remediation Phase: 0
 Date Entered In Computer: 02/16/00
 Spill Record Last Update: 02/28/02
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9913053
 DER Facility ID: 116826
 Site ID: 136528
 Operable Unit ID: 1091768

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 2913 (Continued)

S104509986

Operable Unit: 01
 Material ID: 294913
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9913053 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" END DECRemark - 9913053
 Remarks: Start CallerRemark - 9913053 1PT UNK OIL ON 4X4 SECTION OF WALL. CON ED 130011.
 END CallerRemark - 9913053

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9913053
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 02/16/2000 12:25
 Reported to Dept Date/Time: 02/16/00 13:36
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 02/16/00
 Date Spill Entered In Computer Data File: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 2913 (Continued)

S104509986

Update Date: 02/16/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: 1PT UNK OIL ON 4X4 SECTION OF WALL. CON ED 130011.

5
 SSW
 < 1/8
 285 ft.

ALBEE SPECIALTIES, INC.
621 EAST 132ND STREET
BRONX, NY 10454

AST S107783828
 HIST AST N/A

AST:

Facility ID: 2-604882
 Program Type: PBS
 Tank Number: 1
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ALBEE SPECIALTIES, INC. (Continued)

S107783828

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 11/13/00

AST:

Facility Id: 2-604882
 Expiration Date: 12/05/05
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: % PHIL MENNA, ESQ
 Mailing Title: Not reported
 Mailing Contact: SAVERIO BELLO
 Mailing Address: LAW OFFICE OF JON MOLLOY
 Mailing Address 2: 303 OLD TARRYTOWN ROAD
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip Code: 10603
 Mailing Phone No: (914) 948-8490
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 621 EAST 132ND STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (201) 461-1498
 Owner Company: SEE BELL LTD PARTNERSHIP % SAVERIO BELLO
 Emergency Contact: SAVERIO BELLO % PHIL MENNA,ESQ
 Emergency Phone: (914) 948-8490
 Operator: SALBELLO (OR ELLIOT)
 Operator Phone: (718) 292-9121
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-604882
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank ID: 1
 Tank Status: 4
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: 0
 Date Tested: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ALBEE SPECIALTIES, INC. (Continued)

S107783828

Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 11/13/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: SALBELLO (OR ELLIOT)
 Facility Phone: (718) 292-9121
 Facility Addr2: Not reported
 Facility Type: MANUFACTURING
 Emergency: SAVERIO BELLO % PHIL MENNA,ESQ
 Emergency Tel: (914) 948-8490
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: SEE BELL LTD PARTNERSHIP % SAVERIO BELLO
 Owner Address: 621 EAST 132ND STREET
 Owner City,St,Zip: BRONX, NY 10454
 Federal ID: Not reported
 Owner Tel: (201) 461-1498
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: SAVERIO BELLO
 Mailing Name: % PHIL MENNA, ESQ
 Mailing Address: LAW OFFICE OF JON MOLLOY
 Mailing Address 2: 303 OLD TARRYTOWN ROAD
 Mailing City,St,Zip: WHITE PLAINS, NY 10603
 Mailing Telephone: (914) 948-8490
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Certification Flag: False
 Certification Date: Not reported
 Expiration: 12/05/2005
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

C6
SW
< 1/8
302 ft.

VAULT 1438
605 EAST 132 ST
BRONX, NY

NY Spills **S106018384**
N/A

Site 1 of 3 in cluster C

NY Spills:

Site ID: 60264
 Facility Addr2: Not reported
 Facility ID: 0306627
 Spill Number: 0306627
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 09/23/03
 Reported to Dept: 09/23/03
 CID: 16
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. No DEC Response. No corrective action required.
 Spill Closed Dt: 06/27/05
 Remediation Phase: 0
 Date Entered In Computer: 09/23/03
 Spill Record Last Update: 06/27/05
 Spiller Name: UNK
 Spiller Company: UNK
 Spiller Address: UNK
 Spiller City,St,Zip: UNK, ZZ -
 Spiller Company: 001
 Spiller Phone: (000) 000-0000
 Contact Name: RON ELLIOTT
 Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 0306627
 DER Facility ID: 58851
 Site ID: 60264
 Operable Unit ID: 875371
 Operable Unit: 01
 Material ID: 571387
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 1.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0306627 Prior to Sept, 2004 data translation this spill Lead

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

VAULT 1438 (Continued)

S106018384

DEC Field was "O'CONNELL" Sept 23- 2003 09:43 I&A Splicer A. Sepulveda 16522 reports finding 1 quart of unknown oil on 5 gallons of water in the sump of vault 1438. No smoke or fire is/was involved and no sewers, waterways or private property affected. Environmental Yellow Tag 36121 placed in structure and sample taken for PCB and Oil ID. Suspected third party source, transformer being pressure tested. There is a sump pump in the structure, it was not running when the crew arrived and it is not suspected that oil has entered the sewer. The pump has been unplugged. The presence of oil will be investigated in the trap of the sump pump when the cleanup is performed. This vault is in the driveway of a loading dock. Walter Hedeman 84455 23-SEP-2003 10:50 I&A Splicer A. Sepulveda 16522 reports transformer is not holding pressure and will be changed to a reportable spill and the cleanup will be pending transformer removal. Leak appears to be at the seam on the bottom of the transformer. Due to the downpour there is now 200 gallons of water in the structure. Walter Hedeman 84455 23-Sep-2003 19:13 Page 1 of 1 9/23/2003 Chain of Custody ID DD00520 Date Sampled 9/22/2003
 Submitter:Todd G Guion Job Site: 605-9 E 132ND ST Email To: GUIONT@coned.com EA-ChemLabReports BX-WEST-LAB RESULTS Cc To: DL - BX/WEST EH&S C.C. MCCABEJA@coned.com NOTE: The Submitter shall post and/or provide these results to all employees working with or in the vicinity of this substance. This report shall not be reproduced, except in full, without the written consent of EH&S. Test results are representative only of submitted samples. PCB Analysis by EPA 608/8082 MATRIX: OIL GRAB
 LOCATION: 605 - 9 E 13ND ST STRUCTURE: VAULT 1438 FEEDER ID: X06
 EQUIPMENT: NA 500 SERIAL #: 2260240 QC ID: 08-2003091111 TEST DESCRIPTION
 RESULT UNIT METHOD Aroclor 1242 < 1.0 ppm EPA 608/8082 Aroclor 1254 < 1.0 ppm EPA 608/8082 Aroclor 1248 < 1.0 ppm EPA 608/80 Aroclor 1260 17.6 ppm EPA 608/8082 TOTAL PCB 18 ppm 25-Sep.2003 08:00hrs This Feeder number 2X06 has been corrected on this incident as per Bx/West Planner B. Markert #48517, the correct Fdr. # is 2X03 07-Apr-2004 22:02 hrs I&A o/s Todd Guion 11930, request <50 CFS tanker to be scheduled for Saturday 4-17-04 @ 8AM (day shift). Fax to CFS. Confirm in AM with CFS schedules. 17-Apr-2004 18:00 hrs. Bx/West Environmental Flush Mechanic N. Lopez # 19018 reports that the transformer has been removed from the vault and the CFS. tanker removed 1715 gallons of liquid, the Flush truck removed 2000 Lbs. of solids. The vault was double washed and rinsed with water and 760 soap and the Environmental tag #36121 removed. Cleanup complete, The I&A are on location installing the new transformer. Cleanup crew on location N. Lopez # 19018. END
 DECRemark - 0306627

Remarks: Start CallerRemark - 0306627 spill about 1 quart not recovered pending transformer removal con edison ref #150457 END CallerRemark - 0306627

B7
 WNW
 < 1/8
 324 ft.

BRONX GRID CHAMBER
158 BRUCKNER BLVD
BRONX, NY

NY Spills S106385088
N/A

Site 2 of 7 in cluster B

NY Spills:
 Site ID: 351054
 Facility Addr2: Not reported
 Facility ID: 0505949
 Spill Number: 0505949
 Facility Type: ER
 SWIS: 2401
 Region of Spill: 2
 Investigator: SMSANGES
 Referred To: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX GRID CHAMBER (Continued)

S106385088

Spill Date: 08/14/05
 Reported to Dept: 08/14/05
 CID: 16
 Spill Cause: Equipment Failure
 Water Affected: EAST RIVER
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 08/15/05
 Remediation Phase: 0
 Date Entered In Computer: 08/15/05
 Spill Record Last Update: 08/15/05
 Spiller Name: HAROLD GRIMES
 Spiller Company: BRONX GRID CHAMBER
 Spiller Address: 158 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY
 Spiller Company: 001
 Spiller Phone: (212) 860-9364
 Contact Name: HAROLD GRIMES
 Contact Phone: (212) 860-9364
 DEC Region: 2
 Program Number: 0505949
 DER Facility ID: 298313
 Site ID: 351054
 Operable Unit ID: 1108591
 Operable Unit: 01
 Material ID: 2098533
 Material Code: 0062A
 Material Name: RAW SEWAGE
 Case No.: Not reported
 Material FA: Other
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Groundwater
 Oxygenate: False
 DEC Remarks: Not reported
 Remarks: Start CallerRemark - 0505949 SEWER BYPASS - ONGOING. END CallerRemark - 0505949
 Site ID: 138622
 Facility Addr2: Not reported
 Facility ID: 0400675
 Spill Number: 0400675
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: SMSANGES
 Referred To: Not reported
 Spill Date: 04/13/04
 Reported to Dept: 04/20/04
 CID: 16

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX GRID CHAMBER (Continued)

S106385088

Spill Cause: Human Error
 Water Affected: Not reported
 Spill Source: Major Facility > 400,000 gal
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/21/04
 Remediation Phase: 0
 Date Entered In Computer: 04/20/04
 Spill Record Last Update: 05/03/04
 Spiller Name: JIM MARROW
 Spiller Company: PICONE MCULLAH
 Spiller Address: 31 GARDEN LANE
 Spiller City,St,Zip: LAWRENCE, NY
 Spiller Company: 001
 Spiller Phone: (212) 831-7550 112
 Contact Name: JOE REDDINGTON
 Contact Phone: (212) 860-9315
 DEC Region: 2
 Program Number: 0400675
 DER Facility ID: 118523
 Site ID: 138622
 Operable Unit ID: 882775
 Operable Unit: 01
 Material ID: 491918
 Material Code: 0064A
 Material Name: UNKNOWN MATERIAL
 Case No.: Not reported
 Material FA: Other
 Quantity: 5.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Sewer
 Oxygenate: False

DEC Remarks: Start DECRemark - 0400675 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SANGESLAND" non regulated material END DECRemark - 0400675

Remarks: Start CallerRemark - 0400675 Durning renovation the contractor turned off the HVAC system, and they put a hazardous material on the floor at this location, which went into a channel which drained into a sewer. The product is called 815 Lemon disinfectant made by arrow chemical corp. The label on the product clearly states that it should not be allowed to be drained into any sewer system. END CallerRemark - 0400675

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

B8
WNW
 < 1/8
 324 ft.

158 BRUCKNER BLVD.
158 BRUCKNER BLVD.
BRONX, NY

NY Spills **S102146726**
NY Hist Spills **N/A**

Site 3 of 7 in cluster B

NY Spills:

Site ID:	131969
Facility Addr2:	Not reported
Facility ID:	9304503
Spill Number:	9304503
Facility Type:	ER
SWIS:	0301
Region of Spill:	2
Investigator:	FIFOLT
Referred To:	Not reported
Spill Date:	07/09/93
Reported to Dept:	07/09/93
CID:	16
Spill Cause:	Unknown
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	08/07/95
Cleanup Meets Std:	True
Last Inspection:	/ /
Recommended Penalty:	Penalty Not Recommended
UST Trust:	False
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt:	08/07/95
Remediation Phase:	0
Date Entered In Computer:	05/25/94
Spill Record Last Update:	08/07/95
Spiller Name:	Not reported
Spiller Company:	NYC DEP
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller Company:	001
Spiller Phone:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
DEC Region:	2
Program Number:	9304503
DER Facility ID:	113698
Site ID:	131969
Operable Unit ID:	982868
Operable Unit:	01
Material ID:	397999
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	0.00
Resource Affected:	Air
Oxygenate:	False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

158 BRUCKNER BLVD. (Continued)

S102146726

DEC Remarks: Start DECRemark - 9304503 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "FILFORT" END DECRemark - 9304503
 Remarks: Start CallerRemark - 9304503 SEWAGE BYPASS - REFER TO SPDES. END CallerRemark -
 9304503

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9304503
 Investigator: FILFORT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 07/09/1993 17:00
 Reported to Dept Date/Time: 07/09/93 08:33
 SWIS: 60
 Spiller Name: NYC DEP
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: Air
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Other
 PBS Number: Not reported
 Cleanup Ceased: 08/07/95
 Cleanup Meets Std: True
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Possible release with minimal potential for fire or hazard or Known
 release with no damage. DEC Response. Willing Responsible Party.
 Corrective action taken.
 Spill Closed Dt: 08/07/95
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 05/25/94
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 08/07/95
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

158 BRUCKNER BLVD. (Continued)

S102146726

Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: SEWAGE BYPASS - REFER TO SPDES.

**B9
 WNW
 < 1/8
 324 ft.**

**BRONX SEWAGE TREATMENT
 158 BRUCKNER BLVD
 BRONX, NY**

**LTANKS S104191616
 HIST LTANKS N/A**

Site 4 of 7 in cluster B

LTANKS:
 Site ID: 138623
 Spill Date: 08/03/99
 Facility Addr2: Not reported
 Facility ID: 9905318
 Program Number: 9905318
 SWIS: 0301
 Region of Spill: 2
 Investigator: AHMED
 Referred To: Not reported
 Reported to Dept: 08/03/99
 CID: 16
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Tank Tester
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Remediation Phase: 1
 Date Entered In Computer: 08/03/99
 Spill Record Last Update: 05/12/04
 Spille Namer: TOM AMESSE
 Spiller Company: BRONX SEWAGE TREATMENT
 Spiller Phone: (212) 860-9319
 Spiller Extention: Not reported
 Spiller Address: 158 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, ZZ
 Spiller County: 001
 Spiller Contact: TOM AMESSE
 Spiller Phone: (212) 860-9319
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9905318
 DER Facility ID: 118523
 Site ID: 138623
 Operable Unit ID: 1083911

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX SEWAGE TREATMENT (Continued)

S104191616

Operable Unit: 01
 Material ID: 301618
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: 138623
 Spill Tank Test: 22016
 Tank Number: FAIL
 Tank Size: 7500
 Test Method: 14
 Leak Rate: 0.00
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/01/04
 Test Method: VacuTest
 DEC Remarks: Not reported
 Remarks: Start CallerRemark - 9905318 WILL EXCAVATE TOP OF TANK AND RE-TEST END
 CallerRemark - 9905318

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9905318
 Investigator: ROMMEL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 08/03/1999
 Spill Time: 08:00
 Reported to Department Date: 08/03/99
 Reported to Department Time: 08:55
 SWIS: 60
 Spiller Contact: TOM AMESSE
 Spiller Phone: (212) 860-9319
 Spiller Extention: Not reported
 Spiller Name: BRONX SEWAGE TREATMENT
 Spiller Address: 158 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX
 Facility Contact: TOM AMESSE
 Facility Phone: (212) 860-9319
 Facility Extention: Not reported
 Spill Cause: Tank Test Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Other Commercial/Industrial
 Spill Notifier: Tank Tester
 PBS Number: 2-601499

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX SEWAGE TREATMENT (Continued)

S104191616

Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 08/03/99
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 08/03/99
 Is Updated: False
 PBS Number: Not reported
 Tank Number: FAIL
 Tank Size: 7500
 Test Method: Tankology [Vacutect]
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Tank Test Failures only pass or fail
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: Not reported
 Spill Cause: WILL EXCAVATE TOP OF TANK AND RE-TEST

**B10
 WNW
 < 1/8
 324 ft.**

**BRONX GRIT CHAMBER
 158 BRUCKNER BLVD
 BRONX, NY 10454**

**NY Spills U001444757
 HIST UST N/A**

Site 5 of 7 in cluster B

NY Spills:
 Site ID: 343285
 Facility Addr2: Not reported
 Facility ID: 0500342
 Spill Number: 0500342
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: MXTIPPLE
 Referred To: Not reported
 Spill Date: 04/07/05
 Reported to Dept: 04/08/05
 CID: 16
 Spill Cause: Equipment Failure
 Water Affected: EAST RIVER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRONX GRIT CHAMBER (Continued)

U001444757

Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/08/05
 Remediation Phase: 0
 Date Entered In Computer: 04/08/05
 Spill Record Last Update: 04/08/05
 Spiller Name: HAROLD GRIMES
 Spiller Company: BRONX GRIT CHAMBER
 Spiller Address: 158 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY 10019
 Spiller Company: 001
 Spiller Phone: (212) 860-9364
 Contact Name: HAROLD GRIMES
 Contact Phone: (212) 860-9364
 DEC Region: 2
 Program Number: 0500342
 DER Facility ID: 118523
 Site ID: 343285
 Operable Unit ID: 1101969
 Operable Unit: 01
 Material ID: 582204
 Material Code: 0062A
 Material Name: RAW SEWAGE
 Case No.: Not reported
 Material FA: Other
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Surface Water
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0500342 4/8/04 Tipple referred site to water unit/nfa END
 DECRemark - 0500342
 Remarks: Start CallerRemark - 0500342 Causing the plant to not pump 2 times dry weather pump END CallerRemark - 0500342

HIST UST:

PBS Number: 2-601499
 SPDES Number: Not reported
 Emergency Contact: WATCH ENGINEER
 Emergency Telephone: (212) 860-9356
 Operator: HANK BARA
 Operator Telephone: (212) 860-9356
 Owner Name: NYC DEP BUREAU OF CLEAN WATER
 Owner Address: 96-05 HORACE HARDING EXPRESSWAY
 Owner City,St,Zip: CORONA, NY 11368
 Owner Telephone: (718) 595-5050
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC DEP, BUREAU OF WASTE WATER POLLUTION CONTROL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX GRIT CHAMBER (Continued)

U001444757

Mailing Address: 96-05 HORACE HARDING EXPRESSWAY
 Mailing Address 2: Not reported
 Mailing City,St,Zip: CORONA, NY 11368
 Mailing Contact: PROJECT MANAGEMENT SECT.
 Mailing Telephone: (718) 595-4893
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 158 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19710601
 Capacity (gals): 7000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: None
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: 12/27/1987
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: UTILITY
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/06/1998
 Expiration Date: 05/28/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 7000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX GRIT CHAMBER (Continued)

U001444757

Region: 2

**B11
 WNW
 < 1/8
 324 ft.**

**NYCDEP-BWT BRONX GRIT CHAMBER
 158 BRUCKNER BLVD
 BRONX, NY 10454**

**FINDS 1001961585
 RCRA-LQG NYR000083857
 NY MANIFEST**

Site 6 of 7 in cluster B

FINDS:

Other Pertinent Environmental Activity Identified at Site

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRAInfo:

Owner: CITY OF NEW YORK DEPT OF ENVIRON PROTECT
 (212) 860-9304
 EPA ID: NYR000083857
 Contact: MARK HAIMSON
 (212) 860-9304

Classification: Large Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST:

Document ID: NYG3960207
 Manifest Status: Not reported
 Trans1 State ID: 1637984
 Trans2 State ID: Not reported
 Generator Ship Date: 05/11/2004
 Trans1 Recv Date: 05/11/2004
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/18/2004
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: NJD054126164
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00750
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00150
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	04
Facility Type:	Generator
EPA ID:	NYR000083857
Facility Name:	NYCDEP BRONX GRIT CHAMBER
Facility Address:	158 BRUCKNER BLVD
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	NYCDEP BRONX GRIT CHAMBER
Mailing Contact:	SHANNON CHEN
Mailing Address:	158 BRUCKNER BLVD
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-831-7550
Document ID:	NYG4438584
Manifest Status:	Not reported
Trans1 State ID:	NJD054126164
Trans2 State ID:	Not reported
Generator Ship Date:	02/06/2006
Trans1 Recv Date:	02/06/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/15/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000083857
Trans1 EPA ID:	1637983ME
Trans2 EPA ID:	Not reported
TSD ID:	NYD049836679
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00035
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	06
Facility Type:	Generator
EPA ID:	NYR000083857
Facility Name:	NYCDEP BRONX GRIT CHAMBER
Facility Address:	158 BRUCKNER BLVD
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

County:	BRONX
Mailing Name:	NYCDEP BRONX GRIT CHAMBER
Mailing Contact:	SHANNON CHEN
Mailing Address:	158 BRUCKNER BLVD
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-831-7550
Document ID:	NYG5259483
Manifest Status:	Not reported
Trans1 State ID:	1645199ME
Trans2 State ID:	Not reported
Generator Ship Date:	12/22/2004
Trans1 Recv Date:	12/22/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/04/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000083857
Trans1 EPA ID:	NJD054126164
Trans2 EPA ID:	Not reported
TSDF ID:	NYD049836
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00120
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	04
Facility Type:	Generator
EPA ID:	NYR000083857
Facility Name:	NYCDEP BRONX GRIT CHAMBER
Facility Address:	158 BRUCKNER BLVD
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	NYCDEP BRONX GRIT CHAMBER
Mailing Contact:	SHANNON CHEN
Mailing Address:	158 BRUCKNER BLVD
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-831-7550
Document ID:	NYG5260275
Manifest Status:	Not reported
Trans1 State ID:	1638069ME
Trans2 State ID:	Not reported
Generator Ship Date:	09/17/2004
Trans1 Recv Date:	09/17/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/21/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000083857
Trans1 EPA ID:	NJD054126164
Trans2 EPA ID:	Not reported
TSD ID:	NYD049836
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00030
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00030
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	04
Facility Type:	Generator
EPA ID:	NYR000083857
Facility Name:	NYCDEP BRONX GRIT CHAMBER
Facility Address:	158 BRUCKNER BLVD
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	NYCDEP BRONX GRIT CHAMBER
Mailing Contact:	SHANNON CHEN
Mailing Address:	158 BRUCKNER BLVD
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-831-7550
Document ID:	NYG4438584
Manifest Status:	Not reported
Trans1 State ID:	NJD054126164
Trans2 State ID:	Not reported
Generator Ship Date:	02/06/2006
Trans1 Recv Date:	02/06/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/15/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000083857
Trans1 EPA ID:	1637983ME
Trans2 EPA ID:	Not reported
TSD ID:	NYD049836679
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00035

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG4441392
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 06/19/2006
 Trans1 Recv Date: 06/19/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/23/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1638070ME
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG4441455
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 06/19/2006
 Trans1 Recv Date: 06/19/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/23/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1638070ME
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00080
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 00.06
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG4857894
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 08/29/2005
 Trans1 Recv Date: 08/29/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/07/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1637856ME
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00030
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG4854348
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 07/29/2005
 Trans1 Recv Date: 07/29/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/11/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1608070ME
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00030
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG4854672
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 03/08/2005
 Trans1 Recv Date: 03/08/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/14/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1637984ME
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00050
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: Not reported
 Year: Not reported
 Facility Type: Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG4855887
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 06/14/2005
 Trans1 Recv Date: 06/14/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1637984ME
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00050
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Document ID: NYG4438584
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 02/06/2006
 Trans1 Recv Date: 02/06/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/15/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: 1637983ME
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00035
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG2887668
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 06/06/2003
 Trans1 Recv Date: 06/06/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/11/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSD ID: 0440464ME
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 06555
 Units: P - Pounds

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Number of Containers: 023
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00375
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG2887722
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 05/27/2003
 Trans1 Recv Date: 05/27/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/02/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSDF ID: 0440465ME
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 07425
 Units: P - Pounds
 Number of Containers: 027
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 012
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG2772963
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 05/05/2003
 Trans1 Recv Date: 05/05/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/13/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSDF ID: 0440465ME
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00225
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 05775
 Units: P - Pounds
 Number of Containers: 021
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00250
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

Document ID: NYG2772972
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 05/05/2003
 Trans1 Recv Date: 05/05/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/13/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSD ID: 0440465ME
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYCDEP-BWT BRONX GRIT CHAMBER (Continued)

1001961585

Document ID: NYG3961755
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 09/24/2003
 Trans1 Recv Date: 09/24/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/06/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000083857
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSD ID: S2265
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00050
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00040
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000083857
 Facility Name: NYCDEP BRONX GRIT CHAMBER
 Facility Address: 158 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYCDEP BRONX GRIT CHAMBER
 Mailing Contact: SHANNON CHEN
 Mailing Address: 158 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-831-7550

B12
 WNW
 < 1/8
 324 ft.

158 BRUCKNER BLVD
 BRONX, NY

NY Spills S106383358
 N/A

Site 7 of 7 in cluster B

NY Spills:
 Site ID: 138621
 Facility Addr2: Not reported
 Facility ID: 0313238
 Spill Number: 0313238

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

(Continued)

S106383358

Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: AHMED
 Referred To: Not reported
 Spill Date: 03/02/04
 Reported to Dept: 03/02/04
 CID: 16
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Non Major Facility > 1,100 gal
 Spill Notifier: Other
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Remediation Phase: 1
 Date Entered In Computer: 03/02/04
 Spill Record Last Update: 06/01/04
 Spiller Name: ANDREW PECORARO
 Spiller Company: Not reported
 Spiller Address: 158 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY
 Spiller Company: 001
 Spiller Phone: (718) 595-6239
 Contact Name: ANDREW PECORARO
 Contact Phone: (718) 595-6239
 DEC Region: 2
 Program Number: 0313238
 DER Facility ID: 118523
 Site ID: 138621
 Operable Unit ID: 878479
 Operable Unit: 01
 Material ID: 498396
 Material Code: 0008
 Material Name: Diesel
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Pounds
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Not reported
 Remarks: Start CallerRemark - 0313238 they discovered oil in one of the borings around
 the tank. clean up has not started yet. they are waiting for the test results
 of the soil. END CallerRemark - 0313238

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

D13 **MH 5969**
South **OPP 615 EAST 132 ST**
< 1/8 **BRONX, NY**
342 ft.

NY Spills **S103828985**
NY Hist Spills **N/A**

Site 1 of 2 in cluster D

NY Spills:

Site ID: 187330
 Facility Addr2: Not reported
 Facility ID: 9814819
 Spill Number: 9814819
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 03/13/99
 Reported to Dept: 03/13/99
 CID: 270
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/31/99
 Remediation Phase: 0
 Date Entered In Computer: 03/13/99
 Spill Record Last Update: 06/20/00
 Spiller Name: UNKNOWN
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ***UPDATE***, NY
 Spiller Company: 001
 Spiller Phone: Not reported
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9814819
 DER Facility ID: 156511
 Site ID: 187330
 Operable Unit ID: 1072402
 Operable Unit: 01
 Material ID: 311490
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9814819 Prior to Sept, 2004 data translation this spill Lead

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH 5969 (Continued)

S103828985

Remarks: DEC Field was "ENGELHARDT" DEC Inspector Notes: 3/30/99: 16:34 emailed erts for e2mis reports. Con ed e2mis notes: Approx 1 gal of oil and 300 gals of water was present. EPA ID # has been requested. Cleanup completed tag pulled. AROCLOR 1242: 1PPM AROCLOR 1254: 12.08PPM AROCLOR 1260: 1PPM
 END DECRemark - 9814819
 Start CallerRemark - 9814819 1 gal unkl oil on 300 gal water con ed 123605 samples will be taken END CallerRemark - 9814819

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9814819
 Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 03/13/1999 11:10
 Reported to Dept Date/Time: 03/13/99 12:42
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: UNKNOWN
 Spiller Phone: Not reported
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/31/99
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 03/13/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 06/20/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH 5969 (Continued)

S103828985

Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: DEC Inspector Notes: 3/30/99: 16:34 emailed erts for e2mis reports. Con
 ed e2mis notes: Approx 1 gal of oil and 300 gals of water was present. EPA
 ID has been requested. Cleanup completed tag pulled. AROCLOR 1242: 1PPM
 AROCLOR 1254:12.08PPM AROCLOR 1260: 1PPM
 Remark: 1 gal unk oil on 300 gal water con ed 123605 samples will be taken

C14
 WSW
 < 1/8
 351 ft.

**HIRD BLAKER INC
 620 E 132ND ST
 BRONX, NY 10454**

**RCRA-SQG 1004761802
 FINDS NYR000090555
 NY MANIFEST**

Site 2 of 3 in cluster C

RCRAInfo:
 Owner: HIRD BLAKER INC
 (718) 665-3434
 EPA ID: NYR000090555
 Contact: RABINDRA RAMCHARAN
 (718) 665-3434
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

NY MANIFEST:

Document ID: NYG3163815
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 11/16/2001
 Trans1 Recv Date: 11/16/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/19/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: NYPD1010
 Waste Code: F003 - UNKNOWN
 Quantity: 00220
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 01
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG5373792
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 01/09/2006
 Trans1 Recv Date: 01/09/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/11/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NY52171JT
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 02000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG5373297
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 03/31/2006
 Trans1 Recv Date: 03/31/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/03/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: 56703PANY
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG3329694
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 04/26/2002
 Trans1 Recv Date: 04/26/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/29/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: NYPD1010
 Waste Code: F003 - UNKNOWN
 Quantity: 00600
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 02
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG5373297
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 03/31/2006
 Trans1 Recv Date: 03/31/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/03/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Generator EPA ID: NYR000090555
 Trans1 EPA ID: 56703PANY
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG4786353
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 08/18/2006
 Trans1 Recv Date: 08/18/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/21/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: 52559JTNV
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01050
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG5373792
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 01/09/2006
 Trans1 Recv Date: 01/09/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/11/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NY52171JT
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 02000
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG4788873
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Generator Ship Date: 06/09/2006
 Trans1 Recv Date: 06/09/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/12/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: 52559JTNY
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 01180
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG3495015
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 10/11/2002
 Trans1 Recv Date: 10/11/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/14/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: 40575PANY
 Waste Code: F003 - UNKNOWN
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Year: 02
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG5371497
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 10/07/2005
 Trans1 Recv Date: 10/07/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/17/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NY52171JT
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 01400
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Mailing Phone: 718-665-3434

Document ID: NYG5373297
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 03/31/2006
 Trans1 Recv Date: 03/31/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/03/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: 56703PANY
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG5373792
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 01/09/2006
 Trans1 Recv Date: 01/09/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/11/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NY52171JT
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Quantity: 02000
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 06
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG2901168
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 04/10/2001
 Trans1 Recv Date: 04/10/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/16/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: PD1011NY
 Waste Code: F003 - UNKNOWN
 Quantity: 00600
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 01
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG2932425
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 07/09/2001
 Trans1 Recv Date: 07/09/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/09/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: PD1011NY
 Waste Code: F003 - UNKNOWN
 Quantity: 00300
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 01
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG2892168
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 04/09/2003
 Trans1 Recv Date: 04/09/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/10/2003
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 40579PANY
 Waste Code: F003 - UNKNOWN
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG3940263
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 11/03/2003
 Trans1 Recv Date: 11/03/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/04/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: MA43218
 Waste Code: F003 - UNKNOWN
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG1813518
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 10/30/2000
 Trans1 Recv Date: 10/30/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/31/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: PD1011NY
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 00
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

Document ID: NYG1875816
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HIRD BLAKER INC (Continued)

1004761802

Trans2 State ID: Not reported
 Generator Ship Date: 12/21/2000
 Trans1 Recv Date: 12/21/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/22/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000090555
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: PD1011NY
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 00
 Facility Type: Generator
 EPA ID: NYR000090555
 Facility Name: HIRD BLAKER
 Facility Address: 620 E 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: HIRD BLAKER
 Mailing Contact: DAVID PRENDERGAST
 Mailing Address: 620 E 132ND ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10499
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-665-3434

C15
 WSW
 < 1/8
 351 ft.

**MANHOLE 5969
 620 E 132ND ST
 BRONX, NY**

**NY Spills S103829271
 NY Hist Spills N/A**

Site 3 of 3 in cluster C

NY Spills:
 Site ID: 77738
 Facility Addr2: Not reported
 Facility ID: 9815137
 Spill Number: 9815137
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 03/22/99
 Reported to Dept: 03/22/99
 CID: 16
 Spill Cause: Unknown
 Water Affected: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5969 (Continued)

S103829271

Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)
 Spill Closed Dt: 03/31/99
 Remediation Phase: 0
 Date Entered In Computer: 03/22/99
 Spill Record Last Update: 06/19/00
 Spiller Name: UNK
 Spiller Company: UNK
 Spiller Address: UNK
 Spiller City,St,Zip: UNK, ZZ
 Spiller Company: 001
 Spiller Phone: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9815137
 DER Facility ID: 72462
 Site ID: 77738
 Operable Unit ID: 1076158
 Operable Unit: 01
 Material ID: 308258
 Material Code: 0064A
 Material Name: UNKNOWN MATERIAL
 Case No.: Not reported
 Material FA: Other
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9815137 Prior to Sept, 2004 data translation this spill Lead DEC Field was "O'CONNELL" CON ED E2MIS NOTES 1 gal. of an unknown substance was found in MH 5969. The MH contains about 500 gals of water. A sewer connection is not visible at this time but based on the Conduit plate 3-dl which shows no sewer connection it is assumed there is no impact to the water ways and sewers. Tag # 24551 has been placed and 1 sample taken with a 1 day turnaround. Substance is on the wall and cable, looks like packing grease. Oil Aroclor 1254 31.ppm Tag pulled, job complete END DECRemark - 9815137
 Remarks: Start CallerRemark - 9815137 5 Oz unk brown sticky thick oozing material - appears to be packing grease sample taken and clean up pending lab results END CallerRemark - 9815137

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9815137
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE 5969 (Continued)

S103829271

Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 03/22/1999 12:15
 Reported to Dept Date/Time: 03/22/99 14:04
 SWIS: 60
 Spiller Name: UNK
 Spiller Contact: UNK
 Spiller Phone: () -
 Spiller Address: UNK
 Spiller City,St,Zip: UNK
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Unable/unwilling Responsible Party. Corrective action taken. (ISR)
 Spill Closed Dt: 03/31/99
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 03/22/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 06/19/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Raw Sewage
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN MATERIAL
 Class Type: UNKNOWN MATERIAL
 Times Material Entry In File: 9140
 CAS Number: Not reported
 Last Date: 19941109
 DEC Remarks: CON ED E2MIS NOTES 1 gal. of an unknown substance was found in MH 5969.
 The MH contains about 500 gals of water. A sewer connection is not visible at
 this time but based on he Conduit plate 3-dl which shows no sewer connection it
 is assumed ther is no impact to the water ways and sewers. Tag 24551 has been
 placed and 1 sample taken with a 1 day turnaround. Substance is on the wall
 and cable, looks like packing grease. Oil Aroclor 1254 31.ppm Tag puled,
 job complete

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MANHOLE 5969 (Continued)

S103829271

Remark: 5 0 unk brown sticky thick oo ing material - appears to by packing grease
 sample taken and clean up pending lab results

E16
 WNW
 < 1/8
 381 ft.

**O'BRIEN SANITATION CORP
 155 BRUCKNER BLVD
 BRONX, NY 10454**

**SWF/LF U000414051
 UST N/A
 HIST UST**

Site 1 of 9 in cluster E

SWF/LF:

Flag: INACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 2129933838
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: CHARLES MARTINO
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Transfer station - regulated
 Activity Number: 03T50
 Active: No
 East Coordinate: 591100
 North Coordinate: 4517600
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Waste Type: Not reported
 Authorization #: 2-6007-00098
 Authorization Date: Not reported
 Expiration Date: Not reported

UST:

Facility ID: 2-600668
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 1500
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

O'BRIEN SANITATION CORP (Continued)

U000414051

Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Diking (Aboveground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Vent Whistle
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Unknown
 Date Tested: / /
 Next Test Date: 12/27/87
 Date Tank Closed: / /

UST:

Facility Id: 2-600668
 Expiration Date: 02/26/97
 Renewal Date: / /
 Total Capacity: 1500
 Facility Type: Not reported
 Mailing Company: O'BRIEN SANITATION CORP
 Mailing Title: Not reported
 Mailing Contact: SAM MARTINO
 Mailing Address: 25 HEMLOCK STREET
 Mailing Address 2: Not reported
 Mailing City: FLORAL PARK
 Mailing State: NY
 Mailing Zip Code: 11001
 Mailing Phone No: (212) 993-3838
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 155 BRUCKNER BLVD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (212) 993-3838
 Owner Company: O'BRIEN SANITATION CORP
 Emergency Contact: SAM MARTINO
 Emergency Phone: (516) 352-1418
 Operator: O'BRIEN SANITATION CORP
 Operator Phone: (212) 993-3838
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-600668
 SPDES Number: Not reported
 Emergency Contact: SAM MARTINO
 Emergency Telephone: (516) 352-1418
 Operator: O'BRIEN SANITATION CORP
 Operator Telephone: (212) 993-3838

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

O'BRIEN SANITATION CORP (Continued)

U000414051

Owner Name: O'BRIEN SANITATION CORP
 Owner Address: 155 BRUCKNER BLVD
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (212) 993-3838
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: O'BRIEN SANITATION CORP
 Mailing Address: 25 HEMLOCK STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FLORAL PARK, NY 11001
 Mailing Contact: SAM MARTINO
 Mailing Telephone: (212) 993-3838
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 155 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 1500
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: 8
 Leak Detection: None
 Overfill Prot: Product Level Gauge, Vent Whistle
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: 12/27/1987
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/26/1992
 Expiration Date: 02/26/1997
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

O'BRIEN SANITATION CORP (Continued)

U000414051

Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**D17
 SSE
 < 1/8
 404 ft.**

**MANHOLE # 5969
 IFO 621 E 132ND ST
 BRONX, NY**

**NY Spills S104195055
 NY Hist Spills N/A**

Site 2 of 2 in cluster D

NY Spills:
 Site ID: 60291
 Facility Addr2: Not reported
 Facility ID: 9907130
 Spill Number: 9907130
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 09/14/99
 Reported to Dept: 09/14/99
 CID: 390
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 06/18/03
 Remediation Phase: 0
 Date Entered In Computer: 09/14/99
 Spill Record Last Update: 06/18/03
 Spiller Name: MARK SCHLAGEL
 Spiller Company: CON ED
 Spiller Address: 4 IRVING PL
 Spiller City,St,Zip: MANHATTAN, NY 10003
 Spiller Company: 001
 Spiller Phone: (212) 580-6763
 Contact Name: MARK SCHLAGEL
 Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 9907130
 DER Facility ID: 58876
 Site ID: 60291
 Operable Unit ID: 1085558
 Operable Unit: 01
 Material ID: 299829

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE # 5969 (Continued)

S104195055

Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9907130 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" E2MIS 127818 SEPT. 14, 1999 SUPV. C. D'ALISERA
 REPORTS THAT V. MILLER DISCOVER APPROX. 1PT. OF DIELECTRIC FLUID THAT LEAKED
 FROM A JOINT ONFEEDER 3M53. NO WATER WAS FOUND. NO SEWERS OR WATERWAYS WAS
 AFFECTED. THE JOINT WAS WRAP WITH PADS AND PLASTIC BAG TO CONTAIN THE LEAK. A
 SAMPLE WAS TAKEN AND TAG NUMBER 24527 WAS PLACED. CLEAN UP PENDING SAMPLE
 RESULTS. CIG NOTIFIED AT 20:43. S.DIXON 09/15/99 0346 HRS TEST RESULTS
 AROCLOR NONE < 1.00 PPM WILL NOT TAKE ON MATERIAL HISTORY JS J AMATO SUPV ASSG
 TO CLEANUP...COMPLETED 1023 HRS..TAG PULLED..1 5 GAL DRUM SOLID WASTE
 GENERATED..EPA# NYP-004-043-170 FOR DRUM PICK UP. SCHMID58060 10-DEC-2002
 22:58 Blown Joint cut out and replaced 9/15/1999 as per Live Hold Off records.
 END DECRemark - 9907130
 Remarks: Start CallerRemark - 9907130 SAMPLE TAKEN CLEAN UP PENDING RESULTS - NOT ON ANY
 WATER CON ED #127818 END CallerRemark - 9907130

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9907130
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/14/1999 19:30
 Reported to Dept Date/Time: 09/14/99 20:52
 SWIS: 60
 Spiller Name: CON ED
 Spiller Contact: MARK SCHLAGEL
 Spiller Phone: (212) 580-6763
 Spiller Contact: MARK SCHLAGEL
 Spiller Phone: (212) 580-6763
 Spiller Address: 4 IRVING PL
 Spiller City,St,Zip: MANHATTAN, NY 10003-
 Spill Cause: Equipment Failure
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 01
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE # 5969 (Continued)

S104195055

UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 09/14/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 09/15/99
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unknown Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unknown Quantity Recovered: False
 Material: DIELECTRIC FLUID
 Class Type: DIELECTRIC FLUID
 Times Material Entry In File: 41
 CAS Number: Not reported
 Last Date: Not reported
 DEC Remarks: Not reported
 Remark: SAMPLE TAKEN CLEAN UP PENDING RESULTS - NOT ON ANY WATER CON ED 127818

E18
 WNW
 < 1/8
 432 ft.

**MERIT GAS STATION
 BRUCKNER BLVD / ST ANNS
 BRONX, NY**

**NY Spills S102238615
 NY Hist Spills N/A**

Site 2 of 9 in cluster E

NY Spills:
 Site ID: 232425
 Facility Addr2: Not reported
 Facility ID: 9512219
 Spill Number: 9512219
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: MMMULQUE
 Referred To: Not reported
 Spill Date: 12/29/95
 Reported to Dept: 12/29/95
 CID: 357
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Citizen
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT GAS STATION (Continued)

S102238615

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/29/95

Remediation Phase: 0

Date Entered In Computer: 12/29/95

Spill Record Last Update: 02/01/96

Spiller Name: NONE

Spiller Company: MERIT GAS STATION

Spiller Address: BRUCKNER BLVD / ST ANNS

Spiller City,St,Zip: BRONX, ZZ

Spiller Company: 001

Spiller Phone: Not reported

Contact Name: NONE

Contact Phone: Not reported

DEC Region: 2

Program Number: 9512219

DER Facility ID: 191549

Site ID: 232425

Operable Unit ID: 1023163

Operable Unit: 01

Material ID: 359536

Material Code: 0009

Material Name: Gasoline

Case No.: Not reported

Material FA: Petroleum

Quantity: 10.00

Units: Gallons

Recovered: 0.00

Resource Affected: Soil

Oxygenate: False

DEC Remarks: Start DECRemark - 9512219 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "MULQUEEN" CALLED MERIT -STATION SMALL SPILL CAUSED BY FILTER
 CHANGE ON PUMP. GASOLINE PICKED UP WITH SPEEDY DRY. END DECRemark - 9512219

Remarks: Start CallerRemark - 9512219 anonamous caller reported gasoline spilled in lot
 of gas station END CallerRemark - 9512219

NY Hist Spills:

Region of Spill: 2

Spill Number: 9512219

Investigator: MULQUEEN

Caller Name: Not reported

Caller Agency: Not reported

Caller Phone: Not reported

Notifier Name: Not reported

Notifier Agency: Not reported

Notifier Phone: Not reported

Spill Date/Time: 12/29/1995 11:50

Reported to Dept Date/Time: 12/29/95 12:05

SWIS: 60

Spiller Name: MERIT GAS STATION

Spiller Contact: NONE

Spiller Phone: Not reported

Spiller Contact: NONE

Spiller Address: BRUCKNER BLVD / ST ANNS

Spiller City,St,Zip: BRONX

Spill Cause: Unknown

Reported to Dept: On Land

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MERIT GAS STATION (Continued)

S102238615

Water Affected: Not reported
 Spill Source: 05
 Spill Notifier: Citizen
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/29/95
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 12/29/95
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 02/01/96
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 10
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: GASOLINE
 Class Type: GASOLINE
 Times Material Entry In File: 21329
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: CALLED MERIT -STATION SMALL SPILL CAUSED BY FILTER CHANGE ON PUMP. GASOLINE
 PICKED UP WITH SPEEDY DRY.
 Remark: anonamous caller reported gasoline spilled in lot of gas station

E19
 WNW
 < 1/8
 435 ft.

MANHOLE #2644
150 BRUCKNER BLVD
BRONX, NY

LTANKS S104651561
NY Spills N/A
NY Hist Spills

Site 3 of 9 in cluster E

LTANKS:
 Site ID: 69630
 Spill Date: 03/18/02
 Facility Addr2: Not reported
 Facility ID: 0112160
 Program Number: 0112160
 SWIS: 0301
 Region of Spill: 2
 Investigator: SMSANGES
 Referred To: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #2644 (Continued)

S104651561

Reported to Dept: 03/26/02
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/21/03
 Remediation Phase: 0
 Date Entered In Computer: 03/26/02
 Spill Record Last Update: 03/21/03
 Spiller Namer: HOWARD KAHN
 Spiller Company: AMERICAN BUILDING SUPPLY
 Spiller Phone: (718) 401-1200
 Spiller Extention: Not reported
 Spiller Address: 150 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY 10454-
 Spiller County: 001
 Spiller Contact: HOWARD KAHN
 Spiller Phone: (718) 401-1200
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 0112160
 DER Facility ID: 66186
 Site ID: 69630
 Operable Unit ID: 849112
 Operable Unit: 01
 Material ID: 526173
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 0112160 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "SANGESLAND" 3/26/2002-Spill was reported to the DEC for the
 first time today. Mr. Howard Kahn (718-401-1200 or 212-876-1100) is in the
 process of buyingthis building in the Bronx through the IDA (State -

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #2644 (Continued)

S104651561

City/private financial support company) In Dec 2001, PW Grosser did a Phase II inspection of the property including soil borings and water samples. A report was prepared and forwarded to the property owner, purchaser etc. Petroleum contamination was found, but no report was ever made to the DEC. At some point between Dec 2001 and March 2002, Kevin O'Connor at Action Environmental (516-781-3000 ext 2421) prepared a "Remediation Proposal" which outlines how the environmental issues can be closed out. As of 3/26/2002 no documents of any sort have been submitted to the DEC for review. Due to a "Closing Deadline" of 3/28/02, Sangesland has scheduled a meeting at DEC office for 10:30 AM on 3/27/02. Representatives of IDA, the purchaser and Action Environmental will present the results of the Phase II report (prepared by PW Grosser), the Remediation Plan and will discuss the options and expected scope of work required to close the spill out. DEC is looking for:

- 1) DELINEATION of the site. - No scope of remediation work can be defined until the size of the problem is determined. Since the site is listed as 6- 550 gal gasoline UST's, the DEC will look at this site in scope as an old gasoline service station. A major portion of the scope of work depends on the ground water. Depending upon GW depth and tested quality.
- 2) REMEDIATION of the site. - Once the site is properly delineated and a reasonable understanding is presented of the size of the problem, a proper Remediation Plan can be presented (Depending on the work done to date, there MAY be enough information to move on to this step).
- 3) Based on the information discussed today, it sounds like the 6 UST's will be pulled, any visually contaminated soil in the area will be removed and end point samples taken. If there is concern about leaving the holes open, or redigging the site, it may pay to over dig the excavation to begin with.
- 4) Any impacts to ground water will need to be addressed in some way. Depending on the degree of problem, either a pump & treat system, a biological or some other "Active" system could be required.

5/6/2002 Kevin O'Connor called to say the 4 tanks near the front garage door area are being removed today. The bottom slab of the tank vault appears clean and will be left in place. The contaminated soil around this location will be removed later this week. Mr. O'Connor stated that they will finish up with this location, and restore it for use before they start work on the two other locations on the property. 6/6/2002 Sangesland spoke to Kevin O'Connor concerning some of the initial test results. Lab results dated May 30, 2002 from Long Island Analytical Laboratories, Inc. show a couple of minor exceedences of SVOC's from the end point samples taken in the South Excavation. Sangesland reviewed these levels. Because of building structural problems (no access) Sangesland gave approval to backfill and cap the area and move on with the job. Kevin O'Connor said he would include all details from all excavations on the site in his final report. 8/15/2002 - Floor drain area in center of building was dug out. 40 yds of soil was disposed - endpoints were clean. Sangesland forwarded a copy of "Spill Closure Report" outline. Mr. O'Connor said he would be finishing up the job and sending in a final report soon. 12/24/2002 - Zhao spoke with Brian Davis, American Building Supplies. Based on the review of the closure report dated 12/4/02 and previous site assessment in Dec 2001, the DEC can not closed out the spill under the current condition.

- 1) The boring logs and all sample results from 2001 were missing from current report.
- 2) A minimum of two groundwater samples required at southwest area which have not been performed (the methods could be using geoprobe or monitoring wells).
- 3) If contamination of groundwater has been addressed in 2001 site assessment report, a minimum of three monitoring well required for remediation.

3/21/2003 Sangesland reviewed a submittal from P.W. Grosser which showed some minor groundwater exceedences. Enough work has been done on this site to justify closure. Spill Closed. END DEC Remark - 0112160 Start Caller Remark - 0112160 CALLER STATES THAT THERE ARE 6 SMALL UNDERGROUND GASOLINE TANKS THAT HAVE LEAKED INTO THE GROUND - ARE GOING TO REMOVE THE TANKS

Remarks:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MANHOLE #2644 (Continued)

S104651561

AND REMEDIATE THE SOIL - BREAKUP SURFACE CONTRETE AND BACK FILL AND SPILL IS
 NEAR DRAIN LINE END CallerRemark - 0112160

NY Spills:

Site ID: 69628
 Facility Addr2: Not reported
 Facility ID: 0000158
 Spill Number: 0000158
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 04/04/00
 Reported to Dept: 04/04/00
 CID: 16
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 05/12/00
 Remediation Phase: 0
 Date Entered In Computer: 04/04/00
 Spill Record Last Update: 05/22/00
 Spiller Name: UNK
 Spiller Company: UNK
 Spiller Address: UNK
 Spiller City,St,Zip: UNK, ZZ
 Spiller Company: 001
 Spiller Phone: (000) 000-0000
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 0000158
 DER Facility ID: 66186
 Site ID: 69628
 Operable Unit ID: 821884
 Operable Unit: 01
 Material ID: 288422
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 100.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False

DEC Remarks: Start DECRemark - 0000158 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" CON ED E2 MIS REPORT 4/05/00 100 gals. of oil in

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE #2644 (Continued)

S104651561

vault #2644 and 100 gals. of oil in vault #2422, vault side by side in front of Bruckner Blvd. Vault#2130 also at same location is dry. Conduit plate #3-D-2 shows sewer connection. Mr. Jakubowski was able to pull feed to sump. Took sample...ERT Mike Kessler on location and DEP rep on location. EPA ID# NYP 004052767 DEC INSPECTOR NOTES Apparently one transformer,two interconnected vaults. Had to wait for deenergization to cleanup. Total capacity of transformer is 285gals. 200gals. pumped out of vault, assumed 85 went down sewer, open sewer top found oil residue. Final cleanup done 5/09/00 END
 DECRemark - 0000158

Remarks: Start CallerRemark - 0000158 100 GLS OF UNK OIL - CLEAN UP WILL BEGIN AS 50 TO 490 PPM CON ED #130747 END CallerRemark - 0000158

NY Hist Spills:

Region of Spill: 2
 Spill Number: 0000158
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 04/04/2000 22:00
 Reported to Dept Date/Time: 04/04/00 23:17
 SWIS: 60
 Spiller Name: UNK
 Spiller Contact: UNK
 Spiller Phone: (000) 000-0000
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: UNK
 Spiller City,St,Zip: UNK
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 05/12/00
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 04/04/00
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 05/22/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #2644 (Continued)

S104651561

Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 100
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: CON ED E2 MIS REPORT 4/05/00 100 gals. of oil in vault 2644 and 100 gals. of oil in vault 2422, vault side by side in front of Bruckner Blvd. Vault 2130 also at same location is dry. Conduit plate 3-D-2 shows sewer connection. Mr. Jakubowski was able to pull feed to sump. Took sample...ERT Mike Kessler on location and DEP rep on location. EPA ID NYP 004052767 DEC INSPECTOR NOTES Apparently one transformer, two interconnected vaults. Had to wait for deenergization to cleanup. Total capacity of transformer is 285gals. 200gals. pumped out of vault, assumed 85 went down sewer, open sewer top found oil residue. Final cleanup done 5/09/00
 Remark: 100 GLS OF UNK OIL - CLEAN UP WILL BEGIN AS 50 TO 490 PPM CON ED 130747

E20
 WNW
 < 1/8
 435 ft.

**AMERICAN BUILDING SUPPLY CORP.
 150 BRUCKNER BLVD.
 BRONX, NY 10454**

UST U004045952
 N/A

Site 4 of 9 in cluster E

UST:
 Facility ID: 2-607822
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-607822
 Expiration Date: 06/07/07
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: AMERICAN BUILDING SUPPLY CORP.
 Mailing Title: Not reported
 Mailing Contact: HOWARD KAHN
 Mailing Address: 150 BRUCKNER BLVD.
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 401-1200
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 150 BRUCKNER BLVD.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1200
 Owner Company: DRK LLC
 Emergency Contact: ROBERT RISH
 Emergency Phone: (718) 401-1200
 Operator: ROBERT RISH
 Operator Phone: (718) 401-1200
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-607822
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-607822
 Expiration Date: 06/07/07
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: AMERICAN BUILDING SUPPLY CORP.
 Mailing Title: Not reported
 Mailing Contact: HOWARD KAHN
 Mailing Address: 150 BRUCKNER BLVD.
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 401-1200
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 150 BRUCKNER BLVD.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1200
 Owner Company: DRK LLC
 Emergency Contact: ROBERT RISH
 Emergency Phone: (718) 401-1200
 Operator: ROBERT RISH
 Operator Phone: (718) 401-1200
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-607822
 Program Type: PBS
 Tank Number: 006
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-607822
 Expiration Date: 06/07/07
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: AMERICAN BUILDING SUPPLY CORP.
 Mailing Title: Not reported
 Mailing Contact: HOWARD KAHN
 Mailing Address: 150 BRUCKNER BLVD.
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 401-1200
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 150 BRUCKNER BLVD.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1200
 Owner Company: DRK LLC
 Emergency Contact: ROBERT RISH
 Emergency Phone: (718) 401-1200
 Operator: ROBERT RISH
 Operator Phone: (718) 401-1200
 Owner City: BRONX

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Owner Sub Type: Corporate or Commercial

Facility ID: 2-607822
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-607822
 Expiration Date: 06/07/07
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: AMERICAN BUILDING SUPPLY CORP.
 Mailing Title: Not reported
 Mailing Contact: HOWARD KAHN
 Mailing Address: 150 BRUCKNER BLVD.
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 401-1200
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 150 BRUCKNER BLVD.
 Owner Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1200
 Owner Company: DRK LLC
 Emergency Contact: ROBERT RISH
 Emergency Phone: (718) 401-1200
 Operator: ROBERT RISH
 Operator Phone: (718) 401-1200
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-607822
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-607822
 Expiration Date: 06/07/07
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: AMERICAN BUILDING SUPPLY CORP.
 Mailing Title: Not reported
 Mailing Contact: HOWARD KAHN
 Mailing Address: 150 BRUCKNER BLVD.
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 401-1200
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 150 BRUCKNER BLVD.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1200
 Owner Company: DRK LLC
 Emergency Contact: ROBERT RISH
 Emergency Phone: (718) 401-1200
 Operator: ROBERT RISH
 Operator Phone: (718) 401-1200
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-607822
 Program Type: PBS
 Tank Number: 005
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-607822

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN BUILDING SUPPLY CORP. (Continued)

U004045952

Expiration Date: 06/07/07
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: AMERICAN BUILDING SUPPLY CORP.
 Mailing Title: Not reported
 Mailing Contact: HOWARD KAHN
 Mailing Address: 150 BRUCKNER BLVD.
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 401-1200
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 150 BRUCKNER BLVD.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1200
 Owner Company: DRK LLC
 Emergency Contact: ROBERT RISH
 Emergency Phone: (718) 401-1200
 Operator: ROBERT RISH
 Operator Phone: (718) 401-1200
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

**E21
 WNW
 < 1/8
 435 ft.**

**PORT MORRIS REALTY LTD.
 151 BRUCKNER BLVD
 BRONX, NY 10454**

**HIST UST U000408445
 N/A**

Site 5 of 9 in cluster E

HIST UST:

PBS Number: 2-340782
 SPDES Number: Not reported
 Emergency Contact: SEGUNDO JEMENEZ
 Emergency Telephone: (718) 665-7350
 Operator: SEGUNDO JEMENEZ
 Operator Telephone: (718) 292-1021
 Owner Name: PART MORRIS REALTY, LTD.
 Owner Address: 151 BRUCKNER BLVD
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (212) 665-7350
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: PORT MORRIS REALTY,LTD.
 Mailing Address: 151 BRUCKNER BLVD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: SEGUNDO JIMINEZ
 Mailing Telephone: (212) 665-7350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

PORT MORRIS REALTY LTD. (Continued)

U000408445

Facility Addr2: 151 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Install Date: Not reported
 Capacity (gals): 1500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 11/13/1997
 Expiration Date: 11/16/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

E22 **PORT MORRIS REALTY LTD.**
WNW **151 BRUCKNER BLVD**
< 1/8 **BRONX, NY 10454**
435 ft.

UST **U004077840**
 N/A

Site 6 of 9 in cluster E

UST:

Facility ID: 2-340782
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground, vaulted, with access
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 1500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-340782
 Expiration Date: 11/16/02
 Renewal Date: 07/08/02
 Total Capacity: 1500
 Facility Type: Not reported
 Mailing Company: PORT MORRIS REALTY,LTD.
 Mailing Title: Not reported
 Mailing Contact: SEGUNDO JIMINEZ
 Mailing Address: 151 BRUCKNER BLVD
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (212) 665-7350
 Mailing Email: Not reported
 Owner Title: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

PORT MORRIS REALTY LTD. (Continued)

U004077840

Owner Name: Not reported
 Owner Address: 151 BRUCKNER BLVD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (212) 665-7350
 Owner Company: PART MORRIS REALTY, LTD.
 Emergency Contact: SEGUNDO JEMENEZ
 Emergency Phone: (718) 665-7350
 Operator: SEGUNDO JEMENEZ
 Operator Phone: (718) 292-1021
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

**E23
 WNW
 < 1/8
 435 ft.**

**MANHOLE #2422
 150 BRUCKNER BLVD
 BRONX, NY**

**NY Spills S104651562
 NY Hist Spills N/A**

Site 7 of 9 in cluster E

NY Spills:
 Site ID: 69629
 Facility Addr2: Not reported
 Facility ID: 0000159
 Spill Number: 0000159
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 04/04/00
 Reported to Dept: 04/04/00
 CID: 16
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/05/00
 Remediation Phase: 0
 Date Entered In Computer: 04/04/00
 Spill Record Last Update: 04/05/00
 Spiller Name: UNK
 Spiller Company: UNK
 Spiller Address: UNK
 Spiller City,St,Zip: UNK, ZZ
 Spiller Company: 001
 Spiller Phone: (000) 000-0000
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 0000159

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE #2422 (Continued)

S104651562

DER Facility ID: 66186
 Site ID: 69629
 Operable Unit ID: 821886
 Operable Unit: 01
 Material ID: 288423
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 100.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0000159 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" Track under spill # 0000158 (same incident). END
 DECRemark - 0000159
 Remarks: Start CallerRemark - 0000159 100 GLS OF UN OIL - CLEAN UP WILL BEGIN AS 50-499
 PPM CON ED #130747 END CallerRemark - 0000159

NY Hist Spills:

Region of Spill: 2
 Spill Number: 0000159
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 04/04/2000 22:00
 Reported to Dept Date/Time: 04/04/00 23:21
 SWIS: 60
 Spiller Name: UNK
 Spiller Contact: UNK
 Spiller Phone: (000) 000-0000
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: UNK
 Spiller City,St,Zip: UNK
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/05/00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MANHOLE #2422 (Continued)

S104651562

Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 04/04/00
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 04/05/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 100
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Track under spill 0000158 same incident).
 Remark: 100 GLS OF UN OIL - CLEAN UP WILL BEGIN AS 50-499 PPM CON ED 130747

E24
 NW
 < 1/8
 449 ft.

**132 ST. ANN'S AVENUE
 132 SAINT ANN'S AVENUE
 BRONX, NY 10454**

**AST A100175033
 N/A**

Site 8 of 9 in cluster E

AST:
 Facility ID: 2-070858
 Program Type: PBS
 Tank Number: 01
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Temporarily Out of Service
 Active Status: Active
 Install Date: //
 Capacity Gallons: 1500
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Other
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

132 ST. ANN'S AVENUE (Continued)

A100175033

Pipe Leak Detection 1:	Exempt Suction Piping
Pipe Leak Detection 2:	Not reported
Type Of Overfill Prevention 1:	Product Level Gauge (A/G)
Type Of Overfill Prevention 2:	Not reported
Dispenser Method:	Suction
Spill Prevention:	Not reported
Tightness Test Method:	Testing Not Required
Date Tested:	//
Next Test Date:	//
Date Tank Closed:	//

AST:

Facility Id:	2-070858
Expiration Date:	01/30/06
Renewal Date:	//
Total Capacity:	1500
Facility Type:	Not reported
Mailing Company:	S&J SHEET METAL & ROOFING SUPPLY INC.
Mailing Title:	Not reported
Mailing Contact:	MARION
Mailing Address:	608 EAST 133RD STREET
Mailing Address 2:	Not reported
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip Code:	10454
Mailing Phone No:	(718) 993-0460
Mailing Email:	Not reported
Owner Title:	Not reported
Owner Name:	Not reported
Owner Address:	608 EAST 133RD STREET
Owner Address 2:	Not reported
Owner State:	NY
Owner Zip Code:	10454
Owner Phone:	(718) 585-2853
Owner Company:	S&J SHEET METAL & ROOFING SUPPLY INC.
Emergency Contact:	MICHAEL GOTTLIEB
Emergency Phone:	(718) 585-2853
Operator:	JON CARLOVICH
Operator Phone:	(718) 585-2853
Owner City:	BRONX
Owner Sub Type:	Corporate or Commercial

E25 **147 BRUCKNER REAL ESTATE CORP**
WNW **147 BRUCKNER BLVD**
< 1/8 **BRONX, NY 10454**
512 ft.

AST **U003384033**
HIST AST **N/A**

Site 9 of 9 in cluster E

AST:

Facility ID:	2-057568
Program Type:	PBS
Tank Number:	001
Tank Model:	Not reported
Pipe Model:	Not reported
Tank Location Name:	Aboveground - in contact with soil
Tank Status:	In Service
Active Status:	Active
Install Date:	03/01/77

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

147 BRUCKNER REAL ESTATE CORP (Continued)

U003384033

Capacity Gallons: 1600
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-057568
 Expiration Date: 03/17/09
 Renewal Date: 11/13/01
 Total Capacity: 1600
 Facility Type: Not reported
 Mailing Company: Not reported
 Mailing Title: Not reported
 Mailing Contact: P M R PROPERTIES INC
 Mailing Address: 147 BRUCKNER BLVD
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (347) 992-3562
 Mailing Email: Not reported
 Owner Title: SECRETARY
 Owner Name: PIDINLLA REDDY
 Owner Address: 147 BRUCKNER BLVD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (347) 992-3562
 Owner Company: P M R PROPERTIES INC
 Emergency Contact: RON REDDY
 Emergency Phone: (718) 585-0639
 Operator: RON REDDY
 Operator Phone: (341) 992-3562
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

147 BRUCKNER REAL ESTATE CORP (Continued)

U003384033

HIST AST:

PBS Number: 2-057568
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank ID: 001
 Tank Status: 1
 Install Date: 19770301
 Capacity (Gal): 1600
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 3
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: JOSEPH TORRELLAS
 Facility Phone: (212) 665-5372
 Facility Addr2: 147 BRUCKNER BLVD
 Facility Type: APARTMENT BUILDING
 Emergency: JOSEPH TORRELLAS
 Emergency Tel: (212) 378-4588
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: JOSEPH TORRELLAS
 Owner Address: 1324 CROES AVE
 Owner City,St,Zip: BRONX, NY 10472
 Federal ID: Not reported
 Owner Tel: (212) 378-4588
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: JOSEPH TORRELLAS
 Mailing Address: 1324 CROES AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10472
 Mailing Telephone: (212) 378-4588
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

147 BRUCKNER REAL ESTATE CORP (Continued)

U003384033

Certification Flag: False
 Certification Date: 02/18/1997
 Expiration: 03/24/2002
 Renew Flag: False
 Renew Date: 20011113
 Total Capacity: 1600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

**F26
 NNW
 < 1/8
 518 ft.**

**MANHOLE 12350
 EAST 134 ST / ST ANNS AV
 BRONX, NY**

**NY Spills S103574926
 NY Hist Spills N/A**

Site 1 of 4 in cluster F

NY Spills:
 Site ID: 305200
 Facility Addr2: Not reported
 Facility ID: 9810958
 Spill Number: 9810958
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 12/01/98
 Reported to Dept: 12/01/98
 CID: 211
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/14/03
 Remediation Phase: 0
 Date Entered In Computer: 12/01/98
 Spill Record Last Update: 02/14/03
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spiller Company: Not reported
 Spiller Phone: Not reported
 Contact Name: JOE DEVOTI

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 12350 (Continued)

S103574926

Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 9810958
 DER Facility ID: 246540
 Site ID: 305200
 Operable Unit ID: 1071852
 Operable Unit: 01
 Material ID: 314816
 Material Code: 0748A
 Material Name: CABLE OIL
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 1.00
 Resource Affected: Soil
 Oxygenate: False

DEC Remarks: Start DECRemark - 9810958 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" e2mis 121600 DEC. 1, 1998 U.G. SPLICER K. BURNS
 #11455 FOUND OIL LEAKING FROM CABLE IN MH-12350 DURING AN INSPECTION. CREW
 FOUND APPROX 1 PTOF OIL IN MH. OIL WAS CLEANED AS 50 - 499 ppm AND DISPOSED OF.
 OIL SPOT DID NOT ENTER AND SEWER OR WATERWAY. SPOT DID NOT CONTAIN ANY "LEAD
 DEBRIS" AND WILL BE TRANSPORTED UNDER THE ONE TRIP RULE TO VAN NEST YD. CREW
 REMOVED THE LEAKING SHRINK CAPPLACED MORE MASTIC ON ENDS AND PUT A NEW SHRINK
 CAP ON CABLE. ALL WORK COMPLETED AS OF 14:00.....NM END
 DECRemark - 9810958

Remarks: Start CallerRemark - 9810958 ELECTRICAL CABLE LEAK ON JOINT - 1 PINT OF PRODUCT
 - CLEANED UP BY 1400 END CallerRemark - 9810958

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9810958
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 12/01/1998 13:30
 Reported to Dept Date/Time: 12/01/98 15:15
 SWIS: 60
 Spiller Name: CON EDISON
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Contact: JOE DEVOTI
 Spiller Phone: (212) 580-6763
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Equipment Failure
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 01
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 12350 (Continued)

S103574926

Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 12/01/98
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 12/04/98
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 1
 Unkonwn Quantity Recovered: False
 Material: CABLE OIL
 Class Type: CABLE OIL
 Times Material Entry In File: 18
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: Not reported
 Remark: ELECTRICAL CABLE LEAK ON JOINT - 1 PINT OF PRODUCT - CLEANED UP BY 1400

**F27
 NNW
 < 1/8
 518 ft.**

**MANHOLE 12350
 134TH ST / ST ANNS
 BRONX, NY**

**NY Spills S103484768
 NY Hist Spills N/A**

Site 2 of 4 in cluster F

NY Spills:
 Site ID: 68069
 Facility Addr2: Not reported
 Facility ID: 9807836
 Spill Number: 9807836
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 09/27/98
 Reported to Dept: 09/27/98
 CID: 211
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Responsible Party

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 12350 (Continued)

S103484768

Cleanup Ceased: //

Cleanup Meets Std: False

Last Inspection: //

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/30/02

Remediation Phase: 0

Date Entered In Computer: 09/27/98

Spill Record Last Update: 12/30/02

Spiller Name: Not reported

Spiller Company: UNKNOWN

Spiller Address: Not reported

Spiller City,St,Zip: NY

Spiller Company: 999

Spiller Phone: Not reported

Contact Name: MIKE CESARE

Contact Phone: (212) 580-6763

DEC Region: 2

Program Number: 9807836

DER Facility ID: 64953

Site ID: 68069

Operable Unit ID: 1069016

Operable Unit: 01

Material ID: 566470

Material Code: 0066A

Material Name: UNKNOWN PETROLEUM

Case No.: Not reported

Material FA: Petroleum

Quantity: 1.00

Units: Gallons

Recovered: 0.00

Resource Affected: Sewer

Oxygenate: False

DEC Remarks: Start DECRemark - 9807836 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ENGELHARDT" Con Ed e2mis #120070: 27-SEP-1998 FOD M.ANDERSON (18962) REPORTED THAT HE FOUND APPROX 1 GAL OF UNKNOWN OIL AND 100 GAL OF WATER IN MH12350. SUPERVISOR IN ROUTE TO INSTALL NOTIFICATION TAG. RECORDS INDICATE THAT THE STRUCTURE DOES NOT HAVE A SEWER CONNECTION. SPILL IS CONTAINED. CLEANUP WILL BE TREATED AS 50-499 PPM PCB. PCB SAMPLE TO BE TAKEN FOR RECORD PURPOSES. O.S. M.DELVECCHIOREPORTED THAT TAG #20199 WAS INSTALLED. EPA ID NYP004017422 ASSIGNED. RECEIVED CALL AT APPROX 12:45 HRS FROM DEC CHRIS ENGELHARDT REGARDING THIS INCIDENT. REVIEWED OUR PLAN TO CLEAN STRUCTURE AS 50-499 PPM PCB. CLEANUP SCHEDULED TO BEGIN ON 3-11 SHIFT. CLEANUP COMPLETE 1810 HRS 9/27. TAG PULLED. END DECRemark - 9807836

Remarks: Start CallerRemark - 9807836 UNKNOWN OIL FOUND IN MANHOLE - UNK PCB COUNT WILL BE TESTING - NO CLEAN UP END CallerRemark - 9807836

NY Hist Spills:

Region of Spill: 2

Spill Number: 9807836

Investigator: ENGELHARDT

Caller Name: Not reported

Caller Agency: Not reported

Caller Phone: Not reported

Notifier Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 12350 (Continued)

S103484768

Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/27/1998 11:02
 Reported to Dept Date/Time: 09/27/98 11:54
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Contact: MIKE CESARE
 Spiller Phone: (212) 580-6763
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: In Sewer
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 09/27/98
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 09/28/98
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: UNKNOWN OIL FOUND IN MANHOLE - UNK PCB COUNT WILL BE TESTING - NO CLEAN UP

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

F28 **MH 29559**
NNW **ST ANNS AV/EAST 134 ST**
< 1/8 **BRONX, NY**
518 ft.

NY Spills **S104651537**
NY Hist Spills **N/A**

Site 3 of 4 in cluster F

NY Spills:

Site ID: 289139
 Facility Addr2: Not reported
 Facility ID: 0209210
 Spill Number: 0209210
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: KMFOLEY
 Referred To: Not reported
 Spill Date: 12/07/02
 Reported to Dept: 12/08/02
 CID: Not reported
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/21/03
 Remediation Phase: 0
 Date Entered In Computer: 12/08/02
 Spill Record Last Update: 02/21/03
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 0209210
 DER Facility ID: 234157
 Site ID: 289139
 Operable Unit ID: 862384
 Operable Unit: 01
 Material ID: 516189
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0209210 Prior to Sept, 2004 data translation this spill Lead

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH 29559 (Continued)

S104651537

Remarks: DEC Field was "FOLEY" END DECRemark - 0209210
 Start CallerRemark - 0209210 clean up pending 30 gals water 146286 END
 CallerRemark - 0209210

Site ID: 289138
 Facility Addr2: Not reported
 Facility ID: 0000118
 Spill Number: 0000118
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 04/04/00
 Reported to Dept: 04/04/00
 CID: 270
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 01/17/02
 Remediation Phase: 0
 Date Entered In Computer: 04/04/00
 Spill Record Last Update: 01/23/02
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 0000118
 DER Facility ID: 234157
 Site ID: 289138
 Operable Unit ID: 821840
 Operable Unit: 01
 Material ID: 288388
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0000118 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" Con Ed e2mis #130732 Notes: 4-4-00 1qt unknown

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH 29559 (Continued)

S104651537

Remarks: oil on 300gal water in manhole 29559. Sample was taken for PCB count. Cleanup will continue 50-499ppm and EPA ID # requested. Tanker ordered. EPA # NYP004052726. Removed one pint oil and 250gal water from manhole. Cleanup method--tanker and double wash. Earthen sump status floor is broken and making water, no drains affected, no solid debris removed. 4-5-00 0655hrs LSN 00-03253 <1ppm PCB END DECRemark - 0000118
 Start CallerRemark - 0000118 no sewers no waterways on 300 gals water 130732
 END CallerRemark - 0000118

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2
 Spill Number: 0000118
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 04/04/2000 08:45
 Reported to Dept Date/Time: 04/04/00 10:32
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 04/04/00
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 04/04/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH 29559 (Continued)

S104651537

Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: no sewers no waterways on 300 gals water 130732

**F29
 NNW
 < 1/8
 518 ft.**

**MANHOLE 6161
 EAST 134 ST / ST ANNS AV
 BRONX, NY**

**NY Spills S103575393
 NY Hist Spills N/A**

Site 4 of 4 in cluster F

NY Spills:
 Site ID: 305201
 Facility Addr2: Not reported
 Facility ID: 9811506
 Spill Number: 9811506
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 12/13/98
 Reported to Dept: 12/13/98
 CID: 211
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/19/03
 Remediation Phase: 0
 Date Entered In Computer: 12/13/98
 Spill Record Last Update: 02/19/03
 Spiller Name: Not reported
 Spiller Company: CON ED
 Spiller Address: 4 IRVING PLACE
 Spiller City, St, Zip: ZZ
 Spiller Company: 001
 Spiller Phone: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 6161 (Continued)

S103575393

Contact Name: FRANK MASSERIA
 Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 9811506
 DER Facility ID: 246540
 Site ID: 305201
 Operable Unit ID: 1068863
 Operable Unit: 01
 Material ID: 311800
 Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False

DEC Remarks: Start DECRemark - 9811506 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ENGELHARDT" E2MIS 121923 O NEGRON BX FLUSH RPTS POSSIBLE
 CABLE OIL IN MH 6161 N/S E134 ST 253' W/O ST ANNS AVE..APPROX 10 OZ IN DRY
 HOLE..SPILL IS CONTAINED..NO SUMP PUMP PRESENT..WILL ASSUME 50-499..WILL F/U
 FOR POSSIBLE SEWER CONNECTION AND TAG NUMBER. NOTE..SP LICING CREW NAME S AT
 THIS TIME NOT AVAIL FAILED TO REPT THIS SPILL AT 0800...WAS RPTS BY FLUSH CREW
 WHEN THEY ARRIVED. CIG MASSERIANOTIFIED 0932 HRS CLEANUP COMPLETE 1140
 HRS 12/13...PENDING DRUM PICK/UP DRUM WERE P/U AT 1830 HRS. J SCHLEMBACH END
 DECRemark - 9811506

Remarks: Start CallerRemark - 9811506 CON ED # 121923 - 10 OZ OF PRODUCT CLEAN UP
 PENDING LAB RESULTS TREATING PRODUCT AS 50-499 PPM PCB END CallerRemark -
 9811506

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9811506
 Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 12/13/1998 09:18
 Reported to Dept Date/Time: 12/13/98 09:35
 SWIS: 60
 Spiller Name: CON ED
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Contact: FRANK MASSERIA
 Spiller Phone: (212) 580-6763
 Spiller Address: 4 IRVING PL
 Spiller City,St,Zip: NEW YORK, NY -
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Responsible Party
 PBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MANHOLE 6161 (Continued)

S103575393

Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 12/13/98
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 01/06/99
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: DIELECTRIC FLUID
 Class Type: DIELECTRIC FLUID
 Times Material Entry In File: 41
 CAS Number: Not reported
 Last Date: Not reported
 DEC Remarks: Not reported
 Remark: CON ED 121923 - 10 OZ OF PRODUCT CLEAN UP PENDING LAB RESULTS TREATING PRODUCT AS 50-499 PPM PCB

G30
 SSE
 < 1/8
 558 ft.

**NYC DEPT OF SANITATION
 680 EAST 132ND ST
 BRONX, NY**

**NY Spills S102663436
 NY Hist Spills N/A**

Site 1 of 15 in cluster G

NY Spills:
 Site ID: 237183
 Facility Addr2: Not reported
 Facility ID: 9705468
 Spill Number: 9705468
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: MCTIBBE
 Referred To: Not reported
 Spill Date: 08/05/97
 Reported to Dept: 08/05/97
 CID: 16
 Spill Cause: Human Error

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NYC DEPT OF SANITATION (Continued)

S102663436

Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 08/05/97
 Remediation Phase: 0
 Date Entered In Computer: 08/05/97
 Spill Record Last Update: 01/27/98
 Spiller Name: MARK MARAIA
 Spiller Company: LEHRER MCGOVERN BOVIS
 Spiller Address: 24-16 BRIDGE PLAZA SOUTH
 Spiller City,St,Zip: QUEENS, NY 11101-
 Spiller Company: 001
 Spiller Phone: (718) 937-3286
 Contact Name: MARK MARAIA
 Contact Phone: (718) 937-3286
 DEC Region: 2
 Program Number: 9705468
 DER Facility ID: 195405
 Site ID: 237183
 Operable Unit ID: 1051465
 Operable Unit: 01
 Material ID: 334685
 Material Code: 0010A
 Material Name: HYDRAULIC OIL
 Case No.: Not reported
 Material FA: Other
 Quantity: 5.00
 Units: Gallons
 Recovered: 5.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9705468 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "TIBBE" CLEANED BY RP. END DECRemark - 9705468
 Remarks: Start CallerRemark - 9705468 CALLERS COMPANY HIRED TO TAKE SOIL SAMPLES AND
 DRILLED THROUGH A HOIST OIL HOSE INGROUND - SPILL HAS BEEN CLEANED UP END
 CallerRemark - 9705468

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9705468
 Investigator: TIBBE
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 08/05/1997 14:00
 Reported to Dept Date/Time: 08/05/97 16:57
 SWIS: 60

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

NYC DEPT OF SANITATION (Continued)

S102663436

Spiller Name: LEHRER MCGOVERN BOVIS
 Spiller Contact: MARK MARAIA
 Spiller Phone: (718) 937-3286
 Spiller Contact: MARK MARAIA
 Spiller Phone: (718) 937-3286
 Spiller Address: 24-16 BRIDGE PLAZA SOUTH
 Spiller City,St,Zip: QUEENS, NY 11101-
 Spill Cause: Human Error
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 01
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 08/05/97
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 08/05/97
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 01/27/98
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 5
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 5
 Unkonwn Quantity Recovered: False
 Material: HYDRAULIC OIL
 Class Type: HYDRAULIC OIL
 Times Material Entry In File: 1846
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: CLEANED BY RP.
 Remark: CALLERS COMPANY HIRED TO TAKE SOIL SAMPLES AND DRILLED THROUGH A HOIST OIL HOSE
 INGROUND - SPILL HAS BEEN CLEANED UP

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

G31	CONSOLIDATED EDISON	NY MANIFEST	1009244105
SSE	CYPRESS AVE / 132ND ST		N/A
< 1/8	BRONX, NY		
558 ft.			

Site 2 of 15 in cluster G

NY MANIFEST:

Document ID:	NJA5240663
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	12/08/2005
Trans1 Recv Date:	12/08/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/09/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004138434
Trans1 EPA ID:	S5811
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00800
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	Not reported
Facility Type:	Generator
EPA ID:	NYP004138426
Facility Name:	CONSOLIDATED EDISON
Facility Address:	CYPRESS AVE & 132ND ST
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address:	4 IRVING PL RM 828
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808
Facility Type:	Generator
EPA ID:	NYP004138434
Facility Name:	CONSOLIDATED EDISON
Facility Address:	CYPRESS AVE & 132ND ST
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address:	4 IRVING PL RM 828
Mailing City:	NEW YORK
Mailing State:	NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009244105

Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NJA5240664
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 12/08/2005
 Trans1 Recv Date: 12/08/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/09/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004138426
 Trans1 EPA ID: S5811
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00465
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYP004138426
 Facility Name: CONSOLIDATED EDISON
 Facility Address: CYPRESS AVE & 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808
 Facility Type: Generator
 EPA ID: NYP004138434
 Facility Name: CONSOLIDATED EDISON
 Facility Address: CYPRESS AVE & 132ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing City: NEW YORK
 Mailing State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009244105

Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

**G32
 SSE
 < 1/8
 558 ft.**

**PAPER ENTERPRISES/NYC DEPT OF SANITATION
 680-750 EAST 132ND ST
 BRONX, NY 10454**

**AST A100300730
 N/A**

Site 3 of 15 in cluster G

AST:

Facility ID: 2-293202
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/04/94
 Capacity Gallons: 20000
 Material Name: #6 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-293202
 Expiration Date: 04/11/12
 Renewal Date: 03/06/02
 Total Capacity: 20000
 Facility Type: Not reported
 Mailing Company: C/O THE BENENSON CAPITAL COMPANY
 Mailing Title: Not reported
 Mailing Contact: LAWRENCE B. BENENSON
 Mailing Address: 708 THIRD AVE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

PAPER ENTERPRISES/NYC DEPT OF SANITATION (Continued)

A100300730

Mailing Address 2: 28TH FLOOR
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 867-0990
 Mailing Email: Not reported
 Owner Title: AS OWNERS AGENT
 Owner Name: GARY F. SEDORUK
 Owner Address: 708 THIRD AVE- 28TH FLOOR
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 867-0990
 Owner Company: LAWRENCE B. BENENSON ET (THE BENENSON CAPITAL CO)
 Emergency Contact: GARY F. SEDORUK
 Emergency Phone: (212) 867-0990
 Operator: YANCY PEREZ
 Operator Phone: (718) 402-1200
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

G33
 SSE
 < 1/8
 558 ft.

N.Y.C. D.S.N.Y. BRONX 1 GARAGE
 680 EAST 132ND STREET
 BRONX, NY 10454

AST U003074853
 HIST AST N/A
 HIST UST

Site 4 of 15 in cluster G

AST:

Facility ID: 2-455644
 Program Type: PBS
 Tank Number: 410
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 275
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-455644
 Expiration Date: 04/23/11
 Renewal Date: / /
 Total Capacity: 12335
 Facility Type: SANITATION GARAGE
 Mailing Company: NYC DSNY - RE OFFICE
 Mailing Title: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: ROOM 813
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10013
 Mailing Phone No: (646) 885-4874
 Mailing Email: Not reported
 Owner Title: PROJECT MANAGER
 Owner Name: ANTHONY CAGGIANO
 Owner Address: 250 PARK AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 867-0990
 Owner Company: C.B. BENESON
 Emergency Contact: MR. PEDONE
 Emergency Phone: (718) 993-0224
 Operator: MR. PEDONE
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Local Government

Facility ID: 2-455644
 Program Type: PBS
 Tank Number: 49
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/82
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-455644
 Expiration Date: 04/23/11
 Renewal Date: / /
 Total Capacity: 12335
 Facility Type: SANITATION GARAGE
 Mailing Company: NYC DSNY - RE OFFICE
 Mailing Title: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: ROOM 813
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10013
 Mailing Phone No: (646) 885-4874
 Mailing Email: Not reported
 Owner Title: PROJECT MANAGER
 Owner Name: ANTHONY CAGGIANO
 Owner Address: 250 PARK AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 867-0990
 Owner Company: C.B. BENESON
 Emergency Contact: MR. PEDONE
 Emergency Phone: (718) 993-0224
 Operator: MR. PEDONE
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Local Government

Facility ID: 2-455644
 Program Type: PBS
 Tank Number: 411
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: 02/01/82
 Capacity Gallons: 250
 Material Name: Lube Oil
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-455644
 Expiration Date: 04/23/11
 Renewal Date: / /
 Total Capacity: 12335
 Facility Type: SANITATION GARAGE
 Mailing Company: NYC DSNY - RE OFFICE
 Mailing Title: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: ROOM 813
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10013
 Mailing Phone No: (646) 885-4874
 Mailing Email: Not reported
 Owner Title: PROJECT MANAGER
 Owner Name: ANTHONY CAGGIANO
 Owner Address: 250 PARK AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 867-0990
 Owner Company: C.B. BENESON
 Emergency Contact: MR. PEDONE
 Emergency Phone: (718) 993-0224
 Operator: MR. PEDONE
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Local Government

Facility ID: 2-455644
 Program Type: PBS
 Tank Number: 48

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/82
 Capacity Gallons: 550
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-455644
 Expiration Date: 04/23/11
 Renewal Date: / /
 Total Capacity: 12335
 Facility Type: SANITATION GARAGE
 Mailing Company: NYC DSNY - RE OFFICE
 Mailing Title: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: ROOM 813
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10013
 Mailing Phone No: (646) 885-4874
 Mailing Email: Not reported
 Owner Title: PROJECT MANAGER
 Owner Name: ANTHONY CAGGIANO
 Owner Address: 250 PARK AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 867-0990
 Owner Company: C.B. BENESON
 Emergency Contact: MR. PEDONE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Emergency Phone: (718) 993-0224
 Operator: MR. PEDONE
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Local Government

HIST AST:

PBS Number: 2-455644
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank ID: 009
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 275
 Product Stored: A
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 1
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: C.B. BENENSON
 Facility Phone: (718) 993-0224
 Facility Addr2: 680 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION
 Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration: 04/23/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2
 PBS Number: 2-455644
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank ID: 007
 Tank Status: 1
 Install Date: 19821201
 Capacity (Gal): 275
 Product Stored: A
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 1
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: C.B. BENENSON
 Facility Phone: (718) 993-0224
 Facility Addr2: 680 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 04/27/2001
 Expiration: 04/23/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

PBS Number: 2-455644
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank ID: 008
 Tank Status: 1
 Install Date: 19821201
 Capacity (Gal): 275
 Product Stored: 9
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 1
 Dispenser Method: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: C.B. BENENSON
 Facility Phone: (718) 993-0224
 Facility Addr2: 680 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION
 Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration: 04/23/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2
 HIST UST:
 PBS Number: 2-455644

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19920201
 Capacity (gals): 2000
 Product Stored: DIESEL
 Tank Type: Fiberglass coated steel
 Tank Internal: None
 Tank External: 24
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 12
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-455644
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: 19920201
 Capacity (gals): 1080
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass coated steel
 Tank Internal: None
 Tank External: 24
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 12
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-455644
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: 19920201
 Capacity (gals): 1080
 Product Stored: DIESEL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Tank Type: Fiberglass coated steel
 Tank Internal: None
 Tank External: 24
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 12
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: Product Level Gauge, High Level Alarm
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-455644
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19821201
 Capacity (gals): 2000
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Vault (w/o access)
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 12/01/1993
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Region: 2

PBS Number: 2-455644
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19821201
 Capacity (gals): 550
 Product Stored: KEROSENE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-455644
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 005
 Tank Location: UNDERGROUND
 Install Date: 19821201
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-455644
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: C.B. BENENSON
 Operator Telephone: (718) 993-0224
 Owner Name: C.B. BENENSON
 Owner Address: 250 PARK AVENUE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: Not reported
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NYC D.S.N.Y.
 Mailing Address: 125 WORTH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: CHIEF OF FACILITIES
 Mailing Telephone: (212) 788-4077
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 680 EAST 132ND STREET
 Tank Id: 006
 Tank Location: UNDERGROUND

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N.Y.C. D.S.N.Y. BRONX 1 GARAGE (Continued)

U003074853

Install Date: 19821201
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/27/2001
 Expiration Date: 04/23/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6635
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**G34
 SE
 < 1/8
 564 ft.**

**E. 137TH STREET
 IRT#6 LINE - CYPRESS AVE
 BRONX, NY**

**NY Spills S102150646
 NY Hist Spills N/A**

Site 5 of 15 in cluster G

NY Spills:
 Site ID: 202577
 Facility Addr2: Not reported
 Facility ID: 9506281
 Spill Number: 9506281

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

E. 137TH STREET (Continued)

S102150646

Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: MCTIBBE
 Referred To: Not reported
 Spill Date: 08/22/95
 Reported to Dept: 08/22/95
 CID: Not reported
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Fire Department
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/15/03
 Remediation Phase: 0
 Date Entered In Computer: 09/27/95
 Spill Record Last Update: 04/15/03
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9506281
 DER Facility ID: 168512
 Site ID: 202577
 Operable Unit ID: 1017154
 Operable Unit: 01
 Material ID: 364249
 Material Code: 0579A
 Material Name: HYDROCARBONS
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Pounds
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: 202577
 Operable Unit ID: 1017154
 Operable Unit: 01
 Material ID: 364248
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Gallons

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

E. 137TH STREET (Continued)

S102150646

Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9506281 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "TIBBE" REFER TO 9106994 & SP91249. END DECRemark - 9506281
 Remarks: Start CallerRemark - 9506281 NYC HAZMAT ENROUTE TO CALL - NO FURTHER INFO AT
 THIS TIME - IN SUBWAY- SUBWAY CLOSED - X REFERENCE 9506270 END CallerRemark -
 9506281

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9506281
 Investigator: TIBBE
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 08/22/1995 08:15
 Reported to Dept Date/Time: 08/22/95 08:28
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Fire Department
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 09/27/95
 Date Spill Entered In Computer Data File: Not reported
 Update Date: / /
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

E. 137TH STREET (Continued)

S102150646

Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: False
 Units: Not reported
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: HYDROCARBONS
 Class Type: HYDROCARBONS
 Times Material Entry In File: 21
 CAS Number: Not reported
 Last Date: Not reported
 DEC Remarks: Not reported
 Remark: NYC HAZMAT ENROUTE TO CALL - NO FURTHER INFO AT THIS TIME - IN SUBWAY- SUBWAY CLOSED - X REFERENCE 9506270

**G35
 SSE
 < 1/8
 565 ft.**

**MANHOLE #5971
 E 132 ST / CYPRESS AV
 BRONX, NY**

**NY Spills S104195503
 NY Hist Spills N/A**

Site 6 of 15 in cluster G

NY Spills:
 Site ID: 78404
 Facility Addr2: Not reported
 Facility ID: 9907596
 Spill Number: 9907596
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 09/23/99
 Reported to Dept: 09/23/99
 CID: 390
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/04/04
 Remediation Phase: 0
 Date Entered In Computer: 09/23/99

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #5971 (Continued)

S104195503

Spill Record Last Update: 11/04/04
 Spiller Name: UNK
 Spiller Company: UNK
 Spiller Address: UNK
 Spiller City,St,Zip: UNK, ZZ
 Spiller Company: 001
 Spiller Phone: (000) 000-0000
 Contact Name: STEPHEN CRIBBINS
 Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 9907596
 DER Facility ID: 72966
 Site ID: 78404
 Operable Unit ID: 1086181
 Operable Unit: 01
 Material ID: 300294
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9907596 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" e2mis no. 127967: SEPT 23, 1999 @13:15
 SUPERVISOR VECUS MILLER REPORTS 2 GALS UNKNOWN OIL SPILL IN MH #5971. MH HAS
 APPROX 300 GALS WATER. M&S PLATE (2D) INDICATES SEWER CONNECTION, WATER LEVEL
 CONSTANT IN HOLE, NO WATERWAYS OR SEWERS AFFECTED. SAMPLES TAKEN, HOLE TAGGED
 #24123. CLEANUP PENDING TEST RESULTS. 24-SEP-1999 17:49:19 Sample no.
 121401 - TOTAL PCB 231 PPM 9-25-9912:10 CLEANUP COMPLETE ON 9-25-99 AT 1200
 HOURS. 200 GALLONS WATER AND 2-GALLONS WATER REMOVED VIA TANKER. MH DOUBLE
 WASHED. TAG REMOVED. 02-Dec-2003 06:00 hrs Flush Mechanics J. Maloney
 (05863) and D.Rodriguez (01075) flushed manhole 5971(s/sE132 St, Opp NEC
 Cypress Ave) and found the sewer connection already sealed shut. Job is
 complete. END DECRemark - 9907596
 Remarks: Start CallerRemark - 9907596 unk oil on 300 gals of water - sample taken clean
 up pending results con ed #127967 END CallerRemark - 9907596

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9907596
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/23/1999 13:15
 Reported to Dept Date/Time: 09/23/99 14:14
 SWIS: 60
 Spiller Name: UNK
 Spiller Contact: UNK
 Spiller Phone: (000) 000-0000
 Spiller Contact: STEPHEN CRIBBINS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #5971 (Continued)

S104195503

Spiller Phone: (212) 580-6763
 Spiller Address: UNK
 Spiller City,St,Zip: UNK
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 09/23/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 02/09/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 2
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: unk oil on 300 gals of water - sample taken clean up pending results con ed
 127967

G36
 SSE
 < 1/8
 565 ft.

**MANHOLE #5970
 CYPRESS AV/132ND ST
 BRONX, NY**

**NY Spills S105236615
 NY Hist Spills N/A**

Site 7 of 15 in cluster G

NY Spills:
 Site ID: 278922
 Facility Addr2: Not reported
 Facility ID: 0109150
 Spill Number: 0109150

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE #5970 (Continued)

S105236615

Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: KMFOLEY
 Referred To: Not reported
 Spill Date: 12/14/01
 Reported to Dept: 12/15/01
 CID: 323
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/19/02
 Remediation Phase: 0
 Date Entered In Computer: 12/15/01
 Spill Record Last Update: 02/19/02
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: ANTHONY NATALE
 Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 0109150
 DER Facility ID: 226476
 Site ID: 278922
 Operable Unit ID: 847395
 Operable Unit: 01
 Material ID: 530360
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0109150 Prior to Sept, 2004 data translation this spill Lead DEC Field was "FOLEY" Con Ed e2mis #140598 Notes: 12-14-01 While performing routine work , found unknown oily sludge in manhole 5970. Lab results returned 39ppm (oilgrab) and 9ppm (sludge grab). Flush crew ran out of water and needs to go back to Van Nest for water to complete jet-rodding duct for 3M feeder in adjacent manhole. 12-15-01 Status changed from 24hr deminimus to spill due to no flush crews beingavailable. Only 1 flush crew on duty on 7-3 shift. Shift manager directed they continue to jet-rod duct on 3M feeder between manholes 5791 and 5979 (feeder on 2 day outage). Cleanup will commence after duct is jet-rodded or additional crews become available. END DECRemark - 0109150

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s)
 EPA ID Number

MANHOLE #5970 (Continued)

S105236615

Remarks: Start CallerRemark - 0109150 2 gallons of unknown oil. con ed#140598 END
 CallerRemark - 0109150

NY Hist Spills:

Region of Spill: 2
 Spill Number: 0109150
 Investigator: FOLEY
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 12/14/2001 10:15
 Reported to Dept Date/Time: 12/15/01 06:20
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Contact: ANTHONY NATALE
 Spiller Phone: (212) 580-6763
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 12/15/01
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 12/17/01
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 2
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #5970 (Continued)

S105236615

Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Con Ed e2mis 140598 Notes: 12-14-01 While performing routine work , found unknown oily sludge in manhole 5970. Lab results returned 39ppm oil grab) and 9ppm sludge grab). Flush crew ran out of water and needs to go back to Van Nest for waterto complete jet-rodding duct for 3M feeder in adjacent manhole. 12-15-01 Status changed from 24hr deminimus to spill due to no flush crews being available. Only 1 flush crew on duty on 7-3 shift. Shift manager directed they continue to jet-rodduct on 3M feeder between manholes 5791 and 5979 feeder on 2 day outage). Cleanup will commence after duct is jet-rodded or additional crews become available.
 Remark: 2 gallons of unknown oil. con ed 140598

G37
 SSE
 < 1/8
 565 ft.

MH #5968
132ND ST / CYPRESS AVE
BRONX, NY

NY Spills S104195743
NY Hist Spills N/A

Site 8 of 15 in cluster G

NY Spills:
 Site ID: 260018
 Facility Addr2: Not reported
 Facility ID: 9907879
 Spill Number: 9907879
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 09/29/99
 Reported to Dept: 09/29/99
 CID: 366
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/20/99
 Remediation Phase: 0
 Date Entered In Computer: 09/29/99
 Spill Record Last Update: 05/25/00
 Spiller Name: CALLER
 Spiller Company: CON ED
 Spiller Address: 4 IRVING PL
 Spiller City,St,Zip: MANHATTAN, NY 10003-001
 Spiller Company: 001
 Spiller Phone: (212) 580-6763
 Contact Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH #5968 (Continued)

S104195743

Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9907879
 DER Facility ID: 212616
 Site ID: 260018
 Operable Unit ID: 1082169
 Operable Unit: 01
 Material ID: 300562
 Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False

DEC Remarks: Start DECRemark - 9907879 Prior to Sept, 2004 data translation this spill Lead DEC Field was "ENGELHARDT" con ed e2mis notes: Oil dripping from cut primary cable end in manhole, 8 oz of oil on floor of manhole, manhole is dry, conduit plate 3-D-1indicates no sewer connection. No sewers or waterways affected, Crew has been dispatched to cap cable ends. Clean up pending sample results, sample has been taken. 300 gals of oil and water removed by tanker, hole cleaned and flused. END DECRemark - 9907879

Remarks: Start CallerRemark - 9907879 CALLER REPORTING THAT DEFECTIVE CABLE ENDS CAUSED SPILL OF APPROX 8 OZS. SAMPLES TAKEN AND CLEAN UP PENDING RESULTS. CON ED #128108. END CallerRemark - 9907879

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9907879
 Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/29/1999 10:05
 Reported to Dept Date/Time: 09/29/99 11:09
 SWIS: 60
 Spiller Name: CON ED
 Spiller Contact: CALLER
 Spiller Phone: (212) 580-6763
 Spiller Address: 4 IRVING PL
 Spiller City,St,Zip: MANHATTAN, NY 10003-
 Spill Cause: Equipment Failure
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 01
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH #5968 (Continued)

S104195743

Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/20/99
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 09/29/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 05/25/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: DIELECTRIC FLUID
 Class Type: DIELECTRIC FLUID
 Times Material Entry In File: 41
 CAS Number: Not reported
 Last Date: Not reported
 DEC Remarks: con ed e2mis notes: Oil dripping from cut primary cable end in manhole, 8 o of oil on floor of manhole, manhole is dry, conduit plate 3-D-1 indicates no sewer connection. No sewers or waterways affected, Crew has been dispatched to cap cable ends. Clean up pending sample results, sample has been taken. 300 gals of oil and water removed by tanker, hole cleaned and flused.
 Remark: CALLER REPORTING THAT DEFECTIVE CABLE ENDS CAUSED SPILL OF APPROX 8 OZS. SAMPLES TAKEN AND CLEAN UP PENDING RESULTS. CON ED 128108.

G38
 SSE
 < 1/8
 565 ft.

MH #5971
132ND ST / CYPRESS AVE
BRONX, NY

NY Spills S103829312
NY Hist Spills N/A

Site 9 of 15 in cluster G

NY Spills:
 Site ID: 260016
 Facility Addr2: Not reported
 Facility ID: 9815186
 Spill Number: 9815186
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 03/23/99
 Reported to Dept: 03/23/99
 CID: 366
 Spill Cause: Unknown
 Water Affected: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH #5971 (Continued)

S103829312

Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 06/06/02
 Remediation Phase: 0
 Date Entered In Computer: 03/23/99
 Spill Record Last Update: 06/06/02
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9815186
 DER Facility ID: 212616
 Site ID: 260016
 Operable Unit ID: 1076198
 Operable Unit: 01
 Material ID: 308303
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9815186 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ENGELHARDT" Con Ed e2mis #123799: March 23, 1999 L. FISCHER
 REPORTS THAT HE FOUND APPROXIMATELY 300 GALLONS OF WATER AND 1 GALLON OF OIL IN
 MANHOLE #5971. SAMPLE TAKEN AND TAG HUNG (#24501). CONDUIT PLATE 2D SHOWS
 SEWER CONNECTION BUT THE SUMP WAS SEALED ON 1/1/97 BY L. NEGRON FROM THE FLUSH
 DEPARTMENT. ASSUME NO IMPACT TO THE ENVIRONMENT, SEWERS, OR WATERWAYS. CLEANUP
 TO BE COMPLETED WHEN SAMPLE RESULTS ARE RECEIVED. MARCH 24, 1999 SAMPLE
 RESULTS MAR. 24 1999 CONSOLIDATED EDISON TECHNICAL SERVICES LABORATORY ELAP#
 10380 SYSTEM & TRANSMISSION OPERATIONS Lab Sequence Number: 99-02965 Date
 Reported: 03/24/99 E2 Incident Number: 123799 Date Received: 03/23/99 Date
 Sampled: 03/23/99 -001 SAMPLE TYPE: OIL 1260 285. PPM EQUIPMENT : MANHOLE #
 5971 CLEANUP TO START ON MIDNIGHT SHIFT 3/25/99 EPA ID #NYP 004 033 098 WAS
 ASSIGNED. 03/25/99 0234 HRS JOB WAS CANCELLED TILL AMFOR UNSAFE CONDITIONS
 CFS STEEL CO HAS STEEL REBAR PARTLY ON MH & IN AREA .TEL # 585-0500 FISCHER TO
 MAKE ARRANGEMENTS TO MAKE AREA SAFE. MAR. 25, 1999 JOB COMPLETED AND JOB
 TAG REMOVED. END DECRemark - 9815186
 Remarks: Start CallerRemark - 9815186 CALLER REPORTING THAT PRODUCT WAS FOUND IN
 MANHOLE. SAMPLES TAKEN AND CLEAN UP PENDING RESULTS. CON ED #123799. END
 CallerRemark - 9815186

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MH #5971 (Continued)

S103829312

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9815186
 Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 03/23/1999 12:45
 Reported to Dept Date/Time: 03/23/99 13:37
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 / /
 Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 03/23/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 03/23/99
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH #5971 (Continued)

S103829312

Last Date: 19940929
 DEC Remarks: Not reported
 Remark: CALLER REPORTING THAT PRODUCT WAS FOUND IN MANHOLE. SAMPLES TAKEN AND CLEAN UP PENDING RESULTS. CON ED 123799.

**G39
 SSE
 < 1/8
 565 ft.**

**MANHOLE 5971
 CYPRESS AV / E 132 ST
 BRONX, NY**

**NY Spills S104194960
 NY Hist Spills N/A**

Site 10 of 15 in cluster G

NY Spills:

Site ID: 78405
 Facility Addr2: Not reported
 Facility ID: 9908441
 Spill Number: 9908441
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 10/12/99
 Reported to Dept: 10/12/99
 CID: 365
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/05/04
 Remediation Phase: 0
 Date Entered In Computer: 10/12/99
 Spill Record Last Update: 02/05/04
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9908441
 DER Facility ID: 72966
 Site ID: 78405
 Operable Unit ID: 1082726
 Operable Unit: 01
 Material ID: 297553
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5971 (Continued)

S104194960

Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9908441 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" e2mis no. 128372: APPROX. 1 QT. OF UNKNOWN OIL AND
 200 GALS. WATER IN MH5971. ACCORDING TO CONDUIT PLATE 2-D THERE'S A SEWER
 CONNECTION AT THIS LOCATION WHICH HAS BEEN SEALED. Lab Sequence Number:
 99-10730 AROCLOR 1254 PCB <1 PPM 10/20/99 Flush operator J. Rohe reports
 that clean up completed in MH-5971. Corporate tanker removed oil and water
 mixture from structure. Flush crew power washed structure two times, and tanker
 removed waste water. END DECRemark - 9908441
 Remarks: Start CallerRemark - 9908441 1 QUART OF OIL ON 200 GALLONS OF WATER - SAMPLE
 TAKEN - CLEAN UP PENDING LAB RESULTS - REF #128372 END CallerRemark - 9908441

Site ID: 159963
 Facility Addr2: Not reported
 Facility ID: 9906994
 Spill Number: 9906994
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 09/12/99
 Reported to Dept: 09/12/99
 CID: 365
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Remediation Phase: 1
 Date Entered In Computer: 09/12/99
 Spill Record Last Update: 11/02/04
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9906994
 DER Facility ID: 135118
 Site ID: 159963
 Operable Unit ID: 1085431
 Operable Unit: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5971 (Continued)

S104194960

Material ID: 299704
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9906994 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" e2mis no. 127758: J BADILLO BX FOD RPTS
 OIL/WATER MIX IN MH 5971 ELY OPP NEC CYPRESS AVE AND E132 ST...UNKNOWN AMOUNT
 OF OIL (OVER 10 GALLONS) IN APPROX 1300 GAL WATER..THERE IS NO MOVEMENT OF
 LIQUID IN THIS HOLE..CONDUIT PLATE 2-D INDICATES A SEWER CONNECTION..PLATE ALSO
 INDICATES THIS SEWER CONN WAS SEALED JAN '97..NO WATERWAYS/SEWERS
 AFFECTED...PENDING SAMPLE AND TAG NUMBER...WILLPROCEED WITH CLEANUP WHEN SAMPLE
 RESULTS ARE MADE AVAIL. WILL F/U WITH MORE INFO ON THE AMOUNT OF OIL IN THIS
 STRUCTURE. JOHN KOFOED FOD SUPV RPTS AMOUNT OF OIL IS APPROX 6 GALLONS..HE
 HUNG A TAG NUMBER 14539 AND TOOK A SAMPLE. Lab SequenceNumber: 99-09523 Date
 Reported: 09/13/99 TOTAL PCB 5 PPM 09/13/99 @ 04:30 hrs. FLUSH CREW REPORTS
 THAT THE CLEAN UP IS COMPLETE, WATER AND OIL WERE REMOVED BY CORPORATE TANKER
 AND VAULT WAS POWER WASHED 2 X'S AND WASTE WATER REMOVED BY TANKER. CREW
 REMOVED TAG AND REPORTED THAT THE MANHOLE IS MAKING WATER. 09/13/99 @ 10:00
 HRS FOD CREW REPORTS OIL AND WATER IN MANHOLE SEE E2MIS 127772 END DECRemark -
 9906994
 Remarks: Start CallerRemark - 9906994 ON 1300 GALLONS OF WATER - CLEAN UP PENDING LAB
 RESULTS - REF #127758 END CallerRemark - 9906994

Click this hyperlink while viewing on your computer to access
 additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:
 Region of Spill: 2
 Spill Number: 9908441
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 10/12/1999 10:20
 Reported to Dept Date/Time: 10/12/99 11:17
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5971 (Continued)

S104194960

Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 10/12/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 10/12/99
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: 1 QUART OF OIL ON 200 GALLONS OF WATER - SAMPLE TAKEN - CLEAN UP PENDING LAB
 RESULTS - REF 128372
 Region of Spill: 2
 Spill Number: 9906994
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/12/1999 18:00
 Reported to Dept Date/Time: 09/12/99 19:24
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5971 (Continued)

S104194960

Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 09/12/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 02/09/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 10
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: ON 1300 GALLONS OF WATER - CLEAN UP PENDING LAB RESULTS - REF 127758

G40
 SSE
 < 1/8
 565 ft.

**CYPRESS AV & 132ND ST
 CYPRESS AV / 132ND ST
 BRONX, NY**

**NY Spills S102446702
 NY Hist Spills N/A**

Site 11 of 15 in cluster G

NY Spills:
 Site ID: 298915
 Facility Addr2: Not reported
 Facility ID: 9611058
 Spill Number: 9611058
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 12/07/96

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CYPRESS AV & 132ND ST (Continued)

S102446702

Reported to Dept: 12/07/96
 CID: 266
 Spill Cause: Human Error
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/12/96
 Remediation Phase: 0
 Date Entered In Computer: 12/07/96
 Spill Record Last Update: 12/23/96
 Spiller Name: RICHARD ROACH
 Spiller Company: CON EDISON
 Spiller Address: 4 IRVING PLACE
 Spiller City,St,Zip: NEW YORK, NY 10003
 Spiller Company: 001
 Spiller Phone: (212) 580-6763
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9611058
 DER Facility ID: 241830
 Site ID: 298915
 Operable Unit ID: 1039094
 Operable Unit: 01
 Material ID: 343269
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 3.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Sewer
 Oxygenate: False

DEC Remarks: Start DECRemark - 9611058 Prior to Sept, 2004 data translation this spill Lead DEC Field was "ENGELHARDT" 12/9/96: Ralph Furino - manhole with water. They were pumping out manhole, noticed sheen after started pumping. Don't know if oil has been retrieved. Danny Simon is field supervisor on scene. He will be in office tomorrow - his # is 904-4570. Told Ralph to have him call me. 12/10/96: Dan Simon - Crew accidentally pumped sheen into catch basin. Cleaned catch basin with pads. Pumped everything after sheen was noticed into drums. Sanitation Garage on E. 132nd St. between Cypress & Walnut. END DECRemark - 9611058

Remarks: Start CallerRemark - 9611058 UNKNOWN OIL FOUND IN CON EDISON MAN HOLE. WORKERS ACCIDENTALLY PUMPED IT INTO A STORM DRAIN. APPROXIMATELY FIVE GALLONS OIL/WATER MIXTURE. STORM DRAIN BEING PUMPED OUT. END CallerRemark - 9611058

NY Hist Spills:
 Region of Spill: 2
 Spill Number: 9611058

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

CYPRESS AV & 132ND ST (Continued)

S102446702

Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 12/07/1996 11:00
 Reported to Dept Date/Time: 12/07/96 12:21
 SWIS: 60
 Spiller Name: CON EDISON
 Spiller Contact: RICHARD ROACH
 Spiller Phone: (212) 580-6763
 Spiller Address: 4 IRVING PALCE
 Spiller City,St,Zip: NEW YORK, NY 10003-
 Spill Cause: Human Error
 Reported to Dept: In Sewer
 Water Affected: Not reported
 Spill Source: 01
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/12/96
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 12/07/96
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 12/23/96
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 3
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: 12/9/96: Ralph Furino - manhole with water. They were pumping out manhole,
 noticed sheen after started pumping. Don t know if oil has been retrieved.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CYPRESS AV & 132ND ST (Continued)

S102446702

Remark: Danny Simon is field supervisor on scene. He will be in office tomorrow - his is 904-4570. Told Ralph to have him call me. 12/10/96: Dan Simon - Crew accidentally pumped sheen into catch basin. Cleaned catch basin with pads. Pumped everything after sheen was noticed into drums. Sanitation Garage on E. 132nd St. between Cypress Walnut.
 UNKNOWN OIL FOUND IN CON EDISON MAN HOLE. WORKERS ACCIDENTALLY PUMPED IT INTO A STORM DRAIN. APPROXIMATELY FIVE GALLONS OIL/WATER MIXTURE. STORM DRAIN BEING PUMPED OUT.

G41
 SSE
 < 1/8
 565 ft.

MH #5969
 132ND ST / CYPRESS AVE
 BRONX, NY

NY Spills S104195742
 NY Hist Spills N/A

Site 12 of 15 in cluster G

NY Spills:

Site ID: 260017
 Facility Addr2: Not reported
 Facility ID: 9907878
 Spill Number: 9907878
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 09/29/99
 Reported to Dept: 09/29/99
 CID: 366
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/20/99
 Remediation Phase: 0
 Date Entered In Computer: 09/29/99
 Spill Record Last Update: 05/25/00
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9907878
 DER Facility ID: 212616
 Site ID: 260017
 Operable Unit ID: 1082167
 Operable Unit: 01
 Material ID: 300561

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH #5969 (Continued)

S104195742

Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9907878 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ENGELHARDT" con ed e2mis notes: Drops of unknown oil and
 sheen on 300 gals of water, conduit plate 3-D-1 indicates no sewer connections,
 water is remaining constant in manhole, sample has been taken. 250 gals of
 water and oil removed. Hole cleaned and flushed. END DECRemark - 9907878
 Remarks: Start CallerRemark - 9907878 CALLER REPORTING THAT OIL FOUND ON 300 GALS OF
 WATER. SAMPLES TAKEN AND CLEEAN UP PENDING RESULTS. CON ED #128107 END
 CallerRemark - 9907878

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9907878
 Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/29/1999 10:05
 Reported to Dept Date/Time: 09/29/99 11:07
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/20/99
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 09/29/99
 Date Spill Entered In Computer Data File: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH #5969 (Continued)

S104195742

Update Date: 05/25/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929

DEC Remarks: con ed e2mis notes: Drops of unknown oil and sheen on 300 gals of water, conduit plate 3-D-1 indicates no sewer connections, water is remaining constant in manhole, sample has been taken. 250 gals of water and oil removed. Hole cleaned and flushed.
 Remark: CALLER REPORTING THAT OIL FOUND ON 300 GALS OF WATER. SAMPLES TAKEN AND CLEEN UP PENDING RESULTS. CON ED 128107

G42
 SSE
 < 1/8
 565 ft.

**MANHOLE 5971
 CYPRESS AV / 132ND ST
 BRONX, NY**

**NY Spills S104194978
 NY Hist Spills N/A**

Site 13 of 15 in cluster G

NY Spills:

Site ID: 186177
 Facility Addr2: Not reported
 Facility ID: 9907023
 Spill Number: 9907023
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 09/13/99
 Reported to Dept: 09/13/99
 CID: 323
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/18/99
 Remediation Phase: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5971 (Continued)

S104194978

Date Entered In Computer: 09/13/99
 Spill Record Last Update: 05/24/00
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: STEVEN CRIBBIN
 Contact Phone: (212) 580-8576
 DEC Region: 2
 Program Number: 9907023
 DER Facility ID: 155659
 Site ID: 186177
 Operable Unit ID: 1085462
 Operable Unit: 01
 Material ID: 299732
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9907023 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "O'CONNELL" 6/16/99, 0021 hrs: Update from Bill Murphy, Con Ed
 CIG - PCB results 52 ppm. 1 pint of unknown oil on 50 gal of water in
 manhole #5971. Conduit plate 2-D indicates a sewer connection. The plate also
 indicates that the sewer connection was sealed on Jan 1997. A sample was
 taken. 52ppm 1242 AROCLOR seq Number 99-09560 Completed clean up in MH
 5971. Appx 1 pt oil was removed and appx 50 gals water was removed. pcb
 concentration <53 ppm. Sewer connection was sealed and tag removed. 1 barrel
 was generated. END DECRemark - 9907023
 Remarks: Start CallerRemark - 9907023 CLEAN UP PENDING RESULTS. CON ED# 127772 END
 CallerRemark - 9907023

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9907023
 Investigator: O'CONNELL
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 09/13/1999 11:00
 Reported to Dept Date/Time: 09/13/99 12:13
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: Not reported
 Spiller Phone: () -
 Spiller Contact: STEVEN CRIBBIN
 Spiller Phone: (212) 580-8576
 Spiller Address: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE 5971 (Continued)

S104194978

Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Affected Persons
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/18/99
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 09/13/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 05/24/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: 6/16/99, 0021 hrs: Update from Bill Murphy, Con Ed CIG - PCB results 52 ppm.
 1 pint of unknown oil on 50 gal of water in manhole 5971. Conduit plate 2-D
 indicates a sewer connection. The plate also indicates that the sewer
 connection was sealed on Jan 1997. A sample was taken. 52ppm 1242 AROCLOR
 seq Number 99-09560 Completed clean up in MH 5971. Appx 1 pt oil was
 removed and appx 50 gals water was removed. pcb concentration <53 ppm. Sewer
 connection was sealed and tag removed.1 barrel was generated.
 Remark: CLEAN UP PENDING RESULTS. CON ED 127772

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

G43 **MH 5970**
SSE **EAST 132 ST/CYPRESS ST**
 < 1/8 **BRONX, NY**
 565 ft.

NY Spills **S103828987**
NY Hist Spills **N/A**

Site 14 of 15 in cluster G

NY Spills:

Site ID: 307781
 Facility Addr2: Not reported
 Facility ID: 9814821
 Spill Number: 9814821
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: IXMUNTEA
 Referred To: Not reported
 Spill Date: 03/13/99
 Reported to Dept: 03/13/99
 CID: 270
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 03/31/99
 Remediation Phase: 0
 Date Entered In Computer: 03/13/99
 Spill Record Last Update: 10/16/00
 Spiller Name: UNKNOWN
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ***UPDATE***, NY
 Spiller Company: 001
 Spiller Phone: Not reported
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9814821
 DER Facility ID: 248569
 Site ID: 307781
 Operable Unit ID: 1072405
 Operable Unit: 01
 Material ID: 311492
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9814821 Prior to Sept, 2004 data translation this spill Lead

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH 5970 (Continued)

S103828987

Remarks: DEC Field was "MUNTEANU" DEC Inspector notes: 3/30/99: 16:34, emailed erts for e2mis reports. Con ed e2mis notes: Approx 1 pt of oil and 600 gals of water was present. cleanup is complete and tag pulled. AROCLOR 1242: 1PPM AROCLOR 1254: 1PPM AROCLOR 1260: 1PPM END DECRemark - 9814821 Start CallerRemark - 9814821 1 pt on 600 gal water con ed 123607 samples will be taken END CallerRemark - 9814821

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9814821
 Investigator: MUNTEANU
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 03/13/1999 11:25
 Reported to Dept Date/Time: 03/13/99 12:48
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: UNKNOWN
 Spiller Phone: Not reported
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/31/99
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 03/13/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 10/16/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MH 5970 (Continued)

S103828987

Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: DEC Inspector notes: 3/30/99: 16:34, emailed erts for e2mis reports. Con
 ed e2mis notes: Approx 1 pt of oil and 600 gals of water was present.
 cleanup is complete and tag pulled. AROCLOR 1242: 1PPM AROCLOR 1254: 1PPM
 AROCLOR 1260: 1PPM
 Remark: 1 pt on 600 gal water con ed 123607 samples will be taken

**G44
 SSE
 < 1/8
 565 ft.**

**MH 5971
 EAST 132 ST/CYPRESS ST
 BRONX, NY**

**NY Spills S103828986
 NY Hist Spills N/A**

Site 15 of 15 in cluster G

NY Spills:
 Site ID: 307780
 Facility Addr2: Not reported
 Facility ID: 9814820
 Spill Number: 9814820
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 03/13/99
 Reported to Dept: 03/13/99
 CID: 270
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/31/99
 Remediation Phase: 0
 Date Entered In Computer: 03/13/99
 Spill Record Last Update: 06/20/00
 Spiller Name: UNKNOWN
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ***UPDATE***, NY
 Spiller Company: 001
 Spiller Phone: Not reported
 Contact Name: CALLER
 Contact Phone: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MH 5971 (Continued)

S103828986

DEC Region: 2
 Program Number: 9814820
 DER Facility ID: 248569
 Site ID: 307780
 Operable Unit ID: 1072404
 Operable Unit: 01
 Material ID: 311491
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9814820 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ENGELHARDT" DEC Inspector Notes: 3/30/99: 16:34, emailed erts
 for e2mis. Con ed e2mis notes: Approx 1 gal of oil and 300 gals of water
 was present.Cleanup is now complete as of 09:50. unknown oil 1 gal pcb
 18ppm END DECRemark - 9814820
 Remarks: Start CallerRemark - 9814820 1 gal unk oil on 300 gal water con ed 123606
 samples will be taken END CallerRemark - 9814820

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9814820
 Investigator: ENGELHARDT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 03/13/1999 11:20
 Reported to Dept Date/Time: 03/13/99 12:46
 SWIS: 60
 Spiller Name: UNKNOWN
 Spiller Contact: UNKNOWN
 Spiller Phone: Not reported
 Spiller Contact: CALLER
 Spiller Phone: () -
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MH 5971 (Continued)

S103828986

UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/31/99
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 03/13/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 06/20/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: DEC Inspector Notes: 3/30/99: 16:34, emailed erts for e2mis. Con ed e2mis notes: Approx 1 gal of oil and 300 gals of water was present. Cleanup is now complete as of 09:50. unknown oil 1 gal pcb 18ppm
 Remark: 1 gal unk oil on 300 gal water con ed 123606 samples will be taken

45
 West
 < 1/8
 592 ft.

**U S POSTAL SRVCE
 (NO STREET INFO)
 BRONX, NY**

**LTANKS S100145372
 HIST LTANKS N/A**

LTANKS:
 Site ID: 109456
 Spill Date: 03/02/89
 Facility Addr2: Not reported
 Facility ID: 8809318
 Program Number: 8809318
 SWIS: 0301
 Region of Spill: 2
 Investigator: ADMIN. CLOSED
 Referred To: Not reported
 Reported to Dept: 03/02/89
 CID: Not reported
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Tank Tester
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

U S POSTAL SRVCE (Continued)

S100145372

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 03/05/03
 Remediation Phase: 0
 Date Entered In Computer: 03/03/89
 Spill Record Last Update: 03/14/03
 Spille Namer: Not reported
 Spiller Company: U S POSTAL AUTH
 Spiller Phone: (212) 330-3140
 Spiller Extention: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: BX, NY 10454
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 8809318
 DER Facility ID: 96085
 Site ID: 109456
 Operable Unit ID: 925566
 Operable Unit: 01
 Material ID: 454070
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Pounds
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: 109456
 Spill Tank Test: 9784
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0.00
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/01/04
 Test Method: Unknown
 DEC Remarks: Start DECRemark - 8809318 Prior to Sept, 2004 data translation this spill Lead DEC Field was "ADMIN.CLOSED" 03/05/2003- Closed Due To The Nature / Extent Of The Spill Report END DECRemark - 8809318
 Remarks: Start CallerRemark - 8809318 TWO 10K TANKS MANIFOLDED TOGETHER. VISIBLE LEAK. NO MORE THAN 10 GAL ON GROUND.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS. END CallerRemark - 8809318

HIST LTANKS:

Region of Spill: 2
 Spill Number: 8809318
 Investigator: BATTISTA
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

U S POSTAL SRVCE (Continued)

S100145372

Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 03/02/1989
 Spill Time: 13:00
 Reported to Department Date: 03/02/89
 Reported to Department Time: 13:43
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extension: Not reported
 Spiller Name: U S POSTAL AUTH
 Spiller Address: Not reported
 Spiller City,St,Zip: BX, NY 10454
 Facility Contact: Not reported
 Facility Phone: (212) 330-3140
 Facility Extension: Not reported
 Spill Cause: Tank Test Failure
 Resource Affected: On Land
 Water Affected: Not reported
 Spill Source: Other Commercial/Industrial
 Spill Notifier: Tank Tester
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 03/03/89
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 11/27/92
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: 0
 Test Method: Not reported
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Not reported
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

U S POSTAL SRVCE (Continued)

S100145372

Last Date: 19941207
 DEC Remarks: Not reported
 Spill Cause: TWO 10K TANKS MANIFOLDED TOGETHER. VISIBLE LEAK. NO MORE THAN 10 GAL ON GROUND.

H46
 WNW
 < 1/8
 653 ft.

BUSINESS
138 BROOKNER BLVD
BRONX, NY

NY Spills S103482814
NY Hist Spills N/A

Site 1 of 2 in cluster H

NY Spills:

Site ID: 322371
 Facility Addr2: Not reported
 Facility ID: 9804809
 Spill Number: 9804809
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: JXZHAO
 Referred To: Not reported
 Spill Date: 07/17/98
 Reported to Dept: 07/17/98
 CID: 16
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial Vehicle
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/17/03
 Remediation Phase: 0
 Date Entered In Computer: 07/17/98
 Spill Record Last Update: 11/17/03
 Spiller Name: Not reported
 Spiller Company: MYSTIC TRANSPORT
 Spiller Address: 19-01 STEINWAY ST
 Spiller City,St,Zip: ASTORIA, NY 11105-
 Spiller Company: 001
 Spiller Phone: Not reported
 Contact Name: ABOVE CALLER
 Contact Phone: Not reported
 DEC Region: 2
 Program Number: 9804809
 DER Facility ID: 259702
 Site ID: 322371
 Operable Unit ID: 1065854
 Operable Unit: 01
 Material ID: 319576
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BUSINESS (Continued)

S103482814

Material FA: Petroleum
 Quantity: 5.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 9804809 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "ZHAO" END DECRemark - 9804809
 Remarks: Start CallerRemark - 9804809 guage malfunction on tank - spill out of vent to
 concrete - spill contained and cleanup crew enroute END CallerRemark - 9804809

NY Hist Spills:

Region of Spill: 2
 Spill Number: 9804809
 Investigator: JIE
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Spill Date/Time: 07/17/1998 10:00
 Reported to Dept Date/Time: 07/17/98 10:07
 SWIS: 60
 Spiller Name: MYSTIC TRANSPORT
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Contact: ABOVE CALLER
 Spiller Phone: () -
 Spiller Address: 19-01 STEINWAY ST
 Spiller City,St,Zip: ASTORIA, NY 11105-
 Spill Cause: Equipment Failure
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 07
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Std: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: //
 Enforcement Date: //
 Invstgn Complete: //
 UST Involvement: False
 Spill Class: Not reported
 Spill Closed Dt: //
 Corrective Action Plan Submitted: //
 Date Region Sent Summary to Central Office: //
 Date Spill Entered In Computer Data File: 07/17/98
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 07/23/98
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BUSINESS (Continued)

S103482814

Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 5
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: Not reported
 Remark: guage malfunction on tank - spill out of vent to concrete - spill contained and cleanup crew enrout

H47
 WNW
 < 1/8
 653 ft.

**ZARO BAKE SHOP INC
 138 BRUCKNER BOULEVARD
 BRONX, NY 10454**

UST U001838850
 HIST UST N/A

Site 2 of 2 in cluster H

UST:
 Facility ID: 2-007641
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 01/01/82
 Capacity Gallons: 3000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Other
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Excavation/Trench Liner System
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Horner EZY3/EZY3 Locator Plus
 Date Tested: 09/05/03
 Next Test Date: 09/05/08

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ZARO BAKE SHOP INC (Continued)

U001838850

Date Tank Closed: //

UST:

Facility Id: 2-007641
 Expiration Date: 08/23/08
 Renewal Date: //
 Total Capacity: 3000
 Facility Type: Not reported
 Mailing Company: ZARO BAKE SHOP INC
 Mailing Title: Not reported
 Mailing Contact: MR. RALPH BEN SHALOM
 Mailing Address: 138 BRUCKNER BOULEVARD
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 993-5600
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 138 BRUCKNER BLVD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (212) 993-5600
 Owner Company: ZARO BAKE SHOP INC
 Emergency Contact: RALPH BEN SHALOM
 Emergency Phone: (212) 261-8247
 Operator: ZARO BAKE SHOP INC
 Operator Phone: (212) 993-5600
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-007641
 SPDES Number: Not reported
 Emergency Contact: RALPH BEN SHALOM
 Emergency Telephone: (212) 261-8247
 Operator: ZARO BAKE SHOP INC
 Operator Telephone: (212) 993-5600
 Owner Name: ZARO BAKE SHOP INC
 Owner Address: 138 BRUCKNER BLVD
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (212) 993-5600
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: ZARO BAKE SHOP INC
 Mailing Address: 138 BRUCKNER BLVD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: MR. RALPH BEN SHALOM
 Mailing Telephone: (718) 993-5600
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 138 BRUCKNER BLVD

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ZARO BAKE SHOP INC (Continued)

U001838850

Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19820101
 Capacity (gals): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Aboveground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Other
 Pipe External: Other
 Second Containment: Vault (w/o access)
 Leak Detection: Groundwater Well
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: 05/01/1998
 Next Test Date: 05/01/2003
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: MANUFACTURING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/18/1998
 Expiration Date: 08/23/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 3000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

I48 **NYPA-HARLEM RIVER YARD**
SSW **E 132ND ST BETW TRIBOROUGH**
1/8-1/4 **BRONX, NY 10454**
678 ft.

FINDS **1004762124**
RCRA-LQG **NYR000093773**
NY MANIFEST

Site 1 of 2 in cluster I

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

RCRAInfo:

Owner: NEW YORK POWER AUTH
 (914) 681-6405
 EPA ID: NYR000093773
 Contact: WILLIAM SLADE
 (914) 681-6405

Classification: Large Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST:

Document ID: ARA1257739
 Manifest Status: Not reported
 Trans1 State ID: NYD980769947
 Trans2 State ID: Not reported
 Generator Ship Date: 10/10/2001
 Trans1 Recv Date: 10/10/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/15/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: ARD069748192
 Trans2 EPA ID: Not reported
 TSDF ID: H245
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 01270
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 01524
 Units: P - Pounds
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Year: 01
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1498975
 Manifest Status: Not reported
 Trans1 State ID: NJD071629976
 Trans2 State ID: Not reported
 Generator Ship Date: 03/10/2005
 Trans1 Recv Date: 03/10/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/17/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: H1295
 Trans2 EPA ID: Not reported
 TSDF ID: ARD069748192
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01200
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Mailing Phone:	914-287-3407
Document ID:	ARA1531599
Manifest Status:	Not reported
Trans1 State ID:	NJD071629976
Trans2 State ID:	Not reported
Generator Ship Date:	07/14/2005
Trans1 Recv Date:	07/14/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/22/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000093773
Trans1 EPA ID:	H1295
Trans2 EPA ID:	Not reported
TSD ID:	ARD069748192
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	01000
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	Not reported
Facility Type:	Generator
EPA ID:	NYR000093773
Facility Name:	NYPA HARLEM RIVER YARD
Facility Address:	300 SOUTH OF EAST 102ND ST
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	NYPA
Mailing Contact:	EDWARD WOJNIAK
Mailing Address:	123 MAIN STREET
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-287-3407
Document ID:	ARA1299678
Manifest Status:	Not reported
Trans1 State ID:	NYD980769947
Trans2 State ID:	Not reported
Generator Ship Date:	07/23/2002
Trans1 Recv Date:	07/25/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/06/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000093773
Trans1 EPA ID:	ARD069748192
Trans2 EPA ID:	Not reported
TSD ID:	H0245
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Quantity: 03600
 Units: P - Pounds
 Number of Containers: 009
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 02
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1261921
 Manifest Status: Not reported
 Trans1 State ID: NYD980769947
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2002
 Trans1 Recv Date: 03/27/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/02/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: ARD069748192
 Trans2 EPA ID: Not reported
 TSDF ID: H245
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00759
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 02
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1335198
 Manifest Status: Not reported
 Trans1 State ID: NYD980769947
 Trans2 State ID: Not reported
 Generator Ship Date: 11/06/2002
 Trans1 Recv Date: 11/06/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/11/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: ARD069748192
 Trans2 EPA ID: Not reported
 TSD ID: H0245
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 03200
 Units: P - Pounds
 Number of Containers: 008
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 02
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1338148
 Manifest Status: Not reported
 Trans1 State ID: TNR000009183
 Trans2 State ID: Not reported
 Generator Ship Date: 03/31/2003
 Trans1 Recv Date: 03/31/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/04/2003
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: ARD069748192
 Trans2 EPA ID: Not reported
 TSD ID: H1286
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01200
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1336167
 Manifest Status: Not reported
 Trans1 State ID: NYD980769947
 Trans2 State ID: Not reported
 Generator Ship Date: 07/02/2003
 Trans1 Recv Date: 07/02/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/08/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: ARD069748192
 Trans2 EPA ID: Not reported
 TSD ID: H0245
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01500
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	NYPA
Mailing Contact:	EDWARD WOJNIAK
Mailing Address:	123 MAIN STREET
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-287-3407
Document ID:	ARA1337272
Manifest Status:	Not reported
Trans1 State ID:	NYD980769947
Trans2 State ID:	Not reported
Generator Ship Date:	11/11/2003
Trans1 Recv Date:	11/11/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/20/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000093773
Trans1 EPA ID:	ARD069748192
Trans2 EPA ID:	Not reported
TSD ID:	H245
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00800
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	03
Facility Type:	Generator
EPA ID:	NYR000093773
Facility Name:	NYPA HARLEM RIVER YARD
Facility Address:	300 SOUTH OF EAST 102ND ST
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	NYPA
Mailing Contact:	EDWARD WOJNIAK
Mailing Address:	123 MAIN STREET
Mailing City:	WHITE PLAINS
Mailing State:	NY
Mailing Zip:	10601
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	914-287-3407
Document ID:	ARA1500015
Manifest Status:	Not reported
Trans1 State ID:	H1295

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Trans2 State ID: Not reported
 Generator Ship Date: 11/02/2004
 Trans1 Recv Date: 11/02/2004
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/08/2004
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: NJD071629976
 Trans2 EPA ID: Not reported
 TSD ID: ARD069748
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00400
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 04
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1415296
 Manifest Status: Not reported
 Trans1 State ID: H1295
 Trans2 State ID: Not reported
 Generator Ship Date: 03/16/2004
 Trans1 Recv Date: 03/16/2004
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/21/2004
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: NJD071629976
 Trans2 EPA ID: Not reported
 TSD ID: ARD069748
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00700
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Specific Gravity: 01.00
 Year: 04
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-287-3407

Document ID: ARA1456450
 Manifest Status: Not reported
 Trans1 State ID: H1295
 Trans2 State ID: Not reported
 Generator Ship Date: 06/23/2004
 Trans1 Recv Date: 06/23/2004
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/01/2004
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000093773
 Trans1 EPA ID: NJD071629976
 Trans2 EPA ID: Not reported
 TSDF ID: ARD069748
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01200
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 04
 Facility Type: Generator
 EPA ID: NYR000093773
 Facility Name: NYPA HARLEM RIVER YARD
 Facility Address: 300 SOUTH OF EAST 102ND ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: NYPA
 Mailing Contact: EDWARD WOJNIAK
 Mailing Address: 123 MAIN STREET
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NYPA-HARLEM RIVER YARD (Continued)

1004762124

Mailing Country: USA
 Mailing Phone: 914-287-3407

**149
 SSW
 1/8-1/4
 678 ft.**

**HARLEM RIVER YARD TS
 ST. ANN'S / LINCOLN AVE AT 132 STREET
 BRONX, NY 10454**

**SWF/LF S105841685
 N/A**

Site 2 of 2 in cluster I

SWF/LF:
 Flag: INACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 0
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: Not reported
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Transfer station - regulated
 Activity Number: 03T25
 Active: No
 East Coordinate: 591100
 North Coordinate: 4517500
 Accuracy Code: Not reported
 Regulatory Status: None
 Waste Type: Not reported
 Authorization #: Not reported
 Authorization Date: Not reported
 Expiration Date: Not reported

**J50
 SE
 1/8-1/4
 690 ft.**

**BRONX WEST FOUR
 720 EAST 132ND STREET
 BRONX, NY 10454**

**UST U003074847
 AST N/A
 HIST AST
 HIST UST**

Site 1 of 2 in cluster J

UST:
 Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 1150

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/93

UST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 1150
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/93

UST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 002-A
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Kerosene
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

UST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRONX WEST FOUR (Continued)

U003074847

Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 001-A
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: 07/01/91
 Capacity Gallons: 2000
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Fiberglass Coated Steel
 Tank Internal Protection: None
 Tank Internal Protection 1: Original Sacrificial Anode
 Tank Internal Protection 2: Fiberglass
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Original Sacrificial Anode
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Product Level Gauge (A/G)
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

UST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

AST:

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

AST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 005
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 275
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

AST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 006
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 275
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

AST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

AST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRONX WEST FOUR (Continued)

U003074847

Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-455547
 Program Type: PBS
 Tank Number: 007
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 275
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/21/03

AST:

Facility Id: 2-455547
 Expiration Date: 12/06/98
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 780 E 132 ST. CO.
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 788-4077
 Mailing Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10017
 Owner Phone: (212) 566-7635
 Owner Company: 780 EAST 132ND STREET CO.
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Phone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Phone: (718) 993-0224
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-455547
 Tank Location: ABOVEGROUND
 Tank ID: 005
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 275
 Product Stored: C
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 1
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: NYC DEPT OF SANITATION, BCC
 Facility Phone: (718) 993-0224
 Facility Addr2: 720 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION
 Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 12/24/1993
 Expiration: 12/06/1998
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

PBS Number: 2-455547
 Tank Location: ABOVEGROUND
 Tank ID: 006
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 275
 Product Stored: C
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 1
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: NYC DEPT OF SANITATION, BCC
 Facility Phone: (718) 993-0224
 Facility Addr2: 720 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION
 Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration: 12/06/1998
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

 PBS Number: 2-455547
 Tank Location: ABOVEGROUND
 Tank ID: 007
 Tank Status: 2
 Install Date: Not reported
 Capacity (Gal): 275
 Product Stored: A
 Tank Type: Steel/carbon steel
 Tank Internal: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Tank External: 01
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 1
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: NYC DEPT OF SANITATION, BCC
 Facility Phone: (718) 993-0224
 Facility Addr2: 720 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION
 Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration: 12/06/1998
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

 PBS Number: 2-455547
 Tank Location: ABOVEGROUND
 Tank ID: 003
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 550
 Product Stored: A
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: NYC DEPT OF SANITATION, BCC
 Facility Phone: (718) 993-0224
 Facility Addr2: 720 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION
 Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration: 12/06/1998
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2
 PBS Number: 2-455547
 Tank Location: ABOVEGROUND
 Tank ID: 004
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 550
 Product Stored: A
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: NYC DEPT OF SANITATION, BCC
 Facility Phone: (718) 993-0224
 Facility Addr2: 720 EAST 132ND STREET
 Facility Type: OTHER
 Emergency: BUREAU OF CLEANING & COLLECTION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Emergency Tel: (212) 788-4054
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Federal ID: Not reported
 Owner Tel: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 12/24/1993
 Expiration: 12/06/1998
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

HIST UST:

PBS Number: 2-455547
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Telephone: (718) 993-0224
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 720 EAST 132ND STREET
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 1150
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 12/01/1993
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration Date: 12/06/1998
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-455547
 SPDES Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Telephone: (718) 993-0224
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: Not reported
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 720 EAST 132ND STREET
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 1150
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 12/01/1993
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration Date: 12/06/1998
 Renew Flag: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Renewal Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-455547
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Telephone: (718) 993-0224
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: Not reported
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 720 EAST 132ND STREET
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: KEROSENE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration Date: 12/06/1998
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-455547
 SPDES Number: Not reported
 Emergency Contact: BUREAU OF CLEANING & COLLECTION
 Emergency Telephone: (212) 788-4054
 Operator: NYC DEPT OF SANITATION, BCC
 Operator Telephone: (718) 993-0224
 Owner Name: 780 EAST 132ND STREET CO.
 Owner Address: 250 PARK AVENUE C/O C.B. BENENSON
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: (212) 566-7635
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 780 E 132 ST. CO.
 Mailing Address: 250 PARK AVENUE C/O C. B. BENENSON
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: Not reported
 Mailing Telephone: (212) 788-4077
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 720 EAST 132ND STREET
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19910701
 Capacity (gals): 2000
 Product Stored: DIESEL
 Tank Type: Fiberglass coated steel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX WEST FOUR (Continued)

U003074847

Tank Internal: None
 Tank External: 24
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 12
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/24/1993
 Expiration Date: 12/06/1998
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 4475
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

J51
 SE
 1/8-1/4
 713 ft.

NEW YORK CITY STREET SWEEPING GARAGE
765 EAST 132 STREET
BRONX, NY 10454

UST U003031023
 HIST UST N/A

Site 2 of 2 in cluster J

UST:
 Facility ID: 2-602499
 Program Type: PBS
 Tank Number: 2
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Install Date: //
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: //
 Next Test Date: //
 Date Tank Closed: 03/01/96

UST:

Facility Id: 2-602499
 Expiration Date: 10/17/00
 Renewal Date: //
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 765 EAST 132ND ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: PETER FOLSOM
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 292-9882
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 765 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 292-9882
 Owner Company: NEW YORK CITY STREET SWEEPING GARAGE
 Emergency Contact: PETER FOLSOM
 Emergency Phone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Phone: (718) 292-9882
 Owner City: BRONX
 Owner Sub Type: Local Government

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Facility ID: 2-602499
 Program Type: PBS
 Tank Number: 1
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 03/01/96

UST:

Facility Id: 2-602499
 Expiration Date: 10/17/00
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 765 EAST 132ND ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: PETER FOLSOM
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 292-9882
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 765 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Owner Phone: (718) 292-9882
 Owner Company: NEW YORK CITY STREET SWEEPING GARAGE
 Emergency Contact: PETER FOLSOM
 Emergency Phone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Phone: (718) 292-9882
 Owner City: BRONX
 Owner Sub Type: Local Government

Facility ID: 2-602499
 Program Type: PBS
 Tank Number: 3
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 03/01/96

UST:

Facility Id: 2-602499
 Expiration Date: 10/17/00
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 765 EAST 132ND ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: PETER FOLSOM
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Mailing Zip Code: 10454
 Mailing Phone No: (718) 292-9882
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 765 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 292-9882
 Owner Company: NEW YORK CITY STREET SWEEPING GARAGE
 Emergency Contact: PETER FOLSOM
 Emergency Phone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Phone: (718) 292-9882
 Owner City: BRONX
 Owner Sub Type: Local Government

Facility ID: 2-602499
 Program Type: PBS
 Tank Number: 4
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 500
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 02/01/96

UST:

Facility Id: 2-602499
 Expiration Date: 10/17/00
 Renewal Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 765 EAST 132ND ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: PETER FOLSOM
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 292-9882
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 765 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 292-9882
 Owner Company: NEW YORK CITY STREET SWEEPING GARAGE
 Emergency Contact: PETER FOLSOM
 Emergency Phone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Phone: (718) 292-9882
 Owner City: BRONX
 Owner Sub Type: Local Government

HIST UST:

PBS Number: 2-602499
 SPDES Number: Not reported
 Emergency Contact: PETER FOLSOM
 Emergency Telephone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Telephone: (718) 292-9882
 Owner Name: NEW YORK CITY STREET SWEEPING GARAGE
 Owner Address: 765 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 292-9882
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: 765 EAST 132ND ASSOCIATES
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: PETER FOLSOM
 Mailing Telephone: (718) 292-9882
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 1
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: 0
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 03/01/1996
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/23/1996
 Expiration Date: 10/17/2000
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-602499
 SPDES Number: Not reported
 Emergency Contact: PETER FOLSOM
 Emergency Telephone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Telephone: (718) 292-9882
 Owner Name: NEW YORK CITY STREET SWEEPING GARAGE
 Owner Address: 765 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 292-9882
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: 765 EAST 132ND ASSOCIATES
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: PETER FOLSOM
 Mailing Telephone: (718) 292-9882
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 2
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: 0
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 03/01/1996
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/23/1996
 Expiration Date: 10/17/2000
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-602499

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

SPDES Number: Not reported
 Emergency Contact: PETER FOLSOM
 Emergency Telephone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Telephone: (718) 292-9882
 Owner Name: NEW YORK CITY STREET SWEEPING GARAGE
 Owner Address: 765 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 292-9882
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: 765 EAST 132ND ASSOCIATES
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: PETER FOLSOM
 Mailing Telephone: (718) 292-9882
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 3
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: 0
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 03/01/1996
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/23/1996
 Expiration Date: 10/17/2000
 Renew Flag: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-602499
 SPDES Number: Not reported
 Emergency Contact: PETER FOLSOM
 Emergency Telephone: (718) 292-9882
 Operator: PETER FOLSOM
 Operator Telephone: (718) 292-9882
 Owner Name: NEW YORK CITY STREET SWEEPING GARAGE
 Owner Address: 765 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 292-9882
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: 765 EAST 132ND ASSOCIATES
 Mailing Address: 765 EAST 132 STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: PETER FOLSOM
 Mailing Telephone: (718) 292-9882
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 4
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 500
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: 0
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 02/01/1996
 Test Method: Not reported
 Deleted: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK CITY STREET SWEEPING GARAGE (Continued)

U003031023

Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/23/1996
 Expiration Date: 10/17/2000
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**K52
 North
 1/8-1/4
 720 ft.**

**MILLBROOK HOUSES
 160 SAINT ANNS AVENUE
 BRONX, NY**

**LTANKS S102149612
 HIST LTANKS N/A**

Site 1 of 4 in cluster K

LTANKS:
 Site ID: 313672
 Spill Date: 08/27/97
 Facility Addr2: Not reported
 Facility ID: 9706421
 Program Number: 9706421
 SWIS: 0301
 Region of Spill: 2
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 08/27/97
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Non Major Facility > 1,100 gal
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Remediation Phase: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK HOUSES (Continued)

S102149612

Date Entered In Computer: 08/27/97
 Spill Record Last Update: 03/23/06
 Spiller Namer: GLENN SROUR
 Spiller Company: NYC HOUSING AUTHORITY
 Spiller Phone: (212) 306-3233
 Spiller Extention: Not reported
 Spiller Address: 250 BROADWAY, 16TH FLOOR
 Spiller City,St,Zip: NEW YORK, NY 10007-
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9706421
 DER Facility ID: 252917
 Site ID: 313672
 Operable Unit ID: 1049785
 Operable Unit: 01
 Material ID: 332008
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 9706421 12/08/05: This spill transferred from J.Kolleeny to S.Kraszewski. 03/23/06: This spill transferred to K.Tang - SK END DECRemark - 9706421
 Remarks: Start CallerRemark - 9706421 SOIL CONTAMINATION FOUND DURING REMOVAL OF 27500 GALLON TANK. JANE HEALY-O'CONNELL FROM DEC NOTIFIED ALSO. END CallerRemark - 9706421

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9706421
 Investigator: SACCACIO
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK HOUSES (Continued)

S102149612

Spill Date: 08/27/1997
 Spill Time: 10:00
 Reported to Department Date: 08/27/97
 Reported to Department Time: 11:54
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Name: NYC HOUSING AUTHORITY
 Spiller Address: 250 BROADWAY, 16TH FLOOR
 Spiller City,St,Zip: NEW YORK, NY 10007-
 Facility Contact: GLENN SROUR
 Facility Phone: (212) 306-3233
 Facility Extention: Not reported
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Non Major Facility > 1,100 gallons
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 08/27/97
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 09/05/97
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: #4 FUEL OIL
 Class Type: #4 FUEL OIL
 Times Material Entry In File: 1751
 CAS Number: Not reported
 Last Date: 19941205
 DEC Remarks: Not reported
 Spill Cause: SOIL CONTAMINATION FOUND DURING REMOVAL OF 27500 GALLON TANK. JANE HEALY-O
 CONNELL FROM DEC NOTIFIED ALSO.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

K53 **MILLBROOK**
North **160 ST ANN'S AVE**
1/8-1/4 **BRONX, NY**
720 ft.

Site 2 of 4 in cluster K

LTANKS **S102672103**
HIST LTANKS **N/A**

LTANKS:

Site ID: 106441
 Spill Date: 02/11/93
 Facility Addr2: Not reported
 Facility ID: 9212748
 Program Number: 9212748
 SWIS: 0301
 Region of Spill: 2
 Investigator: HEALY
 Referred To: Not reported
 Reported to Dept: 02/11/93
 CID: 16
 Spill Cause: Tank Overfill
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Responsible Party
 Cleanup Ceased: 02/11/93
 Cleanup Meets Standard: True
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/11/93
 Remediation Phase: 0
 Date Entered In Computer: 02/11/93
 Spill Record Last Update: 12/08/05
 Spille Namer: Not reported
 Spiller Company: NYC HOUSING
 Spiller Phone: (212) 306-3142
 Spiller Extention: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9212748
 DER Facility ID: 252917
 Site ID: 106441
 Operable Unit ID: 977149
 Operable Unit: 01
 Material ID: 402580
 Material Code: 0003
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK (Continued)

S102672103

Site ID: 106441
 Spill Tank Test: 15729
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0.00
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/01/04
 Test Method: Unknown
 DEC Remarks: Not reported
 Remarks: Start CallerRemark - 9212748 SPILL ON SIDE WALK-NO DRAINS CLEANUP IN
 PROGRESS-POSSIBLE SPILL IN GRASS ALSO-CALLED AND CONFIRMED CLEANUP END
 CallerRemark - 9212748

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9212748
 Investigator: HEALY
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 02/11/1993
 Spill Time: 10:15
 Reported to Department Date: 02/11/93
 Reported to Department Time: 11:17
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extension: Not reported
 Spiller Name: NYC HOUSING
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Facility Contact: Not reported
 Facility Phone: (212) 306-3142
 Facility Extension: Not reported
 Spill Cause: Tank Overfill
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Other Non Commercial/Industrial
 Spill Notifier: Responsible Party
 PBS Number: 2-473278
 Cleanup Ceased: 02/11/93
 Cleanup Meets Standard: True
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK (Continued)

S102672103

Spill Closed Dt: 02/11/93
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 02/11/93
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 12/27/93
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: 0
 Test Method: Not reported
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 50
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #6 FUEL OIL
 Class Type: #6 FUEL OIL
 Times Material Entry In File: 2190
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: Not reported
 Spill Cause: SPILL ON SIDE WALK-NO DRAINS CLEANUP IN PROGRESS-POSSIBLE SPILL IN GRASS
 ALSO-CALLED AND CONFIRMED CLEANUP

K54
 North
 1/8-1/4
 720 ft.

NYCHA - MILLBROOK HOUSES
 160 ST ANNS AVE
 BRONX, NY 10454

RCRA-SQG 1001224486
FINDS NYR000057034

Site 3 of 4 in cluster K

RCRAInfo:
 Owner: NYC HOUSING AUTH
 (212) 306-4569
 EPA ID: NYR000057034
 Contact: EDWARD SANVENERO JR
 (718) 832-2300
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NYCHA - MILLBROOK HOUSES (Continued)

1001224486

used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

55
 NNW
 1/8-1/4
 747 ft.

**MILLBROOK
 160 ST ANNES AVE
 BRONX, NY**

**LTANKS S103592442
 HIST LTANKS N/A**

LTANKS:

Site ID: 95620
 Spill Date: 07/06/92
 Facility Addr2: Not reported
 Facility ID: 9203924
 Program Number: 9203924
 SWIS: 0301
 Region of Spill: 2
 Investigator: SWKRASZE
 Referred To: Not reported
 Reported to Dept: 07/06/92
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 01/18/06
 Remediation Phase: 0
 Date Entered In Computer: 07/07/92
 Spill Record Last Update: 01/18/06
 Spille Namer: Not reported
 Spiller Company: NYCHA
 Spiller Phone: (212) 306-3142
 Spiller Extention: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK (Continued)

S103592442

Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9203924
 DER Facility ID: 252917
 Site ID: 95620
 Operable Unit ID: 967724
 Operable Unit: 01
 Material ID: 567466
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Pounds
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: 95620
 Spill Tank Test: 14755
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0.00
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/01/04
 Test Method: Unknown
 DEC Remarks: Start DECRemark - 9203924 01/18/06: This spill transferred from J.Kolleeny to S.Kraszewski. This spill closed to consolidate with open spill #9706421. - SK
 END DECRemark - 9203924
 Remarks: Start CallerRemark - 9203924 EXCAVATING RETURN LINE DUE TO LOSS OF PRODUCT ON INVENTORY-TANK #1 ISOLATED-FOUND CONTAMINATED SOIL-WINSTON TO PICK UP AND DISPOSE. WILL REPAIR OR REPLACE RETURN LINE. END CallerRemark - 9203924

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9203924
 Investigator: SACCACIO
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 07/06/1992
 Spill Time: 09:45
 Reported to Department Date: 07/06/92
 Reported to Department Time: 10:00
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Name: NYCHA
 Spiller Address: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MILLBROOK (Continued)

S103592442

Spiller City,St,Zip: Not reported
 Facility Contact: Not reported
 Facility Phone: (212) 306-3142
 Facility Extention: Not reported
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Other Non Commercial/Industrial
 Spill Notifier: Responsible Party
 PBS Number: 2-473278
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 07/07/92
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 12/19/94
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: 0
 Test Method: Not reported
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Not reported
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #4 FUEL OIL
 Class Type: #4 FUEL OIL
 Times Material Entry In File: 1751
 CAS Number: Not reported
 Last Date: 19941205
 DEC Remarks: Not reported
 Spill Cause: EXCAVATING RETURN LINE DUE TO LOSS OF PRODUCT ON INVENTORY-TANK 1
 ISOLATED-FOUND CONTAMINATED SOIL-WINSTON TO PICK-UP AND DISPOSE. WILL REPAIR OR
 REPLACE RETURN LINE.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

K56 **MILLBROOK & EXT.**
North **164 ST. ANN'S AVENUE**
1/8-1/4 **BRONX, NY 10454**
752 ft.

UST **U001840652**
HIST UST **N/A**

Site 4 of 4 in cluster K

UST:

Facility ID: 2-473278
 Program Type: PBS
 Tank Number: OLD 2
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 10/01/59
 Capacity Gallons: 27500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Concrete
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/97

UST:

Facility Id: 2-473278
 Expiration Date: 03/28/09
 Renewal Date: / /
 Total Capacity: 30000
 Facility Type: Not reported
 Mailing Company: NEW YORK CITY HOUSING AUTHORITY
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: FUEL OIL REMEDIATION COORDINATOR
 Mailing Address 2: 23-02 49TH AVENUE
 Mailing City: LONG ISLAND CITY
 Mailing State: NY
 Mailing Zip Code: 11101
 Mailing Phone No: (718) 707-5725
 Mailing Email: Not reported
 Owner Title: FUEL OIL REMEDIATION COORDINATOR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Owner Name: FUEL OIL REMEDIATION COORD.
 Owner Address: 23-02 49TH AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11101
 Owner Phone: (718) 707-5725
 Owner Company: NYC HOUSING AUTHORITY
 Emergency Contact: EMERGENCY SERVICE DEPT.
 Emergency Phone: (718) 707-5725
 Operator: FUEL OIL REM. COORD.
 Operator Phone: (718) 707-5725
 Owner City: LONG ISLAND CITY
 Owner Sub Type: NYC Housing Authority (Local Government)

Facility ID: 2-473278
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 02/01/97
 Capacity Gallons: 30000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Fiberglass Coated Steel
 Tank Internal Protection: Glass Liner
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Equivalent Technology
 Pipe External Protection 1: Other
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: In-Tank System (ATG)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: //
 Next Test Date: //
 Date Tank Closed: //

UST:
 Facility Id: 2-473278
 Expiration Date: 03/28/09
 Renewal Date: //
 Total Capacity: 30000
 Facility Type: Not reported
 Mailing Company: NEW YORK CITY HOUSING AUTHORITY
 Mailing Title: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Mailing Contact: Not reported
 Mailing Address: FUEL OIL REMEDIATION COORDINATOR
 Mailing Address 2: 23-02 49TH AVENUE
 Mailing City: LONG ISLAND CITY
 Mailing State: NY
 Mailing Zip Code: 11101
 Mailing Phone No: (718) 707-5725
 Mailing Email: Not reported
 Owner Title: FUEL OIL REMEDIATION COORDINATOR
 Owner Name: FUEL OIL REMEDIATION COORD.
 Owner Address: 23-02 49TH AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11101
 Owner Phone: (718) 707-5725
 Owner Company: NYC HOUSING AUTHORITY
 Emergency Contact: EMERGENCY SERVICE DEPT.
 Emergency Phone: (718) 707-5725
 Operator: FUEL OIL REM. COORD.
 Operator Phone: (718) 707-5725
 Owner City: LONG ISLAND CITY
 Owner Sub Type: NYC Housing Authority (Local Government)

Facility ID: 2-473278
 Program Type: PBS
 Tank Number: 0LD 1
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 27500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Concrete
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Date Tank Closed: 11/01/97

UST:

Facility Id: 2-473278
 Expiration Date: 03/28/09
 Renewal Date: / /
 Total Capacity: 30000
 Facility Type: Not reported
 Mailing Company: NEW YORK CITY HOUSING AUTHORITY
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: FUEL OIL REMEDIATION COORDINATOR
 Mailing Address 2: 23-02 49TH AVENUE
 Mailing City: LONG ISLAND CITY
 Mailing State: NY
 Mailing Zip Code: 11101
 Mailing Phone No: (718) 707-5725
 Mailing Email: Not reported
 Owner Title: FUEL OIL REMEDIATION COORDINATOR
 Owner Name: FUEL OIL REMEDIATION COORD.
 Owner Address: 23-02 49TH AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11101
 Owner Phone: (718) 707-5725
 Owner Company: NYC HOUSING AUTHORITY
 Emergency Contact: EMERGENCY SERVICE DEPT.
 Emergency Phone: (718) 707-5725
 Operator: FUEL OIL REM. COORD.
 Operator Phone: (718) 707-5725
 Owner City: LONG ISLAND CITY
 Owner Sub Type: NYC Housing Authority (Local Government)

HIST UST:

PBS Number: 2-473278
 SPDES Number: Not reported
 Emergency Contact: EMERGENCY SERVICE SQUAD
 Emergency Telephone: (212) 289-3940
 Operator: RAFAEL VELEZ
 Operator Telephone: (212) 306-3142
 Owner Name: NYC HOUSING AUTHORITY
 Owner Address: 250 BROADWAY
 Owner City,St,Zip: NEW YORK, NY 10007
 Owner Telephone: (212) 306-3142
 Owner Type: Local Government
 Owner Subtype: 51
 Mailing Name: NYC HOUSING AUTHORITY
 Mailing Address: 250 BROADWAY
 Mailing Address 2: 16TH FLOOR
 Mailing City,St,Zip: NEW YORK, NY 10007
 Mailing Contact: FRANK OCELLO-REME.SECTION
 Mailing Telephone: (212) 306-3142
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Tank Id: OLD 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 27500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Concrete
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: Groundwater Well
 Overfill Prot: High Level Alarm
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 11/01/1997
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1999
 Expiration Date: 03/28/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 30000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-473278
 SPDES Number: Not reported
 Emergency Contact: EMERGENCY SERVICE SQUAD
 Emergency Telephone: (212) 289-3940
 Operator: RAFAEL VELEZ
 Operator Telephone: (212) 306-3142
 Owner Name: NYC HOUSING AUTHORITY
 Owner Address: 250 BROADWAY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Owner City,St,Zip: NEW YORK, NY 10007
 Owner Telephone: (212) 306-3142
 Owner Type: Local Government
 Owner Subtype: 51
 Mailing Name: NYC HOUSING AUTHORITY
 Mailing Address: 250 BROADWAY
 Mailing Address 2: 16TH FLOOR
 Mailing City,St,Zip: NEW YORK, NY 10007
 Mailing Contact: FRANK OCELLO-REME.SECTION
 Mailing Telephone: (212) 306-3142
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19970201
 Capacity (gals): 30000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Fiberglass coated steel
 Tank Internal: Glass Liner
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: FIBERGLASS REINFORCED PLASTIC
 Pipe Internal: Other
 Pipe External: Other
 Second Containment: Vault (w/access)
 Leak Detection: In-tank System
 Overfill Prot: High Level Alarm
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1999
 Expiration Date: 03/28/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 30000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-473278
 SPDES Number: Not reported
 Emergency Contact: EMERGENCY SERVICE SQUAD
 Emergency Telephone: (212) 289-3940
 Operator: RAFAEL VELEZ
 Operator Telephone: (212) 306-3142
 Owner Name: NYC HOUSING AUTHORITY
 Owner Address: 250 BROADWAY
 Owner City,St,Zip: NEW YORK, NY 10007
 Owner Telephone: (212) 306-3142
 Owner Type: Local Government
 Owner Subtype: 51
 Mailing Name: NYC HOUSING AUTHORITY
 Mailing Address: 250 BROADWAY
 Mailing Address 2: 16TH FLOOR
 Mailing City,St,Zip: NEW YORK, NY 10007
 Mailing Contact: FRANK OCELLO-REME.SECTION
 Mailing Telephone: (212) 306-3142
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: 19591001
 Capacity (gals): 27500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Concrete
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: Groundwater Well
 Overfill Prot: High Level Alarm
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 12/01/1997
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MILLBROOK & EXT. (Continued)

U001840652

Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1999
 Expiration Date: 03/28/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 30000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

L57
 WNW
 1/8-1/4
 801 ft.

AAMCO TRANSMISSIONS
131 BRUCKNER BLVD
BRONX, NY 10454

RCRA-SQG 1000446219
FINDS NYD986905693
AST
HIST AST

Site 1 of 5 in cluster L

RCRAInfo:
 Owner: AAMCO TRANSMISSIONS
 (212) 555-1212
 EPA ID: NYD986905693
 Contact: MIKE SOLLITTO
 (718) 585-8435
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AST:

Facility ID: 2-604587
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AAMCO TRANSMISSIONS (Continued)

1000446219

Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 275
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Other
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-604587
 Expiration Date: 06/19/05
 Renewal Date: / /
 Total Capacity: 275
 Facility Type: Not reported
 Mailing Company: AAMCO TRANSMISSION D/B/A
 Mailing Title: Not reported
 Mailing Contact: MICHAEL SOLLITTO
 Mailing Address: MIKE-TONE TRANSMISSION
 Mailing Address 2: 131 BRUCKNER BLVD.
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-8435
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 131 BRUCKNER BLVD.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 585-8435
 Owner Company: MIKE-TONE AUTOMATIC TRANSMISSION
 Emergency Contact: MICHAEL SOLLITTO
 Emergency Phone: (718) 585-8435

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AAMCO TRANSMISSIONS (Continued)

1000446219

Operator: MICHAEL SOLLITTO
 Operator Phone: (718) 585-8435
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-604587
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 275
 Product Stored: C
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 0
 Pipe Location: None
 Pipe Type: NONE
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 9
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: MICHAEL SOLLITTO
 Facility Phone: (718) 585-8435
 Facility Addr2: Not reported
 Facility Type: OTHER
 Emergency: MICHAEL SOLLITTO
 Emergency Tel: (718) 585-8435
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: MIKE-TONE AUTOMATIC TRANSMISSION
 Owner Address: 131 BRUCKNER BLVD.
 Owner City,St,Zip: BRONX, NY 10454
 Federal ID: Not reported
 Owner Tel: (718) 585-8435
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: MICHAEL SOLLITTO
 Mailing Name: AAMCO TRANSMISSION D/B/A
 Mailing Address: MIKE-TONE TRANSMISSION
 Mailing Address 2: 131 BRUCKNER BLVD.
 Mailing City,St,Zip: BRONX, NY 10454

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AAMCO TRANSMISSIONS (Continued)

1000446219

Mailing Telephone: (718) 585-8435
 Owner Mark: First Owner
 Facility Status: 4 - Subpart 360-14 only (active)
 Certification Flag: False
 Certification Date: 06/21/2000
 Expiration: 06/19/2005
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 275
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

M58
 SE
 1/8-1/4
 818 ft.

695 EAST 132ND STREET
 695 EAST 132ND STREET
 BRONX, NY 10454

AST U003384133
 HIST AST N/A

Site 1 of 2 in cluster M

AST:

Facility ID: 2-083313
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

695 EAST 132ND STREET (Continued)

U003384133

Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 03/01/95

AST:

Facility Id: 2-083313
 Expiration Date: 03/24/97
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 695 REALTY CO
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 695 EAST 132ND STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (212) 993-5566
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 695 EAST 132ND STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (212) 993-5566
 Owner Company: 695 REALTY CO
 Emergency Contact: MR THOMAS O BRIEN
 Emergency Phone: (718) 441-4464
 Operator: 695 REALTY CO
 Operator Phone: (212) 993-5566
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-083313
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 3
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 3
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

695 EAST 132ND STREET (Continued)

U003384133

Missing Data for Tank: Minor Data Missing
 Date Closed: 03/01/1995
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: 695 REALTY CO
 Facility Phone: (212) 993-5566
 Facility Addr2: 695 EAST 132ND STREET
 Facility Type: MANUFACTURING
 Emergency: MR THOMAS O BRIEN
 Emergency Tel: (718) 441-4464
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 695 REALTY CO
 Owner Address: 695 EAST 132ND STREET
 Owner City,St,Zip: BRONX, NY 10454
 Federal ID: Not reported
 Owner Tel: (212) 993-5566
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: 695 REALTY CO
 Mailing Address: 695 EAST 132ND STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Telephone: (212) 993-5566
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Certification Flag: False
 Certification Date: 02/19/1992
 Expiration: 03/24/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L59 MOBIL S/S 1JARDH AAMCO TRANAS
WNW MOBIL S/S 1JARDH AAMCO TRANAS
1/8-1/4 BRONX, NY 10400
883 ft.

UST U001838894
HIST UST N/A

Site 2 of 5 in cluster L

UST:

Facility ID: 2-156418
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Administratively Closed
 Active Status: Inactive
 Install Date: 12/01/78
 Capacity Gallons: 1500
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/99

UST:

Facility Id: 2-156418
 Expiration Date: 11/12/91
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: PO BOX 142667
 Mailing Address 2: Not reported
 Mailing City: AUSTIN
 Mailing State: TX
 Mailing Zip Code: 78714
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 1JARDH AAMCO TRANAS (Continued)

U001838894

Owner Name: Not reported
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: AAMCO TRANAS
 Emergency Phone: Not reported
 Operator: AAMCO TRANAS
 Operator Phone: Not reported
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-156418
 SPDES Number: Not reported
 Emergency Contact: AAMCO TRANAS
 Emergency Telephone: (000) 000-0000
 Operator: AAMCO TRANAS
 Operator Telephone: (000) 000-0000
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: PO BOX 142667
 Mailing Address 2: Not reported
 Mailing City,St,Zip: AUSTIN, TX 78714
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).
 Facility Addr2: MOBIL S/S 1JARDH AAMCO TRANAS
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19781201
 Capacity (gals): 1500
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: 12/01/1988
 Missing Data for Tank: Minor Data Missing

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 1JARDH AAMCO TRANAS (Continued)

U001838894

Date Closed: 12/01/1999
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 05/26/1992
 Expiration Date: 11/12/1991
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**M60
 SE
 1/8-1/4
 904 ft.**

**POOK DIEMONT & OHL INC
 701 E 132ND ST
 BRONX, NY 10454**

**RCRA-SQG 1007990498
 NY MANIFEST NYR000130138**

Site 2 of 2 in cluster M

RCRAInfo:
 Owner: POOKDIEMONT & OHL INC
 718-402-2677
 EPA ID: NYR000130138
 Contact: NICK BRIA
 718-402-2677

Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

NY MANIFEST:
 Document ID: NYC7861847
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: NYD980769947
 Generator Ship Date: 07/14/2006
 Trans1 Recv Date: 07/14/2006
 Trans2 Recv Date: 07/25/2006
 TSD Site Recv Date: 07/27/2006
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

POOK DIEMONT & OHL INC (Continued)

1007990498

Part B Recv Date:	Not reported
Generator EPA ID:	NYR000130138
Trans1 EPA ID:	NY258468J
Trans2 EPA ID:	1266B7NY
TSD ID:	KYD053348108
Waste Code:	F005 - UNKNOWN
Quantity:	00600
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	06
Facility Type:	Generator
EPA ID:	NYR000130138
Facility Name:	POOK DIEMONT AND OHL INC
Facility Address:	710 E 132 ST
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	USA
County:	BRONX
Mailing Name:	POOK DIEMONT AND OHL INC
Mailing Contact:	JOHNNY RUFF
Mailing Address:	710 E 132 ST
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	718-402-2677
Document ID:	NYC7479505
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	01/11/2005
Trans1 Recv Date:	01/12/2005
Trans2 Recv Date:	01/14/2005
TSD Site Recv Date:	01/17/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000130138
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	132TWANJ
TSD ID:	KYD053348108
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00400
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	U002 - ACETONE
Quantity:	01400
Units:	P - Pounds
Number of Containers:	004
Container Type:	CF - Fiber or plastic boxes, cartons

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

POOK DIEMONT & OHL INC (Continued)

1007990498

Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000130138
 Facility Name: POOK DIEMONT AND OHL INC
 Facility Address: 710 E 132 ST
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: POOK DIEMONT AND OHL INC
 Mailing Contact: JOHNNY RUFF
 Mailing Address: 710 E 132 ST
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-402-2677

L61
 WNW
 1/8-1/4
 916 ft.

126-128 BRUCKNER BLVD
 126-28 BRUCKNER BLVD
 BRONX, NY

LTANKS S104275707
 HIST LTANKS N/A

Site 3 of 5 in cluster L

LTANKS:

Site ID: 68189
 Spill Date: 07/12/94
 Facility Addr2: Not reported
 Facility ID: 9405017
 Program Number: 9405017
 SWIS: 0301
 Region of Spill: 2
 Investigator: skcarloso
 Referred To: RP ISSUE, ORC AROUND MW5
 Reported to Dept: 07/12/94
 CID: 16
 Spill Cause: Tank Overfill
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

126-128 BRUCKNER BLVD (Continued)

S104275707

Remediation Phase: 1
 Date Entered In Computer: 10/06/94
 Spill Record Last Update: 01/17/07
 Spiller Name: Not reported
 Spiller Company: MERIT OIL STATION
 Spiller Phone: Not reported
 Spiller Extension: Not reported
 Spiller Address: 126-128 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extension: Not reported
 DEC Region: 2
 Program Number: 9405017
 DER Facility ID: 195568
 Site ID: 68189
 Operable Unit ID: 999295
 Operable Unit: 01
 Material ID: 381621
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Pounds
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 9405017 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 1/26/06: Case assigned to Andersen. Hess does not want to remediate site until the upgradient site, former Gassman fuel company spill case contamination is confirmed. 1/25/06 meeting with Quantum, NYSDEC, and GSC/Kleinfelder: a bailing schedule will be kept and absorbent socks will be placed in the wells containing free product. 6/29/06: Meeting with Hess, Quantum, EnviroTrac, GSC, and NYSDEC on 6/28/2006. Hess has been bailing product. They will not put in a system until the upgradient Gassman site has been resolved. The Department requested that Hess locally treat downgradient well MW-5. 7/12/06: Reviewed the First triannual 2006report. Product in four wells: MW8, MVE-2, MVE-3, SVE-1. Product was bailed roughly biweekly. Max BTEX 3,797 in MW5, max MTBE 934ppb in MW9. Upgradient Gassman property is the suspected source. See spill file 0101831. 8/25/06: Received email from Al Tonn:"Kleinfelder is preparing a work plan for ORC injections around MW-5 as discussed at our last meeting." 10/4/06: RAP approved for ORC around MW5. Six injections points around MW5, total of 60 pounds of ORC. Slurry will be injected between 8 and 13 ft bg. Background sample will be collected from MW5 and MW4. Dissolved oxygen, pH, redox potential, dissolved ferrous iron,

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

126-128 BRUCKNER BLVD (Continued)

S104275707

dissolved manganese, and alkalinity will be measured in the background samples, and during next two quarters. Gassman spill 0101831 still needs to be resolved before Hess will remediate the rest of the property. 10/31/06: Reviewed site status update report dated October 25, 2006. Wells sampled on 8/9/06. Product in four wells: MW8, MVE1, MVE2, and MVE3. Product is recovered monthly. Max BTEX 4060 (MW7), max MTBE 1850 (MW9). ORC will be injected surrounding MW5 in November. The upgradient spill on the gassman site has not been resolved yet. 12/18/06: Received email from Aaron Lapine of Delta: "The initial ORC injection was completed by Kleinfelder on November 14, 2006 subsequent to the installation of 2 injection points around MW-5 and the collection of MNA samples from MW-4 and MW-5. We are scheduled to sample this site in December 2006 and then in April 2007 as part of the tri-annual schedule. The additional MNA parameters will be collected during these sampling events. Based on the analytical results it will be determined whether additional ORC injections are warranted." 1/17/07: Meeting on 1/16/07 with Hess, Delta, and NYSDEC. END DECRemark - 9405017

Remarks: Start CallerRemark - 9405017 DISCOVERED SOIL IN TANK PULL. SOIL BEING STOCK PILE END CallerRemark - 9405017

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9405017
 Investigator: SANGESLAND
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 07/12/1994
 Spill Time: 14:45
 Reported to Department Date: 07/12/94
 Reported to Department Time: 14:55
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Name: MERIT OIL STATION
 Spiller Address: 126-128 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, BRONX
 Facility Contact: Not reported
 Facility Phone: Not reported
 Facility Extention: Not reported
 Spill Cause: Tank Overfill
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Gas Station
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

126-128 BRUCKNER BLVD (Continued)

S104275707

Investigation Complete: //
 UST Involvement: True
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 10/06/94
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 01/19/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Pounds
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: GASOLINE
 Class Type: GASOLINE
 Times Material Entry In File: 21329
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Spill Cause: DISCOVERED SOIL IN TANK PULL. SOIL BEING STOCK PILE

L62
 WNW
 1/8-1/4
 916 ft.

**MERIT OIL CORP
 126 BRUCKNER BLVD
 BRONX, NY 10454**

**RCRA-SQG 1000263767
 UST NYD982185605
 NY MANIFEST
 HIST UST**

Site 4 of 5 in cluster L

RCRAInfo:

Owner: MERIT OIL CORP
 (212) 555-1212
 EPA ID: NYD982185605
 Contact: Not reported
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

UST:

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 005
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/01/94

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Double-Walled (Underground)
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Interstitial - Electronic Monitoring
 Pipe Leak Detection 2: Pressurized Piping Leak Detector
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Catch Basin
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 02/01/95
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 0A9
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 37
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 09/01/79
 Capacity Gallons: 2000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Tank Auditor
 Date Tested: 09/01/93
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A15
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A21
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A23
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A38
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/01/94
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Double-Walled (Underground)
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Interstitial - Electronic Monitoring
 Pipe Leak Detection 2: Pressurized Piping Leak Detector
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Catch Basin
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 02/01/95
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 40
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 09/01/79
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Tank Auditor
 Date Tested: 09/01/93
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A17
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A18
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A25
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A26
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A34
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

 Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A37
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 38
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 09/01/79
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Tank Auditor
 Date Tested: 09/01/93
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Address 2:	Not reported
Mailing City:	WOODBIDGE
Mailing State:	NJ
Mailing Zip Code:	07095
Mailing Phone No:	(732) 750-6350
Mailing Email:	Not reported
Owner Title:	LICENSE COORDINATOR
Owner Name:	JANICE FLAHERTY
Owner Address:	1 HESS PLAZA
Owner Address 2:	Not reported
Owner State:	NJ
Owner Zip Code:	07095
Owner Phone:	(732) 750-6000
Owner Company:	AMERADA HESS CORPORATION
Emergency Contact:	AMERADA HESS CORP.
Emergency Phone:	(732) 750-6000
Operator:	AMERADA HESS CORP.
Operator Phone:	(732) 750-6000
Owner City:	WOODBIDGE
Owner Sub Type:	Corporate or Commercial
Facility ID:	2-297658
Program Type:	PBS
Tank Number:	45
Tank Model:	Not reported
Pipe Model:	Not reported
Tank Location Name:	Underground
Tank Status:	Closed - Removed
Active Status:	Inactive
Install Date:	07/01/92
Capacity Gallons:	550
Material Name:	Other
Percentage:	100.00
Tank Type Name:	Fiberglass Coated Steel
Tank Internal Protection:	None
Tank Internal Protection 1:	Fiberglass
Tank Internal Protection 2:	Not reported
Pipe Location Name:	No Piping
Pipe Type Name:	No Piping
Pipe External Protection 1:	None
Pipe External Protection 2:	Not reported
Tank Secondary Containment 1:	Double-Walled (Underground)
Tank Secondary Containment 2:	Not reported
Pipe Secondary Containment:	Not reported
Tank Leak Detection 1:	Interstitial - Electronic Monitoring
Tank Leak Detection 2:	Other
Pipe Leak Detection 1:	Not reported
Pipe Leak Detection 2:	Not reported
Type Of Overfill Prevention 1:	Float Vent Valve
Type Of Overfill Prevention 2:	Not reported
Dispenser Method:	Not reported
Spill Prevention:	Catch Basin
Tightness Test Method:	VPLT (NDE) plus UTS-4T/U3 Ullage
Date Tested:	02/01/95
Next Test Date:	//
Date Tank Closed:	07/01/94

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A13
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A28
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A31
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Install Date: //
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: //
 Next Test Date: //
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: //
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A33
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/01/94
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Double-Walled (Underground)
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Interstitial - Electronic Monitoring
 Pipe Leak Detection 2: Pressurized Piping Leak Detector
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Catch Basin
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 02/01/95
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/01/94
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Double-Walled (Underground)
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Interstitial - Electronic Monitoring
 Pipe Leak Detection 2: Pressurized Piping Leak Detector
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Catch Basin
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 02/01/95
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/01/94
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Double-Walled (Underground)
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Interstitial - Electronic Monitoring
 Pipe Leak Detection 2: Pressurized Piping Leak Detector
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Spill Prevention: Catch Basin
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 02/01/95
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A11
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A40
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A42

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A44
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 07/01/92

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 006
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 08/01/94
 Capacity Gallons: 600
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Fiberglass Reinforced Plastic (FRP)
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Double-Walled (Underground)
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Interstitial - Electronic Monitoring
 Pipe Leak Detection 2: Pressurized Piping Leak Detector
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Catch Basin
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 02/01/95
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A12
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A14
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A20
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A29
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

 Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A32
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A16
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Address 2:	Not reported
Mailing City:	WOODBIDGE
Mailing State:	NJ
Mailing Zip Code:	07095
Mailing Phone No:	(732) 750-6350
Mailing Email:	Not reported
Owner Title:	LICENSE COORDINATOR
Owner Name:	JANICE FLAHERTY
Owner Address:	1 HESS PLAZA
Owner Address 2:	Not reported
Owner State:	NJ
Owner Zip Code:	07095
Owner Phone:	(732) 750-6000
Owner Company:	AMERADA HESS CORPORATION
Emergency Contact:	AMERADA HESS CORP.
Emergency Phone:	(732) 750-6000
Operator:	AMERADA HESS CORP.
Operator Phone:	(732) 750-6000
Owner City:	WOODBIDGE
Owner Sub Type:	Corporate or Commercial
Facility ID:	2-297658
Program Type:	PBS
Tank Number:	A19
Tank Model:	Not reported
Pipe Model:	Not reported
Tank Location Name:	Underground
Tank Status:	Closed - In Place
Active Status:	Inactive
Install Date:	/ /
Capacity Gallons:	550
Material Name:	Gasoline
Percentage:	100.00
Tank Type Name:	Steel/Carbon Steel/Iron
Tank Internal Protection:	None
Tank Internal Protection 1:	None
Tank Internal Protection 2:	Not reported
Pipe Location Name:	Underground/On-ground
Pipe Type Name:	Galvanized Steel
Pipe External Protection 1:	None
Pipe External Protection 2:	Not reported
Tank Secondary Containment 1:	None
Tank Secondary Containment 2:	Not reported
Pipe Secondary Containment:	Not reported
Tank Leak Detection 1:	None
Tank Leak Detection 2:	Not reported
Pipe Leak Detection 1:	Not reported
Pipe Leak Detection 2:	Not reported
Type Of Overfill Prevention 1:	None
Type Of Overfill Prevention 2:	Not reported
Dispenser Method:	Suction
Spill Prevention:	Not reported
Tightness Test Method:	Testing Not Required
Date Tested:	/ /
Next Test Date:	/ /
Date Tank Closed:	09/01/79

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A24
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A27
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A35
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Install Date: //
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: //
 Next Test Date: //
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: //
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A36
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 41
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 09/01/79
 Capacity Gallons: 2000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Tank Auditor
 Date Tested: 09/01/93
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A10
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Total Capacity:	20600
Facility Type:	Not reported
Mailing Company:	AMERADA HESS CORP.
Mailing Title:	Not reported
Mailing Contact:	JANICE FLAHERTY
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City:	WOODBIDGE
Mailing State:	NJ
Mailing Zip Code:	07095
Mailing Phone No:	(732) 750-6350
Mailing Email:	Not reported
Owner Title:	LICENSE COORDINATOR
Owner Name:	JANICE FLAHERTY
Owner Address:	1 HESS PLAZA
Owner Address 2:	Not reported
Owner State:	NJ
Owner Zip Code:	07095
Owner Phone:	(732) 750-6000
Owner Company:	AMERADA HESS CORPORATION
Emergency Contact:	AMERADA HESS CORP.
Emergency Phone:	(732) 750-6000
Operator:	AMERADA HESS CORP.
Operator Phone:	(732) 750-6000
Owner City:	WOODBIDGE
Owner Sub Type:	Corporate or Commercial
Facility ID:	2-297658
Program Type:	PBS
Tank Number:	A30
Tank Model:	Not reported
Pipe Model:	Not reported
Tank Location Name:	Underground
Tank Status:	Closed - In Place
Active Status:	Inactive
Install Date:	/ /
Capacity Gallons:	550
Material Name:	Gasoline
Percentage:	100.00
Tank Type Name:	Steel/Carbon Steel/Iron
Tank Internal Protection:	None
Tank Internal Protection 1:	None
Tank Internal Protection 2:	Not reported
Pipe Location Name:	Underground/On-ground
Pipe Type Name:	Galvanized Steel
Pipe External Protection 1:	None
Pipe External Protection 2:	Not reported
Tank Secondary Containment 1:	None
Tank Secondary Containment 2:	Not reported
Pipe Secondary Containment:	Not reported
Tank Leak Detection 1:	None
Tank Leak Detection 2:	Not reported
Pipe Leak Detection 1:	Not reported
Pipe Leak Detection 2:	Not reported
Type Of Overfill Prevention 1:	None
Type Of Overfill Prevention 2:	Not reported
Dispenser Method:	Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A41
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A43
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Contact Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 0F8

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 07/01/79
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 0W7
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Copper
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Tank Auditor
 Date Tested: 05/01/91
 Next Test Date: / /
 Date Tank Closed: 07/01/92

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: 39
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 09/01/79
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Float Vent Valve
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Tank Auditor
 Date Tested: 09/01/93
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Title:	Not reported
Mailing Contact:	JANICE FLAHERTY
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City:	WOODBIDGE
Mailing State:	NJ
Mailing Zip Code:	07095
Mailing Phone No:	(732) 750-6350
Mailing Email:	Not reported
Owner Title:	LICENSE COORDINATOR
Owner Name:	JANICE FLAHERTY
Owner Address:	1 HESS PLAZA
Owner Address 2:	Not reported
Owner State:	NJ
Owner Zip Code:	07095
Owner Phone:	(732) 750-6000
Owner Company:	AMERADA HESS CORPORATION
Emergency Contact:	AMERADA HESS CORP.
Emergency Phone:	(732) 750-6000
Operator:	AMERADA HESS CORP.
Operator Phone:	(732) 750-6000
Owner City:	WOODBIDGE
Owner Sub Type:	Corporate or Commercial
Facility ID:	2-297658
Program Type:	PBS
Tank Number:	42
Tank Model:	Not reported
Pipe Model:	Not reported
Tank Location Name:	Underground
Tank Status:	Closed - Removed
Active Status:	Inactive
Install Date:	09/01/79
Capacity Gallons:	4000
Material Name:	Gasoline
Percentage:	100.00
Tank Type Name:	Steel/Carbon Steel/Iron
Tank Internal Protection:	None
Tank Internal Protection 1:	None
Tank Internal Protection 2:	Not reported
Pipe Location Name:	Underground/On-ground
Pipe Type Name:	Galvanized Steel
Pipe External Protection 1:	None
Pipe External Protection 2:	Not reported
Tank Secondary Containment 1:	None
Tank Secondary Containment 2:	Not reported
Pipe Secondary Containment:	Not reported
Tank Leak Detection 1:	Other
Tank Leak Detection 2:	Not reported
Pipe Leak Detection 1:	Not reported
Pipe Leak Detection 2:	Not reported
Type Of Overfill Prevention 1:	Float Vent Valve
Type Of Overfill Prevention 2:	Not reported
Dispenser Method:	Suction
Spill Prevention:	Not reported
Tightness Test Method:	Tank Auditor
Date Tested:	09/01/93

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Next Test Date: //
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: //
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A22
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: //
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-297658
 Program Type: PBS
 Tank Number: A39
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/01/79

UST:

Facility Id: 2-297658
 Expiration Date: 05/23/10
 Renewal Date: / /
 Total Capacity: 20600
 Facility Type: Not reported
 Mailing Company: AMERADA HESS CORP.
 Mailing Title: Not reported
 Mailing Contact: JANICE FLAHERTY
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City: WOODBRIDGE
 Mailing State: NJ
 Mailing Zip Code: 07095
 Mailing Phone No: (732) 750-6350
 Mailing Email: Not reported
 Owner Title: LICENSE COORDINATOR
 Owner Name: JANICE FLAHERTY
 Owner Address: 1 HESS PLAZA
 Owner Address 2: Not reported
 Owner State: NJ
 Owner Zip Code: 07095
 Owner Phone: (732) 750-6000
 Owner Company: AMERADA HESS CORPORATION
 Emergency Contact: AMERADA HESS CORP.
 Emergency Phone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Phone: (732) 750-6000
 Owner City: WOODBRIDGE
 Owner Sub Type: Corporate or Commercial

NY MANIFEST:

Document ID: PAE3320402
 Manifest Status: Completed copy
 Trans1 State ID: PAAH0067
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Generator Ship Date: 950828
 Trans1 Recv Date: 950828
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 950829
 Part A Recv Date: Not reported
 Part B Recv Date: 950914
 Generator EPA ID: NYD982185605
 Trans1 EPA ID: NJD054126164
 Trans2 EPA ID: Not reported
 TSD ID: PAD085690592
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00165
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 95
 Facility Type: Generator
 EPA ID: NYD982185605
 Facility Name: MERIT OIL
 Facility Address: 176 BRUCKNER BOULEVARD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: MERIT OIL
 Mailing Contact: Not reported
 Mailing Address: 176 BRUCKNER BOULEVARD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10401
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 516-731-4100

Document ID: NJA1401072
 Manifest Status: Completed copy
 Trans1 State ID: NYMK8837
 Trans2 State ID: NJDEPS727
 Generator Ship Date: 920903
 Trans1 Recv Date: 920903
 Trans2 Recv Date: 920903
 TSD Site Recv Date: 920903
 Part A Recv Date: Not reported
 Part B Recv Date: 920921
 Generator EPA ID: NYD982185605
 Trans1 EPA ID: NYD006801245
 Trans2 EPA ID: NJD986609949
 TSD ID: NJD991291105

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92
 Facility Type: Generator
 EPA ID: NYD982185605
 Facility Name: MERIT OIL
 Facility Address: 176 BRUCKNER BOULEVARD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: MERIT OIL
 Mailing Contact: Not reported
 Mailing Address: 176 BRUCKNER BOULEVARD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10401
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 516-731-4100

HIST UST:

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A26
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A27
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A28
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A29
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A30
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A31
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A32
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A33
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A34

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A35
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A36
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: Not reported
 Tank Id: A37
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A38
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A39
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A40
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A41
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A42
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A43
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A44
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: NONE
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: 0
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1992
 Test Method: Not reported
 Deleted: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 37
 Tank Location: UNDERGROUND
 Install Date: 19790901
 Capacity (gals): 2000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: Suction
 Date Tested: 09/01/1993
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1994
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 38
 Tank Location: UNDERGROUND
 Install Date: 19790901
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: Suction
 Date Tested: 09/01/1993
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1994
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 39
 Tank Location: UNDERGROUND
 Install Date: 19790901
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: Suction
 Date Tested: 09/01/1993
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1994
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 40
 Tank Location: UNDERGROUND
 Install Date: 19790901
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: Suction
 Date Tested: 09/01/1993
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Date Closed: 07/01/1994
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 41
 Tank Location: UNDERGROUND
 Install Date: 19790901
 Capacity (gals): 2000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: Suction
 Date Tested: 09/01/1993
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1994
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 42
 Tank Location: UNDERGROUND
 Install Date: 19790901
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: Suction
 Date Tested: 09/01/1993
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1994
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 0W7
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: FIBERGLASS COATED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Float Vent Valve
 Dispenser: 0
 Date Tested: 05/01/1991
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 07/01/1992
 Test Method: Tank Auditor
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 0F8
 Tank Location: UNDERGROUND
 Install Date: 19790701
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 0A9

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A10
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s)

EPA ID Number

MERIT OIL CORP (Continued)

1000263767

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A11
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: Not reported
 Tank Id: A12
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A13
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A14
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A15
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A16
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A17
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A18
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A19
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A20
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A21
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A22
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A23
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: A24
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: A25
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 09/01/1979
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MERIT OIL CORP (Continued)

1000263767

Town or City:	01
Region:	2
PBS Number:	2-297658
SPDES Number:	Not reported
Emergency Contact:	AMERADA HESS CORP.
Emergency Telephone:	(732) 750-6000
Operator:	AMERADA HESS CORP.
Operator Telephone:	(732) 750-6000
Owner Name:	AMERADA HESS CORPORATION
Owner Address:	1 HESS PLAZA
Owner City,St,Zip:	WOODBIDGE, NJ 07095
Owner Telephone:	(732) 750-6000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	AMERADA HESS CORP.
Mailing Address:	1 HESS PLAZA
Mailing Address 2:	Not reported
Mailing City,St,Zip:	WOODBIDGE, NJ 07095
Mailing Contact:	JANICE FLAHERTY
Mailing Telephone:	(732) 750-6350
Owner Mark:	First Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2:	Not reported
Tank Id:	45
Tank Location:	UNDERGROUND
Install Date:	19920701
Capacity (gals):	550
Product Stored:	UNKNOWN
Tank Type:	Fiberglass coated steel
Tank Internal:	None
Tank External:	Fiberglass
Pipe Location:	None
Pipe Type:	NONE
Pipe Internal:	None
Pipe External:	None
Second Containment:	Vault (w/access)
Leak Detection:	19
Overfill Prot:	Float Vent Valve, Catch Basin
Dispenser:	0
Date Tested:	02/01/1995
Next Test Date:	Not reported
Missing Data for Tank:	No Missing Data
Date Closed:	07/01/1994
Test Method:	VPLT (NDE)
Deleted:	False
Updated:	True
Lat/long:	Not reported
Lat/long:	Not reported
SWIS ID:	6001
Old PBS Number:	Not reported
Facility Type:	RETAIL GASOLINE SALES
Inspected Date:	Not reported
Inspector:	Not reported
Inspection Result:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19940801
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: STAINLESS STEEL ALLOY
 Pipe Internal: Fiberglass Liner (FRP)
 Pipe External: Fiberglass
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Date Tested: 02/01/1995
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 002

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Tank Location: UNDERGROUND
 Install Date: 19940801
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: STAINLESS STEEL ALLOY
 Pipe Internal: Fiberglass Liner (FRP)
 Pipe External: Fiberglass
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 02/01/1995
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: 19940801
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: STAINLESS STEEL ALLOY
 Pipe Internal: Fiberglass Liner (FRP)
 Pipe External: Fiberglass
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 02/01/1995
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19940801
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: STAINLESS STEEL ALLOY
 Pipe Internal: Fiberglass Liner (FRP)
 Pipe External: Fiberglass
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 02/01/1995
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: Not reported
 Tank Id: 005
 Tank Location: UNDERGROUND
 Install Date: 19940801
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: STAINLESS STEEL ALLOY
 Pipe Internal: Fiberglass Liner (FRP)
 Pipe External: Fiberglass
 Second Containment: Vault (w/access)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 02/01/1995
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-297658
 SPDES Number: Not reported
 Emergency Contact: AMERADA HESS CORP.
 Emergency Telephone: (732) 750-6000
 Operator: AMERADA HESS CORP.
 Operator Telephone: (732) 750-6000
 Owner Name: AMERADA HESS CORPORATION
 Owner Address: 1 HESS PLAZA
 Owner City,St,Zip: WOODBRIDGE, NJ 07095
 Owner Telephone: (732) 750-6000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AMERADA HESS CORP.
 Mailing Address: 1 HESS PLAZA
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WOODBRIDGE, NJ 07095
 Mailing Contact: JANICE FLAHERTY
 Mailing Telephone: (732) 750-6350
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MERIT OIL CORP (Continued)

1000263767

or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 006
 Tank Location: UNDERGROUND
 Install Date: 19940801
 Capacity (gals): 600
 Product Stored: UNKNOWN
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tank Internal: Fiberglass Liner (FRP)
 Tank External: Fiberglass
 Pipe Location: None
 Pipe Type: NONE
 Pipe Internal: None
 Pipe External: None
 Second Containment: Vault (w/access)
 Leak Detection: Electronic
 Overfill Prot: Float Vent Valve, Catch Basin
 Dispenser: 0
 Date Tested: 02/01/1995
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/15/2000
 Expiration Date: 05/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 20600
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L63 **126-128 BRUCKNER/MERIT**
WNW **126-128 BRUCKNER BLVD**
1/8-1/4 **BRONX, NY**
916 ft.

LTANKS **S104275675**
HIST LTANKS **N/A**

Site 5 of 5 in cluster L

LTANKS:

Site ID: 237445
 Spill Date: 07/30/92
 Facility Addr2: Not reported
 Facility ID: 9205097
 Program Number: 9205097
 SWIS: 0301
 Region of Spill: 2
 Investigator: SULLIVAN
 Referred To: Not reported
 Reported to Dept: 08/03/92
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Responsible Party
 Cleanup Ceased: 07/22/94
 Cleanup Meets Standard: True
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Spill Class: Known release that creates a file or hazard. (Highly Improbable)
 Spill Closed Dt: 07/22/94
 Remediation Phase: 0
 Date Entered In Computer: 08/05/92
 Spill Record Last Update: 08/02/94
 Spille Namer: Not reported
 Spiller Company: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9205097
 DER Facility ID: 195568
 Site ID: 237445
 Operable Unit ID: 968861
 Operable Unit: 01
 Material ID: 409327
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

126-128 BRUCKNER/MERIT (Continued)

S104275675

Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Not reported
 Remarks: Start CallerRemark - 9205097 CONTAMINATED SOIL DISCOVERED DURING TANK PULL.
 WILL STOCKPILE, TEST, DISPOSE. END CallerRemark - 9205097

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9205097
 Investigator: SULLIVAN
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 07/30/1992
 Spill Time: 14:00
 Reported to Department Date: 08/03/92
 Reported to Department Time: 15:00
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Name: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: Not reported
 Facility Contact: Not reported
 Facility Phone: Not reported
 Facility Extention: Not reported
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Gas Station
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: 07/22/94
 Cleanup Meets Standard: True
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: / /
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: True
 Spill Class: Known release that creates a file or hazard. (Highly Improbable)
 Spill Closed Dt: 07/22/94
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

126-128 BRUCKNER/MERIT (Continued)

S104275675

Date Spill Entered In Computer Data File: 08/05/92
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 08/02/94
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: GASOLINE
 Class Type: GASOLINE
 Times Material Entry In File: 21329
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: 08/02/94: CROSS REFERENCE TO SPILL 9405017, AS PER 7/ 22/94 MEETING WITH MERIT.
 Spill Cause: CONTAMINATED SOIL DISCOVERED DURING TANK PULL. WILL STOCKPILE, TEST, DISPOSE.

**N64
 WNW
 1/8-1/4
 987 ft.**

**220 EAST REALTY LLC
 517 EAST 132ND STREET
 BRONX, NY 10454**

**UST U003790820
 HIST UST N/A**

Site 1 of 4 in cluster N

UST:
 Facility ID: 2-605835
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 1000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY LLC (Continued)

U003790820

Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 04/01/01

UST:

Facility Id: 2-605835
 Expiration Date: 05/04/06
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY LLC
 Mailing Title: Not reported
 Mailing Contact: DAVE HALLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 2447 THIRD AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 585-3242
 Owner Company: 220 EAST REALTY LLC
 Emergency Contact: DAVE HALLAND
 Emergency Phone: (718) 585-3242
 Operator: DAVE HALLAND
 Operator Phone: (718) 585-3242
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-605835
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 1000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY LLC (Continued)

U003790820

Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 04/01/01

UST:

Facility Id: 2-605835
 Expiration Date: 05/04/06
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY LLC
 Mailing Title: Not reported
 Mailing Contact: DAVE HALLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 2447 THIRD AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 585-3242
 Owner Company: 220 EAST REALTY LLC
 Emergency Contact: DAVE HALLAND
 Emergency Phone: (718) 585-3242
 Operator: DAVE HALLAND
 Operator Phone: (718) 585-3242
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-605835
 SPDES Number: Not reported
 Emergency Contact: DAVE HALLAND
 Emergency Telephone: (718) 585-3242
 Operator: DAVE HALLAND
 Operator Telephone: (718) 585-3242
 Owner Name: 220 EAST REALTY LLC

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

220 EAST REALTY LLC (Continued)

U003790820

Owner Address: 2447 THIRD AVENUE
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 585-3242
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY LLC
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HALLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 1000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 04/01/2001
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 05/04/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY LLC (Continued)

U003790820

Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-605835
 SPDES Number: Not reported
 Emergency Contact: DAVE HALLAND
 Emergency Telephone: (718) 585-3242
 Operator: DAVE HALLAND
 Operator Telephone: (718) 585-3242
 Owner Name: 220 EAST REALTY LLC
 Owner Address: 2447 THIRD AVENUE
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 585-3242
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY LLC
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HALLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: Not reported
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 1000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 04/01/2001
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY LLC (Continued)

U003790820

Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 05/04/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**065
 WNW
 1/8-1/4
 1004 ft.**

**BRUCKNER BROOK GASOLINE CORP
 119 BRUCKNER BLVD
 BRONX, NY 10473**

**RCRA-SQG 1007371418
 NY MANIFEST NYR000124909**

Site 1 of 6 in cluster O

RCRAInfo:

Owner: ADAM WOLF
 EPA ID: NYR000124909
 Contact: ADAM WOLF
 (516) 997-9300

Classification: Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST:

Document ID: NYH0531666
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 07/18/2005
 Trans1 Recv Date: 07/18/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/18/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000124909
 Trans1 EPA ID: 12210PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01300
 Units: P - Pounds
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRUCKNER BROOK GASOLINE CORP (Continued)

1007371418

Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000124909
 Facility Name: AMOCO BRUCKNER BROOK GAS INC
 Facility Address: 119 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: AMOCO BRUCKNER BROOK GAS INC
 Mailing Contact: Not reported
 Mailing Address: 119 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 516-997-9300

**O66
 WNW
 1/8-1/4
 1004 ft.**

**JOHN B FLAHERTY CO INC
 120 BRUCKNER BLVD
 BRONX, NY 10454**

**AST U003388249
 HIST AST N/A**

Site 2 of 6 in cluster O

AST:

Facility ID: 2-268372
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: 06/01/74
 Capacity Gallons: 7500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Jacketed
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Excavation/Trench Liner System
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Vent Whistle
 Dispenser Method: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

JOHN B FLAHERTY CO INC (Continued)

U003388249

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-268372
 Expiration Date: 01/22/08
 Renewal Date: / /
 Total Capacity: 7500
 Facility Type: Not reported
 Mailing Company: LITTLE JOHN'S MOVING INC.
 Mailing Title: Not reported
 Mailing Contact: JOHN HEALEY
 Mailing Address: 1602 FIRST AVENUE
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10028
 Mailing Phone No: (212) 734-3300
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 1602 1ST AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10028
 Owner Phone: (212) 734-3300
 Owner Company: LITTLE JOHN'S MOVING
 Emergency Contact: JOHN HEALEY
 Emergency Phone: (212) 734-3300
 Operator: JOHN HEALEY
 Operator Phone: (212) 734-3300
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-268372
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: 19740601
 Capacity (Gal): 7500
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

JOHN B FLAHERTY CO INC (Continued)

U003388249

Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: ANGEL L MARTINEZ
 Facility Phone: (212) 292-4030
 Facility Addr2: 120 BRUCKNER BLVD
 Facility Type: Not reported
 Emergency: ANGEL MARTINEZ
 Emergency Tel: (212) 589-8869
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: CHARLES FLAHERTY
 Owner Address: 28 LYONS RD
 Owner City,St,Zip: SCARSDALE, NY 10583
 Federal ID: Not reported
 Owner Tel: (914) 472-2125
 Owner Type: Not reported
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: CHARLES FLAHERTY
 Mailing Address: 28 LYONS RD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: SCARSDALE, NY 10583
 Mailing Telephone: (914) 472-2125
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 07/10/1987
 Expiration: 07/10/1992
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 7500
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

067 MOBIL S/S 17-634 BRUCKNER S/S
WNW 119 BRUCKNER BLVD
1/8-1/4 BRONX, NY 10454
1004 ft.

UST U000408093
HIST UST N/A

Site 3 of 6 in cluster O

UST:

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 009
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD., ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 007
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 008
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 011
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/78
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 010
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:
 Facility Id: 2-156523

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 005
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-156523
 Program Type: PBS
 Tank Number: 006
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/61
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-156523
 Expiration Date: 10/29/92
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip Code: 22037
 Mailing Phone No: (703) 849-5862
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner Address 2: Not reported
 Owner State: VA
 Owner Zip Code: 22037
 Owner Phone: (703) 849-5862
 Owner Company: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Emergency Contact: J SOTO
 Emergency Phone: (212) 590-7559
 Operator: J SOTO
 Operator Phone: (212) 590-7559
 Owner City: FAIRFAX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19781201
 Capacity (gals): 4000
 Product Stored: LEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.

Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19611201

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 005
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 006
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 007
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWES RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 008
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 009
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 010
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-156523
 SPDES Number: Not reported
 Emergency Contact: J SOTO
 Emergency Telephone: (212) 590-7559
 Operator: J SOTO
 Operator Telephone: (212) 590-7559
 Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Owner City,St,Zip: FAIRFAX, VA 22037
 Owner Telephone: (703) 849-5862
 Owner Type: Not reported
 Owner Subtype: Mobil Oil Company
 Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
 Mailing Address: 3225 GALLOWS RD.; ENV.ENGINEER
 Mailing Address 2: Not reported
 Mailing City,St,Zip: FAIRFAX, VA 22037
 Mailing Contact: Not reported
 Mailing Telephone: (703) 849-5862
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 011
 Tank Location: UNDERGROUND
 Install Date: 19611201
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S 17-634 BRUCKNER S/S (Continued)

U000408093

Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/29/1987
 Expiration Date: 10/29/1992
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**O68
 WNW
 1/8-1/4
 1004 ft.**

**SHELL SERVICE STATION
 119 BRUCKNER BOULEVARD
 BRONX, NY 10454**

**UST U003697775
 AST N/A
 HIST UST**

Site 4 of 6 in cluster O

UST:

Facility ID: 2-509043
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/86
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Coated Steel
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Original Impressed Current
 Tank Internal Protection 2: Fiberglass
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Spill Prevention: Catch Basin
 Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U
 Date Tested: 04/01/99
 Next Test Date: 04/01/04
 Date Tank Closed: / /

UST:

Facility Id: 2-509043
 Expiration Date: 01/24/11
 Renewal Date: / /
 Total Capacity: 12550
 Facility Type: Not reported
 Mailing Company: BRUCKNER BROOK GASOLINE CORP.
 Mailing Title: Not reported
 Mailing Contact: CARY WOLF
 Mailing Address: 125 JERICO TURNPIKE
 Mailing Address 2: SUITE 401
 Mailing City: JERICO
 Mailing State: NY
 Mailing Zip Code: 11753
 Mailing Phone No: (516) 997-9300
 Mailing Email: Not reported
 Owner Title: PRESIDENT
 Owner Name: CARY WOLF
 Owner Address: 125 JERICO TURNPIKE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11753
 Owner Phone: (516) 997-9300
 Owner Company: BRUCKNER BROOK GASOLINE CORPORATION
 Emergency Contact: CARY WOLF
 Emergency Phone: (516) 997-9300
 Operator: JUANA SCANCON
 Operator Phone: (718) 402-1010
 Owner City: JERICO
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-509043
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/86
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Coated Steel
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Original Impressed Current
 Tank Internal Protection 2: Fiberglass
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Catch Basin
 Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U
 Date Tested: 04/01/99
 Next Test Date: 04/01/04
 Date Tank Closed: / /

UST:

Facility Id: 2-509043
 Expiration Date: 01/24/11
 Renewal Date: / /
 Total Capacity: 12550
 Facility Type: Not reported
 Mailing Company: BRUCKNER BROOK GASOLINE CORP.
 Mailing Title: Not reported
 Mailing Contact: CARY WOLF
 Mailing Address: 125 JERICHO TURNPIKE
 Mailing Address 2: SUITE 401
 Mailing City: JERICHO
 Mailing State: NY
 Mailing Zip Code: 11753
 Mailing Phone No: (516) 997-9300
 Mailing Email: Not reported
 Owner Title: PRESIDENT
 Owner Name: CARY WOLF
 Owner Address: 125 JERICHO TURNPIKE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11753
 Owner Phone: (516) 997-9300
 Owner Company: BRUCKNER BROOK GASOLINE CORPORATION
 Emergency Contact: CARY WOLF
 Emergency Phone: (516) 997-9300
 Operator: JUANA SCANCON
 Operator Phone: (718) 402-1010
 Owner City: JERICHO
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-509043
 Program Type: PBS
 Tank Number: 005
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 12/01/73
 Capacity Gallons: 550
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 08/01/00

UST:

Facility Id: 2-509043
 Expiration Date: 01/24/11
 Renewal Date: / /
 Total Capacity: 12550
 Facility Type: Not reported
 Mailing Company: BRUCKNER BROOK GASOLINE CORP.
 Mailing Title: Not reported
 Mailing Contact: CARY WOLF
 Mailing Address: 125 JERICHO TURNPIKE
 Mailing Address 2: SUITE 401
 Mailing City: JERICHO
 Mailing State: NY
 Mailing Zip Code: 11753
 Mailing Phone No: (516) 997-9300
 Mailing Email: Not reported
 Owner Title: PRESIDENT
 Owner Name: CARY WOLF
 Owner Address: 125 JERICHO TURNPIKE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11753
 Owner Phone: (516) 997-9300
 Owner Company: BRUCKNER BROOK GASOLINE CORPORATION
 Emergency Contact: CARY WOLF
 Emergency Phone: (516) 997-9300
 Operator: JUANA SCANCON
 Operator Phone: (718) 402-1010
 Owner City: JERICHO
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-509043
 Program Type: PBS
 Tank Number: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/73
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Fiberglass Coated Steel
 Tank Internal Protection: Fiberglass Liner (FRP)
 Tank Internal Protection 1: Fiberglass
 Tank Internal Protection 2: Retrofitted Impressed Current
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Fiberglass Reinforced Plastic (FRP)
 Pipe External Protection 1: Fiberglass
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Double-Walled (Underground)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Interstitial - Electronic Monitoring
 Tank Leak Detection 2: In-Tank System (ATG)
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: High Level Alarm
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Catch Basin
 Tightness Test Method: USTest 2000/P/LL plus USTest 2000/U
 Date Tested: 04/01/99
 Next Test Date: 04/01/04
 Date Tank Closed: / /

UST:

Facility Id: 2-509043
 Expiration Date: 01/24/11
 Renewal Date: / /
 Total Capacity: 12550
 Facility Type: Not reported
 Mailing Company: BRUCKNER BROOK GASOLINE CORP.
 Mailing Title: Not reported
 Mailing Contact: CARY WOLF
 Mailing Address: 125 JERICHO TURNPIKE
 Mailing Address 2: SUITE 401
 Mailing City: JERICHO
 Mailing State: NY
 Mailing Zip Code: 11753
 Mailing Phone No: (516) 997-9300
 Mailing Email: Not reported
 Owner Title: PRESIDENT
 Owner Name: CARY WOLF
 Owner Address: 125 JERICHO TURNPIKE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11753
 Owner Phone: (516) 997-9300
 Owner Company: BRUCKNER BROOK GASOLINE CORPORATION
 Emergency Contact: CARY WOLF

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Emergency Phone: (516) 997-9300
 Operator: JUANA SCANCON
 Operator Phone: (718) 402-1010
 Owner City: JERICO
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-509043
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 12/01/73
 Capacity Gallons: 550
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 04/01/98
 Next Test Date: / /
 Date Tank Closed: 12/18/03

UST:

Facility Id: 2-509043
 Expiration Date: 01/24/11
 Renewal Date: / /
 Total Capacity: 12550
 Facility Type: Not reported
 Mailing Company: BRUCKNER BROOK GASOLINE CORP.
 Mailing Title: Not reported
 Mailing Contact: CARY WOLF
 Mailing Address: 125 JERICO TURNPIKE
 Mailing Address 2: SUITE 401
 Mailing City: JERICO
 Mailing State: NY
 Mailing Zip Code: 11753
 Mailing Phone No: (516) 997-9300
 Mailing Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Owner Title: PRESIDENT
 Owner Name: CARY WOLF
 Owner Address: 125 JERICHO TURNPIKE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11753
 Owner Phone: (516) 997-9300
 Owner Company: BRUCKNER BROOK GASOLINE CORPORATION
 Emergency Contact: CARY WOLF
 Emergency Phone: (516) 997-9300
 Operator: JUANA SCANCON
 Operator Phone: (718) 402-1010
 Owner City: JERICHO
 Owner Sub Type: Corporate or Commercial

AST:

Facility ID: 2-509043
 Program Type: PBS
 Tank Number: 004A
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/73
 Capacity Gallons: 550
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: //
 Next Test Date: //
 Date Tank Closed: //

AST:

Facility Id: 2-509043
 Expiration Date: 01/24/11
 Renewal Date: //
 Total Capacity: 12550

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Facility Type: Not reported
 Mailing Company: BRUCKNER BROOK GASOLINE CORP.
 Mailing Title: Not reported
 Mailing Contact: CARY WOLF
 Mailing Address: 125 JERICHO TURNPIKE
 Mailing Address 2: SUITE 401
 Mailing City: JERICHO
 Mailing State: NY
 Mailing Zip Code: 11753
 Mailing Phone No: (516) 997-9300
 Mailing Email: Not reported
 Owner Title: PRESIDENT
 Owner Name: CARY WOLF
 Owner Address: 125 JERICHO TURNPIKE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11753
 Owner Phone: (516) 997-9300
 Owner Company: BRUCKNER BROOK GASOLINE CORPORATION
 Emergency Contact: CARY WOLF
 Emergency Phone: (516) 997-9300
 Operator: JUANA SCANCON
 Operator Phone: (718) 402-1010
 Owner City: JERICHO
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-509043
 SPDES Number: Not reported
 Emergency Contact: CARY WOLF
 Emergency Telephone: (516) 997-9300
 Operator: JOSE VELEZ
 Operator Telephone: (718) 402-0509
 Owner Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Owner Address: 55 JERICHO TURNPIKE
 Owner City,St,Zip: JERICHO, NY 11753
 Owner Telephone: (516) 997-9300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Mailing Address: 55 JERICHO TURNPIKE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: JERICHO, NY 11753
 Mailing Contact: CARY WOLF
 Mailing Telephone: (516) 997-9300
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19731201
 Capacity (gals): 550
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Vent Whistle
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: 208884
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/10/2001
 Expiration Date: 01/24/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12550
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-509043
 SPDES Number: Not reported
 Emergency Contact: CARY WOLF
 Emergency Telephone: (516) 997-9300
 Operator: JOSE VELEZ
 Operator Telephone: (718) 402-0509
 Owner Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Owner Address: 55 JERICHO TURNPIKE
 Owner City,St,Zip: JERICHO, NY 11753
 Owner Telephone: (516) 997-9300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Mailing Address: 55 JERICHO TURNPIKE
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Mailing City,St,Zip: JERICO, NY 11753
 Mailing Contact: CARY WOLF
 Mailing Telephone: (516) 997-9300
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19861201
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass coated steel
 Tank Internal: None
 Tank External: 34
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Impressed Current
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 04/01/1999
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: 208884
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/10/2001
 Expiration Date: 01/24/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12550
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SHELL SERVICE STATION (Continued)

U003697775

PBS Number: 2-509043
 SPDES Number: Not reported
 Emergency Contact: CARY WOLF
 Emergency Telephone: (516) 997-9300
 Operator: JOSE VELEZ
 Operator Telephone: (718) 402-0509
 Owner Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Owner Address: 55 JERICO TURNPIKE
 Owner City,St,Zip: JERICO, NY 11753
 Owner Telephone: (516) 997-9300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Mailing Address: 55 JERICO TURNPIKE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: JERICO, NY 11753
 Mailing Contact: CARY WOLF
 Mailing Telephone: (516) 997-9300
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: 19861201
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Fiberglass coated steel
 Tank Internal: None
 Tank External: 34
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Impressed Current
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 04/01/1999
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: 208884
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/10/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Expiration Date: 01/24/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12550
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-509043
 SPDES Number: Not reported
 Emergency Contact: CARY WOLF
 Emergency Telephone: (516) 997-9300
 Operator: JOSE VELEZ
 Operator Telephone: (718) 402-0509
 Owner Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Owner Address: 55 JERICHO TURNPIKE
 Owner City,St,Zip: JERICHO, NY 11753
 Owner Telephone: (516) 997-9300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Mailing Address: 55 JERICHO TURNPIKE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: JERICHO, NY 11753
 Mailing Contact: CARY WOLF
 Mailing Telephone: (516) 997-9300
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: 19731201
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Impressed Current
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Impressed Current
 Second Containment: Diking
 Leak Detection: In-tank System
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Submersible
 Date Tested: 04/01/1999
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: 208884
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/10/2001
 Expiration Date: 01/24/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12550
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-509043
 SPDES Number: Not reported
 Emergency Contact: CARY WOLF
 Emergency Telephone: (516) 997-9300
 Operator: JOSE VELEZ
 Operator Telephone: (718) 402-0509
 Owner Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Owner Address: 55 JERICO TURNPIKE
 Owner City,St,Zip: JERICO, NY 11753
 Owner Telephone: (516) 997-9300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Mailing Address: 55 JERICO TURNPIKE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: JERICO, NY 11753
 Mailing Contact: CARY WOLF
 Mailing Telephone: (516) 997-9300
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19731201
 Capacity (gals): 550

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Vent Whistle
 Dispenser: Suction
 Date Tested: 04/01/1998
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 08/01/1996
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: 208884
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/10/2001
 Expiration Date: 01/24/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12550
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-509043
 SPDES Number: Not reported
 Emergency Contact: CARY WOLF
 Emergency Telephone: (516) 997-9300
 Operator: JOSE VELEZ
 Operator Telephone: (718) 402-0509
 Owner Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Owner Address: 55 JERICHO TURNPIKE
 Owner City,St,Zip: JERICHO, NY 11753
 Owner Telephone: (516) 997-9300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Mailing Name: BRUCKNER-BROOK GASOLINE CORPORATION
 Mailing Address: 55 JERICHO TURNPIKE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: JERICHO, NY 11753
 Mailing Contact: CARY WOLF
 Mailing Telephone: (516) 997-9300
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 119 BRUCKNER BLVD
 Tank Id: 005
 Tank Location: UNDERGROUND
 Install Date: 19731201
 Capacity (gals): 550
 Product Stored: USED OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Vent Whistle
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 08/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: 208884
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/10/2001
 Expiration Date: 01/24/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12550
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

U003697775

Town or City: 01
 Region: 2

O69
 WNW
 1/8-1/4
 1004 ft.

BRUCKNER BROOK GASOLINE C
119 BRUCKNER BLVD
BRONX, NY 10454

LTANKS S104782385
 NY Spills N/A
 HIST LTANKS

Site 5 of 6 in cluster O

LTANKS:

Site ID: 163322
 Spill Date: 09/27/00
 Facility Addr2: ALABAMA AUTO CENTER
 Facility ID: 0007588
 Program Number: 0007588
 SWIS: 0301
 Region of Spill: 2
 Investigator: KMFOLEY
 Referred To: Not reported
 Reported to Dept: 09/28/00
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Local Agency
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/25/04
 Remediation Phase: 0
 Date Entered In Computer: 09/28/00
 Spill Record Last Update: 07/21/05
 Spiller Name: BRUCE BECK
 Spiller Company: WOLF PETROLEUM
 Spiller Phone: (631) 226-9080
 Spiller Extention: Not reported
 Spiller Address: 119 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, ZZ
 Spiller County: 001
 Spiller Contact: BRUCE BECK
 Spiller Phone: (631) 226-9080
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 0007588
 DER Facility ID: 5904
 Site ID: 163322
 Operable Unit ID: 828342
 Operable Unit: 01
 Material ID: 545122
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRUCKNER BROOK GASOLINE C (Continued)

S104782385

Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 0007588 Prior to Sept, 2004 data translation this spill Lead DEC Field was "K FOLEY" 12/4/03 Reassigned from Sangesland to Foley. Amoco (Wolf) site. 2/24/04 File review(KMF): 2/01 UST closure report submitted by National Env. for the removal of (1) 550gal wate oil UST. 2 bottom samples and 1 sidewall composite samples were all OK for VOCs. Bottom samples had mild SVOC hits. Sidewall samples had low SVOC hits. RCRA metals OK except for lead(minor). Subsequent boring samples from 8-10' below the excavation bottom were tested for TCLP for VOC/SVOC/lead and were all below limits. No groundwater samples taken. 9/29/04 Met with B. Cohen(Certilman Balin Attorneys), B. Beck(Consultant, National Env.) with J.Rommel and L. Oliva. See spill #0203687 for gasoline TTF. B. Beck to provide a response by 10/15/04 regarding gasoline TTF. END DECRemark - 0007588
 Remarks: Start CallerRemark - 0007588 underground tank was overfilled or failed END CallerRemark - 0007588

NY Spills:
 Site ID: 163323
 Facility Addr2: ALABAMA AUTO CENTER
 Facility ID: 0203687
 Spill Number: 0203687
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: KMFOLEY
 Referred To: Not reported
 Spill Date: 07/08/02
 Reported to Dept: 07/08/02
 CID: 16
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Other
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: True
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/25/04
 Remediation Phase: 0
 Date Entered In Computer: 07/08/02
 Spill Record Last Update: 07/21/05

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRUCKNER BROOK GASOLINE C (Continued)

S104782385

Spiller Name: Not reported
 Spiller Company: WOLF PETROLEUM
 Spiller Address: 125 JERICO TURNPIKE
 Spiller City,St,Zip: JERICO, NY
 Spiller Company: 001
 Spiller Phone: Not reported
 Contact Name: ADAM WOLF
 Contact Phone: (516) 997-9300
 DEC Region: 2
 Program Number: 0203687
 DER Facility ID: 5904
 Site ID: 163323
 Operable Unit ID: 856576
 Operable Unit: 01
 Material ID: 521507
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0203687 Prior to Sept, 2004 data translation this spill Lead DEC Field was "K FOLEY" 1/8/04 Reassigned from Vought to K Foley. 9/29/04 Met with B. Cohen(Certilman Balin Attorneys), B. Beck(Consultant, National Env.) with J. Rommel and L. Oliva. B. Beck to provide a response by 10/15/04. See spill #0007588 for waste oil tank test failure info. 10/25/04 Received repair record and affidavit for the premium tank submersible performed by Gasoline Installations, Inc. and final passing tightness test results prepared by Crompco. Repair affidavit signed 10/15/04 states that there was no evidence of contamination when they replaced leaking fittings at the premium submersible union 7/9/02. Tanks passed test on 7/10/02.END DECRemark - 0203687
 Remarks: Start CallerRemark - 0203687 line leak...they will get a contractor to repair the leak END CallerRemark - 0203687

HIST LTANKS:

Region of Spill: 2
 Spill Number: 0007588
 Investigator: SANGESLAND
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 09/27/2000
 Spill Time: 12:00
 Reported to Department Date: 09/28/00
 Reported to Department Time: 10:01
 SWIS: 60
 Spiller Contact: BRUCE BECK
 Spiller Phone: (631) 226-9080
 Spiller Extension: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRUCKNER BROOK GASOLINE C (Continued)

S104782385

Spiller Name: BRUCKNER BROOK GASOLINE C
 Spiller Address: 119 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX
 Facility Contact: BRUCE BECK
 Facility Phone: (631) 226-9080
 Facility Extension: Not reported
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Other Commercial/Industrial
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 //
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 09/28/00
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 09/28/00
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: WASTE OIL
 Class Type: WASTE OIL
 Times Material Entry In File: 9509
 CAS Number: Not reported
 Last Date: 19940927
 DEC Remarks: Not reported
 Spill Cause: underground tank was overfilled or failed

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

070 INTREPID MAINTENANCE CORP
WNW 119 BRUCKNER BLVD
1/8-1/4 BRONX, NY 10454
1004 ft.

RCRA-SQG 1001090487
FINDS NYU005000484

Site 6 of 6 in cluster O

RCRAInfo:

Owner: BILL WOLF PETROLEUM CORP
(516) 997-9300
EPA ID: NYU005000484
Contact: VICTOR SILVESTRE
(718) 402-3908

Classification: Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

71 ARTISTIC DESK PAD & NOVELTY CO.
ESE 721 E 133RD STREET
1/8-1/4 BRONX, NY 10454
1025 ft.

AST A100175133
N/A

AST:

Facility ID: 2-401501
Program Type: PBS
Tank Number: 001
Tank Model: Not reported
Pipe Model: Not reported
Tank Location Name: Aboveground - in contact with soil
Tank Status: In Service
Active Status: Active
Install Date: / /
Capacity Gallons: 2000
Material Name: #2 Fuel Oil
Percentage: 100.00
Tank Type Name: Steel/Carbon Steel/Iron
Tank Internal Protection: None
Tank Internal Protection 1: None
Tank Internal Protection 2: Not reported
Pipe Location Name: No Piping
Pipe Type Name: Galvanized Steel
Pipe External Protection 1: None
Pipe External Protection 2: Not reported
Tank Secondary Containment 1: Vault (w/o access)
Tank Secondary Containment 2: Not reported
Pipe Secondary Containment: Not reported
Tank Leak Detection 1: Groundwater Well

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ARTISTIC DESK PAD & NOVELTY CO. (Continued)

A100175133

Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-401501
 Expiration Date: 10/06/07
 Renewal Date: 06/04/02
 Total Capacity: 2000
 Facility Type: Not reported
 Mailing Company: ARTISTIC DESK PAD & NOVELTY CO
 Mailing Title: Not reported
 Mailing Contact: AL MAYO
 Mailing Address: 721 E 133RD STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 665-5510
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 721 EAST 133RD STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 665-5510
 Owner Company: ARTISTIC DESK PAD & NOVELTY CO
 Emergency Contact: DENNIS GALATI
 Emergency Phone: (718) 863-5127
 Operator: ARTISTIC DESK PAD & NOVELTY CO
 Operator Phone: (718) 665-5510
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

N72 **220 EAST REALTY INC.**
WNW **511-517 EAST 132 STREET**
1/8-1/4 **BRONX, NY 10454**
1044 ft.

UST **U000402537**
HIST UST **N/A**

Site 2 of 4 in cluster N

UST:

Facility ID: 2-309036
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Install Date: //
 Capacity Gallons: 3000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Copper
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Homer EZY3/EZY3 Locator Plus
 Date Tested: 09/22/00
 Next Test Date: //
 Date Tank Closed: //

UST:

Facility Id: 2-309036
 Expiration Date: 09/12/05
 Renewal Date: //
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY INC.
 Mailing Title: Not reported
 Mailing Contact: DAVE HOLLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 511-517 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1511
 Owner Company: 220 EAST REALTY INC.
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Phone: (718) 401-1511
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Facility ID: 2-309036
 Program Type: PBS
 Tank Number: 010
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-309036
 Expiration Date: 09/12/05
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY INC.
 Mailing Title: Not reported
 Mailing Contact: DAVE HOLLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 511-517 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Owner Phone: (718) 401-1511
 Owner Company: 220 EAST REALTY INC.
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Phone: (718) 401-1511
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-309036
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 3000
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-309036
 Expiration Date: 09/12/05
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY INC.
 Mailing Title: Not reported
 Mailing Contact: DAVE HOLLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 511-517 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1511
 Owner Company: 220 EAST REALTY INC.
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Phone: (718) 401-1511
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-309036
 Program Type: PBS
 Tank Number: 011
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 07/01/94

UST:

Facility Id: 2-309036
 Expiration Date: 09/12/05
 Renewal Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY INC.
 Mailing Title: Not reported
 Mailing Contact: DAVE HOLLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 511-517 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1511
 Owner Company: 220 EAST REALTY INC.
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Phone: (718) 401-1511
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-309036
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 3000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Copper
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Spill Prevention: Not reported
 Tightness Test Method: Horner EZY3/EZY3 Locator Plus
 Date Tested: 09/22/00
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-309036
 Expiration Date: 09/12/05
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 220 EAST REALTY INC.
 Mailing Title: Not reported
 Mailing Contact: DAVE HOLLAND
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 585-3242
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 511-517 EAST 132 STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (718) 401-1511
 Owner Company: 220 EAST REALTY INC.
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Phone: (718) 401-1511
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-309036
 SPDES Number: Not reported
 Emergency Contact: MOSHE ALTMARK
 Emergency Telephone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Telephone: (718) 401-1511
 Owner Name: 220 EAST REALTY INC.
 Owner Address: 511-517 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 401-1511
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY INC.
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HOLLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: Second Owner

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

220 EAST REALTY INC. (Continued)

U000402537

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 511-517 E. 132 ST.
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 3000
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/01/2000
 Expiration Date: 09/12/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-309036
 SPDES Number: Not reported
 Emergency Contact: MOSHE ALTMARK
 Emergency Telephone: (718) 401-1511
 Operator: MOSHE ALTMARK

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Operator Telephone: (718) 401-1511
 Owner Name: 220 EAST REALTY INC.
 Owner Address: 511-517 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 401-1511
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY INC.
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HOLLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: Second Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 511-517 E. 132 ST.
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 11
 Pipe Location: Underground
 Pipe Type: FIBERGLASS COATED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: 09/22/2000
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: 21
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/01/2000
 Expiration Date: 09/12/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-309036
 SPDES Number: Not reported
 Emergency Contact: MOSHE ALTMARK
 Emergency Telephone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Telephone: (718) 401-1511
 Owner Name: 220 EAST REALTY INC.
 Owner Address: 511-517 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 401-1511
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY INC.
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HOLLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: Second Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 511-517 E. 132 ST.
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 11
 Pipe Location: Underground
 Pipe Type: FIBERGLASS COATED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: 09/22/2000
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: 21
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/01/2000
 Expiration Date: 09/12/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-309036
 SPDES Number: Not reported
 Emergency Contact: MOSHE ALTMARK
 Emergency Telephone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Telephone: (718) 401-1511
 Owner Name: 220 EAST REALTY INC.
 Owner Address: 511-517 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 401-1511
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY INC.
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HOLLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: Second Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 511-517 E. 132 ST.
 Tank Id: 010
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 07/01/1994
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/01/2000
 Expiration Date: 09/12/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-309036
 SPDES Number: Not reported
 Emergency Contact: MOSHE ALTMARK
 Emergency Telephone: (718) 401-1511
 Operator: MOSHE ALTMARK
 Operator Telephone: (718) 401-1511
 Owner Name: 220 EAST REALTY INC.
 Owner Address: 511-517 EAST 132 STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 401-1511
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 220 EAST REALTY INC.
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: DAVE HOLLAND
 Mailing Telephone: (718) 585-3242
 Owner Mark: Second Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

220 EAST REALTY INC. (Continued)

U000402537

and Subpart 360-14.
 Facility Addr2: 511-517 E. 132 ST.
 Tank Id: 011
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 07/01/1994
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 12/01/2000
 Expiration Date: 09/12/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

N73 **USPS - BRONX VMF & ADMIN OFFICE**
WNW **500 E 132ND ST**
1/8-1/4 **BRONX, NY 10454**
1045 ft.

RCRA-SQG **1004756119**
FINDS **NY2180010454**

Site 3 of 4 in cluster N

RCRAInfo:

Owner: UNITED STATES POSTAL SERVICE
 (718) 742-9876

EPA ID: NY2180010454

Contact: ANTONIO VALENTIN JR
 (718) 742-9876

Classification: Conditionally Exempt Small Quantity Generator
 TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

N74 **BRONX EAST SIDE PARCEL POST ANNEX**
WNW **500 EAST 132ND STREET**
1/8-1/4 **BRONX, NY 10454**
1045 ft.

UST **U000410883**
HIST UST **N/A**

Site 4 of 4 in cluster N

UST:

Facility ID: 2-476048
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 12/01/68
 Capacity Gallons: 10000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRONX EAST SIDE PARCEL POST ANNEX (Continued)

U000410883

Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 08/01/89
 Next Test Date: / /
 Date Tank Closed: / /

UST:

Facility Id: 2-476048
 Expiration Date: 06/22/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: UNITED STATES POSTAL SERVICE
 Mailing Title: Not reported
 Mailing Contact: NICHOLAS DECARLO
 Mailing Address: JAMES A FARLEY BUILDING
 Mailing Address 2: 421 EIGHTH AVENUE, ROOM 5013
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10199-9800
 Mailing Phone No: (212) 330-3107
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 558 GRAND CONCOURSE, RM. 318
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10451-9998
 Owner Phone: (212) 330-3107
 Owner Company: UNITED STATES POSTAL SERVICE
 Emergency Contact: NICHOLAS DECRLO
 Emergency Phone: (917) 370-1648
 Operator: MARLON WILLIAMS
 Operator Phone: (718) 402-7443
 Owner City: BRONX
 Owner Sub Type: Federal Government

Facility ID: 2-476048
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground, vaulted, with access
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 12/01/68
 Capacity Gallons: 15000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX EAST SIDE PARCEL POST ANNEX (Continued)

U000410883

Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: VPLT (NDE) plus UTS-4T/U3 Ullage
 Date Tested: 09/01/89
 Next Test Date: / /
 Date Tank Closed: 04/12/03

UST:

Facility Id: 2-476048
 Expiration Date: 06/22/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: UNITED STATES POSTAL SERVICE
 Mailing Title: Not reported
 Mailing Contact: NICHOLAS DECARLO
 Mailing Address: JAMES A FARLEY BUILDING
 Mailing Address 2: 421 EIGHTH AVENUE, ROOM 5013
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10199-9800
 Mailing Phone No: (212) 330-3107
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 558 GRAND CONCOURSE, RM. 318
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10451-9998
 Owner Phone: (212) 330-3107
 Owner Company: UNITED STATES POSTAL SERVICE
 Emergency Contact: NICHOLAS DECRLO
 Emergency Phone: (917) 370-1648
 Operator: MARLON WILLIAMS
 Operator Phone: (718) 402-7443
 Owner City: BRONX
 Owner Sub Type: Federal Government

HIST UST:

PBS Number: 2-476048
 SPDES Number: Not reported
 Emergency Contact: PLANT MAINTENANCE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX EAST SIDE PARCEL POST ANNEX (Continued)

U000410883

Emergency Telephone: (718) 960-7039
 Operator: STATION MANAGER
 Operator Telephone: (718) 292-2329
 Owner Name: UNITED STATES POSTAL SERVICE
 Owner Address: 558 GRAND CONCOURSE, RM. 318
 Owner City,St,Zip: BRONX, NY 10451
 Owner Telephone: (718) 960-7039
 Owner Type: Federal Government
 Owner Subtype: Not reported
 Mailing Name: UNITED STATES POSTAL SERVICE
 Mailing Address: 558 GRAND CONCOURSE, RM. 318
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10451
 Mailing Contact: PLANT MAINTENANCE
 Mailing Telephone: (718) 960-7039
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 500 EAST 132ND STREET
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19681201
 Capacity (gals): 10000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: 08/01/1989
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 07/30/1999
 Expiration Date: 06/22/2004
 Renew Flag: False
 Renewal Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX EAST SIDE PARCEL POST ANNEX (Continued)

U000410883

Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-476048
 SPDES Number: Not reported
 Emergency Contact: PLANT MAINTENANCE
 Emergency Telephone: (718) 960-7039
 Operator: STATION MANAGER
 Operator Telephone: (718) 292-2329
 Owner Name: UNITED STATES POSTAL SERVICE
 Owner Address: 558 GRAND CONCOURSE, RM. 318
 Owner City,St,Zip: BRONX, NY 10451
 Owner Telephone: (718) 960-7039
 Owner Type: Federal Government
 Owner Subtype: Not reported
 Mailing Name: UNITED STATES POSTAL SERVICE
 Mailing Address: 558 GRAND CONCOURSE, RM. 318
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10451
 Mailing Contact: PLANT MAINTENANCE
 Mailing Telephone: (718) 960-7039
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 500 EAST 132ND STREET
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: 19681201
 Capacity (gals): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: 09/01/1989
 Next Test Date: 09/01/1994
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: VPLT (NDE)
 Deleted: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRONX EAST SIDE PARCEL POST ANNEX (Continued)

U000410883

Updated: False
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 07/30/1999
 Expiration Date: 06/22/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

75
 NNE
 1/8-1/4
 1055 ft.

LADOL REALTY CORP
 597-601 E 137 ST
 BRONX, NY 10454

AST U003387574
 HIST AST N/A

AST:

Facility ID: 2-316938
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: 12/01/64
 Capacity Gallons: 1500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Other
 Tank Leak Detection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

LADOL REALTY CORP (Continued)

U003387574

Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-316938
 Expiration Date: 11/06/08
 Renewal Date: 04/04/02
 Total Capacity: 1500
 Facility Type: Not reported
 Mailing Company: TUCK-IT-AWAY ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: HANNA HANNA
 Mailing Address: 137TH ST., LLC
 Mailing Address 2: 3261 BROADWAY
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10027
 Mailing Phone No: (212) 368-1717
 Mailing Email: HHANNA@TUCKITAWAY.COM
 Owner Title: GENERAL MANAGER
 Owner Name: HANNA HANNA
 Owner Address: 3261 BROADWAY
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10027
 Owner Phone: (212) 368-1717
 Owner Company: TUCK-IT-AWAY ASSOCIATES / 137TH ST., LLC
 Emergency Contact: HANNA HANNA
 Emergency Phone: (212) 368-1717
 Operator: HANNA HANNA
 Operator Phone: (718) 292-9410
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-316938
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank ID: 001
 Tank Status: 1
 Install Date: 19641201
 Capacity (Gal): 1500
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

LADOL REALTY CORP (Continued)

U003387574

Tank Containment: None
 Leak Detection: 9
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: LADOL REALTY CORP
 Facility Phone: (212) 585-6030
 Facility Addr2: 597 E 137 ST
 Facility Type: Not reported
 Emergency: LADOL REALTY CORP
 Emergency Tel: (212) 585-6030
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: LADOL REALTY CORP
 Owner Address: 597-601 E 137 ST
 Owner City,St,Zip: BRONX, NY 10454
 Federal ID: Not reported
 Owner Tel: (212) 585-6030
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: A. MILLOS
 Mailing Name: LADOL REALTY CORP
 Mailing Address: 597-601 E 137 ST
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Telephone: (212) 585-6030
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 11/17/2000
 Expiration: 08/24/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

LADOL REALTY CORP (Continued)

U003387574

Region: 2

P76
 East
 1/8-1/4
 1141 ft.

INWOOD SANITATION CO.,INC.
 688 EAST 135 STREET
 BRONX, NY 10454

SWF/LF S105841688
 N/A

Site 1 of 2 in cluster P

SWF/LF:

Flag: INACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 2122927750
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: PUIS V.PISARANO
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Transfer station - regulated
 Activity Number: 03T31
 Active: No
 East Coordinate: 591700
 North Coordinate: 4517400
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Waste Type: Not reported
 Authorization #: 2-6007-00016
 Authorization Date: Not reported
 Expiration Date: Not reported

77
 NW
 1/8-1/4
 1170 ft.

ALEXANDER'S INC-BROOK AVE
 500 EAST 134TH ST
 BRONX, NY 10454

AST U003388549
 HIST AST N/A

AST:

Facility ID: 2-253456
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 5000
 Material Name: #2 Fuel Oil
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ALEXANDER'S INC-BROOK AVE (Continued)

U003388549

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground/Underground Combination
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Vent Whistle
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-253456
 Expiration Date: 07/14/07
 Renewal Date: / /
 Total Capacity: 5000
 Facility Type: Not reported
 Mailing Company: TOP SECURITY STORAGE, INC.
 Mailing Title: Not reported
 Mailing Contact: JOHN HEALEY
 Mailing Address: 1602 FIRST AVENUE
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10028
 Mailing Phone No: (212) 734-3300
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 1602 FIRST AVE.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10028
 Owner Phone: (212) 734-3200
 Owner Company: TOP SECURITY STORAGE
 Emergency Contact: JOHN HEALEY
 Emergency Phone: (212) 734-3300
 Operator: JOHN HEALEY
 Operator Phone: (212) 734-3300
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-253456

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ALEXANDER'S INC-BROOK AVE (Continued)

U003388549

Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: ALEXANDER'S INC
 Facility Phone: (212) 292-7450
 Facility Addr2: 500 EAST 134TH ST
 Facility Type: Not reported
 Emergency: ALEXANDER'S INC-RON JOHNSON
 Emergency Tel: (212) 560-2135
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: TOP SECURITY STORAGE, INC.
 Owner Address: 1602 FIRST AVE.
 Owner City,St,Zip: NEW YORK, NY 10028
 Federal ID: Not reported
 Owner Tel: (000) 000-0000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: JOHN LANDES
 Mailing Name: TOP SECURITY STORAGE, INC.
 Mailing Address: 1602 FIRST AVE.
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10028
 Mailing Telephone: (000) 000-0000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 07/20/1992

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

ALEXANDER'S INC-BROOK AVE (Continued)

U003388549

Expiration: 07/14/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

**Q78
 NE
 1/8-1/4
 1179 ft.**

**APARTMENT BUILDING
 673 EAST 137 STREET
 BRONX, NY 10454**

**AST A100301203
 N/A**

Site 1 of 3 in cluster Q

AST:

Facility ID: 2-606801
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground on crib, rack, or cradle
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground/Underground Combination
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: None
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: None
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Vent Whistle
 Dispenser Method: Suction
 Spill Prevention: None
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/30/05

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

APARTMENT BUILDING (Continued)

A100301203

AST:

Facility Id: 2-606801
 Expiration Date: 07/29/10
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: SOUTH BROX COMMUNITY MANAGEMENT
 Mailing Title: Not reported
 Mailing Contact: RAMON VELEZ JR.
 Mailing Address: 2804 THIRD AVE.
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10455
 Mailing Phone No: Not reported
 Mailing Email: Not reported
 Owner Title: PRESIDENT
 Owner Name: RAMON VELEZ JR.
 Owner Address: 2804 THIRD AVE.
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10455
 Owner Phone: Not reported
 Owner Company: BELLA VISTA / SBCM
 Emergency Contact: RAMON VELEZ JR.
 Emergency Phone: Not reported
 Operator: RAMON VELEZ JR.
 Operator Phone: Not reported
 Owner City: BRONX
 Owner Sub Type: Private Resident

79
 East
 1/8-1/4
 1191 ft.

RACON MANUFACTURING COMPANY
 178 BRUCKNER BLVD
 BRONX, NY 10454

RCRA-SQG 1000337076
FINDS NYD001279041
CBS AST
NY MANIFEST
CBS

RCRAInfo:

Owner: ROBERT G CONRAD AND FRANK RAMOS
 (212) 555-1212
 EPA ID: NYD001279041
 Contact: Not reported
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RACON MANUFACTURING COMPANY (Continued)

1000337076

CBS AST:

CBS Number: 2-000160
 Region: STATE
 ICS Number: 2-126285
 PBS Number: Not reported
 MOSF Number: Not reported
 Telephone: (212) 665-1230
 Facility Town: NEW YORK CITY
 Operator: EDWARD W. KUDER
 Emrgncy Contact: WAYNE R. CONRAD
 Emrgncy Phone: (212) 665-1230
 Expiration Date: 08/03/1991
 Owner Name: GORDON R. JARVIS
 Owner Address: C/O KRADITOR & HABER-36 WEST 44TH STREET
 Owner City,St,Zip: NEW YORK, NY 10036
 Owner Telephone: (212) 302-3434
 Owner type: Corporate/Commercial
 Facility Type: Not reported
 Mail Name: RACON MANUFACTURING CO. INC.
 Mail Contact Addr: 240 MOONACHIE AVENUE
 Mail Contact Addr2: Not reported
 Mail Contact Contact: EDWARD KUDER
 Mail Contact City,St,Zip: MOONACHIE, NJ 07074
 Mail Phone: (212) 302-3434
 SPDES Number: Not reported
 Facility Status: INACTIVE FACILITY
 Owner Sub Type: Not reported

Tank Id: Yes
 Date Entered: 08/03/1989
 Capacity (Gal): 500
 Chemical: Methylene chloride
 Tank Closed: 00/00
 Tank Status: 0
 Tank Type: Steel/carbon steel
 Install Date: 06/83
 Certified Date: 08/03/1989
 CAS Number: 75092
 Substance: Not reported
 Tank Location: ABOVEGROUND
 Intrnl Protection: Not reported
 Extrnl Protection: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Pipe Containment: Not reported
 Tank Containment: Other
 Leak Detection: Not reported
 Overfill Protection: Not reported
 Haz Percent: 0
 Total Tanks: 0
 Tank Secret: False
 Last Test: Not reported
 Due Date: Not reported
 Tank Error Status: Minor Data Missing
 SWIS Code: 6001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RACON MANUFACTURING COMPANY (Continued)

1000337076

Lat/Long: Not reported
 Pipe Flag: False
 Federal ID: Not reported
 Is Updated: F
 Renew Date: 06/21/93
 Is it There: F
 Delinquent: F
 Date Expired: 08/03/91
 Owner Mark: 1
 Certificate Needs to be Printed: False
 Fiscal Amt for Registration Fee Correct: True
 Renewal Has Been Printed for Facility: True
 Pre-Printed Renewal App Last Printed: 06/21/1993
 Total Capacity of All Active Tanks(gal): 0

NY MANIFEST:

Document ID: NJA0565196
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: NJDEPS869
 Generator Ship Date: 890419
 Trans1 Recv Date: 890419
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890421
 Part A Recv Date: 890525
 Part B Recv Date: 890428
 Generator EPA ID: NYD001279041
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002182897
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00573
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 89
 Facility Type: Generator
 EPA ID: NYD001279041
 Facility Name: RACON MANUFACTURING COMPANY
 Facility Address: 178 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: RACON MANUFACTURING COMPANY
 Mailing Contact: ROBERT CONRAD
 Mailing Address: 178 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-665-1230

Document ID: NYO1122318

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RACON MANUFACTURING COMPANY (Continued)

1000337076

Manifest Status: Completed copy
 Trans1 State ID: Not reported
 Trans2 State ID: Not reported
 Generator Ship Date: 840814
 Trans1 Recv Date: 840814
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 840814
 Part A Recv Date: 840821
 Part B Recv Date: 840828
 Generator EPA ID: NYD001279041
 Trans1 EPA ID: NJD048810279
 Trans2 EPA ID: Not reported
 TSDF ID: NJD048810279
 Waste Code: U226 - 1,1,1-TRICHLOROETHANE
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 84
 Facility Type: Generator
 EPA ID: NYD001279041
 Facility Name: RACON MANUFACTURING COMPANY
 Facility Address: 178 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: RACON MANUFACTURING COMPANY
 Mailing Contact: ROBERT CONRAD
 Mailing Address: 178 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-665-1230

Document ID: NJA0727659
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: Not reported
 Trans2 State ID: NJDEPS086
 Generator Ship Date: 900124
 Trans1 Recv Date: 900124
 Trans2 Recv Date: 900201
 TSD Site Recv Date: 900201
 Part A Recv Date: 900206
 Part B Recv Date: 900223
 Generator EPA ID: NYD001279041
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: ILD051060408
 TSDF ID: NJD002182897
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 01716
 Units: P - Pounds
 Number of Containers: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RACON MANUFACTURING COMPANY (Continued)

1000337076

Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 90
 Facility Type: Generator
 EPA ID: NYD001279041
 Facility Name: RACON MANUFACTURING COMPANY
 Facility Address: 178 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: RACON MANUFACTURING COMPANY
 Mailing Contact: ROBERT CONRAD
 Mailing Address: 178 BRUCKNER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-665-1230

CBS:

CBS Number: 2-000160
 Program Type: CBS
 Swis Code: 0301
 Town: New York City
 Dec Region: 2
 Registered: 1
 Expiration Date: N/A
 Facility Type: Unknown

R80
 ESE
 1/8-1/4
 1208 ft.

700 EAST 134 ST
 700 EAST 134 ST
 BRONX, NY 10454

AST U003387284
 HIST AST N/A

Site 1 of 5 in cluster R

AST:

Facility ID: 2-245291
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: 04/01/66
 Capacity Gallons: 4000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

700 EAST 134 ST (Continued)

U003387284

Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-245291
 Expiration Date: 07/07/07
 Renewal Date: 03/06/02
 Total Capacity: 4000
 Facility Type: Not reported
 Mailing Company: 700 EAST 134TH STREET CORP.
 Mailing Title: Not reported
 Mailing Contact: T. DENGLER
 Mailing Address: 170 BROADWAY
 Mailing Address 2: SUITE 610
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10038
 Mailing Phone No: (212) 267-6767
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 170 BROADWAY, SUITE 610
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10038
 Owner Phone: (212) 267-6767
 Owner Company: 700 EAST 134 STREET CORP
 Emergency Contact: SUPER
 Emergency Phone: (718) 993-4037
 Operator: 700 E 134 ST CORP
 Operator Phone: (212) 267-6767
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-245291
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: 19660401
 Capacity (Gal): 4000
 Product Stored: 4

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

700 EAST 134 ST (Continued)

U003387284

Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Not reported
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: 700 EAST 134 ST CORP
 Facility Phone: (212) 292-0256
 Facility Addr2: 700 EAST 134 ST
 Facility Type: APARTMENT BUILDING
 Emergency: SUPER
 Emergency Tel: (212) 292-0256
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 700 EAST 134 ST CORP
 Owner Address: 6 PARK PLACE RN 4702
 Owner City,St,Zip: NEW YORK, NY 10279
 Federal ID: Not reported
 Owner Tel: (212) 267-6767
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: T. DENGLER
 Mailing Name: 700 EAST 134 ST CORP
 Mailing Address: 6 PARK PLACE RN 4702
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10007-2504
 Mailing Telephone: (212) 267-6767
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 07/11/1997
 Expiration: 07/07/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4000
 FAMT: True
 Facility Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

700 EAST 134 ST (Continued)

U003387284

Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

S81
 North
 1/8-1/4
 1209 ft.

A & S CLEANER
216 SAINT ANNS AVENUE
BRONX, NY 10454

DRYCLEANERS S106435106
N/A

Site 1 of 3 in cluster S

DRYCLEANERS:
 Facility ID: 2-6007-00746
 Region: BRONX

S82
 North
 1/8-1/4
 1209 ft.

A & S CLEANERS
216 SAINT ANNS AVE
BRONX, NY 10454

RCRA-SQG 1001229275
FINDS NYR000058180
NY MANIFEST

Site 2 of 3 in cluster S

RCRAInfo:
 Owner: DEMETRIO DIAZ
 (718) 585-9023
 EPA ID: NYR000058180
 Contact: DEMETRIO DIAZ
 (718) 585-9023
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NYC7309563
 Manifest Status: Not reported
 Trans1 State ID: NYC94885J
 Trans2 State ID: T21L8DNJ
 Generator Ship Date: 03/18/2004
 Trans1 Recv Date: 03/18/2004
 Trans2 Recv Date: 03/26/2004
 TSD Site Recv Date: 03/29/2004
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: TXR000050930
 Trans2 EPA ID: Not reported
 TSD ID: OHD980587
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00390
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 04
 Facility Type: Generator
 EPA ID: NYR000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 ST ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: DEMETRI DIAZ
 Mailing Address: 216 ST ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: 4722
 Mailing Country: USA
 Mailing Phone: 718-585-9023

Document ID: NYC6977485
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: MOR000505347
 Generator Ship Date: 05/15/2003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

Trans1 Recv Date: 05/15/2003
 Trans2 Recv Date: 05/23/2003
 TSD Site Recv Date: 05/27/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSD ID: NY58468JH
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00133
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYR000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 ST ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: DEMETRI DIAZ
 Mailing Address: 216 ST ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: 4722
 Mailing Country: USA
 Mailing Phone: 718-585-9023

 Document ID: NYC7479325
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: NJAC71629976
 Generator Ship Date: 01/27/2005
 Trans1 Recv Date: 01/27/2005
 Trans2 Recv Date: 02/04/2005
 TSD Site Recv Date: 02/07/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: NYAT8305
 Trans2 EPA ID: T21LBD
 TSD ID: OHD980587364
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: Not reported
 Facility Type: Generator
 EPA ID: NYR000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 ST ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: DEMETRI DIAZ
 Mailing Address: 216 ST ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: 4722
 Mailing Country: USA
 Mailing Phone: 718-585-9023

Document ID: NYC6782545
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: NJD071629976
 Generator Ship Date: 05/24/2002
 Trans1 Recv Date: 05/24/2002
 Trans2 Recv Date: 05/31/2002
 TSD Site Recv Date: 05/31/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSDF ID: NY58465J
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	02
Facility Type:	Generator
EPA ID:	NYR000058180
Facility Name:	A & S CLEANERS
Facility Address:	216 ST ANNS AVE
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	Not reported
County:	BRONX
Mailing Name:	A & S CLEANERS
Mailing Contact:	DEMETRI DIAZ
Mailing Address:	216 ST ANNS AVE
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	4722
Mailing Country:	USA
Mailing Phone:	718-585-9023
Document ID:	NYC6884460
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	NJD071629976
Generator Ship Date:	11/12/2002
Trans1 Recv Date:	11/12/2002
Trans2 Recv Date:	11/15/2002
TSD Site Recv Date:	11/18/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000058180
Trans1 EPA ID:	OHD980587364
Trans2 EPA ID:	Not reported
TSD ID:	NY53168JH
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00133
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00195
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	02
Facility Type:	Generator
EPA ID:	NYR000058180
Facility Name:	A & S CLEANERS
Facility Address:	216 ST ANNS AVE
Facility City:	BRONX
Facility Zip 4:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

Country:	Not reported
County:	BRONX
Mailing Name:	A & S CLEANERS
Mailing Contact:	DEMETRI DIAZ
Mailing Address:	216 ST ANNS AVE
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	4722
Mailing Country:	USA
Mailing Phone:	718-585-9023
Document ID:	NYC5565082
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCD987574647
Generator Ship Date:	03/09/1999
Trans1 Recv Date:	03/09/1999
Trans2 Recv Date:	03/10/1999
TSD Site Recv Date:	03/12/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000058180
Trans1 EPA ID:	OHD980587364
Trans2 EPA ID:	Not reported
TSDF ID:	JE4550NY
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00195
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	99
Facility Type:	Generator
EPA ID:	NYR000058180
Facility Name:	A & S CLEANERS
Facility Address:	216 ST ANNS AVE
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	Not reported
County:	BRONX
Mailing Name:	A & S CLEANERS
Mailing Contact:	DEMETRI DIAZ
Mailing Address:	216 ST ANNS AVE
Mailing City:	BRONX
Mailing State:	NY
Mailing Zip:	10454
Mailing Zip4:	4722
Mailing Country:	USA
Mailing Phone:	718-585-9023
Document ID:	NYC5891848
Manifest Status:	Not reported
Trans1 State ID:	ILD984908202
Trans2 State ID:	SCD987574647
Generator Ship Date:	08/24/1999

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

Trans1 Recv Date: 08/24/1999
 Trans2 Recv Date: 09/01/1999
 TSD Site Recv Date: 09/08/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSDF ID: JE4550NY
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99
 Facility Type: Generator
 EPA ID: NYR000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 ST ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: DEMETRI DIAZ
 Mailing Address: 216 ST ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: 4722
 Mailing Country: USA
 Mailing Phone: 718-585-9023

 Document ID: NYC6218640
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: NJD071629976
 Generator Ship Date: 08/16/2000
 Trans1 Recv Date: 08/16/2000
 Trans2 Recv Date: 08/18/2000
 TSD Site Recv Date: 08/23/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSDF ID: EH2705NY
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A & S CLEANERS (Continued)

1001229275

Facility Type: Generator
 EPA ID: NYR000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 ST ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: DEMETRI DIAZ
 Mailing Address: 216 ST ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: 4722
 Mailing Country: USA
 Mailing Phone: 718-585-9023

Document ID: NYC6455316
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: Not reported
 Generator Ship Date: 05/24/2001
 Trans1 Recv Date: 05/24/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/01/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000058180
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSDF ID: EH2705NY
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 01

Facility Type: Generator
 EPA ID: NYR000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 ST ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: DEMETRI DIAZ
 Mailing Address: 216 ST ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: 4722
 Mailing Country: USA
 Mailing Phone: 718-585-9023

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

S83 **A & S CLEANERS**
North **216 SAINT ANNS AVE**
1/8-1/4 **BRONX, NY 10454**
1209 ft.
Site 3 of 3 in cluster S

NY MANIFEST **1009225600**
 N/A

NY MANIFEST:

Document ID: NYC7104791
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: MOR000505347
 Generator Ship Date: 10/08/2003
 Trans1 Recv Date: 10/08/2003
 Trans2 Recv Date: 10/10/2003
 TSD Site Recv Date: 10/13/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD000058180
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSD ID: NY94889JE
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00075
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 03
 Facility Type: Generator
 EPA ID: NYD000058180
 Facility Name: A & S CLEANERS
 Facility Address: 216 SAINT ANNS AVE
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: A & S CLEANERS
 Mailing Contact: N/S
 Mailing Address: 216 SAINT ANNS AVE
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-585-9023

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

84 543 JUB ASSOC INC
 North 543 E 137TH ST (110 LA CROSS PHARMACY)
 1/8-1/4 BRONX, NY 10459
 1215 ft.

AST U003391105
 HIST AST N/A

AST:

Facility ID: 2-333549
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 1500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-333549
 Expiration Date: 11/13/07
 Renewal Date: / /
 Total Capacity: 1500
 Facility Type: Not reported
 Mailing Company: 543 JVB ASSOCIATES, INC.
 Mailing Title: Not reported
 Mailing Contact: SILVIA DIAZ
 Mailing Address: 543 EAST 137TH STREET
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10454
 Mailing Phone No: (718) 665-5474
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

543 JUB ASSOC INC (Continued)

U003391105

Owner Address: 543 N. 11TH STREET
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11040
 Owner Phone: (516) 326-0014
 Owner Company: SILVIA DIAZ
 Emergency Contact: SILVIA DIAZ
 Emergency Phone: (516) 326-0014
 Operator: SILVIA DIAZ
 Operator Phone: (718) 665-5474
 Owner City: NEW HYDE PARK
 Owner Sub Type: Not reported

HIST AST:

PBS Number: 2-333549
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 1500
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: 543 JUB ASSOC INC
 Facility Phone: (212) 665-5474
 Facility Addr2: 110 LA CROSS PHARMACY
 Facility Type: APARTMENT BUILDING
 Emergency: ROBERT LEOPOLD
 Emergency Tel: (914) 897-6155
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 543 JUB ASSOC INC
 Owner Address: 543 E 137TH STREET
 Owner City,St,Zip: BRONX, NY 10459
 Federal ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

543 JUB ASSOC INC (Continued)

U003391105

Owner Tel: (212) 665-5474
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: P. LEOPOLD
 Mailing Name: C/O LA CROSS PHARMACY
 Mailing Address: 543 E 137TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10457
 Mailing Telephone: (212) 665-5474
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Certification Flag: False
 Certification Date: 07/09/1993
 Expiration: 10/02/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

P85
East
1/8-1/4
1220 ft.

KEY REGULATOR REBUILDERS INC
725 E 135TH ST
BRONX, NY 10454

RCRA-SQG 1000129702
FINDS NYD012093654

Site 2 of 2 in cluster P

RCRAInfo:
 Owner: WILLIAM KRONISH
 (212) 555-1212
 EPA ID: NYD012093654
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

Q86 687 EAST 137TH STREET, LLC
ENE 687 EAST 137TH STREET
 1/8-1/4 BRONX, NY 10454
 1243 ft.

UST U004078954
 N/A

Site 2 of 3 in cluster Q

UST:

Facility ID: 2-600629
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/01/94

UST:

Facility Id: 2-600629
 Expiration Date: 03/17/09
 Renewal Date: / /
 Total Capacity: 1500
 Facility Type: COMERCIAL HEATING
 Mailing Company: 687 EAST 137TH STREET, LLC
 Mailing Title: MANAGER
 Mailing Contact: MOSHE ALTMARK
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10451
 Mailing Phone No: (718) 401-1511
 Mailing Email: Not reported
 Owner Title: MANAGER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

687 EAST 137TH STREET, LLC (Continued)

U004078954

Owner Name: MOSHE ALTMARK
 Owner Address: 2447 THIRD AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10451
 Owner Phone: (718) 401-1511
 Owner Company: 687 EAST 137TH STREET, LLC
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (917) 807-4738
 Operator: MOSHE ALTMARK
 Operator Phone: (917) 807-4738
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-600629
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/01/94

UST:

Facility Id: 2-600629
 Expiration Date: 03/17/09
 Renewal Date: / /
 Total Capacity: 1500
 Facility Type: COMERCIAL HEATING
 Mailing Company: 687 EAST 137TH STREET, LLC
 Mailing Title: MANAGER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

687 EAST 137TH STREET, LLC (Continued)

U004078954

Mailing Contact: MOSHE ALTMARK
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10451
 Mailing Phone No: (718) 401-1511
 Mailing Email: Not reported
 Owner Title: MANAGER
 Owner Name: MOSHE ALTMARK
 Owner Address: 2447 THIRD AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10451
 Owner Phone: (718) 401-1511
 Owner Company: 687 EAST 137TH STREET, LLC
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (917) 807-4738
 Operator: MOSHE ALTMARK
 Operator Phone: (917) 807-4738
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

**Q87
 ENE
 1/8-1/4
 1243 ft.**

**H LIEBLICH & CO INC
 687 EAST 137TH STREET
 BRONX, NY 10454**

**AST U003074955
 HIST AST N/A
 HIST UST**

Site 3 of 3 in cluster Q

AST:
 Facility ID: 2-600629
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 1500
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Jacketed
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Other
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

H LIEBLICH & CO INC (Continued)

U003074955

Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: //
 Next Test Date: //
 Date Tank Closed: //

AST:

Facility Id: 2-600629
 Expiration Date: 03/17/09
 Renewal Date: //
 Total Capacity: 1500
 Facility Type: COMERCIAL HEATING
 Mailing Company: 687 EAST 137TH STREET, LLC
 Mailing Title: MANAGER
 Mailing Contact: MOSHE ALTMARK
 Mailing Address: 2447 THIRD AVENUE
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10451
 Mailing Phone No: (718) 401-1511
 Mailing Email: Not reported
 Owner Title: MANAGER
 Owner Name: MOSHE ALTMARK
 Owner Address: 2447 THIRD AVENUE
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10451
 Owner Phone: (718) 401-1511
 Owner Company: 687 EAST 137TH STREET, LLC
 Emergency Contact: MOSHE ALTMARK
 Emergency Phone: (917) 807-4738
 Operator: MOSHE ALTMARK
 Operator Phone: (917) 807-4738
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-600629
 Tank Location: ABOVEGROUND
 Tank ID: 001
 Tank Status: 1
 Install Date: Not reported
 Capacity (Gal): 1500
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 5
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: Other
 Leak Detection: 5
 Overfill Protection: 4

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s)

EPA ID Number

H LIEBLICH & CO INC (Continued)

U003074955

Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: MICHAEL DEL PERCIO
 Facility Phone: (718) 585-5200
 Facility Addr2: 687 EAST 137TH STREET
 Facility Type: OTHER
 Emergency: MICHAEL DEL PERCIO
 Emergency Tel: (718) 585-5200
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: H LIEBLICH & CO INC
 Owner Address: 687 EAST 137TH STREET
 Owner City,St,Zip: BRONX, NY 10454
 Federal ID: Not reported
 Owner Tel: (718) 585-5200
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: H LIEBLICH & CO INC
 Mailing Address: 687 EAST 137TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Telephone: (718) 585-5200
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 10/25/1996
 Expiration: 01/22/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

H LIEBLICH & CO INC (Continued)

U003074955

HIST UST:

PBS Number: 2-600629
 SPDES Number: Not reported
 Emergency Contact: MICHAEL DEL PERCIO
 Emergency Telephone: (718) 585-5200
 Operator: MICHAEL DEL PERCIO
 Operator Telephone: (718) 585-5200
 Owner Name: H LIEBLICH & CO INC
 Owner Address: 687 EAST 137TH STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 585-5200
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: H LIEBLICH & CO INC
 Mailing Address: 687 EAST 137TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: Not reported
 Mailing Telephone: (718) 585-5200
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 687 EAST 137TH STREET
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 10/01/1994
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

H LIEBLICH & CO INC (Continued)

U003074955

Certification Date: 10/25/1996
 Expiration Date: 01/22/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-600629
 SPDES Number: Not reported
 Emergency Contact: MICHAEL DEL PERCIO
 Emergency Telephone: (718) 585-5200
 Operator: MICHAEL DEL PERCIO
 Operator Telephone: (718) 585-5200
 Owner Name: H LIEBLICH & CO INC
 Owner Address: 687 EAST 137TH STREET
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (718) 585-5200
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: H LIEBLICH & CO INC
 Mailing Address: 687 EAST 137TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10454
 Mailing Contact: Not reported
 Mailing Telephone: (718) 585-5200
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 687 EAST 137TH STREET
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

H LIEBLICH & CO INC (Continued)

U003074955

Missing Data for Tank: Minor Data Missing
 Date Closed: 10/01/1994
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/25/1996
 Expiration Date: 01/22/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 1500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

R88
 ESE
 1/8-1/4
 1256 ft.

MAJESTIC DRUG CO
711 E 134TH ST
BRONX, NY 10454

RCRA-SQG 1001489005
FINDS NYD001496777
NY MANIFEST

Site 2 of 5 in cluster R

RCRAInfo:
 Owner: LAWRENCE FISHMAN
 (718) 292-1310
 EPA ID: NYD001496777
 Contact: Not reported
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MAJESTIC DRUG CO (Continued)

1001489005

NY MANIFEST:

Document ID:	NYG1187514
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	04/20/1999
Trans1 Recv Date:	04/20/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/20/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001496777
Trans1 EPA ID:	NYD049178296
Trans2 EPA ID:	Not reported
TSDF ID:	NY68699AN
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00200
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00600
Units:	P - Pounds
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00200
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00200
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	99
Facility Type:	Generator
EPA ID:	NYD001496777
Facility Name:	MAJESTIC DRUG CO
Facility Address:	711 E 134TH ST
Facility City:	BRONX
Facility Zip 4:	Not reported
Country:	Not reported
County:	BRONX
Mailing Name:	MAJESTIC DRUG CO
Mailing Contact:	BERRY HAFKIN
Mailing Address:	711 E 134TH ST
Mailing City:	BRONX
Mailing State:	NY

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

MAJESTIC DRUG CO (Continued)

1001489005

Mailing Zip:	10454
Mailing Zip4:	Not reported
Mailing Country:	Not reported
Mailing Phone:	516-352-7466

**T89
ENE
1/8-1/4
1262 ft.**

**CHAMPION CLEANERS
690 EAST 137TH STREET
BRONX, NY 10454**

**DRYCLEANERS S106435110
N/A**

Site 1 of 3 in cluster T

DRYCLEANERS:
Facility ID: 2-6007-00785
Region: BRONX

**T90
ENE
1/8-1/4
1262 ft.**

**CHAMPION CLEANERS INC
690 E 137TH ST
BRONX, NY 10454**

**RCRA-SQG 1007371387
NY MANIFEST NYR000124529**

Site 2 of 3 in cluster T

RCRAInfo:
Owner: CHAMPION CLEANERS INC
(718) 292-5212
EPA ID: NYR000124529
Contact: HOWARD CHOI
(718) 292-5212

Classification: Conditionally Exempt Small Quantity Generator
TSDF Activities: Not reported

Violation Status: No violations found

NY MANIFEST:

Document ID:	NYC7514460
Manifest Status:	Not reported
Trans1 State ID:	TXR000050930
Trans2 State ID:	NJD071629976
Generator Ship Date:	04/25/2005
Trans1 Recv Date:	04/25/2005
Trans2 Recv Date:	04/29/2005
TSD Site Recv Date:	05/02/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000124529
Trans1 EPA ID:	NY294889J
Trans2 EPA ID:	NJAH737K
TSDF ID:	OHD980587364
Waste Code:	F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity:	00780
Units:	P - Pounds
Number of Containers:	004
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CHAMPION CLEANERS INC (Continued)

1007371387

Facility Type: Generator
 EPA ID: NYR000124529
 Facility Name: CHAMPION CLEANERS INC
 Facility Address: 690 E 137 STREET
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: USA
 County: BRONX
 Mailing Name: CHAMPION CLEANERS INC
 Mailing Contact: CHANG
 Mailing Address: 690 E 137 STREET
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10454
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-292-5212

U91
 WNW
 1/8-1/4
 1263 ft.

**BARAK SPEEDY LUBE
 115 BRUCKNER BLVD
 BRONX, NY 10454**

UST U003200565
 HIST UST N/A

Site 1 of 6 in cluster U

UST:

Facility ID: 2-603099
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Horner EZY3/EZY3 Locator Plus
 Date Tested: 03/21/03

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Next Test Date: 03/21/08
 Date Tank Closed: / /

UST:

Facility Id: 2-603099
 Expiration Date: 08/15/07
 Renewal Date: 04/04/02
 Total Capacity: 8000
 Facility Type: Not reported
 Mailing Company: URSUS MGMT CORP
 Mailing Title: Not reported
 Mailing Contact: AVI BEH-HAKOON
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City: RIVERDALE
 Mailing State: NY
 Mailing Zip Code: 10471
 Mailing Phone No: Not reported
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3 RIVERCREST ROAD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10471
 Owner Phone: Not reported
 Owner Company: MARTIN TAUB
 Emergency Contact: AVI BEN-HAKOON
 Emergency Phone: Not reported
 Operator: AVI BEN-HAKOON
 Operator Phone: Not reported
 Owner City: RIVERDALE
 Owner Sub Type: Private Resident

Facility ID: 2-603099
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Horner EYZ3/EZY3 Locator Plus
 Date Tested: 03/21/03
 Next Test Date: 03/21/08
 Date Tank Closed: / /

UST:

Facility Id: 2-603099
 Expiration Date: 08/15/07
 Renewal Date: 04/04/02
 Total Capacity: 8000
 Facility Type: Not reported
 Mailing Company: URSUS MGMT CORP
 Mailing Title: Not reported
 Mailing Contact: AVI BEH-HAKOON
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City: RIVERDALE
 Mailing State: NY
 Mailing Zip Code: 10471
 Mailing Phone No: Not reported
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3 RIVERCREST ROAD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10471
 Owner Phone: Not reported
 Owner Company: MARTIN TAUB
 Emergency Contact: AVI BEN-HAKOON
 Emergency Phone: Not reported
 Operator: AVI BEN-HAKOON
 Operator Phone: Not reported
 Owner City: RIVERDALE
 Owner Sub Type: Private Resident

Facility ID: 2-603099
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Horner EZY3/EZY3 Locator Plus
 Date Tested: 03/21/03
 Next Test Date: 03/21/08
 Date Tank Closed: / /

UST:

Facility Id: 2-603099
 Expiration Date: 08/15/07
 Renewal Date: 04/04/02
 Total Capacity: 8000
 Facility Type: Not reported
 Mailing Company: URSUS MGMT CORP
 Mailing Title: Not reported
 Mailing Contact: AVI BEH-HAKOON
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City: RIVERDALE
 Mailing State: NY
 Mailing Zip Code: 10471
 Mailing Phone No: Not reported
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3 RIVERCREST ROAD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10471
 Owner Phone: Not reported
 Owner Company: MARTIN TAUB
 Emergency Contact: AVI BEN-HAKOON
 Emergency Phone: Not reported
 Operator: AVI BEN-HAKOON
 Operator Phone: Not reported
 Owner City: RIVERDALE
 Owner Sub Type: Private Resident

Facility ID: 2-603099
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: Lube Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Groundwater Well
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Exempt Suction Piping
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Vent Whistle
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Horner EZY3/EZY3 Locator Plus
 Date Tested: 03/21/03
 Next Test Date: 03/21/08
 Date Tank Closed: / /

UST:

Facility Id: 2-603099
 Expiration Date: 08/15/07
 Renewal Date: 04/04/02
 Total Capacity: 8000
 Facility Type: Not reported
 Mailing Company: URSUS MGMT CORP
 Mailing Title: Not reported
 Mailing Contact: AVI BEH-HAKOON
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City: RIVERDALE
 Mailing State: NY
 Mailing Zip Code: 10471
 Mailing Phone No: Not reported
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 3 RIVERCREST ROAD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10471
 Owner Phone: Not reported
 Owner Company: MARTIN TAUB
 Emergency Contact: AVI BEN-HAKOON
 Emergency Phone: Not reported
 Operator: AVI BEN-HAKOON
 Operator Phone: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Owner City: RIVERDALE
 Owner Sub Type: Private Resident

HIST UST:

PBS Number: 2-603099
 SPDES Number: Not reported
 Emergency Contact: DAN LUFT
 Emergency Telephone: (516) 441-3023
 Operator: DAN LUFT
 Operator Telephone: (718) 993-5215
 Owner Name: MARTIN TAUB
 Owner Address: 3 RIVERCREST ROAD
 Owner City,St,Zip: RIVERDALE, NY 10471
 Owner Telephone: (718) 544-1778
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: URSUS MGMT CORP
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: RIVERDALE, NY 10471
 Mailing Contact: DAN LUFT
 Mailing Telephone: (718) 549-1778
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 2000
 Product Stored: USED OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Groundwater Well
 Overfill Prot: Vent Whistle
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: 12/27/1987
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER RETAIL SALES
 Inspected Date: Not reported
 Inspector: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/13/1999
 Expiration Date: 08/15/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-603099
 SPDES Number: Not reported
 Emergency Contact: DAN LUFT
 Emergency Telephone: (516) 441-3023
 Operator: DAN LUFT
 Operator Telephone: (718) 993-5215
 Owner Name: MARTIN TAUB
 Owner Address: 3 RIVERCREST ROAD
 Owner City,St,Zip: RIVERDALE, NY 10471
 Owner Telephone: (718) 544-1778
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: URSUS MGMT CORP
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: RIVERDALE, NY 10471
 Mailing Contact: DAN LUFT
 Mailing Telephone: (718) 549-1778
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: Not reported
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 2000
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Groundwater Well
 Overfill Prot: Vent Whistle

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Dispenser: Suction
 Date Tested: 06/01/1999
 Next Test Date: 06/01/2004
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER RETAIL SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/13/1999
 Expiration Date: 08/15/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-603099
 SPDES Number: Not reported
 Emergency Contact: DAN LUFT
 Emergency Telephone: (516) 441-3023
 Operator: DAN LUFT
 Operator Telephone: (718) 993-5215
 Owner Name: MARTIN TAUB
 Owner Address: 3 RIVERCREST ROAD
 Owner City,St,Zip: RIVERDALE, NY 10471
 Owner Telephone: (718) 544-1778
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: URSUS MGMT CORP
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: RIVERDALE, NY 10471
 Mailing Contact: DAN LUFT
 Mailing Telephone: (718) 549-1778
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 2000
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Groundwater Well
 Overfill Prot: Vent Whistle
 Dispenser: Suction
 Date Tested: 06/01/1999
 Next Test Date: 06/01/2004
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER RETAIL SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/13/1999
 Expiration Date: 08/15/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-603099
 SPDES Number: Not reported
 Emergency Contact: DAN LUFT
 Emergency Telephone: (516) 441-3023
 Operator: DAN LUFT
 Operator Telephone: (718) 993-5215
 Owner Name: MARTIN TAUB
 Owner Address: 3 RIVERCREST ROAD

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Owner City,St,Zip: RIVERDALE, NY 10471
 Owner Telephone: (718) 544-1778
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: URSUS MGMT CORP
 Mailing Address: 5678 RIVERDALE AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: RIVERDALE, NY 10471
 Mailing Contact: DAN LUFT
 Mailing Telephone: (718) 549-1778
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 2000
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Groundwater Well
 Overfill Prot: Vent Whistle
 Dispenser: Suction
 Date Tested: 06/01/1999
 Next Test Date: 06/01/2004
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: USTest 2000
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER RETAIL SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 08/13/1999
 Expiration Date: 08/15/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 8000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BARAK SPEEDY LUBE (Continued)

U003200565

Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**U92
 WNW
 1/8-1/4
 1263 ft.**

**SHELL SERVICE STATION
 114 BRUCKNER BLVD
 BRONX, NY 10454**

**RCRA-SQG 1001171453
 FINDS NY0001493014
 LTANKS
 NY Spills
 NY MANIFEST
 HIST LTANKS**

Site 2 of 6 in cluster U

RCRAInfo:
 Owner: SHELL OIL PRODUCTS CO
 (516) 365-2489
 EPA ID: NY0001493014
 Contact: Not reported
 Classification: Small Quantity Generator
 TSD Activities: Not reported
 Violation Status: No violations found

FINDS:
 Other Pertinent Environmental Activity Identified at Site

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LTANKS:
 Site ID: 292391

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

Spill Date: 05/05/98
 Facility Addr2: ALABAMA AUTO CENTER
 Facility ID: 9801880
 Program Number: 9801880
 SWIS: 0301
 Region of Spill: 2
 Investigator: KMFOLEY
 Referred To: Not reported
 Reported to Dept: 05/13/98
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Other
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/25/03
 Remediation Phase: 0
 Date Entered In Computer: 05/13/98
 Spill Record Last Update: 07/20/05
 Spille Namer: DAVE MCNEIL
 Spiller Company: SHELL
 Spiller Phone: (516) 365-7240
 Spiller Extention: Not reported
 Spiller Address: 114 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY 10454-
 Spiller County: 001
 Spiller Contact: DAVE MCNEIL
 Spiller Phone: (516) 365-7240
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9801880
 DER Facility ID: 5904
 Site ID: 292391
 Operable Unit ID: 1062420
 Operable Unit: 01
 Material ID: 323789
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s)

EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 9801880 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "K FOLEY" Reference spill #0303604, 0013495, 9413289. 12/1/03
 Reassigned from Sangesland to K Foley. END DECRemark - 9801880
 Remarks: Start CallerRemark - 9801880 4 1,000 GALLON GASOLINE TANKS - DURING AN UPGRADE
 OF TANKS ENCOUNTER CONTAMINATED SOIL - SOIL HAS BEEN EXCAVATED & READY FOR
 DISPOSAL - CROSS REF #94014389 END CallerRemark - 9801880

Site ID: 307768
 Spill Date: 01/05/95
 Facility Addr2: ALABAMA AUTO CENTER
 Facility ID: 9413289
 Program Number: 9413289
 SWIS: 0301
 Region of Spill: 2
 Investigator: KMFOLEY
 Referred To: Not reported
 Reported to Dept: 01/05/95
 CID: 16
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Tank Tester
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/25/03
 Remediation Phase: 0
 Date Entered In Computer: 02/27/95
 Spill Record Last Update: 07/20/05
 Spille Namer: Not reported
 Spiller Company: SHELL OIL COMPANY
 Spiller Phone: (516) 437-3190
 Spiller Extention: Not reported
 Spiller Address: ONE JERICHO PLAZA
 Spiller City,St,Zip: JERICHO, NY 11753-
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9413289
 DER Facility ID: 5904
 Site ID: 307768
 Operable Unit ID: 1010837
 Operable Unit: 01
 Material ID: 372034
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: 307768
 Spill Tank Test: 18076
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0.00
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/01/04
 Test Method: Unknown
 DEC Remarks: Start DECRemark - 9413289 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "K FOLEY" REPORT AND REQUEST FOR CLOSURE RECEIVED. WANT ADD'T
 SOILS INFORMATION. SHELL WILL DO GEOPROBE. 12/1/03 Reassigned from
 Sangesland to K Foley.Reference spill #s 0013495, 0303604, 9801880. END
 DECRemark - 9413289
 Remarks: Start CallerRemark - 9413289 NON PRODUCT BEARING FAILURE, ABOVE PRODUCT LINE
 RECOMMENDATION, UNCOVER, ISOLATE, RE-TEST. END CallerRemark - 9413289

NY Spills:

Site ID: 292390
 Facility Addr2: ALABAMA AUTO CENTER
 Facility ID: 0303604
 Spill Number: 0303604
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: KSTANG
 Referred To: Not reported
 Spill Date: 07/07/03
 Reported to Dept: 07/07/03
 CID: 16
 Spill Cause: Deliberate
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Remediation Phase: 3
 Date Entered In Computer: 07/07/03
 Spill Record Last Update: 03/22/06
 Spiller Name: UNK
 Spiller Company: SHELL
 Spiller Address: 114 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY
 Spiller Company: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

Spiller Phone: (000) 000-0000
 Contact Name: ROB E RULE
 Contact Phone: (540) 943-8468
 DEC Region: 2
 Program Number: 0303604
 DER Facility ID: 5904
 Site ID: 292390
 Operable Unit ID: 871652
 Operable Unit: 01
 Material ID: 504469
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: True
 Site ID: 292390
 Operable Unit ID: 871652
 Operable Unit: 01
 Material ID: 504468
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: True
 Site ID: 292390
 Operable Unit ID: 871652
 Operable Unit: 01
 Material ID: 2106570
 Material Code: 1213A
 Material Name: MTBE (METHYL-TERT-BUTYL ETHER)
 Case No.: 01634044
 Material FA: Hazardous Material
 Quantity: 0.00
 Units: Not reported
 Recovered: 0.00
 Resource Affected: Not reported
 Oxygenate: True
 DEC Remarks: Start DECRemark - 0303604 PBS #2-190802 Reference spill #s 9413289, 9801880, 0013495. 8/22/2003 Matt Schneck from Northeast Environmental Solutions, Inc. submitted a Closure report dated August 8, 2003. The report details removal of USTs, dispenser islands, hydraulic lifts and product piping. Digging down to bedrock, endpoint soil samples taken at bedrock interface. No groundwater samples were taken. 8/25/2003 DEC requested a groundwater sample from the site. 1/5/03 Reassigned from Sangesland to Foley. Added gasoline to material spilled due to TAGM exceedances from spills 0013495, 9801880, 9413289. Received well-installation report dated 12/30/03 from NES. Installed three monitoring wells. MW-1, in vicinity of former 550s, identified BTEX/MTBE at 5864ppb/3100ppb on 10/10/03. 5/18/04 Update report received (NES, 5/12/04). BTEX range from ND(MW-2, MW-3) to 7473ppb(MW-1). MTBE from

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

0.7ppb(MW-3) to 1380ppb(MW-1). Need further groundwater delineation around MW-1.7/22/04 Requested delineation around tank field/MW-1. M. Schneck, NES, will prepare map with proposed locations for Dept review. 7/28/04 Received update report with well installation proposal. 8/9/04 Sent access letters for installation of wells at 112 and 115 Bruckner Blvd. 9/8/04 M. Schneck notified Dept of drilling to be done 9/13-9/14. 11/23/04 Met with M. Schneck, NES and R. Rule, Shell. Update report received. 2 offsite wells drilled 9/13 & 9/22. No soil contamination detected. Seeing mounding in MW-3 probably due to backfill by coarse gravel. MW-6 is crossgradient and showing some BTEX(711ppb) but no MTBE. MW-6 has a high benzene(511ppb) to xylenes(90ppb) ratio while MW-1 has low benzene(60ppb) to xylenes(2080ppb) ratio. Hess and Amoco nearby. Station no longer operating. 12/10/04 Update from M. Schneck- did some research on documented releases in the vicinity of the 114 Bruckner Blvd site that could be impacting the off-site well we installed at the NW corner of Bruckner Blvd. and Brown Place (MW-6). The Hess (former Merit at 126-128 Bruckner Blvd.) east of the site (up-gradient?) has multiple spills assigned to it. Spill # 8606553 is from a 750-gallon gasoline spill resulting from an overflow of the USTs. Spill # 9205097 was called in during UST removal activities when contaminated soil was encountered. Spill #9405017 is from another overflow, the amount of which is not specified. The Amoco(Wolf) northeast at 119 Bruckner Blvd has (2) spills associated with it, one being for an unknown amount of gasoline spilled on land (#0203687), and the other being for a used oil UST failing a tightness test (#0007588). Both spills are closed. 12/15/04 Sent email to M. Schneck. Agreed that if concentrations are consistent in next round and GW flow direction is confirmed, MW-6 can be decommissioned. 12/20/04 Email from M. Schneck received. Will schedule hi-vac on MW-1 to try to reduce concentrations. 2/8/05 Update report received. Recent GW monitoring indicates MW-6 is sidegradient from on-site well MW-1. Also, GW analytical data for off-site well MW-6 has a high benzene to xylenes ratio and MTBE concentrations below the MDL. This is inconsistent with lab data for MW-1 with low benzene to xylenes ratio and MTBE concentrations >100ppb. Requesting sampling be discontinued at MW-6. 5/19/05 Spoke to new property owner, Mr. Christopher Persheff (212-772-7550 X28), at Bradford Sweet Management LLC. He had received a stop work order from DOB which told him he had to meet DEPs requirements. I told him that he would have to comply with both DEP and DEC separately. He will be constructing a commercial building, Dunkin Donuts, on site. Shell has already removed the tanks and will be conducting gw monitoring. 5/20/05 C. Persheff sent letter stating that he spoke to M. Schneck and his tenant, Mr. Sethi. During demolition, the wells became filled with soil. His tenant will be repairing/replacing the wells at his cost. 5/31/05 Email to C. Persheff outlining requirements for investigation and RAP(to include soil samples under foundation and vapor mitigation). Stipulation due 6/15/05. Little "E" designated site. Callista Nazaire of DEP copied. 6/1/05 Spoke to M. Schneck, NES. Shell plans on doing the remediation. Shell will possibly sign stipulation agreement. 6/20/05 Received copy of letter from LCS (for BNS Mgmt) to D. Cabbagestalk, NYCDEP. Requesting approval to proceed with construction. 8/5/05 Received copy of letter from D. Cabbagestalk(718-595-4451), NYCDEP, which requires soil vapor investigation (2 indoor air samples from basement, 2 sub-slab samples) and specifications for vapor barrier. 9/14/05 Received copy of letter from D. Cabbagestalk, NYCDEP, to Marshall Kaminer, Bronx Borough Commissioner. Based upon analytical results for ambient indoor and outdoor air samples, NYCDEP does not object to construction. 2/1/06 Meeting with Shell, SAIC, Longshore. Will send sensitive receptor survey and model based on worst case scenario to do exposure assessment. 3 wells sampled 12/30/05. BTEX ranged from ND(MW-5,8) to 85ppb(MW-6). 3/22/06 Reassigned from Foley to Tang.(KMF) END DECRemark -

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SHELL SERVICE STATION (Continued)

1001171453

0303604
 Remarks: Start CallerRemark - 0303604 someone tipped over a drum that was stock piled spill is on the ground and will be recovered END CallerRemark - 0303604

NY MANIFEST:

Document ID: ARA9257500
 Manifest Status: Not reported
 Trans1 State ID: OHD009865825
 Trans2 State ID: Not reported
 Generator Ship Date: 06/24/1998
 Trans1 Recv Date: 06/24/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/24/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0001493014
 Trans1 EPA ID: ARD069748192
 Trans2 EPA ID: Not reported
 TSDF ID: 0902H205
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00975
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98
 Facility Type: Generator
 EPA ID: NY0001493014
 Facility Name: SHELL OIL PRODUCTS CO
 Facility Address: 114 BRUCKNER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: SHELL OIL PRODUCTS CO
 Mailing Contact: CARYN SILVERSTEIN
 Mailing Address: 30 JERICHO EXEC PLAZA 500W
 Mailing City: JERICHO
 Mailing State: NY
 Mailing Zip: 11753
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 516-365-2489

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9801880
 Investigator: MULQUEEN
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

Notifier Extension: Not reported
 Spill Date: 05/05/1998
 Spill Time: 12:00
 Reported to Department Date: 05/13/98
 Reported to Department Time: 11:05
 SWIS: 60
 Spiller Contact: DAVE MCNEIL
 Spiller Phone: (516) 365-7240
 Spiller Extension: Not reported
 Spiller Name: SHELL SERVICE STATION
 Spiller Address: 114 BRUCKNER BLVD
 Spiller City,St,Zip: BRONX, NY 10454-
 Facility Contact: DAVE MCNEIL
 Facility Phone: (516) 365-7240
 Facility Extension: Not reported
 Spill Cause: Tank Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Gas Station
 Spill Notifier: Other
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: True
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 05/13/98
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 05/14/98
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: GASOLINE
 Class Type: GASOLINE
 Times Material Entry In File: 21329
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Spill Cause: 4 1,000 GALLON GASOLINE TANKS - DURING AN UPGRADE OF TANKS ENCOUNTER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

CONTAMINATED SOIL - SOIL HAS BEEN EXCAVATED READY FOR DISPOSAL - CROSS REF
 94014389

Region of Spill: 2
 Spill Number: 9413289
 Investigator: TOMASELLO
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 01/05/1995
 Spill Time: 15:30
 Reported to Department Date: 01/05/95
 Reported to Department Time: 15:30
 SWIS: 60
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 Spiller Name: SHELL OIL COMPANY
 Spiller Address: ONE JERICHO PLAZA
 Spiller City,St,Zip: JERICHO, NY 11753-
 Facility Contact: Not reported
 Facility Phone: (516) 437-3190
 Facility Extention: Not reported
 Spill Cause: Tank Test Failure
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Gas Station
 Spill Notifier: Tank Tester
 PBS Number: Not reported
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 02/27/95
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 12/26/95
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: 0
 Test Method: Not reported
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SERVICE STATION (Continued)

1001171453

Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: UNKNOWN PETROLEUM
 Times Material Entry In File: 16414
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: REPORT AND REQUEST FOR CLOSURE RECEIVED. WANT ADD T SOILS INFORMATION. SHELL WILL DO GEOPROBE.
 Spill Cause: NON PRODUCT BEARING FAILURE, ABOVE PRODUCT LINE RECOMMENDATION, UNCOVER, ISOLATE, RE-TEST.

U93
 WNW
 1/8-1/4
 1263 ft.

**SHELL SVC. STA. 138576
 114 BRUCKNER BOULEVARD
 BRONX, NY 10454**

UST U000396403
 AST N/A
 HIST AST
 HIST UST

Site 3 of 6 in cluster U

UST:

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 006
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Catch Basin
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 008
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 015
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Install Date: 12/01/72
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Retrofitted Sacrificial Anode
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: In-Tank System (ATG)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Automatic Shut-Off
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Catch Basin
 Tightness Test Method: Sure Test plus U2 Ullage
 Date Tested: 05/01/98
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 007
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 016
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 012
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 009
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 013
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 014
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 12/01/71
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Retrofitted Sacrificial Anode
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: In-Tank System (ATG)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Automatic Shut-Off
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Catch Basin
 Tightness Test Method: Sure Test plus U2 Ullage
 Date Tested: 05/01/98
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 004
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 12/01/51
 Capacity Gallons: 550
 Material Name: Other
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 011
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:
 Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 12/01/71
 Capacity Gallons: 4000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: Epoxy Liner
 Tank Internal Protection 1: Painted/Asphalt Coating
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: Retrofitted Sacrificial Anode
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: In-Tank System (ATG)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Automatic Shut-Off
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Catch Basin
 Tightness Test Method: Sure Test plus U2 Ullage
 Date Tested: 05/01/98
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 005
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Empty
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: Impervious Barrier/Concrete Pad (A/G)
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Not reported
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

UST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

AST:

Facility ID: 2-190802
 Program Type: PBS
 Tank Number: 017
 Tank Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 05/01/97
 Capacity Gallons: 240
 Material Name: Waste Oil/Used Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Aboveground
 Pipe Type Name: Galvanized Steel
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Automatic Shut-Off
 Type Of Overfill Prevention 2: Product Level Gauge (A/G)
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 09/12/03

AST:

Facility Id: 2-190802
 Expiration Date: 04/26/04
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: PERMIT ANALYST
 Mailing Title: Not reported
 Mailing Contact: SHARON IRIZARRY
 Mailing Address: MOTIVE ENTERPRISES LLC
 Mailing Address 2: 520 ALLENS AVENUE, BLDG. 2
 Mailing City: PROVIDENCE
 Mailing State: RI
 Mailing Zip Code: 02905
 Mailing Phone No: (401) 429-2277
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 520 ALLENS AVE.
 Owner Address 2: Not reported
 Owner State: RI
 Owner Zip Code: 02905
 Owner Phone: (401) 429-2200
 Owner Company: MOTIVA ENTERPRISES LLC
 Emergency Contact: CHEM TREC
 Emergency Phone: (800) 424-9300

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Operator: ALBERTO GONZALA
 Operator Phone: (212) 292-5225
 Owner City: PROVIDENCE
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-190802
 Tank Location: ABOVEGROUND
 Tank ID: 017
 Tank Status: 1
 Install Date: 19970501
 Capacity (Gal): 240
 Product Stored: C
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 00
 Pipe Location: Aboveground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 34
 Dispenser Method: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: ALBERTO GONZALA
 Facility Phone: (212) 292-5225
 Facility Addr2: 114 BRUCKNER BLVD
 Facility Type: RETAIL GASOLINE SALES
 Emergency: CHEM TREC
 Emergency Tel: (800) 424-9300
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Federal ID: Not reported
 Owner Tel: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: JENNIFER VARNERIN
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SHELL SVC. STA. 138576 (Continued)

U000396403

Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration: 04/26/2004
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

HIST UST:

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19711201
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Pipe External: Sacrificial Anode
 Second Containment: None
 Leak Detection: In-tank System
 Overfill Prot: Automatic Shut-Off, Catch Basin
 Dispenser: Suction
 Date Tested: 05/01/1998
 Next Test Date: 05/01/2003
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Proeco Sewer Test or U2 Ullage
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 114 BRUCKNER BLVD

Tank Id: 002

Tank Location: UNDERGROUND

Install Date: 19711201

Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel

Tank Internal: Epoxy Liner

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Pipe External: Sacrificial Anode

Second Containment: None

Leak Detection: In-tank System

Overfill Prot: Automatic Shut-Off, Catch Basin

Dispenser: Suction

Date Tested: 05/01/1998

Next Test Date: 05/01/2003

Missing Data for Tank: No Missing Data

Date Closed: Not reported

Test Method: Proeco Sewer Test or U2 Ullage

Deleted: False

Updated: True

Lat/long: Not reported

Lat/long: Not reported

SWIS ID: 6001

Old PBS Number: Not reported

Facility Type: RETAIL GASOLINE SALES

Inspected Date: Not reported

Inspector: Not reported

Inspection Result: Not reported

Federal ID: Not reported

Certification Flag: False

Certification Date: 02/29/2000

Expiration Date: 04/26/2004

Renew Flag: False

Renewal Date: Not reported

Total Capacity: 12240

FAMT: True

Facility Screen: No Missing Data

Owner Screen: No Missing Data

Tank Screen: Minor Data Missing

Dead Letter: False

CBS Number: Not reported

Town or City: NEW YORK CITY

County Code: 60

Town or City: 01

Region: 2

PBS Number: 2-190802

SPDES Number: Not reported

Emergency Contact: CHEM TREC

Emergency Telephone: (800) 424-9300

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: 19721201
 Capacity (gals): 4000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Epoxy Liner
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Sacrificial Anode
 Second Containment: None
 Leak Detection: In-tank System
 Overfill Prot: Automatic Shut-Off, Catch Basin
 Dispenser: Suction
 Date Tested: 05/01/1998
 Next Test Date: 05/01/2003
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Proeco Sewer Test or U2 Ullage
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 004
 Tank Location: UNDERGROUND
 Install Date: 19511201
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 005
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Concrete Pad w/channels
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 006
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Catch Basin
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2
 PBS Number: 2-190802

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 007
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 008
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Test Method:	Not reported
Deleted:	False
Updated:	True
Lat/long:	Not reported
Lat/long:	Not reported
SWIS ID:	6001
Old PBS Number:	Not reported
Facility Type:	RETAIL GASOLINE SALES
Inspected Date:	Not reported
Inspector:	Not reported
Inspection Result:	Not reported
Federal ID:	Not reported
Certification Flag:	False
Certification Date:	02/29/2000
Expiration Date:	04/26/2004
Renew Flag:	False
Renewal Date:	Not reported
Total Capacity:	12240
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	No Missing Data
Tank Screen:	Minor Data Missing
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	60
Town or City:	01
Region:	2
PBS Number:	2-190802
SPDES Number:	Not reported
Emergency Contact:	CHEM TREC
Emergency Telephone:	(800) 424-9300
Operator:	ALBERTO GONZALA
Operator Telephone:	(212) 292-5225
Owner Name:	MOTIVA ENTERPRISES, LLC.
Owner Address:	1100 LOUISIANA ST., SUITE 200
Owner City,St,Zip:	HOUSTON, TX 77002
Owner Telephone:	(713) 277-8000
Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported
Mailing Name:	MOTIVA ENTERPRISES, LLC.
Mailing Address:	3 EDGEWATER DRIVE
Mailing Address 2:	SUITE 202
Mailing City,St,Zip:	NORWOOD, MA 02062
Mailing Contact:	JENNIFER VARNERIN
Mailing Telephone:	(781) 551-5409
Owner Mark:	Second Owner
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2:	114 BRUCKNER BLVD
Tank Id:	009
Tank Location:	UNDERGROUND
Install Date:	Not reported
Capacity (gals):	550
Product Stored:	EMPTY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SHELL SVC. STA. 138576 (Continued)

U000396403

Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 010
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 011
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 012
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 013
 Tank Location: UNDERGROUND

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

 PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City, St, Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 014
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 015
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-190802
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: ALBERTO GONZALA
 Operator Telephone: (212) 292-5225
 Owner Name: MOTIVA ENTERPRISES, LLC.
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DRIVE
 Mailing Address 2: SUITE 202
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 114 BRUCKNER BLVD
 Tank Id: 016
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SHELL SVC. STA. 138576 (Continued)

U000396403

Overfill Prot: Not reported
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12240
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**U94
 WNW
 1/8-1/4
 1268 ft.**

**D/B/A -SPECTRUM MINI STORAGE
 112 BRUCKNER BLVD
 BRONX, NY 10454**

**UST U001841433
 HIST UST N/A**

Site 4 of 6 in cluster U

UST:
 Facility ID: 2-600400
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground, vaulted, with access
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 2000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

D/B/A -SPECTRUM MINI STORAGE (Continued)

U001841433

Pipe Location Name: Aboveground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: Painted/Asphalt Coating
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 10/01/91

UST:

Facility Id: 2-600400
 Expiration Date: 10/24/96
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: VESTPRO CORP
 Mailing Title: Not reported
 Mailing Contact: Not reported
 Mailing Address: 112 BRUCKNER ASSOC
 Mailing Address 2: 733 3RD AVE -RM 905
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 370-1333
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 112 BRUCKNER BLVD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10454
 Owner Phone: (212) 402-4060
 Owner Company: 112 BRUCKNER ASSOC. L.P.
 Emergency Contact: MR. J PERETZY
 Emergency Phone: (212) 402-4060
 Operator: SPECTRUM MINI STORAGE
 Operator Phone: (212) 402-4060
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-600400
 SPDES Number: Not reported
 Emergency Contact: MR. J PERETZY
 Emergency Telephone: (212) 402-4060
 Operator: SPECTRUM MINI STORAGE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

D/B/A -SPECTRUM MINI STORAGE (Continued)

U001841433

Operator Telephone: (212) 402-4060
 Owner Name: 112 BRUCKNER ASSOC. L.P.
 Owner Address: 112 BRUCKNER BLVD
 Owner City,St,Zip: BRONX, NY 10454
 Owner Telephone: (212) 402-4060
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: VESTPRO CORP
 Mailing Address: 112 BRUCKNER ASSOC
 Mailing Address 2: 733 3RD AVE -RM 905
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: Not reported
 Mailing Telephone: (212) 370-1333
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 112 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Install Date: Not reported
 Capacity (gals): 2000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: Epoxy Liner
 Pipe External: Painted/Asphalt Coating
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/1991
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 10/24/1996
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

D/B/A -SPECTRUM MINI STORAGE (Continued)

U001841433

Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**U95
 WNW
 1/8-1/4
 1268 ft.**

**112 BRUCKNER ASSOCIATES,LP
 112 BRUCKNER BLVD
 BRONX, NY 10454**

**UST U003074648
 AST N/A
 HIST AST
 HIST UST**

Site 5 of 6 in cluster U

UST:

Facility ID: 2-017477
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 05/01/84
 Capacity Gallons: 2000
 Material Name: Gasoline
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Submersible
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 11/01/91

UST:

Facility Id: 2-017477
 Expiration Date: 10/23/97
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

112 BRUCKNER ASSOCIATES,LP (Continued)

U003074648

Mailing Company: 112 BRUCKNER ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: JAY B. PARETZKY
 Mailing Address: % VESTPRO MANAGEMENT CORPORATION
 Mailing Address 2: 216 EAST 45TH STREET
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 370-1333
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 733 THIRD AVE #905
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10015
 Owner Phone: (212) 370-1333
 Owner Company: 112 BRUCKNER ASSOCIATES,LP
 Emergency Contact: JYRIS PARTZM
 Emergency Phone: (212) 402-8612
 Operator: JYRIS PARTZM
 Operator Phone: (212) 402-8612
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

AST:

Facility ID: 2-017477
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: Closed - Removed
 Active Status: Inactive
 Install Date: 11/01/32
 Capacity Gallons: 4000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

112 BRUCKNER ASSOCIATES,LP (Continued)

U003074648

Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 06/01/95

AST:

Facility Id: 2-017477
 Expiration Date: 10/23/97
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: 112 BRUCKNER ASSOCIATES
 Mailing Title: Not reported
 Mailing Contact: JAY B. PARETZKY
 Mailing Address: % VESTPRO MANAGEMENT CORPORATION
 Mailing Address 2: 216 EAST 45TH STREET
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip Code: 10017
 Mailing Phone No: (212) 370-1333
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 733 THIRD AVE #905
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10015
 Owner Phone: (212) 370-1333
 Owner Company: 112 BRUCKNER ASSOCIATES,LP
 Emergency Contact: JYRIS PARTZM
 Emergency Phone: (212) 402-8612
 Operator: JYRIS PARTZM
 Operator Phone: (212) 402-8612
 Owner City: NEW YORK
 Owner Sub Type: Corporate or Commercial

HIST AST:

PBS Number: 2-017477
 Tank Location: ABOVEGROUND
 Tank ID: 002
 Tank Status: 3
 Install Date: 19321101
 Capacity (Gal): 4000
 Product Stored: 3
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

112 BRUCKNER ASSOCIATES,LP (Continued)

U003074648

Missing Data for Tank: Minor Data Missing
 Date Closed: 06/01/1995
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Latitude: Not reported
 Longitude: Not reported
 SWIS Code: 6001
 Operator: JYRIS PARTZM
 Facility Phone: (212) 402-8612
 Facility Addr2: 112 BRUCKNER BLVD
 Facility Type: Not reported
 Emergency: JYRIS PARTZM
 Emergency Tel: (212) 370-1333
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 112 BRUCKNER ASSOCIATES,LP
 Owner Address: 733 THIRD AVE #905
 Owner City,St,Zip: NEW YORK, NY 10015
 Federal ID: Not reported
 Owner Tel: (212) 370-1333
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: JAY B. PARETZKY
 Mailing Name: 112 BRUCKNER ASSOCIATES
 Mailing Address: % VESTPRO MANAGEMENT CORPORATION
 Mailing Address 2: 216 EAST 45TH STREET
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Telephone: (212) 370-1333
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Certification Flag: False
 Certification Date: 02/05/1993
 Expiration: 10/23/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City Code: 01
 Region: 2

HIST UST:

PBS Number: 2-017477
 SPDES Number: Not reported
 Emergency Contact: JYRIS PARTZM
 Emergency Telephone: (212) 370-1333

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

112 BRUCKNER ASSOCIATES,LP (Continued)

U003074648

Operator: JYRIS PARTZM
 Operator Telephone: (212) 402-8612
 Owner Name: 112 BRUCKNER ASSOCIATES,LP
 Owner Address: 733 THIRD AVE #905
 Owner City,St,Zip: NEW YORK, NY 10015
 Owner Telephone: (212) 370-1333
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 112 BRUCKNER ASSOCIATES
 Mailing Address: % VESTPRO MANAGEMENT CORPORATION
 Mailing Address 2: 216 EAST 45TH STREET
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: JAY B. PARETZKY
 Mailing Telephone: (212) 370-1333
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 112 BRUCKNER BLVD
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19840501
 Capacity (gals): 2000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Submersible
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 11/01/1991
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/05/1993
 Expiration Date: 10/23/1997
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

112 BRUCKNER ASSOCIATES,LP (Continued)

U003074648

Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

**U96
 WNW
 1/8-1/4
 1268 ft.**

**WEDTECH CORP
 112 BRUCKNER BLVD
 BRONX, NY 10451**

**RCRA-SQG 1000398023
 FINDS NYD982273740
 NY MANIFEST**

Site 6 of 6 in cluster U

RCRAInfo:

Owner: WEDTECH CORP
 (212) 555-1212
 EPA ID: NYD982273740
 Contact: Not reported
 Classification: Small Quantity Generator
 TSDF Activities: Not reported
 Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Document ID: NJA0387382
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS706
 Trans2 State ID: Not reported
 Generator Ship Date: 880222
 Trans1 Recv Date: 880222
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880222
 Part A Recv Date: 880226
 Part B Recv Date: 880301
 Generator EPA ID: NYD982273740
 Trans1 EPA ID: NJD000692343
 Trans2 EPA ID: Not reported
 TSDF ID: NJD065825341
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00300
 Units: P - Pounds

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

WEDTECH CORP (Continued)

1000398023

Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 88
 Facility Type: Generator
 EPA ID: NYD982273740
 Facility Name: WED TECH CORPORATION
 Facility Address: 112 BRUCKER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: WED TECH CORPORATION
 Mailing Contact: Not reported
 Mailing Address: 112 BRUCKER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10451
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-993-8840

Document ID: NJA0398857
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NJDEPS226
 Trans2 State ID: Not reported
 Generator Ship Date: 880104
 Trans1 Recv Date: 880104
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880104
 Part A Recv Date: 880218
 Part B Recv Date: 880112
 Generator EPA ID: NYD982273740
 Trans1 EPA ID: NJD054126164
 Trans2 EPA ID: Not reported
 TSDf ID: NJD065825341
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01000
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 88
 Facility Type: Generator
 EPA ID: NYD982273740
 Facility Name: WED TECH CORPORATION
 Facility Address: 112 BRUCKER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: WED TECH CORPORATION
 Mailing Contact: Not reported
 Mailing Address: 112 BRUCKER BLVD
 Mailing City: BRONX

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

WEDTECH CORP (Continued)

1000398023

Mailing State: NY
 Mailing Zip: 10451
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-993-8840

Document ID: NJA0398856
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS226
 Trans2 State ID: Not reported
 Generator Ship Date: 880104
 Trans1 Recv Date: 880104
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880104
 Part A Recv Date: 880120
 Part B Recv Date: 880112
 Generator EPA ID: NYD982273740
 Trans1 EPA ID: NJD054126164
 Trans2 EPA ID: Not reported
 TSD ID: NJD065825341
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 88
 Facility Type: Generator
 EPA ID: NYD982273740
 Facility Name: WED TECH CORPORATION
 Facility Address: 112 BRUCKER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: WED TECH CORPORATION
 Mailing Contact: Not reported
 Mailing Address: 112 BRUCKER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10451
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-993-8840

Document ID: NJA0360235
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS103
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

WEDTECH CORP (Continued)

1000398023

Generator Ship Date: 871030
 Trans1 Recv Date: 871030
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 871030
 Part A Recv Date: 871113
 Part B Recv Date: 871106
 Generator EPA ID: NYD982273740
 Trans1 EPA ID: NJD000813477
 Trans2 EPA ID: Not reported
 TSD ID: NJD065825341
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01400
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00600
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 87
 Facility Type: Generator
 EPA ID: NYD982273740
 Facility Name: WED TECH CORPORATION
 Facility Address: 112 BRUCKER BLVD
 Facility City: BRONX
 Facility Zip 4: Not reported
 Country: Not reported
 County: BRONX
 Mailing Name: WED TECH CORPORATION
 Mailing Contact: Not reported
 Mailing Address: 112 BRUCKER BLVD
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip: 10451
 Mailing Zip4: Not reported
 Mailing Country: Not reported
 Mailing Phone: 212-993-8840

R97
 ESE
 1/8-1/4
 1290 ft.

BOULVERARD TRUCKING
 719 EAST 134TH ST
 BRONX, NY

LTANKS S102673292
 NY Spills N/A
 HIST LTANKS

Site 3 of 5 in cluster R

LTANKS:
 Site ID: 321179
 Spill Date: 02/26/96
 Facility Addr2: Not reported
 Facility ID: 9515159
 Program Number: 9515159
 SWIS: 0301
 Region of Spill: 2
 Investigator: SMMARTIN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULVERARD TRUCKING (Continued)

S102673292

Referred To: Not reported
 Reported to Dept: 02/26/96
 CID: 16
 Spill Cause: Tank Overfill
 Water Affected: Not reported
 Spill Source: Tank Truck
 Spill Notifier: Responsible Party
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/26/96
 Remediation Phase: 0
 Date Entered In Computer: 02/26/96
 Spill Record Last Update: 03/11/96
 Spille Namer: PETER LEPORE
 Spiller Company: WALCO FUEL OIL
 Spiller Phone: (718) 852-7000
 Spiller Extention: 522
 Spiller Address: 1 COFFEY STREET
 Spiller City,St,Zip: BROOKLYN, NY 11231-
 Spiller County: 001
 Spiller Contact: PETER LEPORE
 Spiller Phone: (718) 852-7000
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9515159
 DER Facility ID: 258750
 Site ID: 321179
 Operable Unit ID: 1026261
 Operable Unit: 01
 Material ID: 569744
 Material Code: 0008
 Material Name: Diesel
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2.00
 Units: Gallons
 Recovered: 2.00
 Resource Affected: Soil
 Oxygenate: False
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 9515159 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was "MARTINKAT" END DECRemark - 9515159
 Remarks: Start CallerRemark - 9515159 overfilled tank - onto concrete pad - all cleaned

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULVERARD TRUCKING (Continued)

S102673292

END CallerRemark - 9515159

NY Spills:

Site ID: 321178
 Facility Addr2: Not reported
 Facility ID: 0200207
 Spill Number: 0200207
 Facility Type: ER
 SWIS: 0301
 Region of Spill: 2
 Investigator: Unassigned
 Referred To: Not reported
 Spill Date: 04/06/02
 Reported to Dept: 04/06/02
 CID: 16
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Other
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/08/02
 Remediation Phase: 0
 Date Entered In Computer: 04/06/02
 Spill Record Last Update: 10/17/06
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Spiller Phone: Not reported
 Contact Name: ANTHONY NATALE
 Contact Phone: (212) 580-6763
 DEC Region: 2
 Program Number: 0200207
 DER Facility ID: 258750
 Site ID: 321178
 Operable Unit ID: 853634
 Operable Unit: 01
 Material ID: 571618
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Soil
 Oxygenate: False
 DEC Remarks: Start DECRemark - 0200207 Prior to Sept, 2004 data translation this spill Lead
 DEC Field was " " See spill #9814900 (Tim DeMeo has lead). Con Ed e2mis no.
 142-139: contractor Step-Mar Construction was excavating to install new

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULVERARD TRUCKING (Continued)

S102673292

ducts when 4 gallons of water, and 8 ounces of oil leached from the soil. There is no visual movement at this time. 10:20 O.S. L. Fischer #55784 has been notified, and will go to location to take a sample. 06-APR-2002 10:45 ERT S. Mahoney #86887 reports that as per his conversation with D. Cotter #88543 he now believes that this is a third party spill of fuel oil, and has arranging to meet with the DEC to inspect this location. Mr. Cotter told Mr. Mahoney that the oil smelled like a light fuel oil. 06-APR-2002 12:00 C.R. D. Cotter #88543 reports that a Mr. Pablo Kushnir who works at 719 E 134 St stated that the fuel tank for this building was leaking, and repaired about 45 days ago. 06-APR-2002 12:30 ERT S. Mahoney #86887 reports that he has set up a meet with the DEC for Monday. The excavation is being steel plated, and the soil covered with plastic. A photographer has been called by Mr. Cotter. This job is pending DEC. 06-APRIL-2002 17:55 Lab Oil ID Result: Analysis indicates the presence of a substance similar to a light fuel oil. Flash Point, PMCC > 216 deg F. 06-APRIL-2002 18:03 As per ERT Sean Mahoney: 1220 - Jeff Boyd, DEC Region II on call responder for today, returned my call. He agreed with cleaning up visible product as non-hazardous (generators knowledge) and backfilling excavation with removed spoils. Mr. Boyd will also contact Jane O'Connell to initiate responsible party investigation Monday. END DEC Remark - 0200207

Remarks: Start Caller Remark - 0200207 CALLER HAS CREW EXCAVATING IN HOLE AND DISCOVERED APPROX 8 OZ OF FUEL OIL - NO CLEAN UP - CON ED 142139 - NO SEWERS OR WATERWAYS NO SMOKE OR FIRE END Caller Remark - 0200207

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9515159
 Investigator: MARTINKAT
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 02/26/1996
 Spill Time: 07:45
 Reported to Department Date: 02/26/96
 Reported to Department Time: 08:56
 SWIS: 60
 Spiller Contact: PETER LEPORE
 Spiller Phone: (718) 852-7000
 Spiller Extention: Not reported
 Spiller Name: WALCO FUEL OIL
 Spiller Address: 1 COFFEY STREET
 Spiller City, St, Zip: BROKKLYN, NY 11231-
 Facility Contact: PETER LEPORE
 Facility Phone: (718) 852-7000
 Facility Extention: 522
 Spill Cause: Tank Overfill
 Resource Affectd: On Land
 Water Affected: Not reported
 Spill Source: Tank Truck
 Spill Notifier: Responsible Party
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Standard: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULVERARD TRUCKING (Continued)

S102673292

Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 02/26/96
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 02/26/96
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 03/11/96
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 2
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 2
 Unkonwn Quantity Recovered: False
 Material: DIESEL
 Class Type: DIESEL
 Times Material Entry In File: 10625
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: Not reported
 Spill Cause: overfilled tank - onto concrete pad - all cleaned

R98
 ESE
 1/8-1/4
 1290 ft.

BOULEVARD & INGENERI TRUCKING
 719 E. 134 STREET
 BRONX, NY 10454

UST U001841108
 HIST UST N/A

Site 4 of 5 in cluster R

UST:
 Facility ID: 2-508756
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 06/01/79
 Capacity Gallons: 550
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Retrofitted Sacrificial Anode
 Tank Internal Protection 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/98

UST:

Facility Id: 2-508756
 Expiration Date: 01/10/01
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: EAST 135TH STREET BUILDING CORP
 Mailing Title: Not reported
 Mailing Contact: ZELDA SOBEL
 Mailing Address: 157-20 24 ROAD
 Mailing Address 2: Not reported
 Mailing City: WHITESTONE
 Mailing State: NY
 Mailing Zip Code: 11357
 Mailing Phone No: (718) 746-4129
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 157-20 24 ROAD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11357
 Owner Phone: (718) 746-4129
 Owner Company: EAST 135TH STREET BUILDING CORP
 Emergency Contact: GARY KOLLARUS
 Emergency Phone: (914) 623-2246
 Operator: GARY KOLLARUS
 Operator Phone: (212) 993-8811
 Owner City: WHITESTONE
 Owner Sub Type: Corporate or Commercial

Facility ID: 2-508756
 Program Type: PBS
 Tank Number: 003
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Active Status: Inactive
 Install Date: / /
 Capacity Gallons: 550
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Original Sacrificial Anode
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/98

UST:

Facility Id: 2-508756
 Expiration Date: 01/10/01
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: EAST 135TH STREET BUILDING CORP
 Mailing Title: Not reported
 Mailing Contact: ZELDA SOBEL
 Mailing Address: 157-20 24 ROAD
 Mailing Address 2: Not reported
 Mailing City: WHITESTONE
 Mailing State: NY
 Mailing Zip Code: 11357
 Mailing Phone No: (718) 746-4129
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 157-20 24 ROAD
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 11357
 Owner Phone: (718) 746-4129
 Owner Company: EAST 135TH STREET BUILDING CORP
 Emergency Contact: GARY KOLLARUS
 Emergency Phone: (914) 623-2246
 Operator: GARY KOLLARUS
 Operator Phone: (212) 993-8811
 Owner City: WHITESTONE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Owner Sub Type: Corporate or Commercial

Facility ID: 2-508756
 Program Type: PBS
 Tank Number: 002
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Underground
 Tank Status: Closed - In Place
 Active Status: Inactive
 Install Date: 06/01/79
 Capacity Gallons: 550
 Material Name: Diesel
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: Retrofitted Sacrificial Anode
 Tank Internal Protection 2: Not reported
 Pipe Location Name: Underground/On-ground
 Pipe Type Name: Steel/Carbon Steel/Iron
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: Vault (w/o access)
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: Product Level Gauge (A/G)
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: Suction
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: 12/01/98

UST:

Facility Id: 2-508756
 Expiration Date: 01/10/01
 Renewal Date: / /
 Total Capacity: 0
 Facility Type: Not reported
 Mailing Company: EAST 135TH STREET BUILDING CORP
 Mailing Title: Not reported
 Mailing Contact: ZELDA SOBEL
 Mailing Address: 157-20 24 ROAD
 Mailing Address 2: Not reported
 Mailing City: WHITESTONE
 Mailing State: NY
 Mailing Zip Code: 11357
 Mailing Phone No: (718) 746-4129
 Mailing Email: Not reported
 Owner Title: Not reported
 Owner Name: Not reported
 Owner Address: 157-20 24 ROAD
 Owner Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Owner State: NY
 Owner Zip Code: 11357
 Owner Phone: (718) 746-4129
 Owner Company: EAST 135TH STREET BUILDING CORP
 Emergency Contact: GARY KOLLARUS
 Emergency Phone: (914) 623-2246
 Operator: GARY KOLLARUS
 Operator Phone: (212) 993-8811
 Owner City: WHITESTONE
 Owner Sub Type: Corporate or Commercial

HIST UST:

PBS Number: 2-508756
 SPDES Number: Not reported
 Emergency Contact: GARY KOLLARUS
 Emergency Telephone: (914) 623-2246
 Operator: GARY KOLLARUS
 Operator Telephone: (212) 993-8811
 Owner Name: EAST 135TH STREET BUILDING CORP
 Owner Address: 157-20 24 ROAD
 Owner City,St,Zip: WHITESTONE, NY 11357
 Owner Telephone: (718) 746-4129
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: EAST 135TH STREET BUILDING CORP
 Mailing Address: 157-20 24 ROAD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WHITESTONE, NY 11357
 Mailing Contact: ZELDA SOBEL
 Mailing Telephone: (718) 746-4129
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 719 E. 134 STREET
 Tank Id: 003
 Tank Location: UNDERGROUND
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 20
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: 11
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 12/01/1998
 Test Method: Not reported
 Deleted: False
 Updated: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/17/1997
 Expiration Date: 01/10/2001
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-508756
 SPDES Number: Not reported
 Emergency Contact: GARY KOLLARUS
 Emergency Telephone: (914) 623-2246
 Operator: GARY KOLLARUS
 Operator Telephone: (212) 993-8811
 Owner Name: EAST 135TH STREET BUILDING CORP
 Owner Address: 157-20 24 ROAD
 Owner City,St,Zip: WHITESTONE, NY 11357
 Owner Telephone: (718) 746-4129
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: EAST 135TH STREET BUILDING CORP
 Mailing Address: 157-20 24 ROAD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WHITESTONE, NY 11357
 Mailing Contact: ZELDA SOBEL
 Mailing Telephone: (718) 746-4129
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 719 E. 134 STREET
 Tank Id: 001
 Tank Location: UNDERGROUND
 Install Date: 19790601
 Capacity (gals): 550
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Sacrificial Anode
 Pipe Location: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 12/01/1998
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/17/1997
 Expiration Date: 01/10/2001
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

PBS Number: 2-508756
 SPDES Number: Not reported
 Emergency Contact: GARY KOLLARUS
 Emergency Telephone: (914) 623-2246
 Operator: GARY KOLLARUS
 Operator Telephone: (212) 993-8811
 Owner Name: EAST 135TH STREET BUILDING CORP
 Owner Address: 157-20 24 ROAD
 Owner City,St,Zip: WHITESTONE, NY 11357
 Owner Telephone: (718) 746-4129
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: EAST 135TH STREET BUILDING CORP
 Mailing Address: 157-20 24 ROAD
 Mailing Address 2: Not reported
 Mailing City,St,Zip: WHITESTONE, NY 11357
 Mailing Contact: ZELDA SOBEL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BOULEVARD & INGENERI TRUCKING (Continued)

U001841108

Mailing Telephone: (718) 746-4129
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
 and Subpart 360-14.
 Facility Addr2: 719 E. 134 STREET
 Tank Id: 002
 Tank Location: UNDERGROUND
 Install Date: 19790601
 Capacity (gals): 550
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Sacrificial Anode
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 12/01/1998
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported
 Lat/long: Not reported
 SWIS ID: 6001
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/17/1997
 Expiration Date: 01/10/2001
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

R99
 ESE
 1/8-1/4
 1290 ft.

PARKING GARAGE
719 E 134TH ST
BRONX, NY

LTANKS S103824227
HIST LTANKS N/A

Site 5 of 5 in cluster R

LTANKS:

Site ID: 141597
 Spill Date: 03/16/99
 Facility Addr2: Not reported
 Facility ID: 9814900
 Program Number: 9814900
 SWIS: 0301
 Region of Spill: 2
 Investigator: qxabidi
 Referred To: Not reported
 Reported to Dept: 03/16/99
 CID: 16
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: / /
 Cleanup Meets Standard: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Remediation Phase: 1
 Date Entered In Computer: 03/16/99
 Spill Record Last Update: 12/13/06
 Spiller Namer: ZELDA SOBEL/BRAD SOBEL
 Spiller Company: PARKING GARAGE
 Spiller Phone: (718) 922-4718
 Spiller Extention: Not reported
 Spiller Address: 719 E 134TH ST
 Spiller City,St,Zip: BRONX, ZZ
 Spiller County: 001
 Spiller Contact: ZELDA SOBEL
 Spiller Phone: (718) 922-4718
 Spiller Extention: Not reported
 DEC Region: 2
 Program Number: 9814900
 DER Facility ID: 258750
 Site ID: 141597
 Operable Unit ID: 1072762
 Operable Unit: 01
 Material ID: 311569
 Material Code: 0008
 Material Name: Diesel
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.00
 Units: Gallons
 Recovered: 0.00
 Resource Affected: Groundwater
 Oxygenate: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

PARKING GARAGE (Continued)

S103824227

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported
 DEC Remarks: Start DECRemark - 9814900 Prior to Sept, 2004 data translation this spill Lead DEC Field was "SUN" 3/18/1999 mmm:MOTHER HAD PARTNER WHO HANDLED BUILDING. BRAD SOBEL GOT INVOLVED - ONLY OWN ONE PIECE OF PROPERTY - NO IDEA ON ENVIRONMENTAL. 3/23/1999 mmm: LIMITED SUBSURFACE INVESTIGATION FOUND VERY HIGH VOC'S AND MODERATE AMOUNTS OF SVOC'S. SAMPLING AROUND WESTER 550'S ONLY - REFUSAL ENCOUNTERED ON EASTERN BATTERY OF TANKS. NEED SITE INSPECTION/MEETING TO DISCUSS CORRECTIVE ACTIONS.4/8/02: Transferred from Mulqueen to DeMeo. See also spill # 0200207. 04/12/04 TRANSFERRED FROM DEMEO TO SUN. DIESEL USTS ROMMEL 12/19/05 - transferred from Sun to Obligado 1/19/06 - Obligado - File review. From PBS #2508756, thereare 3 closed in place (12/1/98) 550 gallon Diesel USTS. No active tanks on site. Owner is: Zelda Sobel E 135 St Bldg Corp 704 E 135TH St Bronx NY 10454-3409 09/15/06: This spill is transferred from Mr. Koon Tank to Q.Abidi. 10/17/06:Contacted to Mrs. Zelda Sobel (owner) She said that Tank is closed they took out all the diesel from the tank and closed by concrete. They made soil borings and hit the bedrock. They only collected soil samples. They could not collected groundwatersamples. Mrs. Zelda Sobel said she will send soil samples report to me. This parking Garage is warehouse now. -QA 10/18/06: Mr. Brad Sobel (Son of Mrs. Zelda Sobel) he said he will send me the report of soil samples by mail. -QA 10/30/06: Talked to Mr. Brad Sobel to take one more groundwater sample from the same well MW-2 and send analysis report to me to find out the groundwater contamination now. Mr. Brad told to me he will do the same and he will send me the report. -QA 12/13/06:Mr. Paul Sherwood Project Manager, Phenix Environmental sent me one Groundwater sample results. Groundwater sample is still contaminated. Now this spill has become P3. -QA END DECRemark - 9814900

Remarks: Start CallerRemark - 9814900 ANALYTICAL LAB RESULTS SHOWED CONTAMINATED SOIL-OWNER TO MAKE ARRANGEMENTS FOR CLEANUP END CallerRemark - 9814900

HIST LTANKS:

Region of Spill: 2
 Spill Number: 9814900
 Investigator: MULQUEEN
 Caller Name: Not reported
 Caller Agency: Not reported
 Caller Phone: Not reported
 Caller Extension: Not reported
 Notifier Name: Not reported
 Notifier Agency: Not reported
 Notifier Phone: Not reported
 Notifier Extension: Not reported
 Spill Date: 03/16/1999
 Spill Time: 08:00
 Reported to Department Date: 03/16/99
 Reported to Department Time: 08:55
 SWIS: 60
 Spiller Contact: ZELDA SOBEL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

PARKING GARAGE (Continued)

S103824227

Spiller Phone: (718) 922-4718
 Spiller Extension: Not reported
 Spiller Name: PARKING GARAGE
 Spiller Address: 719 E 134TH ST
 Spiller City,St,Zip: BRONX
 Facility Contact: ZELDA SOBEL/BRAD SOBEL
 Facility Phone: (718) 922-4718
 Facility Extension: Not reported
 Spill Cause: Tank Failure
 Resource Affectd: Groundwater
 Water Affected: Not reported
 Spill Source: Other Commercial/Industrial
 Spill Notifier: Other
 PBS Number: 2-508756
 Cleanup Ceased: //
 Cleanup Meets Standard: False
 Last Inspection: //
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: //
 Enforcement Date: //
 Investigation Complete: //
 UST Involvement: True
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: //
 Date Region Sent Summary to Central Office: //
 Corrective Action Plan Submitted: //
 Date Spill Entered In Computer Data File: 03/16/99
 Time Spill Entered in Computer Data File: Not reported
 Spill Record Last Update: 03/23/99
 Is Updated: False
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: DIESEL
 Class Type: DIESEL
 Times Material Entry In File: 10625
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: 3/18/1999 mmm:MOTHER HAD PARTNER WHO HANDLED BUILDING. BRAD SOBEL GOT INVOLVED
 - ONLY OWN ONE PIECE OF PROPERTY - NO IDEA ON ENVIRONMENTAL. 3/23/1999 mmm:
 LIMITED SUBSURFACE INVESTIGATION FOUND VERY HIGH VOC S AND MODERATE AMOUNTS OF
 SVOC S. SAMPLING AROUND WESTER 550 S ONLY - REFUSAL ENCOUNTERED ON EASTERN
 BATTERY OF TANKS. NEED SITE INSPECTION/MEETING TO DISCUSS CORRECTIVE ACTIONS.
 Spill Cause: ANALYTICAL LAB RESULTS SHOWED CONTAMINATED SOIL-OWNER TO MAKE ARRANGEMENTS FOR
 CLEANUP

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

T100 **699 VENTURE CORP.**
ENE **699-703 EAST 137TH STREET**
1/8-1/4 **BRONX, NY 10454**
1302 ft.

AST **A100175402**
 N/A

Site 3 of 3 in cluster T

AST:

Facility ID: 2-605095
 Program Type: PBS
 Tank Number: 001
 Tank Model: Not reported
 Pipe Model: Not reported
 Tank Location Name: Aboveground - in contact with soil
 Tank Status: In Service
 Active Status: Active
 Install Date: / /
 Capacity Gallons: 4000
 Material Name: #2 Fuel Oil
 Percentage: 100.00
 Tank Type Name: Steel/Carbon Steel/Iron
 Tank Internal Protection: None
 Tank Internal Protection 1: None
 Tank Internal Protection 2: Not reported
 Pipe Location Name: No Piping
 Pipe Type Name: No Piping
 Pipe External Protection 1: None
 Pipe External Protection 2: Not reported
 Tank Secondary Containment 1: None
 Tank Secondary Containment 2: Not reported
 Pipe Secondary Containment: Not reported
 Tank Leak Detection 1: None
 Tank Leak Detection 2: Not reported
 Pipe Leak Detection 1: Not reported
 Pipe Leak Detection 2: Not reported
 Type Of Overfill Prevention 1: None
 Type Of Overfill Prevention 2: Not reported
 Dispenser Method: None
 Spill Prevention: Not reported
 Tightness Test Method: Testing Not Required
 Date Tested: / /
 Next Test Date: / /
 Date Tank Closed: / /

AST:

Facility Id: 2-605095
 Expiration Date: 02/01/11
 Renewal Date: / /
 Total Capacity: 4000
 Facility Type: Not reported
 Mailing Company: 699 VENTURE CORP.
 Mailing Title: VICE P
 Mailing Contact: JOHN CORCORAN
 Mailing Address: P.O. BOX 589
 Mailing Address 2: Not reported
 Mailing City: BRONX
 Mailing State: NY
 Mailing Zip Code: 10470
 Mailing Phone No: (718) 994-7950
 Mailing Email: Not reported
 Owner Title: VICE P

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

699 VENTURE CORP. (Continued)

A100175402

Owner Name: JOHN CORCORAN
 Owner Address: P.O. BOX 589
 Owner Address 2: Not reported
 Owner State: NY
 Owner Zip Code: 10470
 Owner Phone: (718) 994-7950
 Owner Company: 699 VENTURE CORP.
 Emergency Contact: JOHN CORCORAN
 Emergency Phone: (718) 994-7950
 Operator: BOSCO SALAZAR
 Operator Phone: (646) 427-9974
 Owner City: BRONX
 Owner Sub Type: Corporate or Commercial

101
 East
 1/4-1/2
 1419 ft.

ARISTY AUTO REPAIR & WRECKERS
200 BRUCKNER BLVD
BRONX, NY 10454

SWF/LF S108145675
N/A

SWF/LF:

Flag: ACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 0
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: Not reported
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: 0
 Contact Email: Not reported
 Contact Phone: 0
 Activity Desc: Vehicle Dismantling
 Activity Number: Not reported
 Active: Yes
 East Coordinate: 591648
 North Coordinate: 4517549
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Waste Type: Not reported
 Authorization #: Not reported
 Authorization Date: Not reported
 Expiration Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

102 ALL CITY RECYCLING; LLC
ESE 850 EAST 133RD STREET
1/4-1/2 BRONX, NY 10454
1971 ft.

SWF/LF **S106075913**
N/A

SWF/LF:

Flag: ACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 7188929484
 Owner Name: Frank Todino
 Owner Type: Private
 Owner Address: All City Recycling; Inc.
 Owner Addr2: 1000 Zerega Avenue
 Owner City,St,Zip: Bronx, NY 10473
 Owner Email: Not reported
 Owner Phone: 7188929484
 Contact Name: Not reported
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: 0
 Contact Email: Not reported
 Contact Phone: 0
 Activity Desc: C&D processing - registered
 Activity Number: 03W89
 Active: Yes
 East Coordinate: 0
 North Coordinate: 0
 Accuracy Code: Not reported
 Regulatory Status: Registration
 Waste Type: Not reported
 Authorization #: Not reported
 Authorization Date: Not reported
 Expiration Date: Not reported

Flag: INACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 7188929484
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: Christopher Todino
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: C&D processing - registered
 Activity Number: 03W89
 Active: No
 East Coordinate: 591752
 North Coordinate: 4517149
 Accuracy Code: 4.3 - Utilization of Digital Orthophoto Quads
 Regulatory Status: Registration

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ALL CITY RECYCLING; LLC (Continued)

S106075913

Waste Type: Asphalt;Brick;Concrete;Rock;Soil (Clean)
 Authorization #: Not reported
 Authorization Date: Not reported
 Expiration Date: Not reported

**103
 ENE
 1/4-1/2
 2043 ft.**

**NEW YORK AUTOCLAVE
 780 E. 138TH ST
 BRONX, NY 10454**

**SWF/LF S105841644
 N/A**

SWF/LF:
 Flag: INACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 7189934400
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: ANDREW BROWN
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Regulated medical waste - storage; treatment; disposal
 Activity Number: 03H64
 Active: No
 East Coordinate: 591817
 North Coordinate: 4517586
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Waste Type: Not reported
 Authorization #: Not reported
 Authorization Date: Not reported
 Expiration Date: Not reported

**104
 ESE
 1/4-1/2
 2279 ft.**

**PER SCOLAS INC.
 131 WALNUT AVENUE
 BRONX, NY 10454**

**SWF/LF S105842269
 SWRCY N/A**

SWF/LF:
 Flag: INACTIVE
 Secondary Addr: Not reported
 Region Code: 2
 Phone Number: 7182922300
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PER SCOLAS INC. (Continued)

S105842269

Owner Phone: Not reported
 Contact Name: EDWARD CAMPBELL
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Source separated solid waste recyclables
 Activity Number: 03M72
 Active: No
 East Coordinate: Not reported
 North Coordinate: Not reported
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Waste Type: Not reported
 Authorization #: Not reported
 Authorization Date: Not reported
 Expiration Date: Not reported

SWRCY:

Region: 2
 Facility Address 2: Not reported
 Phone Number: 7182922300
 Owner Type: Not reported
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Address 2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: EDWARD CAMPBELL
 Contact Address: Not reported
 Contact Address 2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Source separated solid waste recyclables
 Activity Number: 03M72
 Active: No
 East Coordinate: Not reported
 North Coordinate: Not reported
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Permit #: Not reported
 Auth. Date: Not reported
 Expiration Date: Not reported
 Waste Types: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

105	USA WASTE (891 135TH; VIGLIOTTI (V.B. P	SWF/LF	S105841696
ESE	891 EAST 135 STREET		N/A
1/4-1/2	BRONX, NY 10454		
2468 ft.			

SWF/LF:

Flag: INACTIVE

Secondary Addr: Not reported

Region Code: 2

Phone Number: 2127491448

Owner Name: Not reported

Owner Type: Not reported

Owner Address: Not reported

Owner Addr2: Not reported

Owner City,St,Zip: Not reported

Owner Email: Not reported

Owner Phone: Not reported

Contact Name: VINCENT J.VIGLIOTTI

Contact Address: Not reported

Contact Addr2: Not reported

Contact City,St,Zip: Not reported

Contact Email: Not reported

Contact Phone: Not reported

Activity Desc: Transfer station - regulated

Activity Number: 03T12

Active: No

East Coordinate: 591940

North Coordinate: 4517228

Accuracy Code: Not reported

Regulatory Status: Permit

Waste Type: Not reported

Authorization #: 2-6007-00046

Authorization Date: 12/18/1996

Expiration Date: 12/16/2001

106	CON EDISON - EAST 137TH ST. STATION MGP	Manufactured Gas Plants	1008407866
East	136TH ST. - 137TH ST.		N/A
1/4-1/2	BRONX, NY 10454		
2609 ft.			

107	NY MGP	Manufactured Gas Plants	1008407875
East	EAST 138TH - EAST 140TH STS.		N/A
1/2-1	BRONX, NY 10454		
3101 ft.			

MAP FINDINGS

<u>Map ID</u>	<u>Direction</u>	<u>Distance</u>	<u>Distance (ft.)</u>	<u>Site</u>	<u>Database(s)</u>	<u>EDR ID Number</u>	<u>EPA ID Number</u>
108	East	1/2-1	3515 ft.	PINTSCH GAS WORKS LOCUST AVENUE BRONX, NY 10454	Manufactured Gas Plants	1008407876	N/A
109	SW	1/2-1	5050 ft.	CON EDISON - EAST 115TH ST. WORKS MGP EAST 114TH - EAST 116TH STS. NEW YORK, NY 10029	Manufactured Gas Plants	1008407982	N/A

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRONX	1009243640	CONSOLIDATED EDISON	MH454 -E 134TH ST / LOCUST A		NY MANIFEST
BRONX	S103574211	MH #31366	EAST 132ND ST WALNUT AVE		NY Spills, NY Hist Spills
BRONX	S103483463	HELL GATE SUBSTATION	E 132ND ST		NY Spills, NY Hist Spills
BRONX	S106015861	MANHOLE #23756	132ND ST (KILLS RR PROP)		NY Spills
BRONX	S106017817	BRUCKNER SUBSTATION	EAST 132ND ST LOCUST AV		NY Spills
BRONX	S106736342	MANHOLE 23757	EAST 132ND ST		NY Spills
BRONX	S104282708	WILLIS AVE	EAST 132ND STREET		NY Spills, NY Hist Spills
BRONX	S103574037	MANHOLE 2192	E. 133 ST AT CYPRESS AVE		NY Spills, NY Hist Spills
BRONX	S103575525	MANHOLE 22009	EAST 133RD ST/BRUCKLAND		NY Spills, NY Hist Spills
BRONX	S103937896	MAN HOLE # 26744	E 134TH ST / BRUCKNER BLV		NY Spills, NY Hist Spills
BRONX	S104880889	MANHOLE 6183	E 134TH ST 7 BRUCKNER BLV		NY Spills, NY Hist Spills
BRONX	S102663507	BRUCKNER SUB STATION	EAST 134TH ST		NY Spills, NY Hist Spills
BRONX	S104653963	MANHOLE #MH6129	E. 134TH ST / ALEXANDER A		NY Spills, NY Hist Spills
BRONX	S104653969	MANHOLE #518	134TH ST -ALEXANDER AVE		NY Spills, NY Hist Spills
BRONX	S104284032	MANHOLE 6432	EAST 137TH STREET+CYPRESS		NY Spills, NY Hist Spills
BRONX	S104193680	MANHOLE # 12371	E 137TH ST / SR ANNES AV		NY Spills, NY Hist Spills
BRONX	S108129949	IFO CONSTRUCTION SITE	144TH ST-TIMPSON PL/BRUCKNER R		NY Spills
BRONX	S1056838142	TRIBORO FIBERS INC	891 TO 899 EAST 135TH STREET	10454	SWF/IF, SWRCY
BRONX	1008195734	CON EDISON - MH 26747	E/S BRUCKNER BLVD., 46' NNC E	10454	RCRA-LQG, NY MANIFEST
BRONX	S108296712	FURNITURE WAREHOUSE	20 BRUCKNER BLVD	10454	NY Spills
BRONX	S107409934	MANHOLE 3407	BRUCKNER BLVD NEAR WHITTIER ST		NY Spills
BRONX	S102144442	BRUCKNER BLVD.	BRUCKNER BLVD.		NY Spills, NY Hist Spills
BRONX	S102150026	BRUCKNER BLVD	BRUCKNER BLVD		NY Spills, NY Hist Spills
BRONX	S102149031	BRUCKNER BLVD	BRUCKNER BLVD-WHITE PLAIN		NY Spills, NY Hist Spills
BRONX	S106012743		BRUCKNER BLVD @ ELDER AVE		NY Spills, NY Hist Spills
BRONX	S104881096	MANHOLE 26188	BRUCKNER BLVD/BRYNAT AVE		NY Spills
BRONX	S108296404	NEAR ROADWAY	BRUCKNER BLVD EAST		NY Spills, NY Hist Spills
BRONX	S103569931	POSSIBLE MOBIL GAS	BRUCKNER BLVD @ E. TREEM		NY Spills, NY Hist Spills
BRONX	S102146706	BRUCKNER BLVD-LONG WOOD A	BRUCKNER BLVD-LONG WOOD A		NY Spills, NY Hist Spills
BRONX	S102143318	COR OF BRUCKNER BLVD.	COR OF BRUCKNER BLVD.		NY Spills, NY Hist Spills
BRONX	S108232308	CONSOLIDATED EDISON	MH5978-720 E 132ND ST		NY MANIFEST
BRONX	S103937824	MANHOLE 518	EASTERLY NE 134TH ST	10454	NY Spills, NY Hist Spills
BRONX	S104790051	MANHOLE 28613	HELLGATE YARD 133RD ST		NY MANIFEST
BRONX	1009234379	CONSOLIDATED EDISON	HELLGATE-910 E 134TH STREET		NY Spills, NY Hist Spills
BRONX	S103574589	MANHOLE 6183	IFO 1719 EAST 134TH ST		NY MANIFEST
BRONX	1008195525	CON EDISON - MH 17473	LOCUST AND E. 133RD ST.		NY Spills, NY Hist Spills
BRONX	1009241276	CONSOLIDATED EDISON	V5968-STANNIS / E 132ND ST	10454	RCRA-LQG, NY MANIFEST
BRONX	S106009280	MANHOLE 6208	WALNUT LANE AT 134TH STRE		NY MANIFEST
BRONX	S105058139	MANHOLE 12	WALNUT/BRUCKNER BLVD		NY Spills
NEW YORK	1007207345	MH6205	FIO 891-E.134TH ST.	10454	NY Spills, NY Hist Spills
NEW YORK	1001493536	NYCDDOT - BIN 2233050 HARLEM RIVER	HARLEM RIVER DR NB RAMP	10035	RCRA-SQG, NY MANIFEST
NEW YORK	S105912831	NYCDEP WARDS ISLAND COMPOST	WARDS ISLAND	10035	RCRA-SQG, FINDS, NY MANIFEST SWF/IF

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 01/25/2007	Source: EPA
Date Data Arrived at EDR: 01/31/2007	Telephone: N/A
Date Made Active in Reports: 03/12/2007	Last EDR Contact: 05/03/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 07/30/2007
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 3
Telephone 215-814-5418

EPA Region 4
Telephone 404-562-8033

EPA Region 5
Telephone 312-886-6686

EPA Region 10
Telephone 206-553-8665

EPA Region 6
Telephone: 214-655-6659

EPA Region 7
Telephone: 913-551-7247

EPA Region 8
Telephone: 303-312-6774

EPA Region 9
Telephone: 415-947-4246

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 09/27/2006	Source: EPA
Date Data Arrived at EDR: 11/01/2006	Telephone: N/A
Date Made Active in Reports: 11/22/2006	Last EDR Contact: 05/03/2007
Number of Days to Update: 21	Next Scheduled EDR Contact: 07/30/2007
	Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/28/2006	Source: EPA
Date Data Arrived at EDR: 01/31/2007	Telephone: N/A
Date Made Active in Reports: 03/12/2007	Last EDR Contact: 05/03/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 07/30/2007
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 03/26/2007
Number of Days to Update: 56	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: No Update Planned

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 02/27/2007	Source: EPA
Date Data Arrived at EDR: 03/21/2007	Telephone: 703-603-8960
Date Made Active in Reports: 04/27/2007	Last EDR Contact: 03/21/2007
Number of Days to Update: 37	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 12/20/2006	Source: EPA
Date Data Arrived at EDR: 01/29/2007	Telephone: 703-603-8960
Date Made Active in Reports: 02/27/2007	Last EDR Contact: 03/19/2007
Number of Days to Update: 29	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: Quarterly

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 03/14/2007	Source: EPA
Date Data Arrived at EDR: 03/20/2007	Telephone: 800-424-9346
Date Made Active in Reports: 04/27/2007	Last EDR Contact: 03/05/2007
Number of Days to Update: 38	Next Scheduled EDR Contact: 06/04/2007
	Data Release Frequency: Quarterly

RCRA: Resource Conservation and Recovery Act Information

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/13/2006	Source: EPA
Date Data Arrived at EDR: 06/28/2006	Telephone: (212) 637-3660
Date Made Active in Reports: 08/23/2006	Last EDR Contact: 05/04/2007
Number of Days to Update: 56	Next Scheduled EDR Contact: 07/16/2007
	Data Release Frequency: Quarterly

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2006	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/24/2007	Telephone: 202-267-2180
Date Made Active in Reports: 03/12/2007	Last EDR Contact: 04/24/2007
Number of Days to Update: 47	Next Scheduled EDR Contact: 07/23/2007
	Data Release Frequency: Annually

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 11/28/2006	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 01/17/2007	Telephone: 202-366-4555
Date Made Active in Reports: 02/27/2007	Last EDR Contact: 04/17/2007
Number of Days to Update: 41	Next Scheduled EDR Contact: 07/16/2007
	Data Release Frequency: Annually

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/24/2007	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/31/2007	Telephone: 703-603-8905
Date Made Active in Reports: 04/04/2007	Last EDR Contact: 04/02/2007
Number of Days to Update: 63	Next Scheduled EDR Contact: 07/02/2007
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/24/2007	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/31/2007	Telephone: 703-603-8905
Date Made Active in Reports: 02/27/2007	Last EDR Contact: 04/02/2007
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/02/2007
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 703-692-8801
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 02/08/2007
Number of Days to Update: 62	Next Scheduled EDR Contact: 05/07/2007
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2005	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 09/20/2006	Telephone: 202-528-4285
Date Made Active in Reports: 11/22/2006	Last EDR Contact: 04/02/2007
Number of Days to Update: 63	Next Scheduled EDR Contact: 07/02/2007
	Data Release Frequency: Varies

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients--States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 01/29/2007	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/31/2007	Telephone: 202-566-2777
Date Made Active in Reports: 04/04/2007	Last EDR Contact: 03/12/2007
Number of Days to Update: 63	Next Scheduled EDR Contact: 06/11/2007
	Data Release Frequency: Semi-Annually

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 08/23/2006	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 03/06/2007	Telephone: Varies
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 04/23/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 07/23/2007
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 03/27/2007	Source: EPA
Date Data Arrived at EDR: 03/27/2007	Telephone: 703-416-0223
Date Made Active in Reports: 04/27/2007	Last EDR Contact: 03/27/2007
Number of Days to Update: 31	Next Scheduled EDR Contact: 07/02/2007
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 11/08/2006	Telephone: 505-845-0011
Date Made Active in Reports: 01/29/2007	Last EDR Contact: 03/20/2007
Number of Days to Update: 82	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2004	Source: EPA
Date Data Arrived at EDR: 06/22/2006	Telephone: 202-566-0250
Date Made Active in Reports: 08/23/2006	Last EDR Contact: 04/27/2007
Number of Days to Update: 62	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 04/16/2007
Number of Days to Update: 46	Next Scheduled EDR Contact: 07/16/2007
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 02/26/2007	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-566-1667
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 03/19/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 02/26/2007	Source: EPA
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-566-1667
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 03/19/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2005	Source: EPA
Date Data Arrived at EDR: 03/13/2007	Telephone: 202-564-4203
Date Made Active in Reports: 04/27/2007	Last EDR Contact: 04/12/2007
Number of Days to Update: 45	Next Scheduled EDR Contact: 07/16/2007
	Data Release Frequency: Annually

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/30/2007	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/31/2007	Telephone: 202-343-9775
Date Made Active in Reports: 02/27/2007	Last EDR Contact: 05/03/2007
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/30/2007
	Data Release Frequency: Quarterly

CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 12/01/2006	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 01/08/2007	Telephone: 202-307-1000
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 04/27/2007
Number of Days to Update: 3	Next Scheduled EDR Contact: 06/25/2007
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 03/19/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/18/2007
	Data Release Frequency: No Update Planned

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/06/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/02/2007	Telephone: 202-564-5088
Date Made Active in Reports: 04/04/2007	Last EDR Contact: 04/16/2007
Number of Days to Update: 61	Next Scheduled EDR Contact: 07/16/2007
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Date Data Arrived at EDR: 12/11/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 31

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 03/26/2007
Next Scheduled EDR Contact: 06/11/2007
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 02/14/2007
Date Data Arrived at EDR: 02/28/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 41

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 02/28/2007
Next Scheduled EDR Contact: 05/28/2007
Data Release Frequency: Varies

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 10/17/2006
Date Data Arrived at EDR: 11/29/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 43

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 03/02/2007
Next Scheduled EDR Contact: 05/07/2007
Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 01/11/2007
Date Data Arrived at EDR: 01/26/2007
Date Made Active in Reports: 02/27/2007
Number of Days to Update: 32

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 04/02/2007
Next Scheduled EDR Contact: 07/02/2007
Data Release Frequency: Quarterly

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/15/2006
Date Data Arrived at EDR: 12/28/2006
Date Made Active in Reports: 01/29/2007
Number of Days to Update: 32

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 03/28/2007
Next Scheduled EDR Contact: 06/25/2007
Data Release Frequency: Semi-Annually

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 01/18/2007
Date Data Arrived at EDR: 01/23/2007
Date Made Active in Reports: 02/27/2007
Number of Days to Update: 35

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 04/02/2007
Next Scheduled EDR Contact: 07/02/2007
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 03/05/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 06/04/2007
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2005	Source: EPA/NTIS
Date Data Arrived at EDR: 03/06/2007	Telephone: 800-424-9346
Date Made Active in Reports: 04/13/2007	Last EDR Contact: 03/06/2007
Number of Days to Update: 38	Next Scheduled EDR Contact: 06/11/2007
	Data Release Frequency: Biennially

STATE AND LOCAL RECORDS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 03/05/2007	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 03/15/2007	Telephone: 518-402-9622
Date Made Active in Reports: 04/19/2007	Last EDR Contact: 03/15/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 06/11/2007
	Data Release Frequency: Annually

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/20/2006	Telephone: 518-402-9564
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 02/26/2007
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: No Update Planned

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 08/04/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 09/14/2006	Telephone: 518-402-9622
Date Made Active in Reports: 10/16/2006	Last EDR Contact: 03/15/2007
Number of Days to Update: 32	Next Scheduled EDR Contact: 06/11/2007
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 01/30/2007
Date Data Arrived at EDR: 01/30/2007
Date Made Active in Reports: 03/20/2007
Number of Days to Update: 49

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 04/30/2007
Next Scheduled EDR Contact: 07/30/2007
Data Release Frequency: Semi-Annually

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 02/12/2007
Date Data Arrived at EDR: 02/12/2007
Date Made Active in Reports: 03/20/2007
Number of Days to Update: 36

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 04/30/2007
Next Scheduled EDR Contact: 07/30/2007
Data Release Frequency: Semi-Annually

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006
Date Data Arrived at EDR: 11/15/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 02/16/2007
Next Scheduled EDR Contact: 05/14/2007
Data Release Frequency: Annually

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 01/17/2007
Date Data Arrived at EDR: 01/24/2007
Date Made Active in Reports: 03/20/2007
Number of Days to Update: 55

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/25/2007
Next Scheduled EDR Contact: 07/23/2007
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 04/02/2007
Date Data Arrived at EDR: 04/25/2007
Date Made Active in Reports: 05/08/2007
Number of Days to Update: 13

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/25/2007
Next Scheduled EDR Contact: 07/23/2007
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 10/24/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/23/2006
	Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 07/25/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 10/24/2005
	Data Release Frequency: Varies

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/02/2006	Telephone: 518-402-9549
Date Made Active in Reports: 07/20/2006	Last EDR Contact: 10/23/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 01/22/2007
	Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 04/02/2007	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 04/25/2007	Telephone: 518-402-9549
Date Made Active in Reports: 05/08/2007	Last EDR Contact: 04/25/2007
Number of Days to Update: 13	Next Scheduled EDR Contact: 07/23/2007
	Data Release Frequency: No Update Planned

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/02/2006	Telephone: 518-402-9549
Date Made Active in Reports: 07/20/2006	Last EDR Contact: 10/23/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 01/22/2007
	Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 07/25/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 10/24/2005
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 10/26/2006
Date Data Arrived at EDR: 11/29/2006
Date Made Active in Reports: 01/05/2007
Number of Days to Update: 37

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 03/02/2007
Next Scheduled EDR Contact: 05/28/2007
Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 01/17/2007
Date Data Arrived at EDR: 01/24/2007
Date Made Active in Reports: 03/20/2007
Number of Days to Update: 55

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/25/2007
Next Scheduled EDR Contact: 07/23/2007
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 03/05/2007
Date Data Arrived at EDR: 03/15/2007
Date Made Active in Reports: 04/19/2007
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 03/15/2007
Next Scheduled EDR Contact: 06/11/2007
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 03/05/2007
Date Data Arrived at EDR: 03/15/2007
Date Made Active in Reports: 04/19/2007
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 03/15/2007
Next Scheduled EDR Contact: 06/11/2007
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 03/05/2007	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 03/15/2007	Telephone: 518-402-9711
Date Made Active in Reports: 04/19/2007	Last EDR Contact: 03/15/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 06/11/2007
	Data Release Frequency: Semi-Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 06/15/2004	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/15/2004	Telephone: 518-402-8403
Date Made Active in Reports: 07/29/2004	Last EDR Contact: 05/21/2004
Number of Days to Update: 44	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 03/05/2007	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 03/15/2007	Telephone: 518-402-9764
Date Made Active in Reports: 04/19/2007	Last EDR Contact: 03/15/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 06/11/2007
	Data Release Frequency: Semi-Annually

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 02/28/2007	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 03/01/2007	Telephone: 518-402-8233
Date Made Active in Reports: 03/20/2007	Last EDR Contact: 05/07/2007
Number of Days to Update: 19	Next Scheduled EDR Contact: 08/06/2007
	Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 09/13/2004	Telephone: 518-402-8452
Date Made Active in Reports: 10/18/2004	Last EDR Contact: 02/19/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Annually

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/1992
Date Data Arrived at EDR: 01/31/2007
Date Made Active in Reports: 04/19/2007
Number of Days to Update: 78

Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 04/17/2007
Next Scheduled EDR Contact: 07/16/2007
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 03/06/2007
Date Data Arrived at EDR: 03/16/2007
Date Made Active in Reports: 04/19/2007
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/25/2007
Next Scheduled EDR Contact: 07/23/2007
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 03/06/2007
Date Data Arrived at EDR: 03/16/2007
Date Made Active in Reports: 04/19/2007
Number of Days to Update: 34

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 04/25/2007
Next Scheduled EDR Contact: 07/23/2007
Data Release Frequency: Quarterly

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 02/08/2007
Next Scheduled EDR Contact: 05/07/2007
Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 12/01/2006
Date Data Arrived at EDR: 12/01/2006
Date Made Active in Reports: 01/29/2007
Number of Days to Update: 59

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 02/19/2007
Next Scheduled EDR Contact: 05/21/2007
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 02/19/2007
Date Data Arrived at EDR: 02/27/2007
Date Made Active in Reports: 04/04/2007
Number of Days to Update: 36

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 02/19/2007
Next Scheduled EDR Contact: 05/21/2007
Data Release Frequency: Quarterly

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Minnesota, Mississippi and North Carolina.

Date of Government Version: 08/24/2006
Date Data Arrived at EDR: 09/11/2006
Date Made Active in Reports: 11/08/2006
Number of Days to Update: 58

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 02/19/2007
Next Scheduled EDR Contact: 05/21/2007
Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/30/2007	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/30/2007	Telephone: 415-972-3372
Date Made Active in Reports: 04/27/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 28	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 03/01/2007	Source: EPA Region 10
Date Data Arrived at EDR: 03/01/2007	Telephone: 206-553-2857
Date Made Active in Reports: 04/04/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 34	Next Scheduled EDR Contact: 02/21/2007
	Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 09/06/2006	Source: EPA Region 7
Date Data Arrived at EDR: 10/04/2006	Telephone: 913-551-7003
Date Made Active in Reports: 11/08/2006	Last EDR Contact: 02/19/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 01/04/2005	Source: EPA Region 6
Date Data Arrived at EDR: 01/21/2005	Telephone: 214-665-6597
Date Made Active in Reports: 02/28/2005	Last EDR Contact: 02/19/2007
Number of Days to Update: 38	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

Date of Government Version: 08/24/2006	Source: EPA Region 4
Date Data Arrived at EDR: 09/11/2006	Telephone: 404-562-9424
Date Made Active in Reports: 11/08/2006	Last EDR Contact: 02/19/2007
Number of Days to Update: 58	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

Date of Government Version: 12/02/2004	Source: EPA Region 5
Date Data Arrived at EDR: 12/29/2004	Telephone: 312-886-6136
Date Made Active in Reports: 02/04/2005	Last EDR Contact: 02/19/2007
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

Date of Government Version: 02/19/2007	Source: EPA Region 8
Date Data Arrived at EDR: 02/27/2007	Telephone: 303-312-6137
Date Made Active in Reports: 04/04/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 36	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

Date of Government Version: 03/01/2007	Source: EPA Region 10
Date Data Arrived at EDR: 03/01/2007	Telephone: 206-553-2857
Date Made Active in Reports: 04/04/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

A listing of underground storage tank locations on Indian Land.

Date of Government Version: 12/01/2006	Source: EPA, Region 1
Date Data Arrived at EDR: 12/01/2006	Telephone: 617-918-1313
Date Made Active in Reports: 01/29/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 59	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

Date of Government Version: 01/11/2007	Source: EPA Region 6
Date Data Arrived at EDR: 01/12/2007	Telephone: 214-665-7591
Date Made Active in Reports: 01/29/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 17	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

Date of Government Version: 03/26/2007	Source: EPA Region 9
Date Data Arrived at EDR: 03/27/2007	Telephone: 415-972-3368
Date Made Active in Reports: 04/27/2007	Last EDR Contact: 02/19/2007
Number of Days to Update: 31	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

Date of Government Version: 09/06/2006	Source: EPA Region 7
Date Data Arrived at EDR: 10/04/2006	Telephone: 913-551-7003
Date Made Active in Reports: 11/08/2006	Last EDR Contact: 02/19/2007
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/21/2007
	Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 01/08/2007	Source: Cortland County Health Department
Date Data Arrived at EDR: 01/16/2007	Telephone: 607-753-5035
Date Made Active in Reports: 02/07/2007	Last EDR Contact: 02/26/2007
Number of Days to Update: 22	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 01/08/2007	Source: Cortland County Health Department
Date Data Arrived at EDR: 01/16/2007	Telephone: 607-753-5035
Date Made Active in Reports: 02/07/2007	Last EDR Contact: 02/26/2007
Number of Days to Update: 22	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 05/01/2007
Number of Days to Update: 13	Next Scheduled EDR Contact: 07/30/2007
	Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 01/04/2007	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 02/07/2007	Telephone: 516-572-1000
Date Made Active in Reports: 03/26/2007	Last EDR Contact: 04/27/2007
Number of Days to Update: 47	Next Scheduled EDR Contact: 05/07/2007
	Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 05/01/2007
Number of Days to Update: 13	Next Scheduled EDR Contact: 07/30/2007
	Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 01/04/2007	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 02/07/2007	Telephone: 516-572-1000
Date Made Active in Reports: 03/23/2007	Last EDR Contact: 04/27/2007
Number of Days to Update: 44	Next Scheduled EDR Contact: 05/07/2007
	Data Release Frequency: Varies

ROCKLAND COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 01/22/2007	Source: Rockland County Health Department
Date Data Arrived at EDR: 02/13/2007	Telephone: 914-364-2605
Date Made Active in Reports: 03/26/2007	Last EDR Contact: 04/02/2007
Number of Days to Update: 41	Next Scheduled EDR Contact: 07/02/2007
	Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 01/22/2007	Source: Rockland County Health Department
Date Data Arrived at EDR: 02/13/2007	Telephone: 914-364-2605
Date Made Active in Reports: 03/23/2007	Last EDR Contact: 04/02/2007
Number of Days to Update: 38	Next Scheduled EDR Contact: 07/02/2007
	Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006	Source: Suffolk County Department of Health Services
Date Data Arrived at EDR: 01/11/2007	Telephone: 631-854-2521
Date Made Active in Reports: 02/07/2007	Last EDR Contact: 02/26/2007
Number of Days to Update: 27	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: Annually

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006	Source: Suffolk County Department of Health Services
Date Data Arrived at EDR: 01/11/2007	Telephone: 631-854-2521
Date Made Active in Reports: 02/07/2007	Last EDR Contact: 02/26/2007
Number of Days to Update: 27	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005	Source: Westchester County Department of Health
Date Data Arrived at EDR: 05/31/2005	Telephone: 914-813-5161
Date Made Active in Reports: 06/30/2005	Last EDR Contact: 02/26/2007
Number of Days to Update: 30	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005	Source: Westchester County Department of Health
Date Data Arrived at EDR: 05/31/2005	Telephone: 914-813-5161
Date Made Active in Reports: 06/30/2005	Last EDR Contact: 02/26/2007
Number of Days to Update: 30	Next Scheduled EDR Contact: 05/28/2007
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/17/2006
Date Made Active in Reports: 04/07/2006
Number of Days to Update: 49

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 03/16/2007
Next Scheduled EDR Contact: 06/11/2007
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 04/01/2007
Date Data Arrived at EDR: 04/05/2007
Date Made Active in Reports: 05/08/2007
Number of Days to Update: 33

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/05/2007
Next Scheduled EDR Contact: 07/02/2007
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 03/17/2006
Date Made Active in Reports: 06/06/2006
Number of Days to Update: 81

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/16/2007
Next Scheduled EDR Contact: 06/11/2007
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 04/09/2007
Date Data Arrived at EDR: 04/12/2007
Date Made Active in Reports: 04/27/2007
Number of Days to Update: 15

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 03/19/2007
Next Scheduled EDR Contact: 06/18/2007
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/31/2006
Date Data Arrived at EDR: 04/03/2007
Date Made Active in Reports: 04/24/2007
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 02/20/2007
Next Scheduled EDR Contact: 05/14/2007
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 03/17/2006
Date Made Active in Reports: 05/02/2006
Number of Days to Update: 46

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 04/24/2007
Next Scheduled EDR Contact: 07/09/2007
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation

Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STREET AND ADDRESS INFORMATION

© 2007 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

GOLDEN LADY
611 EAST 133RD STREET
BRONX, NY 10454

TARGET PROPERTY COORDINATES

Latitude (North):	40.80300 - 40° 48' 10.8"
Longitude (West):	73.9184 - 73° 55' 6.3"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	591237.8
UTM Y (Meters):	4517240.0

USGS TOPOGRAPHIC MAP

Target Property Map:	40073-G8 CENTRAL PARK, NY
Most Recent Revision:	1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u>	FEMA Flood
BRONX, NY	<u>Electronic Data</u>
	Not Available

Flood Plain Panel at Target Property: 3604970026B

Additional Panels in search area: 3604970020B
3604970021B
3604970027B

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	NWI Electronic
CENTRAL PARK	<u>Data Coverage</u>
	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovician
Series: Middle Ordovician (Mohawkian)
Code: O2 (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS2114870	0 - 1/8 Mile SW
2	USGS2114837	1/4 - 1/2 Mile ESE
3	USGS2114827	1/4 - 1/2 Mile ESE
4	USGS2114752	1/2 - 1 Mile ENE
5	USGS2114761	1/2 - 1 Mile WNW
6	USGS2114644	1/2 - 1 Mile NW
7	USGS2114605	1/2 - 1 Mile NW
8	USGS2114753	1/2 - 1 Mile WNW
9	USGS2114726	1/2 - 1 Mile West
10	USGS2114494	1/2 - 1 Mile NNE
11	USGS2114525	1/2 - 1 Mile North

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 1923959.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: Golden Lady
 ADDRESS: 611 East 133rd Street
 Bronx NY 10454
 LAT/LONG: 40.8030 / 73.9184

CLIENT: Airtek Env. Corp.
 CONTACT: Vic Ricchezza
 INQUIRY #: 1923959.2s
 DATE: May 10, 2007 12:33 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

1
SW
0 - 1/8 Mile
Higher

FED USGS USGS2114870

Agency cd:	USGS	Site no:	404808073551201
Site name:	B 36		
Latitude:	404808		
Longitude:	0735512	Dec lat:	40.80232318
Dec lon:	-73.91958136	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	20		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	452	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

2
ESE
1/4 - 1/2 Mile
Higher

FED USGS USGS2114837

Agency cd:	USGS	Site no:	404803073544801
Site name:	B 40		
Latitude:	404803		
Longitude:	0735448	Dec lat:	40.80093433
Dec lon:	-73.91291451	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	900	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

3
ESE
1/4 - 1/2 Mile
Lower

FED USGS USGS2114827

Agency cd:	USGS	Site no:	404801073544301
Site name:	B 28		
Latitude:	404801		
Longitude:	0735443	Dec lat:	40.80037878
Dec lon:	-73.91152558	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	250	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

4

ENE
1/2 - 1 Mile
Higher

FED USGS USGS2114752

Agency cd:	USGS	Site no:	404824073543301
Site name:	B 61		
Latitude:	404824		
Longitude:	0735433	Dec lat:	40.80676757
Dec lon:	-73.9087477	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	42		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	33	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

5

WNW
1/2 - 1 Mile
Lower

FED USGS USGS2114761

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404826073554701
Site name:	B 6		
Latitude:	404826		
Longitude:	0735547	Dec lat:	40.80732307
Dec lon:	-73.92930384	Coord meth:	M
Coord accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	36	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

6
NW
1/2 - 1 Mile
Higher

FED USGS USGS2114644

Agency cd:	USGS	Site no:	404841073554201
Site name:	B 49		
Latitude:	404841		
Longitude:	0735542	Dec lat:	40.81148967
Dec lon:	-73.9279149	Coord meth:	M
Coord accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	225	Hole depth:	Not Reported
Source of depth data:	Not Reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

7
NW
1/2 - 1 Mile
Lower

FED USGS USGS2114605

Agency cd:	USGS	Site no:	404835073555101
Site name:	B 65		
Latitude:	404835		
Longitude:	0735551	Dec lat:	40.80982303
Dec lon:	-73.93041497	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	5		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	2		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	49	Hole depth:	Not Reported
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1951-10-22	Ground water data end date:	1951-10-22
Ground water data count:	1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1951-10-22	8	

1951-10-22 8

8

WNW
1/2 - 1 Mile
Lower

FED USGS USGS2114753

Agency cd:	USGS	Site no:	404824073560301
Site name:	NY 150		
Latitude:	404824		
Longitude:	0735603	Dec lat:	40.80676752
Dec lon:	-73.93374842	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	6		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	2		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	106	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data begin date:	Not Reported		
Daily flow data end date:	Not Reported		
Peak flow data begin date:	Not Reported		
Peak flow data count:	Not Reported		
Water quality data end date:	Not Reported		
Ground water data begin date:	Not Reported		
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

9

West
1/2 - 1 Mile
Lower

FED USGS USGS2114726

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404818073561001
Site name:	NY 82		
Latitude:	404818		
Longitude:	0735610	Dec lat:	40.80510088
Dec lon:	-73.93569292	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	30	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

**10
NNE
1/2 - 1 Mile
Higher**

FED USGS USGS2114494

Agency cd:	USGS	Site no:	404857073544901
Site name:	B 12		
Latitude:	404857		
Longitude:	0735449	Dec lat:	40.81593407
Dec lon:	-73.91319223	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	222	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

11
North
1/2 - 1 Mile
Higher

FED USGS USGS2114525

Agency cd:	USGS	Site no:	404901073550101
Site name:	B 54		
Latitude:	404901		
Longitude:	0735501	Dec lat:	40.81704516
Dec lon:	-73.91652566	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	005
Country:	US	Land net:	Not Reported
Location map:	CENTRAL PARK R-25-4	Map scale:	Not Reported
Altitude:	20		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	133	Hole depth:	Not Reported
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for BRONX County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for BRONX COUNTY, NY

Number of sites tested: 31

<u>Area</u>	<u>Average Activity</u>	<u>% <4 pCi/L</u>	<u>% 4-20 pCi/L</u>	<u>% >20 pCi/L</u>
Living Area	0.670 pCi/L	96%	4%	0%
Basement	1.110 pCi/L	42%	58%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey
A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water
Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water
Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health
Telephone: 518-458-6731

Oil and Gas Well Database

Department of Environmental Conservation
Telephone: 518-402-8056

These files contain records, in the database, of wells that have been drilled.

OTHER STATE DATABASE INFORMATION

RADON

State Database: NY Radon

Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information

Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2007 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Fax To: Airtek Env. Corp.
Contact: Vic Ricchezza
Fax : 212-768-0516
Date: 05/10/2007

Fax From: Kathleen Miller
EDR
Phone: 1-800-352-0050

EDR PUR-IQ[®] Report

"the intelligent way to conduct historical research"

for
Golden Lady
611 East 133rd Street
Bronx, NY 10454
Lat./Long. 40.80300 / 73.91840
EDR Inquiry # 1923959.2s

The EDR PUR-IQ report facilitates historical research planning required to complete the Phase I ESA process. The report identifies the *likelihood* of prior use coverage by searching proprietary EDR-Prior Use Reports[®] comprising nationwide information on: city directories, fire insurance maps, aerial photographs, historical topographic maps, flood maps and National Wetland Inventory maps.


Potential for EDR Historical (Prior Use) Coverage - Coverage in the following historical information sources may be used as a guide to develop your historical research strategy:

- 1. City Directory:** Coverage exists for portions of BRONX, NY for 1920-2000
- 2. Fire Insurance Map:** When you order online any EDR Package or the EDR Radius Map with EDR Sanborn Map Search/Print, you receive site specific Sanborn Map coverage information at no charge.
- 3. Aerial Photograph:** Full Coverage exists for Bronx County Shipping time 3-5 days.
- 4. Topographic Map:** The USGS 7.5 min. quad topo sheet(s) associated with this site:

Historical: Coverage exists for Bronx County

Current: Target Property: TP | 1995 | 40073-G8 Central Park, NY

EDR's network of professional researchers, located throughout the United States, accesses the most extensive national collections of city directory, fire insurance maps, aerial photographs and historical topographic map resources available for Bronx, NY. These collections may be located in multiple libraries throughout the country. To ensure maximum coverage, EDR will often assign researchers at these multiple locations on your behalf. Please call or fax your EDR representative to authorize a search.



**EDR™ Environmental
Data Resources Inc**

EDR - HISTORICAL SOURCE(S) ORDER FORM

**Airtek Env. Corp.
Vic Ricchezza
Account # 1017275**

**Golden Lady
611 East 133rd Street
Bronx, NY 10454
Bronx County
Lat./Long. 40.80300 / 73.91840
EDR Inquiry # 1923959.2s**

Should you wish to change or add to your order, fax this form to your EDR account executive:

**Kathleen Miller
Ph: 1-800-352-0050 Fax: 1-800-231-6802**

Reports

- EDR Sanborn Map® Search/Print
- EDR Fire Insurance Map Abstract
- EDR Multi-Tenant Retail Facility® Report
- EDR City Directory Abstract
- EDR Aerial Photo Decade Package
- USGS Aerial 5 Package
- USGS Aerial 3 Package
- EDR Historical Topographic Maps
- Paper Current USGS Topo (7.5 min.)
- Environmental Lien Search
- Chain of Title Search
- NJ MacRaes Industrial Directory Report
- EDR Telephone Interview

Shipping:

- Email
- Express, Next Day Delivery
- Express, Second Day Delivery
- Express, Next day Delivery
- Express, Second Day Delivery
- U.S. Mail

Customer Account
Customer Account

RUSH SERVICE IS AVAILABLE

Acct # _____
Acct # _____

Thank you

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

Exhibit C-2: The EDRTM City Directory



EDR® Environmental
Data Resources Inc

The EDR-City Directory
Abstract

Golden Lady
611 East 133rd Street
Bronx, NY 10454

Inquiry Number: 1923959.6

Thursday, May 10, 2007

**The Standard in
Environmental Risk
Information**

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR City Directory Abstract

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening report designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2007 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SUMMARY

- ***City Directories:***

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1927 through 2005. (These years are not necessarily inclusive.) A summary of the information obtained is provided in the text of this report.

This report compiles information by geocoding the subject properties (that is, plotting the latitude and longitude for such subject properties and obtaining data concerning properties within 100.32 Feet of the subject properties). There is no warranty or guarantee that geocoding will report or list all properties within the specified radius of the subject properties and any such warranty or guarantee is expressly disclaimed. Accordingly, some properties within the aforementioned radius and the information concerning those properties may not be referenced in this report.

Date EDR Searched Historical Sources: May 10, 2007

Target Property:

611 East 133rd Street
Bronx, NY 10454

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Address Not Listed in Research Source	New York Telephone
1931	Address Not Listed in Research Source	Manhattan and Bronx Directory Publishing Company Residential Directory
1940	Address Not Listed in Research Source	New York Telephone
1949	<u>**E 133**</u> FLAHERTY JOHN B CO INC SURGCL BELTS (611)	New York Telephone
1956	<u>**E 133**</u> FLAHERTY JOHN B CO INC SMGEL ELASTE SUPRTS (611)	New York Telephone
1961	<u>**E 133**</u> FLAHERTY JOHN B CO INC SURGCL ELASTC SUSRTS (611)	New York Telephone
1965	<u>**E 133**</u> FLAHERTY JOHN B CO INC SURGCL ELASTC SUPRTS (611)	New york Telephone Company
1971	<u>**E 133**</u> FLAHERTY JOHN B CO INC SURGCL ELASTC SUPRTS (611)	New York Telephone
1976	<u>**E 133**</u> FLAHERTY JOHN B CO INC SURGCL ELASTC SUPRTS (611)	New york Telephone Company
1983	Address Not Listed in Research Source	New York Telephone
1993	<u>**E 133**</u> HAL HALMAN REALTY CORP INC (611) HERCULES DOORS & HARDWARE CORP (611)	New York Telephone
2000	<u>**E 133RD ST**</u> CLUB DIVINE (611)	Cole Information Services
2005	<u>**E 133RD ST**</u> GOLDEN & GOLD L ENTERPRISE INC (611)	Hill-Donnelly Information Services

Adjoining Properties

SURROUNDING

Multiple Addresses
Bronx, NY 10454

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	**E 133RD** CANNELLA & CRISTOFARO GRGE (517) HEISS ANTON WAGON WKS (518) ROSEN & KAISER RESTRNT (522) RUPPERT PETER WELDING (522) FACTORY (525) NORDEN CO INC ELECTRIC SIGNS (525) NORDEN CO INC ELECTRIC SIGNS (525) UPTOWN OFF (525) IDEAL STRAP CO (527) STERLING MAGNESIA CO (527) ARVIDSON A GARAGE (533) PETOK LOUIS R (533) FIREPROOF PRODUTS CO (536) SANYMETAL PRODUCTS CO INC (536) TRIUMPH COLUMN CO (536) VARIETY FIRE DOOR CO THE (536) GALUCCI ALFRED (540) LANG PAUL R (543) LOMBARD P J R (543) BOLMER DORA M R (552) GARRIGAN JOS R (552) LEONARD FRANCES C MISS R (552) PETERSEN G M CO INC INS (553) PETERSEN GEO C E BTCHR (553) LABORATORY (570) SCHIEFFELIN & CO DRGS BIOL (570) ASCHENDORF J FORD PARTS (586) JOES SERVICE STATION (586) H & H WOOD NOVELTY CO FACTORY (590) HARLEM RIVER TRUCKMAN & RIGGERS (590) JAMESTOWN WOOD FINISHING CO (590) HARLEM METAL CORP (594) B & J AUTO SPRING CO (600) HIRSCHHORN SCHOENBERGER & KRIEGER IRON STAIRS (608) KRIEGER EMIL IRON WKS (608) STANDARD STEEL SECTIONS (608) H & M EXPRESS (610)	New York Telephone

Year Uses

Source

1927 (continued)

MADRICK JOHN EXPRSG (610)
FLINKOTE CO INC (612)
WAREHOUSE (612)

1931 **E 133RD**

Manhattan and Bronx Directory Publishing Company
Residential Directory

THURSTON ANNA (515)
FLETCHER MARY (536)
ENERING WM (541)
FEENEY ANDREW (541)
OCONNELL THOS (541)
QUINN HARRY (541)
BRADSHAW CATH (543)
LANG JOHN (543)
LANG PAUL (543)
LOMBARD PAT J (543)
PFAFFENBERGER ELIZ (543)
PFAFFENBERGER FRANK (543)
BERNHARDT FRANK (545)
COLLINS DAVID (545)
COLLINS RICH (545)
DUFFY JAS (545)
DUFFY JAS J LAB (545)
DUFFY MARGT (545)
LEONARD FRANK (545)
MENELL WM (545)
OBRIEN JOHN (545)
BECKER ADOLPH (549)
BICKING WM (549)
MEYERHOFF LOUIS (549)
FORD LEON (550)
JOHNSON HAROLD (550)
JOHNSON HARRIET (550)
GARRIGAN IOS (552)
GARRIGAN WM (552)
LEONARD MARY (552)
LEONARD WM J (552)
MALFER GUS (552)
BOES CATH (553)
BOES WM J (553)
BORSTELMAN FRANCES (553)
HEALY ANDREW (553)
HEALY ANNA (553)
KLOUDA FRANK (553)

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	(continued) ROSATO GERALD (553) ROSATO SAVALIN (553) ROSATO VIC (553) ROSATO VINCETTA (553) YOUNG ALEX (553) BORSTELMAN FREDK (583) FERGUSON GLADYS (604)	
1940	Address Not Listed in Research Source	New York Telephone
1949	**E 133** GOLEZIN THOS J (513) HIRSCHHORN HAROLD L B (608) HIRSCHHORN NATHAN B (608) STANDARD STEEL SECTIONS INC (608) STANDARD YARD SUPLS CO (608)	New York Telephone
1956	**E 133** LOPEZ ANGELO (574) MURPHY SHEILA A MRS (593) GORRA FERRIS M DNTST (598) STANDARD STEEL SECTIONS INC (608) KELLY BRIDGET M (610)	New York Telephone
1961	**E 133** HERZBERG JOS JR (526) MEDINA FILBERT (598) JOHNSON NAGER (601) STANDARD STEEL SECTIONS INC (608)	New York Telephone
1965	**E 133** KEHOE DOLORES C (534) STANDARD STEEL SECTIONS INC (608)	New york Telephone Company
1971	**E 133** STANDARD STEEL SECTIONS INC (608)	New York Telephone
1976	**E 133** STANDARD STEEL SECTIONS INC (608)	New york Telephone Company
1983	**E 133** STANDARD STEEL SECTIONS INC (608)	New York Telephone
1993	Address Not Listed in Research Source	New York Telephone
2000	**E 133RD ST** S & J SUPPLY (608)	Cole Information Services
2005	**E 133RD ST**	Hill-Donnelly Information Services

Year Uses

2005 (continued)

S&3 SUPPLY (608)

Source

User Notes

No notes found.

Overview

Location		Square Feet	
Primary address	164 Bruckner Blvd	Building SF	15,714
Zip	10454	Retail SF	8,000
Borough	Bronx	Other SF	7,714
Block & lot	02546-0027	Lot SF	8,772
First 3 alt addresses	611-617 E 133 St 164-166 Bruckner Blvd	Ratio of Building SF to Lot SF (FAR)	
Neighborhood		FAR as built	Subscribe Now!
Census tract	0015.00	Max allowed FAR	Subscribe Now!
School district	7	SF under FAR	Subscribe Now!
Community board	1	SF over FAR	Subscribe Now!
Planning board	Click here	Usable floor area	Subscribe Now!
Surrounding neighborhoods	Mott Haven, Melrose, Port Morris	Maximum usable floor area	Subscribe Now!
Police precinct	40 web site/crime stats	Building	
School district	7 map/schools	Building dimensions	58.83 ft x 150 ft
City council	8 map	Lot dimensions	58.42 ft x 150.17 ft
Political contributions	search	Corner lot	CR
Nearest...		Stories	2
Coast line	0.20 Miles	Buildings on lot	1
Police station	0.62 Miles	Total units	1
Police station address	251 Alexander Ave	Residential units	n/a
Fire station	0.20 Miles	Commercial units	1
Fire station address	618 E 138 St	Has extension	No
100 year flood region	0.18 Miles	Has garage	No
500 year flood region	0.04 Miles	Year built	1931 (estimated)
Property Tax Assessment		Year last altered	1993
Actual land	\$58,950	Zoning, Use & C-of-O	
Actual total	\$652,500	Link to certificate of occupancy	Click here
Tax class	4	Zoning district	Subscribe Now!
Property Maps		2nd zoning dist.	Subscribe Now!
Zoning map	6b	Building class	Miscellaneous store building (K9)
Tax map	21001	E-Designation	None
Sanborn map	209S017	Historic district	None
Link to zoning map	Click here	Find out more about the types of Building Classes!	
Economic development programs	Click here	Hazards & Environment	
Most Recent Sale		Toxic sites on the property:	None Found
Sale price	\$2,500,000	Toxic site data reported next to this property: NO	
Sale date	9/7/2007	Find out more about Toxic Sites.	
		FEMA flood zone	X
		Costal barrier resources system area(COBRA)	No
		Find out more about FEMA Flood.	

Photos

PropertyShark Photos




Photo by NYC DoF

Appraiser Photo Swap

Share photos using our Appraiser Photo Swap!

- For each photo you upload, you can view & download **5 photos** contributed by other members.
- See what a property looks like, and eliminate unsuitable comps, **before** making a site visit.
- Conveniently access your own uploaded photos.
- Current count: 4641 Swap photos. [Click here to view recent additions for New York City.](#)

Upload your own Swap photos or [learn more](#)

No photos available.

User Uploaded Photos

Upload photos for this property

No photos available.

Ownership Summary

Notice Address 611 East 133RD St. I
5600A Broadway
Bronx NY 10463-5500
12/9/2005
 Residential Business
Add to Address Book

Subscribe and Get More!

Only PropertyShark can help you get behind the LLC's, find out who really controls the property, and find their real address and phone number. Subscribe today and get ownership records from building permits, title documents, and HPD registrations.

The Department of State - Division of Corporations - allows you to search for LLC owners.

Building Management & Officers

You must be subscribed to reports or phones to view this section.

[Click here to subscribe](#)

PropertyShark obtains its records from HPD and updates them nightly.

Phone Records

No business listings were found.

No residential listings were found.

Title Documents

Subscribers to our Property Reports service can link directly to title documents in ACRIS!

To link to ACRIS documents you will need to do the following **once per session**:

1. Click on the "See it" link for one of the documents below. This **will open a new window** and take you to an ACRIS info page on the NYC DoF website.
2. On the ACRIS info page, find the link titled "Begin using ACRIS" and click it. This **will open another new window**. Minimize this window but do not close it. This keeps an ACRIS session running on your computer.
3. In the original PropertyShark.com window, you can now click on any of the "See it" links for any NYC property and be taken directly to the corresponding ACRIS document.

Records go back to about 1966. See the different types of NYC title documents!

Date	Type	Amount	Party1 name	Party2 name
9/7/2007	Deed	\$2,500,000	611 E. 133 St. Inc. A/K/A 611 East 133RD St. Inc.	South Bronx Charter School For International Cultu
9/7/2007	Satisfaction Of Mortgage	\$0	Mc & Mc, Inc.	Halman Enterprises, Inc.
10/17/2006	Discharge Of Tax Lien	\$0	The Bank Of New York	
8/9/2006	Tax Lien Sale Certificate	\$0	City Of New York	Bank Of New York
10/6/2004	Deed, Other	\$695,000	Mc & Mc Inc	611 East 133RD St. Inc
4/20/2001	Assignment,Mortgage	\$0	Halman Enterprises,Inc.	422, Inc.
12/17/1999	Mortgage	\$105,000	Mc & Mc, Inc.	Halman Enterprises,Inc.
11/26/1999	Satisfaction Of Mortgage	\$0	Halman Enterprises,Inc.	National Westminsterbank
11/26/1999	Sundry Agreement	\$0	Fleet Bank, N.A.	
8/9/1999	Ucc3 Termination	\$0	Halman Enterprises,Inc.	National Westminsterbank Usa
1/29/1999	Mortgage	\$700,000	Mc & Mc, Inc	Commercial Capital Corporation
1/29/1999	Deed	\$0	Halman Enterprises,Inc	Mc & Mc, Inc
1/29/1999	Assignment,Mortgage	\$0	Mc & Mc, Inc.	Commercial Capital Corporation
12/4/1995	Release Of Estate Tax Lien	\$0	Moen, Jenny/Est Of	
7/26/1990	Assignment, Mortgage	\$0	Halman Enterprises,Inc.	National Westminsterbnk
7/26/1990	Mortgage	\$300,000	Halman Enterprises,Inc.	National Westminsterbnk

7/26/1990	Deed	\$0	Evans, Herbert B./Tr	Halman Enterprises,Inc.
6/7/1990	Uniform Commercial Code 1	\$0	Halman Enterprises,Inc.	National Westminsterbnk
6/7/1990	Initial Ucc1	\$0	Halman Enterprises,Inc.	National Westminsterbank Usa
12/30/1988	Deed	\$0	John B Flahrty Etc Rec/O Evans, Herbert B. Recevr	Evans, Herbert B. Tr

Valuation Model

Our database has 1 property that meet the following criteria:

- Sold within the last 18 months
- In the 10454 zip code
- Property class K
- Sale price over \$25,000

Comparables Tool

- Pick your own criteria
- See detail on every sale

[Click here!](#)

Expecting more results? Occasionally the actual use and recorded building use are different. If you think you should be looking at a different building class, try our Comparables Tool and search for more!

Property Income and Expenses

Owners of income-producing properties that have an actual assessed value of more than \$40,000 are required to file annual Real Property Income and Expense (RPIE) statements with the Department of Finance(DOF). The DOF uses the information from these statements, or data from comparables, to estimate the market value of a property for tax purposes.

Land Area		Expense and Income	
Flag	N	Account type	N/A
Land area	8772	From (month)	N/A
Land	8772	From (year)	N/A
Land under water	N/A	To (month)	N/A
sub-upland	N/A	To (year)	N/A
Mapped	N/A	Accounting source	N/A
Commercial overlay	N/A	In use	N/A
Structure		Override income	\$0
Gross square foot estimate	N	Override expense	\$0
Height low	25		
Gross Areas			
Retail	8000		
Office	N/A		
Factory	N/A		
Garage	N/A		
Total commercial square footage	15714		
Residential square footage	N/A		
Total gross square footage	15714		
Rentable square footage	N/A		
Cubic feet or gallons	N/A		
Garage	N/A		
Apartments	N/A		

Rooms N/A
Owner occupied (square footage) N/A

PropertyShark obtains its records from the DOF and updates them bi-annually.


Property Tax

	07/08 Final	08/09 Tentative
	<p>The property tax assessment process starts when the city's assessors determine the <i>market value</i> of your property. Despite the name, this value has little to do with what someone would actually pay for your property. In some neighborhoods the <i>market values</i> are close to actual property values. In others they can be as little as 5% of true values. Even within neighborhoods there can be wide variations.</p>	
Market Value	\$1,450,000	\$547,000
	<p>Property tax is only levied on a portion of the <i>market value</i>. This portion is called the <i>assessed value</i>. For 1-3 family homes and 1-3 story condos, taxes are levied on 6% of the <i>market value</i>. For all other properties, taxes are levied on 45% of the value.</p>	
	<p>Sometimes the city will exempt part of the assessed value from taxation for a certain number of years. Usually these exemptions are granted as an incentive to make improvements to an existing structure or to build on a vacant lot. Larger incentives are granted in development zones. For rental property the incentives are usually tied to rent stabilization.</p>	
Market Value	\$1,450,000	\$547,000
Assessment Ratio	x 0.45	x 0.45
City's Assessed Value	= \$652,500	= \$246,150
Exemptions Granted by the City	- \$14,580	- \$12,150
City's Net Assessed Value	= \$637,920	= \$234,000
	<p>While the city's assessors have noted the rapid appreciation of property in New York City, the state understands that it would be burdensome for property taxes to rise too fast. Therefore, increases in the <i>assessed value</i> are phased in over a number of years. This introduces the <i>transitional assessed value</i>, which is limit on the portion of the assessed value which has been introduced into the tax base.</p>	
	<p>Unfortunately, when the <i>assessed value</i> is phased in, sometimes the <i>exemptions</i> are as well.</p>	
Transitional Assessed Value	\$387,450	\$377,010
Transitional Exemption Value	- \$14,580	- \$12,150
Transitional Net Assessed Value	= \$372,870	= \$364,860
	<p>The <i>taxable value</i> is the smaller of the <i>city's net assessed value</i> and the <i>transitional net assessed value</i>.</p>	
Taxable Value	\$372,870	\$234,000
	<p>The <i>property tax</i> is determined by multiplying the assessed value by the tax rate. The tax rate is different for different types of buildings.</p>	
	<p>In addition to exemptions, the city also grants <i>tax abatements</i> to some properties. An <i>abatement</i> is simply a discount — it is subtracted directly from the <i>annual tax bill</i>.</p>	
Taxable Value	\$372,870	\$234,000
Tax Rate	x 0.10059	x 0.10059
Tax before Tax Abatements	= \$37,506	= \$23,538

Tax Abatements	- \$0	- \$0
Annual Tax Bill	= \$37,506	= \$23,538

This web site is not an authoritative source for property tax information. The computer program that generates this analysis was only validated in an informal manner using a small sample of properties. The analysis presented for this property may be incorrect, and you should validate it independently if you will rely on it. The only authoritative source is the New York City Department of Finance (DOF). You can visit the property tax section of its web site here.

The analysis presented here is based on assessment data from a point in time. The DOF periodically revises assessments. If the assessment for this property is raised, the tax bill will almost certainly rise as well. Some raises are phased in (transitioned) slowly, others are not. From time to time the city raises tax rates, which also raises tax bills.



Tax per Square Foot

In this map, view the tax value paid per square foot for this property.

Property Tax	\$23,538
Tax Year	2007
Square Foot	15,714 SqFt
Tax per SQFT	\$1.50

Legend

■ Above 10.00	■ 4.00 - 5.00
■ 9.00 - 10.00	■ 3.00 - 4.00
■ 8.00 - 9.00	■ 2.00 - 3.00
■ 7.00 - 8.00	■ 1.00 - 2.00
■ 6.00 - 7.00	■ Below 1.00
■ 5.00 - 6.00	

Map rendered 02/26/2008

Exemptions

The Department of Finance (DOF) issues exemptions bi-annually every fiscal year (7/1 - 6/30). Tentative exemptions are issued at the beginning of the fiscal year and are subject to adjustment if the DOF learns of changes in eligibility criteria. The Final exemptions are issued at the end of the fiscal year and will reflect any changes in exemption totals. Increases in assessed value of all class 4 properties and coops, condos, and rental buildings with more than 10 units in class 2 must be phased-in over a 5 year period. The transitional assessed value represents the interim value and any changes occurring during this phase-in period.

Current Values		Tentative Change Exemption Values	
Transitional land	\$60,660	Tentative exempt land	\$0
Transitional total	\$387,450	Tentative exempt total	\$12,150
Actual land	\$58,950	Tentative actual exempt land	\$0
Actual total	\$652,500	Tentative actual exempt total	\$12,150
Exemption Values		Final Change Values	
Exempt land	\$0	Final tentative transitional land	\$58,950
Exempt total	\$14,580	Final tentative transitional total	\$377,010
Actual exempt land	\$0	Final tentative actual land	\$58,950
Actual exempt total	\$14,580	Final tentative actual total	\$246,150

Tentative Change Values		Final Change for Exemption Values	
Tentative transitional land	\$58,950	Final tentative transitional exempt land	\$0
Tentative transitional total	\$377,010	Final tentative transitional exempt total	\$12,150
Tentative actual land	\$58,950	Final tentative actual exempt change land	\$0
Tentative actual total	\$246,150	Final tentative actual exempt change total	\$12,150

Sequence	Exemption code	Exemption description
1	47660	ICIP Reg Comm Ex

Exemption Code: A five-digit identification number used for designating each specific exemption type. The first of the five digits can have a value of 1, 2, 3, or 4, and these values can be interpreted as follows:

1. Public owner, exemption not limited by State law in amount, duration, or tax purpose.
2. Private owner, exemption not limited by State law in amount, duration, or tax purpose.
3. Public owner, exemption limited by State law in amount, duration, or tax purpose.
4. Private owner, exemption limited by State law in amount, duration, or tax purpose.

The second, third, and fourth digits are read together and constitute a unique code for each exemption statute. The fifth digit, which can have a value ranging from zero to 6, identifies the tax purposes for which the exemption is granted and it can be interpreted as follows:

0. Exempt for county, city/town, and school purposes.
1. Exempt for county, and city/town purposes.
2. Exempt for county purposes.
3. Exempt for city/town purposes.
4. Exempt for school purposes.
5. Exempt for county and school purposes.
6. Exempt for city/town and school purposes.
- _. (Underline) More than one entry possible (local-option exemptions).

PropertyShark obtains its records from the DOF and updates them bi-annually.

Historical Assessed Value

Please note: This section is new and is being tested. In the future it might not be included in the basic property reports subscription. Rather, it may be part of a separate subscription combining this section and other more detailed information about property taxes, exemptions, and abatements.

Year	Building Change	Building Value	Land Change	Land Value	Remis	Total
05/06	\$36,450	\$273,600	\$0	\$58,950	\$0	=\$332,550
04/05	\$6,300	\$237,150	-\$8,550	\$58,950	\$0	=\$296,100
03/04	-\$9,900	\$230,850	\$0	\$67,500	\$0	=\$298,350
02/03	\$26,550	\$240,750	\$0	\$67,500	\$0	=\$308,250
01/02	\$13,950	\$214,200	\$2,250	\$67,500	\$0	=\$281,700
00/01	\$58,050	\$200,250	\$29,250	\$65,250	\$0	=\$265,500
99/00	-\$450	\$171,450	\$0	\$36,000	\$0	=\$207,450
96/97	\$9,000	\$171,900	\$9,000	\$36,000	\$0	=\$207,900
95/96	-\$4,950	\$162,900	\$0	\$27,000	\$0	=\$160,650
94/95	-\$7,650	\$167,850	\$0	\$27,000	\$0	=\$165,600
92/93	\$0	\$175,500	\$0	\$27,000	\$0	=\$173,250

Zoning and Building Class

Accounts are free, but the Zoning and Building Class map is only available to people subscribed to reports.

Subscribe Now!

Floor Area Ratio & Air Rights

Accounts are free, but the Floor Area Ratio and Air Rights map is only available to people subscribed to reports.

Subscribe Now!

Economic and Development Incentives

Properties and businesses within NYC qualify for a number of city, state and federal economic and development incentives based on factors such as location, business type, investment, renovation, new construction, increased employment, and other factors. This section shows you for which programs this particular building may qualify.

Program	Qualifies?	More Information
CRP	No	NYC EDC
CRT	No	NYC EDC
ICIP	No	NYC EDC
LMREAP	No	NYC EDC
Sales tax savings	No	NYC EDC
Bronx EZ	Yes	NYC EDC
Industrial Business Zone	No	NYC GOV
Port Morris Ombudsmen Area	Yes	NYC GOV

Need help with the **Programs** names? Please look at our **Incentives** FAQ section.

It explains what each of these programs means!

Building Permits

Found 0 permits on 11 jobs.

Filed		Description	Cost	Permits Filed	Work Types
Job #200703177					
00/0/0000	SG	Erect illuminated accessory business sign on wall inside bldg line - no adjacent to arterial highway wording: radio shack	\$3,125		
Job #200683233					
08/2/2001	A2	Partition, finishes, hvac, plumb. modifications. no change of use, egress or occupancy	\$33,000		
Job #200608690					
02/3/2000	A2	To alter existing eating and drinking establishment to accommodate 60% on-	\$8,500		

			adult and 40% adult, and to install partition separating activities.	
Job #200281159				
02/2/1994	A2		Install fire suppression system. - no change in use egress occ.	\$1,500
Job #200279974				
01/24/1994	A2		Install fire alarm system. local law 41/78 interior fire alarm and signal system for place of assembly.	\$2,000
08/8/1994	A2		** Post approval amendment **	
Job #200278797				
01/3/1994	A2		Install new pendant sprinkler heads in a ll areas with suspended ceiling there will be no change in use egress or occupancy.	\$15,000
Job #200075088				
08/9/1990	A1		Remove existing stair; restore use of existing ramp; construct office space first floor only; renovate existing toilets, all with access to physically disabled; close up existing door openings with masonry; construct new fire escape as 2nd means egress.	\$62,000
09/25/1990	A1		Construct new 2-hr rated stair exitway from second floor directly to exit on cypress place sidewalk	
10/5/1990	A1		Addition of unit heaters (gas fired type and addition of electric type.) on first and second floor.	
Job #200073437				
07/30/1990	A2		Removal of exist. stair. restore use of exist. ramp. replace windows and const. new offices and showrooms. with new entrance on 1st fl. permanently sealing openings on 1st fl.	\$48,000

Please note: the NYC Department of Buildings is the only authoritative source for information on building permits. Please consult the Building Information System on the DOB web site.

DOB Actions

New Certificate of Occupancy

Status New/Amend

N


Job Status X
Job Status Date 1992-08-25
Date Filed 1990-08-09
Partial Demo N
Change of Occupancy/Use Y
Change of Room Count N
Change of Egress Y
Horizontal Enlargement N
Vertical Enlargement N
 No records found.

Construction

Asbestos Flag P on 08/2/2001
Adult Establishment N on 00/0/0000
Special Place Name RADIO SHACK on 00/0/0000
Existing Stories 2 on 08/2/2001
Height (in Feet) 35 on 08/2/2001
Existing Occupancy Class COM on 01/3/1994
Proposed Occupancy Class COM on 01/3/1994
Directive 14 N on 00/0/0000
Old Code Review N on 00/0/0000
Site Safety N on 00/0/0000
Infill Zoning N on 00/0/0000
Local Law 5 N on 00/0/0000
Local Law 16 N on 00/0/0000
Quality Housing N on 00/0/0000
Landmarked N on 08/2/2001
SRO N on 00/0/0000
Special Status Text 07/30/1990: WD TO BE REFILED AS ALT TYPE 1
Loft Board N on 08/2/2001

HPD Violations

When excessive violations are present, this can adversely affect the support given by The NYC Department of Housing Preservation and Development (HPD). These violations can result in building-wide inspections, fees, and the requirement of extensive repair work to correct underlying conditions. In some cases, outstanding violations may result in a lien being placed on the property. It is also substantially more difficult to mortgage a building with extensive violations.



HPD Violations

In this color-coded map, view the amount of B & C class violations that have been left uncorrected for a specific property.

Legend

- Uncorrected violations
- >27 violations & >=5 violations per unit
- between 3.5 and 5 violations per unit
- total number of violations

Open **A** class violations: 0
 Open **I** class violations: 0
 Open **B** class violations: 0
 Open **C** class violations: 0

* Sorry, for this property we don't have any information about B & C violations.

Open **B & C** class violations: **0**

Number of units: **0**

Map rendered 03/07/2008

Description of the Classes

Sorry, no records were found!

Please note: the NYC HPD is the only authoritative source for information on housing violations. Please consult the HPD web site for up-to-date violations.

PropertyShark obtains its records from HPD and updates them monthly.

ECB Violations

There are eleven city agencies that administer the City's quality-of-life laws and issue Notices of Violation (NOVs) for alleged violations. The ECB is a separate and independent agency that hears challenges to those NOVs. The agencies that issue the most violations for real estate are:

- Department of Buildings (DOB)
- Department of Environmental Protection (DEP)
- Fire Department
- Landmarks Preservation Commission (LPC)
- Department of Sanitation

PropertyShark obtains its ECB NOV records from the DOB and updates them nightly. Records go back to 1988

No records found.

For more information about the ECB and the types of NOVs that it handles, visit its home page or this page with a list of rules, laws and agencies.

Neighbors

Link to address	Sale date	Sale price	Description
611-617 E 133 St	9/7/2007	\$2,500,000	Miscellaneous store building
634-636 E 133 St	6/1/2007	\$1,400,000	Factory, industrial semi-fireproof
616-624 E 133 St	3/15/2001	n/a	Miscellaneous warehouse
682-686 E 133 St	11/30/1999	n/a	Factory, industrial-miscellaneous
688 E 133 St	11/30/1999	n/a	Miscellaneous warehouse
690 E 133 St	11/30/1999	n/a	Miscellaneous warehouse
608-614 E 133 St	8/1/1997	n/a	Miscellaneous warehouse
656 E 133 St	2/22/1996	n/a	
693 E 133 St	4/4/1991	n/a	
691 E 133 St	9/6/1985	n/a	Two family frame
Link to address	Sale date	Sale price	Description
164-166 Bruckner Blvd	9/7/2007	\$2,500,000	Miscellaneous store building
177 Bruckner Blvd	12/29/1999	n/a	
160 Bruckner Blvd	8/1/1997	n/a	Miscellaneous warehouse
163 Bruckner Blvd	2/25/1992	n/a	

161 Bruckner Blvd	8/20/1984	n/a	
159 Bruckner Blvd	8/20/1984	n/a	
155 Bruckner Blvd	8/22/1984	n/a	Garage, one story semi-proof or fire- proof
156 Bruckner Blvd	10/8/1970	n/a	Miscellaneous garage or gas station
152 Bruckner Blvd	10/8/1970	n/a	Miscellaneous garage or gas station
152 Bruckner Blvd	10/8/1970	n/a	Miscellaneous garage or gas station

Maps

Click on the map to expand!
Link to Google Maps


See Buildings Outline:

Map rendered 12/06/2007

Urban Landscape Maps

Year Built

In this color-coded map, view the year each property was built.



Click on the map to expand!

* Year Built: 1931 (estimated)


Legend

- 2000 and younger
- 1990 - 1999
- 1980 - 1989
- 1970 - 1979
- 1950 - 1969
- 1925 - 1949
- 1924 and older

Click to see the map for the buildings on the property



Map rendered 01/07/2008



Click on the map to expand!

* Number of Stories: 2

Building Stories

In this map, view the number of stories per building.

Legend

- 10 & Up Stories
- 7 to 9 Stories
- 5 & 6 Stories
- 4 Stories
- 3 Stories
- 2 Stories
- 1 Story

Click to see the map for the buildings on the property



Map rendered 03/19/2008


Demographic Maps

Population Density

Population density is the number of persons per unit of area.

Commonly this may be calculated for a city, county, state, or the entire world.


In this map, view the density of the New York City population.



Legend

- Crammed (above 26,000)
- Very Compact (26,000 to 13,000)
- Compact (13,000 to 2,600)
- Close-Knit (2,600 to 1,300)
- Neighborly (1,300 to 300)
- Distant Neighbors (300 to 50)
- Sparse (below 50)
- Open Space or Unknown

Map rendered 10/16/2007



Population Median Age

The median age marks the point where half the population is older than that age and half is younger.

This color-coded map shows the distribution of the median age of the population

Legend

- Golden Years
- 65 to mid 70's
- 50 to mid 60's
- 45 to late 40's
- 40 to mid 40's
- 35 to late 30's
- 30 to mid 30's
- 24 to late 20's
- 17 to 23
- 10 to 17


Map rendered 10/17/2007

Median Household Income

Median household income is used to provide data about geographic areas and divides households into two equal segments with the first half of households earning less than the median household income

View in this map the distribution of the median household income for New York City.

Legend



Map rendered 10/16/2007

Demographics By Zip


Profile of Zip Code 10454

2000 Population	34976
Female Pop.	18829
Male Pop.	16147
Households	12679
Home Owners	532
Renters	10942
Population Density	999.99
Area size (sq. miles)	1.04
Household size (avg)	3.00


Age Distribution



Racial Distribution




Household Type



Note: totals often exceed 100% for race and household type because respondents may choose multiple categories.

Toxic Sites



Map rendered 12/06/2007 See full map

Toxic Sites

Toxic site data reported for this property: **NO**

Toxic site data reported next to this property: **NO**

Real estate buyers beware!

Hidden toxic hazards can drastically reduce property values, restrict property use, cause health problems or impose clean up liability on unsuspecting purchasers.

Use this screening map to check neighborhoods for selected toxic dumps, garbage landfills, leaking tanks, hazardous waste sites, pollution discharges or other environmental threats reported by local, state and federal government authorities.

More Details & Help:

Pollutants Groups Description FAQ: What do the toxic sites mean?

About Toxics Targeting FAQ: Want more information?

Order a **Toxics Targeting Report** to compile detailed environmental information on or around any home, business or property that you plan to buy in New York. It maps and profiles up to 19 categories of toxic sites at varying distances as far as one mile away. Your report will pinpoint many more sites than the screening maps.


How to get a Full Toxics Property Report: Toxics Targeting's reports (\$150.00 each) help buyers conduct

due diligence or Phase I environmental site assessments required by mortgage lenders. We walk you through your report and answer questions. You can order on-line or by calling **718-715-1758!** For more informations visit www.toxictargeting.com

Map Disclaimer: Mapped locations are approximate; site symbols can refer to large properties; additional toxic sites are not mapped; contamination problems can impact properties far from toxic sources; sites include known and potential hazards; regulatory status of sites may have changed.

Leaking Tanks & Spills:					
	MTBE Spill		Tank Failure		Tank Test Failure
	Gasoline Spill		Spill greater than 25 gal/lbs		
Superfund, Brownfields and Solid Waste:					
	US Superfund Priority Site		NY Superfund Site		US Superfund/CERCLIS Site
	Brownfield Site		Hazardous Substance Study		Solid Waste Facility
Other Toxic Sites:					
	NY Superfund Qualifying Site		Major Oil Storage Facility		Hazardous Waste Corrective Act
	Haz Waste Treat/Store/Dispose		Toxic Release Inventory Site		Legal Civil/Admin Docket
	Hazardous Waste Violation		Air Discharge Facility		Selected NYC Environmental Quality Review "E" Designation

FEMA Flood Map



Legend

SFHA: Inside
 - inside 100 year flood
 - 1% annual chance flooding
 - flood depths range from 1 to 3 feet

- Velocity Hazard (wave action)
- Sheet Flow On Sloping Terrain
- Great Than 1 Foot Depth

SFHA: Outside

- Inside 500 Year Flood Region (or 0.2% annual chance with less than 1 foot flood)
- Zone D: Undetermined Flood Hazards (with possible flooding)

Other Flood Region Types:

- Coastal Barrier Resources System Area (or COBRA)
- Floodway Region (man made)

Map rendered 10/09/2007

FEMA Flood Zones

*FEMA map #	3604970026B
FEMA flood zone	X
Costal barrier resources system area (COBRA)	No
Map (source data) publication date	July 5TH 1994

Distance to ...

100 year flood region	0.18 Miles
500 year flood region	0.04 Miles

Find out more about **FEMA Flood Maps**


Link to the map for this property at **FEMA's Map Service Center** (may not be available in all locations)

Disclaimer

Copyright 2003-2008 by Property Research Partners LLC

All data comes from government sources. No attempt has been made to validate it. No attempt has been made to validate the accuracy of the programming of this web site. Do not rely on this report to support investment decisions. The only authoritative source for the information in this report is the government agencies from which the data was acquired.

Click blue box on map to view sketch map of proposed map change



C1-1 C1-2 C1-3 C1-4 C1-5 C2-1 C2-2 C2-3 C2-4 C2-5
 NOTE: Where no dimensions for zoning district boundaries appear on the zoning maps, such dimensions are determined in Article VII, Chapter 6 (Location of District Boundaries) of the Zoning Resolution.

ZONING MAP

THE NEW YORK CITY PLANNING COMMISSION

Major Zoning Classifications:
 The number(s) and/or letter(s) that follows on R, C or M District designation indicates use, bulk and other controls as restricted in the text of the Zoning Resolution.

- R - RESIDENTIAL DISTRICT
- C - COMMERCIAL DISTRICT
- M - MANUFACTURING DISTRICT

AREA(S) REZONED
 EFFECTIVE DATE(S) OF REZONING:
 * 4-30-2008 C 080151 ZMM
 4-30-2008 C 080099(A) ZMM

- SPECIAL PURPOSE DISTRICT
 The letter(s) within the shaded district as described in the text of the Zoning Resolution.
- D - RESTRICTIVE DECLARATION
- E - CITY ENVIRONMENTAL QUALITY REVIEW DECLARATION

MAP KEY

5c	6a	6c
5d	6b	6d
8c	9a	9c

NOTE: Zoning information on this map is subject to change. For the most current information on this map, visit the Zoning section of the Department of City Planning website: www.nyc.gov/dcp/zoning or contact the Zoning Information Desk at (212) 720-5281.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

611 EAST 133 STREET
BRUCKNER BOULEVARD 164 - 166
EAST 133 STREET 611 - 617
CYPRESS PLACE NO NUMBER

BRONX 10454
Health Area : 4700
Census Tract : 15
Community Board : 201
Buildings on Lot : 1

BIN# 2003585
Tax Block : 2546
Tax Lot : 27
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Certificates of Occupancy](#)

Cross Street(s):	BRUCKNER BOULEVARD, CYPRESS PLACE
DOB Special Place Name:	A.E.-NOTIFY S.SHOR
DOB Building Remarks:	
Landmark Status:	
Local Law:	NO
SRO Restricted:	NO
UB Restricted:	NO
Little 'E' Restricted:	N/A
Legal Adult Use:	NO
Additional BINs for Building:	NONE
Special Status:	N/A
Loft Law:	NO
TA Restricted:	NO
Grandfathered Sign:	NO
City Owned:	NO

Special District: MX-1 - MIXED USE-1 (PORT MORRIS, BX)

Department of Finance Building Classification: K9-STORE BUILDING

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	
Complaints	2	0	Elevator Records
Violations-DOB	4	0	Electrical Applications
Violations-ECB	8	4	Permits In-Process / Issued
Jobs/Filings	21		Illuminated Signs Annual Permits
PRA / ARA Jobs	1		Plumbing Inspections
Total Jobs	22		Open Plumbing Jobs / Work Types
Actions	41		Facades
			Marquee Annual Permits
			Boiler Records
			DEP Boiler Information

OR Enter Action Type:

OR Select from List:

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
C of O PDF Listing for Property

Premises: 611 EAST 133 STREET BRONX

BIN: 2003585 Block: 2546 Lot: 27

Download the [Adobe Acrobat Reader](#) if you are unable to open the PDF files

To report a problem with any of these images, please use the [CO Image Problem Form](#)

- CO EX 840-1928: [X000000840.PDF](#)
- CO ALT 65-1938: [X000000065.PDF](#)
- CO NB 2339-23: [X000002339.PDF](#)
- CO ALT 151-38: [X000000151.PDF](#)
- CO ALT 275-27: [X000000275.PDF](#)
- CO ALT 146-30: [X000000146.PDF](#)
- CO 1579-43: [X000001579.PDF](#)
- CO 063011: [X000063011.PDF](#)
- CO 067013: [X000067013.PDF](#)
- JOB 200075088: NO C/Os ISSUED OR NO IMAGE AVAILABLE
- JOB 200274924: NO C/Os ISSUED OR NO IMAGE AVAILABLE
- JOB 210040784: NO C/Os ISSUED OR NO IMAGE AVAILABLE

[Back](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
DOB Violations

Page: 1

Premises: 611 EAST 133 STREET BRONX

BIN: 2003585 Block: 2546 Lot: 27

NUMBER

TYPE

FILE DATE

V* 042393LL629100170

DOB VIOLATION DISMISSED

04/23/1993

V* 051793LL629102825

DOB VIOLATION DISMISSED

05/17/1993

V* 060994LL629101381

DOB VIOLATION DISMISSED

06/09/1994

V* 060994LL629103155

DOB VIOLATION DISMISSED

06/09/1994

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

Exhibit C-3: General Public Records

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

APPENDIX D: INTERVIEW RECORDS

RECORD OF COMMUNICATION

Site Name: 611 E 133 rd 10454	Location (city): Bronx
Communication with: Darrien Jackson	
Of: Colleen Lacey	
Contact Location: on site	Phone Number: 347 739 6626
Communication Via: Phone/email in person	On: Date and time 5/9/07 1135
Recorded by: Safeera Gaffar Vic Richerson	Of: Airtex Environmental
Re: Site Information	
Summary of Communication:	
Conclusions/Required Action/Follow-up:	
1	

RECORD OF COMMUNICATION

Site Name:	Location (city):
Communication with:	
Of:	
Contact Location:	Phone Number:
Communication Via: Phone/email	On: Date and time
Recorded by: Safeera Gaffar	Of: Airtex Environmental
Re: Site Information	
Summary of Communication:	
Conclusions/Required Action/Follow-up:	
2	

611 E 133rd St

Brongx

5/9/07

Environmental Checklists

CHECKLIST SELECTION FORM AND
FIELD CHECKLISTS

1993 - 2005

Still onsite

2 Fl + Sm Basement

Natural Gas

Former Oil Tank

(Gas Station Garage

Jacob

Seletechnik

Asbestos
Unknown

(930's? Cell E 133rd St Hwy. LLC

INITIAL SELECTION FORM

Instructions:

Do not complete this form for single family residences unless a significant environmental issue is known or suspected to be present, such as lead-based paint or historic buildings. Complete this selection form for all other properties based on any available information. Following completion, identify the appropriate checklists to be completed during an on-site review. All checklists will be reviewed by the DAS Account Officer and the Environmental Coordinator to determine any appropriate follow-up activity at the property.

**If YES or UNKNOWN,
Checklist
to be
Completed**

QUESTION

Answer (circle one)

- | | | |
|--|-----------------------|----------|
| <p>1. Is there any evidence of the presence of current or former service stations, or of commercial or industrial activities that suggest that underground storage tanks may be located on the property?</p> | <p>YES NO UNKNOWN</p> | <p>A</p> |
| <p>2. Is there any evidence that aboveground storage tanks may be located on the property?</p> | <p>YES NO</p> | <p>B</p> |
| <p>3. Is there any evidence that a landfill, dump, wastepile, wastewater lagoon, or other land disposal activity is currently present on the property?</p> | <p>YES NO UNKNOWN</p> | <p>C</p> |
| <p>4. Is there any evidence that hazardous substances such as paints, solvents, acids, bases, flammables, compressed gases, poisons, or other chemical materials are currently used on the property (other than normal household use)?</p> | <p>YES NO</p> | <p>D</p> |

If YES or
UNKNOWN,
Checklist
to be
Completed

- | <u>QUESTION</u> | <u>Answer (circle one)</u> | |
|--|---|---|
| 5. Is there any evidence that radiological materials or radiological equipment such as found in research laboratories, medical equipment, or industrial operations may be used on the property? | YES <input type="radio"/> <input checked="" type="radio"/> NO | E |
| 6. Is there any evidence that past operations located on the property used hazardous substances or radiological materials that may have been released into the environment, or that the property may have been used for dumping, landfilling, or disposing of hazardous or radiological materials in the past? | YES <input type="radio"/> <input checked="" type="radio"/> NO UNKNOWN | F |
| 7. Is there any evidence that electrical equipment, such as transformers, capacitors, and light ballasts or hydraulic equipment (found in machinery and elevators) is present on the property? | YES <input type="radio"/> <input checked="" type="radio"/> NO | G |
| 8. Is there any evidence of insulation or fire retardant materials such as pipe wrap and ceiling spray within the buildings on the property? | YES <input type="radio"/> <input checked="" type="radio"/> NO UNKNOWN | H |
| 9. Is there any evidence that pesticides (including insecticides, fungicides, and rodenticides) have been manufactured or used on the property (other than normal household use)? | YES <input type="radio"/> <input checked="" type="radio"/> NO | I |

QUESTION

Answer (circle one)

If YES,
Checklist
to be
Completed

10. If any building on the property was built before 1978 —
1) could a buyer be applying for a FHA loan to purchase the building OR
2) are any tenant(s) of the building receiving Housing Assistance payments from a Public Housing Authority? YES NO UNKNOWN J
11. Are there any coastal areas, rivers, streams, springs, lakes ponds, swamps, marshes, or other bodies of water on or immediately adjacent to the property? Do not include stormwater collection ponds, swimming pools, and other similar bodies of water. YES NO K
12. Does the property contain an undeveloped area or areas greater than one acre in size that exhibit natural vegetation? Include woodlots, brush areas, fields and other overgrown areas, and areas that are subject to infrequent or irregular maintenance such as pastures and golf course roughs. YES NO L
- 13a. Is the property located within 1,000 feet of a coastal shoreline? YES NO M
- 13b. Is the property substantially undeveloped, larger than 50 acres in size, and adjacent to or contiguous with lands managed by a governmental agency primarily for wildlife, refuge, sanctuary, open space, recreational, historical, cultural, or natural resource conservation purposes? YES NO M

QUESTION

Answer (circle one)

If YES,
Checklist
to be
Completed

14a. Does this property contain archaeological resources, including fossils, or is it close to or similar to property containing such resources?

YES NO

N

14b. Is the property a designated natural landmark?

YES NO

N

14c. Does the property contain buildings or structures that are more than 50 years old?


YES NO

N

14d. If the property contains buildings or structures that are less than 50 years old, can they be considered exceptionally significant in American history, architecture, engineering or culture OR can the property be considered an historic site or part of an historic district?

YES NO

N



Signature of Preparer



Date

Any storage tanks?, if so what condition are they in?, any evidence of leaks?

- where are they located?
- what do they contain?
- how big are they?
- what are they used for?
- when were they installed?
- are they inspected/tested?
- are they registered.
- Take Photos

No Tanks

Any resevoirs for elevator hydraulic fluid? if so what condition are they in?, any evidence of leaks?

Potential Asbestos Issues in Basement

<u>Material:</u>	<u>Present</u>	<u>Damage</u>	<u>Quantity</u>	<u>Sample ID</u>
Pipe Insulation	Yes No	_____	_____	_____
Pipe Insulation	Yes No	_____	_____	_____
Pipe Insulation	Yes No	_____	_____	_____
Boiler Insulation	Yes No	_____	_____	_____
Boiler Insulation	Yes No	_____	_____	_____
Spray-on Fireproofing	Yes No	_____	_____	_____

- Take Photos

Other observations about the building.

CHECKLIST FOR TENANT SPACE

Take Photos

What is the tenant space? Apartment Commercial

If commercial...

- Name of tenant
- Type of operation
- Interviewed person at tenant space
- Any evidence of ERM (ask person at tenant space).
Expand on separate sheet if necessary.
- How long has the tenant been there?/ any knowledge of previous tenants?
- Any knowledge of potential environmental issues by manager/tenant?

What are walls made of?

What are floors made of/covered with? *Brick / Spack*

What is the ceiling made of/covered with? *Concrete*

Is there any insulation behind the ceiling on pipes etc? *Concrete*

Are there fluorescent light fixtures, if so how old? Have they ever been changed? *No*

Describe heating/hot water system. *Some about 15 yrs*

Does any potential basement insulation extend into the tenant spaces? *Natural Gas*

Any evidence of ERM? Expand if necessary. *No*

()

()

()

APPENDIX E: QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in § 312.10 of this part.

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

Victor J. Ricchezza, Staff Geologist
B.A. Geology

Date

Mike S. Zouak, President

Date

Victor Ricchezza
Staff Geologist/Project Manager

Mr. Ricchezza has seven years experience with the environmental industry including: Phase I Environmental Site Assessments (ESAs), Phase II ESAs, subsurface investigations for petroleum products and other potentially hazardous chemicals, groundwater modeling, Operations & Maintenance of soil and groundwater remediation systems, and reporting results of field testing as well as performing the role of client liaison between contractors and regulatory agencies. He is well versed in regulatory requirements, technical procedures, operational, budgetary constraints and scheduling/phasing limitations.

Education:

B.A., Geology, University of Florida, 1999

Selected Project Experience:

Multiple Projects – Served as project manager and site inspector for over 100 Phase I and Phase II ESAs over seven years of consulting experience spent conducting Site Assessments. Tasks for Phase I ESAs included site inspection, document review, database searches, reconnaissance, limited asbestos inspections, report writing, and identification of environmental concerns. Tasks for Phase II ESAs include authoring regulatory correspondence, Workplans, Health and Safety Plans (HASPs), and investigation reports, supervising and installing soil borings, groundwater grab samples, monitor well installations, groundwater elevation surveys, free product recovery, and soil and groundwater sampling.

Workmen's Circle Nursing Home - Project Manager responsible for planning and supervising all aspects of field testing to detect the lateral and vertical extent of contamination in the subsurface at a prominent facility in the Bronx. Worked with regulators and secured site spill closure at minimum cost to the client, while still meeting all legal and regulatory requirements.

The Downtown Hotel - Project Manager and field coordinator for subsurface testing required in high-profile hotel building project. Arranged and supervised all field testing on short notice, and arranged for expediency with subcontractors and regulators. Conducted testing and remedial oversight to the successful completion of the project. Worked with attorneys and regulators in the NYSDEC Spill Program and NYSDEC Brownfield Cleanup Program to move the site through the regulatory review process.

Riverton Apartments – Project manager and field coordinator for subsurface testing of soil and groundwater, removal of leaking 25,000-gallon fuel oil UST, removal and remediation of contaminated soil and groundwater, installation of monitoring wells, recovery wells, and a new double-walled, fiberglass UST. Engaged in negotiation and discussions with the NYSDEC culminating in the successful closing of multiple active spills at the site.

125 Maiden Lane – Project manager responsible for conducting and supervising all aspects of a large-scale Phase I ESA for a multi-story acquisition for the Empire State Development Corporation.

Professional Experience:

Airtek Environmental Corp., New York, NY (03/04 – present)

Director of all operations involving petroleum contamination assessments. Responsible for the supervision of petroleum assessment and remediation projects. Director of all Phase I and Phase II ESAs. Responsible for regulatory correspondence for these sites as well as coordination of mitigation and remediation by selected contractors and subcontractors, as well as Professional Engineers. Specific duties include the performance of subsurface testing in order to demarcate the extent of any contamination, act as a client liaison to the contractor and assure the adequacy of project parameters pertaining to responsibilities of the on site field technicians.


Water & Air Research, Inc., Gainesville, FL (07/00 – 01/04)

Responsible for assisting in the management of petroleum assessment projects, including client relations, liaison to regulators, staff and subcontractor supervision, and field work. Field work included installation of soil borings, monitoring wells, and test pits; storage tank removals; and excavation oversight.


Professional Training:

- NYS DOL Asbestos Inspector

STATE OF NEW YORK - DEPARTMENT OF LABOR
ASBESTOS CERTIFICATE



VICTOR J. RIDOCHEZZA
CLASS EXPIRES
D WSP (06/08)



CERT# 05-15879

DMV# 858750464

MUST BE CARRIED ON ASBESTOS PROJECTS



EYES GRN
HAIR BRO
HGT 5' 07"

IF FOUND RETURN TO:
NYS DOL - L&C UNIT
ROOM 290A BUILDING 12
STATE OFFICE CAMPUS
ALBANY NY 12240

Mike S. Zouak
President

Mr. Zouak founded Airtek in October of 1988. An 18-year industrial hygiene career has given him considerable experience in the management of a wide variety of environmental issues. Mr. Zouak has managed all aspects of large-scale environmental remediation projects from the bidding stage through implementation and project documentation.

As Director of Airtek's NYS-DOH ELAP, NIST NVLAP and AIHA accredited laboratory, Mr. Zouak has utilized his knowledge to establish strict protocols for laboratory procedures and documentation. His knowledge is invaluable in the evaluation of laboratory data and the application of that data to client's needs and requirements.

Airtek Environmental is an accredited NYS DOH and US EPA environmental training center. Mr. Zouak is a NYS DOL and US EPA approved Training Director who supervises all training activities, including over twenty asbestos, lead and OSHA compliance training courses.

Mr. Zouak oversees Airtek's Environmental Site Assessment Program. Mr. Zouak has personally conducted over 400 ESA's in the Metro-New York area over the past eighteen years. Airtek's ESA clients include lending institutions, NYC agencies, real estate developers and attorneys. In addition, Mr. Zouak initiated Airtek's ESA seminar series to help inform Airtek's client base about the serious nature of environmental liability.

Mr. Zouak manages and oversees Airtek's Subsurface Investigation and Remediation Program. Airtek's clients include real estate developers, construction management firms, general contractors, government agencies, and law firms. Airtek's subsurface work includes soil, air, and groundwater assessment, delineation, mitigation, and remediation of petroleum products, drycleaning solvents, and other environmental concerns.

Prior to founding Airtek, Mr. Zouak worked for Detail Associates, Englewood, NJ. His duties included examination and evaluation of work environments to measure magnitude of stresses of chemicals, dust, fumes on workers and public. While at Detail Associates, Mr. Zouak conducted numerous AHERA inspections, projects' monitoring for asbestos abatement and laboratory analysis. Mr. Zouak also worked for United Environmental Systems as an instructor for asbestos training courses.

Professional Experience:

Airtek Environmental Corp., New York, New York

President - Guided growth, development, and quality control of industrial hygiene consultancy and environmental laboratory. Extensive track record in successful completion of large-scale IH contracts for New York City Agencies, including asbestos and lead consulting services. Conducted and reviewed hundreds of Environmental Site Assessments (ESAs). Director of Airtek's Environmental Training Institute, certifying hundreds of students. Supervisor of all mold and Indoor Air Quality (IAQ) testing projects.

Major NYC Lending Institutions - Principal-in-Charge responsible for the inspection and reporting associated with hundreds of Phase I and Phase II Environmental Site Assessments (ESAs). Reviewed hundreds of ESA reports for multiple major lending institutions throughout New York City.

NYC Housing Authority - Principal-in-Charge - Responsible for the various asbestos and lead in paint inspections, project monitoring, project design, air monitoring and contractor compliance with regulatory requirements for asbestos and lead abatement projects for Housing Developments.

NYC Board of Education - Principal-in-Charge of AHERA Survey and Management Plan contracts. Guided \$1.5 Million protocol for intensive asbestos inspection program. Developed internal computerized reporting system to meet requirements.

NYC School Construction Authority - Principal-in-Charge responsible for the various asbestos and lead in paint inspections, project monitoring, project design, air monitoring and contractor compliance with regulatory requirements for asbestos and lead abatement projects for Housing Developments.

NYC Department of Design & Construction Schools Task Force - Principal-in-Charge of Asbestos and Lead Paint Management operations for Airtek's sub-consultant contracts with URS Grenier, Lehrer McGovern Bovis; Hill International; and TDX Construction. All CM's have sought to repeat contracts with Airtek.

NYC Human Resources Administration - Principal-in-Charge for extensive program of asbestos inspection in 172 NYC HRA Facilities, including: Day Care Centers; Customer Service Centers; and Administrative Facilities.

Consolidated Edison - Principal-in-Charge- responsible for asbestos inspections, project monitoring, project design and air monitoring for the various facilities in the city of New York.

Education

- MS Environmental Engineering
New Jersey Institute of Technology, Newark, NJ
- BS Chemical Engineering
University of Texas, Austin, Texas

Professional Training/Continuing Education

- Investigating, Sampling, Identifying and Assessing Biological and Microbiological Contamination in the Indoor Environment, MidAtlantic Environmental Hygiene Resource Center, Philadelphia, PA
- Developing Remediation Strategy and Writing Specifications for a Building Mold Remediation Project, MidAtlantic Environmental Hygiene Resource Center, Philadelphia, PA
- The Groundwater Pollution and Hydrology Course, Princeton Groundwater, Inc., San Francisco, CA
- The complete Groundwater Monitoring Field Course, The Nielson Environmental Field School, Inc., Orlando, FL
- Environmental Risk: Identification and Management, University of Finlay, Ohio
- ECRA: Environmental Clean-up Response Act, NJ Hazardous Waste Regulations
- Microscopical Identification of Asbestos, McCrone Research Institute, Chicago, Illinois
- Sampling and Evaluating Airborne Asbestos Dust- NIOSH 582, Universities Occupational Safety and Health Educational Resource Center, NJ
- Written Safety Plans, J.J. Keller & Associates, Inc., NJ

- EPA Accredited Lead Course: 24 Hour Inspector, Allstate Services Environmental, Inc., New York, NY
- EPA Accredited Lead Course: 16 Hour Risk Assessor, Allstate Services Environmental, Inc., New York, NY
- Radiation Safety and Monitoring, Measurement Technology, and Machine Maintenance of the NITON XRF Spectrum Analyzer, NITON, Clifton, NJ
- Asbestos Inspector, Management Planner, Project Designer Courses administered by the NYS Dept. of Health

South Bronx Charter School for International Cultures and the Arts
Phase I Environmental Site Assessment
611 East 133rd Street, Bronx NY 10454
Airtek Project#: 07-0436

APPENDIX F: Environmental Lien Search

**The EDR Environmental
LienSearch™ Report**

**GOLDEN LADY
BRONX COUNTY
BRONX, NY 10454**

Project Number 01923959.7

May 24, 2007



**EDR® Environmental
Data Resources Inc**



**The Standard in
Environmental Risk
Information**

440 Wheelers Farm Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

EDR Environmental LienSearch™ Report

The EDR Environmental LienSearch Report includes results from a search of available current land title records for environmental cleanup liens and other activity and use limitations, such as engineering controls and institutional controls.

A network of professional, trained researchers follows established procedures to:

- search for parcel information, legal description, and ownership based on client supplied address information;
- research indexes and title repositories;
- obtain a copy of the deed;
- search for environmental encumbering instrument(s) associated with the deed;
- provide a copy of any environmental encumbrance(s) based upon a review of key words in the instrument (title, parties involved, and description); and
- provide a copy of the deed.

Thank you for your business.

Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This report was prepared for the use of Environmental Data Resources, Inc., and NCO Financial Services, Inc. exclusively. This report is neither a guarantee of title, a commitment to insure, nor a policy of title insurance. **NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT.** Environmental Data Resources, Inc. (EDR) and NCO Financial Services, Inc. specifically disclaim the making of any such warranties, including without limitation, merchantability or fitness for a particular use or purpose. The information contained in this report is retrieved as it is recorded from the various agencies that make it available. The total liability is limited to the fee paid for this report.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental LienSearch™ Report

TARGET PROPERTY INFORMATION

ADDRESS

GOLDEN LADY
611 EAST 133RD STREET
BRONX

RESEARCH SOURCE

Sources: Bronx County

DEED INFORMATION

Type of Deed: WD QCD Other DEED

Title is vested in: 611 East 133rd St. Inc.

Title received from: MC & MC, Inc.

Deed Dated: October 6, 2004
Deed Recorded: February 24, 2005
Document: 2005000112131

LEGAL DESCRIPTION

Description: Legal attached as Exhibit "A"

Assessor's Parcel Number: Block 2546 Lot 27

ENVIRONMENTAL LIEN

Environmental Lien: Found Not Found

If yes:

1st Party:

2nd Party:

Dated:
Recorded:
Book:
Page:
Comments:

OTHER ACTIVITY AND USE LIMITATIONS (AULs)


Other AUL's: Found Not Found

EDR Environmental LienSearch™ Report

EXHIBIT A

**NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER**

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2004120301857001004E40BA

RECORDING AND ENDORSEMENT COVER PAGE

PAGE 1 OF 5

Document ID: 2004120301857001

Document Date: 10-06-2004

Preparation Date: 02-18-2005

Document Type: DEED, OTHER

Document Page Count: 4

PRESENTER:

REALTY-SKYLINE RESEARCH LLC
175 REMSEN ST
TRIAD ABST- TAL-3235B (JM)
BROOKLYN, NY 11201
718-306-1100

RETURN TO:

NOVICK, EDELSTEIN, LUBELL, REISMAN, WASSE
RMAN
733 YONKERS AVENUE
YONKERS, NY 10708

PROPERTY DATA

Borough	Block	Lot	Unit	Address
BRONX	2546	27	Entire Lot	94 BRUCKNER BOULEVARD
Property Type: RETAIL BUILDING				

CROSS REFERENCE DATA

CRFN _____ or Document ID _____ or _____ Year _____ Reel _____ Page _____ or File Number _____

PARTIES

GRANTOR:

MC & MC INC
611 EAST 133RD STREET
BRONX, NY 10461

GRANTEE:

611 EAST 133RD ST. INC
5600A BROADWAY
BRONX, NY 10463

FEEES AND TAXES

Mortgage			
Mortgage Amount:	\$	0.00	Recording Fee: \$ 57.00
Taxable Mortgage Amount:	\$	0.00	Affidavit Fee: \$ 0.00
Exemption:			NYC Real Property Transfer Tax Filing Fee: \$ 165.00
TAXES: County (Basic):	\$	0.00	NYS Real Estate Transfer Tax: \$ 2,780.00
City (Additional):	\$	0.00	
Spec (Additional):	\$	0.00	
TASF:	\$	0.00	
MIA:	\$	0.00	
NYCTA:	\$	0.00	
Additional MRT:	\$	0.00	
TOTAL:	\$	0.00	

**RECORDED OR FILED IN THE OFFICE
OF THE CITY REGISTER OF THE
CITY OF NEW YORK**

Recorded/Filed 02-24-2005 13:00
City Register File No. (CRFN):
2005000112131



G. M. Hill

City Register Official Signature

NYC HPD Preliminary Residential Property Trans

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT - THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY

THIS INDENTURE, made the 6 day of October two thousand four
BETWEEN MC & MC, INC., a New York Corporation with offices at
3233 East Tremont Avenue
Bronx, New York 10461

party of the first part, and 611 EAST 133RD ST. INC., a New York Corporation with offices at
2855 Grand Concourse
Bronx, New York 10468

party of the second part.

WITNESSETH, that the party of the first part, in consideration of TEN (\$10.00) DOLLARS and other good and valuable consideration lawful money of the United States, paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough and County of Bronx, City and State of New York being more particularly described on Schedule "A" annexed hereto.

Said premises being known as and by the street address of 164-166 Bruckner Boulevard a/k/a 611-617 East 133rd Street and ~~164-166 Bruckner Boulevard~~, Bronx, New York.

This conveyance is made with the unanimous consent of the shareholders of the party of the first part.

TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof, TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises, TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part covenants that the party of the first part has not done or suffered anything whereby the said premises have been encumbered in any way whatever, except as aforesaid.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.


The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

MC & MC INC.

BY


JOHN McCASKILL, PRESIDENT

SCHEDULE A

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough and County of Bronx, City and State of New York, bounded and described as follows:

BEGINNING at a point on the northerly side of East 133rd Street, distant 225 feet westerly from the corner formed by the intersection of the westerly side of Cypress Avenue and the northerly side of East 133rd Street;

RUNNING THENCE northerly, along the westerly side of Cypress Place and parallel with the westerly side of Cypress Avenue, 91.99 feet to the southerly side of Bruckner Boulevard (aka Southern Boulevard);

THENCE westerly, along the southerly side of Bruckner Boulevard, 164.21 feet;

THENCE southerly, parallel with the westerly side of Cypress Avenue, 25.57 feet to the northerly side of East 133rd Street;

THENCE easterly, along the northerly side of East 133rd Street, 150 feet to the point or place of BEGINNING.

Acknowledgment taken in New York State

STATE OF NEW YORK, COUNTY OF WESTCHESTER

On the 6th day of October in the year 2004, before me the undersigned personally appeared **JOHN McCASKILL**

personally known to me or proved to me on the basis of satisfactory evidence to be the individually whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his capacity, and that by his signature on the instrument, the individual or the person upon behalf of which the individual acted, executed the instrument.

PATRICIA A. FRIEDFRICH
Notary Public, State of New York
No. 4949188

Patricia A. Friedfrich
Notary

Qualified in Putnam County
Commission Expires 4/3/09

Acknowledgment by Subscribing Witness taken in New York State

State of New York, County of _____, ss:

On the _____ day of _____, in the year _____, before me, the undersigned, personally appeared

the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who being by me duly sworn, did depose and say, that he/she/they reside(s) in sworn

that he/she/they know(s) to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto.

**BARGAIN AND SALE DEED
WITH COVENANT AGAINST GRANTOR'S ACTS**

TITLE NO.: TAL 3235B

MC & MC INC.

TO

611 EAST 133RD ST. INC.

TRIAD ABSTRACT LTD.
47 Mineola Blvd.
Mineola, NY 11501
tel: (516) 747-4400

Acknowledgment taken in New York State

STATE OF NEW YORK, COUNTY OF _____, ss:

On the _____ day of _____, in the year _____, before me the undersigned personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individually(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.

Notary

Acknowledgment by Subscribing Witness taken in New York State

State of New York, County of _____, ss:

On the _____ day of _____, in the year _____, before me, the undersigned, personally appeared

the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who being by me duly did depose and say, that he/she/they reside(s) in

that he/she/they know(s) to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto.

SECTION: 10

BLOCK: 2546


LOT: 27

COUNTY OR TOWN: BRONX

RETURN BY MAIL TO:

**NOVICK, EDELSTEIN, LUBELL, REISMAN N
WASSERMAN & LEVENTHAL, P.C.**
733 YONKERS AVENUE
YONKERS, NEW YORK 10708

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER



2004120301857001004S8E3B

SUPPORTING DOCUMENT COVER PAGE

PAGE 1 OF 1

Document ID: 2004120301857001

Document Date: 10-06-2004

Preparation Date: 02-18-2005

Document Type: DEED, OTHER

ASSOCIATED TAX FORM ID: 2004120300606

SUPPORTING DOCUMENTS SUBMITTED:

RP - 5217 REAL PROPERTY TRANSFER REPORT

Page Count

1

FOR CITY USE ONLY

C1. County Code C2. Date Deed Recorded: / /
 C3. Book OR C4. Page
 C5. CRFN



REAL PROPERTY TRANSFER REPORT
 STATE OF NEW YORK
 STATE BOARD OF REAL PROPERTY SERVICES
RP - 5217NYC
 (Rev 11/2003)

PROPERTY INFORMATION

1. Property Location: 94 BRUCKNER BOULEVARD BRONX 10454
STREET NUMBER STREET NAME BOROUGH ZIP CODE

2. Buyer Name: 611 EAST 133RD ST. INC
LAST NAME / COMPANY FIRST NAME

3. Tax Billing Address:
Indicate where future Tax Bills are to be sent if other than buyer address (at bottom of form)
LAST NAME / COMPANY FIRST NAME

4. Indicate the number of Assessment Roll parcels transferred on the deed: 1 # of Parcels OR Part of a Parcel

5. Deed Property Size: FRONT FEET X DEPTH OR ACRES

6. Seller Name: MC & MC INC
LAST NAME / COMPANY FIRST NAME

- AA. Planning Board Approval - N/A for NYC
 AB. Agricultural District Notice - N/A for NYC
 Check the boxes below as they apply:
 6. Ownership Type is Condominium
 7. New Construction on Vacant Land

B. Check the box below which most accurately describes the use of the property at the time of sale:

- A One Family Residential C Residential Vacant Land E Commercial Apartment G Entertainment / Amusement Community Service I Industrial Public Service
 B 2 or 3 Family Residential D Non-Residential Vacant Land F Apartment H Community Service J Public Service

SALE INFORMATION

10. Sale Contract Date: 10 / 6 / 2004
Month Day Year

11. Date of Sale / Transfer: 10 / 6 / 2004
Month Day Year

12. Full Sale Price: 6 9 5 0 0 0
(Full Sale Price is the total amount paid for the property including personal property. This payment may be in the form of cash, other property or goods, or the assumption of mortgages or other obligations.) Please round to the nearest whole dollar amount.

13. Indicate the value of personal property included in the sale:

14. Check one or more of these conditions as applicable to transfer:
- A Sale Between Relatives or Former Relatives
 B Sale Between Related Companies or Partners in Business
 C One of the Buyers is also a Seller
 D Buyer or Seller is Government Agency or Lending Institution
 E Deed Type not Warranty or Bargain and Sale (Specify Below)
 F Sale of Fractional or Less than Fee Interest (Specify Below)
 G Significant Change in Property Between Taxable Status and Sale Dates
 H Sale of Business is Included in Sale Price
 I Other Unusual Factors Affecting Sale Price (Specify Below)
 J None

ASSESSMENT INFORMATION - Data should reflect the latest Final Assessment Roll and Tax Bill

15. Building Class: K 9 16. Total Assessed Value (of all parcels in transfer):

17. Borough, Block and Lot / Roll Identifier(s) (if more than three, attach sheet with additional identifier(s))
 BRONX 2546 27

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and I understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

BUYER SIGNATURE: _____ DATE: _____

STREET NUMBER: _____ STREET NAME (AFTER SALE): _____

CITY OR TOWN: _____ STATE: _____ ZIP CODE: _____

BUYER'S ATTORNEY

LAST NAME: _____ FIRST NAME: _____

914 | 375-0100
 AREA CODE TELEPHONE NUMBER

SELLER

SELLER SIGNATURE: _____ DATE: _____

2004120300606201

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

BUYER'S ATTORNEY

BUYER SIGNATURE		DATE		LAST NAME		FIRST NAME	
STREET NUMBER		STREET NAME (AFTER SALE)		914		375-0100	
CITY OR TOWN		STATE		ZIP CODE		TELEPHONE NUMBER	
				SELLER			
				SELLER SIGNATURE		DATE	

2004120300606201

FOR CITY USE ONLY

C1. County Code C2. Data Deed Recorded / /
 C3. Book OR C4. Page
 E3. OPEN



REAL PROPERTY TRANSFER REPORT

STATE OF NEW YORK
STATE BOARD OF REAL PROPERTY SERVICES

RP - 5217NYC

(Rev 11/2002)

PROPERTY INFORMATION

1. Property Location 164-166 BRUCKNER BOULDEVAR BRONX
STREET NUMBER STREET NAME BOROUGH ZIP CODE

2. Buyer Name 611 EAST 133RD ST. INC
LAST NAME / COMPANY FIRST NAME

LAST NAME / COMPANY FIRST NAME

3. Tax Billing Address Indicate where future Tax Bills are to be sent if other than buyer address (at bottom of form)

LAST NAME / COMPANY FIRST NAME

STREET NUMBER AND STREET NAME CITY OR TOWN STATE ZIP CODE

4. Indicate the number of Assessment Roll parcels transferred on the deed # of Parcels OR Part of a Parcel

5. Deed Property Size FRONT FEET X DEPTH OR ACRES

6. Seller Name MC & MC INC
LAST NAME / COMPANY FIRST NAME

LAST NAME / COMPANY FIRST NAME

- 4A. Planning Board Approval - N/A for NYC
 4B. Agricultural District Notice - N/A for NYC
 Check the boxes below as they apply:
 6. Ownership Type is Condominium
 7. New Construction on Vacant Land

8. Check the box below which most accurately describes the use of the property at the time of sale:

- A One Family Residential C Residential Vacant Land E Commercial G Entertainment / Amusement I Industrial
 B 2 or 3 Family Residential D Non-Residential Vacant Land F Apartment H Community Service J Public Service

SALE INFORMATION

10. Sale Contract Date 10/6/04
Month Day Year

11. Date of Sale / Transfer 10/06/04
Month Day Year

12. Full Sale Price 695,000

(Full Sale Price is the total amount paid for the property including personal property. This payment may be in the form of cash, other property or goods, or the assumption of mortgages or other obligations.) Please round to the nearest whole dollar amount.

13. Indicate the value of personal Property include in the sale

14. Check one or more of these conditions as applicable to transfer

- A Sale between Relatives or Former Relatives
 B Sale between Related Companies or Partners in Business
 C One of the buyers is also a seller
 D Buyer or Seller is Government Agency or Lending Institution
 E Deed type not Warranty or Bargain and Sale (Specify Below)
 F Sale of Fractional or Less than Fee Interest (Specify Below)
 G Significant Change in Property Between Taxable Status and Sale Date
 H Sale of Business is Included in Sale Price
 I Other Unusual Factors Affecting Sale Price (Specify Below)
 J None

ASSESSMENT INFORMATION - Data should reflect the latest Final Assessment Roll and Tax Bill

15. Building Class R9 16. Total Assessed Value (of all parcels in transfer)

17. Borough, Block and Lot / Roll Identifi(n)s (If more than three)
 2546 27

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and I understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

BUYER'S ATTORNEY

BUYER SIGNATURE 10/06/04
DATE

FRIEDERICH PATRICIA
LAST NAME FIRST NAME

5600A BROADWAY
STREET NUMBER STREET NAME (AFTER SALE)

914 375-0100
AREA CODE TELEPHONE NUMBER

SELLER

See next page for signature

[Handwritten signature]

BRONX
CITY OR TOWN

NY
STATE

10463
ZIP CODE

John Mitchell
RELEASER SIGNATURE

10/6/04
DATE

**AFFIDAVIT OF COMPLIANCE
WITH SMOKE DETECTOR REQUIREMENT
FOR ONE- AND TWO-FAMILY DWELLINGS**

State of New York)
) SS.:
County of)

The undersigned, being duly sworn, depose and say under penalty of perjury that they are the grantor and grantee of the real property or of the cooperative shares in a cooperative corporation owning real property located at

94 BRUCKNER BOULEVARD

_____ Street Address _____ Unit/Apt. _____
BRONX New York, 2516 27 (the "Premises");
Borough Block Lot

That the Premises is a one or two family dwelling, or a cooperative apartment or condominium unit in a one- or two-family dwelling, and that installed in the Premises is an approved and operational smoke detecting device in compliance with the provisions of Article 6 of Subchapter 17 of Chapter 1 of Title 27 of the Administrative Code of the City of New York concerning smoke detecting devices;

That they make affidavit in compliance with New York City Administrative Code Section 11-2105 (g). (The signatures of at least one grantor and one grantee are required, and must be notarized).

_____ Name of Grantor (Type or Print)	_____ Name of Grantee (Type or Print)
_____ Signature of Grantor	_____ Signature of Grantee
Sworn to before me this _____ date of _____ 19 _____	Sworn to before me this _____ date of _____ 19 _____

These statements are made with the knowledge that a willfully false representation is unlawful and is punishable as a crime of perjury under Article 210 of the Penal Law.

NEW YORK CITY REAL PROPERTY TRANSFER TAX RETURNS FILED ON OR AFTER FEBRUARY 6th, 1990, WITH RESPECT TO THE CONVEYANCE OF A ONE- OR TWO-FAMILY DWELLING, OR A COOPERATIVE APARTMENT OR A CONDOMINIUM UNIT IN A ONE- OR TWO-FAMILY DWELLING, WILL NOT BE ACCEPTED FOR FILING UNLESS ACCOMPANIED BY THIS AFFIDAVIT.