



CONSTRUCTION CODES UPDATE PAGES

Attached are Construction Codes Update Pages. These pages reflect local laws enacted and ministerial administrative corrections made after July 1, 2008. Please note that the source of a particular update, the local law number, and year is indicated on each page. Please visit our [webpage](#) to ensure that your codes are complete and up to date as the City Council may periodically pass Local Laws that affect the Construction Codes.

Instructions:

Please place each page, according to its page number found on the bottom right hand corner, into your Construction Codes books. The pages contain letters after the page number and should be placed in alphabetical order following the number, i.e. 5, 6, 6a, 6b, etc.

- Place Title Pages in the front of your Code books for easy reference.
- Note: If you have all four Construction Codes (Building, Mechanical, Plumbing & Fuel Gas), please make sure to insert updates made to the Administrative Provisions into each of the four Code books.

CONSTRUCTION CODES UPDATE PAGES

UPDATE # 46

Source: Local Law 54 of 2010, effective January 1, 2011.

This update includes the following pages:

PLUMBING CODE	
<u>Section</u>	<u>Page Number</u>
202	10b
428.1	30a
428.1.1	30a
Chapter 13	86a

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.
Source: Local Law 54 of 2010, effective January 1, 2011.

PLUMBING CODE

Insert between pages 10a and 11 of your bound volume.

Add the following new definition to section 202 in alphabetical order, to read as follows:

ONCE-THROUGH COOLING. The use of potable water to cool a condenser, other building equipment or process equipment, excluding equipment used to cool steam condensate, and then discharging the water into the sewage system.

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

Source: Local Law 54 of 2010, effective January 1, 2011.

PLUMBING CODE

Insert between pages 30 and 31 of your bound volume.

Add new section 428, to read as follows:

SECTION PC 428 **PROHIBITED WATER USES**

428.1 Prohibited potable water uses. Potable water shall not be permitted for those uses prohibited by this section.

428.1.1 Potable water prohibited for once through cooling. Potable water shall not be used for once-through cooling. Equipment such as ice making machines, walk-in coolers, refrigerated walk-in boxes, or air conditioning equipment shall be provided with air cooled condensers or recirculating condenser water systems, or supplied with non-potable water as permitted by Appendix C of this code.

Exceptions:

1. Once-through water-cooled ice making machines producing less than 500 pounds (227 kg) of ice per day at Standard Rating Conditions as specified in ARI 810.
2. Once-through water-cooled ice making machines, walk-in coolers, refrigerated walk-in boxes or air conditioning equipment supplied with potable water through piping systems installed prior to January 1, 2011 and any subsequent replacements that use the same or lesser amount of potable water.

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.
Source: Local Law 54 of 2010, effective January 1, 2011.

PLUMBING CODE

Insert between pages 86 and 87 of your bound volume.

Amend Chapter 13 to add new reference standard “ARI 810” following “ARI 1010-94”,
to read as follows:

ARI

Air-Conditioning & Refrigeration Institute
4100 North Fairfax Drive, Suite 200
Arlington, VA 22203

Standard Reference Number	Title	Referenced in code section number
1010—94	Self-Contained, Mechanically-Refrigerated Drinking-Water Coolers	410.1
<u>810-06</u>	<u>Standard Rating Conditions.....</u>	<u>428.1.1</u>