



CONSTRUCTION CODES UPDATE PAGES

Attached are Construction Codes Update Pages. These pages reflect local laws enacted and ministerial administrative corrections made after July 1, 2008. Please note that the source of a particular update, the local law number, and year is indicated on each page. Please visit our [webpage](#) to ensure that your codes are complete and up to date as the City Council may periodically pass Local Laws that affect the Construction Codes.

Instructions:

Please place each page, according to its page number found on the bottom right hand corner, into your Construction Codes books. The pages contain letters after the page number and should be placed in alphabetical order following the number, i.e. 5, 6, 6a, 6b, etc.

- Place Title Pages in the front of your Code books for easy reference.
- Note: If you have all four Construction Codes (Building, Mechanical, Plumbing & Fuel Gas), please make sure to insert updates made to the Administrative Provisions into each of the four Code books.

CONSTRUCTION CODES UPDATE PAGES

UPDATE # 56

Source: Local Law 70 of 2011, effective July 1, 2012.

This update includes the following pages:

BUILDING CODE	
<u>Section</u>	<u>Page Number</u>
3302.1	598b
3303.15	602g

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

Source: Local Law 70 of 2011, effective July 1, 2012.

BUILDING CODE

Insert between pages 598a and 599 of your bound volume.

Add the following new definition to section 3302.1, in alphabetical order, to read as follows:

CONCRETE WASHOUT WATER. Wastewater from the rinsing of equipment used to mix, transport, convey, and/or place concrete. Such equipment shall include, but not be limited to, concrete buckets, concrete hose lines and pumps, boots, shovels, finishing tools, wheelbarrows, motorized concrete carts, concrete pour funnels and the chute of concrete mixer trucks.

Exceptions:

1. This term shall not include wastewater from the rinsing of equipment involved in the preparation, conveyance or application of concrete that is
 - 1.1 mixed on site if the total quantity of concrete is less than or equal to one and one half cubic yards (1.146m³), or
 - 1.2 from bagged ready mix if the total quantity of concrete is less than or equal to sixty (60) eighty pound (36.287 kg) bags, or eighty (80) sixty pound (27.215 kg) bags, or the equivalent.
2. This term shall not include wastewater from the rinsing of the wheels, undercarriage or chassis of concrete mixer trucks.

CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

Source: Local Law 70 of 2011, effective July 1, 2012.

BUILDING CODE

Insert between pages 602f and 603 of your bound volume.

Add the following new section 3303.15 to read as follows:

3303.15 Concrete washout water. Concrete washout water shall not be allowed to enter any sewer, catch basin, drain, or body of water or to leach into the ground.

3303.15.1 Collection and containment. All concrete washout water shall be collected and contained in or on the concrete mixer truck or in pre-manufactured watertight containers specifically designed and fabricated for the purpose of collecting and containing concrete washout water on-site. Such containers shall be of sufficient quantity and size to accommodate all rinsing operations required on-site so as not to delay the timely return of concrete ready mix trucks to the concrete plant and shall be protected from breach or overflow at all times.

3303.15.2 Location. Rinsing operations and concrete washout water containers shall not be located less than 30 feet from any sewer, drain, catch basin, or body of water without the written approval of the commissioner.

3303.15.3 Disposal. Collected concrete washout water shall be transported off site for treatment and disposal or contained on site until completely evaporated. Any hardened concrete remaining after evaporation shall be disposed of, reused or recycled.