



## **2014 CONSTRUCTION CODES UPDATE PAGES**

Attached are 2014 Construction Codes Update Pages. These pages reflect local laws enacted and ministerial administrative corrections made after December 31, 2014. Please note that the source of a particular update, the local law number, and year is indicated on each page. Please visit our [webpage](#) to ensure that your codes are complete and up to date as the City Council may periodically pass Local Laws that affect the Construction Codes.

### **Instructions:**

Please place each page, according to its page number found on the bottom right hand corner, into your Construction Codes books.

The pages contain letters after the page number and should be placed in alphabetical order following the number, i.e. 5, 6, 6a, 6b, etc.

Place Title Pages in the front of your Code books for easy reference.

# CONSTRUCTION CODES UPDATE PAGES

## UPDATE # 68

**Source: Local Law 79 of 2017, effective January 1, 2019.**

*\*Local Law 13 of 2018 (effective 4/30/2018) renumbered the provisions of Local Law 79 of 2017.*

This update includes the following pages:

<b>NYC BUILDING CODE</b>	
<b><u>Section</u></b>	<b><u>Page Number</u></b>
*3319.12	712e
*3319.12.1	712e
*3319.12.2	712e

## CONSTRUCTION CODES UPDATE PAGE

Matter in plain text is unchanged. Matter underlined is new. Matter ~~stricken through~~ is deleted.

**Source:** Local Law 79 of 2017, effective January 1, 2019.

*\*Local Law 13 of 2018 (effective 4/30/2018) renumbered the provisions of Local Law 79 of 2017.*

## BUILDING CODE

*Insert between pages 712d and 713 of your bound volume of the NYC Building Code.*

Add new sections 3319.12, 3319.12.1 and 3319.12.2 to read as follows:

**3319.12 Crane event recorder.** No certificate of operation for a crane shall be issued or renewed on or after January 1, 2019, unless the crane is equipped with an event recorder that is supplied by the crane manufacturer, or by a dealer, distributor, vendor, or third-party authorized crane manufacturer.

**Exception:** Cranes where the manufacturer certifies to the department that an event recorder cannot be installed on the crane due to a technological limitation.

**3319.12.1 Data to be recorded.** At a minimum, the event recorder shall collect the following data:

1. Crane configuration;
2. Any overload condition;
3. Status of limit switches; and
4. Operator overrides.

**3319.12.2 Data to be made available to commissioner upon request.** Data collected by the event recorder shall be made available to the commissioner upon request.