

The Existing Building Code Monthly Newsletter provides practical guidance for Design Professionals, Property Owners, and Building Managers.

UNDERSTANDING THE COMPLIANCE PATHWAYS

When NYC's new Existing Building Code (EBC) becomes effective, one of the most important early project decisions will be choosing a compliance pathway. For alterations, additions, and changes of occupancy, the EBC generally uses the Work Area Method. For buildings constructed prior to July 1, 2008, Chapter 13 also provides a Building Safety Performance and Scoring Method as an alternative for compliance with specified fire- and life-safety requirements.

Each is legally valid when applicable, but can lead project teams down very different roads in terms of documentation, design flexibility, review strategy, and cost control. The smartest choice will be the one that best fits the intended scope of work and the project's risk profile. The new framework is meant to give teams clearer options for bringing older buildings into compliance while matching the Code path to the nature of the work. *What Changed and Why It Matters.*

Why the Choice Matters

Under the new framework, the compliance pathway is not just an administrative label. It affects what gets triggered, how much of the building must be evaluated, what analyses may be required, and how much flexibility a design team has in preserving existing conditions. In practical terms, the selected pathway can reshape a project's scope before construction documents are even complete. The Work Area Method is a major conceptual shift because it ties obligations to the defined work area and alteration level, replacing the older cost-based alteration triggers that practitioners are accustomed to in the pre-EBC regulatory regime.

The Work Area Method: Scope-Sensitive and Often the Most Practical

The Work Area Method is likely to become the most discussed pathway in day-to-day practice because it aligns Code obligations with the portion of the building actually affected by the work. Work area, described in EBC Chapter 6, is a key

IN THIS ISSUE...

- Case Study: Vertical Enlargements
- FAQs You Can Use
- Code Spotlight
- Codewords

EBC RESOURCES TRAINING & FAQs



*Learn more about the
NYC Existing Building Code.
For questions, contact us at
ebc@buildings.nyc.gov*

concept in the Code and largely replaces alteration cost criteria as the primary driver for determining alteration levels and related compliance obligations. That is a major change for project planning: instead of focusing first on how expensive the work is, teams must focus on how much of the building is being touched and how the work is defined on the drawings and in the filing narrative.

This method is often appropriate for interior renovations, tenant fit-outs, phased reconfigurations, and projects where careful definition of the work area can help keep compliance targeted to the affected portions of the building. It is especially useful when the design team wants a framework that recognizes the difference between a limited intervention and a broad reworking of the premises. But that advantage cuts both ways. If the work area is defined too broadly – or grows during design development or construction – additional requirements can cascade in. The Work Area Method rewards disciplined scoping and close coordination between design, filing, and construction teams.

This pathway can be the best way to avoid unnecessary building-wide upgrades, but only if the project boundaries are carefully managed. A poorly controlled work area can trigger more extensive life-safety, accessibility, structural, or systems-related obligations than the owner originally expected. The lesson is simple: define the scope early, defend it consistently, and revisit it whenever the project changes.

The Performance Method: Flexible but Analysis-Heavy

The Performance Method is generally the more flexible – and often the less familiar option. Rather than relying solely on area-based triggers, it evaluates the building or proposed work against performance criteria intended to achieve an acceptable level of safety and Code compliance. That flexibility can make it highly valuable in complex existing buildings, challenging renovations, and projects where more prescriptive compliance might be disproportionately disruptive. The Code framework identifies the Performance Method, alongside the Work Area method, as a second pathway governing the fire – and life-safety compliance of alterations, additions, and changes of occupancy for buildings constructed prior to July 1, 2008. However, other EBC provisions outside the Performance Method, governing structural, accessibility, plumbing, mechanical, electrical, fuel-gas, energy, and related requirements continue to apply.

The smartest use of the Performance Method is usually in buildings with unusual conditions, historic constraints, inherited non-conformities, or design goals that do not fit neatly into a more rigid, chapter-based approach. It may also be attractive when a project team believes a tailored analysis can preserve more of the existing building while still demonstrating comparable safety. The obvious trade off is that flexibility requires more analysis, stronger documentation, and often more coordination. In many projects, that means more up-front, intensive Code strategy work. But that can still be worthwhile if they might be offset by fewer disruptions to existing usable space. In short, the Performance Method can require more time to prove, while taking less time to build.

When Each Is Allowed & What *Allowed* Really Means

At a high level, the EBC structure treats these two pathways as alternative methods for compliance with alterations, additions, and changes of occupancy. Both may be viable options, where the building is eligible to use Chapter 13. That being said, *allowed* does not mean *equally advantageous*. A method may be legally available yet strategically poor for a particular project. The real question is not only whether a pathway is permitted, but whether it fits the building, the filing strategy, and the

owner's tolerance for design revision, review complexity, and future scope expansion.

Cost and Scope: The Real-World Impact

Owners might focus on the cost implications of the compliance paths. The greater priority might be the method that gives the project the best control over scope. The Work Area Method can be effective when the scope is tight and well managed. The Performance Method can demand more effort at the design and approval stage, yet it may unlock efficiencies by preserving existing conditions that would otherwise need major reconstruction. In practice, the best pathway might be the one that minimizes downstream surprises.

A Practical Rule of Thumb

For many ordinary renovation projects, the Work Area Method may become the default strategic choice because it is calibrated to the actual area and level of intervention. For technically difficult or highly constrained eligible buildings, the Performance Method may offer a better chance to balance safety, feasibility, and preservation. The right decision should be made early – ideally before the filing narrative, feasibility assumptions, and consultant scopes are locked in – because changing pathways later can affect schedule, fees, and design coordination.

Limited Alterations: A Separate Path for Small-Scale Work

While most discussion of the new Existing Building Code focuses on the Work Area Method and the Performance Method, building owners should not overlook a third option for certain narrowly defined scopes of work:

Limited Alterations (LAAs). Governed by chapter 5, these provisions create a streamlined compliance framework for specific categories of work that are limited in scope.

Rather than requiring project teams to analyze alteration levels or pursue a performance based safety evaluation, Chapter 5 identifies particular types of work that may proceed under their own dedicated requirements. Examples include certain plumbing, fuel gas, sprinkler, standpipe, oil-burning equipment, elevator, window replacement, re-roofing, and home improvement projects. Many of these categories contain explicit limits on quantities, locations, or dollar value, while others are restricted to replacement, repair, or relocation of existing systems.

For owners, the practical significance is that a qualifying project may avoid the complexity of the larger compliance pathways altogether. However, Chapter 5 is not a blanket exemption from Code requirements. Inspections, testing, firestopping, energy code provisions, and other applicable regulations may still apply. The key question is whether the scope fits within the specific limits established for the applicable limited alteration category. If it does not, the project must generally proceed under one of the broader compliance pathways.

Bottom Line

The new NYC Existing Building Code gives project teams more than one route to compliance, but it also places greater responsibility on owners, architects, engineers, and filing professionals to choose that route wisely. With the code's effective date set for July 17, 2027, now is the right time for practitioners to get comfortable with these distinctions and begin treating pathway selection as a core early-stage project decision, not a late filing formality.

REGISTER FOR TRAINING!

TRAINING Limited Alterations

FOCUS EBC Chapter 5 review, including expanded limited alteration work and the new LAA Category 3 for plumbing, oil-burning appliances, sprinklers, and standpipes.

DATE Thursday, August 27, 2026 - 11:30 am to 1 pm

FAQs YOU CAN USE . . .

Q: Will Buildings Bulletin 2016-012 be discussed in detail on how alterations are determined as to when they shall meet new Building Code requirements?

A: Buildings Bulletin 2016-012 addresses when alterations must meet new Building Code requirements, particularly regarding the 110% surface floor area threshold. Once the EBC becomes effective, the provisions of BB 2016-012 would be superseded by the EBC framework. However, the concept is outlined in EBC Section 302.7, made applicable where there is an increase in the floor surface area of an existing building by more than 110 percent.


Q: Can a building constructed under the 2008 Code be renovated under the Existing Building Code?

A: Yes, beginning July 17, 2027, alterations to a building constructed under the 2008 Code will be governed by the EBC. Per EBC Section 101.2 and the definition of *existing building* in AC 28-101.5, the EBC applies to the repair, alteration, change of occupancy, addition, and relocation of existing buildings regardless of when they were constructed. The EBC provisions will apply to alterations of any existing building, whether built under the 1938 Code, 1968 Code, 2008 Code, 2014 Code, or current NYC Building Code.

Q: How does EBC 101.4.1 work with core and shell buildings; is the fit-out of a tenant space considered an alteration?

A: Core and shell construction is subject to EBC Section 101.4.1; buildings or portions that have not been previously occupied or used would be subject to the provisions of law in existence on the date of permit issuance. So the tenant fit-out of a building constructed under the 2022 Code is subject to the 2022 Codes.

CASE STUDY: VERTICAL ENLARGEMENT



Scope of Work

Two-story vertical addition for office use to an existing 3-story + cellar Prior Code department store.

The project also includes an Alteration Level 1 in the existing building to accommodate the addition.

Relevant Building Information

- Unsprinklered, non-high-rise building
- Building classified as Occupancy Group M (Mercantile)
- Originally constructed in 1925

EBC General Provisions

- 305.5 Special provisions for Prior Code buildings
- 305.5.11 Stairs
- 308.4 Emergency power requirements for fire pumps

Potentially EBC Level 1 Requirements

- 801.3 New and replacement materials, assemblies and details
- 803.10 Architectural condition assessment
- 804.2 Automatic sprinkler systems
- 806.3 Alterations affecting an area of primary function

EBC Addition Requirements

- 1101.1 Scope
- 1101.2 Creation or extension of noncompliance
- 1102.1 Height limitations
- 1102.2 Area limitations
- 1104.2 Sprinkler system
- 1104.3 Standpipe systems
- 1104.4 Fire alarm requirements for additions made to buildings
- 1105.1 General (Means of Egress)
- 1105.2 Addition does not increase the existing floor surface area > 110%
- 1106.2 Additions requiring accessibility throughout a building
- 1108 Other building systems

Key Takeaways

For a vertical office addition to a Prior Code mercantile building, EBC Chapter 11 treats the new floors as an addition while related work in the existing structure is classified separately. In this case, a two-story Group B office addition above a 1925 Group M building remains below the EBC's 110% floor-surface-area threshold. While the addition itself must comply with current Code requirements for accessibility, energy conservation, fire protection, means of egress, and building systems, the Code does not require the entire building to be upgraded. Existing vertical exits may be extended to serve the addition, maintaining their width, provided the occupant load of the addition does not exceed the capacity of the existing stairs. The addition is subject to the applicable Chapter 11 requirements for sprinkler, standpipe and fire alarm systems, as well as any emergency-power requirements triggered by the proposed fire-protection systems. Particular attention is required for coordination between existing and new systems.



CODE SPOTLIGHT

302.8 Applicability of previous Codes. Codes in effect prior to November 7, 2022, shall not apply to work on an existing building filed after the effective date of this Code. *EXCEPTIONS:*

- 1. Existing conditions.** The provisions of Codes in effect prior to November 7, 2022, remain applicable to the extent they establish the lawful existing conditions of a building, such provisions remain enforceable by the Department. Any alteration to change such existing conditions shall be in accordance with a lawful permit issued by the Department to alter the building in accordance with this Code.
- 2. Retroactive provisions of the 1968 Code.** Retroactive provisions of the 1968 Code remain applicable to existing Prior Code Buildings and enforceable by the Department.

For applications filed before July 17, 2027, building owners of Prior Code buildings can choose to comply with Prior Codes. This section indicates that Prior Codes will no longer be applicable to the alterations, repairs, change of occupancy, additions, and relocation of Prior Code buildings that are filed after the effective date of this Code. However, Exception 1 maintains the applicability of Prior Codes to establish the lawful existing conditions of a building.

Relevant provisions of other Codes: AC 28-101.4.3

CODEWORDS

Using the clues, unscramble the following words to answer the bonus question:

What is the primary objective when performing work under the NYC Existing Building Code?

--	--	--	--	--	--	--	--	--	--

JUMBLED WORD

CLUES

1. **DRRIOOCPE**: if built before the 2008 Code

--	--	--	--	--	--	--	--	--	--

2. **TIRLA AOTEN**: work performed on an existing building

--	--	--	--	--	--	--	--	--	--

3. **SIRTEP**: required before most construction work

--	--	--	--	--	--	--

4. **YCCNAPUCO**: what the use of a building is called

--	--	--	--	--	--	--	--	--	--

5. **NODITDAI**: expansion of an existing building

--	--	--	--	--	--	--	--	--

6. **OENTLARCOI**: same old building, new site

--	--	--	--	--	--	--	--	--	--

7. **OINMSSOCREMI**: head of the Department of Buildings

--	--	--	--	--	--	--	--	--	--

8. **RSEPIAR**: some types may be exempt from permits

--	--	--	--	--	--	--

9. **RELNPKRSI**: a fire-protection system

--	--	--	--	--	--	--	--	--

10. **DRSATSDN**: referenced Codes and regulations

--	--	--	--	--	--	--	--	--

11. **CIESYITLISCBA**: requirement that allows access for all

--	--	--	--	--	--	--	--	--	--

12. **FDIERISTCRTSI**: areas governed by BC Appendix D

--	--	--	--	--	--	--	--	--	--