

# Energy Code Version Table (2014 NYCECC to present) What Applies When

FILING DATE	1/1/15 – 10/2/16	10/3/16 - 5/11/20	5/12/20 - Present					
CODE	2014 NYCECC	2016 NYCECC	2020 NYCECC					
ASHRAE STD 90.1	2010	2013	2016					
PROFESSIONAL STATEMENT	Required on PW1 and drawings	Required on PW1 and drawings	Required on PW1 and drawings					
ENERGY ANALYSIS	Required for NBs, and A1s, A2s, A3s: REScheck, COMcheck, EN1, Tabular Analysis	Required for NBs, and A1s, A2s, A3s: REScheck, Energy Rating Index (ERI), COMcheck, EN1, Tabular Analysis	Required for NBs, and A1s, A2s, A3s, DOB NOW applications: REScheck, Energy Rating Index (ERI), COMcheck, EN1, Tabular Analysis					
SUPPORTING DOCUMENTATION	1) Match energy analysis - show building sections, lighting layouts and legend, mechanical efficiencies; 2) Mandatory requirements; 3) Progress inspections. 4) Commissioning	1) Match energy analysis - show building sections, lighting layouts and legend, mechanical efficiencies; 2) Mandatory requirements; 3) Progress inspections. 4) Commissioning	1) Match or beat values in energy analysis - show building sections, lighting layouts and legend, mechanical efficiencies, narratives, air leakage testing, thermal envelope diagrams, etc. 2) Mandatory requirements; 3) Progress inspections. 4) Commissioning					
COMPLIANCE RULE	1 RCNY §5000-01	1 RCNY §5000-01	1 RCNY §5000-01					
LIGHTING COMPLIANCE RULE		1 RCNY §5000-02	1 RCNY §5000-02					
PROGRESS INSPECTOR RULE	1 RCNY §101-07	1 RCNY §101-07	1 RCNY §101-07					
PW1*	12/14	12/14	8/19					
PW1-C*	01/11	September 2016	September 2016					
TR1*	12/2014	August 2016	August 2016					
TR8*	12/14	September 2016	May 2020					
EN1*	12/14	November 2016	May 2020					
EN2*	01/11	01/11	01/11					
COMMISSIONING	12/14 TR8, sec 4	September 2016 TR8, sec 4	May 2020 TR8, sec 4					

\*May not apply to DOB NOW filed jobs.