



## **A-TRU Permit Minimum Filing Requirements**

### **1) Work Place Safety Plan (include minimum information listed below)**

- a) Floor plan(s), signed by a NYS registered architect or professional engineer, indicating the locations of all abatement containment areas in the building, including personnel and waste decontamination enclosure system(s)
- b) Floor plan(s) produced by a registered architect or professional engineer indicating the locations of any obstructed required exits and all temporary mitigating measures to be undertaken for the duration of the Asbestos Work Permit. These plans may also include alternate egress path(s) that will satisfy the applicable code requirements for maximum travel distances, the minimum number of exits per floor, exit widths and required signage and lighting. This is in keeping with 2014 Building Code, which provides an exception for the maintenance of regular means of egress where there are approved temporary means of egress systems and facilities
- c) Tenant Protection Plan as required by Chapter 1 of Title 28 of the Administrative Code where the abatement work is in a building where any dwelling unit is occupied for the duration of the Asbestos Work Permit;
- d) Description in narrative form of any measures taken to mitigate compromised fire protection systems or means of egress. Such descriptions may include surveillance by a fire watch and an emergency action plan which sets forth the circumstances and procedures for the sheltering in place, in-building relocation, partial evacuation or evacuation of building occupants in response to an emergency.