EXHIBIT 8

OVERSIZED OVERWEIGHT VEHICLES IN NYS



New York State Department of Motor Vehicles



INFORMATION CONCERNING OVERSIZED/OVERWEIGHT VEHICLES

FOR INFORMATION CONCERNING PERMITS COVERING THE MOVEMENT OF OVERSIZE OR OVERWEIGHT VEHICLES, SEE PAGE 2.

References after each item below are to subdivisions of Section 385 of the New York State Vehicle and Traffic Law.

MAXIMUM DIMENSIONS OF VEHICLES AND COMBINATIONS

Width:

96 inches (in.) (for school buses, 98 in.) except that on qualifying highways and access highways, the limit is 102 in.

Outside New York City, the limit is 102 in. If the traffic lane is ten or more feet wide. (Subd. 1)

Height: 13 1/2 feet (ft.) (Subd. 2)

Length: Single vehicles (except articulated buses and semi-trailers) - 40 ft. inclusive of load and bumpers (Subd. 3)

Buses carrying more than 7 passengers - 45ft.; Articulated buses - 62 ft. (Subd. 3)

Semi-trailer or trailer - 48 ft. In double bottom operation, each semi-trailer or trailer may not exceed 28 1/2 ft. (Subd. 3) House Coach - 45 ft. If 40-45 ft. long, the wall-to-wall turning diameter may not exceed 90 ft. 3 in. (Subd. 3)

Outside New York City, and in New York City on I-95 between I-287 and I-295, on I-295 between I-95 and I-495, and on I-495 between I-95 and the Nassau-Queens county line, a semi-trailer over 48 feet (but not over 53 feet) may be operated on a qualifying highway or specially-designed access highway if the distance between the kingpin of the semi-trailer and the centerline of the rear axle or rear axle group does not exceed forty-three feet, and if the semi-trailer is equipped with a rear-end protective device of substantial construction consisting of a continuous lateral beam extending to within four inches of the lateral extremities of the semitrailer and located not more than twenty-two inches from the surface (as measured with the vehicle empty and on a level surface).

Combination of Vehicles - 65 ft. inclusive of load and bumpers, except that on qualifying highways and access highways there is no limit on length. However, the single vehicle length limits apply to the vehicles in a combination of vehicles on qualifying highways and access highways. Also, certain vehicles are exempt from the 65 foot rule, (Subd. 4)

Tractor semi-trailer-semi-trailer combinations are permitted on all highways outside of New York City and Long Island, as well as on all access highways within the area by use of a B-train assembly. This is a rigid frame extension attached to the rear frame of the first semi-trailer in a tractor semi-trailer-semi-trailer combination of vehicles, which allows for a fifth wheel connection point for the second semi-trailer. The length of the B-train assembly is to be excluded from the total calculation of the semi-trailer.

PERMISSIBLE GROSS WEIGHT OF VEHICLES AND COMBINATIONS WITH PNEUMATIC TIRES

Axles less than 46 inches apart are considered as one axle. Each axle is considered to have two wheels. If there is more than one tire on a wheel, add their widths together. (Subd. 5)

Weight per inch width of tire on one wheel - 800 pounds (lbs.) (Subd. 6)

Weight on any one wheel - 11,200 lbs. (Subd. 7)

Weight on any one axle - 22,400 lbs. (Subd. 8)

Weight on any two consecutive axles less than 8 ft. apart - 36,000 lbs. (Subd. 9)

Weight on any two consecutive axles 8 ft. to 10 ft. apart - apply the federal bridge formula and shall not exceed 40,000 lbs.

For vehicles weighing under 71,000 lbs., the maximum weight may be the maximum allowed by either the New York or the federal bridge formula.

For vehicles weighing 71,000 lbs. or more, the maximum weight may not exceed the amount set by the federal bridge formula not to exceed 80,000 lbs.

New York State bridge formula - weight on all axles of a vehicle, or on a combination having three or more axles - 34,000 lbs. plus 1,000 lbs. per foot and major fraction between first and last axles, center to center. Maximum - 80,000 lbs. (Subd. 10) NOTE: In New York City, the maximum weight is 73,280 lbs.

Federal bridge formula: W = 500 ((LN/N-1) + 12N + 36)

where: W equals the overall gross weight on any group of two or more consecutive axles to the nearest five hundred pounds; L equals distance in feet from the center of the foremost axle to the center of the rearmost axle of any group of two or more consecutive axles; and N equals the number of axles in any group under consideration, except that two consecutive sets of tandem axles may carry a gross load of thirty-four thousand pounds each, providing the overall distance between the first and last axles of such consecutive sets of tandem axles is thirty-six feet or more.

Solid tires may not carry more than 80 percent of the weight allowed for pneumatic tires, (Subd. 11) Metal tires may not carry more than 40 percent of the weight allowed for pneumatic tires. (Subd. 12)

• FOR INFORMATION ABOUT PERMITS ISSUED BY THE <u>NEW YORK STATE DEPARTMENT OF</u> TRANSPORTATION (NYSDOT):

Visit the Transportation Federation web site at <u>www.nypermits.org</u>, or Call the NYSDOT Central Permit Office at (518) 457-1155.

01

- ► E-mail permits@dot.state.ny.us for questions regarding Divisible Load or Special Hauling Permits, or call the NYSDOT Central Permit Office at (518) 485-2999 or 1-888-783-1685.
- ▶ Contact one of the NYSDOT Regional Offices:

NOTE: Region 1 and Region 11 do not handle inquiries regarding oversized/overweight vehicles.

REGION 1

328 State Street Schenectady, New York 12305 Phone: (518) 388-0380 Fax: (518) 388-0379

REGION 4

1530 Jefferson Road Rochester, New York 14623-3161 Phone: (585) 272-3470 Fax: (585) 272-3474

REGION 7

317 Washington Street Watertown, New York 13601-3784 Phone: (315) 785-2325 Fax: (315) 785-2438

REGION 10

Veterans Memorial Highway Hauppauge, New York 11788-5518 Phone: (631) 952-6028

Fax: (631) 952-6029

REGION 2

207 Genesee Street Utica, New York 13501-2869 Phone: (315) 793-2356 Fax: (315) 793-2522

REGION 5

125 Main Street Buffalo, New York 14203-3088 Phone: (716) 847-3286 Fax: (716) 847-3815

REGION 8

4 Burnett Boulevard Poughkeepsie, New York 12603-2594 Phone: (845) 575-6038 Fax: (845) 575-6126

REGION 11

47-40 21st Street Long Island City, New York 11101-5401 Phone: (718) 482-4526

Fax: (718) 482-4525

REGION 3

333 East Washington Street Syracuse, New York 13202-1466 Phone: (315) 428-4388 Fax: (315) 428-4311

REGION 6

107 Broadway Hornell, New York 14843 Phone: (607) 324-8514 Fax: (607) 324-2663

REGION 9

44 Hawley Street Binghamton, New York 13901-3200 Phone: (607) 721-8082 Fax: (607) 721-8070

• FOR INFORMATION ABOUT PERMITS ISSUED BY THE <u>NEW YORK CITY DEPARTMENT OF TRANSPORTATION</u> (NYCDOT):

- ▶ Visit the NYCDOT web site at www.nyc.gov/html/dot/html/permits/commperm.html or Call the NYCDOT at (212) 341-3726 or 3864 or 3991
- FOR INFORMATION ABOUT COMMERCIAL TRUCKING ON THE NEW YORK STATE THRUWAY:
 - ▶ Visit the New York State Thruway Authority web site at <u>www.thruway.state.ny.us/commercial/index.html</u>
- FOR INFORMATION ABOUT TANDEM TRAILER PERMITS ON THE NEW YORK STATE THRUWAY:
 - ► E-mail Dorothy berg@thruway.state.nv.us or call (518) 436-3150
- FOR INFORMATION ABOUT SPECIAL HAULING PERMITS FOR THE NEW YORK STATE THRUWAY:
 - ► Call (518) 436-2793
- FOR INFORMATION ABOUT SPECIAL HAULING PERMITS FOR THE NEW YORK STATE BRIDGE AUTHORITY:
 - ► Call (845) 691-7245 or E-mail webmaster@NYBA.net