

OST-2017 FFMP Release Summary Decision Day: 8/17/2025

General Release Mass Balance					
	Combined Pepacton, Cannonsville, and Neversink (PCN) Storage:	224,923	MG		
	+ PCN Inflow Forecast Accumulated to Jun 1:	382,959	MG		
	 Expected PCN Diverson Accumulated to Jun 1: 	139,063	MG		
	-Jun 1 Storage Target:	267,460	MG		
	= Available Release Quantity Accumulated to Jun 1:	201,359	MG		

Available Release Quantity Evenly Distributed to June 1				
	Available Release Quantity Accumulated to Jun 1:	201,359	MG	
/ Number of Days to Distribute Release Quantity:			days	
	Current PCN Release Target:	699	mgd	
	Current PCN Release Target:	1,082	cfs	

Current Storage Zone for Schedule Selection				
	Usable Storage +			
	Usable Storage	Snow Storage	Zone	
PCN	84.1%	*	L2	
Pepacton	86.7%	*	L2	
Cannonsville	78.7%	*	L2	
Neversink	88.2%	*	L2	

^{*}Not applicable (snow storage is included in the forecast)

Use Release Target and Storage Zone to Select Release Schedule

Storage Zone, Summer (cfs) PCN Pepacton Cannonsville Neversink L2 L2 L2 L2 Table-4a 100 190 75 365 Table-4b 80 110 245 435 Table-4c 300 90 505 115 Table-4d 360 95 580 125 Table-4e 135 415 100 650 Table-4f 140 460 110 710 Table-4g 150 500 115 765

Selected Schedule: Table(s) 4g

Comments:



OST-2017 FFMP Discharge Mitigation Decision Day: 8/17/2025


Discharge Mitigation Mass Balance		
Current PCN Usable Storage:	224,923	MG
+ Current PCN Snow Storage:	*	MG
+ PCN Inflow Forecast Accumulated 7 Days:	583	MG
- OST-FFMP Minimum Releases Accumulated 7 Days:	3,461	MG
- Expected PCN Diversion Accumulated 7 Days:	4,350	MG
- PCN Conditional Storage Objective:	247,545	MG
= Estimated 7 Day PCN Excess over CSSO:	**	MG

*Not applicable (snow storage is included in the forecast)

^ -			_	_		
Co	m	m	Δ	n	тc	•
u			c		LJ	



OST-2017 FFMP Summary Page Decision Day: 8/17/2025



General Releases + Discharge Mitigation Releases (cfs)				
	General Release	Discharge Mitigation Release	Total	
Pepacton	150	0	150	
Cannonsville	500	0	500	
Neversink	115	0	115	
Total	765	0	765	

General Releases are at Table(s) 4g

Comments:

Cumulative Total Discharge Mitigation Releases since 6/1/2025				
	Cumulative Releases			
	(MG)			
Pepacton	0			
Cannonsville	300			
Neversink	0			
Total	300			



OST-2017 FFMP Summary Page Decision Day: 8/17/2025

