



NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2005

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene
<http://www.nyc.gov/html/doh/html/dires/hivepi.shtml>

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, males	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, females	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, males	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, females	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, males	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, females	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users, males	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users, females	Table 1.10.7	Southwest Queens
Table 1.6.4	Heterosexuals, males	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexuals, females	Table 1.10.9	Southeast Queens
	By UHF Neighborhood: Bronx	Table 1.10.10	Rockaway
Table 1.7.1	Kingsbridge – Riverdale		By UHF Neighborhood: Staten Island
Table 1.7.2	Northeast Bronx	Table 1.11.1	Port Richmond
Table 1.7.3	Fordham – Bronx Park	Table 1.11.2	Stapleton – St. George
		Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN 2005, NEW YORK CITY

Table 2.1	Overall and by sex, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

Please refer to <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml#abbrev> for glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2010. Updated December 31, 2010. Accessed [access date] at <http://www.nyc.gov/html/doh/html/ah/hivtables.shtml>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	4,315	100.0	3,275	75.9	1,040	24.1	4,179	100.0	99,344	100.0	2,544	100.0
SEX												
Male	3,159	73.2	2,391	73.0	768	73.8	2,867	68.6	69,290	69.7	1,764	69.3
Female	1,156	26.8	884	27.0	272	26.2	1,312	31.4	30,054	30.3	780	30.7
RACE/ETHNICITY												
Black	2,202	51.0	1,647	50.3	555	53.4	2,112	50.5	44,399	44.7	1,299	51.1
Hispanic	1,265	29.3	934	28.5	331	31.8	1,363	32.6	32,793	33.0	836	32.9
White	716	16.6	592	18.1	124	11.9	622	14.9	20,173	20.3	393	15.4
Asian/Pacific Islander	111	2.6	85	2.6	26	2.5	61	1.5	1,310	1.3	15	0.6
Native American	13	0.3	12	0.4	1	0.1	16	0.4	194	0.2	0	0.0
Multiracial	8	0.2	5	0.2	3	0.3	5	0.1	38	0.0	1	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	437	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	23	0.5	21	0.6	2	0.2	10	0.2	977	1.0	2	0.1
13-19	165	3.8	149	4.5	16	1.5	72	1.7	1,523	1.5	12	0.5
20-29	975	22.6	854	26.1	121	11.6	444	10.6	6,458	6.5	57	2.2
30-39	1,311	30.4	1,016	31.0	295	28.4	1,158	27.7	21,652	21.8	338	13.3
40-49	1,142	26.5	802	24.5	340	32.7	1,521	36.4	39,192	39.5	948	37.3
50-59	515	11.9	328	10.0	187	18.0	743	17.8	22,505	22.7	857	33.7
60+	184	4.3	105	3.2	79	7.6	231	5.5	7,037	7.1	330	13.0
BOROUGH OF RESIDENCE												
Bronx	953	22.1	686	20.9	267	25.7	1,046	25.0	21,620	21.8	597	23.5
Brooklyn	1,158	26.8	858	26.2	300	28.8	1,088	26.0	24,606	24.8	720	28.3
Manhattan	1,202	27.9	933	28.5	269	25.9	1,161	27.8	30,053	30.3	690	27.1
Queens	675	15.6	523	16.0	152	14.6	571	13.7	13,728	13.8	309	12.1
Staten Island	70	1.6	54	1.6	16	1.5	70	1.7	1,785	1.8	53	2.1
Outside NYC	250	5.8	214	6.5	36	3.5	236	5.6	7,248	7.3	172	6.8
Unknown	7	0.2	7	0.2	0	0.0	7	0.2	304	0.3	3	0.1
TRANSMISSION RISK												
Men who have sex with men	1,664	38.6	1,336	40.8	328	31.5	1,210	29.0	29,905	30.1	392	15.4
Injection drug use history	359	8.3	283	8.6	76	7.3	712	17.0	22,960	23.1	1,093	43.0
Heterosexual	945	21.9	710	21.7	235	22.6	880	21.1	18,076	18.2	375	14.7
Perinatal	23	0.5	21	0.6	2	0.2	53	1.3	2,470	2.5	17	0.7
Other	0	0.0	0	0.0	0	0.0	6	0.1	294	0.3	7	0.3
Unknown	1,324	30.7	925	28.2	399	38.4	1,318	31.5	25,639	25.8	660	25.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	39,760	40.0	333	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	59,584	60.0	2,211	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.2.1. Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,159	100.0	2,391	75.7	768	24.3	2,867	100.0	69,290	100.0	1,764	100.0
RACE/ETHNICITY												
Black	1,425	45.1	1,044	43.7	381	49.6	1,297	45.2	27,138	39.2	837	47.4
Hispanic	969	30.7	721	30.2	248	32.3	964	33.6	22,856	33.0	602	34.1
White	653	20.7	540	22.6	113	14.7	547	19.1	17,764	25.6	311	17.6
Asian/Pacific Islander	96	3.0	72	3.0	24	3.1	47	1.6	1,034	1.5	14	0.8
Native American	13	0.4	12	0.5	1	0.1	11	0.4	136	0.2	0	0.0
Multiracial	3	0.1	2	0.1	1	0.1	1	0.0	26	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	336	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	9	0.3	9	0.4	0	0.0	1	0.0	448	0.6	0	0.0
13-19	122	3.9	110	4.6	12	1.6	47	1.6	793	1.1	7	0.4
20-29	743	23.5	645	27.0	98	12.8	318	11.1	4,182	6.0	37	2.1
30-39	993	31.4	768	32.1	225	29.3	789	27.5	14,557	21.0	212	12.0
40-49	827	26.2	569	23.8	258	33.6	1,045	36.4	27,342	39.5	627	35.5
50-59	346	11.0	221	9.2	125	16.3	509	17.8	16,633	24.0	634	35.9
60+	119	3.8	69	2.9	50	6.5	158	5.5	5,335	7.7	247	14.0
BOROUGH OF RESIDENCE												
Bronx	622	19.7	447	18.7	175	22.8	647	22.6	12,922	18.6	386	21.9
Brooklyn	784	24.8	568	23.8	216	28.1	693	24.2	15,336	22.1	453	25.7
Manhattan	974	30.8	762	31.9	212	27.6	876	30.6	24,140	34.8	525	29.8
Queens	518	16.4	397	16.6	121	15.8	414	14.4	9,583	13.8	215	12.2
Staten Island	50	1.6	39	1.6	11	1.4	45	1.6	1,114	1.6	35	2.0
Outside NYC	206	6.5	173	7.2	33	4.3	185	6.5	5,965	8.6	147	8.3
Unknown	5	0.2	5	0.2	0	0.0	7	0.2	230	0.3	3	0.2
TRANSMISSION RISK												
Men who have sex with men	1,664	52.7	1,336	55.9	328	42.7	1,210	42.2	29,905	43.2	392	22.2
Injection drug use history	257	8.1	197	8.2	60	7.8	493	17.2	16,213	23.4	804	45.6
Heterosexual	263	8.3	184	7.7	79	10.3	267	9.3	5,121	7.4	119	6.7
Perinatal	9	0.3	9	0.4	0	0.0	26	0.9	1,202	1.7	8	0.5
Other	0	0.0	0	0.0	0	0.0	3	0.1	152	0.2	4	0.2
Unknown	966	30.6	665	27.8	301	39.2	868	30.3	16,697	24.1	437	24.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27,038	39.0	231	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	42,252	61.0	1,533	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.2.2. Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,156	100.0	884	76.5	272	23.5	1,312	100.0	30,054	100.0	780	100.0
RACE/ETHNICITY												
Black	777	67.2	603	68.2	174	64.0	815	62.1	17,261	57.4	462	59.2
Hispanic	296	25.6	213	24.1	83	30.5	399	30.4	9,937	33.1	234	30.0
White	63	5.4	52	5.9	11	4.0	75	5.7	2,409	8.0	82	10.5
Asian/Pacific Islander	15	1.3	13	1.5	2	0.7	14	1.1	276	0.9	1	0.1
Native American	0	0.0	0	0.0	0	0.0	5	0.4	58	0.2	0	0.0
Multiracial	5	0.4	3	0.3	2	0.7	4	0.3	12	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	101	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	14	1.2	12	1.4	2	0.7	9	0.7	529	1.8	2	0.3
13-19	43	3.7	39	4.4	4	1.5	25	1.9	730	2.4	5	0.6
20-29	232	20.1	209	23.6	23	8.5	126	9.6	2,276	7.6	20	2.6
30-39	318	27.5	248	28.1	70	25.7	369	28.1	7,095	23.6	126	16.2
40-49	315	27.2	233	26.4	82	30.1	476	36.3	11,850	39.4	321	41.2
50-59	169	14.6	107	12.1	62	22.8	234	17.8	5,872	19.5	223	28.6
60+	65	5.6	36	4.1	29	10.7	73	5.6	1,702	5.7	83	10.6
BOROUGH OF RESIDENCE												
Bronx	331	28.6	239	27.0	92	33.8	399	30.4	8,698	28.9	211	27.1
Brooklyn	374	32.4	290	32.8	84	30.9	395	30.1	9,270	30.8	267	34.2
Manhattan	228	19.7	171	19.3	57	21.0	285	21.7	5,913	19.7	165	21.2
Queens	157	13.6	126	14.3	31	11.4	157	12.0	4,145	13.8	94	12.1
Staten Island	20	1.7	15	1.7	5	1.8	25	1.9	671	2.2	18	2.3
Outside NYC	44	3.8	41	4.6	3	1.1	51	3.9	1,283	4.3	25	3.2
Unknown	2	0.2	2	0.2	0	0.0	0	0.0	74	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history	102	8.8	86	9.7	16	5.9	219	16.7	6,747	22.4	289	37.1
Heterosexual	682	59.0	526	59.5	156	57.4	613	46.7	12,955	43.1	256	32.8
Perinatal	14	1.2	12	1.4	2	0.7	27	2.1	1,268	4.2	9	1.2
Other	0	0.0	0	0.0	0	0.0	3	0.2	142	0.5	3	0.4
Unknown	358	31.0	260	29.4	98	36.0	450	34.3	8,942	29.8	223	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,722	42.3	102	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,332	57.7	678	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.1. Black Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,425	100.0	1,044	73.3	381	26.7	1,297	100.0	27,138	100.0	837	100.0
AGE GROUP (YEARS)												
0-12	4	0.3	4	0.4	0	0.0	1	0.1	274	1.0	0	0.0
13-19	70	4.9	63	6.0	7	1.8	27	2.1	445	1.6	5	0.6
20-29	329	23.1	285	27.3	44	11.5	146	11.3	1,848	6.8	18	2.2
30-39	388	27.2	285	27.3	103	27.0	320	24.7	5,170	19.1	99	11.8
40-49	391	27.4	257	24.6	134	35.2	464	35.8	10,196	37.6	272	32.5
50-59	177	12.4	115	11.0	62	16.3	251	19.4	6,972	25.7	317	37.9
60+	66	4.6	35	3.4	31	8.1	88	6.8	2,233	8.2	126	15.1
BOROUGH OF RESIDENCE												
Bronx	301	21.1	218	20.9	83	21.8	289	22.3	5,319	19.6	170	20.3
Brooklyn	504	35.4	359	34.4	145	38.1	430	33.2	8,877	32.7	261	31.2
Manhattan	335	23.5	246	23.6	89	23.4	320	24.7	7,257	26.7	224	26.8
Queens	197	13.8	151	14.5	46	12.1	159	12.3	3,428	12.6	100	11.9
Staten Island	20	1.4	13	1.2	7	1.8	20	1.5	378	1.4	15	1.8
Outside NYC	64	4.5	53	5.1	11	2.9	75	5.8	1,796	6.6	65	7.8
Unknown	4	0.3	4	0.4	0	0.0	4	0.3	83	0.3	2	0.2
TRANSMISSION RISK												
Men who have sex with men	578	40.6	457	43.8	121	31.8	422	32.5	8,426	31.0	149	17.8
Injection drug use history	117	8.2	84	8.0	33	8.7	197	15.2	6,703	24.7	352	42.1
Heterosexual	139	9.8	99	9.5	40	10.5	145	11.2	2,766	10.2	64	7.6
Perinatal	4	0.3	4	0.4	0	0.0	14	1.1	677	2.5	5	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.1	49	0.2	1	0.1
Unknown	587	41.2	400	38.3	187	49.1	518	39.9	8,517	31.4	266	31.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,118	37.3	101	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,020	62.7	736	87.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.2. Black Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	777	100.0	603	77.6	174	22.4	815	100.0	17,261	100.0	462	100.0
AGE GROUP (YEARS)												
0-12	9	1.2	7	1.2	2	1.1	6	0.7	317	1.8	0	0.0
13-19	32	4.1	29	4.8	3	1.7	17	2.1	428	2.5	4	0.9
20-29	166	21.4	150	24.9	16	9.2	81	9.9	1,427	8.3	14	3.0
30-39	226	29.1	176	29.2	50	28.7	227	27.9	4,158	24.1	77	16.7
40-49	202	26.0	152	25.2	50	28.7	301	36.9	6,689	38.8	194	42.0
50-59	98	12.6	68	11.3	30	17.2	137	16.8	3,311	19.2	126	27.3
60+	44	5.7	21	3.5	23	13.2	46	5.6	931	5.4	47	10.2
BOROUGH OF RESIDENCE												
Bronx	195	25.1	145	24.0	50	28.7	218	26.7	4,278	24.8	103	22.3
Brooklyn	299	38.5	232	38.5	67	38.5	290	35.6	6,345	36.8	179	38.7
Manhattan	143	18.4	105	17.4	38	21.8	176	21.6	3,279	19.0	97	21.0
Queens	95	12.2	82	13.6	13	7.5	94	11.5	2,414	14.0	59	12.8
Staten Island	13	1.7	10	1.7	3	1.7	10	1.2	309	1.8	8	1.7
Outside NYC	31	4.0	28	4.6	3	1.7	27	3.3	596	3.5	16	3.5
Unknown	1	0.1	1	0.2	0	0.0	0	0.0	40	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history	45	5.8	35	5.8	10	5.7	112	13.7	3,315	19.2	149	32.3
Heterosexual	465	59.8	364	60.4	101	58.0	381	46.7	7,476	43.3	155	33.5
Perinatal	9	1.2	7	1.2	2	1.1	16	2.0	731	4.2	6	1.3
Other	0	0.0	0	0.0	0	0.0	1	0.1	76	0.4	3	0.6
Unknown	258	33.2	197	32.7	61	35.1	305	37.4	5,663	32.8	149	32.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,503	43.5	57	12.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,758	56.5	405	87.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.3. Hispanic Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	969	100.0	721	74.4	248	25.6	964	100.0	22,856	100.0	602	100.0
AGE GROUP (YEARS)												
0-12	4	0.4	4	0.6	0	0.0	0	0.0	146	0.6	0	0.0
13-19	43	4.4	39	5.4	4	1.6	18	1.9	295	1.3	2	0.3
20-29	243	25.1	202	28.0	41	16.5	130	13.5	1,493	6.5	18	3.0
30-39	330	34.1	251	34.8	79	31.9	282	29.3	5,349	23.4	79	13.1
40-49	229	23.6	152	21.1	77	31.0	342	35.5	9,085	39.7	234	38.9
50-59	92	9.5	58	8.0	34	13.7	148	15.4	4,927	21.6	199	33.1
60+	28	2.9	15	2.1	13	5.2	44	4.6	1,561	6.8	70	11.6
BOROUGH OF RESIDENCE												
Bronx	293	30.2	209	29.0	84	33.9	327	33.9	6,825	29.9	199	33.1
Brooklyn	151	15.6	102	14.1	49	19.8	173	17.9	4,040	17.7	128	21.3
Manhattan	260	26.8	202	28.0	58	23.4	250	25.9	6,499	28.4	165	27.4
Queens	203	20.9	157	21.8	46	18.5	171	17.7	3,834	16.8	66	11.0
Staten Island	10	1.0	7	1.0	3	1.2	12	1.2	285	1.2	7	1.2
Outside NYC	52	5.4	44	6.1	8	3.2	29	3.0	1,329	5.8	37	6.1
Unknown	0	0.0	0	0.0	0	0.0	2	0.2	44	0.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men	511	52.7	388	53.8	123	49.6	389	40.4	8,192	35.8	90	15.0
Injection drug use history	102	10.5	87	12.1	15	6.0	225	23.3	7,356	32.2	346	57.5
Heterosexual	85	8.8	57	7.9	28	11.3	98	10.2	1,755	7.7	45	7.5
Perinatal	4	0.4	4	0.6	0	0.0	10	1.0	437	1.9	3	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	37	0.2	3	0.5
Unknown	267	27.6	185	25.7	82	33.1	242	25.1	5,079	22.2	115	19.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,171	35.7	73	12.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,685	64.3	529	87.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.4. Hispanic Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	296	100.0	213	72.0	83	28.0	399	100.0	9,937	100.0	234	100.0
AGE GROUP (YEARS)												
0-12	5	1.7	5	2.3	0	0.0	3	0.8	186	1.9	2	0.9
13-19	9	3.0	8	3.8	1	1.2	6	1.5	245	2.5	1	0.4
20-29	45	15.2	39	18.3	6	7.2	37	9.3	681	6.9	5	2.1
30-39	70	23.6	55	25.8	15	18.1	114	28.6	2,298	23.1	42	17.9
40-49	92	31.1	63	29.6	29	34.9	142	35.6	3,998	40.2	100	42.7
50-59	58	19.6	30	14.1	28	33.7	76	19.0	1,942	19.5	62	26.5
60+	17	5.7	13	6.1	4	4.8	21	5.3	587	5.9	22	9.4
BOROUGH OF RESIDENCE												
Bronx	128	43.2	87	40.8	41	49.4	174	43.6	4,071	41.0	91	38.9
Brooklyn	51	17.2	40	18.8	11	13.3	80	20.1	2,253	22.7	67	28.6
Manhattan	64	21.6	48	22.5	16	19.3	81	20.3	1,958	19.7	48	20.5
Queens	42	14.2	28	13.1	14	16.9	45	11.3	1,103	11.1	17	7.3
Staten Island	3	1.0	2	0.9	1	1.2	6	1.5	166	1.7	5	2.1
Outside NYC	7	2.4	7	3.3	0	0.0	13	3.3	368	3.7	6	2.6
Unknown	1	0.3	1	0.5	0	0.0	0	0.0	18	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history	39	13.2	36	16.9	3	3.6	90	22.6	2,639	26.6	98	41.9
Heterosexual	173	58.4	128	60.1	45	54.2	178	44.6	4,317	43.4	76	32.5
Perinatal	5	1.7	5	2.3	0	0.0	8	2.0	457	4.6	3	1.3
Other	0	0.0	0	0.0	0	0.0	1	0.3	34	0.3	0	0.0
Unknown	79	26.7	44	20.7	35	42.2	122	30.6	2,490	25.1	57	24.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,955	39.8	33	14.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,982	60.2	201	85.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.5. White Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	653	100.0	540	82.7	113	17.3	547	100.0	17,764	100.0	311	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
13-19	6	0.9	6	1.1	0	0.0	1	0.2	44	0.2	0	0.0
20-29	149	22.8	141	26.1	8	7.1	35	6.4	730	4.1	1	0.3
30-39	231	35.4	197	36.5	34	30.1	164	30.0	3,607	20.3	31	10.0
40-49	178	27.3	137	25.4	41	36.3	220	40.2	7,459	42.0	116	37.3
50-59	66	10.1	41	7.6	25	22.1	103	18.8	4,458	25.1	112	36.0
60+	23	3.5	18	3.3	5	4.4	24	4.4	1,447	8.1	51	16.4
BOROUGH OF RESIDENCE												
Bronx	19	2.9	14	2.6	5	4.4	23	4.2	657	3.7	16	5.1
Brooklyn	110	16.8	92	17.0	18	15.9	81	14.8	2,168	12.2	59	19.0
Manhattan	337	51.6	282	52.2	55	48.7	283	51.7	9,720	54.7	134	43.1
Queens	81	12.4	60	11.1	21	18.6	68	12.4	1,948	11.0	44	14.1
Staten Island	18	2.8	17	3.1	1	0.9	13	2.4	431	2.4	13	4.2
Outside NYC	87	13.3	74	13.7	13	11.5	78	14.3	2,751	15.5	44	14.1
Unknown	1	0.2	1	0.2	0	0.0	1	0.2	89	0.5	1	0.3
TRANSMISSION RISK												
Men who have sex with men	510	78.1	441	81.7	69	61.1	368	67.3	12,627	71.1	148	47.6
Injection drug use history	32	4.9	22	4.1	10	8.8	66	12.1	2,063	11.6	103	33.1
Heterosexual	27	4.1	20	3.7	7	6.2	17	3.1	470	2.6	7	2.3
Perinatal	0	0.0	0	0.0	0	0.0	2	0.4	67	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	2	0.4	60	0.3	0	0.0
Unknown	84	12.9	57	10.6	27	23.9	92	16.8	2,477	13.9	53	17.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,922	44.6	54	17.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,842	55.4	257	82.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.6. White Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	52	82.5	11	17.5	75	100.0	2,409	100.0	82	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	22	0.9	0	0.0
13-19	1	1.6	1	1.9	0	0.0	2	2.7	46	1.9	0	0.0
20-29	16	25.4	15	28.8	1	9.1	4	5.3	125	5.2	0	0.0
30-39	16	25.4	12	23.1	4	36.4	20	26.7	503	20.9	7	8.5
40-49	17	27.0	15	28.8	2	18.2	27	36.0	1,013	42.1	27	32.9
50-59	10	15.9	8	15.4	2	18.2	16	21.3	542	22.5	34	41.5
60+	3	4.8	1	1.9	2	18.2	6	8.0	158	6.6	14	17.1
BOROUGH OF RESIDENCE												
Bronx	6	9.5	5	9.6	1	9.1	6	8.0	292	12.1	17	20.7
Brooklyn	16	25.4	13	25.0	3	27.3	15	20.0	550	22.8	21	25.6
Manhattan	19	30.2	16	30.8	3	27.3	23	30.7	579	24.0	20	24.4
Queens	12	19.0	9	17.3	3	27.3	12	16.0	493	20.5	16	19.5
Staten Island	4	6.3	3	5.8	1	9.1	8	10.7	187	7.8	5	6.1
Outside NYC	6	9.5	6	11.5	0	0.0	11	14.7	297	12.3	3	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.5	0	0.0
TRANSMISSION RISK												
Injection drug use history	18	28.6	15	28.8	3	27.3	16	21.3	763	31.7	42	51.2
Heterosexual	30	47.6	24	46.2	6	54.5	36	48.0	973	40.4	23	28.0
Perinatal	0	0.0	0	0.0	0	0.0	3	4.0	69	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	1.3	25	1.0	0	0.0
Unknown	15	23.8	13	25.0	2	18.2	19	25.3	579	24.0	17	20.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	996	41.3	12	14.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,413	58.7	70	85.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.7. Asian/Pacific Islander Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	96	100.0	72	75.0	24	25.0	47	100.0	1,034	100.0	14	100.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.4	0	0.0	0	0.0	4	0.4	0	0.0
13-19	3	3.1	2	2.8	1	4.2	1	2.1	5	0.5	0	0.0
20-29	20	20.8	15	20.8	5	20.8	6	12.8	83	8.0	0	0.0
30-39	39	40.6	31	43.1	8	33.3	18	38.3	319	30.9	3	21.4
40-49	22	22.9	16	22.2	6	25.0	15	31.9	389	37.6	5	35.7
50-59	9	9.4	6	8.3	3	12.5	5	10.6	175	16.9	6	42.9
60+	2	2.1	1	1.4	1	4.2	2	4.3	59	5.7	0	0.0
BOROUGH OF RESIDENCE												
Bronx	6	6.3	4	5.6	2	8.3	4	8.5	65	6.3	1	7.1
Brooklyn	14	14.6	11	15.3	3	12.5	8	17.0	187	18.1	5	35.7
Manhattan	37	38.5	27	37.5	10	41.7	20	42.6	388	37.5	2	14.3
Queens	34	35.4	26	36.1	8	33.3	13	27.7	312	30.2	5	35.7
Staten Island	2	2.1	2	2.8	0	0.0	0	0.0	8	0.8	0	0.0
Outside NYC	3	3.1	2	2.8	1	4.2	2	4.3	73	7.1	1	7.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men	58	60.4	45	62.5	13	54.2	26	55.3	544	52.6	5	35.7
Injection drug use history	4	4.2	2	2.8	2	8.3	4	8.5	56	5.4	3	21.4
Heterosexual	11	11.5	7	9.7	4	16.7	5	10.6	108	10.4	3	21.4
Perinatal	1	1.0	1	1.4	0	0.0	0	0.0	10	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	22	22.9	17	23.6	5	20.8	12	25.5	312	30.2	3	21.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	447	43.2	3	21.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	587	56.8	11	78.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.8. Asian/Pacific Islander Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	13	86.7	2	13.3	14	100.0	276	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	1.8	0	0.0
20-29	3	20.0	3	23.1	0	0.0	2	14.3	33	12.0	1	100.0
30-39	5	33.3	5	38.5	0	0.0	7	50.0	90	32.6	0	0.0
40-49	4	26.7	3	23.1	1	50.0	2	14.3	83	30.1	0	0.0
50-59	2	13.3	1	7.7	1	50.0	3	21.4	45	16.3	0	0.0
60+	1	6.7	1	7.7	0	0.0	0	0.0	18	6.5	0	0.0
BOROUGH OF RESIDENCE												
Bronx	2	13.3	2	15.4	0	0.0	0	0.0	27	9.8	0	0.0
Brooklyn	6	40.0	4	30.8	2	100.0	6	42.9	73	26.4	0	0.0
Manhattan	2	13.3	2	15.4	0	0.0	4	28.6	56	20.3	0	0.0
Queens	5	33.3	5	38.5	0	0.0	3	21.4	100	36.2	1	100.0
Staten Island	0	0.0	0	0.0	0	0.0	1	7.1	2	0.7	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	17	6.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	14	5.1	0	0.0
Heterosexual	9	60.0	7	53.8	2	100.0	12	85.7	140	50.7	1	100.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.4	0	0.0
Unknown	6	40.0	6	46.2	0	0.0	2	14.3	113	40.9	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	143	51.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	133	48.2	1	100.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.9. Native American Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	12	92.3	1	7.7	11	100.0	136	100.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	7.7	1	8.3	0	0.0	1	9.1	10	7.4	0	0.0
30-39	4	30.8	3	25.0	1	100.0	5	45.5	41	30.1	0	0.0
40-49	7	53.8	7	58.3	0	0.0	4	36.4	52	38.2	0	0.0
50-59	1	7.7	1	8.3	0	0.0	1	9.1	25	18.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	8	5.9	0	0.0
BOROUGH OF RESIDENCE												
Bronx	3	23.1	2	16.7	1	100.0	4	36.4	23	16.9	0	0.0
Brooklyn	3	23.1	3	25.0	0	0.0	0	0.0	25	18.4	0	0.0
Manhattan	4	30.8	4	33.3	0	0.0	3	27.3	49	36.0	0	0.0
Queens	3	23.1	3	25.0	0	0.0	3	27.3	26	19.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	9.1	8	5.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men	4	30.8	3	25.0	1	100.0	4	36.4	57	41.9	0	0.0
Injection drug use history	2	15.4	2	16.7	0	0.0	1	9.1	21	15.4	0	0.0
Heterosexual	1	7.7	1	8.3	0	0.0	2	18.2	14	10.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
Unknown	6	46.2	6	50.0	0	0.0	4	36.4	42	30.9	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	66	48.5	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70	51.5	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.3.10. Native American Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	0	0.0	0	0.0	0	0.0	5	100.0	58	100.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	20.0	4	6.9	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	17	29.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	4	80.0	21	36.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	11	19.0	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	3	5.2	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	20.0	11	19.0	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	3	60.0	23	39.7	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	8	13.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	1	20.0	11	19.0	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	6.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	9	15.5	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	3	60.0	28	48.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	2	40.0	18	31.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29	50.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29	50.0	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.4.1. 0-12 Years, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	9	100.0	0	0.0	1	100.0	448	100.0	0	0.0
RACE/ETHNICITY												
Black	4	44.4	4	44.4	0	0.0	1	100.0	274	61.2	0	0.0
Hispanic	4	44.4	4	44.4	0	0.0	0	0.0	146	32.6	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	19	4.2	0	0.0
Asian/Pacific Islander	1	11.1	1	11.1	0	0.0	0	0.0	4	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	11.1	1	11.1	0	0.0	0	0.0	147	32.8	0	0.0
Brooklyn	2	22.2	2	22.2	0	0.0	0	0.0	153	34.2	0	0.0
Manhattan	2	22.2	2	22.2	0	0.0	0	0.0	67	15.0	0	0.0
Queens	1	11.1	1	11.1	0	0.0	0	0.0	44	9.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.3	0	0.0
Outside NYC	3	33.3	3	33.3	0	0.0	1	100.0	26	5.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	9	100.0	9	100.0	0	0.0	1	100.0	448	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	362	80.8	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	86	19.2	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.4.2. 0-12 Years, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	12	85.7	2	14.3	9	100.0	529	100.0	2	100.0
RACE/ETHNICITY												
Black	9	64.3	7	58.3	2	100.0	6	66.7	317	59.9	0	0.0
Hispanic	5	35.7	5	41.7	0	0.0	3	33.3	186	35.2	2	100.0
White	0	0.0	0	0.0	0	0.0	0	0.0	22	4.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
BOROUGH OF RESIDENCE												
Bronx	6	42.9	5	41.7	1	50.0	1	11.1	182	34.4	1	50.0
Brooklyn	3	21.4	3	25.0	0	0.0	1	11.1	152	28.7	0	0.0
Manhattan	3	21.4	2	16.7	1	50.0	4	44.4	91	17.2	0	0.0
Queens	2	14.3	2	16.7	0	0.0	2	22.2	60	11.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	15	2.8	1	50.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	11.1	25	4.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
TRANSMISSION RISK												
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	14	100.0	12	100.0	2	100.0	9	100.0	529	100.0	2	100.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	416	78.6	1	50.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	113	21.4	1	50.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.4.3. 13+ Years, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3,150	100.0	2,382	75.6	768	24.4	2,866	100.0	68,842	100.0	1,764	100.0
RACE/ETHNICITY												
Black	1,421	45.1	1,040	43.7	381	49.6	1,296	45.2	26,864	39.0	837	47.4
Hispanic	965	30.6	717	30.1	248	32.3	964	33.6	22,710	33.0	602	34.1
White	653	20.7	540	22.7	113	14.7	547	19.1	17,745	25.8	311	17.6
Asian/Pacific Islander	95	3.0	71	3.0	24	3.1	47	1.6	1,030	1.5	14	0.8
Native American	13	0.4	12	0.5	1	0.1	11	0.4	136	0.2	0	0.0
Multiracial	3	0.1	2	0.1	1	0.1	1	0.0	24	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	333	0.5	0	0.0
AGE GROUP (YEARS)												
13-19	122	3.9	110	4.6	12	1.6	47	1.6	793	1.2	7	0.4
20-29	743	23.6	645	27.1	98	12.8	318	11.1	4,182	6.1	37	2.1
30-39	993	31.5	768	32.2	225	29.3	789	27.5	14,557	21.1	212	12.0
40-49	827	26.3	569	23.9	258	33.6	1,045	36.5	27,342	39.7	627	35.5
50-59	346	11.0	221	9.3	125	16.3	509	17.8	16,633	24.2	634	35.9
60+	119	3.8	69	2.9	50	6.5	158	5.5	5,335	7.7	247	14.0
BOROUGH OF RESIDENCE												
Bronx	621	19.7	446	18.7	175	22.8	647	22.6	12,775	18.6	386	21.9
Brooklyn	782	24.8	566	23.8	216	28.1	693	24.2	15,183	22.1	453	25.7
Manhattan	972	30.9	760	31.9	212	27.6	876	30.6	24,073	35.0	525	29.8
Queens	517	16.4	396	16.6	121	15.8	414	14.4	9,539	13.9	215	12.2
Staten Island	50	1.6	39	1.6	11	1.4	45	1.6	1,108	1.6	35	2.0
Outside NYC	203	6.4	170	7.1	33	4.3	184	6.4	5,939	8.6	147	8.3
Unknown	5	0.2	5	0.2	0	0.0	7	0.2	225	0.3	3	0.2
TRANSMISSION RISK												
Men who have sex with men	1,664	52.8	1,336	56.1	328	42.7	1,210	42.2	29,905	43.4	392	22.2
Injection drug use history	257	8.2	197	8.3	60	7.8	493	17.2	16,213	23.6	804	45.6
Heterosexual	263	8.3	184	7.7	79	10.3	267	9.3	5,121	7.4	119	6.7
Perinatal	0	0.0	0	0.0	0	0.0	25	0.9	754	1.1	8	0.5
Other	0	0.0	0	0.0	0	0.0	3	0.1	152	0.2	4	0.2
Unknown	966	30.7	665	27.9	301	39.2	868	30.3	16,697	24.3	437	24.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26,676	38.7	231	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	42,166	61.3	1,533	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.4.4. 13+ Years, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,142	100.0	872	76.4	270	23.6	1,303	100.0	29,525	100.0	778	100.0
RACE/ETHNICITY												
Black	768	67.3	596	68.3	172	63.7	809	62.1	16,944	57.4	462	59.4
Hispanic	291	25.5	208	23.9	83	30.7	396	30.4	9,751	33.0	232	29.8
White	63	5.5	52	6.0	11	4.1	75	5.8	2,387	8.1	82	10.5
Asian/Pacific Islander	15	1.3	13	1.5	2	0.7	14	1.1	274	0.9	1	0.1
Native American	0	0.0	0	0.0	0	0.0	5	0.4	57	0.2	0	0.0
Multiracial	5	0.4	3	0.3	2	0.7	4	0.3	11	0.0	1	0.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	101	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	43	3.8	39	4.5	4	1.5	25	1.9	730	2.5	5	0.6
20-29	232	20.3	209	24.0	23	8.5	126	9.7	2,276	7.7	20	2.6
30-39	318	27.8	248	28.4	70	25.9	369	28.3	7,095	24.0	126	16.2
40-49	315	27.6	233	26.7	82	30.4	476	36.5	11,850	40.1	321	41.3
50-59	169	14.8	107	12.3	62	23.0	234	18.0	5,872	19.9	223	28.7
60+	65	5.7	36	4.1	29	10.7	73	5.6	1,702	5.8	83	10.7
BOROUGH OF RESIDENCE												
Bronx	325	28.5	234	26.8	91	33.7	398	30.5	8,516	28.8	210	27.0
Brooklyn	371	32.5	287	32.9	84	31.1	394	30.2	9,118	30.9	267	34.3
Manhattan	225	19.7	169	19.4	56	20.7	281	21.6	5,822	19.7	165	21.2
Queens	155	13.6	124	14.2	31	11.5	155	11.9	4,085	13.8	94	12.1
Staten Island	20	1.8	15	1.7	5	1.9	25	1.9	656	2.2	17	2.2
Outside NYC	44	3.9	41	4.7	3	1.1	50	3.8	1,258	4.3	25	3.2
Unknown	2	0.2	2	0.2	0	0.0	0	0.0	70	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history	102	8.9	86	9.9	16	5.9	219	16.8	6,747	22.9	289	37.1
Heterosexual	682	59.7	526	60.3	156	57.8	613	47.0	12,955	43.9	256	32.9
Perinatal	0	0.0	0	0.0	0	0.0	18	1.4	739	2.5	7	0.9
Other	0	0.0	0	0.0	0	0.0	3	0.2	142	0.5	3	0.4
Unknown	358	31.3	260	29.8	98	36.3	450	34.5	8,942	30.3	223	28.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,306	41.7	101	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17,219	58.3	677	87.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.1. Bronx, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	622	100.0	447	71.9	175	28.1	647	100.0	12,922	100.0	386	100.0
RACE/ETHNICITY												
Black	301	48.4	218	48.8	83	47.4	289	44.7	5,319	41.2	170	44.0
Hispanic	293	47.1	209	46.8	84	48.0	327	50.5	6,825	52.8	199	51.6
White	19	3.1	14	3.1	5	2.9	23	3.6	657	5.1	16	4.1
Asian/Pacific Islander	6	1.0	4	0.9	2	1.1	4	0.6	65	0.5	1	0.3
Native American	3	0.5	2	0.4	1	0.6	4	0.6	23	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	147	1.1	0	0.0
13-19	31	5.0	26	5.8	5	2.9	18	2.8	234	1.8	1	0.3
20-29	148	23.8	127	28.4	21	12.0	71	11.0	855	6.6	3	0.8
30-39	176	28.3	122	27.3	54	30.9	174	26.9	2,535	19.6	56	14.5
40-49	158	25.4	101	22.6	57	32.6	243	37.6	5,015	38.8	139	36.0
50-59	79	12.7	53	11.9	26	14.9	105	16.2	3,200	24.8	138	35.8
60+	29	4.7	17	3.8	12	6.9	36	5.6	936	7.2	49	12.7
TRANSMISSION RISK												
Men who have sex with men	222	35.7	173	38.7	49	28.0	161	24.9	3,113	24.1	50	13.0
Injection drug use history	62	10.0	51	11.4	11	6.3	137	21.2	4,313	33.4	197	51.0
Heterosexual	75	12.1	50	11.2	25	14.3	78	12.1	1,242	9.6	28	7.3
Perinatal	1	0.2	1	0.2	0	0.0	9	1.4	375	2.9	1	0.3
Other	0	0.0	0	0.0	0	0.0	1	0.2	24	0.2	2	0.5
Unknown	262	42.1	172	38.5	90	51.4	261	40.3	3,855	29.8	108	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,892	37.9	40	10.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8,030	62.1	346	89.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.2. Bronx, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	331	100.0	239	72.2	92	27.8	399	100.0	8,698	100.0	211	100.0
RACE/ETHNICITY												
Black	195	58.9	145	60.7	50	54.3	218	54.6	4,278	49.2	103	48.8
Hispanic	128	38.7	87	36.4	41	44.6	174	43.6	4,071	46.8	91	43.1
White	6	1.8	5	2.1	1	1.1	6	1.5	292	3.4	17	8.1
Asian/Pacific Islander	2	0.6	2	0.8	0	0.0	0	0.0	27	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.3	11	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	6	1.8	5	2.1	1	1.1	1	0.3	182	2.1	1	0.5
13-19	13	3.9	12	5.0	1	1.1	10	2.5	223	2.6	1	0.5
20-29	71	21.5	60	25.1	11	12.0	42	10.5	702	8.1	7	3.3
30-39	93	28.1	71	29.7	22	23.9	109	27.3	2,130	24.5	24	11.4
40-49	84	25.4	56	23.4	28	30.4	148	37.1	3,426	39.4	98	46.4
50-59	47	14.2	27	11.3	20	21.7	67	16.8	1,558	17.9	58	27.5
60+	17	5.1	8	3.3	9	9.8	22	5.5	477	5.5	22	10.4
TRANSMISSION RISK												
Injection drug use history	30	9.1	24	10.0	6	6.5	62	15.5	1,971	22.7	73	34.6
Heterosexual	184	55.6	138	57.7	46	50.0	172	43.1	3,531	40.6	69	32.7
Perinatal	6	1.8	5	2.1	1	1.1	8	2.0	401	4.6	2	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	30	0.3	0	0.0
Unknown	111	33.5	72	30.1	39	42.4	157	39.3	2,765	31.8	67	31.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,866	44.4	29	13.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,832	55.6	182	86.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.3. Brooklyn, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	784	100.0	568	72.4	216	27.6	693	100.0	15,336	100.0	453	100.0
RACE/ETHNICITY												
Black	504	64.3	359	63.2	145	67.1	430	62.0	8,877	57.9	261	57.6
Hispanic	151	19.3	102	18.0	49	22.7	173	25.0	4,040	26.3	128	28.3
White	110	14.0	92	16.2	18	8.3	81	11.7	2,168	14.1	59	13.0
Asian/Pacific Islander	14	1.8	11	1.9	3	1.4	8	1.2	187	1.2	5	1.1
Native American	3	0.4	3	0.5	0	0.0	0	0.0	25	0.2	0	0.0
Multiracial	2	0.3	1	0.2	1	0.5	1	0.1	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.3	2	0.4	0	0.0	0	0.0	153	1.0	0	0.0
13-19	38	4.8	34	6.0	4	1.9	11	1.6	251	1.6	4	0.9
20-29	189	24.1	161	28.3	28	13.0	77	11.1	1,096	7.1	9	2.0
30-39	232	29.6	168	29.6	64	29.6	197	28.4	3,194	20.8	52	11.5
40-49	208	26.5	137	24.1	71	32.9	222	32.0	5,800	37.8	160	35.3
50-59	84	10.7	51	9.0	33	15.3	134	19.3	3,623	23.6	163	36.0
60+	31	4.0	15	2.6	16	7.4	52	7.5	1,219	7.9	65	14.3
TRANSMISSION RISK												
Men who have sex with men	372	47.4	284	50.0	88	40.7	266	38.4	5,150	33.6	70	15.5
Injection drug use history	65	8.3	45	7.9	20	9.3	123	17.7	3,909	25.5	212	46.8
Heterosexual	74	9.4	51	9.0	23	10.6	73	10.5	1,437	9.4	34	7.5
Perinatal	2	0.3	2	0.4	0	0.0	4	0.6	377	2.5	4	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	31	0.2	1	0.2
Unknown	271	34.6	186	32.7	85	39.4	227	32.8	4,432	28.9	132	29.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,744	37.5	61	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,592	62.5	392	86.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.4. Brooklyn, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	374	100.0	290	77.5	84	22.5	395	100.0	9,270	100.0	267	100.0
RACE/ETHNICITY												
Black	299	79.9	232	80.0	67	79.8	290	73.4	6,345	68.4	179	67.0
Hispanic	51	13.6	40	13.8	11	13.1	80	20.3	2,253	24.3	67	25.1
White	16	4.3	13	4.5	3	3.6	15	3.8	550	5.9	21	7.9
Asian/Pacific Islander	6	1.6	4	1.4	2	2.4	6	1.5	73	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	3	0.8	23	0.2	0	0.0
Multiracial	2	0.5	1	0.3	1	1.2	1	0.3	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.8	3	1.0	0	0.0	1	0.3	152	1.6	0	0.0
13-19	17	4.5	16	5.5	1	1.2	2	0.5	210	2.3	3	1.1
20-29	82	21.9	75	25.9	7	8.3	39	9.9	774	8.3	7	2.6
30-39	102	27.3	79	27.2	23	27.4	122	30.9	2,161	23.3	52	19.5
40-49	94	25.1	71	24.5	23	27.4	131	33.2	3,606	38.9	111	41.6
50-59	49	13.1	31	10.7	18	21.4	75	19.0	1,821	19.6	68	25.5
60+	27	7.2	15	5.2	12	14.3	25	6.3	546	5.9	26	9.7
TRANSMISSION RISK												
Injection drug use history	29	7.8	25	8.6	4	4.8	53	13.4	1,852	20.0	93	34.8
Heterosexual	237	63.4	178	61.4	59	70.2	198	50.1	4,125	44.5	87	32.6
Perinatal	3	0.8	3	1.0	0	0.0	2	0.5	357	3.9	3	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	42	0.5	1	0.4
Unknown	105	28.1	84	29.0	21	25.0	142	35.9	2,894	31.2	83	31.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,886	41.9	33	12.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,384	58.1	234	87.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.5. Manhattan, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	974	100.0	762	78.2	212	21.8	876	100.0	24,140	100.0	525	100.0
RACE/ETHNICITY												
Black	335	34.4	246	32.3	89	42.0	320	36.5	7,257	30.1	224	42.7
Hispanic	260	26.7	202	26.5	58	27.4	250	28.5	6,499	26.9	165	31.4
White	337	34.6	282	37.0	55	25.9	283	32.3	9,720	40.3	134	25.5
Asian/Pacific Islander	37	3.8	27	3.5	10	4.7	20	2.3	388	1.6	2	0.4
Native American	4	0.4	4	0.5	0	0.0	3	0.3	49	0.2	0	0.0
Multiracial	1	0.1	1	0.1	0	0.0	0	0.0	7	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	220	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.2	2	0.3	0	0.0	0	0.0	67	0.3	0	0.0
13-19	21	2.2	19	2.5	2	0.9	7	0.8	144	0.6	0	0.0
20-29	237	24.3	209	27.4	28	13.2	97	11.1	1,200	5.0	10	1.9
30-39	328	33.7	267	35.0	61	28.8	236	26.9	4,982	20.6	53	10.1
40-49	255	26.2	180	23.6	75	35.4	333	38.0	9,600	39.8	169	32.2
50-59	93	9.5	59	7.7	34	16.0	156	17.8	6,039	25.0	202	38.5
60+	38	3.9	26	3.4	12	5.7	47	5.4	2,108	8.7	91	17.3
TRANSMISSION RISK												
Men who have sex with men	645	66.2	525	68.9	120	56.6	471	53.8	13,678	56.7	165	31.4
Injection drug use history	66	6.8	57	7.5	9	4.2	127	14.5	4,357	18.0	227	43.2
Heterosexual	46	4.7	31	4.1	15	7.1	62	7.1	1,111	4.6	32	6.1
Perinatal	2	0.2	2	0.3	0	0.0	5	0.6	204	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	1	0.2
Unknown	215	22.1	147	19.3	68	32.1	211	24.1	4,767	19.7	100	19.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,036	41.6	74	14.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14,104	58.4	451	85.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.6. Manhattan, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	228	100.0	171	75.0	57	25.0	285	100.0	5,913	100.0	165	100.0
RACE/ETHNICITY												
Black	143	62.7	105	61.4	38	66.7	176	61.8	3,279	55.5	97	58.8
Hispanic	64	28.1	48	28.1	16	28.1	81	28.4	1,958	33.1	48	29.1
White	19	8.3	16	9.4	3	5.3	23	8.1	579	9.8	20	12.1
Asian/Pacific Islander	2	0.9	2	1.2	0	0.0	4	1.4	56	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.4	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	3	1.3	2	1.2	1	1.8	4	1.4	91	1.5	0	0.0
13-19	6	2.6	4	2.3	2	3.5	6	2.1	130	2.2	0	0.0
20-29	31	13.6	30	17.5	1	1.8	26	9.1	358	6.1	3	1.8
30-39	57	25.0	45	26.3	12	21.1	68	23.9	1,317	22.3	21	12.7
40-49	67	29.4	48	28.1	19	33.3	110	38.6	2,381	40.3	64	38.8
50-59	49	21.5	32	18.7	17	29.8	57	20.0	1,268	21.4	58	35.2
60+	15	6.6	10	5.8	5	8.8	14	4.9	368	6.2	19	11.5
TRANSMISSION RISK												
Injection drug use history	23	10.1	19	11.1	4	7.0	63	22.1	1,626	27.5	67	40.6
Heterosexual	127	55.7	100	58.5	27	47.4	117	41.1	2,349	39.7	51	30.9
Perinatal	3	1.3	2	1.2	1	1.8	7	2.5	224	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.4	26	0.4	2	1.2
Unknown	75	32.9	50	29.2	25	43.9	97	34.0	1,688	28.5	45	27.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,369	40.1	21	12.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,544	59.9	144	87.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.7. Queens, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	518	100.0	397	76.6	121	23.4	414	100.0	9,583	100.0	215	100.0
RACE/ETHNICITY												
Black	197	38.0	151	38.0	46	38.0	159	38.4	3,428	35.8	100	46.5
Hispanic	203	39.2	157	39.5	46	38.0	171	41.3	3,834	40.0	66	30.7
White	81	15.6	60	15.1	21	17.4	68	16.4	1,948	20.3	44	20.5
Asian/Pacific Islander	34	6.6	26	6.5	8	6.6	13	3.1	312	3.3	5	2.3
Native American	3	0.6	3	0.8	0	0.0	3	0.7	26	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	32	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.3	0	0.0	0	0.0	44	0.5	0	0.0
13-19	15	2.9	14	3.5	1	0.8	6	1.4	96	1.0	1	0.5
20-29	112	21.6	93	23.4	19	15.7	58	14.0	638	6.7	9	4.2
30-39	178	34.4	149	37.5	29	24.0	105	25.4	2,233	23.3	23	10.7
40-49	131	25.3	94	23.7	37	30.6	160	38.6	3,853	40.2	83	38.6
50-59	64	12.4	38	9.6	26	21.5	70	16.9	2,112	22.0	74	34.4
60+	17	3.3	8	2.0	9	7.4	15	3.6	607	6.3	25	11.6
TRANSMISSION RISK												
Men who have sex with men	264	51.0	210	52.9	54	44.6	197	47.6	4,050	42.3	51	23.7
Injection drug use history	45	8.7	31	7.8	14	11.6	69	16.7	2,133	22.3	90	41.9
Heterosexual	53	10.2	39	9.8	14	11.6	42	10.1	920	9.6	13	6.0
Perinatal	1	0.2	1	0.3	0	0.0	1	0.2	141	1.5	2	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.3	0	0.0
Unknown	155	29.9	116	29.2	39	32.2	105	25.4	2,312	24.1	59	27.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,559	37.1	27	12.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,024	62.9	188	87.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.8. Queens, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	157	100.0	126	80.3	31	19.7	157	100.0	4,145	100.0	94	100.0
RACE/ETHNICITY												
Black	95	60.5	82	65.1	13	41.9	94	59.9	2,414	58.2	59	62.8
Hispanic	42	26.8	28	22.2	14	45.2	45	28.7	1,103	26.6	17	18.1
White	12	7.6	9	7.1	3	9.7	12	7.6	493	11.9	16	17.0
Asian/Pacific Islander	5	3.2	5	4.0	0	0.0	3	1.9	100	2.4	1	1.1
Native American	0	0.0	0	0.0	0	0.0	1	0.6	11	0.3	0	0.0
Multiracial	3	1.9	2	1.6	1	3.2	2	1.3	7	0.2	1	1.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.3	2	1.6	0	0.0	2	1.3	60	1.4	0	0.0
13-19	4	2.5	4	3.2	0	0.0	5	3.2	107	2.6	0	0.0
20-29	29	18.5	29	23.0	0	0.0	12	7.6	289	7.0	3	3.2
30-39	44	28.0	33	26.2	11	35.5	47	29.9	1,018	24.6	21	22.3
40-49	55	35.0	44	34.9	11	35.5	58	36.9	1,631	39.3	31	33.0
50-59	18	11.5	11	8.7	7	22.6	24	15.3	818	19.7	29	30.9
60+	5	3.2	3	2.4	2	6.5	9	5.7	222	5.4	10	10.6
TRANSMISSION RISK												
Injection drug use history	16	10.2	15	11.9	1	3.2	25	15.9	863	20.8	39	41.5
Heterosexual	93	59.2	73	57.9	20	64.5	91	58.0	2,025	48.9	32	34.0
Perinatal	2	1.3	2	1.6	0	0.0	7	4.5	173	4.2	2	2.1
Other	0	0.0	0	0.0	0	0.0	1	0.6	26	0.6	0	0.0
Unknown	46	29.3	36	28.6	10	32.3	33	21.0	1,058	25.5	21	22.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,693	40.8	13	13.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,452	59.2	81	86.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.9. Staten Island, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	39	78.0	11	22.0	45	100.0	1,114	100.0	35	100.0
RACE/ETHNICITY												
Black	20	40.0	13	33.3	7	63.6	20	44.4	378	33.9	15	42.9
Hispanic	10	20.0	7	17.9	3	27.3	12	26.7	285	25.6	7	20.0
White	18	36.0	17	43.6	1	9.1	13	28.9	431	38.7	13	37.1
Asian/Pacific Islander	2	4.0	2	5.1	0	0.0	0	0.0	8	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
13-19	4	8.0	4	10.3	0	0.0	1	2.2	24	2.2	0	0.0
20-29	9	18.0	8	20.5	1	9.1	3	6.7	66	5.9	0	0.0
30-39	18	36.0	12	30.8	6	54.5	13	28.9	189	17.0	6	17.1
40-49	14	28.0	11	28.2	3	27.3	20	44.4	490	44.0	12	34.3
50-59	4	8.0	3	7.7	1	9.1	7	15.6	265	23.8	13	37.1
60+	1	2.0	1	2.6	0	0.0	1	2.2	74	6.6	4	11.4
TRANSMISSION RISK												
Men who have sex with men	25	50.0	22	56.4	3	27.3	16	35.6	362	32.5	9	25.7
Injection drug use history	3	6.0	1	2.6	2	18.2	9	20.0	349	31.3	19	54.3
Heterosexual	4	8.0	3	7.7	1	9.1	4	8.9	88	7.9	1	2.9
Perinatal	0	0.0	0	0.0	0	0.0	2	4.4	28	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	18	36.0	13	33.3	5	45.5	14	31.1	280	25.1	6	17.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	428	38.4	7	20.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	686	61.6	28	80.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.5.10. Staten Island, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	15	75.0	5	25.0	25	100.0	671	100.0	18	100.0
RACE/ETHNICITY												
Black	13	65.0	10	66.7	3	60.0	10	40.0	309	46.1	8	44.4
Hispanic	3	15.0	2	13.3	1	20.0	6	24.0	166	24.7	5	27.8
White	4	20.0	3	20.0	1	20.0	8	32.0	187	27.9	5	27.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	4.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	2.2	1	5.6
13-19	2	10.0	2	13.3	0	0.0	0	0.0	14	2.1	0	0.0
20-29	8	40.0	5	33.3	3	60.0	3	12.0	42	6.3	0	0.0
30-39	7	35.0	6	40.0	1	20.0	8	32.0	152	22.7	2	11.1
40-49	1	5.0	1	6.7	0	0.0	8	32.0	291	43.4	6	33.3
50-59	1	5.0	1	6.7	0	0.0	4	16.0	132	19.7	5	27.8
60+	1	5.0	0	0.0	1	20.0	2	8.0	25	3.7	4	22.2
TRANSMISSION RISK												
Injection drug use history	2	10.0	1	6.7	1	20.0	3	12.0	156	23.2	9	50.0
Heterosexual	10	50.0	9	60.0	1	20.0	11	44.0	296	44.1	4	22.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	4.0	1	5.6
Other	0	0.0	0	0.0	0	0.0	1	4.0	9	1.3	0	0.0
Unknown	8	40.0	5	33.3	3	60.0	10	40.0	183	27.3	4	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	299	44.6	3	16.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	372	55.4	15	83.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.6.1. Men Who Have Sex With Men

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,664	100.0	1,336	80.3	328	19.7	1,210	100.0	29,905	100.0	392	100.0
RACE/ETHNICITY												
Black	578	34.7	457	34.2	121	36.9	422	34.9	8,426	28.2	149	38.0
Hispanic	511	30.7	388	29.0	123	37.5	389	32.1	8,192	27.4	90	23.0
White	510	30.6	441	33.0	69	21.0	368	30.4	12,627	42.2	148	37.8
Asian/Pacific Islander	58	3.5	45	3.4	13	4.0	26	2.1	544	1.8	5	1.3
Native American	4	0.2	3	0.2	1	0.3	4	0.3	57	0.2	0	0.0
Multiracial	3	0.2	2	0.1	1	0.3	1	0.1	14	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	104	6.3	94	7.0	10	3.0	19	1.6	144	0.5	1	0.3
20-29	537	32.3	470	35.2	67	20.4	221	18.3	2,781	9.3	17	4.3
30-39	557	33.5	451	33.8	106	32.3	415	34.3	8,151	27.3	66	16.8
40-49	336	20.2	236	17.7	100	30.5	384	31.7	11,606	38.8	134	34.2
50-59	99	5.9	64	4.8	35	10.7	134	11.1	5,355	17.9	122	31.1
60+	31	1.9	21	1.6	10	3.0	37	3.1	1,868	6.2	52	13.3
BOROUGH OF RESIDENCE												
Bronx	222	13.3	173	12.9	49	14.9	161	13.3	3,113	10.4	50	12.8
Brooklyn	372	22.4	284	21.3	88	26.8	266	22.0	5,150	17.2	70	17.9
Manhattan	645	38.8	525	39.3	120	36.6	471	38.9	13,678	45.7	165	42.1
Queens	264	15.9	210	15.7	54	16.5	197	16.3	4,050	13.5	51	13.0
Staten Island	25	1.5	22	1.6	3	0.9	16	1.3	362	1.2	9	2.3
Outside NYC	133	8.0	119	8.9	14	4.3	97	8.0	3,432	11.5	46	11.7
Unknown	3	0.2	3	0.2	0	0.0	2	0.2	120	0.4	1	0.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,210	44.2	43	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,695	55.8	349	89.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.6.2. Injection Drug Users, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	257	100.0	197	76.7	60	23.3	493	100.0	16,213	100.0	804	100.0
RACE/ETHNICITY												
Black	117	45.5	84	42.6	33	55.0	197	40.0	6,703	41.3	352	43.8
Hispanic	102	39.7	87	44.2	15	25.0	225	45.6	7,356	45.4	346	43.0
White	32	12.5	22	11.2	10	16.7	66	13.4	2,063	12.7	103	12.8
Asian/Pacific Islander	4	1.6	2	1.0	2	3.3	4	0.8	56	0.3	3	0.4
Native American	2	0.8	2	1.0	0	0.0	1	0.2	21	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	0.4	1	0.5	0	0.0	0	0.0	2	0.0	0	0.0
20-29	35	13.6	32	16.2	3	5.0	13	2.6	261	1.6	5	0.6
30-39	63	24.5	47	23.9	16	26.7	88	17.8	1,770	10.9	61	7.6
40-49	85	33.1	65	33.0	20	33.3	218	44.2	6,416	39.6	305	37.9
50-59	62	24.1	42	21.3	20	33.3	150	30.4	6,391	39.4	350	43.5
60+	11	4.3	10	5.1	1	1.7	24	4.9	1,373	8.5	83	10.3
BOROUGH OF RESIDENCE												
Bronx	62	24.1	51	25.9	11	18.3	137	27.8	4,313	26.6	197	24.5
Brooklyn	65	25.3	45	22.8	20	33.3	123	24.9	3,909	24.1	212	26.4
Manhattan	66	25.7	57	28.9	9	15.0	127	25.8	4,357	26.9	227	28.2
Queens	45	17.5	31	15.7	14	23.3	69	14.0	2,133	13.2	90	11.2
Staten Island	3	1.2	1	0.5	2	3.3	9	1.8	349	2.2	19	2.4
Outside NYC	15	5.8	11	5.6	4	6.7	27	5.5	1,116	6.9	58	7.2
Unknown	1	0.4	1	0.5	0	0.0	1	0.2	36	0.2	1	0.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,798	23.4	98	12.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12,415	76.6	706	87.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.6.3. Injection Drug Users, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	102	100.0	86	84.3	16	15.7	219	100.0	6,747	100.0	289	100.0
RACE/ETHNICITY												
Black	45	44.1	35	40.7	10	62.5	112	51.1	3,315	49.1	149	51.6
Hispanic	39	38.2	36	41.9	3	18.8	90	41.1	2,639	39.1	98	33.9
White	18	17.6	15	17.4	3	18.8	16	7.3	763	11.3	42	14.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.5	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.0	1	1.2	0	0.0	0	0.0	4	0.1	0	0.0
20-29	14	13.7	13	15.1	1	6.3	10	4.6	149	2.2	2	0.7
30-39	30	29.4	26	30.2	4	25.0	51	23.3	1,130	16.7	31	10.7
40-49	32	31.4	26	30.2	6	37.5	102	46.6	3,182	47.2	143	49.5
50-59	19	18.6	16	18.6	3	18.8	48	21.9	1,980	29.3	99	34.3
60+	6	5.9	4	4.7	2	12.5	8	3.7	302	4.5	14	4.8
BOROUGH OF RESIDENCE												
Bronx	30	29.4	24	27.9	6	37.5	62	28.3	1,971	29.2	73	25.3
Brooklyn	29	28.4	25	29.1	4	25.0	53	24.2	1,852	27.4	93	32.2
Manhattan	23	22.5	19	22.1	4	25.0	63	28.8	1,626	24.1	67	23.2
Queens	16	15.7	15	17.4	1	6.3	25	11.4	863	12.8	39	13.5
Staten Island	2	2.0	1	1.2	1	6.3	3	1.4	156	2.3	9	3.1
Outside NYC	2	2.0	2	2.3	0	0.0	13	5.9	268	4.0	8	2.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,812	26.9	38	13.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,935	73.1	251	86.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.6.4. Heterosexuals, Males

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	263	100.0	184	70.0	79	30.0	267	100.0	5,121	100.0	119	100.0
RACE/ETHNICITY												
Black	139	52.9	99	53.8	40	50.6	145	54.3	2,766	54.0	64	53.8
Hispanic	85	32.3	57	31.0	28	35.4	98	36.7	1,755	34.3	45	37.8
White	27	10.3	20	10.9	7	8.9	17	6.4	470	9.2	7	5.9
Asian/Pacific Islander	11	4.2	7	3.8	4	5.1	5	1.9	108	2.1	3	2.5
Native American	1	0.4	1	0.5	0	0.0	2	0.7	14	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	0.4	1	0.5	0	0.0	1	0.4	6	0.1	0	0.0
20-29	37	14.1	32	17.4	5	6.3	21	7.9	195	3.8	2	1.7
30-39	85	32.3	62	33.7	23	29.1	68	25.5	1,167	22.8	24	20.2
40-49	92	35.0	60	32.6	32	40.5	115	43.1	2,239	43.7	44	37.0
50-59	42	16.0	25	13.6	17	21.5	50	18.7	1,084	21.2	29	24.4
60+	6	2.3	4	2.2	2	2.5	12	4.5	430	8.4	20	16.8
BOROUGH OF RESIDENCE												
Bronx	75	28.5	50	27.2	25	31.6	78	29.2	1,242	24.3	28	23.5
Brooklyn	74	28.1	51	27.7	23	29.1	73	27.3	1,437	28.1	34	28.6
Manhattan	46	17.5	31	16.8	15	19.0	62	23.2	1,111	21.7	32	26.9
Queens	53	20.2	39	21.2	14	17.7	42	15.7	920	18.0	13	10.9
Staten Island	4	1.5	3	1.6	1	1.3	4	1.5	88	1.7	1	0.8
Outside NYC	11	4.2	10	5.4	1	1.3	7	2.6	312	6.1	10	8.4
Unknown	0	0.0	0	0.0	0	0.0	1	0.4	11	0.2	1	0.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,965	38.4	16	13.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,156	61.6	103	86.6

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.6.5. Heterosexuals, Females

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	682	100.0	526	77.1	156	22.9	613	100.0	12,955	100.0	256	100.0
RACE/ETHNICITY												
Black	465	68.2	364	69.2	101	64.7	381	62.2	7,476	57.7	155	60.5
Hispanic	173	25.4	128	24.3	45	28.8	178	29.0	4,317	33.3	76	29.7
White	30	4.4	24	4.6	6	3.8	36	5.9	973	7.5	23	9.0
Asian/Pacific Islander	9	1.3	7	1.3	2	1.3	12	2.0	140	1.1	1	0.4
Native American	0	0.0	0	0.0	0	0.0	3	0.5	28	0.2	0	0.0
Multiracial	5	0.7	3	0.6	2	1.3	3	0.5	7	0.1	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	31	4.5	27	5.1	4	2.6	9	1.5	72	0.6	0	0.0
20-29	134	19.6	120	22.8	14	9.0	71	11.6	1,182	9.1	7	2.7
30-39	189	27.7	147	27.9	42	26.9	189	30.8	3,427	26.5	58	22.7
40-49	196	28.7	149	28.3	47	30.1	217	35.4	5,218	40.3	93	36.3
50-59	95	13.9	61	11.6	34	21.8	93	15.2	2,258	17.4	61	23.8
60+	37	5.4	22	4.2	15	9.6	34	5.5	798	6.2	37	14.5
BOROUGH OF RESIDENCE												
Bronx	184	27.0	138	26.2	46	29.5	172	28.1	3,531	27.3	69	27.0
Brooklyn	237	34.8	178	33.8	59	37.8	198	32.3	4,125	31.8	87	34.0
Manhattan	127	18.6	100	19.0	27	17.3	117	19.1	2,349	18.1	51	19.9
Queens	93	13.6	73	13.9	20	12.8	91	14.8	2,025	15.6	32	12.5
Staten Island	10	1.5	9	1.7	1	0.6	11	1.8	296	2.3	4	1.6
Outside NYC	30	4.4	27	5.1	3	1.9	24	3.9	602	4.6	13	5.1
Unknown	1	0.1	1	0.2	0	0.0	0	0.0	27	0.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,539	42.8	27	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,416	57.2	229	89.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	17	73.9	6	26.1	27	100.0	493	100.0	13	100.0
SEX												
Male	16	69.6	12	70.6	4	66.7	20	74.1	328	66.5	6	46.2
Female	7	30.4	5	29.4	2	33.3	7	25.9	165	33.5	7	53.8
RACE/ETHNICITY												
Black	7	30.4	6	35.3	1	16.7	10	37.0	160	32.5	7	53.8
Hispanic	12	52.2	9	52.9	3	50.0	13	48.1	240	48.7	6	46.2
White	4	17.4	2	11.8	2	33.3	4	14.8	85	17.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	1.0	0	0.0
13-19	1	4.3	1	5.9	0	0.0	0	0.0	11	2.2	0	0.0
20-29	6	26.1	5	29.4	1	16.7	2	7.4	29	5.9	1	7.7
30-39	7	30.4	6	35.3	1	16.7	6	22.2	95	19.3	1	7.7
40-49	6	26.1	4	23.5	2	33.3	10	37.0	172	34.9	4	30.8
50-59	3	13.0	1	5.9	2	33.3	7	25.9	143	29.0	6	46.2
60+	0	0.0	0	0.0	0	0.0	2	7.4	38	7.7	1	7.7
TRANSMISSION RISK												
Men who have sex with men	5	21.7	4	23.5	1	16.7	6	22.2	129	26.2	1	7.7
Injection drug use history	2	8.7	2	11.8	0	0.0	4	14.8	115	23.3	6	46.2
Heterosexual	8	34.8	7	41.2	1	16.7	8	29.6	94	19.1	2	15.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	8	34.8	4	23.5	4	66.7	9	33.3	138	28.0	4	30.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	194	39.4	1	7.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	299	60.6	12	92.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Kingsbridge - Riverdale: 10463, 10471.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	71	100.0	47	66.2	24	33.8	74	100.0	1,497	100.0	36	100.0
SEX												
Male	44	62.0	27	57.4	17	70.8	46	62.2	835	55.8	20	55.6
Female	27	38.0	20	42.6	7	29.2	28	37.8	662	44.2	16	44.4
RACE/ETHNICITY												
Black	53	74.6	32	68.1	21	87.5	56	75.7	944	63.1	27	75.0
Hispanic	16	22.5	13	27.7	3	12.5	17	23.0	439	29.3	5	13.9
White	2	2.8	2	4.3	0	0.0	0	0.0	102	6.8	4	11.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	*	*	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.4	1	2.1	0	0.0	0	0.0	20	1.3	0	0.0
13-19	1	1.4	0	0.0	1	4.2	3	4.1	42	2.8	0	0.0
20-29	15	21.1	15	31.9	0	0.0	7	9.5	113	7.5	0	0.0
30-39	20	28.2	12	25.5	8	33.3	21	28.4	326	21.8	4	11.1
40-49	17	23.9	11	23.4	6	25.0	24	32.4	567	37.9	17	47.2
50-59	7	9.9	2	4.3	5	20.8	13	17.6	321	21.4	9	25.0
60+	10	14.1	6	12.8	4	16.7	6	8.1	108	7.2	6	16.7
TRANSMISSION RISK												
Men who have sex with men	9	12.7	8	17.0	1	4.2	13	17.6	211	14.1	6	16.7
Injection drug use history	3	4.2	3	6.4	0	0.0	9	12.2	304	20.3	10	27.8
Heterosexual	19	26.8	14	29.8	5	20.8	19	25.7	370	24.7	5	13.9
Perinatal	1	1.4	1	2.1	0	0.0	1	1.4	60	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	39	54.9	21	44.7	18	75.0	32	43.2	549	36.7	15	41.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	639	42.7	3	8.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	858	57.3	33	91.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	172	100.0	123	71.5	49	28.5	179	100.0	3,854	100.0	96	100.0
SEX												
Male	108	62.8	80	65.0	28	57.1	104	58.1	2,391	62.0	68	70.8
Female	64	37.2	43	35.0	21	42.9	75	41.9	1,463	38.0	28	29.2
RACE/ETHNICITY												
Black	90	52.3	63	51.2	27	55.1	88	49.2	1,538	39.9	45	46.9
Hispanic	77	44.8	55	44.7	22	44.9	88	49.2	2,105	54.6	42	43.8
White	4	2.3	4	3.3	0	0.0	3	1.7	181	4.7	9	9.4
Asian/Pacific Islander	1	0.6	1	0.8	0	0.0	0	0.0	21	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	57	1.5	0	0.0
13-19	8	4.7	8	6.5	0	0.0	4	2.2	72	1.9	0	0.0
20-29	35	20.3	30	24.4	5	10.2	24	13.4	310	8.0	2	2.1
30-39	50	29.1	39	31.7	11	22.4	43	24.0	886	23.0	16	16.7
40-49	51	29.7	28	22.8	23	46.9	75	41.9	1,547	40.1	34	35.4
50-59	18	10.5	11	8.9	7	14.3	23	12.8	796	20.7	35	36.5
60+	9	5.2	6	4.9	3	6.1	10	5.6	186	4.8	9	9.4
TRANSMISSION RISK												
Men who have sex with men	49	28.5	44	35.8	5	10.2	29	16.2	683	17.7	7	7.3
Injection drug use history	10	5.8	9	7.3	1	2.0	19	10.6	1,012	26.3	43	44.8
Heterosexual	48	27.9	31	25.2	17	34.7	50	27.9	868	22.5	17	17.7
Perinatal	1	0.6	1	0.8	0	0.0	3	1.7	125	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.0
Unknown	64	37.2	38	30.9	26	53.1	78	43.6	1,163	30.2	28	29.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,611	41.8	11	11.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,243	58.2	85	88.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	130	100.0	97	74.6	33	25.4	133	100.0	3,265	100.0	68	100.0
SEX												
Male	97	74.6	70	72.2	27	81.8	86	64.7	1,915	58.7	45	66.2
Female	33	25.4	27	27.8	6	18.2	47	35.3	1,350	41.3	23	33.8
RACE/ETHNICITY												
Black	59	45.4	48	49.5	11	33.3	51	38.3	1,271	38.9	27	39.7
Hispanic	62	47.7	42	43.3	20	60.6	70	52.6	1,709	52.3	34	50.0
White	6	4.6	5	5.2	1	3.0	10	7.5	258	7.9	7	10.3
Asian/Pacific Islander	3	2.3	2	2.1	1	3.0	1	0.8	21	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.8	4	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	38	1.2	0	0.0
13-19	10	7.7	8	8.2	2	6.1	5	3.8	96	2.9	0	0.0
20-29	25	19.2	21	21.6	4	12.1	15	11.3	235	7.2	0	0.0
30-39	43	33.1	32	33.0	11	33.3	36	27.1	641	19.6	10	14.7
40-49	30	23.1	21	21.6	9	27.3	48	36.1	1,339	41.0	25	36.8
50-59	17	13.1	12	12.4	5	15.2	23	17.3	722	22.1	28	41.2
60+	5	3.8	3	3.1	2	6.1	6	4.5	194	5.9	5	7.4
TRANSMISSION RISK												
Men who have sex with men	33	25.4	21	21.6	12	36.4	29	21.8	524	16.0	8	11.8
Injection drug use history	10	7.7	9	9.3	1	3.0	26	19.5	903	27.7	36	52.9
Heterosexual	31	23.8	26	26.8	5	15.2	29	21.8	736	22.5	10	14.7
Perinatal	0	0.0	0	0.0	0	0.0	3	2.3	129	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Unknown	56	43.1	41	42.3	15	45.5	46	34.6	959	29.4	14	20.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,340	41.0	12	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,925	59.0	56	82.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	184	100.0	128	69.6	56	30.4	209	100.0	4,268	100.0	121	100.0
SEX												
Male	114	62.0	83	64.8	31	55.4	125	59.8	2,486	58.2	79	65.3
Female	70	38.0	45	35.2	25	44.6	84	40.2	1,782	41.8	42	34.7
RACE/ETHNICITY												
Black	99	53.8	67	52.3	32	57.1	103	49.3	1,917	44.9	54	44.6
Hispanic	82	44.6	59	46.1	23	41.1	104	49.8	2,228	52.2	61	50.4
White	1	0.5	1	0.8	0	0.0	1	0.5	100	2.3	6	5.0
Asian/Pacific Islander	1	0.5	0	0.0	1	1.8	1	0.5	8	0.2	0	0.0
Native American	1	0.5	1	0.8	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.8	0	0.0	0	0.0	75	1.8	0	0.0
13-19	10	5.4	9	7.0	1	1.8	8	3.8	83	1.9	1	0.8
20-29	47	25.5	38	29.7	9	16.1	23	11.0	286	6.7	3	2.5
30-39	48	26.1	35	27.3	13	23.2	53	25.4	890	20.9	17	14.0
40-49	45	24.5	28	21.9	17	30.4	78	37.3	1,711	40.1	44	36.4
50-59	26	14.1	15	11.7	11	19.6	35	16.7	913	21.4	40	33.1
60+	7	3.8	2	1.6	5	8.9	12	5.7	310	7.3	16	13.2
TRANSMISSION RISK												
Men who have sex with men	43	23.4	31	24.2	12	21.4	28	13.4	510	11.9	10	8.3
Injection drug use history	25	13.6	19	14.8	6	10.7	48	23.0	1,361	31.9	55	45.5
Heterosexual	50	27.2	32	25.0	18	32.1	50	23.9	931	21.8	17	14.0
Perinatal	1	0.5	1	0.8	0	0.0	7	3.3	158	3.7	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	65	35.3	45	35.2	20	35.7	76	36.4	1,298	30.4	37	30.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,693	39.7	11	9.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,575	60.3	110	90.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Crotona - Tremont: 10453, 10457, 10460.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	211	100.0	148	70.1	63	29.9	257	100.0	4,595	100.0	140	100.0
SEX												
Male	137	64.9	97	65.5	40	63.5	156	60.7	2,694	58.6	91	65.0
Female	74	35.1	51	34.5	23	36.5	101	39.3	1,901	41.4	49	35.0
RACE/ETHNICITY												
Black	112	53.1	83	56.1	29	46.0	128	49.8	2,405	52.3	71	50.7
Hispanic	94	44.5	61	41.2	33	52.4	119	46.3	2,050	44.6	64	45.7
White	3	1.4	2	1.4	1	1.6	7	2.7	111	2.4	4	2.9
Asian/Pacific Islander	2	0.9	2	1.4	0	0.0	2	0.8	21	0.5	1	0.7
Native American	0	0.0	0	0.0	0	0.0	1	0.4	3	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	4	1.9	3	2.0	1	1.6	1	0.4	80	1.7	0	0.0
13-19	9	4.3	8	5.4	1	1.6	5	1.9	82	1.8	1	0.7
20-29	49	23.2	44	29.7	5	7.9	22	8.6	327	7.1	2	1.4
30-39	55	26.1	36	24.3	19	30.2	77	30.0	1,043	22.7	17	12.1
40-49	50	23.7	30	20.3	20	31.7	92	35.8	1,682	36.6	64	45.7
50-59	36	17.1	24	16.2	12	19.0	47	18.3	1,040	22.6	35	25.0
60+	8	3.8	3	2.0	5	7.9	13	5.1	341	7.4	21	15.0
TRANSMISSION RISK												
Men who have sex with men	39	18.5	31	20.9	8	12.7	29	11.3	612	13.3	9	6.4
Injection drug use history	24	11.4	17	11.5	7	11.1	49	19.1	1,344	29.2	61	43.6
Heterosexual	61	28.9	42	28.4	19	30.2	63	24.5	1,024	22.3	23	16.4
Perinatal	4	1.9	3	2.0	1	1.6	2	0.8	158	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	0.7
Unknown	83	39.3	55	37.2	28	44.4	114	44.4	1,447	31.5	46	32.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,774	38.6	15	10.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,821	61.4	125	89.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	141	100.0	110	78.0	31	22.0	139	100.0	2,905	100.0	100	100.0
SEX												
Male	93	66.0	70	63.6	23	74.2	87	62.6	1,788	61.5	62	62.0
Female	48	34.0	40	36.4	8	25.8	52	37.4	1,117	38.5	38	38.0
RACE/ETHNICITY												
Black	63	44.7	54	49.1	9	29.0	56	40.3	1,017	35.0	30	30.0
Hispanic	70	49.6	51	46.4	19	61.3	78	56.1	1,805	62.1	67	67.0
White	5	3.5	3	2.7	2	6.5	4	2.9	66	2.3	3	3.0
Asian/Pacific Islander	1	0.7	1	0.9	0	0.0	0	0.0	6	0.2	0	0.0
Native American	*	*	*	*	*	*	*	*	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	47	1.6	1	1.0
13-19	5	3.5	4	3.6	1	3.2	3	2.2	65	2.2	0	0.0
20-29	34	24.1	28	25.5	6	19.4	17	12.2	206	7.1	1	1.0
30-39	37	26.2	25	22.7	12	38.7	41	29.5	616	21.2	13	13.0
40-49	40	28.4	34	30.9	6	19.4	54	38.8	1,133	39.0	39	39.0
50-59	18	12.8	14	12.7	4	12.9	17	12.2	653	22.5	35	35.0
60+	7	5.0	5	4.5	2	6.5	7	5.0	185	6.4	11	11.0
TRANSMISSION RISK												
Men who have sex with men	37	26.2	29	26.4	8	25.8	21	15.1	355	12.2	8	8.0
Injection drug use history	18	12.8	16	14.5	2	6.5	39	28.1	1,019	35.1	45	45.0
Heterosexual	38	27.0	32	29.1	6	19.4	28	20.1	618	21.3	20	20.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	116	4.0	1	1.0
Other	0	0.0	0	0.0	0	0.0	1	0.7	11	0.4	0	0.0
Unknown	48	34.0	33	30.0	15	48.4	49	35.3	786	27.1	26	26.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,174	40.4	11	11.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,731	59.6	89	89.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	39	90.7	4	9.3	34	100.0	919	100.0	28	100.0
SEX												
Male	39	90.7	35	89.7	4	100.0	24	70.6	670	72.9	19	67.9
Female	4	9.3	4	10.3	0	0.0	10	29.4	249	27.1	9	32.1
RACE/ETHNICITY												
Black	9	20.9	7	17.9	2	50.0	7	20.6	184	20.0	5	17.9
Hispanic	13	30.2	12	30.8	1	25.0	16	47.1	475	51.7	16	57.1
White	19	44.2	18	46.2	1	25.0	10	29.4	247	26.9	7	25.0
Asian/Pacific Islander	2	4.7	2	5.1	0	0.0	1	2.9	11	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
20-29	19	44.2	19	48.7	0	0.0	4	11.8	78	8.5	0	0.0
30-39	13	30.2	11	28.2	2	50.0	9	26.5	223	24.3	4	14.3
40-49	8	18.6	6	15.4	2	50.0	15	44.1	377	41.0	10	35.7
50-59	3	7.0	3	7.7	0	0.0	4	11.8	167	18.2	10	35.7
60+	0	0.0	0	0.0	0	0.0	2	5.9	54	5.9	4	14.3
TRANSMISSION RISK												
Men who have sex with men	25	58.1	23	59.0	2	50.0	10	29.4	301	32.8	2	7.1
Injection drug use history	2	4.7	2	5.1	0	0.0	5	14.7	238	25.9	15	53.6
Heterosexual	4	9.3	3	7.7	1	25.0	7	20.6	136	14.8	4	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	12	27.9	11	28.2	1	25.0	12	35.3	218	23.7	7	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	341	37.1	4	14.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	578	62.9	24	85.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Greenpoint: 11211, 11222.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	110	100.0	86	78.2	24	21.8	111	100.0	2,836	100.0	83	100.0
SEX												
Male	83	75.5	66	76.7	17	70.8	78	70.3	2,088	73.6	62	74.7
Female	27	24.5	20	23.3	7	29.2	33	29.7	748	26.4	21	25.3
RACE/ETHNICITY												
Black	55	50.0	43	50.0	12	50.0	46	41.4	1,276	45.0	41	49.4
Hispanic	27	24.5	21	24.4	6	25.0	34	30.6	792	27.9	27	32.5
White	24	21.8	19	22.1	5	20.8	28	25.2	724	25.5	14	16.9
Asian/Pacific Islander	3	2.7	2	2.3	1	4.2	3	2.7	31	1.1	1	1.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	1	0.9	1	1.2	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	2	1.8	2	2.3	0	0.0	0	0.0	25	0.9	0	0.0
13-19	7	6.4	7	8.1	0	0.0	2	1.8	32	1.1	0	0.0
20-29	15	13.6	15	17.4	0	0.0	6	5.4	145	5.1	1	1.2
30-39	33	30.0	24	27.9	9	37.5	35	31.5	630	22.2	2	2.4
40-49	31	28.2	23	26.7	8	33.3	34	30.6	1,136	40.1	35	42.2
50-59	17	15.5	12	14.0	5	20.8	23	20.7	637	22.5	30	36.1
60+	5	4.5	3	3.5	2	8.3	11	9.9	231	8.1	15	18.1
TRANSMISSION RISK												
Men who have sex with men	59	53.6	47	54.7	12	50.0	39	35.1	1,092	38.5	17	20.5
Injection drug use history	10	9.1	8	9.3	2	8.3	22	19.8	651	23.0	37	44.6
Heterosexual	21	19.1	17	19.8	4	16.7	15	13.5	435	15.3	4	4.8
Perinatal	2	1.8	2	2.3	0	0.0	2	1.8	60	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	1.2
Unknown	18	16.4	12	14.0	6	25.0	33	29.7	595	21.0	24	28.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,095	38.6	16	19.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,741	61.4	67	80.7

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	323	100.0	229	70.9	94	29.1	297	100.0	6,075	100.0	199	100.0
SEX												
Male	207	64.1	142	62.0	65	69.1	185	62.3	3,676	60.5	117	58.8
Female	116	35.9	87	38.0	29	30.9	112	37.7	2,399	39.5	82	41.2
RACE/ETHNICITY												
Black	276	85.4	200	87.3	76	80.9	253	85.2	4,995	82.2	163	81.9
Hispanic	37	11.5	21	9.2	16	17.0	34	11.4	790	13.0	31	15.6
White	6	1.9	5	2.2	1	1.1	8	2.7	243	4.0	5	2.5
Asian/Pacific Islander	3	0.9	3	1.3	0	0.0	0	0.0	26	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.3	15	0.2	0	0.0
Multiracial	1	0.3	0	0.0	1	1.1	1	0.3	2	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	2	0.6	2	0.9	0	0.0	0	0.0	87	1.4	0	0.0
13-19	15	4.6	13	5.7	2	2.1	4	1.3	115	1.9	4	2.0
20-29	90	27.9	75	32.8	15	16.0	36	12.1	495	8.1	6	3.0
30-39	88	27.2	63	27.5	25	26.6	78	26.3	1,323	21.8	36	18.1
40-49	75	23.2	49	21.4	26	27.7	92	31.0	2,234	36.8	64	32.2
50-59	31	9.6	18	7.9	13	13.8	57	19.2	1,380	22.7	64	32.2
60+	22	6.8	9	3.9	13	13.8	30	10.1	441	7.3	25	12.6
TRANSMISSION RISK												
Men who have sex with men	100	31.0	73	31.9	27	28.7	71	23.9	1,182	19.5	15	7.5
Injection drug use history	23	7.1	16	7.0	7	7.4	43	14.5	1,415	23.3	74	37.2
Heterosexual	93	28.8	68	29.7	25	26.6	74	24.9	1,377	22.7	48	24.1
Perinatal	2	0.6	2	0.9	0	0.0	1	0.3	191	3.1	3	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	105	32.5	70	30.6	35	37.2	108	36.4	1,894	31.2	59	29.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,411	39.7	16	8.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,664	60.3	183	92.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	117	100.0	83	70.9	34	29.1	128	100.0	2,410	100.0	82	100.0
SEX												
Male	80	68.4	55	66.3	25	73.5	67	52.3	1,308	54.3	50	61.0
Female	37	31.6	28	33.7	9	26.5	61	47.7	1,102	45.7	32	39.0
RACE/ETHNICITY												
Black	90	76.9	65	78.3	25	73.5	81	63.3	1,525	63.3	56	68.3
Hispanic	19	16.2	14	16.9	5	14.7	38	29.7	777	32.2	25	30.5
White	6	5.1	4	4.8	2	5.9	6	4.7	76	3.2	1	1.2
Asian/Pacific Islander	1	0.9	0	0.0	1	2.9	1	0.8	18	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	0.8	9	0.4	0	0.0
Multiracial	1	0.9	0	0.0	1	2.9	1	0.8	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	40	1.7	0	0.0
13-19	6	5.1	6	7.2	0	0.0	0	0.0	57	2.4	0	0.0
20-29	27	23.1	25	30.1	2	5.9	12	9.4	197	8.2	4	4.9
30-39	35	29.9	24	28.9	11	32.4	41	32.0	528	21.9	13	15.9
40-49	23	19.7	16	19.3	7	20.6	40	31.3	913	37.9	31	37.8
50-59	19	16.2	10	12.0	9	26.5	24	18.8	494	20.5	22	26.8
60+	7	6.0	2	2.4	5	14.7	11	8.6	181	7.5	12	14.6
TRANSMISSION RISK												
Men who have sex with men	32	27.4	25	30.1	7	20.6	20	15.6	301	12.5	3	3.7
Injection drug use history	7	6.0	6	7.2	1	2.9	19	14.8	596	24.7	31	37.8
Heterosexual	35	29.9	28	33.7	7	20.6	34	26.6	633	26.3	16	19.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	93	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	1	1.2
Unknown	43	36.8	24	28.9	19	55.9	55	43.0	782	32.4	31	37.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	951	39.5	7	8.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,459	60.5	75	91.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in East New York: 11207, 11208.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	14	58.3	10	41.7	39	100.0	730	100.0	27	100.0
SEX												
Male	18	75.0	10	71.4	8	80.0	27	69.2	498	68.2	19	70.4
Female	6	25.0	4	28.6	2	20.0	12	30.8	232	31.8	8	29.6
RACE/ETHNICITY												
Black	4	16.7	3	21.4	1	10.0	5	12.8	99	13.6	5	18.5
Hispanic	15	62.5	7	50.0	8	80.0	29	74.4	479	65.6	17	63.0
White	3	12.5	3	21.4	0	0.0	1	2.6	117	16.0	5	18.5
Asian/Pacific Islander	2	8.3	1	7.1	1	10.0	4	10.3	33	4.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.7	0	0.0
13-19	1	4.2	1	7.1	0	0.0	0	0.0	17	2.3	0	0.0
20-29	3	12.5	1	7.1	2	20.0	3	7.7	47	6.4	0	0.0
30-39	11	45.8	6	42.9	5	50.0	18	46.2	166	22.7	4	14.8
40-49	9	37.5	6	42.9	3	30.0	7	17.9	286	39.2	11	40.7
50-59	0	0.0	0	0.0	0	0.0	9	23.1	156	21.4	10	37.0
60+	0	0.0	0	0.0	0	0.0	2	5.1	53	7.3	2	7.4
TRANSMISSION RISK												
Men who have sex with men	8	33.3	3	21.4	5	50.0	13	33.3	174	23.8	1	3.7
Injection drug use history	3	12.5	2	14.3	1	10.0	10	25.6	236	32.3	17	63.0
Heterosexual	7	29.2	4	28.6	3	30.0	11	28.2	162	22.2	6	22.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	6	25.0	5	35.7	1	10.0	5	12.8	135	18.5	3	11.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	270	37.0	3	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	460	63.0	24	88.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Sunset Park: 11220, 11232.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	41	100.0	29	70.7	12	29.3	35	100.0	913	100.0	25	100.0
SEX												
Male	31	75.6	21	72.4	10	83.3	27	77.1	630	69.0	13	52.0
Female	10	24.4	8	27.6	2	16.7	8	22.9	283	31.0	12	48.0
RACE/ETHNICITY												
Black	15	36.6	11	37.9	4	33.3	9	25.7	287	31.4	4	16.0
Hispanic	11	26.8	7	24.1	4	33.3	14	40.0	312	34.2	10	40.0
White	12	29.3	9	31.0	3	25.0	11	31.4	284	31.1	10	40.0
Asian/Pacific Islander	3	7.3	2	6.9	1	8.3	1	2.9	30	3.3	1	4.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
13-19	3	7.3	3	10.3	0	0.0	0	0.0	19	2.1	0	0.0
20-29	6	14.6	4	13.8	2	16.7	5	14.3	63	6.9	0	0.0
30-39	14	34.1	11	37.9	3	25.0	7	20.0	179	19.6	2	8.0
40-49	12	29.3	7	24.1	5	41.7	14	40.0	360	39.4	10	40.0
50-59	3	7.3	3	10.3	0	0.0	5	14.3	227	24.9	6	24.0
60+	3	7.3	1	3.4	2	16.7	4	11.4	62	6.8	7	28.0
TRANSMISSION RISK												
Men who have sex with men	17	41.5	13	44.8	4	33.3	12	34.3	246	26.9	4	16.0
Injection drug use history	4	9.8	3	10.3	1	8.3	6	17.1	232	25.4	12	48.0
Heterosexual	10	24.4	7	24.1	3	25.0	9	25.7	213	23.3	6	24.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	10	24.4	6	20.7	4	33.3	8	22.9	197	21.6	3	12.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	365	40.0	1	4.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	548	60.0	24	96.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Borough Park: 11204, 11218, 11219, 11230.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	226	100.0	163	72.1	63	27.9	175	100.0	3,875	100.0	73	100.0
SEX												
Male	136	60.2	94	57.7	42	66.7	109	62.3	2,300	59.4	41	56.2
Female	90	39.8	69	42.3	21	33.3	66	37.7	1,575	40.6	32	43.8
RACE/ETHNICITY												
Black	197	87.2	141	86.5	56	88.9	154	88.0	3,239	83.6	64	87.7
Hispanic	16	7.1	11	6.7	5	7.9	17	9.7	441	11.4	7	9.6
White	8	3.5	7	4.3	1	1.6	1	0.6	151	3.9	1	1.4
Asian/Pacific Islander	4	1.8	3	1.8	1	1.6	3	1.7	40	1.0	1	1.4
Native American	1	0.4	1	0.6	0	0.0	0	0.0	3	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	52	1.3	0	0.0
13-19	12	5.3	11	6.7	1	1.6	2	1.1	73	1.9	1	1.4
20-29	51	22.6	45	27.6	6	9.5	14	8.0	345	8.9	0	0.0
30-39	56	24.8	40	24.5	16	25.4	45	25.7	810	20.9	21	28.8
40-49	64	28.3	41	25.2	23	36.5	61	34.9	1,457	37.6	26	35.6
50-59	31	13.7	18	11.0	13	20.6	42	24.0	848	21.9	20	27.4
60+	12	5.3	8	4.9	4	6.3	11	6.3	290	7.5	5	6.8
TRANSMISSION RISK												
Men who have sex with men	57	25.2	45	27.6	12	19.0	29	16.6	732	18.9	7	9.6
Injection drug use history	13	5.8	7	4.3	6	9.5	25	14.3	556	14.3	22	30.1
Heterosexual	68	30.1	47	28.8	21	33.3	49	28.0	1,045	27.0	13	17.8
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	114	2.9	1	1.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.5	0	0.0
Unknown	88	38.9	64	39.3	24	38.1	71	40.6	1,410	36.4	30	41.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,464	37.8	14	19.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,411	62.2	59	80.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	64	100.0	45	70.3	19	29.7	57	100.0	1,097	100.0	18	100.0
SEX												
Male	41	64.1	27	60.0	14	73.7	38	66.7	602	54.9	12	66.7
Female	23	35.9	18	40.0	5	26.3	19	33.3	495	45.1	6	33.3
RACE/ETHNICITY												
Black	53	82.8	37	82.2	16	84.2	49	86.0	828	75.5	8	44.4
Hispanic	5	7.8	3	6.7	2	10.5	4	7.0	132	12.0	3	16.7
White	5	7.8	4	8.9	1	5.3	3	5.3	123	11.2	6	33.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.8	10	0.9	1	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	1.6	1	2.2	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	1.7	0	0.0
13-19	4	6.3	2	4.4	2	10.5	2	3.5	29	2.6	1	5.6
20-29	14	21.9	11	24.4	3	15.8	8	14.0	97	8.8	0	0.0
30-39	19	29.7	16	35.6	3	15.8	16	28.1	263	24.0	0	0.0
40-49	17	26.6	11	24.4	6	31.6	20	35.1	397	36.2	6	33.3
50-59	8	12.5	3	6.7	5	26.3	11	19.3	227	20.7	10	55.6
60+	2	3.1	2	4.4	0	0.0	0	0.0	65	5.9	1	5.6
TRANSMISSION RISK												
Men who have sex with men	11	17.2	6	13.3	5	26.3	12	21.1	164	14.9	0	0.0
Injection drug use history	7	10.9	6	13.3	1	5.3	5	8.8	174	15.9	6	33.3
Heterosexual	24	37.5	16	35.6	8	42.1	20	35.1	342	31.2	5	27.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	42	3.8	1	5.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	22	34.4	17	37.8	5	26.3	20	35.1	369	33.6	6	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	472	43.0	2	11.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	625	57.0	16	88.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	18	90.0	2	10.0	11	100.0	487	100.0	13	100.0
SEX												
Male	15	75.0	14	77.8	1	50.0	7	63.6	343	70.4	11	84.6
Female	5	25.0	4	22.2	1	50.0	4	36.4	144	29.6	2	15.4
RACE/ETHNICITY												
Black	1	5.0	1	5.6	0	0.0	0	0.0	66	13.6	0	0.0
Hispanic	8	40.0	8	44.4	0	0.0	3	27.3	144	29.6	3	23.1
White	11	55.0	9	50.0	2	100.0	8	72.7	256	52.6	10	76.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
20-29	7	35.0	7	38.9	0	0.0	0	0.0	38	7.8	0	0.0
30-39	6	30.0	5	27.8	1	50.0	6	54.5	106	21.8	0	0.0
40-49	7	35.0	6	33.3	1	50.0	2	18.2	196	40.2	5	38.5
50-59	0	0.0	0	0.0	0	0.0	2	18.2	114	23.4	6	46.2
60+	0	0.0	0	0.0	0	0.0	1	9.1	28	5.7	2	15.4
TRANSMISSION RISK												
Men who have sex with men	7	35.0	7	38.9	0	0.0	4	36.4	160	32.9	5	38.5
Injection drug use history	3	15.0	3	16.7	0	0.0	1	9.1	135	27.7	7	53.8
Heterosexual	6	30.0	4	22.2	2	100.0	5	45.5	93	19.1	1	7.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
Unknown	4	20.0	4	22.2	0	0.0	1	9.1	91	18.7	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	201	41.3	2	15.4
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	286	58.7	11	84.6

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	46	100.0	35	76.1	11	23.9	42	100.0	1,046	100.0	34	100.0
SEX												
Male	36	78.3	26	74.3	10	90.9	28	66.7	632	60.4	22	64.7
Female	10	21.7	9	25.7	1	9.1	14	33.3	414	39.6	12	35.3
RACE/ETHNICITY												
Black	20	43.5	17	48.6	3	27.3	14	33.3	404	38.6	12	35.3
Hispanic	8	17.4	5	14.3	3	27.3	15	35.7	350	33.5	10	29.4
White	17	37.0	12	34.3	5	45.5	13	31.0	265	25.3	12	35.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	2.2	0	0.0
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	1.1	0	0.0
13-19	1	2.2	1	2.9	0	0.0	1	2.4	22	2.1	0	0.0
20-29	9	19.6	6	17.1	3	27.3	6	14.3	82	7.8	1	2.9
30-39	14	30.4	11	31.4	3	27.3	15	35.7	227	21.7	2	5.9
40-49	18	39.1	15	42.9	3	27.3	13	31.0	392	37.5	15	44.1
50-59	4	8.7	2	5.7	2	18.2	6	14.3	240	22.9	13	38.2
60+	0	0.0	0	0.0	0	0.0	1	2.4	72	6.9	3	8.8
TRANSMISSION RISK												
Men who have sex with men	19	41.3	12	34.3	7	63.6	15	35.7	203	19.4	3	8.8
Injection drug use history	4	8.7	4	11.4	0	0.0	7	16.7	291	27.8	16	47.1
Heterosexual	5	10.9	4	11.4	1	9.1	11	26.2	256	24.5	5	14.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Unknown	18	39.1	15	42.9	3	27.3	9	21.4	260	24.9	10	29.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	380	36.3	6	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	666	63.7	28	82.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	129	100.0	104	80.6	25	19.4	136	100.0	3,306	100.0	111	100.0
SEX												
Male	91	70.5	71	68.3	20	80.0	91	66.9	2,013	60.9	70	63.1
Female	38	29.5	33	31.7	5	20.0	45	33.1	1,293	39.1	41	36.9
RACE/ETHNICITY												
Black	71	55.0	56	53.8	15	60.0	85	62.5	1,753	53.0	64	57.7
Hispanic	40	31.0	30	28.8	10	40.0	45	33.1	1,384	41.9	40	36.0
White	15	11.6	15	14.4	0	0.0	5	3.7	143	4.3	7	6.3
Asian/Pacific Islander	2	1.6	2	1.9	0	0.0	0	0.0	14	0.4	0	0.0
Native American	1	0.8	1	1.0	0	0.0	1	0.7	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	1	1.0	0	0.0	1	0.7	44	1.3	0	0.0
13-19	6	4.7	6	5.8	0	0.0	1	0.7	59	1.8	0	0.0
20-29	28	21.7	26	25.0	2	8.0	21	15.4	235	7.1	4	3.6
30-39	38	29.5	30	28.8	8	32.0	46	33.8	716	21.7	13	11.7
40-49	34	26.4	25	24.0	9	36.0	41	30.1	1,291	39.1	47	42.3
50-59	16	12.4	12	11.5	4	16.0	22	16.2	732	22.1	34	30.6
60+	6	4.7	4	3.8	2	8.0	4	2.9	229	6.9	13	11.7
TRANSMISSION RISK												
Men who have sex with men	35	27.1	28	26.9	7	28.0	37	27.2	490	14.8	10	9.0
Injection drug use history	17	13.2	12	11.5	5	20.0	31	22.8	1,004	30.4	53	47.7
Heterosexual	32	24.8	26	25.0	6	24.0	29	21.3	709	21.4	13	11.7
Perinatal	1	0.8	1	1.0	0	0.0	1	0.7	98	3.0	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	44	34.1	37	35.6	7	28.0	38	27.9	1,000	30.2	34	30.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,265	38.3	17	15.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,041	61.7	94	84.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	165	100.0	124	75.2	41	24.8	143	100.0	3,463	100.0	83	100.0
SEX												
Male	125	75.8	96	77.4	29	70.7	101	70.6	2,552	73.7	62	74.7
Female	40	24.2	28	22.6	12	29.3	42	29.4	911	26.3	21	25.3
RACE/ETHNICITY												
Black	57	34.5	40	32.3	17	41.5	62	43.4	1,381	39.9	43	51.8
Hispanic	78	47.3	59	47.6	19	46.3	67	46.9	1,610	46.5	35	42.2
White	27	16.4	22	17.7	5	12.2	12	8.4	441	12.7	5	6.0
Asian/Pacific Islander	2	1.2	2	1.6	0	0.0	2	1.4	22	0.6	0	0.0
Native American	1	0.6	1	0.8	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	1	0.7	36	1.0	0	0.0
13-19	5	3.0	4	3.2	1	2.4	3	2.1	56	1.6	0	0.0
20-29	41	24.8	38	30.6	3	7.3	12	8.4	239	6.9	3	3.6
30-39	47	28.5	35	28.2	12	29.3	37	25.9	832	24.0	4	4.8
40-49	41	24.8	29	23.4	12	29.3	51	35.7	1,232	35.6	24	28.9
50-59	25	15.2	13	10.5	12	29.3	34	23.8	796	23.0	36	43.4
60+	5	3.0	4	3.2	1	2.4	5	3.5	272	7.9	16	19.3
TRANSMISSION RISK												
Men who have sex with men	76	46.1	58	46.8	18	43.9	45	31.5	1,203	34.7	6	7.2
Injection drug use history	10	6.1	8	6.5	2	4.9	26	18.2	685	19.8	41	49.4
Heterosexual	28	17.0	21	16.9	7	17.1	28	19.6	621	17.9	14	16.9
Perinatal	1	0.6	1	0.8	0	0.0	3	2.1	93	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	2	2.4
Unknown	50	30.3	36	29.0	14	34.1	41	28.7	852	24.6	20	24.1
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,407	40.6	11	13.3
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,056	59.4	72	86.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	210	100.0	148	70.5	62	29.5	229	100.0	3,973	100.0	133	100.0
SEX												
Male	139	66.2	97	65.5	42	67.7	140	61.1	2,521	63.5	84	63.2
Female	71	33.8	51	34.5	20	32.3	89	38.9	1,452	36.5	49	36.8
RACE/ETHNICITY												
Black	166	79.0	112	75.7	54	87.1	177	77.3	3,014	75.9	107	80.5
Hispanic	25	11.9	18	12.2	7	11.3	39	17.0	646	16.3	19	14.3
White	13	6.2	13	8.8	0	0.0	8	3.5	273	6.9	7	5.3
Asian/Pacific Islander	5	2.4	4	2.7	1	1.6	2	0.9	22	0.6	0	0.0
Native American	*	*	*	*	0	0.0	*	*	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	0.4	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	0	0.0	1	1.6	2	0.9	47	1.2	0	0.0
13-19	6	2.9	6	4.1	0	0.0	3	1.3	71	1.8	0	0.0
20-29	53	25.2	44	29.7	9	14.5	30	13.1	268	6.7	4	3.0
30-39	55	26.2	44	29.7	11	17.7	51	22.3	864	21.7	8	6.0
40-49	50	23.8	30	20.3	20	32.3	85	37.1	1,435	36.1	39	29.3
50-59	33	15.7	17	11.5	16	25.8	46	20.1	989	24.9	52	39.1
60+	12	5.7	7	4.7	5	8.1	12	5.2	299	7.5	30	22.6
TRANSMISSION RISK												
Men who have sex with men	65	31.0	52	35.1	13	21.0	51	22.3	935	23.5	18	13.5
Injection drug use history	18	8.6	12	8.1	6	9.7	39	17.0	1,005	25.3	59	44.4
Heterosexual	47	22.4	37	25.0	10	16.1	46	20.1	796	20.0	21	15.8
Perinatal	1	0.5	0	0.0	1	1.6	5	2.2	118	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	1	0.8
Unknown	79	37.6	47	31.8	32	51.6	88	38.4	1,111	28.0	34	25.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,521	38.3	18	13.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,452	61.7	115	86.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	134	100.0	106	79.1	28	20.9	134	100.0	2,842	100.0	100	100.0
SEX												
Male	83	61.9	67	63.2	16	57.1	81	60.4	1,839	64.7	64	64.0
Female	51	38.1	39	36.8	12	42.9	53	39.6	1,003	35.3	36	36.0
RACE/ETHNICITY												
Black	74	55.2	57	53.8	17	60.7	70	52.2	1,401	49.3	47	47.0
Hispanic	42	31.3	32	30.2	10	35.7	53	39.6	1,227	43.2	47	47.0
White	17	12.7	16	15.1	1	3.6	8	6.0	190	6.7	6	6.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	2	1.5	13	0.5	0	0.0
Native American	*	*	*	*	0	0.0	*	*	10	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.7	33	1.2	0	0.0
13-19	4	3.0	3	2.8	1	3.6	3	2.2	50	1.8	0	0.0
20-29	29	21.6	27	25.5	2	7.1	13	9.7	171	6.0	1	1.0
30-39	39	29.1	33	31.1	6	21.4	35	26.1	620	21.8	11	11.0
40-49	37	27.6	25	23.6	12	42.9	55	41.0	1,099	38.7	39	39.0
50-59	16	11.9	12	11.3	4	14.3	21	15.7	651	22.9	38	38.0
60+	9	6.7	6	5.7	3	10.7	6	4.5	218	7.7	11	11.0
TRANSMISSION RISK												
Men who have sex with men	35	26.1	30	28.3	5	17.9	28	20.9	562	19.8	12	12.0
Injection drug use history	14	10.4	13	12.3	1	3.6	28	20.9	916	32.2	40	40.0
Heterosexual	45	33.6	30	28.3	15	53.6	40	29.9	593	20.9	20	20.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.5	81	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	40	29.9	33	31.1	7	25.0	36	26.9	681	24.0	28	28.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,083	38.1	18	18.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,759	61.9	82	82.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in East Harlem: 10029, 10035.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	92	100.0	67	72.8	25	27.2	114	100.0	3,112	100.0	73	100.0
SEX												
Male	77	83.7	56	83.6	21	84.0	95	83.3	2,621	84.2	64	87.7
Female	15	16.3	11	16.4	4	16.0	19	16.7	491	15.8	9	12.3
RACE/ETHNICITY												
Black	26	28.3	18	26.9	8	32.0	34	29.8	903	29.0	29	39.7
Hispanic	31	33.7	21	31.3	10	40.0	39	34.2	855	27.5	27	37.0
White	31	33.7	25	37.3	6	24.0	39	34.2	1,294	41.6	17	23.3
Asian/Pacific Islander	4	4.3	3	4.5	1	4.0	2	1.8	39	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
13-19	1	1.1	1	1.5	0	0.0	0	0.0	15	0.5	0	0.0
20-29	18	19.6	16	23.9	2	8.0	9	7.9	107	3.4	2	2.7
30-39	22	23.9	19	28.4	3	12.0	23	20.2	527	16.9	9	12.3
40-49	32	34.8	16	23.9	16	64.0	47	41.2	1,223	39.3	20	27.4
50-59	15	16.3	12	17.9	3	12.0	29	25.4	920	29.6	30	41.1
60+	4	4.3	3	4.5	1	4.0	6	5.3	312	10.0	12	16.4
TRANSMISSION RISK												
Men who have sex with men	54	58.7	43	64.2	11	44.0	51	44.7	1,611	51.8	22	30.1
Injection drug use history	3	3.3	2	3.0	1	4.0	21	18.4	579	18.6	32	43.8
Heterosexual	11	12.0	7	10.4	4	16.0	16	14.0	302	9.7	5	6.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	0.9	7	0.2	0	0.0
Unknown	24	26.1	15	22.4	9	36.0	25	21.9	587	18.9	14	19.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,168	37.5	6	8.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,944	62.5	67	91.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	50	100.0	34	68.0	16	32.0	56	100.0	1,348	100.0	25	100.0
SEX												
Male	44	88.0	29	85.3	15	93.8	51	91.1	1,172	86.9	20	80.0
Female	6	12.0	5	14.7	1	6.3	5	8.9	176	13.1	5	20.0
RACE/ETHNICITY												
Black	16	32.0	13	38.2	3	18.8	13	23.2	279	20.7	7	28.0
Hispanic	9	18.0	6	17.6	3	18.8	8	14.3	262	19.4	4	16.0
White	24	48.0	15	44.1	9	56.3	33	58.9	769	57.0	14	56.0
Asian/Pacific Islander	1	2.0	0	0.0	1	6.3	2	3.6	33	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
20-29	7	14.0	6	17.6	1	6.3	6	10.7	53	3.9	0	0.0
30-39	11	22.0	6	17.6	5	31.3	14	25.0	231	17.1	1	4.0
40-49	18	36.0	13	38.2	5	31.3	21	37.5	534	39.6	12	48.0
50-59	10	20.0	6	17.6	4	25.0	11	19.6	353	26.2	8	32.0
60+	4	8.0	3	8.8	1	6.3	4	7.1	166	12.3	4	16.0
TRANSMISSION RISK												
Men who have sex with men	29	58.0	21	61.8	8	50.0	35	62.5	799	59.3	10	40.0
Injection drug use history	1	2.0	1	2.9	0	0.0	5	8.9	167	12.4	10	40.0
Heterosexual	7	14.0	7	20.6	0	0.0	1	1.8	115	8.5	1	4.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	13	26.0	5	14.7	8	50.0	15	26.8	254	18.8	4	16.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	533	39.5	2	8.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	815	60.5	23	92.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	205	100.0	177	86.3	28	13.7	164	100.0	5,457	100.0	77	100.0
SEX												
Male	192	93.7	166	93.8	26	92.9	141	86.0	4,977	91.2	63	81.8
Female	13	6.3	11	6.2	2	7.1	23	14.0	480	8.8	14	18.2
RACE/ETHNICITY												
Black	33	16.1	26	14.7	7	25.0	46	28.0	1,099	20.1	22	28.6
Hispanic	61	29.8	51	28.8	10	35.7	42	25.6	1,216	22.3	24	31.2
White	104	50.7	95	53.7	9	32.1	71	43.3	3,011	55.2	30	39.0
Asian/Pacific Islander	7	3.4	5	2.8	2	7.1	5	3.0	87	1.6	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.5	1	0.6	0	0.0	0	0.0	5	0.1	0	0.0
13-19	3	1.5	2	1.1	1	3.6	2	1.2	24	0.4	0	0.0
20-29	42	20.5	39	22.0	3	10.7	20	12.2	254	4.7	2	2.6
30-39	88	42.9	78	44.1	10	35.7	54	32.9	1,254	23.0	14	18.2
40-49	52	25.4	44	24.9	8	28.6	61	37.2	2,385	43.7	33	42.9
50-59	15	7.3	11	6.2	4	14.3	21	12.8	1,169	21.4	20	26.0
60+	4	2.0	2	1.1	2	7.1	6	3.7	366	6.7	8	10.4
TRANSMISSION RISK												
Men who have sex with men	157	76.6	138	78.0	19	67.9	98	59.8	3,620	66.3	30	39.0
Injection drug use history	13	6.3	12	6.8	1	3.6	19	11.6	737	13.5	28	36.4
Heterosexual	9	4.4	8	4.5	1	3.6	14	8.5	278	5.1	7	9.1
Perinatal	1	0.5	1	0.6	0	0.0	1	0.6	22	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	25	12.2	18	10.2	7	25.0	32	19.5	799	14.6	12	15.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,506	45.9	10	13.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,951	54.1	67	87.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	62	75.6	20	24.4	73	100.0	2,031	100.0	46	100.0
SEX												
Male	73	89.0	54	87.1	19	95.0	65	89.0	1,818	89.5	38	82.6
Female	9	11.0	8	12.9	1	5.0	8	11.0	213	10.5	8	17.4
RACE/ETHNICITY												
Black	32	39.0	23	37.1	9	45.0	27	37.0	496	24.4	18	39.1
Hispanic	19	23.2	16	25.8	3	15.0	11	15.1	468	23.0	11	23.9
White	27	32.9	20	32.3	7	35.0	34	46.6	1,017	50.1	16	34.8
Asian/Pacific Islander	3	3.7	2	3.2	1	5.0	1	1.4	39	1.9	1	2.2
Native American	*	*	*	*	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.2	1	1.6	0	0.0	0	0.0	4	0.2	0	0.0
13-19	1	1.2	1	1.6	0	0.0	0	0.0	9	0.4	0	0.0
20-29	18	22.0	14	22.6	4	20.0	8	11.0	87	4.3	0	0.0
30-39	29	35.4	22	35.5	7	35.0	18	24.7	367	18.1	4	8.7
40-49	21	25.6	16	25.8	5	25.0	29	39.7	774	38.1	18	39.1
50-59	8	9.8	5	8.1	3	15.0	13	17.8	572	28.2	16	34.8
60+	4	4.9	3	4.8	1	5.0	5	6.8	218	10.7	8	17.4
TRANSMISSION RISK												
Men who have sex with men	48	58.5	35	56.5	13	65.0	38	52.1	1,143	56.3	12	26.1
Injection drug use history	9	11.0	9	14.5	0	0.0	11	15.1	386	19.0	24	52.2
Heterosexual	6	7.3	5	8.1	1	5.0	4	5.5	128	6.3	2	4.3
Perinatal	1	1.2	1	1.6	0	0.0	0	0.0	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	18	22.0	12	19.4	6	30.0	20	27.4	358	17.6	8	17.4
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	831	40.9	5	10.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,200	59.1	41	89.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	89	100.0	71	79.8	18	20.2	60	100.0	2,010	100.0	35	100.0
SEX												
Male	88	98.9	70	98.6	18	100.0	59	98.3	1,923	95.7	34	97.1
Female	1	1.1	1	1.4	0	0.0	1	1.7	87	4.3	1	2.9
RACE/ETHNICITY												
Black	18	20.2	15	21.1	3	16.7	8	13.3	341	17.0	4	11.4
Hispanic	15	16.9	11	15.5	4	22.2	11	18.3	352	17.5	7	20.0
White	48	53.9	39	54.9	9	50.0	38	63.3	1,259	62.6	24	68.6
Asian/Pacific Islander	8	9.0	6	8.5	2	11.1	3	5.0	51	2.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.4	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	2.2	2	2.8	0	0.0	0	0.0	4	0.2	0	0.0
20-29	15	16.9	13	18.3	2	11.1	4	6.7	79	3.9	0	0.0
30-39	39	43.8	32	45.1	7	38.9	17	28.3	422	21.0	5	14.3
40-49	22	24.7	15	21.1	7	38.9	32	53.3	839	41.7	7	20.0
50-59	6	6.7	6	8.5	0	0.0	3	5.0	481	23.9	16	45.7
60+	4	4.5	2	2.8	2	11.1	4	6.7	184	9.2	7	20.0
TRANSMISSION RISK												
Men who have sex with men	68	76.4	56	78.9	12	66.7	44	73.3	1,398	69.6	25	71.4
Injection drug use history	2	2.2	2	2.8	0	0.0	2	3.3	226	11.2	6	17.1
Heterosexual	4	4.5	4	5.6	0	0.0	2	3.3	65	3.2	2	5.7
Perinatal	1	1.1	1	1.4	0	0.0	0	0.0	2	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	14	15.7	8	11.3	6	33.3	12	20.0	319	15.9	2	5.7
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	850	42.3	8	22.9
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,160	57.7	27	77.1

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	107	100.0	80	74.8	27	25.2	110	100.0	3,100	100.0	71	100.0
SEX												
Male	94	87.9	72	90.0	22	81.5	85	77.3	2,525	81.5	57	80.3
Female	13	12.1	8	10.0	5	18.5	25	22.7	575	18.5	14	19.7
RACE/ETHNICITY												
Black	28	26.2	19	23.8	9	33.3	29	26.4	643	20.7	24	33.8
Hispanic	27	25.2	20	25.0	7	25.9	39	35.5	1,089	35.1	23	32.4
White	44	41.1	35	43.8	9	33.3	39	35.5	1,246	40.2	24	33.8
Asian/Pacific Islander	7	6.5	5	6.3	2	7.4	3	2.7	100	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	1	0.9	1	1.3	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
13-19	4	3.7	3	3.8	1	3.7	2	1.8	27	0.9	0	0.0
20-29	28	26.2	25	31.3	3	11.1	15	13.6	154	5.0	0	0.0
30-39	37	34.6	27	33.8	10	37.0	30	27.3	600	19.4	12	16.9
40-49	25	23.4	18	22.5	7	25.9	35	31.8	1,311	42.3	26	36.6
50-59	9	8.4	4	5.0	5	18.5	19	17.3	751	24.2	25	35.2
60+	4	3.7	3	3.8	1	3.7	9	8.2	247	8.0	8	11.3
TRANSMISSION RISK												
Men who have sex with men	74	69.2	57	71.3	17	63.0	53	48.2	1,459	47.1	19	26.8
Injection drug use history	12	11.2	10	12.5	2	7.4	24	21.8	758	24.5	35	49.3
Heterosexual	12	11.2	8	10.0	4	14.8	18	16.4	319	10.3	4	5.6
Perinatal	0	0.0	0	0.0	0	0.0	1	0.9	40	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	9	8.4	5	6.3	4	14.8	14	12.7	518	16.7	13	18.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,192	38.5	9	12.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,908	61.5	62	87.3

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	19	86.4	3	13.6	13	100.0	407	100.0	8	100.0
SEX												
Male	21	95.5	18	94.7	3	100.0	11	84.6	333	81.8	5	62.5
Female	1	4.5	1	5.3	0	0.0	2	15.4	74	18.2	3	37.5
RACE/ETHNICITY												
Black	3	13.6	3	15.8	0	0.0	3	23.1	102	25.1	3	37.5
Hispanic	5	22.7	5	26.3	0	0.0	2	15.4	101	24.8	2	25.0
White	14	63.6	11	57.9	3	100.0	7	53.8	186	45.7	3	37.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.7	15	3.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	1.5	0	0.0
20-29	4	18.2	4	21.1	0	0.0	2	15.4	25	6.1	0	0.0
30-39	5	22.7	4	21.1	1	33.3	3	23.1	101	24.8	1	12.5
40-49	11	50.0	9	47.4	2	66.7	5	38.5	172	42.3	4	50.0
50-59	1	4.5	1	5.3	0	0.0	2	15.4	87	21.4	3	37.5
60+	1	4.5	1	5.3	0	0.0	1	7.7	15	3.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men	15	68.2	12	63.2	3	100.0	8	61.5	207	50.9	2	25.0
Injection drug use history	3	13.6	3	15.8	0	0.0	0	0.0	75	18.4	1	12.5
Heterosexual	1	4.5	1	5.3	0	0.0	2	15.4	46	11.3	3	37.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	13.6	3	15.8	0	0.0	3	23.1	71	17.4	2	25.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	204	50.1	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	203	49.9	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	56	80.0	14	20.0	67	100.0	1,563	100.0	29	100.0
SEX												
Male	59	84.3	49	87.5	10	71.4	54	80.6	1,247	79.8	18	62.1
Female	11	15.7	7	12.5	4	28.6	13	19.4	316	20.2	11	37.9
RACE/ETHNICITY												
Black	11	15.7	8	14.3	3	21.4	17	25.4	357	22.8	11	37.9
Hispanic	31	44.3	23	41.1	8	57.1	30	44.8	632	40.4	12	41.4
White	24	34.3	23	41.1	1	7.1	17	25.4	513	32.8	6	20.7
Asian/Pacific Islander	4	5.7	2	3.6	2	14.3	2	3.0	49	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.5	5	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
13-19	1	1.4	1	1.8	0	0.0	1	1.5	17	1.1	0	0.0
20-29	5	7.1	5	8.9	0	0.0	6	9.0	103	6.6	0	0.0
30-39	39	55.7	32	57.1	7	50.0	26	38.8	446	28.5	3	10.3
40-49	18	25.7	15	26.8	3	21.4	24	35.8	639	40.9	11	37.9
50-59	7	10.0	3	5.4	4	28.6	10	14.9	272	17.4	13	44.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	80	5.1	2	6.9
TRANSMISSION RISK												
Men who have sex with men	41	58.6	35	62.5	6	42.9	30	44.8	738	47.2	4	13.8
Injection drug use history	3	4.3	2	3.6	1	7.1	9	13.4	241	15.4	12	41.4
Heterosexual	15	21.4	11	19.6	4	28.6	12	17.9	253	16.2	4	13.8
Perinatal	0	0.0	0	0.0	0	0.0	2	3.0	24	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	11	15.7	8	14.3	3	21.4	14	20.9	304	19.4	9	31.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	649	41.5	4	13.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	914	58.5	25	86.2

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	223	100.0	183	82.1	40	17.9	143	100.0	4,024	100.0	72	100.0
SEX												
Male	181	81.2	145	79.2	36	90.0	112	78.3	3,134	77.9	55	76.4
Female	42	18.8	38	20.8	4	10.0	31	21.7	890	22.1	17	23.6
RACE/ETHNICITY												
Black	67	30.0	64	35.0	3	7.5	29	20.3	1,175	29.2	28	38.9
Hispanic	121	54.3	96	52.5	25	62.5	90	62.9	2,180	54.2	29	40.3
White	24	10.8	16	8.7	8	20.0	16	11.2	534	13.3	13	18.1
Asian/Pacific Islander	9	4.0	6	3.3	3	7.5	6	4.2	117	2.9	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	2	0.9	1	0.5	1	2.5	2	1.4	5	0.1	1	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
13-19	5	2.2	5	2.7	0	0.0	3	2.1	26	0.6	0	0.0
20-29	57	25.6	49	26.8	8	20.0	28	19.6	288	7.2	4	5.6
30-39	82	36.8	74	40.4	8	20.0	41	28.7	1,107	27.5	11	15.3
40-49	56	25.1	42	23.0	14	35.0	46	32.2	1,592	39.6	29	40.3
50-59	18	8.1	10	5.5	8	20.0	22	15.4	790	19.6	19	26.4
60+	5	2.2	3	1.6	2	5.0	3	2.1	208	5.2	9	12.5
TRANSMISSION RISK												
Men who have sex with men	93	41.7	73	39.9	20	50.0	65	45.5	1,404	34.9	18	25.0
Injection drug use history	29	13.0	22	12.0	7	17.5	22	15.4	1,024	25.4	30	41.7
Heterosexual	46	20.6	38	20.8	8	20.0	34	23.8	731	18.2	9	12.5
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	33	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	55	24.7	50	27.3	5	12.5	21	14.7	827	20.6	15	20.8
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,503	37.4	7	9.7
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,521	62.6	65	90.3

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	22	75.9	7	24.1	28	100.0	613	100.0	14	100.0
SEX												
Male	23	79.3	18	81.8	5	71.4	21	75.0	443	72.3	11	78.6
Female	6	20.7	4	18.2	2	28.6	7	25.0	170	27.7	3	21.4
RACE/ETHNICITY												
Black	9	31.0	8	36.4	1	14.3	12	42.9	163	26.6	2	14.3
Hispanic	7	24.1	5	22.7	2	28.6	9	32.1	212	34.6	8	57.1
White	8	27.6	5	22.7	3	42.9	6	21.4	197	32.1	4	28.6
Asian/Pacific Islander	5	17.2	4	18.2	1	14.3	1	3.6	38	6.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
13-19	1	3.4	1	4.5	0	0.0	0	0.0	8	1.3	0	0.0
20-29	4	13.8	4	18.2	0	0.0	1	3.6	29	4.7	0	0.0
30-39	8	27.6	7	31.8	1	14.3	5	17.9	128	20.9	3	21.4
40-49	11	37.9	8	36.4	3	42.9	14	50.0	263	42.9	5	35.7
50-59	4	13.8	2	9.1	2	28.6	5	17.9	136	22.2	5	35.7
60+	1	3.4	0	0.0	1	14.3	3	10.7	47	7.7	1	7.1
TRANSMISSION RISK												
Men who have sex with men	11	37.9	8	36.4	3	42.9	9	32.1	220	35.9	5	35.7
Injection drug use history	3	10.3	3	13.6	0	0.0	8	28.6	130	21.2	3	21.4
Heterosexual	3	10.3	1	4.5	2	28.6	6	21.4	138	22.5	2	14.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
Unknown	12	41.4	10	45.5	2	28.6	5	17.9	111	18.1	4	28.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	212	34.6	1	7.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	401	65.4	13	92.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	2	100.0	2	100.0	0	0.0	3	100.0	121	100.0	4	100.0
SEX												
Male	1	50.0	1	50.0	0	0.0	2	66.7	93	76.9	1	25.0
Female	1	50.0	1	50.0	0	0.0	1	33.3	28	23.1	3	75.0
RACE/ETHNICITY												
Black	2	100.0	2	100.0	0	0.0	2	66.7	18	14.9	1	25.0
Hispanic	0	0.0	0	0.0	0	0.0	1	33.3	24	19.8	1	25.0
White	0	0.0	0	0.0	0	0.0	0	0.0	68	56.2	2	50.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	8.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.7	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	33.3	9	7.4	0	0.0
30-39	1	50.0	1	50.0	0	0.0	0	0.0	13	10.7	2	50.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	50	41.3	0	0.0
50-59	1	50.0	1	50.0	0	0.0	2	66.7	35	28.9	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	12	9.9	1	25.0
TRANSMISSION RISK												
Men who have sex with men	1	50.0	1	50.0	0	0.0	2	66.7	43	35.5	1	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	25	20.7	0	0.0
Heterosexual	1	50.0	1	50.0	0	0.0	1	33.3	20	16.5	1	25.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	3.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	19.8	2	50.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	48	39.7	1	25.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	73	60.3	3	75.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	38	100.0	28	73.7	10	26.3	33	100.0	880	100.0	18	100.0
SEX												
Male	31	81.6	22	78.6	9	90.0	31	93.9	638	72.5	15	83.3
Female	7	18.4	6	21.4	1	10.0	2	6.1	242	27.5	3	16.7
RACE/ETHNICITY												
Black	4	10.5	3	10.7	1	10.0	5	15.2	109	12.4	3	16.7
Hispanic	15	39.5	13	46.4	2	20.0	12	36.4	405	46.0	6	33.3
White	15	39.5	8	28.6	7	70.0	15	45.5	331	37.6	9	50.0
Asian/Pacific Islander	4	10.5	4	14.3	0	0.0	1	3.0	25	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	1	2.6	1	3.6	0	0.0	0	0.0	7	0.8	0	0.0
13-19	3	7.9	2	7.1	1	10.0	1	3.0	15	1.7	0	0.0
20-29	6	15.8	6	21.4	0	0.0	0	0.0	52	5.9	0	0.0
30-39	13	34.2	11	39.3	2	20.0	9	27.3	196	22.3	3	16.7
40-49	8	21.1	4	14.3	4	40.0	13	39.4	375	42.6	8	44.4
50-59	6	15.8	3	10.7	3	30.0	9	27.3	188	21.4	2	11.1
60+	1	2.6	1	3.6	0	0.0	1	3.0	47	5.3	5	27.8
TRANSMISSION RISK												
Men who have sex with men	14	36.8	10	35.7	4	40.0	13	39.4	314	35.7	5	27.8
Injection drug use history	1	2.6	0	0.0	1	10.0	8	24.2	161	18.3	6	33.3
Heterosexual	11	28.9	9	32.1	2	20.0	4	12.1	175	19.9	1	5.6
Perinatal	1	2.6	1	3.6	0	0.0	0	0.0	22	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	11	28.9	8	28.6	3	30.0	8	24.2	202	23.0	6	33.3
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	343	39.0	1	5.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	537	61.0	17	94.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	5	55.6	4	44.4	14	100.0	237	100.0	5	100.0
SEX												
Male	7	77.8	4	80.0	3	75.0	10	71.4	158	66.7	4	80.0
Female	2	22.2	1	20.0	1	25.0	4	28.6	79	33.3	1	20.0
RACE/ETHNICITY												
Black	6	66.7	3	60.0	3	75.0	7	50.0	102	43.0	3	60.0
Hispanic	1	11.1	1	20.0	0	0.0	3	21.4	66	27.8	1	20.0
White	1	11.1	0	0.0	1	25.0	2	14.3	55	23.2	1	20.0
Asian/Pacific Islander	1	11.1	1	20.0	0	0.0	2	14.3	12	5.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	2.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	1.3	0	0.0
20-29	1	11.1	1	20.0	0	0.0	1	7.1	17	7.2	0	0.0
30-39	4	44.4	1	20.0	3	75.0	6	42.9	47	19.8	1	20.0
40-49	3	33.3	3	60.0	0	0.0	4	28.6	94	39.7	2	40.0
50-59	1	11.1	0	0.0	1	25.0	2	14.3	55	23.2	1	20.0
60+	0	0.0	0	0.0	0	0.0	1	7.1	16	6.8	1	20.0
TRANSMISSION RISK												
Men who have sex with men	2	22.2	1	20.0	1	25.0	6	42.9	74	31.2	1	20.0
Injection drug use history	1	11.1	1	20.0	0	0.0	1	7.1	37	15.6	3	60.0
Heterosexual	1	11.1	1	20.0	0	0.0	3	21.4	53	22.4	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	1.3	0	0.0
Unknown	5	55.6	2	40.0	3	75.0	4	28.6	62	26.2	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	102	43.0	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	135	57.0	5	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Fresh Meadows: 11365, 11366, 11367.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	51	75.0	17	25.0	60	100.0	1,223	100.0	34	100.0
SEX												
Male	52	76.5	40	78.4	12	70.6	43	71.7	848	69.3	25	73.5
Female	16	23.5	11	21.6	5	29.4	17	28.3	375	30.7	9	26.5
RACE/ETHNICITY												
Black	25	36.8	21	41.2	4	23.5	16	26.7	387	31.6	13	38.2
Hispanic	30	44.1	20	39.2	10	58.8	30	50.0	474	38.8	9	26.5
White	9	13.2	6	11.8	3	17.6	11	18.3	279	22.8	11	32.4
Asian/Pacific Islander	2	2.9	2	3.9	0	0.0	1	1.7	69	5.6	1	2.9
Native American	2	2.9	2	3.9	0	0.0	2	3.3	8	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.5	1	2.0	0	0.0	1	1.7	10	0.8	0	0.0
13-19	1	1.5	1	2.0	0	0.0	0	0.0	26	2.1	0	0.0
20-29	14	20.6	12	23.5	2	11.8	4	6.7	72	5.9	0	0.0
30-39	17	25.0	13	25.5	4	23.5	17	28.3	292	23.9	5	14.7
40-49	21	30.9	17	33.3	4	23.5	24	40.0	494	40.4	12	35.3
50-59	11	16.2	5	9.8	6	35.3	13	21.7	266	21.7	17	50.0
60+	3	4.4	2	3.9	1	5.9	1	1.7	63	5.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men	26	38.2	23	45.1	3	17.6	19	31.7	365	29.8	8	23.5
Injection drug use history	5	7.4	4	7.8	1	5.9	11	18.3	241	19.7	13	38.2
Heterosexual	11	16.2	7	13.7	4	23.5	13	21.7	263	21.5	5	14.7
Perinatal	1	1.5	1	2.0	0	0.0	1	1.7	37	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	25	36.8	16	31.4	9	52.9	16	26.7	313	25.6	8	23.5
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	479	39.2	6	17.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	744	60.8	28	82.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	126	100.0	95	75.4	31	24.6	125	100.0	2,564	100.0	68	100.0
SEX												
Male	95	75.4	71	74.7	24	77.4	84	67.2	1,518	59.2	42	61.8
Female	31	24.6	24	25.3	7	22.6	41	32.8	1,046	40.8	26	38.2
RACE/ETHNICITY												
Black	93	73.8	69	72.6	24	77.4	99	79.2	1,984	77.4	54	79.4
Hispanic	20	15.9	13	13.7	7	22.6	22	17.6	388	15.1	7	10.3
White	4	3.2	4	4.2	0	0.0	3	2.4	138	5.4	3	4.4
Asian/Pacific Islander	7	5.6	7	7.4	0	0.0	0	0.0	44	1.7	4	5.9
Native American	1	0.8	1	1.1	0	0.0	1	0.8	7	0.3	0	0.0
Multiracial	1	0.8	1	1.1	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.8	27	1.1	0	0.0
13-19	4	3.2	4	4.2	0	0.0	5	4.0	54	2.1	0	0.0
20-29	37	29.4	33	34.7	4	12.9	12	9.6	186	7.3	3	4.4
30-39	31	24.6	23	24.2	8	25.8	25	20.0	508	19.8	5	7.4
40-49	33	26.2	23	24.2	10	32.3	55	44.0	978	38.1	27	39.7
50-59	13	10.3	8	8.4	5	16.1	18	14.4	621	24.2	25	36.8
60+	8	6.3	4	4.2	4	12.9	9	7.2	190	7.4	8	11.8
TRANSMISSION RISK												
Men who have sex with men	48	38.1	40	42.1	8	25.8	28	22.4	461	18.0	2	2.9
Injection drug use history	9	7.1	5	5.3	4	12.9	22	17.6	608	23.7	35	51.5
Heterosexual	23	18.3	17	17.9	6	19.4	31	24.8	647	25.2	11	16.2
Perinatal	0	0.0	0	0.0	0	0.0	2	1.6	86	3.4	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Unknown	46	36.5	33	34.7	13	41.9	42	33.6	753	29.4	19	27.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	926	36.1	8	11.8
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,638	63.9	60	88.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	58	100.0	42	72.4	16	27.6	42	100.0	944	100.0	19	100.0
SEX												
Male	37	63.8	25	59.5	12	75.0	21	50.0	542	57.4	13	68.4
Female	21	36.2	17	40.5	4	25.0	21	50.0	402	42.6	6	31.6
RACE/ETHNICITY												
Black	44	75.9	32	76.2	12	75.0	31	73.8	741	78.5	14	73.7
Hispanic	6	10.3	4	9.5	2	12.5	4	9.5	107	11.3	3	15.8
White	1	1.7	1	2.4	0	0.0	4	9.5	69	7.3	2	10.5
Asian/Pacific Islander	7	12.1	5	11.9	2	12.5	3	7.1	25	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.7	1	2.4	0	0.0	0	0.0	18	1.9	0	0.0
13-19	1	1.7	1	2.4	0	0.0	0	0.0	26	2.8	1	5.3
20-29	7	12.1	5	11.9	2	12.5	7	16.7	64	6.8	1	5.3
30-39	16	27.6	12	28.6	4	25.0	11	26.2	194	20.6	2	10.5
40-49	16	27.6	11	26.2	5	31.3	15	35.7	366	38.8	5	26.3
50-59	14	24.1	11	26.2	3	18.8	5	11.9	202	21.4	7	36.8
60+	3	5.2	1	2.4	2	12.5	4	9.5	74	7.8	3	15.8
TRANSMISSION RISK												
Men who have sex with men	15	25.9	9	21.4	6	37.5	9	21.4	149	15.8	0	0.0
Injection drug use history	2	3.4	2	4.8	0	0.0	2	4.8	151	16.0	8	42.1
Heterosexual	20	34.5	15	35.7	5	31.3	18	42.9	284	30.1	3	15.8
Perinatal	1	1.7	1	2.4	0	0.0	1	2.4	48	5.1	2	10.5
Other	0	0.0	0	0.0	0	0.0	1	2.4	7	0.7	0	0.0
Unknown	20	34.5	15	35.7	5	31.3	11	26.2	305	32.3	6	31.6
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	343	36.3	2	10.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	601	63.7	17	89.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	33	100.0	26	78.8	7	21.2	33	100.0	802	100.0	31	100.0
SEX												
Male	20	60.6	14	53.8	6	85.7	18	54.5	425	53.0	19	61.3
Female	13	39.4	12	46.2	1	14.3	15	45.5	377	47.0	12	38.7
RACE/ETHNICITY												
Black	18	54.5	13	50.0	5	71.4	24	72.7	519	64.7	23	74.2
Hispanic	8	24.2	7	26.9	1	14.3	7	21.2	176	21.9	4	12.9
White	7	21.2	6	23.1	1	14.3	2	6.1	99	12.3	4	12.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	1.5	0	0.0
13-19	1	3.0	1	3.8	0	0.0	1	3.0	16	2.0	0	0.0
20-29	6	18.2	4	15.4	2	28.6	5	15.2	52	6.5	3	9.7
30-39	5	15.2	4	15.4	1	14.3	7	21.2	152	19.0	9	29.0
40-49	14	42.4	12	46.2	2	28.6	13	39.4	322	40.1	8	25.8
50-59	6	18.2	5	19.2	1	14.3	5	15.2	207	25.8	7	22.6
60+	1	3.0	0	0.0	1	14.3	2	6.1	41	5.1	4	12.9
TRANSMISSION RISK												
Men who have sex with men	9	27.3	6	23.1	3	42.9	7	21.2	90	11.2	5	16.1
Injection drug use history	6	18.2	5	19.2	1	14.3	9	27.3	220	27.4	11	35.5
Heterosexual	9	27.3	8	30.8	1	14.3	7	21.2	251	31.3	6	19.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	9	27.3	7	26.9	2	28.6	10	30.3	204	25.4	9	29.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	349	43.5	5	16.1
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	453	56.5	26	83.9

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Cells representing 1-5 person(s) with an underlying denominator of ≤ 500 persons, or non-zero cells with a denominator ≤ 100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	15	75.0	5	25.0	18	100.0	367	100.0	8	100.0
SEX												
Male	11	55.0	8	53.3	3	60.0	12	66.7	224	61.0	7	87.5
Female	9	45.0	7	46.7	2	40.0	6	33.3	143	39.0	1	12.5
RACE/ETHNICITY												
Black	9	45.0	9	60.0	0	0.0	6	33.3	178	48.5	3	37.5
Hispanic	5	25.0	2	13.3	3	60.0	8	44.4	104	28.3	3	37.5
White	6	30.0	4	26.7	2	40.0	4	22.2	79	21.5	2	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	1.1	0	0.0
13-19	2	10.0	2	13.3	0	0.0	1	5.6	11	3.0	0	0.0
20-29	7	35.0	5	33.3	2	40.0	2	11.1	19	5.2	0	0.0
30-39	4	20.0	2	13.3	2	40.0	5	27.8	65	17.7	2	25.0
40-49	5	25.0	4	26.7	1	20.0	7	38.9	155	42.2	2	25.0
50-59	2	10.0	2	13.3	0	0.0	3	16.7	88	24.0	4	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	25	6.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men	3	15.0	3	20.0	0	0.0	1	5.6	56	15.3	3	37.5
Injection drug use history	4	20.0	2	13.3	2	40.0	5	27.8	119	32.4	5	62.5
Heterosexual	7	35.0	5	33.3	2	40.0	4	22.2	81	22.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.6	14	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.8	0	0.0
Unknown	6	30.0	5	33.3	1	20.0	7	38.9	94	25.6	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	141	38.4	1	12.5
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	226	61.6	7	87.5

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Port Richmond: 10302, 10303, 10310.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	18	69.2	8	30.8	28	100.0	799	100.0	27	100.0
SEX												
Male	18	69.2	13	72.2	5	62.5	17	60.7	487	61.0	19	70.4
Female	8	30.8	5	27.8	3	37.5	11	39.3	312	39.0	8	29.6
RACE/ETHNICITY												
Black	16	61.5	8	44.4	8	100.0	18	64.3	352	44.1	18	66.7
Hispanic	4	15.4	4	22.2	0	0.0	4	14.3	199	24.9	4	14.8
White	5	19.2	5	27.8	0	0.0	6	21.4	237	29.7	5	18.5
Asian/Pacific Islander	1	3.8	1	5.6	0	0.0	0	0.0	2	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	1.5	0	0.0
13-19	2	7.7	2	11.1	0	0.0	0	0.0	17	2.1	0	0.0
20-29	3	11.5	2	11.1	1	12.5	2	7.1	45	5.6	0	0.0
30-39	11	42.3	8	44.4	3	37.5	9	32.1	160	20.0	3	11.1
40-49	7	26.9	5	27.8	2	25.0	13	46.4	359	44.9	9	33.3
50-59	2	7.7	1	5.6	1	12.5	2	7.1	159	19.9	9	33.3
60+	1	3.8	0	0.0	1	12.5	2	7.1	47	5.9	6	22.2
TRANSMISSION RISK												
Men who have sex with men	9	34.6	8	44.4	1	12.5	7	25.0	188	23.5	3	11.1
Injection drug use history	1	3.8	0	0.0	1	12.5	3	10.7	220	27.5	14	51.9
Heterosexual	4	15.4	4	22.2	0	0.0	6	21.4	181	22.7	4	14.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	24	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	1	3.6	6	0.8	0	0.0
Unknown	12	46.2	6	33.3	6	75.0	11	39.3	180	22.5	6	22.2
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	313	39.2	6	22.2
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	486	60.8	21	77.8

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in Stapleton - St. George: 10301, 10304, 10305.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	9	100.0	8	88.9	1	11.1	8	100.0	131	100.0	7	100.0
SEX												
Male	7	77.8	6	75.0	1	100.0	7	87.5	91	69.5	2	28.6
Female	2	22.2	2	25.0	0	0.0	1	12.5	40	30.5	5	71.4
RACE/ETHNICITY												
Black	2	22.2	1	12.5	1	100.0	1	12.5	19	14.5	0	0.0
Hispanic	1	11.1	1	12.5	0	0.0	2	25.0	32	24.4	3	42.9
White	5	55.6	5	62.5	0	0.0	5	62.5	75	57.3	4	57.1
Asian/Pacific Islander	1	11.1	1	12.5	0	0.0	0	0.0	4	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	*	*	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	1	14.3
13-19	1	11.1	1	12.5	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	44.4	3	37.5	1	100.0	2	25.0	16	12.2	0	0.0
30-39	1	11.1	1	12.5	0	0.0	0	0.0	18	13.7	0	0.0
40-49	2	22.2	2	25.0	0	0.0	4	50.0	60	45.8	4	57.1
50-59	0	0.0	0	0.0	0	0.0	2	25.0	25	19.1	2	28.6
60+	1	11.1	1	12.5	0	0.0	0	0.0	10	7.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men	5	55.6	4	50.0	1	100.0	6	75.0	44	33.6	1	14.3
Injection drug use history	0	0.0	0	0.0	0	0.0	0	0.0	21	16.0	2	28.6
Heterosexual	2	22.2	2	25.0	0	0.0	1	12.5	27	20.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	4	3.1	1	14.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.5	0	0.0
Unknown	2	22.2	2	25.0	0	0.0	0	0.0	33	25.2	3	42.9
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	53	40.5	2	28.6
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	78	59.5	5	71.4

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip code is included in Willowbrook: 10314.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2005 and
REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2005, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2005						AIDS DIAGNOSES, 2005		PLWHA AS OF 12/31/2005		DEATHS, 2005	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	9	90.0	1	10.0	11	100.0	334	100.0	4	100.0
SEX												
Male	9	90.0	8	88.9	1	100.0	6	54.5	219	65.6	3	75.0
Female	1	10.0	1	11.1	0	0.0	5	45.5	115	34.4	1	25.0
RACE/ETHNICITY												
Black	2	20.0	2	22.2	0	0.0	2	18.2	65	19.5	0	0.0
Hispanic	3	30.0	2	22.2	1	100.0	3	27.3	79	23.7	1	25.0
White	5	50.0	5	55.6	0	0.0	5	45.5	188	56.3	3	75.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	9.1	1	0.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	0	0.0
13-19	1	10.0	1	11.1	0	0.0	0	0.0	9	2.7	0	0.0
20-29	3	30.0	3	33.3	0	0.0	0	0.0	19	5.7	0	0.0
30-39	5	50.0	4	44.4	1	100.0	6	54.5	64	19.2	1	25.0
40-49	1	10.0	1	11.1	0	0.0	2	18.2	150	44.9	2	50.0
50-59	0	0.0	0	0.0	0	0.0	3	27.3	79	23.7	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	10	3.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men	6	60.0	5	55.6	1	100.0	2	18.2	57	17.1	1	25.0
Injection drug use history	0	0.0	0	0.0	0	0.0	3	27.3	97	29.0	3	75.0
Heterosexual	1	10.0	1	11.1	0	0.0	4	36.4	72	21.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	1.2	0	0.0
Unknown	3	30.0	3	33.3	0	0.0	2	18.2	92	27.5	0	0.0
CLINICAL STATUS												
HIV (non-AIDS)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	145	43.4	0	0.0
AIDS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	189	56.6	4	100.0

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

The following zip codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Cells representing 1-5 person(s) with an underlying denominator of ≤500 persons, or non-zero cells with a denominator ≤100 as per Census 2000, are marked with an asterisk (*).

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2005**Table 2.1. Overall and by sex, age, and race/ethnicity.**

	HIV DIAGNOSES¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA²	POPULATION FROM 2000 CENSUS
TOTAL	53.9	1.3	25.0	8,008,278
SEX				
Male	83.3	1.9	24.2	3,794,204
Female	27.4	0.7	26.6	4,214,074
RACE/ETHNICITY				
Black	112.2	2.3	28.6	1,962,154
Hispanic	58.5	1.6	25.3	2,160,554
White	25.6	0.7	17.9	2,801,267
Asian/Pacific Islander	14.2	0.2	12.3	783,058
Native American	75.1	1.1	0.0*	17,321
AGE GROUP (YEARS)				
0-12	1.6	0.1	2.0*	1,429,677
13-19	22.8	0.2	7.8	723,773
20-29	76.7	0.5	8.7	1,270,490
30-39	97.2	1.6	15.4	1,348,263
40-49	100.8	3.5	23.6	1,133,497
50-59	60.6	2.7	36.7	850,372
60+	14.7	0.6	44.8	1,252,206

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2005, except for age-specific rates.

RATES OF REPORTED HIV DIAGNOSES, PWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2005**Table 2.2. Overall and by borough and UHF neighborhood of residence.**

	HIV DIAGNOSES¹ PER 100,000 POPULATION	REPORTED PWHA AS PERCENT OF POPULATION	AGE-ADJUSTED DEATH RATE PER 1,000 PWHA²	POPULATION FROM 2000 CENSUS
TOTAL	53.9	1.3	25.0	8,008,278
BRONX³	71.8	1.7	27.4	1,327,690
Crotona - Tremont	92.2	2.2	27.9	199,530
Fordham - Bronx Park	68.7	1.6	25.7	250,491
High Bridge - Morrisania	111.2	2.5	30.1	189,755
Hunts Point - Mott Haven	114.8	2.4	33.8	122,875
Kingsbridge - Riverdale	25.8	0.6	24.4	88,989
Northeast Bronx	38.2	0.8	24.1	185,998
Pelham - Throgs Neck	44.8	1.1	20.9	290,052
BROOKLYN³	47.0	1.0	28.8	2,465,326
Bedford Stuyvesant - Crown Heights	101.8	2.0	32.0	317,296
Bensonhurst - Bay Ridge	10.3	0.3	26.1	194,558
Borough Park	12.6	0.3	26.3	324,411
Canarsie - Flatlands	32.4	0.6	17.1	197,819
Coney Island - Sheepshead Bay	16.0	0.4	31.8	286,901
Downtown - Heights - Park Slope	51.2	1.4	27.6	214,696
East Flatbush - Flatbush	71.4	1.2	19.1	316,734
East New York	67.4	1.4	33.7	173,716
Greenpoint	34.6	0.8	31.9	124,449
Sunset Park	19.9	0.6	36.1	120,441
Williamsburg - Bushwick	66.4	1.8	32.8	194,305
MANHATTAN³	78.6	2.0	21.5	1,529,375
Central Harlem - Morningside Heights	139.0	2.7	31.4	151,113
Chelsea - Clinton	166.7	4.5	13.7	122,998
East Harlem	124.0	2.7	33.8	108,092
Gramercy Park - Murray Hill	65.9	1.7	20.1	124,477
Greenwich Village - Soho	106.3	2.4	15.8	83,709
Lower Manhattan	71.2	1.3	18.7*	30,895
Union Square - Lower East Side	54.3	1.6	21.5	197,138
Upper East Side	22.9	0.6	16.4	218,167
Upper West Side	41.4	1.4	21.1	222,109
Washington Heights - Inwood	61.0	1.3	23.3	270,677
QUEENS³	30.1	0.6	22.5	2,242,159
Bayside - Little Neck	2.3*	0.1	40.7*	88,164
Flushing - Clearview	11.3	0.2	21.9	255,542
Fresh Meadows	9.7*	0.3	21.1*	93,148
Jamaica	44.1	0.9	25.5	285,568
Long Island City - Astoria	31.7	0.7	20.3	220,960
Ridgewood - Forest Hills	15.8	0.4	20.8	240,901
Rockaway	30.9	0.8	39.0	106,738
Southeast Queens	28.5	0.5	19.6	203,670
Southwest Queens	25.2	0.5	26.8	269,952
West Queens	46.7	0.9	18.4	477,516
STATEN ISLAND³	15.8	0.4	29.6	443,728
Port Richmond	31.9	0.6	21.4*	62,788
South Beach - Tottenville	5.6*	0.2	11.4*	179,892
Stapleton - St. George	22.4	0.7	34.1	116,227
Willowbrook	10.6*	0.2	44.8*	84,821

As reported to the NYC Department of Health and Mental Hygiene by September 30, 2010. Table generated December 31, 2010.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Age-adjusted to the citywide population of PWHA at the end of 2005.

³Borough-level data include persons residing in unknown UHF neighborhoods.