

#### **NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2010**

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene http://www.nyc.gov/html/doh/html/data/hivepi.shtml

#### **LIST OF ANNUAL TABLES**

Click on each title below to reach the corresponding table

### TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY

Table 1.1	New York City (All)		
	• • •	Table 1.7.4	Pelham – Throgs Neck
	By Sex	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point - Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown - Heights - Park Slope
Table 1.3.3	Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island - Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, males	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, females	Table 1.9.7	Gramercy Park - Murray Hill
Table 1.5.3	Brooklyn, males	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, females	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, males	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, females		
Table 1.5.7	Queens, males		By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
		Table 1.10.4	Bayside – Little Neck
T 11 404	By Transmission Risk	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection drug users (IDU, males	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection drug users (IDU), females	Table 1.10.8	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.9	Southeast Queens
Table 1.6.5 Table 1.6.6	Heterosexuals, males Heterosexuals, females	Table 1.10.10	Rockaway
Table 1.0.0	neterosexuais, remaies		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

### TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2010

Table 2.1 Overall and by sex, age, and Table 2.2 Overall and by borough and UHF race/ethnicity neighborhood of residence

Please refer to http://www.nyc.gov/html/doh/html/data/hivtables.shtml#abbrev for glossary of terms.

Table 1.1. New York City (All)

		HIV	DIAGNOS	•			AIDS DIAGNOSE	ES, 2010	PLWHA AS 12/31/201		DEATHS,	2010
	Total HIV dia	agnoses	Withou	t AIDS	oncurrent wi dia	ith AIDS agnoses						
TOTAL	N 3,432	% 100.0	N <b>2,748</b>	% <b>80.1</b>	N <b>684</b>	% 19.9	N <b>2,621</b>	% 100.0	N 113,518	% 100.0	N <b>2,070</b>	% 100.0
SEX AT BIRTH												
Male	2,674	77.9	2,156	78.5	518	75.7	1,884	71.9	81,144	71.5	1,478	71.4
Female	758	22.1	592	21.5	166	24.3	737	28.1	32,374	28.5	592	28.6
RACE/ETHNICITY												
Black	1,608	46.9	1,265	46.0	343	50.1	1,367	52.2	50,630	44.6	1,016	49.1
Latino/Hispanic	1,057	30.8	856	31.1	201	29.4	831	31.7	36,912	32.5	720	34.8
White	654	19.1	538	19.6	116	17.0	372	14.2	23,319	20.5	306	14.8
Asian/Pacific Islander	98	2.9	76	2.8	22	3.2	45	1.7	1,916	1.7	18	0.9
Native American	4	0.1	3	0.1	1	0.1	3	0.1	262	0.2	4 6	0.2
Multiracial Unknown	11	0.3 0.0	10 0	0.4 0.0	1	0.1 0.0	3 0	0.1 0.0	107 372	0.1 0.3	0	0.3 0.0
					·		-					
AGE GROUP (YEARS) 0-12	8	0.2	7	0.3	1	0.1	2	0.1	342	0.3	0	0.0
13-19	146	4.3	128	4.7	18	2.6	62	2.4	1.409	1.2	5	0.0
20-29	1,118	32.6	1,014	36.9	104	15.2	453	17.3	9,177	8.1	37	1.8
30-39	808	23.5	650	23.7	158	23.1	601	22.9	17,549	15.5	151	7.3
40-49	763	22.2	569	20.7	194	28.4	798	30.4	38,965	34.3	563	27.2
50-59	418	12.2	273	9.9	145	21.2	511	19.5	32,190	28.4	765	37.0
60+	171	5.0	107	3.9	64	9.4	194	7.4	13,886	12.2	549	26.5
BOROUGH OF RESIDENCE												
Bronx	658	19.2	516	18.8	142	20.8	612	23.3	25,207	22.2	513	24.8
Brooklyn Manhattan	871 902	25.4 26.3	652 759	23.7 27.6	219 143	32.0 20.9	782 553	29.8 21.1	27,637 30,371	24.3 26.8	537 401	25.9 19.4
Queens	543	15.8	423	15.4	120	17.5	382	14.6	16.034	14.1	190	9.2
Staten Island	57	1.7	40	1.5	17	2.5	56	2.1	2.194	1.9	57	2.8
Outside NYC	370	10.8	328	11.9	42	6.1	211	8.1	10,090	8.9	94	4.5
Unknown	31	0.9	30	1.1	1	0.1	25	1.0	1,985	1.7	278	13.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	361	10.5	288	10.5	73	10.7	234	8.9	12,094	10.7	130	6.3
Medium poverty (10 to <20% below FPL)	931	27.1	740	26.9	191	27.9	640	24.4	29,585	26.1	396	19.1
High poverty (20 to <30% below FPL)	886	25.8	685	24.9	201	29.4	744	28.4	28,336	25.0	523	25.3
Very high poverty (≥30% below FPL)	841	24.5	667	24.3	174	25.4	756	28.8	29,975	26.4	646	31.2
Area-based poverty level not available	413	12.0	368	13.4	45	6.6	247	9.4	13,528	11.9	375	18.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,722	50.2	1,487	54.1	235	34.4	912	34.8	40,042	35.3	382	18.5
Injection drug use history (IDÙ)	114	3.3	90	3.3	24	3.5	256	9.8	18,077	15.9	702	33.9
MSM-IDU	60	1.7	51	1.9	9	1.3	63	2.4	2,707	2.4	69	3.3
Heterosexual	739	21.5	549	20.0	190	27.8	647	24.7	22,462	19.8	377	18.2
Perinatal Other	10 0	0.3 0.0	7 0	0.3 0.0	3 0	0.4 0.0	43 1	1.6 0.0	2,549 226	2.2 0.2	10 8	0.5 0.4
Unknown	787	22.9	564	20.5	223	32.6	699	26.7	27,455	24.2	522	25.2
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	46,984	41.4	368	17.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	66,534	58.6	1,702	82.2

		DIAGNOS	•			AIDS DIAGNOS	SES, 2010	PLWHA A 12/31/20		DEATHS,	, 2010	
	Total HIV dia		Withou	t AIDS		agnoses						
TOTAL	N 2,674	% 100.0	N 2,156	% <b>80.6</b>	N <b>518</b>	% 19.4		% 100.0	N <b>81,144</b>	% 100.0	N <b>1,478</b>	% 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White	1,114 847 614	41.7 31.7 23.0	889 683 507	41.2 31.7 23.5	225 164 107	43.4 31.7 20.7	616	47.2 32.7 17.7	31,813 26,334 20,876	39.2 32.5 25.7	692 518 251	46.8 35.0 17.0
Asian/Pacific Islander Native American Multiracial Unknown	86 3 10 0	3.2 0.1 0.4 0.0	66 2 9	3.1 0.1 0.4 0.0	20 1 1 0	3.9 0.2 0.2 0.0	39 2 3	2.1 0.1 0.2 0.0	1,563 187 84 287	1.9 0.2 0.1 0.4	11 1 5 0	0.7 0.1 0.3 0.0
AGE GROUP (YEARS)		0.0		0.0		0.0	,	0.0	20.	0		0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	4 113 955 645 563 275 119	0.1 4.2 35.7 24.1 21.1 10.3 4.5	4 98 868 521 420 175 70	0.2 4.5 40.3 24.2 19.5 8.1 3.2	0 15 87 124 143 100 49	0.0 2.9 16.8 23.9 27.6 19.3 9.5	41 367 427 555 351	0.1 2.2 19.5 22.7 29.5 18.6 7.5	168 720 6,945 12,353 27,554 23,028 10,376	0.2 0.9 8.6 15.2 34.0 28.4 12.8	0 4 30 100 366 550 428	0.0 0.3 2.0 6.8 24.8 37.2 29.0
BOROUGH OF RESIDENCE	440	40.7	054	40.0	0.5	40.0	200	00.0	45.004	40.7	000	04.0
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	446 618 795 420 45 324 26	16.7 23.1 29.7 15.7 1.7 12.1 1.0	351 468 667 327 30 288 25	16.3 21.7 30.9 15.2 1.4 13.4 1.2	95 150 128 93 15 36	18.3 29.0 24.7 18.0 2.9 6.9 0.2	525 460 278 43 173	20.6 27.9 24.4 14.8 2.3 9.2 0.8	15,204 17,942 25,163 11,560 1,427 8,280 1,568	18.7 22.1 31.0 14.2 1.8 10.2	366 358 305 131 39 75 204	24.8 24.2 20.6 8.9 2.6 5.1 13.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	315 754 675	11.8 28.2 25.2	257 600 526	11.9 27.8 24.4	58 154 149	11.2 29.7 28.8	489	10.0 26.0 27.7	10,157 22,399 19,091	12.5 27.6 23.5	99 285 371	6.7 19.3 25.1
Very high poverty (≥30% below FPL) Area-based poverty level not available	569 361	21.3 13.5	451 322	20.9 14.9	118 39	22.8 7.5		25.9 10.5	18,485 11,012	22.8 13.6	442 281	29.9 19.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	1,722 79 60 149 5 0 659	64.4 3.0 2.2 5.6 0.2 0.0 24.6	1,487 58 51 98 4 0 458	69.0 2.7 2.4 4.5 0.2 0.0 21.2	235 21 9 51 1 0 201	45.4 4.1 1.7 9.8 0.2 0.0 38.8	157 63 172 15 0	48.4 8.3 3.3 9.1 0.8 0.0 30.0	40,042 12,071 2,707 5,896 1,246 118 19,064	49.3 14.9 3.3 7.3 1.5 0.1 23.5	382 513 69 119 5 3	25.8 34.7 4.7 8.1 0.3 0.2 26.2
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	33,736 47,408	41.6 58.4	265 1,213	17.9 82.1

Table 1.2.2. Females

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV di	agnoses %	Withou N		Concurrent w di N	ith AIDS iagnoses %	N	%	N	%	N	0/
TOTAL	758	100.0	592	78.1	166	21.9	737	100.0	32,374	100.0	592	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	494 210 40 12 1 1 0	65.2 27.7 5.3 1.6 0.1 0.1	376 173 31 10 1 1	63.5 29.2 5.2 1.7 0.2 0.2 0.0	118 37 9 2 0 0	71.1 22.3 5.4 1.2 0.0 0.0	477 215 38 6 1 0	64.7 29.2 5.2 0.8 0.1 0.0 0.0	18,817 10,578 2,443 353 75 23 85	58.1 32.7 7.5 1.1 0.2 0.1 0.3	324 202 55 7 3 1	54.7 34.1 9.3 1.2 0.5 0.2
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	4 33 163 163 200 143 52	0.5 4.4 21.5 21.5 26.4 18.9 6.9	3 30 146 129 149 98 37	0.5 5.1 24.7 21.8 25.2 16.6 6.3	1 3 17 34 51 45 15	0.6 1.8 10.2 20.5 30.7 27.1 9.0	1 21 86 174 243 160 52	0.1 2.8 11.7 23.6 33.0 21.7 7.1	174 689 2,232 5,196 11,411 9,162 3,510	0.5 2.1 6.9 16.0 35.2 28.3 10.8	0 1 7 51 197 215 121	0.0 0.2 1.2 8.6 33.3 36.3 20.4
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	212 253 107 123 12 46 5	28.0 33.4 14.1 16.2 1.6 6.1 0.7	165 184 92 96 10 40	27.9 31.1 15.5 16.2 1.7 6.8 0.8	47 69 15 27 2 6	28.3 41.6 9.0 16.3 1.2 3.6 0.0	223 257 93 104 13 38 9	30.3 34.9 12.6 14.1 1.8 5.2 1.2	10,003 9,695 5,208 4,474 767 1,810 417	30.9 29.9 16.1 13.8 2.4 5.6 1.3	147 179 96 59 18 19	24.8 30.2 16.2 10.0 3.0 3.2 12.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	46 177 211 272 52	6.1 23.4 27.8 35.9 6.9	31 140 159 216 46	5.2 23.6 26.9 36.5 7.8	15 37 52 56 6	9.0 22.3 31.3 33.7 3.6	46 151 222 268 50	6.2 20.5 30.1 36.4 6.8	1,937 7,186 9,245 11,490 2,516	6.0 22.2 28.6 35.5 7.8	31 111 152 204 94	5.2 18.8 25.7 34.5 15.9
TRANSMISSION RISK												
Injection drug use history (IDU) Heterosexual Perinatal Other Unknown	35 590 5 0 128	4.6 77.8 0.7 0.0 16.9	32 451 3 0 106	5.4 76.2 0.5 0.0 17.9	3 139 2 0 22	1.8 83.7 1.2 0.0 13.3	99 475 28 1 134	13.4 64.5 3.8 0.1 18.2	6,006 16,566 1,303 108 8,391	18.6 51.2 4.0 0.3 25.9	189 258 5 5 135	31.9 43.6 0.8 0.8 22.8
CLINICAL HISTORY			<b>.</b>	<b>N1</b> /*					46.040			
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	13,248 19,126	40.9 59.1	103 489	17.4 82.6

Table 1.3.1. Black males

					<b>0</b> oncurrent w	ith AIDS	AIDS DIAGNOS	ES, 2010	PLWHA A: 12/31/20		DEATHS,	, 2010
	Total HIV di	agnoses %	Withou	t AIDS %		agnoses	N	%	N	0/	NI	0/
TOTAL	1,114	100.0	N 889	<b>79.8</b>	N <b>225</b>	% <b>20.2</b>	890	100.0	31,813	% 100.0	N <b>692</b>	700.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 61 426 214 224 129 59	0.1 5.5 38.2 19.2 20.1 11.6 5.3	1 54 389 163 167 85 30	0.1 6.1 43.8 18.3 18.8 9.6 3.4	0 7 37 51 57 44 29	0.0 3.1 16.4 22.7 25.3 19.6 12.9	0 23 189 175 253 172 78	0.0 2.6 21.2 19.7 28.4 19.3 8.8	106 436 3,456 4,545 9,832 9,188 4,250	0.3 1.4 10.9 14.3 30.9 28.9 13.4	0 3 17 40 161 266 205	0.0 0.4 2.5 5.8 23.3 38.4 29.6
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	193 395 222 139 21 130 14	17.3 35.5 19.9 12.5 1.9 11.7	151 295 185 118 13 113 14	17.0 33.2 20.8 13.3 1.5 12.7 1.6	42 100 37 21 8 17	18.7 44.4 16.4 9.3 3.6 7.6 0.0	180 340 163 109 20 73 5	20.2 38.2 18.3 12.2 2.2 8.2 0.6	6,545 10,347 7,071 4,071 498 2,682 599	20.6 32.5 22.2 12.8 1.6 8.4 1.9	172 215 114 61 11 33 86	24.9 31.1 16.5 8.8 1.6 4.8 12.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	73 278 327	6.6 25.0 29.4	55 224 254	6.2 25.2 28.6	18 54 73	8.0 24.0 32.4	49 216 291	5.5 24.3 32.7	1,989 7,715 9,414	6.3 24.3 29.6	27 110 207	3.9 15.9 29.9
Very high poverty (≥30% below FPL) Area-based poverty level not available	289 147	25.9 13.2	226 130	25.4 14.6	63 17	28.0 7.6	253 81	28.4 9.1	8,986 3,709	28.2 11.7	228 120	32.9 17.3
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	614 31 16 95 2 0 356	55.1 2.8 1.4 8.5 0.2 0.0 32.0	536 21 11 57 1 0 263	60.3 2.4 1.2 6.4 0.1 0.0 29.6	78 10 5 38 1 0	34.7 4.4 2.2 16.9 0.4 0.0 41.3	378 61 27 114 6 0 304	42.5 6.9 3.0 12.8 0.7 0.0 34.2	12,106 4,966 979 3,211 698 36 9,817	38.1 15.6 3.1 10.1 2.2 0.1 30.9	146 219 32 67 4 1 223	21.1 31.6 4.6 9.7 0.6 0.1 32.2
CLINICAL HISTORY HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12.668	39.8	116	16.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,145	60.2	576	83.2

Table 1.3.2. Black females

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOS	ES, 2010	PLWHA AS 12/31/20		DEATHS	, 2010
					Concurrent w	-						
	Total HIV o	•	Withou			iagnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	494	100.0	376	76.1	118	23.9	477	100.0	18,817	100.0	324	100.0
AGE GROUP (YEARS)												
0-12	2	0.4	1	0.3	1	0.8	1	0.2	102	0.5	0	0.0
13-19	17	3.4	16	4.3	1	0.8	12	2.5	424	2.3	0	0.0
20-29	107	21.7	92	24.5	15	12.7	58	12.2	1,360	7.2	2	0.6
30-39	98	19.8	77	20.5	21	17.8	110	23.1	3,201	17.0	28	8.6
40-49	138	27.9	100	26.6	38	32.2	155	32.5	6,616	35.2	106	32.7
50-59	91	18.4	60	16.0	31	26.3	107	22.4	5,211	27.7	118	36.4
60+	41	8.3	30	8.0	11	9.3	34	7.1	1,903	10.1	70	21.6
BOROUGH OF RESIDENCE												
Bronx	129	26.1	97	25.8	32	27.1	121	25.4	5,043	26.8	70	21.6
Brooklyn	186	37.7	131	34.8	55	46.6	197	41.3	6,751	35.9	114	35.2
Manhattan	60	12.1	50	13.3	10	8.5	62	13.0	2,877	15.3	53	16.4
Queens	85	17.2	66	17.6	19	16.1	65	13.6	2,627	14.0	39	12.0
Staten Island	5	1.0	4	1.1	1	0.8	5	1.0	358	1.9	4	1.2 3.1
Outside NYC	26	5.3	25	6.6	1	0.8	23	4.8	929	4.9	10	3.1
Unknown	3	0.6	3	8.0	0	0.0	4	0.8	232	1.2	34	10.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	31	6.3	19	5.1	12	10.2	30	6.3	994	5.3	14	4.3
Medium poverty (10 to <20% below FPL)	123	24.9	92	24.5	31	26.3	104	21.8	4,223	22.4	65	20.1
High poverty (20 to <30% below FPL)	130	26.3	98	26.1	32	27.1	144	30.2	5,716	30.4	93	28.7
Very high poverty (≥30% below FPL)	181	36.6	139	37.0	42	35.6	170	35.6	6,563	34.9	108	33.3
Area-based poverty level not available	29	5.9	28	7.4	1	0.8	29	6.1	1,321	7.0	44	13.6
TRANSMISSION RISK												
Injection drug use history (IDU)	16	3.2	13	3.5	3	2.5	51	10.7	2,897	15.4	82	25.3
Heterosexual	394	79.8	294	78.2	100	84.7	325	68.1	9,824	52.2	152	46.9
Perinatal	3	0.6	1	0.3	2	1.7	19	4.0	756	4.0	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	55	0.3	1	0.3
Unknown	81	16.4	68	18.1	13	11.0	82	17.2	5,285	28.1	87	26.9
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7,928	42.1	57	17.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,889	57.9	267	82.4

Table 1.3.3. Latino/Hispanic males

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A: 12/31/20		DEATHS	3, 2010
					Concurrent w	-						
	Total HIV di N	agnoses %	Withou N	t AIDS %	di N	agnoses %	N	%	N	%	N	0/
TOTAL	847	100.0	683	80.6	164	19.4	616	100.0	26,334	100.0	518	100.0
									,			
AGE GROUP (YEARS) 0-12	3	0.4	3	0.4	0	0.0	1	0.2	51	0.2	0	0.0
13-19	40	4.7	33	4.8	7	4.3	16	2.6	237	0.2		0.0
20-29	309	36.5	279	40.8	30	18.3	122	19.8	2,292	8.7	9	1.7
30-39	234	27.6	186	27.2	48	29.3	172	27.9	4,435	16.8	43	8.3
40-49	159	18.8	120	17.6	39	23.8	168	27.3	9,294	35.3	149	8.3 28.8 35.3
50-59	76	9.0	48	7.0	28	17.1	98	15.9	7,070	26.8	183	35.3
60+	26	3.1	14	2.0	12	7.3	39	6.3	2,955	11.2	134	25.9
BOROUGH OF RESIDENCE												
Bronx	226	26.7	179	26.2	47	28.7	191	31.0	7,721	29.3	185	35.7
Brooklyn	129	15.2	103	15.1	26	15.9	121	19.6	4,537	17.2	98	18.9
Manhattan	237	28.0	195	28.6	42	25.6	146	23.7	6,742	25.6	109	21.0
Queens	170	20.1	128	18.7	42	25.6	101	16.4	4,725	17.9	43	8.3 2.3 2.9
Staten Island	10	1.2	8	1.2	2	1.2	11	1.8	416	1.6	12	2.3
Outside NYC	68	8.0	63 7	9.2	5	3.0	39	6.3	1,711	6.5	15	2.9
Unknown	7	0.8	/	1.0	0	0.0	7	1.1	482	1.8	56	10.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	73	8.6	61	8.9	12	7.3	56	9.1	2,057	7.8		4.6
Medium poverty (10 to <20% below FPL)	233	27.5	181	26.5	52	31.7	140	22.7	7,018	26.6		18.9
High poverty (20 to <30% below FPL)	237	28.0	186	27.2	51	31.1	174	28.2	6,605	25.1	130	25.1
Very high poverty (≥30% below FPL)	224	26.4	181	26.5	43	26.2	199	32.3	8,087	30.7	195	37.6
Area-based poverty level not available	80	9.4	74	10.8	6	3.7	47	7.6	2,567	9.7	71	13.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	554	65.4	475	69.5	79	48.2	281	45.6	11,352	43.1	103	19.9
Injection drug use history (IDU)	32	3.8	24	3.5	8	4.9	78	12.7	5,658	21.5	248	47.9
MSM-IDU	22	2.6	20	2.9	2	1.2	23	3.7	1,128	4.3	20	3.9
Heterosexual	44	5.2	34	5.0	10	6.1	51	8.3	1,997	7.6		7.7
Perinatal Other	3	0.4	3	0.4	0	0.0	7	1.1	459	1.7	0	0.0
Other Unknown	0 192	0.0 22.7	0 127	0.0 18.6	0 65	0.0 39.6	0 176	0.0 28.6	28 5.712	0.1 21.7	2 105	0. <sup>2</sup> 20.3
OHNIOWH	192	22.1	127	10.0	00	39.0	170	20.0	5,712	21.7	103	20.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,995	38.0	89	17.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16,339	62.0	429	82.8

Table 1.3.4. Latino/Hispanic females

						AIDC	AIDS DIAGNOSES	2010	PLWHA AS 12/31/20		DEATHS	, 2010
	Total HIV dia	aanoses	Withou		Concurrent with	noses						
	N	%	N	%	N N	%	N	%	N	%	N	%
TOTAL	210	100.0	173	82.4	37	17.6	215	100.0	10,578	100.0	202	100.0
AGE GROUP (YEARS)								_				
0-12	2	1.0	2	1.2	0	0.0	0	0.0	61	0.6	0	0.0
13-19	12	5.7	11	6.4	1	2.7	7	3.3	228	2.2	1	0.5
20-29	44	21.0	42	24.3	2	5.4	25	11.6	698	6.6	5	2.5 9.4
30-39	51	24.3	41	23.7	10	27.0	54	25.1	1,564	14.8	19	9.4
40-49 50-59	47 45	22.4 21.4	38 33	22.0 19.1	9 12	24.3 32.4	69 44	32.1 20.5	3,745 3,022	35.4 28.6	72	35.6 34.2
60+	45 9	4.3	33 6	3.5	3	32.4 8.1	44 16	20.5 7.4	3,022 1,260	28.6 11.9	69 36	34.2 17.8
007	9	4.5	U	3.3	3	0.1	10	7.4	1,200	11.5	30	17.0
BOROUGH OF RESIDENCE												
Bronx	73	34.8	60	34.7	13	35.1	93	43.3	4,550	43.0	73	36.1
Brooklyn	52	24.8	44	25.4	8	21.6	45	20.9	2,287	21.6	51	25.2
Manhattan Queens	39 28	18.6 13.3	34 21	19.7 12.1	5 7	13.5 18.9	25 36	11.6 16.7	1,709 1,242	16.2 11.7	29 10	14.4 5.0
Staten Island	5	2.4	4	2.3	1	2.7	3	1.4	210	2.0	8	4.0
Outside NYC	11	5.2	8	4.6	3	8.1	9	4.2	442	4.2	4	2.0
Unknown	2	1.0	2	1.2	ő	0.0	4	1.9	138	1.3	27	13.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	2.9	5	2.9	1	2.7	7	3.3	401	3.8	9	4.5
Medium poverty (10 to <20% below FPL)	37	17.6	35	20.2	2	5.4	36	16.7	2,046	19.3	25	12.4
High poverty (20 to <30% below FPL)	72	34.3	55	31.8	17	45.9	70	32.6	2,948	27.9	48	23.8
Very high poverty (≥30% below FPL)	81	38.6	67	38.7	14	37.8	88	40.9	4,536	42.9	88	43.6
Area-based poverty level not available	14	6.7	11	6.4	3	8.1	14	6.5	647	6.1	32	15.8
TRANSMISSION RISK												
Injection drug use history (IDU)	12	5.7	12	6.9	0	0.0	37	17.2	2,403	22.7	76	37.6
Heterosexual	163	77.6	131	75.7	32	86.5	128	59.5	5,345	50.5	86	42.6
Perinatal	2	1.0	2	1.2	0	0.0	8	3.7	462	4.4	3	1.5 0.5
Other	0	0.0	0	0.0	0	0.0	.1	0.5	29	0.3	1	0.5
Unknown	33	15.7	28	16.2	5	13.5	41	19.1	2,339	22.1	36	17.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,976	37.6	35	17.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6,602	62.4	167	82.7

Table 1.3.5. White males

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA AS 12/31/20		DEATHS.	2010
	T- (-1.1.11) (-1		14/2//		Concurrent w							l
	Total HIV di N	agnoses %	Withou N	t AIDS %	N a	iagnoses %	N	%	N	%	N	%
TOTAL	614	100.0	507	82.6	107	17.4	334	100.0	20,876	100.0	251	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
13-19	9	1.5	9	1.8	0	0.0	.1	0.3	33	0.2	1	0.4
20-29 30-39	185 167	30.1 27.2	167	32.9 29.6	18	16.8	46 67	13.8	1,014 2.874	4.9	3	1.2
30-39 40-49	161	26.2	150 119	29.6	17 42	15.9 39.3	122	20.1 36.5	2,874 7.698	13.8 36.9	16 55	6.4 21.9
50-59	62	10.1	39	7.7	23	21.5	74	22.2	6.284	30.1	93	37.1
60+	30	4.9	23	4.5	7	6.5	24	7.2	2,966	14.2	83	33.1
BOROUGH OF RESIDENCE												
Bronx	24	3.9	18	3.6	6	5.6	18	5.4	782	3.7	8	3.2
Brooklyn	81	13.2	61	12.0	20	18.7	56	16.8	2,703	12.9	40	15.9
Manhattan	303	49.3	260	51.3	43	40.2	136	40.7	10,594	50.7	76	30.3
Queens Staten Island	75 14	12.2 2.3	56 9	11.0 1.8	19 5	17.8 4.7	52 12	15.6 3.6	2,185 486	10.5 2.3	23 16	9.2 6.4
Outside NYC	113	2.3 18.4	100	1.0	13	12.1	56	16.8	3,701	2.3 17.7	27	10.8
Unknown	4	0.7	3	0.6	1	0.9	4	1.2	425	2.0	61	24.3
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	157	25.6	131	25.8	26	24.3	78	23.4	5,805	27.8	46	18.3
Medium poverty (10 to <20% below FPL)	197	32.1	161	31.8	36	33.6	110	32.9	6,845	32.8	67	26.7
High poverty (20 to <30% below FPL)	93	15.1	70	13.8	23	21.5	53	15.9	2,613	12.5	33	13.1
Very high poverty (≥30% below FPL)	48	7.8	40	7.9	8	7.5	31	9.3	1,213	5.8	17	6.8
Area-based poverty level not available	119	19.4	105	20.7	14	13.1	62	18.6	4,400	21.1	88	35.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	484	78.8	419	82.6	65	60.7	227	68.0	15,483	74.2	130	51.8
Injection drug use history (IDU)	13	2.1	11	2.2	2	1.9	12	3.6	1,374	6.6	43	17.1
MSM-IDU	22	3.6	20	3.9	2	1.9	12	3.6	565	2.7	17	6.8
Heterosexual Perinatal	5 0	0.8 0.0	3	0.6 0.0	2	1.9 0.0	5 2	1.5 0.6	507 67	2.4 0.3	11 0	4.4 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.3	0	0.0
Unknown	90	14.7	54	10.7	36	33.6	76	22.8	2,833	13.6	50	19.9
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,929	47.6	56	22.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10,947	52.4	195	77.7

Table 1.3.6. White females

		HIV I	DIAGNO	SES, 20		AIDS DIA	GNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
					Concurrent with All							- 1
	Total HIV dia		Withou		diagnos							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	40	100.0	31	77.5	9 22	2.5	38	100.0	2,443	100.0	55	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0 (	0.0	0	0.0	10	0.4	0	0.0
13-19	2	5.0	1	3.2	1 1		2	5.3	27	1.1	Ö	0.0
20-29	10	25.0	10	32.3	0 (	0.0	2	5.3	130	5.3	0	0.0
30-39	10	25.0	7	22.6	3 30	3.3	9	23.7	300	12.3	3	5.5
40-49	12	30.0	10	32.3	2 22	2.2	14	36.8	876	35.9	17	30.9
50-59	5	12.5	3	9.7		2.2	9	23.7	792	32.4	23	41.8
60+	1	2.5	0	0.0	1 1	1.1	2	5.3	308	12.6	12	21.8
BOROUGH OF RESIDENCE												
Bronx	7	17.5	5	16.1	2 22	2.2	7	18.4	326	13.3	2	3.6
Brooklyn	11	27.5	7	22.6		1.4	10	26.3	512	21.0	12	21.8
Manhattan	6	15.0	6	19.4	0 (	0.0	6	15.8	534	21.9	13	23.6
Queens	7	17.5	6	19.4	1 1	1.1	3	7.9	441	18.1	7	12.7
Staten Island	2	5.0	2	6.5	0 (	0.0	5	13.2	190	7.8	5	9.1
Outside NYC	7	17.5	5	16.1	2 22	2.2	6	15.8	409	16.7	4	7.3
Unknown	0	0.0	0	0.0	0 (	0.0	1	2.6	31	1.3	12	21.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	20.0	7	22.6	1 1	1.1	8	21.1	491	20.1	8	14.5
Medium poverty (10 to <20% below FPL)	11	27.5	8	25.8	3 33	3.3	10	26.3	734	30.0	18	32.7
High poverty (20 to <30% below FPL)	7	17.5	4	12.9	3 33	3.3	8	21.1	462	18.9	9	16.4
Very high poverty (≥30% below FPL)	7	17.5	7	22.6	0 (	0.0	5	13.2	290	11.9	4	7.3
Area-based poverty level not available	7	17.5	5	16.1		2.2	7	18.4	466	19.1	16	29.1
TRANSMISSION RISK												
Injection drug use history (IDU)	7	17.5	7	22.6	0 (	0.0	10	26.3	679	27.8	26	47.3
Heterosexual	23	57.5	17	54.8		5.7	19	50.0	1.111	45.5	17	30.9
Perinatal	0	0.0	0	0.0		0.0	1	2.6	71	2.9	0	0.0
Other	0	0.0	0	0.0		0.0	Ó	0.0	21	0.9	2	0.0 3.6
Unknown	10	25.0	7	22.6		3.3	8	21.1	561	23.0	10	18.2
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A N	I/A	N/A	N/A	1,032	42.2	9	16.4
Ever AIDS diagnosis	N/A	N/A	N/A	N/A			N/A	N/A	1,411	57.8	46	83.6
EVEL MIDO GIAGNIOSIS	IN/A	IN/A	IV/A	IN/A	IN/A IN	I/A	IN/A	IN/A	1,411	37.8	40	03.0

Table 1.3.7. Asian/Pacific Islander males

		HIV	DIAGNO	SES, 20		L A150	AIDS DIAGNOSES	, 2010	PLWHA A 12/31/20		DEATHS,	2010
	Total HIV di		Withou	t AIDS		gnoses	N	%	N	0/	N	0/
TOTAL	N 86	% 100.0	N 66	% 76.7	N <b>20</b>	% 23.3	N <b>39</b>	100.0	N 1,563	% 100.0	N <b>11</b>	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 30 28 17 7 3	0.0 1.2 34.9 32.6 19.8 8.1 3.5	0 0 28 20 13 3 2	0.0 0.0 42.4 30.3 19.7 4.5 3.0	0 1 2 8 4 4	0.0 5.0 10.0 40.0 20.0 20.0 5.0	0 1 8 13 10 6 1	0.0 2.6 20.5 33.3 25.6 15.4 2.6	4 7 135 409 546 323 139	0.3 0.4 8.6 26.2 34.9 20.7 8.9	0 0 1 1 1 4 4	0.0 0.0 9.1 9.1 9.1 36.4 36.4
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	2 10 32 33 0 8 1	2.3 11.6 37.2 38.4 0.0 9.3 1.2	2 7 26 23 0 7 1	3.0 10.6 39.4 34.8 0.0 10.6 1.5	0 3 6 10 0 1	0.0 15.0 30.0 50.0 0.0 5.0 0.0	0 6 15 14 0 4	0.0 15.4 38.5 35.9 0.0 10.3	85 262 529 498 17 128 44	5.4 16.8 33.8 31.9 1.1 8.2 2.8	0 3 4 3 0 0 1	0.0 27.3 36.4 27.3 0.0 0.0 9.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	12 40 16 8 10	14.0 46.5 18.6 9.3 11.6	10 30 14 4 8	15.2 45.5 21.2 6.1 12.1	2 10 2 4 2	10.0 50.0 10.0 20.0 10.0	5 19 4 5 6	12.8 48.7 10.3 12.8 15.4	230 655 365 120 193	14.7 41.9 23.4 7.7 12.3	2 6 1 1	18.2 54.5 9.1 9.1 9.1
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	61 3 0 5 0 0 17	70.9 3.5 0.0 5.8 0.0 0.0 19.8	48 2 0 4 0 0	72.7 3.0 0.0 6.1 0.0 0.0 18.2	13 1 0 1 0 0 5	65.0 5.0 0.0 5.0 0.0 0.0 25.0	25 4 1 2 0 0 7	64.1 10.3 2.6 5.1 0.0 0.0 17.9	912 42 26 161 10 4 408	58.3 2.7 1.7 10.3 0.6 0.3 26.1	3 1 0 1 1 0 5	27.3 9.1 0.0 9.1 9.1 0.0 45.5
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	754 809	48.2 51.8	1 10	9.1 90.9

Table 1.3.8. Asian/Pacific Islander females

		HIV	DIAGNO			AIDS DIAGNO	SES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Tatal I IIV ( -1'		14/:4/-		Concurrent with AIDS						
	Total HIV di	agnoses %	Withou N	t AIDS %	diagnoses N %		%	N	%	N	0/
TOTAL	N 12	100.0	10	83.3	2 16.7		100.0	353	100.0	7	100.0
IOIAL	12	100.0		00.0	2 10.7	_	100.0	000	100.0	•	100.0
AGE GROUP (YEARS)											
0-12	0	0.0	0	0.0	0 0.0		0.0	0	0.0	0	0.0
13-19	1	8.3	1	10.0	0 0.0		0.0	3	0.8	0	0.0
20-29	2	16.7	2	20.0	0 0.0		16.7	32	9.1	0	0.0
30-39 40-49	3	33.3 25.0	4	40.0 10.0	0 0.0 2 100.0		16.7 66.7	102 110	28.9 31.2	1 2	14.3 28.6
50-59	1	8.3	1	10.0	0 0.0		0.0	74	21.0	2	28.6
60+	1	8.3	1	10.0	0 0.0		0.0	32	9.1	2	28.6
	·	0.0	•	10.0	0 0.0		0.0	02	0.1	_	20.0
BOROUGH OF RESIDENCE											
Bronx	2	16.7	2	20.0	0 0.0		33.3	43	12.2	1	14.3
Brooklyn	4	33.3	2	20.0	2 100.0		66.7	86	24.4	2	28.6
Manhattan	2	16.7	2	20.0 30.0	0 0.0		0.0	60	17.0	0	0.0
Queens Staten Island	3	25.0 0.0	3 0	0.0	0 0.0 0 0.0		0.0 0.0	126 3	35.7 0.8	3 0	42.9
Outside NYC	1	8.3	1	10.0	0 0.0		0.0	24	6.8	0	0.0 0.0
Unknown	0	0.0	0	0.0	0 0.0		0.0	11	3.1	1	14.3
Officiowit	O	0.0	U	0.0	0 0.0		0.0		5.1	•	14.5
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL)	1	8.3	0	0.0	1 50.0		16.7	38	10.8	0	0.0
Medium poverty (10 to <20% below FPL)	6	50.0	5	50.0	1 50.0		16.7	137	38.8	3	42.9
High poverty (20 to <30% below FPL)	1	8.3	1	10.0	0 0.0	0	0.0	76	21.5	0	0.0
Very high poverty (≥30% below FPL)	3	25.0	3	30.0	0 0.0	) 4	66.7	62	17.6	3	42.9
Area-based poverty level not available	1	8.3	1	10.0	0 0.0	0	0.0	40	11.3	1	14.3
TRANSMISSION RISK											
Injection drug use history (IDU)	0	0.0	0	0.0	0 0.0		16.7	13	3.7	2	28.6
Heterosexual	9	75.0	8	80.0	1 50.0		50.0	211	59.8	3	42.9
Perinatal	0	0.0	0	0.0	0 0.0		0.0	5	1.4	0	0.0
Other	0	0.0	0	0.0	0 0.0		0.0	1	0.3	1	14.3
Unknown	3	25.0	2	20.0	1 50.0	2	33.3	123	34.8	1	14.3
CLINICAL HISTORY											
HIV-only	N/A	N/A	N/A	N/A	N/A N/A		N/A	185	52.4	1	14.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A N/A	N/A	N/A	168	47.6	6	85.7

Table 1.3.9. Native American males

		HIV	DIAGN	OSES, 201	0		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/2		DEATHS	5, 2010
					Concurrent w							
	Total HIV dia			out AIDS		liagnoses				0.4		
TOTAL	N	%	N	%	N	%	N 2	%	N <b>187</b>	% 400.0	N	400.0
TOTAL	3	100.0	2	66.7	1	33.3	2	100.0	187	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	66.7	2	100.0	0	0.0	0	0.0	18	9.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	43	23.0	0	0.0
40-49	1	33.3	0	0.0	1	100.0	2	100.0	64	34.2	0	0.0
50-59 60+	0	0.0 0.0	0	0.0	0	0.0	0 0	0.0	45 17	24.1 9.1	0	0.0
60+	0	0.0	U	0.0	0	0.0	U	0.0	17	9.1	1	100.0
BOROUGH OF RESIDENCE												
Bronx	1	33.3	1	50.0	0	0.0	0	0.0	40	21.4	1	100.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	46	24.6	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	46	24.6	0	0.0
Queens	1	33.3	0	0.0	1	100.0	2	100.0	39	20.9	0	0.0
Other/Unknown	1	33.3	1	50.0	0	0.0	0	0.0	16	8.6	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	11	5.9	0	0.0
Medium poverty (10 to <20% below FPL)	2	66.7	1	50.0	1	100.0	2	100.0	57	30.5	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	53	28.3	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	49	26.2	1	100.0
Area-based poverty level not available	1	33.3	1	50.0	0	0.0	0	0.0	17	9.1	0	0.0
The sace percent for the aramazio		00.0	•	00.0		0.0	· ·	0.0		0	ŭ	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	66.7	2	100.0	0	0.0	0	0.0	92	49.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	50.0	19	10.2	1	100.0
MSM-IDU	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0	8	4.3 7.5	0	0.0
Heterosexual Perinatal	0	0.0	0	0.0	0	0.0	0	0.0 0.0	14 0	0.0	0 0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
Unknown	1	33.3	0	0.0	1	100.0	1	50.0	52	27.8	0	0.0
					•			55.0			Ü	3.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	79	42.2	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	108	57.8	1	100.0

**Table 1.3.10. Native American females** 

		HIV	DIAGNO	OSES, 201			AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	5, 2010
	Total HIV di	%	Witho	out AIDS %	Concurrent wit dia N	th AIDS agnoses %	N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	1	100.0	75	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	1	100.0	1	100.0	0	0.0	0	0.0	4	5.3	0	0.0
20-29	Ö	0.0	Ö	0.0	ő	0.0	0	0.0	4	5.3	ő	0.0
30-39	Ö	0.0	0	0.0	ő	0.0	0	0.0	12	16.0	Ő	0.0 0.0
40-49	ő	0.0	ő	0.0	ŏ	0.0	1	100.0	31	41.3	ŏ	0.0
50-59	0	0.0	Ō	0.0	0	0.0	0	0.0	22	29.3	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	33.3
BOROUGH OF RESIDENCE												
Bronx	1	100.0	1	100.0	0	0.0	0	0.0	23	30.7	1	33.3
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	30	40.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	1	33.3
Queens	0	0.0	0	0.0	0	0.0	0	0.0	12	16.0	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	1	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.7	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	26.7	0	0.0
High poverty (20 to <30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	21	28.0	2	66.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	27	36.0	1	33.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	6	8.0	3	100.0
Heterosexual	1	100.0	1	100.0	Ö	0.0	Ö	0.0	48	64.0	Ö	0.0
Perinatal	0	0.0	Ô	0.0	Ō	0.0	Ö	0.0	4	5.3	Ō	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	100.0	16	21.3	0	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	37	49.3	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	38	50.7	3	100.0

Table 1.4.1. Males 0-12 Years

		HIV	DIAGNO	OSES, 201			AIDS DIAGNOSES, 2010	PLWHA 12/31/		DEATHS,	2010
	Total HIV di	agnoses	With	out AIDS	Concurrent with AIL diagnos	es					
	N	%	N	%		%	N %		%	N	%
TOTAL	4	100.0	4	100.0	0 (	0.0	1 100.0	168	100.0	0	0.0
RACE/ETHNICITY											
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	1 3 0 0 0	25.0 75.0 0.0 0.0 0.0 0.0	1 3 0 0 0	25.0 75.0 0.0 0.0 0.0 0.0	0 ( 0 ( 0 ( 0 (	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 1 100.0 0 0.0 0 0.0 0 0.0 0 0.0	51 7 0 4 0 0	63.1 30.4 4.2 2.4 0.0 0.0	0 0	0.0 0.0 0.0 0.0 0.0
BOROUGH OF RESIDENCE											
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	1 1 1 1 0 0	25.0 25.0 25.0 25.0 0.0 0.0	1 1 1 1 0 0	25.0 25.0 25.0 25.0 0.0 0.0	0 0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	1 100.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0	47 27 23 5 8	32.1 28.0 16.1 13.7 3.0 4.8 2.4	0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 1 2 1 0	0.0 25.0 50.0 25.0 0.0	0 1 2 1 0	0.0 25.0 50.0 25.0 0.0	0 0	0.0 0.0 0.0 0.0	0 0.0 0 0.0 1 100.0 0 0.0	33 42 0 69	6.5 19.6 25.0 41.1 7.7		0.0 0.0 0.0 0.0
TRANSMISSION RISK											
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	0 0 0 0 4 0	0.0 0.0 0.0 0.0 100.0 0.0	0 0 0 0 4 0	0.0 0.0 0.0 0.0 100.0 0.0	0 0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0.0 0 0.0 0 0.0 0 0.0 1 100.0 0 0.0	0 0 0 0 168 0	0.0 0.0 0.0 100.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
CLINICAL HISTORY											
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A		I/A I/A	N/A		92.9 7.1	0 0	0.0 0.0

Table 1.4.2. Females 0-12 Years

		HIV	DIAGNO	OSES, 20			AIDS DIAGNO	SES, 2010	PLWHA A 12/31/2		DEATHS,	, 2010
					Concurrent (	-						
	Total HIV di	•		out AIDS		diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	4	100.0	3	75.0	1	25.0	1	100.0	174	100.0	0	0.0
RACE/ETHNICITY												
Black	2	50.0	1	33.3	1	100.0	1	100.0	102	58.6	0	0.0
Latino/Hispanic	2	50.0	2	66.7	0	0.0	0	0.0	61	35.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	10	5.7	0	0.0 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	Ö	0.0	Õ	0.0	Õ	0.0	Ö	0.0	ĭ	0.6	Ŏ	0.0
Multiracial	Ö	0.0	Õ	0.0	0	0.0	0	0.0	Ö	0.0	Ö	0.0
		0.0	ŭ	0.0	· ·	0.0	· ·	0.0		0.0	ŭ	0.0
BOROUGH OF RESIDENCE												
Bronx	2	50.0	1	33.3	1	100.0	1	100.0	49	28.2	0	0.0
Brooklyn	1	25.0	1	33.3	0	0.0	0	0.0	51	29.3	0	0.0
Manhattan	1	25.0	1	33.3	0	0.0	0	0.0	23	13.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	14	8.0	0	0.0 0.0 0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	2.9	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	22	12.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	5.7	Ö	0.0
							•				•	
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	25.0	1	33.3	0	0.0	0	0.0	9	5.2	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	24	13.8	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	43	24.7	0	0.0
Very high poverty (≥30% below FPL)	3	75.0	2	66.7	1	100.0	1	100.0	66	37.9	0	0.0
, , , ,					•		1					
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	32	18.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual	0	0.0	Ō	0.0	Ō	0.0	Ō	0.0	0	0.0	Ö	0.0
Perinatal	4	100.0	3	100.0	1	100.0	1	100.0	174	100.0	Ö	0.0 0.0
Other	Ö	0.0	0	0.0	Ó	0.0	0	0.0	0	0.0	ő	0.0
Unknown	Ö	0.0	0	0.0	ő	0.0	0	0.0	ő	0.0	0	0.0
					ŭ	J.0	Ŭ	3.0	, and the second	5.0	3	3.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	164	94.3	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	5.7	0	0.0

Table 1.4.3. Males 13+ Years

		HIV	DIAGNOS	·			AIDS DIAGNOS	ES, 2010	PLWHA A: 12/31/20		DEATHS	, 2010
	Total HIV di	agnoses %	Withou N		oncurrent w di N	ith AIDS agnoses %		%	N	%	N	0,
TOTAL	2,670	100.0	2,152	80.6	518	19.4		100.0	80,976	100.0	1,478	100.0
RACE/ETHNICITY Black	1,113	41.7	888	41.3	225	43.4	890	47.3	31,707	39.2	692	46.8
Latino/Hispanic	844	31.6	680	31.6	164	31.7		32.7	26,283	32.5	518	35.0
White	614	23.0	507	23.6	107	20.7	334	17.7	20,869	25.8	251	17.
Asian/Pacific Islander	86	3.2	66	3.1	20	3.9		2.1	1,559	1.9	11	0.
Native American	3	0.1	2	0.1	1	0.2		0.1	187	0.2	1	0.
Multiracial	10	0.4	9	0.4	1	0.2	3	0.2	84	0.1	5	0.
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	287	0.4	0	0.
AGE GROUP (YEARS)												
13-19	113	4.2	98	4.6	15	2.9		2.2	720	0.9	4	0.3
20-29	955	35.8	868	40.3	87	16.8		19.5	6,945	8.6	30	2.0
30-39	645	24.2	521	24.2	124	23.9		22.7	12,353	15.3	100	6.8
40-49	563	21.1	420	19.5	143	27.6		29.5	27,554	34.0	366	24.
50-59	275 119	10.3 4.5	175 70	8.1	100 49	19.3		18.6	23,028	28.4	550 428	37.
60+	119	4.5	70	3.3	49	9.5	142	7.5	10,376	12.8	428	29.0
BOROUGH OF RESIDENCE												
Bronx	445	16.7	350	16.3	95	18.3		20.6	15,150	18.7	366	24.8
Brooklyn	617	23.1	467	21.7	150	29.0		27.9	17,895	22.1	358	24.2
Manhattan Queens	794 419	29.7 15.7	666 326	30.9 15.1	128 93	24.7 18.0		24.4 14.8	25,136 11.537	31.0 14.2	305 131	20.0
Staten Island	419	1.7	30	1.4	15	2.9		2.3	1,422	1.8	39	8.9
Outside NYC	324	12.1	288	13.4	36	6.9		9.2	8.272	10.2	75	5.
Unknown	26	1.0	25	1.2	1	0.2		0.8	1,564	1.9	204	13.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	315	11.8	257	11.9	58	11.2	188	10.0	10,146	12.5	99	6.7
Medium poverty (10 to <20% below FPL)	753	28.2	599	27.8	154	29.7	489	26.0	22,366	27.6	285	19.3
High poverty (20 to <30% below FPL)	673	25.2	524	24.3	149	28.8	521	27.7	19,049	23.5	371	25.1
Very high poverty (≥30% below FPL)	568	21.3	450	20.9	118	22.8	488	25.9	18,416	22.7	442	29.9
Area-based poverty level not available	361	13.5	322	15.0	39	7.5		10.5	10,999	13.6	281	19.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,722	64.5	1,487	69.1	235	45.4	912	48.4	40.042	49.4	382	25.8
niection drug use history (IDU)	79	3.0	58	2.7	21	4.1	157	8.3	12.071	14.9	513	34.
MSM-IDU	60	2.2	51	2.4	9	1.7	63	3.3	2,707	3.3	69	4.
Heterosexual	149	5.6	98	4.6	51	9.8		9.1	5,896	7.3	119	8.
Perinatal	1	0.0	0	0.0	1	0.2		0.7	1,078	1.3	5	0.
Other	0	0.0	0	0.0	0	0.0		0.0	118	0.1	3	0.
Jnknown	659	24.7	458	21.3	201	38.8	565	30.0	19,064	23.5	387	26.
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A		N/A	33,580	41.5	265	17.
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47,396	58.5	1,213	82.

Table 1.4.4. Females 13+ Years

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	SES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV di		Withou	t AIDS		liagnoses						_
TOTAL	N <b>754</b>	% 100.0	N <b>589</b>	% <b>78.1</b>	N 165	% 21.9	N <b>736</b>	% 100.0	N 32,200	% 100.0	N <b>592</b>	100.0
RACE/ETHNICITY												
Black	492	65.3	375	63.7	117	70.9	476	64.7	18.715	58.1	324	54.7
Latino/Hispanic	208	27.6	171	29.0	37	22.4	215	29.2	10,517	32.7	202	34.1
White	40	5.3	31	5.3	9	5.5	38	5.2	2,433	7.6	55	9.3
Asian/Pacific Islander Native American	12 1	1.6	10 1	1.7 0.2	2	1.2 0.0	6 1	0.8	353 74	1.1 0.2	7	1.2 0.5
Native American Multiracial	1	0.1 0.1	1	0.2	0	0.0	0	0.1 0.0	23	0.2	3 1	0.3
Unknown	0	0.0	Ö	0.0	0	0.0	ő	0.0	85	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	33	4.4	30	5.1	3	1.8	21	2.9	689	2.1	1	0.2
20-29	163	21.6	146	24.8	17	10.3	86	11.7	2,232	6.9	7	1.2
30-39	163	21.6	129	21.9	34	20.6	174	23.6	5,196	16.1	51	8.6
40-49 50-59	200 143	26.5 19.0	149 98	25.3 16.6	51 45	30.9 27.3	243 160	33.0 21.7	11,411 9,162	35.4 28.5	197 215	33.3 36.3
50-59 60+	52	6.9	96 37	6.3	45 15	9.1	52	7.1	3,510	10.9	121	20.4
BOROUGH OF RESIDENCE												
Bronx	210	27.9	164	27.8	46	27.9	222	30.2	9,954	30.9	147	24.8
Brooklyn	252	33.4	183	31.1	69	41.8	257	34.9	9,644	30.0	179	30.2
Manhattan	106	14.1	91	15.4	15	9.1	93	12.6	5,185	16.1	96	16.2
Queens	123	16.3	96	16.3	27	16.4	104	14.1	4,460	13.9	59	10.0
Staten Island Outside NYC	12 46	1.6 6.1	10 40	1.7 6.8	2 6	1.2 3.6	13 38	1.8 5.2	762 1.788	2.4 5.6	18 19	3.0
Unknown	5	0.7	5	0.8	0	0.0	9	1.2	407	1.3	74	12.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	45	6.0	30	5.1	15	9.1	46	6.3	1,928	6.0	31	5.2
Medium poverty (10 to <20% below FPL)	177	23.5	140	23.8	37	22.4	151	20.5	7,162	22.2	111	18.8
High poverty (20 to <30% below FPL)	211	28.0	159	27.0	52	31.5	222	30.2	9,202	28.6	152	25.7
Very high poverty (≥30% below FPL)	269	35.7	214	36.3	55	33.3	267	36.3	11,424	35.5	204	34.5
Area-based poverty level not available	52	6.9	46	7.8	6	3.6	50	6.8	2,484	7.7	94	15.9
TRANSMISSION RISK												
Injection drug use history (IDU)	35	4.6	32	5.4	3	1.8	99	13.5	6,006	18.7	189	31.9
Heterosexual	590	78.2	451	76.6	139	84.2	475	64.5	16,566	51.4	258	43.6
Perinatal Other	1 0	0.1 0.0	0	0.0	1	0.6	27 1	3.7 0.1	1,129	3.5	5 5	3.0
Unknown	128	17.0	106	18.0	22	0.0 13.3	134	18.2	108 8,391	0.3 26.1	135	0.8 22.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13,084	40.6	103	17.4
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19,116	59.4	489	82.6

Table 1.5.1. Bronx, males

		HIV	DIAGNO	SES, 20	10 Concurrent v	with AIDS	AIDS DIAGNO	SES, 2010	PLWHA A 12/31/20		DEATHS	5, 2010
	Total HIV di	agnoses	Withou			diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	446	100.0	351	78.7	95	21.3	389	100.0	15,204	100.0	366	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	193 226 24 2 1 0	43.3 50.7 5.4 0.4 0.2 0.0	151 179 18 2 1 0	43.0 51.0 5.1 0.6 0.3 0.0 0.0	42 47 6 0 0 0	44.2 49.5 6.3 0.0 0.0 0.0	180 191 18 0 0 0	46.3 49.1 4.6 0.0 0.0 0.0 0.0	6,545 7,721 782 85 40 6 25	43.0 50.8 5.1 0.6 0.3 0.0	172 185 8 0 1 0	47.0 50.5 2.2 0.0 0.3 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 25 155 95 88 62 20	0.2 5.6 34.8 21.3 19.7 13.9 4.5	1 18 134 77 66 44 11	0.3 5.1 38.2 21.9 18.8 12.5 3.1	0 7 21 18 22 18 9	0.0 7.4 22.1 18.9 23.2 18.9 9.5	1 15 77 80 114 67 35	0.3 3.9 19.8 20.6 29.3 17.2 9.0	54 216 1,288 2,025 4,972 4,741 1,908	0.4 1.4 8.5 13.3 32.7 31.2 12.5	0 1 5 23 91 145 101	0.0 0.3 1.4 6.3 24.9 39.6 27.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	5 49 88 304 0	1.1 11.0 19.7 68.2 0.0	2 32 72 245 0	0.6 9.1 20.5 69.8 0.0	3 17 16 59 0	3.2 17.9 16.8 62.1 0.0	6 44 72 267 0	1.5 11.3 18.5 68.6 0.0	94 1,495 2,724 10,765 126	0.6 9.8 17.9 70.8 0.8	1 40 49 276 0	0.3 10.9 13.4 75.4 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	228 21 13 50 1 0	51.1 4.7 2.9 11.2 0.2 0.0 29.8	185 18 12 41 1 0 94	52.7 5.1 3.4 11.7 0.3 0.0 26.8	43 3 1 9 0 0 39	45.3 3.2 1.1 9.5 0.0 0.0 41.1	147 42 11 40 5 0	37.8 10.8 2.8 10.3 1.3 0.0 37.0	4,567 3,606 649 1,517 402 22 4,441	30.0 23.7 4.3 10.0 2.6 0.1 29.2	64 147 21 41 0 0 93	17.5 40.2 5.7 11.2 0.0 0.0 25.4
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	5,414 9,790	35.6 64.4	62 304	16.9 83.1

	Total HIV di		<b>DIAGNO</b> Withou		oncurrent v	vith AIDS liagnoses		SES, 2010	PLWHA A 12/31/20		DEATHS	i, 2010
	N	ayrioses %	N	%	N	ayrioses %		%	N	%	N	%
TOTAL	212	100.0	165	77.8	47	22.2		100.0	10,003	100.0	147	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	129 73 7 2 1 0	60.8 34.4 3.3 0.9 0.5 0.0	97 60 5 2 1 0	58.8 36.4 3.0 1.2 0.6 0.0	32 13 2 0 0 0	68.1 27.7 4.3 0.0 0.0 0.0	93 7 2 0 0	54.3 41.7 3.1 0.9 0.0 0.0	5,043 4,550 326 43 23 1	50.4 45.5 3.3 0.4 0.2 0.0	70 73 2 1 1 0	47.6 49.7 1.4 0.7 0.7 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	2 6 53 53 47 38 13	0.9 2.8 25.0 25.0 22.2 17.9 6.1	1 6 44 45 31 26 12	0.6 3.6 26.7 27.3 18.8 15.8 7.3	1 0 9 8 16 12 1	2.1 0.0 19.1 17.0 34.0 25.5 2.1	7 28 57 75 46	0.4 3.1 12.6 25.6 33.6 20.6 4.0	49 223 697 1,711 3,599 2,681 1,043	0.5 2.2 7.0 17.1 36.0 26.8 10.4	0 0 2 13 59 47 26	0.0 0.0 1.4 8.8 40.1 32.0 17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 21 36 155 0	0.0 9.9 17.0 73.1 0.0	0 18 25 122 0	0.0 10.9 15.2 73.9 0.0	0 3 11 33 0	0.0 6.4 23.4 70.2 0.0	23 45 152	0.9 10.3 20.2 68.2 0.4	30 1,056 1,945 6,933 39	0.3 10.6 19.4 69.3 0.4	1 17 20 109 0	0.7 11.6 13.6 74.1 0.0
' '	O	0.0	U	0.0	0	0.0		0.4	33	0.4	O	0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual Perinatal Other Unknown	11 179 2 0 20	5.2 84.4 0.9 0.0 9.4	11 137 1 0 16	6.7 83.0 0.6 0.0 9.7	0 42 1 0 4	0.0 89.4 2.1 0.0 8.5	144 8 0	13.9 64.6 3.6 0.0 17.9	1,996 4,984 417 24 2,582	20.0 49.8 4.2 0.2 25.8	53 65 1 0 28	36.1 44.2 0.7 0.0 19.0
CLINICAL HISTORY	<b>N1/</b> 6	N1/6	<b>N1/A</b>	<b>N</b> 1/A	N1/A	<b>.</b>	N1/2	N1/2	4.00	40.0	45	46.5
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	4,001 6,002	40.0 60.0	16 131	10.9 89.1

Table 1.5.3. Brooklyn, males

					<b>10</b> Concurrent v	vith AIDS	AIDS DIAGNOS	SES, 2010	PLWHA A 12/31/20		DEATHS	i, 2010
	Total HIV di		Withou			liagnoses		0.4		0/		0.1
TOTAL	N <b>618</b>	% 100.0	N 468	% 75.7	N <b>150</b>	% <b>24.3</b>	N <b>525</b>	% 100.0	N <b>17,942</b>	% 100.0	N <b>358</b>	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	395 129 81 10 0 3	63.9 20.9 13.1 1.6 0.0 0.5 0.0	295 103 61 7 0 2	63.0 22.0 13.0 1.5 0.0 0.4 0.0	100 26 20 3 0 1	66.7 17.3 13.3 2.0 0.0 0.7 0.0	340 121 56 6 0 2	64.8 23.0 10.7 1.1 0.0 0.4 0.0	10,347 4,537 2,703 262 46 13 34	57.7 25.3 15.1 1.5 0.3 0.1	215 98 40 3 0 2	60.1 27.4 11.2 0.8 0.0 0.6 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 27 240 124 119 71 36	0.2 4.4 38.8 20.1 19.3 11.5 5.8	1 23 212 92 81 41 18	0.2 4.9 45.3 19.7 17.3 8.8 3.8	0 4 28 32 38 30 18	0.0 2.7 18.7 21.3 25.3 20.0 12.0	0 12 123 117 133 99 41	0.0 2.3 23.4 22.3 25.3 18.9 7.8	47 199 1,805 2,902 5,821 4,833 2,335	0.3 1.1 10.1 16.2 32.4 26.9 13.0	0 1 7 19 92 146 93	0.0 0.3 2.0 5.3 25.7 40.8 26.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	23 157 231 206 1	3.7 25.4 37.4 33.3 0.2	16 116 176 159	3.4 24.8 37.6 34.0 0.2	7 41 55 47 0	4.7 27.3 36.7 31.3 0.0	19 112 213 179 2	3.6 21.3 40.6 34.1 0.4	635 4,445 6,718 5,953 191	3.5 24.8 37.4 33.2 1.1	7 66 145 140 0	2.0 18.4 40.5 39.1 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	351 19 13 40 2 0 193	56.8 3.1 2.1 6.5 0.3 0.0 31.2	297 14 7 24 1 0 125	63.5 3.0 1.5 5.1 0.2 0.0 26.7	54 5 6 16 1 0 68	36.0 3.3 4.0 10.7 0.7 0.0 45.3	27 57 4 0	43.4 6.9 5.1 10.9 0.8 0.0 33.0	7,593 2,892 595 1,619 336 24 4,883	42.3 16.1 3.3 9.0 1.9 0.1 27.2	72 132 15 25 3 0 111	20.1 36.9 4.2 7.0 0.8 0.0 31.0
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	6,813 11,129	38.0 62.0	47 311	13.1 86.9

Table 1.5.4. Brooklyn, females

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES, 20	10	PLWHA AS 12/31/20		DEATHS,	, 2010
					Concurrent with A	_						- 1
	Total HIV di		Withou		diagn		N	0/	NI.	0/	N.	0/
TOTAL	N 253	% 100.0	N 184	% <b>72.7</b>	N 69	% 27.3		% 00.0	9,695	% 100.0	N <b>179</b>	% 100.0
TOTAL	200	100.0	104	, 2.,		27.0	201 1	00.0	3,030	100.0	173	100.0
RACE/ETHNICITY												
Black	186	73.5	131	71.2	55	79.7		76.7	6,751	69.6	114	63.7
Latino/Hispanic	52	20.6	44	23.9	8	11.6		17.5	2,287	23.6	51	28.5
White Asian/Pacific Islander	11 4	4.3 1.6	7 2	3.8 1.1	4 2	5.8 2.9	10	3.9 1.6	512 86	5.3 0.9	12 2	6.7 1.1
Native American	0	0.0	0	0.0	0	0.0	1	0.4	30	0.9	0	0.0
Multiracial	ő	0.0	ő	0.0	Ŏ	0.0	ò	0.0	4	0.0	ő	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.4	1	0.5	0	0.0	0	0.0	51	0.5	0	0.0
13-19	10	4.0	9	4.9	1	1.4	7	2.7	205	2.1	0	0.0
20-29	49	19.4	45	24.5	4	5.8	24	9.3	694	7.2	2	1.1
30-39	52	20.6	33	17.9	19	27.5		20.2	1,558	16.1	15	8.4
40-49 50-59	74 52	29.2 20.6	52 35	28.3 19.0	22 17	31.9 24.6		35.0 24.9	3,280 2,862	33.8 29.5	56 69	31.3 38.5
60+	52 15	20.6 5.9	35 9	4.9	6	8.7	20	7.8	2,862 1.045	29.5 10.8	37	38.5 20.7
	10	0.0	Ü	1.0	ŭ	0.7	20	7.0	1,010	10.0	O.	20.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12 52	4.7 20.6	5	2.7 17.9	7	10.1	13 50	5.1	298	3.1	4	2.2
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	52 89	20.6 35.2	33 66	35.9	19 23	27.5 33.3		19.5 35.8	2,110 3,444	21.8 35.5	36 60	20.1 33.5
,	100	39.5		43.5		29.0		39.3	3,772			
Very high poverty (≥30% below FPL)			80		20				- ,	38.9	79	44.1 0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.4	71	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	7	2.8	6	3.3	1	1.4	25	9.7	1,652	17.0	50	27.9
Heterosexual	203	80.2	145	78.8	58	84.1		66.5	5,066	52.3	80	44.7
Perinatal Other	2	0.8 0.0	1 0	0.5 0.0	1	1.4 0.0	12 0	4.7 0.0	376 29	3.9 0.3	2 1	1.1 0.6
Unknown	41	16.2	32	17.4	9	13.0		19.1	29 2,572	26.5	46	25.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,820	39.4	28	15.6
Ever AIDS diagnosis	N/A	N/A N/A	N/A	N/A	N/A N/A	N/A		N/A	5,875	60.6	151	84.4
210171120 diagnoold	14/77	14//7	14//(	1 1// 1	14/71	14//1	14// \	1 4/ / 1	0,070	00.0	101	04.4

Table 1.5.5. Manhattan, males

		HIV	DIAGNO	SES, 20		W 4456	AIDS DIAGNO	SES, 2010	PLWHA A 12/31/20		DEATHS	5, 2010
	Total HIV di	aanosas	Withou		Concurrent v	with AIDS diagnoses						
	N	aynoses %	N	% AIDS	N	nagnoses %	N	%	N	%	N	%
TOTAL	795	100.0	667	83.9	128	16.1	460	100.0	25,163	100.0	305	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	222 237 303 32 0 1	27.9 29.8 38.1 4.0 0.0 0.1 0.0	185 195 260 26 0 1	27.7 29.2 39.0 3.9 0.0 0.1 0.0	37 42 43 6 0 0	28.9 32.8 33.6 4.7 0.0 0.0	163 146 136 15 0 0	35.4 31.7 29.6 3.3 0.0 0.0	7,071 6,742 10,594 529 46 10	28.1 26.8 42.1 2.1 0.2 0.0 0.7	114 109 76 4 0 2	37.4 35.7 24.9 1.3 0.0 0.7 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 27 247 234 175 74 37	0.1 3.4 31.1 29.4 22.0 9.3 4.7	1 23 232 199 136 49 27	0.1 3.4 34.8 29.8 20.4 7.3 4.0	0 4 15 35 39 25 10	0.0 3.1 11.7 27.3 30.5 19.5 7.8	0 65 110 154 94 31	0.0 1.3 14.1 23.9 33.5 20.4 6.7	27 93 1,537 3,649 8,836 7,318 3,703	0.1 0.4 6.1 14.5 35.1 29.1 14.7	0 0 5 17 72 109 102	0.0 0.0 1.6 5.6 23.6 35.7 33.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	223 250 256 59 7	28.1 31.4 32.2 7.4 0.9	192 215 208 47 5	28.8 32.2 31.2 7.0 0.7	31 35 48 12 2	24.2 27.3 37.5 9.4 1.6	106 147 161 42 4	23.0 32.0 35.0 9.1 0.9	7,384 8,408 6,908 1,767 696	29.3 33.4 27.5 7.0 2.8	56 88 133 26 2	18.4 28.9 43.6 8.5 0.7
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	578 17 21 24 1 0	72.7 2.1 2.6 3.0 0.1 0.0 19.4	502 12 20 15 1 0 117	75.3 1.8 3.0 2.2 0.1 0.0 17.5	76 5 1 9 0 0 37	59.4 3.9 0.8 7.0 0.0 28.9	264 47 14 29 2 0 104	57.4 10.2 3.0 6.3 0.4 0.0 22.6	15,700 2,703 829 1,049 184 18 4,680	62.4 10.7 3.3 4.2 0.7 0.1 18.6	97 110 14 16 1 2 65	31.8 36.1 4.6 5.2 0.3 0.7 21.3
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	10,805 14,358	42.9 57.1	47 258	15.4 84.6

Table 1.5.6. Manhattan, females

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	T- (-1110/ d		IACC		Concurrent w							
	Total HIV d	agnoses %	Withou N	It AIDS %	N ai	iagnoses %	N	%	N	%	N	0/
TOTAL	107	100.0	92	86.0	15	14.0	93	100.0	5,208	100.0	96	100.0
IOIAL	107	100.0	32	00.0	10	14.0	30	100.0	0,200	100.0	30	100.0
RACE/ETHNICITY												
Black	60	56.1	50	54.3	10	66.7	62	66.7	2,877	55.2	53	55.2
Latino/Hispanic	39	36.4	34	37.0	5	33.3	25	26.9	1,709	32.8	29	30.2
White	6	5.6	6	6.5	0	0.0	6	6.5	534	10.3	13	13.5
Asian/Pacific Islander	2	1.9	2	2.2	0	0.0	0	0.0	60	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	1	1.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.9	1	1.1	0	0.0	0	0.0	23	0.4	0	0.0
13-19	6	5.6	5	5.4	1	6.7	3	3.2	111	2.1	1	1.0
20-29	24	22.4	22	23.9	2	13.3	7	7.5	295	5.7	2	2.1 6.3
30-39	23	21.5	22	23.9	1	6.7	28	30.1	703	13.5	6	6.3
40-49	25	23.4	21	22.8	4	26.7	29	31.2	1,844	35.4	26	27.1
50-59	19	17.8	14	15.2	5	33.3	19	20.4	1,534	29.5	41	42.7
60+	9	8.4	7	7.6	2	13.3	7	7.5	698	13.4	20	20.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	8.4	9	9.8	0	0.0	5	5.4	560	10.8	10	10.4
Medium poverty (10 to <20% below FPL)	32	29.9	29	31.5	3	20.0	21	22.6	1,170	22.5	21	21.9
High poverty (20 to <30% below FPL)	48	44.9	39	42.4	9	60.0	52	55.9	2,576	49.5	48	50.0
Very high poverty (≥30% below FPL)	17	15.9	14	15.2	3	20.0	15	16.1	785	15.1	16	16.7
		0.9	1	1.1		0.0	0	0.0	117	2.2	10	1.0
Area-based poverty level not available	1	0.9	1	1.1	0	0.0	U	0.0	117	2.2	1	1.0
TRANSMISSION RISK												
Injection drug use history (IDU)	9	8.4	8	8.7	1	6.7	22	23.7	1,190	22.8	37	38.5
Heterosexual	67	62.6	57	62.0	10	66.7	50	53.8	2,399	46.1	41	42.7
Perinatal	1	0.9	1	1.1	0	0.0	5	5.4	199	3.8	2	2.1 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Unknown	30	28.0	26	28.3	4	26.7	16	17.2	1,401	26.9	16	16.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,027	38.9	20	20.8
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,181	61.1	76	79.2

Table 1.5.7. Queens, males

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	SES, 2010	PLWHA A 12/31/2		DEATHS	5, 2010
	Tatal I IIV di		14/:4/		Concurrent w							
	Total HIV di N	agnoses %	Withou N	11 AIDS %	N a	iagnoses %	N	%	N	%	N	9/
TOTAL	420	100.0	327	77.9	93	22.1	278	100.0	11,560	100.0	131	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	139 170 75 33 1 2	33.1 40.5 17.9 7.9 0.2 0.5 0.0	118 128 56 23 0 2	36.1 39.1 17.1 7.0 0.0 0.6 0.0	21 42 19 10 1 0	22.6 45.2 20.4 10.8 1.1 0.0 0.0	109 101 52 14 2 0	39.2 36.3 18.7 5.0 0.7 0.0	4,071 4,725 2,185 498 39 10 32	35.2 40.9 18.9 4.3 0.3 0.1 0.3	61 43 23 3 0 1	46.6 32.8 17.6 2.3 0.0 0.8
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 17 150 100 104 36 12	0.2 4.0 35.7 23.8 24.8 8.6 2.9	1 17 136 71 74 23 5	0.3 5.2 41.6 21.7 22.6 7.0 1.5	0 0 14 29 30 13 7	0.0 0.0 15.1 31.2 32.3 14.0 7.5	0 4 55 73 79 51 16	0.0 1.4 19.8 26.3 28.4 18.3 5.8	23 114 933 1,956 4,129 3,198 1,207	0.2 1.0 8.1 16.9 35.7 27.7 10.4	0 0 2 13 35 47 34	0.0 0.0 1.5 9.9 26.7 35.9 26.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	43 292 82 0 3	10.2 69.5 19.5 0.0 0.7	33 232 59 0 3	10.1 70.9 18.0 0.0 0.9	10 60 23 0	10.8 64.5 24.7 0.0 0.0	39 182 55 0 2	14.0 65.5 19.8 0.0 0.7	1,541 7,921 1,965 0 133	13.3 68.5 17.0 0.0 1.2	21 89 21 0 0	16.0 67.9 16.0 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	288 9 4 22 1 0 96	68.6 2.1 1.0 5.2 0.2 0.0 22.9	247 5 3 11 1 0 60	75.5 1.5 0.9 3.4 0.3 0.0 18.3	41 4 1 11 0 0 36	44.1 4.3 1.1 11.8 0.0 0.0 38.7	142 16 6 30 1 0 83	51.1 5.8 2.2 10.8 0.4 0.0 29.9	5,440 1,701 341 1,093 180 23 2,782	47.1 14.7 2.9 9.5 1.6 0.2 24.1	36 42 3 13 0 1 36	27.5 32.1 2.3 9.9 0.0 0.8 27.5
CLINICAL HISTORY	21/6							N. / *				
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	4,611 6,949	39.9 60.1	24 107	18.3 81.7

Table 1.5.8. Queens, females

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSE	S, 2010	PLWHA A 12/31/20		DEATHS	, 2010
					Concurrent wi	-						
	Total HIV di		Withou			agnoses		0/	NI.	0/	N	0/
TOTAL	N 123	% 100.0	N 96	% 78.0	N 27	% <b>22.0</b>		% 100.0	N <b>4,474</b>	% 100.0	N <b>59</b>	100.0
IVIAL	120	100.0	30	70.0			104	100.0	7,717	100.0	00	100.0
RACE/ETHNICITY												
Black	85	69.1	66	68.8	19	70.4		62.5	2,627	58.7	39	66.1
Latino/Hispanic	28	22.8	21	21.9	7	25.9		34.6	1,242	27.8	10	16.9
White Asian/Pacific Islander	7 3	5.7 2.4	6 3	6.3 3.1	1	3.7 0.0	3	2.9 0.0	441 126	9.9 2.8	7 3	11.9 5.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	120	0.3	0	0.0
Multiracial	Ö	0.0	0	0.0	Ö	0.0	· ·	0.0	10	0.2	ő	0.0
Unknown	0	0.0	Ō	0.0	0	0.0		0.0	16	0.4	Ö	0.0
405 0D0UD (V54D0)												
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
13-19	7	5.7	7	7.3	0	0.0		1.9	83	1.9	0	0.0
20-29	26	21.1	25	26.0	1	3.7	16	15.4	292	6.5	ő	0.0
30-39	22	17.9	18	18.8	4	14.8		23.1	736	16.5	2	3.4
40-49	36	29.3	28	29.2	8	29.6		31.7	1,616	36.1	18	30.5
50-59	22	17.9	13	13.5	9	33.3	18	17.3	1,278	28.6	21	35.6
60+	10	8.1	5	5.2	5	18.5	11	10.6	455	10.2	18	30.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	23	18.7	15	15.6	8	29.6		19.2	809	18.1	9	15.3
Medium poverty (10 to <20% below FPL)	72	58.5	60	62.5	12	44.4		54.8	2,740	61.2	36	61.0
High poverty (20 to <30% below FPL)	28	22.8	21	21.9	7	25.9	26	25.0	867	19.4	14	23.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	1.0	58	1.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	2.4	2	2.1	1	3.7	11	10.6	746	16.7	16	27.1
Heterosexual	100	81.3	76	79.2	24	88.9		71.2	2,487	55.6	27	45.8
Perinatal	0	0.0	0	0.0	0	0.0		1.9	154	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0		1.0	22	0.5	. 1	1.7
Unknown	20	16.3	18	18.8	2	7.4	16	15.4	1,065	23.8	15	25.4
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,830	40.9	10	16.9
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A		N/A	2,644	59.1	49	83.1

Table 1.5.9. Staten Island, males

		HIV	DIAGNO	•		AIDS DIA	GNOSE	S, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	T		14.00		Concurrent with All							İ
	Total HIV dia	agnoses %	Withou N	t AIDS %	diagnos N	es %	N	%	N	%	N	0/
TOTAL	45	100.0	30	66.7		3.3	43	100.0	1,427	100.0	39	100.0
, • , , <u> </u>		100.0							.,		30	
RACE/ETHNICITY												
Black	21	46.7	13	43.3		3.3	20	46.5	498	34.9	11	28.2
Latino/Hispanic	10	22.2	8	26.7		3.3	11	25.6	416	29.2	12	30.8
White Asian/Pacific Islander	14	31.1	9	30.0		3.3	12	27.9	486	34.1	16	41.0 0.0
Other/Unknown	0	0.0 0.0	0	0.0		).0 ).0	0	0.0 0.0	17 10	1.2 0.7	0 0	0.0
Other/Orknown	U	0.0	U	0.0	0	<b>7.</b> 0	U	0.0	10	0.7	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	5	0.4	0	0.0
13-19	1	2.2	1	3.3		0.0	1	2.3	14	1.0	0	0.0 5.1
20-29	7	15.6	7	23.3		0.0	6	14.0	99	6.9	2	5.1
30-39	7	15.6	5	16.7		3.3	6	14.0	189	13.2	2 12	5.1
40-49 50-59	14 12	31.1 26.7	11 4	36.7 13.3		).0 3.3	15 11	34.9 25.6	491 468	34.4 32.8	12 14	30.8 35.9
60+	12	8.9	2	6.7		3.3	11	9.3	161	32.0 11.3	9	23.1
007	7	0.9	2	0.7	2 1	5.5	7	9.5	101	11.5	9	23.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	21	46.7	14	46.7		6.7	18	41.9	503	35.2	14	35.9
Medium poverty (10 to <20% below FPL)	6	13.3	5	16.7		5.7	4	9.3	130	9.1	2	5.1
High poverty (20 to <30% below FPL)	18	40.0	11	36.7	7 40	5.7	21	48.8	776	54.4	23	59.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	18	1.3	0	0.0
TRANSMISSION RISK	47	07.0		40.7	0 0		40	00.0	510	05.0	- 44	20.0
Men who have sex with men (MSM)	17 7	37.8	14	46.7 10.0		0.0	13	30.2	512	35.9	11	28.2
Injection drug use history (IDU) MSM-IDU	2	15.6 4.4	3 2	6.7		5.7 0.0	6 2	14.0 4.7	316 61	22.1 4.3	12 3	30.8 7.7
Heterosexual	4	8.9	2	6.7		3.3	5	11.6	140	9.8	2	5.1
Perinatal	0	0.0	0	0.0		0.0	1	2.3	38	2.7	0	0.0
Other	ő	0.0	0	0.0		0.0	Ö	0.0	1	0.1	Ö	0.0
Unknown	15	33.3	9	30.0		0.0	16	37.2	359	25.2	11	28.2
CLINICAL HISTORY	NI/A	NI/A	NI/A	NI/A	NI/A N	1/4	NI/A	NI/A	E 4.1	27.0	C	20.5
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A			N/A N/A	N/A N/A	541 886	37.9 62.1	8 31	20.5 79.5
Evel Aido alagridais	IN/A	IV/A	TN/A	IV/A	IN/A I	/A	N/A	IN/A	000	02.1	১।	19.5

Table 1.5.10. Staten Island, females

DTAL	Total HIV di N 12	agnoses %	Withou			ith AIDS						ı
DTAL		0/		ıt AIDS	di	iagnoses						ŀ
DTAL	12	70	N	%	N	%	N	%	N	%	N	%
		100.0	10	83.3	2	16.7	13	100.0	767	100.0	18	100.0
ACE/ETHNICITY												
ack	5	41.7	4	40.0	1	50.0	5	38.5	358	46.7	4	22.2
itino/Hispanic	5	41.7	4	40.0	1	50.0	3	23.1	210	27.4	8	44.4
hite	2	16.7	2	20.0	0	0.0	5	38.5	190	24.8	5	27.8
sian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
her/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	1	0.0 5.6
GE GROUP (YEARS)												
12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.7	0	0.0
s-19	2	16.7	2	20.0	0	0.0	0	0.0	11	1.4	0	0.0
)-29	2	16.7	2	20.0	0	0.0	1	7.7	55	7.2	0	0.0
)-39	2	16.7	2	20.0	0	0.0	1	7.7	101	13.2	0	0.0 0.0
<b>)-49</b>	2	16.7	1	10.0	1	50.0	8	61.5	285	37.2	8	44.4
D-59	4	33.3	3	30.0	1	50.0	3	23.1	248	32.3	8	44.4
) <del>+</del>	0	0.0	0	0.0	0	0.0	0	0.0	62	8.1	2	11.1
REA-BASED POVERTY LEVEL												
w poverty (<10% below FPL)	2	16.7	2	20.0	0	0.0	6	46.2	240	31.3	7	38.9
edium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	110	14.3	1	5.6
gh poverty (20 to <30% below FPL)	10	83.3	8	80.0	2	100.0	7	53.8	413	53.8	10	55.6
ery high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ea-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
RANSMISSION RISK												
ection drug use history (IDU)	1	8.3	1	10.0	0	0.0	3	23.1	150	19.6	7	38.9
eterosexual	8	66.7	7	70.0	1	50.0	8	61.5	418	54.5	5	27.8
erinatal	0	0.0	Ó	0.0	Ö	0.0	0	0.0	31	4.0	ő	0.0
her	Ö	0.0	Õ	0.0	ő	0.0	0	0.0	5	0.7	1	0.0 5.6
nknown	3	25.0	2	20.0	1	50.0	2	15.4	163	21.3	5	27.8
LINICAL HISTORY												
V-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	300	39.1	3	16.7
ver AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	467	60.9	15	83.3

Table 1.6.1. Men who have sex with men (MSM)

		HIV	DIAGNOS	ES, 201	0		AIDS DIAGNOSE	S, 2010	PLWHA AS 12/31/20		DEATHS	, 2010
	Total HIV dia		Withou	t AIDS		gnoses	N	0/	N	0/	N	0/
TOTAL	N 1,722	% 100.0	N 1,487	% 86.4	N <b>235</b>	% 13.6	N <b>912</b>	% 100.0	N <b>40,042</b>	% 100.0	N <b>382</b>	% 100.0
RACE/ETHNICITY												
Back Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	614 554 484 61 2 7	35.7 32.2 28.1 3.5 0.1 0.4 0.0	536 475 419 48 2 7 0	36.0 31.9 28.2 3.2 0.1 0.5 0.0	78 79 65 13 0 0	33.2 33.6 27.7 5.5 0.0 0.0	378 281 227 25 0 1	41.4 30.8 24.9 2.7 0.0 0.1 0.0	12,106 11,352 15,483 912 92 61 36	30.2 28.4 38.7 2.3 0.2 0.2	146 103 130 3 0 0	38.2 27.0 34.0 0.8 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 100 775 447 289 84 27	0.0 5.8 45.0 26.0 16.8 4.9 1.6	0 87 713 380 227 60 20	0.0 5.9 47.9 25.6 15.3 4.0 1.3	0 13 62 67 62 24 7	0.0 5.5 26.4 28.5 26.4 10.2 3.0	0 28 274 236 248 97 29	0.0 3.1 30.0 25.9 27.2 10.6 3.2	0 162 5,063 8,246 14,293 8,616 3,662	0.0 0.4 12.6 20.6 35.7 21.5 9.1	0 0 18 48 108 117 91	0.0 0.0 4.7 12.6 28.3 30.6 23.8
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	228 351 578 288 17 248 12	13.2 20.4 33.6 16.7 1.0 14.4 0.7	185 297 502 247 14 230 12	12.4 20.0 33.8 16.6 0.9 15.5 0.8	43 54 76 41 3 18	18.3 23.0 32.3 17.4 1.3 7.7 0.0	147 228 264 142 13 110 8	16.1 25.0 28.9 15.6 1.4 12.1	4,567 7,593 15,700 5,440 512 5,149 1,081	11.4 19.0 39.2 13.6 1.3 12.9 2.7	64 72 97 36 11 22 80	16.8 18.8 25.4 9.4 2.9 5.8 20.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	228 501 412	13.2 29.1 23.9	200 432 346	13.4 29.1 23.3	28 69 66	11.9 29.4 28.1	103 243 244	11.3 26.6 26.8	6,815 11,896 8,598	17.0 29.7 21.5	38 75 86	9.9 19.6 22.5
Very high poverty (≥30% below FPL) Area-based poverty level not available	310 271	18.0 15.7	258 251	17.4 16.9	52 20	22.1 8.5	200 122	21.9 13.4	6,092 6,641	15.2 16.6	80 103	20.9 27.0
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	19,415 20,627	48.5 51.5	78 304	20.4 79.6

Table 1.6.2. Injection drug use history (IDU), males

		HIV	DIAGNO	OSES, 20			AIDS DIAGNOS	SES, 2010	PLWHA A: 12/31/20		DEATHS	, 2010
					Concurrent v							
	Total HIV d		Withou			liagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	79	100.0	58	73.4	21	26.6	157	100.0	12,071	100.0	513	100.0
RACE/ETHNICITY												
Black	31	39.2	21	36.2	10	47.6	61	38.9	4,966	41.1	219	42.7
Latino/Hispanic	32	40.5	24	41.4	8	38.1	78	49.7	5,658	46.9	248	48.3
White	13	16.5	11	19.0	2	9.5	12	7.6	1,374	11.4	43	8.4
Asian/Pacific Islander	3	3.8	2	3.4	1	4.8	4	2.5	42	0.3	1	0.2
Native American	0	0.0	0	0.0	0	0.0	1	0.6	19	0.2	1	0.2
Multiracial	0	0.0	0	0.0	0	0.0	1	0.6	6	0.0	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0		0.0	0	0.0	0	0.0
20-29	12	15.2	10	17.2	2	9.5		3.2	74	0.6	0	0.0
30-39	7	8.9	2	3.4	5	23.8		14.6	467	3.9	16	3.1
40-49	27	34.2	22	37.9	5	23.8		29.3	3.016	25.0	107	20.9
50-59	22	27.8	16	27.6	6	28.6		37.6	5,765	47.8	231	45.0
60+	11	13.9	8	13.8	3	14.3	24	15.3	2,749	22.8	159	31.0
DODOUGU OF DEGIDENCE												
BOROUGH OF RESIDENCE Bronx	21	26.6	18	31.0	3	14.3	42	26.8	3.606	29.9	147	28.7
Brooklyn	19	24.1	14	24.1	ა 5	23.8		22.9	2,892	29.9	132	26.7 25.7
Manhattan	17	21.5	12	24.1	5 5	23.8	47	29.9	2,703	24.0	110	25.7 21.4
Queens	9	11.4	5	8.6	4	23.0 19.0	47 16	10.2	2,703 1,701	14.1	42	8.2
Staten Island	7	8.9	3	5.2	4	19.0	6	3.8	316	2.6	12	2.3
Outside NYC	4	5.1	4	6.9	0	0.0		5.7	759	6.3	16	3.1
Unknown	2	2.5	2	3.4	0	0.0		0.6	94	0.3	54	10.5
Officiowit		2.5	2	0.4	0	0.0	'	0.0	<b>5</b> 4	0.0	34	10.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	7	8.9	5	8.6	2	9.5		8.3	778	6.4	21	4.1
Medium poverty (10 to <20% below FPL)	20	25.3	14	24.1	6	28.6		23.6	2,978	24.7	95	18.5
High poverty (20 to <30% below FPL)	23	29.1	13	22.4	10	47.6	49	31.2	2,998	24.8	145	28.3
Very high poverty (≥30% below FPL)	23	29.1	20	34.5	3	14.3	47	29.9	4,199	34.8	182	35.5
Area-based poverty level not available	6	7.6	6	10.3	0	0.0	11	7.0	1,118	9.3	70	13.6
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,542	21.1	64	12.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9,529	78.9	449	87.5

Table 1.6.3. Injection drug use history (IDU), females

		HIV	DIAGNO	OSES, 20	010 Concurrent w	iith AIDS	AIDS DIAGNOS	ES, 2010	PLWHA <i>A</i> 12/31/2		DEATHS	i, 2010
	Total HIV di			ıt AIDS	di	iagnoses		0/	N.	0/	N.	0.4
TOTAL	N 35	% 100.0	N 32	% 91.4	N 3	% 8.6		% 100.0	N <b>6,006</b>	% 100.0	N <b>189</b>	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	16 12 7 0 0 0	45.7 34.3 20.0 0.0 0.0 0.0 0.0	13 12 7 0 0 0	40.6 37.5 21.9 0.0 0.0 0.0	3 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0	37 10 1 0 0	51.5 37.4 10.1 1.0 0.0 0.0	2,897 2,403 679 13 6 4	48.2 40.0 11.3 0.2 0.1 0.1	82 76 26 2 3 0	43.4 40.2 13.8 1.1 1.6 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	0 0 5 5 12 11 2	0.0 0.0 14.3 14.3 34.3 31.4 5.7	0 0 5 4 12 9 2	0.0 0.0 15.6 12.5 37.5 28.1 6.3	0 0 0 1 0 2	0.0 0.0 0.0 33.3 0.0 66.7 0.0	0 2 16 37 34	0.0 0.0 2.0 16.2 37.4 34.3 10.1	0 73 446 2,159 2,619 709	0.0 0.0 1.2 7.4 35.9 43.6 11.8	0 0 7 56 100 26	0.0 0.0 3.7 29.6 52.9 13.8
BOROUGH OF RESIDENCE	44	31.4	44	34.4	0	0.0	31	31.3	4.000	33.2	<b>5</b> 0	20.0
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	11 7 9 3 1 3	20.0 25.7 8.6 2.9 8.6 2.9	11 6 8 2 1 3	18.8 25.0 6.3 3.1 9.4 3.1	0 1 1 1 0 0	33.3 33.3 33.3 0.0 0.0	25 22 11 3 6	25.3 22.2 11.1 3.0 6.1 1.0	1,996 1,652 1,190 746 150 244 28	27.5 19.8 12.4 2.5 4.1	53 50 37 16 7 3 23	28.0 26.5 19.6 8.5 3.7 1.6 12.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	2 11 6	5.7 31.4 17.1	1 9 6	3.1 28.1 18.8	1 2 0	33.3 66.7 0.0	23 24	6.1 23.2 24.2	325 1,281 1,708	5.4 21.3 28.4	8 32 54	4.2 16.9 28.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	12 4	34.3 11.4	12 4	37.5 12.5	0	0.0		39.4 7.1	2,348 344	39.1 5.7	68 27	36.0 14.3
CLINICAL HISTORY	N.//-											
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	1,459 4,547	24.3 75.7	24 165	12.7 87.3

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES, 201	0	PLWHA A: 12/31/20		DEATHS,	, 2010
	Total HIV dia		Withou	t AIDS	Concurrent with diagn	oses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	60	100.0	51	85.0	9	15.0	63 10	0.0	2,707	100.0	69	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	16 22 22 0 0	26.7 36.7 36.7 0.0 0.0	11 20 20 0 0	21.6 39.2 39.2 0.0 0.0	5 2 2 0 0 0	55.6 22.2 22.2 0.0 0.0 0.0	23 3 12 1 1 0	2.9 6.5 9.0 1.6 0.0	979 1,128 565 26 8 1	36.2 41.7 20.9 1.0 0.3 0.0	32 20 17 0 0	46.4 29.0 24.6 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 28 14 10 6	0.0 3.3 46.7 23.3 16.7 10.0 0.0	0 2 26 12 7 4	0.0 3.9 51.0 23.5 13.7 7.8 0.0	0 0 2 2 3 2 0	0.0 0.0 22.2 22.2 33.3 22.2 0.0	0 11 1 12 1 21 3 17 2	0.0 0.0 7.5 9.0 3.3 7.0 3.2	0 2 164 387 1,013 852 289	0.0 0.1 6.1 14.3 37.4 31.5	0 0 1 8 16 28 16	0.0 0.0 1.4 11.6 23.2 40.6 23.2
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	13 13 21 4 2 6 1	21.7 21.7 35.0 6.7 3.3 10.0 1.7	12 7 20 3 2 6 1	23.5 13.7 39.2 5.9 3.9 11.8 2.0	1 6 1 1 0 0	11.1 66.7 11.1 11.1 0.0 0.0 0.0	27 4 14 2 6 2 3	7.5 2.9 2.2 9.5 3.2 4.8 0.0	649 595 829 341 61 196 36	24.0 22.0 30.6 12.6 2.3 7.2 1.3	21 15 14 3 3 4 9	30.4 21.7 20.3 4.3 4.3 5.8 13.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	7 17 15 14	11.7 28.3 25.0 23.3 11.7	7 15 11 11	13.7 29.4 21.6 21.6 13.7	0 2 4 3	0.0 22.2 44.4 33.3 0.0	20 3 17 2 18 2	7.9 1.7 7.0 8.6 4.8	254 751 713 737 252	9.4 27.7 26.3 27.2 9.3	4 11 14 27 13	5.8 15.9 20.3 39.1 18.8
' '				13.7		3.0			202	3.0	10	10.0
CLINICAL HISTORY	N1/0	NI/A	NI/A	N1/A	NI/A	NI/A	NI/A	1/4	040	20.0	40	47.4
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A		N/A N/A	819 1,888	30.3 69.7	12 57	17.4 82.6

Table 1.6.5. Heterosexual, males

		HIV	DIAGNO	SES, 20	10 Concurrent wit	th AIDS	AIDS DIAGNOSE	S, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV di		Withou	t AIDS	dia	gnoses						
TOTAL	N 149	% 100.0	N 98	% 65.8	N 51	% 34.2	N <b>172</b>	% 100.0	N 5,896	% 100.0	N 119	% 100.0
IOTAL	149	100.0	90	03.0	31	34.2	172	100.0	5,696	100.0	119	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	95 44 5 5 0 0	63.8 29.5 3.4 3.4 0.0 0.0	57 34 3 4 0 0	58.2 34.7 3.1 4.1 0.0 0.0 0.0	38 10 2 1 0 0	74.5 19.6 3.9 2.0 0.0 0.0	114 51 5 2 0 0	66.3 29.7 2.9 1.2 0.0 0.0 0.0	3,211 1,997 507 161 14 1	54.5 33.9 8.6 2.7 0.2 0.0 0.1	67 40 11 1 0 0	56.3 33.6 9.2 0.8 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+ BOROUGH OF RESIDENCE	0 4 16 25 56 31 17	0.0 2.7 10.7 16.8 37.6 20.8 11.4	0 3 13 19 33 21 9	0.0 3.1 13.3 19.4 33.7 21.4 9.2	0 1 3 6 23 10 8	0.0 2.0 5.9 11.8 45.1 19.6 15.7	0 2 17 30 66 43 14	0.0 1.2 9.9 17.4 38.4 25.0 8.1	0 5 201 722 2,299 1,883 786	0.0 0.1 3.4 12.2 39.0 31.9 13.3	0 0 9 39 33 38	0.0 0.0 7.6 32.8 27.7 31.9
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	50 40 24 22 4 9	33.6 26.8 16.1 14.8 2.7 6.0 0.0	41 24 15 11 2 5	41.8 24.5 15.3 11.2 2.0 5.1 0.0	9 16 9 11 2 4 0	17.6 31.4 17.6 21.6 3.9 7.8 0.0	40 57 29 30 5 9	23.3 33.1 16.9 17.4 2.9 5.2 1.2	1,517 1,619 1,049 1,093 140 429 49	25.7 27.5 17.8 18.5 2.4 7.3 0.8	41 25 16 13 2 7	34.5 21.0 13.4 10.9 1.7 5.9 12.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	8 34 38 60	5.4 22.8 25.5 40.3	3 22 23 45	3.1 22.4 23.5 45.9	5 12 15 15	9.8 23.5 29.4 29.4	15 42 45 57	8.7 24.4 26.2 33.1	386 1,515 1,630 1,848	6.5 25.7 27.6 31.3	6 24 23 44	5.0 20.2 19.3 37.0
Area-based poverty level not available	9	6.0	5	5.1	4	7.8	13	7.6	517	8.8	22	18.5
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	2,066 3,830	35.0 65.0	18 101	15.1 84.9

Table 1.6.6. Heterosexual, females

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/2		DEATHS	5, 2010
	T		14.00		Concurrent v							
	Total HIV di	agnoses %	Withou N	it AIDS %	N A	liagnoses %	N	%	N	%	N	0/
TOTAL	590	100.0	451	76.4	139	23.6	475	100.0	16,566	100.0	258	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	394 163 23 9 1 0	66.8 27.6 3.9 1.5 0.2 0.0	294 131 17 8 1 0	65.2 29.0 3.8 1.8 0.2 0.0	100 32 6 1 0 0	71.9 23.0 4.3 0.7 0.0 0.0	325 128 19 3 0 0	68.4 26.9 4.0 0.6 0.0 0.0	9,824 5,345 1,111 211 48 16	59.3 32.3 6.7 1.3 0.3 0.1	152 86 17 3 0 0	58.9 33.3 6.6 1.2 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	0 28 136 137 154 97 38	0.0 4.7 23.1 23.2 26.1 16.4 6.4	0 26 122 111 110 58 24	0.0 5.8 27.1 24.6 24.4 12.9 5.3	0 2 14 26 44 39 14	0.0 1.4 10.1 18.7 31.7 28.1 10.1	0 60 125 157 94 33	0.0 1.3 12.6 26.3 33.1 19.8 6.9	0 64 1,263 3,171 6,101 4,225 1,742	0.0 0.4 7.6 19.1 36.8 25.5 10.5	0 1 1 33 91 76 56	0.0 0.4 0.4 12.8 35.3 29.5 21.7
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	179 203 67 100 8 29 4	30.3 34.4 11.4 16.9 1.4 4.9 0.7	137 145 57 76 7 25 4	30.4 32.2 12.6 16.9 1.6 5.5 0.9	42 58 10 24 1 4 0	30.2 41.7 7.2 17.3 0.7 2.9 0.0	144 171 50 74 8 22 6	30.3 36.0 10.5 15.6 1.7 4.6 1.3	4,984 5,066 2,399 2,487 418 951 261	30.1 30.6 14.5 15.0 2.5 5.7 1.6	41 27 5 8	25.2 31.0 15.9 10.5 1.9 3.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	30 133 176	5.1 22.5 29.8	19 107 129	4.2 23.7 28.6	11 26 47	7.9 18.7 33.8	29 87 156	6.1 18.3 32.8	1,006 3,746 4,730	6.1 22.6 28.6	65	5.4 19.4 25.2
Very high poverty (≥30% below FPL) Area-based poverty level not available	217 34	36.8 5.8	166 30	36.8 6.7	51 4	36.7 2.9	172 31	36.2 6.5	5,795 1,289	35.0 7.8	89 40	34.5 15.5
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	7,047 9,519	42.5 57.5	50 208	19.4 80.6

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOSE	ES, 2010	PLWHA A: 12/31/20		DEATHS,	2010
	Total HIV d		Withou			diagnoses						
TOTAL	N 16	% 100.0	N 10	% <b>62.5</b>	N 6	% 37.5	N <b>20</b>	% 100.0	N 645	% 100.0	N 12	% 100.0
SEX AT BIRTH Male	12	75.0	8	80.0	4	66.7	12	60.0	426	66.0	8	66.7
Female	4	25.0	2	20.0	2	33.3	8	40.0	219	34.0	4	33.3
RACE/ETHNICITY												
Black	8	50.0	6	60.0	2	33.3	6	30.0	225	34.9	4	33.3
Latino/Hispanic White	6	37.5	4	40.0	2 2	33.3	10	50.0	301	46.7	6	50.0
vvnite Asian/Pacific Islander	2	12.5 0.0	0	0.0	2	33.3 0.0	4 0	20.0	108 6	16.7 0.9	2 0	16.7
Other/Unknown	ő	0.0	0	0.0	ő	0.0	Ö	0.0	5	0.8	ő	50.0 16.7 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0 0.0 0.0
13-19 20-29	1 2	6.3 12.5	1	10.0 10.0	0	0.0 16.7	2 5	10.0 25.0	7 44	1.1 6.8	0 0	0.0
30-39	7	43.8	4	40.0	3	50.0	5 4	20.0	80	12.4	0	0.0
40-49	3	18.8	2	20.0	1	16.7	2	10.0	205	31.8	2	16.7
50-59	2	12.5	2	20.0	0	0.0	5	25.0	206	31.9	7	58.3 25.0
60+	1	6.3	0	0.0	1	16.7	2	10.0	101	15.7	3	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	31.3	4	40.0	1	16.7	4	20.0	191	29.6	1	8.3
Injection drug use history (IDU) MSM-IDU	0	0.0 0.0	0	0.0	0	0.0 0.0	2	10.0 0.0	124 8	19.2 1.2	5	41.7
Heterosexual	6	37.5	4	40.0	2	33.3	7	35.0	131	20.3	4	8.3 33.3
Perinatal	0	0.0	0	0.0	0	0.0	1	5.0	12	1.9	ō	0.0
Other	0	0.0	Ō	0.0	0	0.0	0	0.0	1	0.2	Ö	0.0 0.0 8.3
Unknown	5	31.3	2	20.0	3	50.0	6	30.0	178	27.6	1	8.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	248	38.4	.1	8.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	397	61.6	11	91.7

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 20		nt with AIDS	AIDS DIAGNO	SES, 2010	PLWHA A 12/31/2		DEATHS	, 2010
	Total HIV di	iagnoses	Withou	t AIDS	Concurren	diagnoses						
	N	% w	N	%	N	% with the second secon	N	%	N	%	N	%
TOTAL	73	100.0	56	76.7	17	23.3	66	100.0	2,280	100.0	46	100.0
OFY AT DIDTH												
SEX AT BIRTH Male	46	63.0	32	57.1	14	82.4	43	65.2	1,254	55.0	34	73.9
Female	27	37.0	24	42.9	3	17.6	23	34.8	1,026	45.0	12	26.1
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	47 21 3 0 2 0	64.4 28.8 4.1 0.0 2.7 0.0 0.0	33 18 3 0 2 0	58.9 32.1 5.4 0.0 3.6 0.0 0.0	14 3 0 0 0 0	82.4 17.6 0.0 0.0 0.0 0.0 0.0	49 15 2 0 0 0	74.2 22.7 3.0 0.0 0.0 0.0	1,445 692 117 13 7 2	63.4 30.4 5.1 0.6 0.3 0.1	27 19 0 0 0 0	58.7 41.3 0.0 0.0 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 5 30 12 13 8 5	0.0 6.8 41.1 16.4 17.8 11.0 6.8	0 4 23 10 10 5 4	0.0 7.1 41.1 17.9 17.9 8.9 7.1	0 1 7 2 3 3 1	0.0 5.9 41.2 11.8 17.6 17.6 5.9	0 1 16 19 17 10 3	0.0 1.5 24.2 28.8 25.8 15.2 4.5	17 57 195 343 787 621 260	0.7 2.5 8.6 15.0 34.5 27.2 11.4	0 0 1 15 15	0.0 0.0 0.0 2.2 32.6 32.6 32.6
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	27 4 1 27 0 0	37.0 5.5 1.4 37.0 0.0 0.0 19.2	20 3 1 23 0 0 9	35.7 5.4 1.8 41.1 0.0 0.0 16.1	7 1 0 4 0 0 5	41.2 5.9 0.0 23.5 0.0 0.0 29.4	19 2 2 21 1 0 21	28.8 3.0 3.0 31.8 1.5 0.0 31.8	402 358 56 631 98 6 729	17.6 15.7 2.5 27.7 4.3 0.3 32.0	5 16 4 9 0 0 12	10.9 34.8 8.7 19.6 0.0 0.0 26.1
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	910 1,370	39.9 60.1	7 39	15.2 84.8

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSI	ES, 2010	PLWHA A: 12/31/20		DEATHS,	2010
					Concurrent							
	Total HIV d		Withou			diagnoses						
TOTAL	N 126	400.0	N 98	% 77.8	N 28	% 22.2	N 117	400.0	N 4,575	% 100.0	N <b>80</b>	% 100.0
IOTAL	126	100.0	96	77.8	28	22.2	117	100.0	4,575	100.0	80	100.0
SEX AT BIRTH												
Male	88	69.8	72	73.5	16	57.1	70	59.8	2,881	63.0	60	75.0
Female	38	30.2	26	26.5	12	42.9	47	40.2	1,694	37.0	20	25.0
RACE/ETHNICITY												
Black	59	46.8	41	41.8	18	64.3	55	47.0	1,917	41.9	36	45.0
Latino/Hispanic White	59 7	46.8 5.6	50 6	51.0 6.1	9	32.1 3.6	56 5	47.9	2,392	52.3	42 2	52.5 2.5
Asian/Pacific Islander	1	0.8	1	1.0	0	0.0	5 1	4.3 0.9	222 27	4.9 0.6	0	2.5
Native American	0	0.0	0	0.0	0	0.0	0	0.9	12	0.8	0	0.0 0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	ő	0.0
Unknown	Ő	0.0	ő	0.0	ő	0.0	Ö	0.0	3	0.1	Ö	0.0
AGE GROUP (YEARS)												
0-12	1	0.8	0	0.0	1	3.6		1.7	13	0.3	0	0.0
13-19	6	4.8	5	5.1	1	3.6		5.1	74	1.6	0	0.0
20-29	37	29.4	34	34.7	3	10.7	15	12.8	354	7.7	1	1.3
30-39 40-49	28	22.2	22	22.4	6 6	21.4	27	23.1	734	16.0	10	12.5 38.8
40-49 50-59	25 22	19.8 17.5	19 15	19.4 15.3	7	21.4 25.0	39 20	33.3 17.1	1,609 1,323	35.2 28.9	31 24	30.0
60+	7	5.6	3	3.1	4	14.3	8	6.8	468	10.2	14	30.0 17.5
007	,	5.0	3	3.1	7	14.5	O	0.0	400	10.2	14	17.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	52	41.3	44	44.9	8	28.6	26	22.2	999	21.8	7	8.8
Injection drug use history (IDU)	7	5.6	7	7.1	0	0.0	17	14.5	976	21.3	27	33.8
MSM-IDU	1	0.8	1	1.0	0	0.0	0	0.0	127	2.8	4	5.0
Heterosexual Perinatal	43	34.1 0.8	31 0	31.6 0.0	12 1	42.9 3.6	36 4	30.8 3.4	1,136 118	24.8 2.6	21 0	26.3
Other	0	0.8	0	0.0	0	0.0	0	0.0	110	0.0	0	0.0 0.0
Unknown	22	17.5	15	15.3	7	25.0	34	29.1	1,218	26.6	21	26.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,745	38.1	13	16.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,830	61.9	67	83.8

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOSE	S, 2010	PLWHA A: 12/31/20		DEATHS,	2010
	Total HIV d		Withou			diagnoses	N	0/	N.	0/	N.	0/
TOTAL	N 110	% 100.0	N 81	% <b>73.6</b>	N <b>29</b>	% <b>26.4</b>	N <b>97</b>	% 100.0	N <b>4,109</b>	% 100.0	N <b>63</b>	% 100.0
SEX AT BIRTH												
Male Female	83 27	75.5 24.5	60 21	74.1 25.9	23 6	79.3 20.7	70 27	72.2 27.8	2,455 1,654	59.7 40.3	42 21	66.7 33.3
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	50 48 11 1 0 0	45.5 43.6 10.0 0.9 0.0 0.0	42 31 7 1 0 0	51.9 38.3 8.6 1.2 0.0 0.0	8 17 4 0 0 0	27.6 58.6 13.8 0.0 0.0 0.0	41 49 7 0 0 0	42.3 50.5 7.2 0.0 0.0 0.0	1,633 2,146 289 29 8 0 4	39.7 52.2 7.0 0.7 0.2 0.0	22 38 3 0 0 0	34.9 60.3 4.8 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 37 23 22 18 8	0.0 1.8 33.6 20.9 20.0 16.4 7.3	0 2 27 20 15 13 4	0.0 2.5 33.3 24.7 18.5 16.0 4.9	0 0 10 3 7 5 4	0.0 0.0 34.5 10.3 24.1 17.2 13.8	0 0 19 17 32 20	0.0 0.0 19.6 17.5 33.0 20.6 9.3	13 86 340 529 1,481 1,202 458	0.3 2.1 8.3 12.9 36.0 29.3	0 1 1 4 17 24 16	0.0 1.6 1.6 6.3 27.0 38.1 25.4
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	43 3 1 30 0 0 33	39.1 2.7 0.9 27.3 0.0 0.0 30.0	32 1 1 25 0 0 22	39.5 1.2 1.2 30.9 0.0 0.0 27.2	11 2 0 5 0 0	37.9 6.9 0.0 17.2 0.0 0.0 37.9	29 9 1 19 1 0 38	29.9 9.3 1.0 19.6 1.0 0.0 39.2	821 842 88 1,070 172 15 1,101	20.0 20.5 2.1 26.0 4.2 0.4 26.8	7 28 1 12 0 0 15	11.1 44.4 1.6 19.0 0.0 0.0 23.8
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,519 2,590	37.0 63.0	12 51	19.0 81.0

Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSE	ES, 2010	PLWHA A 12/31/20		DEATHS,	2010
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	%
TOTAL	122	100.0	100	82.0	22	18.0	105	100.0	4,893	100.0	107	100.0
SEX AT BIRTH												
Male Female	79 43	64.8 35.2	65 35	65.0 35.0	14 8	63.6 36.4	63 42	60.0 40.0	2,877 2,016	58.8 41.2	81 26	75.7 24.3
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	58 61 2 1 0 0	47.5 50.0 1.6 0.8 0.0 0.0	49 48 2 1 0 0	49.0 48.0 2.0 1.0 0.0 0.0	9 13 0 0 0 0	40.9 59.1 0.0 0.0 0.0 0.0 0.0	48 56 1 0 0 0	45.7 53.3 1.0 0.0 0.0 0.0 0.0	2,256 2,477 125 18 12 1	46.1 50.6 2.6 0.4 0.2 0.0	50 56 1 0 0 0	46.7 52.3 0.9 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 9 33 27 24 22 6	0.8 7.4 27.0 22.1 19.7 18.0 4.9	1 7 32 21 17 16 6	1.0 7.0 32.0 21.0 17.0 16.0 6.0	0 2 1 6 7 6 0	0.0 9.1 4.5 27.3 31.8 27.3 0.0	0 6 9 26 34 23 7	0.0 5.7 8.6 24.8 32.4 21.9 6.7	24 87 378 730 1,598 1,473 603	0.5 1.8 7.7 14.9 32.7 30.1 12.3	0 0 1 10 29 37 30	0.0 0.0 0.9 9.3 27.1 34.6 28.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	32 6 5 46 1 0 32	26.2 4.9 4.1 37.7 0.8 0.0 26.2	28 6 4 36 1 0 25	28.0 6.0 4.0 36.0 1.0 0.0 25.0	4 0 1 10 0 0 7	18.2 0.0 4.5 45.5 0.0 0.0 31.8	22 16 2 38 3 0 24	21.0 15.2 1.9 36.2 2.9 0.0 22.9	771 1,154 140 1,346 148 10 1,324	15.8 23.6 2.9 27.5 3.0 0.2 27.1	14 46 3 19 0 0 25	13.1 43.0 2.8 17.8 0.0 0.0 23.4
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,845 3,048	37.7 62.3	17 90	15.9 84.1

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	SES, 20			AIDS DIAGNO	SES, 2010	PLWHA A 12/31/20		DEATHS,	2010
	Total HIV d	ioanoooo	Withou	+ AIDS	Concurre	nt with AIDS						
	N	agrioses %	N	RAIDS %	N	diagnoses %	N	%	N	%	N	%
TOTAL	122	100.0	99	81.1	23	18.9	128	100.0	5,405	100.0	152	100.0
SEX AT BIRTH												
Male	78	63.9	64	64.6	14	60.9	77	60.2	3,247	60.1	108	71.1
Female	44	36.1	35	35.4	9		51	39.8	2,158	39.9	44	28.9
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	58 62 2 0 0 0	47.5 50.8 1.6 0.0 0.0 0.0	43 55 1 0 0 0	43.4 55.6 1.0 0.0 0.0 0.0	15 7 1 0 0 0	65.2 30.4 4.3 0.0 0.0 0.0 0.0	66 56 5 1 0 0	51.6 43.8 3.9 0.8 0.0 0.0	2,782 2,447 135 22 12 0 7	51.5 45.3 2.5 0.4 0.2 0.0 0.1	81 67 2 1 1 0	53.3 44.1 1.3 0.7 0.7 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 4 42 28 26 18 4	0.0 3.3 34.4 23.0 21.3 14.8 3.3	0 3 36 26 18 12 4	0.0 3.0 36.4 26.3 18.2 12.1 4.0	0 1 6 2 8 6 0	0.0 4.3 26.1 8.7 34.8 26.1 0.0	0 2 32 22 37 25 10	0.0 1.6 25.0 17.2 28.9 19.5 7.8	24 65 430 806 1,813 1,586 681	0.4 1.2 8.0 14.9 33.5 29.3 12.6	0 0 2 6 40 67 37	0.0 0.0 1.3 3.9 26.3 44.1 24.3
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	35 7 3 47 0 0 30	28.7 5.7 2.5 38.5 0.0 0.0 24.6	29 7 3 37 0 0 23	29.3 7.1 3.0 37.4 0.0 0.0 23.2	6 0 10 0 0 7	26.1 0.0 0.0 43.5 0.0 0.0 30.4	31 18 4 39 1 0 35	24.2 14.1 3.1 30.5 0.8 0.0 27.3	886 1,258 155 1,387 156 7 1,556	16.4 23.3 2.9 25.7 2.9 0.1 28.8	20 56 7 31 1 0 37	13.2 36.8 4.6 20.4 0.7 0.0 24.3
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,923 3,482	35.6 64.4	21 131	13.8 86.2

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOSE	ES, 2010	PLWHA A: 12/31/20		DEATHS,	2010
	Total HIV o	liagnoses %	Withou N	t AIDS %	Concurrent v	with AIDS diagnoses %	N	%	N	%	N	0/_
TOTAL	89	100.0	72	80.9	17	19.1	78	100.0	3,135	100.0	53	100.0
SEX AT BIRTH												
Male Female	60 29	67.4 32.6	50 22	69.4 30.6	10 7	58.8 41.2	54 24	69.2 30.8	1,938 1,197	61.8 38.2	33 20	62.3 37.7
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	42 42 4 1 0	47.2 47.2 4.5 1.1 0.0	34 33 4 1 0	47.2 45.8 5.6 1.4 0.0	8 9 0 0	47.1 52.9 0.0 0.0 0.0	35 42 1 0	44.9 53.8 1.3 0.0 0.0	1,277 1,736 96 13 13	40.7 55.4 3.1 0.4 0.4	22 30 0 0 1	41.5 56.6 0.0 0.0 1.9
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 4 27 23 22 10 2	1.1 4.5 30.3 25.8 24.7 11.2 2.2	1 2 25 19 16 7 2	1.4 2.8 34.7 26.4 22.2 9.7 2.8	0 2 2 4 6 3 0	0.0 11.8 11.8 23.5 35.3 17.6 0.0	0 5 9 22 27 10 5	0.0 6.4 11.5 28.2 34.6 12.8 6.4	10 63 243 500 1,013 957 349	0.3 2.0 7.8 15.9 32.3 30.5 11.1	0 0 2 5 16 18 12	0.0 0.0 3.8 9.4 30.2 34.0 22.6
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	34 5 2 30 1 0 17	38.2 5.6 2.2 33.7 1.1 0.0 19.1	28 5 2 22 1 0 14	38.9 6.9 2.8 30.6 1.4 0.0 19.4	6 0 0 8 0 0 3	35.3 0.0 0.0 47.1 0.0 0.0 17.6	16 9 2 23 2 0 26	20.5 11.5 2.6 29.5 2.6 0.0 33.3	484 833 73 789 114 6 836	15.4 26.6 2.3 25.2 3.6 0.2 26.7	10 22 1 10 0 0	18.9 41.5 1.9 18.9 0.0 0.0 18.9
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,152 1,983	36.7 63.3	7 46	13.2 86.8

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	SES, 20	110		AIDS DIAGNOSE	S, 2010	PLWHA A: 12/31/20		DEATHS,	2010
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurrent w di N	vith AIDS lagnoses %	N	%	N	%	N	%
TOTAL	24	100.0	20	83.3	4	16.7	24	100.0	916	100.0	10	100.0
SEX AT BIRTH												
Male Female	21 3	87.5 12.5	18 2	90.0 10.0	3 1	75.0 25.0	20 4	83.3 16.7	707 209	77.2 22.8	8 2	80.0 20.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	8 1 14 1 0	33.3 4.2 58.3 4.2 0.0	8 0 12 0 0	40.0 0.0 60.0 0.0 0.0	0 1 2 1 0	0.0 25.0 50.0 25.0 0.0	5 11 7 1 0	20.8 45.8 29.2 4.2 0.0	164 429 306 14 3	17.9 46.8 33.4 1.5 0.3	2 5 3 0 0	20.0 50.0 30.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 13 3 4 3 1	0.0 0.0 54.2 12.5 16.7 12.5 4.2	0 0 12 2 4 2 0	0.0 0.0 60.0 10.0 20.0 10.0 0.0	0 0 1 1 0 1	0.0 0.0 25.0 25.0 0.0 25.0 25.0	0 0 5 7 5 5	0.0 0.0 20.8 29.2 20.8 20.8 8.3	1 9 75 196 334 215 86	0.1 1.0 8.2 21.4 36.5 23.5 9.4	0 0 2 2 2 4	0.0 0.0 20.0 20.0 20.0 40.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	17 3 0 2 0 0 2	70.8 12.5 0.0 8.3 0.0 0.0 8.3	15 3 0 1 0 0 1	75.0 15.0 0.0 5.0 0.0 0.0 5.0	2 0 0 1 0 0 1	50.0 0.0 0.0 25.0 0.0 0.0 25.0	13 3 0 5 0 0 3	54.2 12.5 0.0 20.8 0.0 0.0 12.5	428 151 21 130 13 3 170	46.7 16.5 2.3 14.2 1.4 0.3 18.6	1 6 0 0 0 0 3	10.0 60.0 0.0 0.0 0.0 0.0 30.0
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	376 540	41.0 59.0	2 8	20.0 80.0

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20	110		AIDS DIAGNOSE	ES, 2010	PLWHA A 12/31/20		DEATHS,	2010
	Total HIV o		Withou		Concurrent	diagnoses						
TOTAL	N 84	% 100.0	N 64	% 76.2	N <b>20</b>	% <b>23.8</b>	N <b>64</b>	% 100.0	N 2.709	% 100.0	N <b>31</b>	% 100.0
IOTAL	84	100.0	64	76.2	20	23.8	04	100.0	2,709	100.0	31	100.0
SEX AT BIRTH												
Male Female	65 19	77.4 22.6	52 12	81.3 18.8	13 7	65.0 35.0	47 17	73.4 26.6	2,044 665	75.5 24.5	21 10	67.7 32.3
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	48 18 16 2 0	57.1 21.4 19.0 2.4 0.0	33 17 12 2 0	51.6 26.6 18.8 3.1 0.0	15 1 4 0 0	75.0 5.0 20.0 0.0 0.0	38 16 9 1 0	59.4 25.0 14.1 1.6 0.0	1,143 727 782 41 16	42.2 26.8 28.9 1.5 0.6	13 11 7 0 0	41.9 35.5 22.6 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 5 30 17 18 9 5	0.0 6.0 35.7 20.2 21.4 10.7 6.0	0 3 29 11 14 6 1	0.0 4.7 45.3 17.2 21.9 9.4 1.6	0 2 1 6 4 3 4	0.0 10.0 5.0 30.0 20.0 15.0 20.0	0 3 7 14 18 16 6	0.0 4.7 10.9 21.9 28.1 25.0 9.4	7 32 176 380 950 774 390	0.3 1.2 6.5 14.0 35.1 28.6 14.4	0 0 1 10 10	0.0 0.0 3.2 32.3 32.3 32.3
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	43 3 0 20 1 0 17	51.2 3.6 0.0 23.8 1.2 0.0 20.2	36 1 0 15 0 0	56.3 1.6 0.0 23.4 0.0 0.0 18.8	7 2 0 5 1 0 5	35.0 10.0 0.0 25.0 5.0 0.0 25.0	24 7 5 11 1 0	37.5 10.9 7.8 17.2 1.6 0.0 25.0	1,184 400 67 436 51 5	43.7 14.8 2.5 16.1 1.9 0.2 20.9	6 13 1 5 0 0	19.4 41.9 3.2 16.1 0.0 0.0
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,124 1,585	41.5 58.5	4 27	12.9 87.1

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
					Concurrent							
	Total HIV d		Withou			diagnoses						
TOTAL	N <b>211</b>	% 100.0	N 163	% 77.3	N 48	% <b>22.7</b>	N <b>205</b>	% 100.0	N 7,218	% 100.0	N 172	100.0
IOTAL	211	100.0	103	11.3	40	22.1	203	100.0	1,210	100.0	172	100.0
SEX AT BIRTH												
Male	142	67.3	109	66.9	33	68.8	123	60.0	4,598	63.7	110	64.0
Female	69	32.7	54	33.1	15	31.3	82	40.0	2,620	36.3	62	36.0
RACE/ETHNICITY												
Black	167	79.1	123	75.5	44	91.7	177	86.3	5,690	78.8	125	72.7
Latino/Hispanic	30	14.2	28	17.2	2	4.2	17	8.3	1,046	14.5	35	20.3 7.0
White	12	5.7	10	6.1	2	4.2	11	5.4	390	5.4	12	7.0
Asian/Pacific Islander	1	0.5	1	0.6	0	0.0	0	0.0	49	0.7	0	0.0
Native American Multiracial	0	0.0	0	0.0 0.6	0	0.0	0	0.0	25 5	0.3	0 0	0.0 0.0 0.0
	1	0.5 0.0	0	0.6	0	0.0	0	0.0	ວ 13	0.1 0.2	0	0.0
Unknown	0	0.0	U	0.0	U	0.0	0	0.0	13	0.2	Ü	0.0
AGE GROUP (YEARS)												
0-12	2	0.9	2	1.2	0	0.0	0	0.0	31	0.4	0	0.0
13-19	5	2.4	5	3.1	0	0.0	4	2.0	95	1.3	0	0.0
20-29	71	33.6	62	38.0	9	18.8	41	20.0	682	9.4	2	1.2
30-39	44	20.9	34	20.9	10	20.8	41	20.0	1,222	16.9	10	5.8 26.2
40-49	52	24.6	36	22.1	16	33.3	65	31.7	2,335	32.3	45	26.2
50-59	29	13.7	20	12.3	9	18.8	38	18.5	2,010	27.8	70	40.7
60+	8	3.8	4	2.5	4	8.3	16	7.8	843	11.7	45	26.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	80	37.9	67	41.1	13	27.1	54	26.3	1,886	26.1	29	16.9
Injection drug use history (IDU)	4	1.9	3	1.8	1	2.1	19	9.3	1,164	16.1	58	33.7
MSM-IDU	5	2.4	2	1.2	3	6.3	5	2.4	178	2.5	3	1.7
Heterosexual	61	28.9	43	26.4	18	37.5	63	30.7	1,794	24.9	34	19.8 0.0
Perinatal	2	0.9	2	1.2	0	0.0	6	2.9	185	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	59	28.0	46	28.2	13	27.1	58	28.3	2,000	27.7	48	27.9
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2,831	39.2	26	15.1
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,387	60.8	146	84.9

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	s, 2010
					Concurrent							
	Total HIV d		Withou			diagnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	103	100.0	83	80.6	20	19.4	82	100.0	2,923	100.0	70	100.0
SEX AT BIRTH												
Male	69	67.0	56	67.5	13	65.0	52	63.4	1,627	55.7	43	61.4
Female	34	33.0	27	32.5	7	35.0	30	36.6	1,296	44.3	27	38.6
RACE/ETHNICITY												
Black	73	70.9	61	73.5	12	60.0	51	62.2	1,912	65.4	42	60.0
Latino/Hispanic	24	23.3	17	20.5	7	35.0	28	34.1	898	30.7	26	37.1
White	4	3.9	4	4.8	0	0.0	0	0.0	76	2.6	1	1.4
Asian/Pacific Islander	2	1.9	1	1.2	1	5.0	3	3.7	23	0.8	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0 0.0	0	0.0	0	0.0	0	0.0	3	0.1 0.1	0	0.0 0.0 0.0
Unknown	U	0.0	0	0.0	0	0.0	U	0.0	3	0.1	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	19	0.7	0	0.0
13-19	8	7.8	8	9.6	0	0.0	1	1.2	56	1.9	1	1.4
20-29	35	34.0	33	39.8	2	10.0	19	23.2	318	10.9	1	1.4
30-39 40-49	18	17.5	10	12.0	8	40.0	19	23.2 23.2	495	16.9	6	8.6
50-59	21 17	20.4 16.5	17 12	20.5 14.5	4	20.0 25.0	19 19	23.2	973 748	33.3 25.6	26 23	37.1 32.9
60+	4	3.9	3	3.6	5 1	25.0 5.0	19 5	6.1	746 314	10.7	23 13	32.8 18.6
00+	4	3.9	3	3.0	'	5.0	5	0.1	314	10.7	13	10.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	43	41.7	38	45.8	5	25.0	23	28.0	543	18.6	4	5.7
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	7	8.5	527	18.0	21	30.0
MSM-IDU TO TO THE MET OF THE MET	0	0.0	0	0.0	0	0.0	3	3.7	53	1.8	5	7.1
Heterosexual	34	33.0	24	28.9	10	50.0	30	36.6	896	30.7	20	28.6 2.9 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.2	97	3.3	2	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	25	24.3	20	24.1	5	25.0	18	22.0	803	27.5	18	25.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,116	38.2	7	10.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,807	61.8	63	90.0

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	6, 2010
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	9/
TOTAL	31	100.0	23	74.2	8	25.8	28	100.0	796	100.0	4	100.0
SEX AT BIRTH												
Male Female	24 7	77.4 22.6	19 4	82.6 17.4	5 3	62.5 37.5	21 7	75.0 25.0	582 214	73.1 26.9	3 1	75.0 25.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	3 22 5 0 0 1	9.7 71.0 16.1 0.0 0.0 3.2 0.0	3 15 4 0 0 1	13.0 65.2 17.4 0.0 0.0 4.3 0.0	0 7 1 0 0 0	0.0 87.5 12.5 0.0 0.0 0.0	8 18 1 1 0 0	28.6 64.3 3.6 3.6 0.0 0.0	144 458 150 41 0 1	18.1 57.5 18.8 5.2 0.0 0.1 0.3	0 3 1 0 0 0	0.0 75.0 25.0 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 11 9 4 5	0.0 3.2 35.5 29.0 12.9 16.1 3.2	0 1 9 6 3 4 0	0.0 4.3 39.1 26.1 13.0 17.4 0.0	0 0 2 3 1 1 1	0.0 0.0 25.0 37.5 12.5 12.5	0 0 9 7 9 2 1	0.0 0.0 32.1 25.0 32.1 7.1 3.6	1 11 63 139 284 203 95	0.1 1.4 7.9 17.5 35.7 25.5 11.9	0 0 0 0 0 1 3	0.0 0.0 0.0 0.0 25.0 75.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	11 2 1 9 0 0 8	35.5 6.5 3.2 29.0 0.0 0.0 25.8	11 1 0 6 0 0 5	47.8 4.3 0.0 26.1 0.0 0.0 21.7	0 1 1 3 0 0 3	0.0 12.5 12.5 37.5 0.0 0.0 37.5	8 4 2 6 1 0 7	28.6 14.3 7.1 21.4 3.6 0.0 25.0	253 163 27 166 16 1 170	31.8 20.5 3.4 20.9 2.0 0.1 21.4	1 1 0 1 0 0	25.0 25.0 0.0 25.0 0.0 25.0
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	316 480	39.7 60.3	2 2	50.0 50.0

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS.	, 2010
	Total HIV o	diaanaaa	Withou	4 AIDC	Concurrent							
	N	ilagrioses %	N	LAIDS %	N	diagnoses %	N	%	N	%	N	%
TOTAL	30	100.0	22	73.3	8	26.7	28	100.0	1,024	100.0	13	100.0
SEX AT BIRTH												
Male Female	22 8	73.3 26.7	16 6	72.7 27.3	6 2	75.0 25.0	21 7	75.0 25.0	744 280	72.7 27.3	12 1	92.3 7.7
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	11 6 11 2 0 0	36.7 20.0 36.7 6.7 0.0 0.0	8 5 8 1 0	36.4 22.7 36.4 4.5 0.0 0.0	3 1 3 1 0	37.5 12.5 37.5 12.5 0.0 0.0	10 9 8 1 0	35.7 32.1 28.6 3.6 0.0 0.0	299 376 308 41 0	29.2 36.7 30.1 4.0 0.0 0.0	2 6 4 1 0	15.4 46.2 30.8 7.7 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 5 7 5 7 4	0.0 6.7 16.7 23.3 16.7 23.3 13.3	0 1 5 5 5 4 2	0.0 4.5 22.7 22.7 22.7 18.2 9.1	0 1 0 2 0 3 2	0.0 12.5 0.0 25.0 0.0 37.5 25.0	0 1 4 7 3 10 3	0.0 3.6 14.3 25.0 10.7 35.7 10.7	0 8 73 160 357 292 134	0.0 0.8 7.1 15.6 34.9 28.5 13.1	0 0 2 1 7 3	0.0 0.0 15.4 7.7 53.8 23.1
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	13 1 0 9 0 0 7	43.3 3.3 0.0 30.0 0.0 0.0 23.3	13 1 0 6 0 0 2	59.1 4.5 0.0 27.3 0.0 0.0 9.1	0 0 0 3 0 0 5	0.0 0.0 0.0 37.5 0.0 0.0 62.5	5 1 3 7 0 0 12	17.9 3.6 10.7 25.0 0.0 0.0 42.9	352 195 25 211 19 1	34.4 19.0 2.4 20.6 1.9 0.1 21.6	3 7 0 0 0 0 3	23.1 53.8 0.0 0.0 0.0 0.0 23.1
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	391 633	38.2 61.8	1 12	7.7 92.3

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
					Concurrent							
	Total HIV d		Withou			diagnoses	N	0/	NI.	0/	NI.	0/
TOTAL	N 169	% 100.0	N 122	% <b>72.2</b>	N 47	% <b>27.8</b>	N <b>145</b>	% 100.0	N 5,001	% 100.0	N <b>81</b>	% 100.0
IVIAL	100	100.0	122	1 2.2		27.0	140	100.0	3,001	100.0	01	100.0
SEX AT BIRTH												
Male	119	70.4	88	72.1	31	66.0	98	67.6	3,140	62.8	54	66.7
Female	50	29.6	34	27.9	16	34.0	47	32.4	1,861	37.2	27	33.3
RACE/ETHNICITY												
Black	141	83.4	97	79.5	44	93.6	125	86.2	3,971	79.4	63	77.8
Latino/Hispanic	21	12.4	19	15.6	2	4.3	16	11.0	714	14.3	13	16.0 2.5 1.2 0.0 2.5 0.0
White	3	1.8	3	2.5	0	0.0	3	2.1	250	5.0	2	2.5
Asian/Pacific Islander	3	1.8	3	2.5	0	0.0	0	0.0	42	0.8	1	1.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	1	0.6	0	0.0	1	2.1	1	0.7	2	0.0	2	2.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
13-19	5	3.0	4	3.3	1	2.1	5	3.4	73	1.5	0	0.0
20-29	48	28.4	43	35.2	5	10.6	24	16.6	480	9.6	1	0.0 1.2 6.2 19.8
30-39	32	18.9	23	18.9	. 9	19.1	27	18.6	776	15.5	.5	6.2
40-49	39	23.1	22	18.0	17	36.2	43	29.7	1,596	31.9	16	19.8
50-59	26	15.4	18	14.8	8	17.0	31	21.4	1,424	28.5	44 15	54.3
60+	19	11.2	12	9.8	7	14.9	15	10.3	644	12.9	15	18.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	59	34.9	50	41.0	9	19.1	41	28.3	1,247	24.9	11	13.6
Injection drug use history (IDU)	5	3.0	4	3.3	1	2.1	11	7.6	641	12.8	24	29.6
MSM-IDU	3	1.8	2	1.6	1	2.1	2	1.4	93	1.9	0	0.0
Heterosexual	48	28.4	32	26.2	16	34.0	43	29.7	1,337	26.7	18	22.2
Perinatal	0	0.0	0	0.0	0	0.0	4	2.8	117	2.3	1	1.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	54	32.0	34	27.9	20	42.6	44	30.3	1,554	31.1	27	33.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,818	36.4	8	9.9
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	3,183	63.6	73	90.1

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOSI	ES, 2010	PLWHA A: 12/31/20		DEATHS,	2010
	Total HIV o		Withou			diagnoses		24				
TOTAL	N 63	% 100.0	N 38	% <b>60.3</b>	N <b>25</b>	% 39.7	N <b>60</b>	% 100.0	N <b>1,456</b>	% 100.0	N <b>26</b>	% 100.0
SEX AT BIRTH												
Male Female	38 25	60.3 39.7	23 15	60.5 39.5	15 10	60.0 40.0	34 26	56.7 43.3	770 686	52.9 47.1	18 8	69.2 30.8
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	50 6 5 2 0	79.4 9.5 7.9 3.2 0.0	33 3 1 1 0	86.8 7.9 2.6 2.6 0.0	17 3 4 1 0	68.0 12.0 16.0 4.0 0.0	46 8 4 2 0	76.7 13.3 6.7 3.3 0.0	1,138 181 116 14 7	78.2 12.4 8.0 1.0 0.5	18 5 3 0 0	69.2 19.2 11.5 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 16 16 17 8 4	0.0 3.2 25.4 25.4 27.0 12.7 6.3	0 2 12 11 9 2	0.0 5.3 31.6 28.9 23.7 5.3 5.3	0 0 4 5 8 6 2	0.0 0.0 16.0 20.0 32.0 24.0 8.0	0 1 8 16 22 10 3	0.0 1.7 13.3 26.7 36.7 16.7 5.0	10 37 125 233 445 435 171	0.7 2.5 8.6 16.0 30.6 29.9 11.7	0 0 1 3 6 8 8	0.0 0.0 3.8 11.5 23.1 30.8 30.8
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	20 0 0 23 0 0 20	31.7 0.0 0.0 36.5 0.0 0.0 31.7	14 0 0 15 0 0 9	36.8 0.0 0.0 39.5 0.0 0.0 23.7	6 0 0 8 0 0	24.0 0.0 0.0 32.0 0.0 0.0 44.0	12 0 2 21 2 0 23	20.0 0.0 3.3 35.0 3.3 0.0 38.3	228 151 17 498 65 4 493	15.7 10.4 1.2 34.2 4.5 0.3 33.9	4 4 0 8 0 0	15.4 15.4 0.0 30.8 0.0 0.0 38.5
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	575 881	39.5 60.5	7 19	26.9 73.1

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

		HIV	DIAGNO	SES, 20	010		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV o	iagnoses %	Withou	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	%
TOTAL	10	100.0	9	90.0	1	10.0	10	100.0	596	100.0	15	100.0
SEX AT BIRTH												
Male	9	90.0	8	88.9	1	100.0	9	90.0	442	74.2	11	73.3
Female	1	10.0	1	11.1	Ö	0.0	1	10.0	154	25.8	4	73.3 26.7
RACE/ETHNICITY												
Black	2	20.0	2	22.2	0	0.0	0	0.0	75	12.6	2	13.3
Latino/Hispanic	5	50.0	5	55.6	0	0.0	4	40.0	177	29.7	5	33.3
White	3	30.0	2	22.2	1	100.0	6	60.0	309	51.8	8	53.3
Asian/Pacific Islander Other/Unknown	0	0.0 0.0	0	0.0	0	0.0 0.0	0 0	0.0 0.0	30 5	5.0 0.8	0 0	53.3 0.0 0.0
Other/Officiowit	U	0.0	U	0.0	U	0.0	U	0.0	5	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	10.0	1	11.1	0	0.0	0	0.0	3	0.5	0	0.0 0.0
20-29 30-39	2	20.0 30.0	2	22.2 33.3	0	0.0 0.0	2	20.0 0.0	38 109	6.4 18.3	0 0	0.0
40-49	2	20.0	2	22.2	0	0.0	3	30.0	181	30.4	6	40.0
50-59	2	20.0	1	11.1	1	100.0	4	40.0	182	30.4	4	26.7
60+	0	0.0	Ö	0.0	Ö	0.0	1	10.0	82	13.8	5	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	60.0	6	66.7	0	0.0	2	20.0	237	39.8	1	6.7
Injection drug use history (IDU)	1	10.0	Ĭ	11.1	0	0.0	1	10.0	108	18.1	6	40.0
MSM-IDU	1	10.0	1	11.1	0	0.0	2	20.0	16	2.7	1	6.7
Heterosexual	0	0.0	0	0.0	0	0.0	2	20.0	100	16.8	2	13.3 0.0 6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	1 4	6.7
Unknown	2	20.0	1	11.1	1	100.0	3	30.0	126	21.1	4	26.7
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	245	41.1	1	6.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	351	58.9	14	93.3

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 20	010		AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV o	liagnoses %	Withou	t AIDS %		diagnoses	N	%	N	0/	N	0/
TOTAL	N 28	100.0	N <b>19</b>	67.9	N 9	% <b>32.1</b>	26	100.0	1,062	% 100.0	N <b>32</b>	% 100.0
SEX AT BIRTH												
Male Female	22 6	78.6 21.4	17 2	89.5 10.5	5 4	55.6 44.4	16 10	61.5 38.5	658 404	62.0 38.0	24 8	75.0 25.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	14 7 6 1 0	50.0 25.0 21.4 3.6 0.0	11 5 3 0 0	57.9 26.3 15.8 0.0 0.0	3 2 3 1 0	33.3 22.2 33.3 11.1 0.0	9 8 7 1 1	34.6 30.8 26.9 3.8 3.8	419 342 269 28 4	39.5 32.2 25.3 2.6 0.4	12 9 10 1 0	37.5 28.1 31.3 3.1 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 9 2 5 8 2	0.0 7.1 32.1 7.1 17.9 28.6 7.1	0 2 7 2 2 4 2	0.0 10.5 36.8 10.5 10.5 21.1 10.5	0 0 2 0 3 4 0	0.0 0.0 22.2 0.0 33.3 44.4 0.0	0 1 4 4 10 6 1	0.0 3.8 15.4 15.4 38.5 23.1 3.8	4 18 82 152 350 318 138	0.4 1.7 7.7 14.3 33.0 29.9 13.0	0 0 1 2 10 9 10	0.0 0.0 3.1 6.3 31.3 28.1 31.3
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	9 1 0 6 0 0 12	32.1 3.6 0.0 21.4 0.0 0.0 42.9	8 1 0 2 0 0 8	42.1 5.3 0.0 10.5 0.0 0.0 42.1	1 0 0 4 0 0 4	11.1 0.0 0.0 44.4 0.0 0.0 44.4	6 2 1 9 0 0 8	23.1 7.7 3.8 34.6 0.0 0.0 30.8	239 214 19 279 32 4 275	22.5 20.2 1.8 26.3 3.0 0.4 25.9	3 11 1 4 1 0 12	9.4 34.4 3.1 12.5 3.1 0.0 37.5
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	370 692	34.8 65.2	4 28	12.5 87.5

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV o	liagnoses %	Withou N	t AIDS %	Concurrent	with AIDS diagnoses %	N	%	N	%	N	%
TOTAL	117	100.0	88	75.2	29	24.8	107	100.0	3,677	100.0	83	100.0
SEX AT BIRTH												
Male Female	86 31	73.5 26.5	61 27	69.3 30.7	25 4	86.2 13.8	82 25	76.6 23.4	2,442 1,235	66.4 33.6	54 29	65.1 34.9
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	64 40 13 0 0	54.7 34.2 11.1 0.0 0.0	47 32 9 0	53.4 36.4 10.2 0.0 0.0	17 8 4 0	58.6 27.6 13.8 0.0 0.0	65 31 10 0 1	60.7 29.0 9.3 0.0 0.9	1,993 1,408 230 25 21	54.2 38.3 6.3 0.7 0.6	50 31 1 1 0	60.2 37.3 1.2 1.2 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 6 49 24 26 9 3	0.0 5.1 41.9 20.5 22.2 7.7 2.6	0 5 43 17 19 3	0.0 5.7 48.9 19.3 21.6 3.4 1.1	0 1 6 7 7 6 2	0.0 3.4 20.7 24.1 24.1 20.7 6.9	0 3 24 25 25 22 8	0.0 2.8 22.4 23.4 23.4 20.6 7.5	16 61 368 563 1,221 1,006 442	0.4 1.7 10.0 15.3 33.2 27.4 12.0	0 0 3 3 26 37 14	0.0 0.0 3.6 31.3 44.6 16.9
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	49 5 3 31 1 0 28	41.9 4.3 2.6 26.5 0.9 0.0 23.9	38 4 2 25 0 0	43.2 4.5 2.3 28.4 0.0 0.0 21.6	11 1 1 6 1 0 9	37.9 3.4 3.4 20.7 3.4 0.0 31.0	40 6 2 29 1 0 29	37.4 5.6 1.9 27.1 0.9 0.0 27.1	947 757 77 811 102 5 978	25.8 20.6 2.1 22.1 2.8 0.1 26.6	9 31 4 13 1 0 25	10.8 37.3 4.8 15.7 1.2 0.0 30.1
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,359 2,318	37.0 63.0	13 70	15.7 84.3

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	%
TOTAL	142	100.0	119	83.8	23	16.2	94	100.0	3,977	100.0	50	100.0
SEX AT BIRTH												
Male Female	122 20	85.9 14.1	104 15	87.4 12.6	18 5	78.3 21.7	79 15	84.0 16.0	3,140 837	79.0 21.0	40 10	80.0 20.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	42 74 24 2 0 0	29.6 52.1 16.9 1.4 0.0 0.0 0.0	37 60 20 2 0 0	31.1 50.4 16.8 1.7 0.0 0.0	5 14 4 0 0 0	21.7 60.9 17.4 0.0 0.0 0.0	37 46 11 0 0 0	39.4 48.9 11.7 0.0 0.0 0.0	1,472 1,709 733 41 10 1	37.0 43.0 18.4 1.0 0.3 0.0	21 23 6 0 0 0	42.0 46.0 12.0 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 4 51 45 29 9 3	0.7 2.8 35.9 31.7 20.4 6.3 2.1	1 4 46 39 24 3 2	0.8 3.4 38.7 32.8 20.2 2.5 1.7	0 0 5 6 5 6	0.0 0.0 21.7 26.1 21.7 26.1 4.3	0 1 16 24 25 23 5	0.0 1.1 17.0 25.5 26.6 24.5 5.3	12 45 328 701 1,356 1,054 481	0.3 1.1 8.2 17.6 34.1 26.5 12.1	0 1 2 7 16 17 7	0.0 2.0 4.0 14.0 32.0 34.0 14.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	81 1 4 20 1 0 35	57.0 0.7 2.8 14.1 0.7 0.0 24.6	69 1 3 15 1 0 30	58.0 0.8 2.5 12.6 0.8 0.0 25.2	12 0 1 5 0 0 5	52.2 0.0 4.3 21.7 0.0 0.0 21.7	45 5 6 12 1 0 25	47.9 5.3 6.4 12.8 1.1 0.0 26.6	1,784 479 105 623 71 6 909	44.9 12.0 2.6 15.7 1.8 0.2 22.9	14 16 1 7 1 0	28.0 32.0 2.0 14.0 2.0 0.0 22.0
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,692 2,285	42.5 57.5	8 42	16.0 84.0

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 20		t with AIDS	AIDS DIAGNOS	SES, 2010	PLWHA A 12/31/20		DEATHS,	, 2010
	Total HIV d	iagnoses	Withou	t AIDS	Concurren	diagnoses						
	N	%	N	%	N	% with the same of	N	%	N	%	N	%
TOTAL	152	100.0	123	80.9	29	19.1	96	100.0	4,515	100.0	79	100.0
SEX AT BIRTH												
Male	127	83.6	101	82.1	26	89.7	70	72.9	3,139	69.5	48	60.8
Female	25	16.4	22	17.9	3	10.3	26	27.1	1,376	30.5	31	39.2
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	95 37 15 5 0 0	62.5 24.3 9.9 3.3 0.0 0.0	78 31 10 4 0 0	63.4 25.2 8.1 3.3 0.0 0.0	17 6 5 1 0 0	58.6 20.7 17.2 3.4 0.0 0.0	64 20 9 3 0 0	66.7 20.8 9.4 3.1 0.0 0.0	3,056 913 493 38 7 2 6	67.7 20.2 10.9 0.8 0.2 0.0	55 20 4 0 0 0	69.6 25.3 5.1 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 8 49 34 32 21 8	0.0 5.3 32.2 22.4 21.1 13.8 5.3	0 5 47 26 25 15	0.0 4.1 38.2 21.1 20.3 12.2 4.1	0 3 2 8 7 6 3	0.0 10.3 6.9 27.6 24.1 20.7 10.3	0 5 9 25 26 23 8	0.0 5.2 9.4 26.0 27.1 24.0 8.3	18 55 390 763 1,463 1,246 580	0.4 1.2 8.6 16.9 32.4 27.6 12.8	0 0 3 3 22 30 21	0.0 0.0 3.8 3.8 27.8 38.0 26.6
TRANSMISSION RISK								_				
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	79 6 1 29 0 0 37	52.0 3.9 0.7 19.1 0.0 0.0 24.3	66 4 1 21 0 0 31	53.7 3.3 0.8 17.1 0.0 0.0 25.2	13 2 0 8 0 0	44.8 6.9 0.0 27.6 0.0 0.0 20.7	31 14 2 26 3 0 20	32.3 14.6 2.1 27.1 3.1 0.0 20.8	1,475 734 125 892 101 7 1,181	32.7 16.3 2.8 19.8 2.2 0.2 26.2	13 28 4 20 1 1	16.5 35.4 5.1 25.3 1.3 1.3
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,839 2,676	40.7 59.3	10 69	12.7 87.3

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	SES, 20	110		AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
			140.1		Concurrent							
	Total HIV d N	agnoses %	Withou N	t AIDS %	N	diagnoses %	N	%	N	%	N	0/
TOTAL	84	100.0	64	76.2	20	23.8	69	100.0	2,744	100.0	57	100.0
									,			
SEX AT BIRTH	04	70.0	45	70.0	40	00.0	40	74.0	4.004	00.5	4.4	77.0
Male Female	61 23	72.6 27.4	45 19	70.3 29.7	16 4	80.0 20.0	49 20	71.0 29.0	1,824 920	66.5 33.5	44 13	77.2 22.8
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	43 24 15 2 0 0	51.2 28.6 17.9 2.4 0.0 0.0 0.0	35 16 11 2 0 0	54.7 25.0 17.2 3.1 0.0 0.0	8 8 4 0 0 0	40.0 40.0 20.0 0.0 0.0 0.0	33 24 12 0 0 0	47.8 34.8 17.4 0.0 0.0 0.0	1,294 1,151 260 26 7 2	47.2 41.9 9.5 0.9 0.3 0.1 0.1	34 17 6 0 0 0	59.6 29.8 10.5 0.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 25 22 18 12 5	0.0 2.4 29.8 26.2 21.4 14.3 6.0	0 1 24 18 10 6 5	0.0 1.6 37.5 28.1 15.6 9.4 7.8	0 1 1 4 8 6 0	0.0 5.0 5.0 20.0 40.0 30.0 0.0	0 3 10 12 28 13 3	0.0 4.3 14.5 17.4 40.6 18.8 4.3	10 42 216 384 926 819 347	0.4 1.5 7.9 14.0 33.7 29.8 12.6	0 0 0 2 14 18 23	0.0 0.0 0.0 3.5 24.6 31.6 40.4
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	43 3 0 17 0 0 21	51.2 3.6 0.0 20.2 0.0 0.0 25.0	34 2 0 15 0 0	53.1 3.1 0.0 23.4 0.0 0.0 20.3	9 1 0 2 0 0 8	45.0 5.0 0.0 10.0 0.0 0.0 40.0	26 9 1 16 1 0	37.7 13.0 1.4 23.2 1.4 0.0 23.2	719 651 70 585 85 7 627	26.2 23.7 2.6 21.3 3.1 0.3 22.8	3 29 2 7 0 0	5.3 50.9 3.5 12.3 0.0 0.0 28.1
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,063 1,681	38.7 61.3	10 47	17.5 82.5

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20	110		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS,	, 2010
	Total HIV d	liannosas	Withou	t AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	<i>alagnoses</i> %	N	%	N	%	N	%
TOTAL	67	100.0	55	82.1	12	17.9	52	100.0	3,086	100.0	46	100.0
SEX AT BIRTH												
Male Female	59 8	88.1 11.9	49 6	89.1 10.9	10 2	83.3 16.7	44 8	84.6 15.4	2,644 442	85.7 14.3	37 9	80.4 19.6
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	26 16 25 0 0	38.8 23.9 37.3 0.0 0.0	21 15 19 0	38.2 27.3 34.5 0.0 0.0	5 1 6 0	41.7 8.3 50.0 0.0 0.0	12 19 20 1 0	23.1 36.5 38.5 1.9 0.0	888 814 1,312 48 24	28.8 26.4 42.5 1.6 0.8	11 21 13 1 0	23.9 45.7 28.3 2.2 0.0
AGE GROUP (YEARS)		0.0	•	0.0	•	0.0		0.0		0.4		2.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 3 12 17 20 6 9	0.0 4.5 17.9 25.4 29.9 9.0 13.4	0 3 11 14 15 5 7	0.0 5.5 20.0 25.5 27.3 9.1 12.7	0 0 1 3 5 1 2	0.0 0.0 8.3 25.0 41.7 8.3 16.7	0 0 6 13 20 9 4	0.0 0.0 11.5 25.0 38.5 17.3 7.7	2 13 142 329 978 1,009 613	0.1 0.4 4.6 10.7 31.7 32.7 19.9	0 0 4 9 17 16	0.0 0.0 0.0 8.7 19.6 37.0 34.8
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	42 2 0 3 0 0 20	62.7 3.0 0.0 4.5 0.0 0.0 29.9	36 1 0 3 0 0 15	65.5 1.8 0.0 5.5 0.0 0.0 27.3	6 1 0 0 0 0 5	50.0 8.3 0.0 0.0 0.0 0.0 41.7	28 8 2 3 0 0	53.8 15.4 3.8 5.8 0.0 0.0 21.2	1,703 353 101 306 30 3 590	55.2 11.4 3.3 9.9 1.0 0.1 19.1	13 12 2 9 0 1 9	28.3 26.1 4.3 19.6 0.0 2.2 19.6
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,206 1,880	39.1 60.9	7 39	15.2 84.8

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSE	S, 2010	PLWHA A: 12/31/20		DEATHS,	2010
	Total HIV di		Withou			liagnoses						
TOTAL	N 38	% 100.0	N 32	% 84.2	N 6	% 15.8	N <b>19</b>	% 100.0	N 1,4 <b>07</b>	% 100.0	N <b>26</b>	% 100.0
SEX AT BIRTH												
Male Female	34 4	89.5 10.5	28 4	87.5 12.5	6 0	100.0 0.0	17 2	89.5 10.5	1,230 177	87.4 12.6	19 7	73.1 26.9
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	12 7 18 1 0	31.6 18.4 47.4 2.6 0.0	10 6 16 0	31.3 18.8 50.0 0.0 0.0	2 1 2 1 0	33.3 16.7 33.3 16.7 0.0	6 5 7 1 0	31.6 26.3 36.8 5.3 0.0	301 281 784 35 6	21.4 20.0 55.7 2.5 0.4	11 7 8 0 0	42.3 26.9 30.8 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 10 12 6 7 3	0.0 0.0 26.3 31.6 15.8 18.4 7.9	0 9 11 5 5	0.0 0.0 28.1 34.4 15.6 15.6 6.3	0 0 1 1 1 2 1	0.0 0.0 16.7 16.7 16.7 33.3 16.7	0 0 3 4 6 4 2	0.0 0.0 15.8 21.1 31.6 21.1 10.5	1 4 67 167 474 421 273	0.1 0.3 4.8 11.9 33.7 29.9 19.4	0 0 2 0 3 9 12	0.0 0.0 7.7 0.0 11.5 34.6 46.2
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	24 0 1 1 0 0	63.2 0.0 2.6 2.6 0.0 0.0 31.6	21 0 1 0 0 0	65.6 0.0 3.1 0.0 0.0 0.0 31.3	3 0 0 1 0 0 2	50.0 0.0 0.0 16.7 0.0 0.0 33.3	10 2 0 1 1 0 5	52.6 10.5 0.0 5.3 5.3 0.0 26.3	835 118 38 112 9 3	59.3 8.4 2.7 8.0 0.6 0.2 20.8	5 11 0 2 1 0 7	19.2 42.3 0.0 7.7 3.8 0.0 26.9
CLINICAL HISTORY HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	582 825	41.4 58.6	7 19	26.9 73.1

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 20	110		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV d	liagnoses	Withou	t AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	206	100.0	179	86.9	27	13.1	96	100.0	6,197	100.0	33	100.0
SEX AT BIRTH												
Male Female	197 9	95.6 4.4	170 9	95.0 5.0	27 0	100.0	90 6	93.8 6.3	5,781 416	93.3 6.7	30 3	90.9 9.1
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	25 57 113 11 0 0	12.1 27.7 54.9 5.3 0.0 0.0	21 48 101 9 0 0	11.7 26.8 56.4 5.0 0.0 0.0	4 9 12 2 0 0	14.8 33.3 44.4 7.4 0.0 0.0	27 24 41 4 0 0	28.1 25.0 42.7 4.2 0.0 0.0	1,049 1,327 3,605 153 8 1	16.9 21.4 58.2 2.5 0.1 0.0 0.9	4 9 19 1 0 0	12.1 27.3 57.6 3.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 8 61 71 44 14	0.0 3.9 29.6 34.5 21.4 6.8 3.9	0 7 56 62 38 11 5	0.0 3.9 31.3 34.6 21.2 6.1 2.8	0 1 5 9 6 3 3	0.0 3.7 18.5 33.3 22.2 11.1 11.1	0 0 11 29 38 14 4	0.0 0.0 11.5 30.2 39.6 14.6 4.2	1 18 308 955 2,462 1,745 708	0.0 0.3 5.0 15.4 39.7 28.2 11.4	0 0 2 11 13 7	0.0 0.0 0.0 6.1 33.3 39.4 21.2
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	163 4 8 6 0 0 25	79.1 1.9 3.9 2.9 0.0 0.0 12.1	145 4 8 6 0 0	81.0 2.2 4.5 3.4 0.0 0.0 8.9	18 0 0 0 0 0 0	66.7 0.0 0.0 0.0 0.0 0.0 33.3	61 9 1 5 0 0 20	63.5 9.4 1.0 5.2 0.0 0.0 20.8	4,455 428 149 263 25 2 875	71.9 6.9 2.4 4.2 0.4 0.0 14.1	18 6 2 3 0 0 4	54.5 18.2 6.1 9.1 0.0 0.0 12.1
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	2,991 3,206	48.3 51.7	11 22	33.3 66.7

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSE	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV di		Withou			liagnoses	N	0/		0/	N.	0/
TOTAL	N 64	% 100.0	N 54	% <b>84.4</b>	N 10	% 15.6	N 44	% 100.0	N 1,984	% 100.0	N <b>25</b>	% 100.0
									,			
SEX AT BIRTH Male	60	93.8	50	92.6	10	100.0	39	88.6	1.827	92.1	22	88.0
Female	4	6.3	4	7.4	0	0.0	5	11.4	157	7.9	22 3	12.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	9 17 33 4 1	14.1 26.6 51.6 6.3 1.6	7 13 29 4 1	13.0 24.1 53.7 7.4 1.9	2 4 4 0 0	20.0 40.0 40.0 0.0 0.0	13 13 17 1 0	29.5 29.5 38.6 2.3 0.0	399 457 1,061 49 18	20.1 23.0 53.5 2.5 0.9	7 8 10 0	28.0 32.0 40.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 4 16 16 20 3 4	1.6 6.3 25.0 25.0 31.3 4.7 6.3	1 4 16 13 16 2 2	1.9 7.4 29.6 24.1 29.6 3.7 3.7	0 0 0 3 4 1 2	0.0 0.0 0.0 30.0 40.0 10.0 20.0	0 0 5 11 15 8 5	0.0 0.0 11.4 25.0 34.1 18.2 11.4	1 5 81 253 674 598 372	0.1 0.3 4.1 12.8 34.0 30.1 18.8	0 0 1 6 8 10	0.0 0.0 0.0 4.0 24.0 32.0 40.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	47 0 3 2 1 0 11	73.4 0.0 4.7 3.1 1.6 0.0 17.2	41 0 3 2 1 0 7	75.9 0.0 5.6 3.7 1.9 0.0 13.0	6 0 0 0 0 0 4	60.0 0.0 0.0 0.0 0.0 0.0 40.0	23 6 0 5 0 10	52.3 13.6 0.0 11.4 0.0 0.0 22.7	1,243 203 60 120 8 2 348	62.7 10.2 3.0 6.0 0.4 0.1 17.5	9 8 2 1 0 0 5	36.0 32.0 8.0 4.0 0.0 20.0
CLINICAL HISTORY HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	836 1,148	42.1 57.9	4 21	16.0 84.0

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV d	liagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	0/
TOTAL	54	100.0	49	90.7	5	9.3	24	100.0	1,901	100.0	11	100.0
SEX AT BIRTH												
Male	49	90.7	44	89.8	5	100.0	24	100.0	1,833	96.4	11	100.0
Female	5	9.3	5	10.2	0	0.0	0	0.0	68	3.6	0	0.0
RACE/ETHNICITY												
Black	11	20.4	9	18.4	2	40.0	7	29.2	367	19.3	1	9.1
Latino/Hispanic	15	27.8	14	28.6	1	20.0	5	20.8	355	18.7	3	27.3
White Asian/Pacific Islander	25 3	46.3 5.6	24 2	49.0 4.1	1	20.0 20.0	10 2	41.7 8.3	1,125 42	59.2 2.2	6 1	54.5
Other/Unknown	0	0.0	0	0.0	Ö	0.0	0	0.0	12	0.6	Ó	54.5 9.1 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	1 18	1.9 33.3	1 18	2.0 36.7	0	0.0 0.0	0	0.0 8.3	1	0.1 4.6	0	0.0
20-29 30-39	16	33.3 29.6	15	30.6	1	20.0	2 7	29.2	88 235	12.4	0	9.1
40-49	11	20.4	8	16.3	3	60.0	10	41.7	712	37.5	0	0.0
50-59	6	11.1	5	10.2	1	20.0	3	12.5	549	28.9	4	36.4
60+	2	3.7	2	4.1	0	0.0	2	8.3	316	16.6	6	54.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	36	66.7	34	69.4	2	40.0	13	54.2	1,287	67.7	5	45.5
Injection drug use history (IDÙ)	3	5.6	2	4.1	1	20.0	3	12.5	150	7.9	1	9.1
MSM-IDU Heterosexual	0	0.0 11.1	0 4	0.0 8.2	0 2	0.0 40.0	3	4.2 12.5	46 84	2.4 4.4	0 0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0 0.0 0.0
Other	ő	0.0	0	0.0	ő	0.0	Ő	0.0	1	0.1	ő	0.0
Unknown	9	16.7	9	18.4	0	0.0	4	16.7	330	17.4	5	45.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	836	44.0	. 1	9.1
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,065	56.0	10	90.9

Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 20	110		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS,	2010
	Total HIV o	liagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	0/
TOTAL	65	100.0	60	92.3	5	7. <b>7</b>	44	100.0	3,240	100.0	67	100.0
SEX AT BIRTH												
Male Female	58 7	89.2 10.8	54 6	90.0 10.0	4 1	80.0 20.0	33 11	75.0 25.0	2,616 624	80.7 19.3	50 17	74.6 25.4
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	16 19 27 3 0	24.6 29.2 41.5 4.6 0.0	15 18 24 3 0	25.0 30.0 40.0 5.0 0.0	1 1 3 0 0	20.0 20.0 60.0 0.0 0.0	21 13 9 1 0	47.7 29.5 20.5 2.3 0.0	723 1,099 1,278 117 23	22.3 33.9 39.4 3.6 0.7	21 26 17 1 2	31.3 38.8 25.4 1.5 3.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 3 17 16 12 13 4	0.0 4.6 26.2 24.6 18.5 20.0 6.2	0 3 17 16 11 9 4	0.0 5.0 28.3 26.7 18.3 15.0 6.7	0 0 0 0 1 4 0	0.0 0.0 0.0 0.0 20.0 80.0	0 0 8 8 9 14 5	0.0 0.0 18.2 18.2 20.5 31.8 11.4	5 19 150 368 1,148 1,046 504	0.2 0.6 4.6 11.4 35.4 32.3 15.6	0 0 2 16 29 20	0.0 0.0 3.0 23.9 43.3 29.9
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	40 6 2 4 0 0 13	61.5 9.2 3.1 6.2 0.0 0.0 20.0	38 5 2 4 0 0	63.3 8.3 3.3 6.7 0.0 0.0 18.3	2 1 0 0 0 0 2	40.0 20.0 0.0 0.0 0.0 0.0 40.0	19 11 1 6 1 0	43.2 25.0 2.3 13.6 2.3 0.0 13.6	1,581 584 113 364 44 6 548	48.8 18.0 3.5 11.2 1.4 0.2 16.9	16 34 1 6 0 10	23.9 50.7 1.5 9.0 0.0 0.0 14.9
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	1,190 2,050	36.7 63.3	7 60	10.4 89.6

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV o	liagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	0/
TOTAL	23	100.0	19	82.6	4	17.4	12	100.0	523	100.0	4	100.0
SEX AT BIRTH												
Male Female	22 1	95.7 4.3	18 1	94.7 5.3	4 0	100.0	12 0	100.0 0.0	446 77	85.3 14.7	2 2	50.0 50.0
i emale	•	7.5	'	5.5	O	0.0	O .	0.0	,,	17.7	2	30.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander	3 5 13	13.0 21.7 56.5 8.7	2 4 11 2	10.5 21.1 57.9 10.5	1 1 2 0	25.0 25.0 50.0 0.0	5 2 5 0	41.7 16.7 41.7	112 127 258 21	21.4 24.3 49.3	1 3 0 0	25.0 75.0 0.0 0.0 0.0
Other/Unknown	2	0.0	0	0.0	0	0.0	0	0.0 0.0	5	4.0 1.0	0	0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	0 0 8 5 8 2	0.0 0.0 34.8 21.7 34.8 8.7	0 7 5 5	0.0 0.0 36.8 26.3 26.3 10.5	0 0 1 0 3	0.0 0.0 25.0 0.0 75.0	0 0 2 4 6	0.0 0.0 16.7 33.3 50.0	0 2 30 104 196 136	0.0 0.4 5.7 19.9 37.5 26.0	0 0 0 1 3	0.0 0.0 0.0 0.0 25.0 75.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	55	10.5	0	0.0
TRANSMISSION RISK Men who have sex with men (MSM)	17	73.9	14	73.7	3	75.0	5	41.7	305	58.3	0	0.0
Injection drug use history (IDÙ) MSM-IDU Heterosexual	1 2 2	4.3 8.7 8.7	1 2 1	5.3 10.5 5.3	0 0 1	0.0 0.0 25.0	2 0 2	16.7 0.0 16.7	41 8 55	7.8 1.5 10.5	1 0 2	25.0 0.0 50.0
Perinatal Other Unknown	0	0.0 0.0 4.3	0	0.0 0.0 5.3	0 0 0	0.0 0.0 0.0	0 0 3	0.0 0.0 25.0	4 0 110	0.8 0.0 21.0	0 0 1	50.0 0.0 0.0 25.0
		4.3		0.3	0	0.0	3	23.0	110	21.0	1	25.0
CLINICAL HISTORY	NI/A	NI/A	NI/A	N1/A	N1/A	NI/A	N1/A	N1/A	050	40.5		05.0
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	259 264	49.5 50.5	1 3	25.0 75.0

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV o		Withou			diagnoses	N	0/	M	0/	N	0/
TOTAL	N 81	% 100.0	N 66	% 81.5	N 15	% 18.5	N <b>41</b>	% 100.0	N 1,765	% 100.0	N <b>17</b>	% 100.0
SEX AT BIRTH												
Male Female	71 10	87.7 12.3	57 9	86.4 13.6	14 1	93.3 6.7	37 4	90.2 9.8	1,466 299	83.1 16.9	10 7	58.8 41.2
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	16 29 31 5 0	19.8 35.8 38.3 6.2 0.0	14 25 24 3 0	21.2 37.9 36.4 4.5 0.0	2 4 7 2 0	13.3 26.7 46.7 13.3 0.0	6 16 16 2 1	14.6 39.0 39.0 4.9 2.4	351 703 627 68 16	19.9 39.8 35.5 3.9 0.9	3 8 6 0	17.6 47.1 35.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 2 39 19 15 5	0.0 2.5 48.1 23.5 18.5 6.2 1.2	0 2 34 14 11 5	0.0 3.0 51.5 21.2 16.7 7.6 0.0	0 0 5 5 4 0 1	0.0 0.0 33.3 33.3 26.7 0.0 6.7	0 1 15 11 13 0	0.0 2.4 36.6 26.8 31.7 0.0 2.4	4 8 149 374 676 411 143	0.2 0.5 8.4 21.2 38.3 23.3 8.1	0 0 1 1 3 10 2	0.0 0.0 5.9 5.9 17.6 58.8 11.8
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual Perinatal Other Unknown	60 1 0 8 0 0 12	74.1 1.2 0.0 9.9 0.0 0.0 14.8	50 1 0 7 0 0 8	75.8 1.5 0.0 10.6 0.0 0.0 12.1	10 0 0 1 0 0 4	66.7 0.0 0.0 6.7 0.0 0.0 26.7	27 1 0 1 1 0 11	65.9 2.4 0.0 2.4 2.4 0.0 26.8	990 138 37 248 16 2 334	56.1 7.8 2.1 14.1 0.9 0.1 18.9	7 4 0 4 0 0 2	41.2 23.5 0.0 23.5 0.0 0.0 11.8
CLINICAL HISTORY												
HIV-only Ever AIDS diagnosis	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	843 922	47.8 52.2	6 11	35.3 64.7

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2010 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2010, NEW YORK CITY Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV o	liaanosas	Withou	t AIDS	Concurrent	t with AIDS diagnoses						
	N	www.iagrioses %	N	% AIDS	N	ulayi10ses %	N	%	N	%	N	%
TOTAL	162	100.0	123	75.9	39	24.1	103	100.0	5,156	100.0	24	100.0
SEX AT BIRTH												
Male	143	88.3	109	88.6	34	87.2	86	83.5	4,252	82.5	20	83.3
Female	19	11.7	14	11.4	5	12.8	17	16.5	904	17.5	4	16.7
RACE/ETHNICITY												
Black	36	22.2	31	25.2	5	12.8	29	28.2	1,547	30.0	5	20.8
Latino/Hispanic White	87 22	53.7 13.6	65 15	52.8 12.2	22 7	56.4 17.9	52 16	50.5 15.5	2,760 625	53.5 12.1	15 4	62.5 16.7
Asian/Pacific Islander	16	9.9	11	8.9	5	12.8	6	5.8	202	3.9	0	0.0
Native American	0	0.0	0	0.0	Ō	0.0	0	0.0	9	0.2	0	0.0 0.0 0.0
Multiracial	1	0.6	1	0.8	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.6	1	0.8	0	0.0	0	0.0	5	0.1	0	0.0
13-19 20-29	4 56	2.5 34.6	4 52	3.3 42.3	0 4	0.0 10.3	1 18	1.0 17.5	35 368	0.7 7.1	0 0	0.0 0.0
30-39	45	27.8	30	24.4	15	38.5	30	29.1	939	18.2	3	12.5
40-49	33	20.4	24	19.5	9	23.1	28	27.2	2,020	39.2	6	12.5 25.0
50-59	19	11.7	10	8.1	9	23.1	21	20.4	1,332	25.8	9	37.5
60+	4	2.5	2	1.6	2	5.1	5	4.9	457	8.9	6	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	105	64.8	84	68.3	21	53.8	52	50.5	1,968	38.2	7	29.2
Injection drug use history (IDU)	4	2.5	3	2.4	1	2.6	6	5.8	1,024	19.9	11	45.8
MSM-IDU Heterosexual	3 22	1.9 13.6	2 17	1.6 13.8	1	2.6 12.8	3 19	2.9 18.4	157 842	3.0 16.3	2	8.3
Perinatal	1	0.6	1	0.8	0	0.0	0	0.0	53	1.0	0	8.3 0.0 0.0 0.0
Other	Ö	0.0	Ö	0.0	ő	0.0	1	1.0	4	0.1	ő	0.0
Unknown	27	16.7	16	13.0	11	28.2	22	21.4	1,108	21.5	4	16.7
CLINICAL HISTORY												
HIV-only	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	N/A N/A	2,014 3,142	39.1 60.9	2 22	8.3
Ever AIDS diagnosis	N/A	IN/A	IN/A	IN/A	IN/A	N/A	N/A	IN/A	3,142	60.9	22	91.7

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV d	liagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	0/
TOTAL	14	100.0	9	64.3	5	35.7	12	100.0	580	100.0	11	100.0
SEX AT BIRTH												
Male	12	85.7	8	88.9	4	80.0	9	75.0	416	71.7	7	63.6
Female	2	14.3	1	11.1	1	20.0	3	25.0	164	28.3	4	63.6 36.4
RACE/ETHNICITY												
Black	1	7.1	0	0.0	1	20.0	3	25.0	118	20.3	3	27.3
Latino/Hispanic	5	35.7	3	33.3	2	40.0	7	58.3	205	35.3	4	36.4 18.2 9.1 9.1
White	4	28.6	3	33.3	1	20.0	1	8.3	181	31.2	2	18.2
Asian/Pacific Islander Other/Unknown	3	21.4 7.1	2	22.2 11.1	1	20.0 0.0	1	8.3 0.0	70 6	12.1 1.0	1	9.1
Other/Onknown	1	7.1	'	11.1	0	0.0	0	0.0	О	1.0	1	9.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29 30-39	3	21.4	2	22.2 22.2	1	20.0	2 2	16.7	30	5.2 13.8	0	9.1
30-39 40-49	2 6	14.3 42.9	2	22.2 44.4	0 2	0.0 40.0	5	16.7 41.7	80 225	38.8	6	9.1 54.5
50-59	2	14.3	0	0.0	2	40.0	2	16.7	165	28.4	1	9.1
60+	1	7.1	1	11.1	0	0.0	1	8.3	79	13.6	3	27.3
							·					
TRANSMISSION RISK		40.0				40.0	_					
Men who have sex with men (MSM)	6 0	42.9	4 0	44.4	2	40.0	5 1	41.7 8.3	213	36.7	2	18.2
Injection drug use history (IDÙ) MSM-IDU	0	0.0 0.0	0	0.0	0	0.0 0.0	1	0.0	74 12	12.8 2.1	3 0	27.3
Heterosexual	2	14.3	1	11.1	1	20.0	2	16.7	136	23.4	0	0.0
Perinatal	0	0.0	Ó	0.0	0	0.0	0	0.0	6	1.0	0	0.0
Other	ő	0.0	Õ	0.0	Ö	0.0	Ö	0.0	2	0.3	1	0.0 0.0 0.0 9.1
Unknown	6	42.9	4	44.4	2	40.0	4	33.3	137	23.6	5	45.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	231	39.8	2	18.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	349	60.2	9	81.8

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	OSES, 201	0		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV di	oanooo	Mith	out AIDS	Concurrent v	_						
	N	agnoses %	N	Sul AIDS %	N N	diagnoses %	N	%	N	%	N	0/
TOTAL	2	100.0	2	100.0	0	0.0	8	100.0	151	100.0	4	100.0
SEX AT BIRTH												
Male	1	50.0	1	50.0	0	0.0	7	87.5	117	77.5	4	100.0
Female	1	50.0	1	50.0	0	0.0	1	12.5	34	22.5	0	0.0
RACE/ETHNICITY												
Black	1	50.0	1	50.0	0	0.0	3	37.5	26	17.2	1	25.0
Latino/Hispanic	1	50.0	1	50.0	0	0.0	2	25.0	30	19.9	1	25.0
White	0	0.0	0	0.0	0	0.0	3	37.5	83	55.0	2	50.0 0.0 0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0 0.0 0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	2.6	0	0.0
20-29	1	50.0	1	50.0	0	0.0	0	0.0	10	6.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	12.5	14	9.3	0	0.0
40-49	1	50.0	1	50.0	0	0.0	3	37.5	49	32.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	4	50.0	50	33.1	4	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	24	15.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	50.0	1	50.0	0	0.0	3	37.5	55	36.4	2	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	17	11.3	1	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	1.3	0	0.0 0.0 0.0
Heterosexual	0	0.0	0	0.0	0	0.0	2	25.0	31	20.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	2.6	0	0.0
Unknown	1	50.0	1	50.0	0	0.0	2	25.0	37	24.5	1	25.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	62	41.1	1	25.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	89	58.9	3	75.0

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOSI	ES, 2010	PLWHA A: 12/31/20		DEATHS	, 2010
	Total HIV o	liagnoses	Withou	t AIDS	Concurren	t with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	32	100.0	25	78.1	7	21.9	28	100.0	1,090	100.0	12	100.0
SEX AT BIRTH												
Male	27	84.4	21	84.0	6	85.7	20	71.4	802	73.6	10	83.3
Female	5	15.6	4	16.0	1	14.3	8	28.6	288	26.4	2	16.7
RACE/ETHNICITY												
Black	6	18.8	6	24.0	0	0.0	2	7.1	138	12.7	1	8.3
Latino/Hispanic	17	53.1	12	48.0	5	71.4	17	60.7	524	48.1	4	33.3
White	7	21.9	5	20.0	2	28.6	8	28.6	388	35.6	7	58.3 0.0
Asian/Pacific Islander	2	6.3	2	8.0	0	0.0	1	3.6	34	3.1	0	0.0
Native American Multiracial	0	0.0 0.0	0	0.0	0	0.0 0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1 0.5	0 0	0.0 0.0
OTKHOWN	0	0.0	U	0.0	U	0.0	U	0.0	5	0.5	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.3	2	8.0	0	0.0	0	0.0	17	1.6	0	0.0
20-29	6	18.8	4	16.0	2	28.6	7 7	25.0	78	7.2	1	8.3
30-39 40-49	9 10	28.1 31.3	8 9	32.0 36.0	1	14.3 14.3	<i>7</i> 5	25.0 17.9	157 406	14.4 37.2	1	8.3 8.3
50-59	3	9.4	2	8.0	1	14.3	6	21.4	315	28.9	5	6.3 41.7
60+	2	6.3	0	0.0	2	28.6	3	10.7	117	10.7	4	33.3
007	2	0.5	U	0.0	_	20.0	3	10.7	117	10.7	7	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	50.0	15	60.0	1	14.3	12	42.9	468	42.9	5	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	7.1	108	9.9	2	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.6	25	2.3	0	0.0
Heterosexual	5	15.6	4	16.0	1	14.3	7	25.0	237	21.7	3	25.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	3.0	0	0.0
Other	0	0.0	0 6	0.0	0 5	0.0	0 6	0.0	6 213	0.6	1	8.3 8.3
Unknown	11	34.4	О	24.0	5	71.4	б	21.4	213	19.5	1	8.3
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	427	39.2	2	16.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	663	60.8	10	83.3

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	OSES, 201			AIDS DIAGNOSI	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
					Concurrent							
	Total HIV di			out AIDS		diagnoses	N1	0/	N	0/	N.	0/
TOTAL	N 8	% 100.0	N 6	% <b>75.0</b>	N 2	% 25.0	N 6	% 100.0	262	% 100.0	N 1	100.0
TOTAL		100.0		1 0.0		20.0	•	100.0	202	100.0	•	10010
SEX AT BIRTH												
Male	8	100.0	6	100.0	2	100.0	3	50.0	163	62.2	0	0.0
Female	0	0.0	0	0.0	0	0.0	3	50.0	99	37.8	1	100.0
RACE/ETHNICITY												
Black	3	37.5	2	33.3	1	50.0	4	66.7	121	46.2	1	100.0
Latino/Hispanic	3	37.5	2	33.3	1	50.0	0	0.0	68	26.0	0	0.0
White	1	12.5	1	16.7	0	0.0	2	33.3	54	20.6	0	0.0
Asian/Pacific Islander Other/Unknown	0	12.5 0.0	0	16.7 0.0	0	0.0 0.0	0	0.0	17 2	6.5 0.8	0	0.0 0.0
Other/Offknown	U	0.0	U	0.0	U	0.0	U	0.0	2	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
13-19	0	0.0	0	0.0	0	0.0 0.0	0	0.0	6	2.3 6.1	0	0.0
20-29 30-39	2	25.0 0.0	2	33.3 0.0	0	0.0	2	33.3 16.7	16 37	14.1	0 0	0.0 0.0 0.0
40-49	4	50.0	4	66.7	0	0.0	1	16.7	91	34.7	0	0.0
50-59	2	25.0	0	0.0	2	100.0	2	33.3	76	29.0	1	100.0
60+	ō	0.0	Ö	0.0	0	0.0	0	0.0	34	13.0	Ö	100.0 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	37.5	3	50.0	0	0.0	1	16.7	62	23.7	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	28	10.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Heterosexual	2	25.0	1	16.7	1	50.0	1	16.7	72	27.5	1	100.0 0.0 0.0
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	10	3.8	0	0.0
Other Unknown	0	0.0 37.5	0 2	0.0 33.3	0	0.0 50.0	0	0.0 66.7	2 86	0.8 32.8	0 0	0.0
OTIVIOWIT	3	37.5		33.3		50.0	4	00.7	- 60	32.0	U	0.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	102	38.9	0	0.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	160	61.1	11	100.0

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
					Concurrent							
	Total HIV d		Withou			diagnoses		0.4		0.4		0.4
TOTAL	N <b>57</b>	% 100.0	N 44	% 77.2	N 13	% <b>22.8</b>	N 31	% 100.0	N 1,580	% 100.0	N 21	% 100.0
IOTAL	31	100.0		11.2	13	22.0	31	100.0	1,500	100.0	21	100.0
SEX AT BIRTH												
Male	45	78.9	35	79.5	10	76.9	23	74.2	1,122	71.0	13	61.9
Female	12	21.1	9	20.5	3	23.1	8	25.8	458	29.0	8	38.1
RACE/ETHNICITY												
Black	18	31.6	15	34.1	3	23.1	11	35.5	481	30.4	6	28.6
Latino/Hispanic	27	47.4	20	45.5	7	53.8	13	41.9	679	43.0	6	28.6 23.8
White	6	10.5	4	9.1	2	15.4	4	12.9	282	17.8	5	23.8
Asian/Pacific Islander	5	8.8	5	11.4	0	0.0	2	6.5	112	7.1	4	19.0 0.0 0.0 0.0
Native American	1	1.8	0	0.0	1	7.7	1	3.2	18	1.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3 5	0.2 0.3	0	0.0
Unknown	0	0.0	0	0.0	U	0.0	0	0.0	5	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
13-19	3	5.3	3	6.8	0	0.0	2	6.5	17	1.1	0	0.0
20-29	18	31.6	17	38.6	1	7.7	6	19.4	137	8.7	0	0.0
30-39	14	24.6	9	20.5	5	38.5	. 8	25.8	265	16.8	1	4.8
40-49 50-59	14	24.6	9	20.5	5	38.5	11	35.5	551 447	34.9	10 8	47.6 38.1
50-59 60+	/	12.3 1.8	5	11.4 2.3	2	15.4 0.0	4 0	12.9 0.0	447 159	28.3 10.1	8 2	9.5
00+	1	1.8	1	2.3	U	0.0	U	0.0	159	10.1	2	9.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	50.9	26	59.1	3	23.1	10	32.3	563	35.6	3	14.3
Injection drug use history (IDU)	1	1.8	1	2.3	0	0.0	0	0.0	225	14.2	6	28.6
MSM-IDU , , , , ,	1	1.8	1	2.3	0	0.0	0	0.0	20	1.3	0	0.0
Heterosexual	6	10.5	4	9.1	2	15.4	6	19.4	355	22.5	4	19.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.5	42	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	20	35.1	12	27.3	8	61.5	13	41.9	372	23.5	8	38.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	646	40.9	6	28.6
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	934	59.1	15	71.4

Table 1.10.8. Jamaica (Queens)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSE	S, 2010	PLWHA A: 12/31/20		DEATHS,	2010
					Concurrent							
	Total HIV d		Withou			diagnoses				0.0		٠,
TOTAL	N 111	% 100.0	N 93	% 83.8	N 18	% 16.2	N <b>87</b>	% 100.0	N 3,052	% 100.0	N 61	% 100.0
IOTAL	111	100.0	93	63.6	18	16.2	8/	100.0	3,052	100.0	6.1	100.0
SEX AT BIRTH												
Male	65	58.6	55	59.1	10	55.6	56	64.4	1,840	60.3	43	70.5
Female	46	41.4	38	40.9	8	44.4	31	35.6	1,212	39.7	18	29.5
RACE/ETHNICITY												
Black	90	81.1	76	81.7	14	77.8	71	81.6	2,272	74.4	53	86.9
Latino/Hispanic	13	11.7	12	12.9	1	5.6	12	13.8	543	17.8	7	11.5
White Asian/Pacific Islander	5 3	4.5 2.7	4	4.3 1.1	1	5.6 11.1	2	2.3 2.3	158	5.2 2.0	0	0.0
Native American	0	0.0	0	0.0	2	0.0	2	0.0	62 9	0.3	0	1.6
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
CHAICHT	Ŭ	0.0	· ·	0.0	· ·	0.0	· ·	0.0	•	0.1	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	0	0.0
13-19	8 32	7.2 28.8	8 30	8.6 32.3	0 2	0.0 11.1	14	1.1 16.1	56 256	1.8 8.4	0 0	0.0
20-29 30-39	32 12	20.0 10.8	30 11	3∠.3 11.8		5.6	15	17.2	472	15.5	3	0.0 4.9
40-49	37	33.3	30	32.3	7	38.9	25	28.7	974	31.9	16	26.2
50-59	13	11.7	9	9.7	4	22.2	21	24.1	908	29.8	18	29.5
60+	9	8.1	5	5.4	4	22.2	11	12.6	375	12.3	24	39.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	37.8	40	43.0	2	11.1	21	24.1	690	22.6	7	11.5
Injection drug use history (IDU)	3	2.7	1	1.1	2	11.1	11	12.6	454	14.9	20	32.8
MSM-IDU	0	0.0	0	0.0	0	0.0	2	2.3	52	1.7	1	1.6
Heterosexual	44	39.6	33	35.5	11	61.1	34	39.1	910	29.8	16	26.2
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	84 11	2.8	0	0.0
Unknown	22	19.8	0 19	0.0 20.4	3	0.0 16.7	0 19	21.8	851	0.4 27.9	0 17	0.0 27.9
OTIMIOWIT	22	19.0	19	20.4	3	10.7	13	21.0	001	21.9	17	21.9
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,186	38.9	13	21.3
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1,866	61.1	48	78.7

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 20	)10		AIDS DIAGNOS	ES, 2010	PLWHA A 12/31/20		DEATHS	, 2010
	Total HIV d	iagnoses	Withou	t AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	36	100.0	27	75.0	9	25.0	25	100.0	1,174	100.0	14	100.0
SEX AT BIRTH												
Male	23	63.9	18	66.7	5	55.6	14	56.0	669	57.0	8	57.1
Female	13	36.1	9	33.3	4	44.4	11	44.0	505	43.0	6	42.9
RACE/ETHNICITY												
Black	29	80.6	22	81.5	7	77.8	20	80.0	906	77.2	10	71.4
Latino/Hispanic	5	13.9	3	11.1	2	22.2	5	20.0	147	12.5	3	21.4
White	2	5.6	2	7.4	0	0.0	0	0.0	85	7.2	1	7.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	32	2.7	0	0.0 0.0 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
13-19	3	8.3	3	11.1	0	0.0	1	4.0	26	2.2	0	0.0 0.0
20-29	9	25.0	9	33.3	0	0.0	3	12.0	96	8.2	0	0.0
30-39	12 7	33.3	9	33.3	3	33.3	,	28.0	183	15.6	0	0.0
40-49		19.4	3	11.1	4	44.4	9	36.0	360	30.7	6	42.9 14.3
50-59	2	5.6	2	7.4	0	0.0	2 3	8.0	361 142	30.7	2 6	14.3 42.9
60+	3	8.3	1	3.7	2	22.2	3	12.0	142	12.1	б	42.9
TRANSMISSION RISK							_					
Men who have sex with men (MSM)	13	36.1	11	40.7	2	22.2	5	20.0	223	19.0	0	0.0
Injection drug use history (IDU)	1	2.8	1	3.7	0	0.0	2	8.0	148	12.6	1	7.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	0.9	0	0.0
Heterosexual	13	36.1	8	29.6	5	55.6	11	44.0	357	30.4	5	35.7
Perinatal Other	0	0.0	0	0.0	0	0.0	0	0.0	50	4.3	0	0.0
Unknown	0	0.0 25.0	0	0.0 25.9	2	0.0 22.2	0 7	0.0 28.0	8 377	0.7 32.1	0 8	0.0 57.1
UTINIUWIT	9	25.0	- 1	25.9	2	22.2	1	∠6.0	311	32.1	0	57.1
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	468	39.9	1	7.1
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	706	60.1	13	92.9

Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	SES, 20	10		AIDS DIAGNOSE	S, 2010	PLWHA AS 12/31/20		DEATHS,	2010
					Concurrent w							
	Total HIV o		Withou			iagnoses						
TOTAL	N 27	%	N <b>25</b>	%	N	%	N 38	% 400.0	N	% 400.0	N	400.0
TOTAL	37	100.0	25	67.6	12	32.4	38	100.0	1,035	100.0	25	100.0
SEX AT BIRTH												
Male	22	59.5	14	56.0	8	66.7	21	55.3	582	56.2	16	64.0
Female	15	40.5	11	44.0	4	33.3	17	44.7	453	43.8	16 9	36.0
RACE/ETHNICITY												
Black	22	59.5	15	60.0	7	58.3	24	63.2	658	63.6	17	68.0
Latino/Hispanic	11	29.7	6	24.0	5	41.7	12	31.6	247	23.9 11.1	5 3	20.0 12.0
White Asian/Pacific Islander	3	8.1 2.7	3	12.0 4.0	0	0.0	2 0	5.3 0.0	115 11	11.1	0	12.0
Other/Unknown	0	0.0	Ó	0.0	0	0.0	0	0.0	4	0.4	0	0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
13-19 20-29	2 9	5.4 24.3	2 9	8.0 36.0	0	0.0	0	0.0 7.9	27 78	2.6 7.5	0	0.0 0.0
30-39	9	24.3 18.9	4	16.0	3	25.0	3 13	34.2	76 152	14.7	0 5	20.0
40-49	13	35.1	7	28.0	6	50.0	12	31.6	324	31.3	5	20.0
50-59	5	13.5	3	12.0	2	16.7	7	18.4	341	32.9	10 5	40.0
60+	1	2.7	0	0.0	1	8.3	3	7.9	109	10.5	5	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	10	27.0	10	40.0	0	0.0	5	13.2	179	17.3	3	12.0
Injection drug use history (IDU) MSM-IDU	2	5.4 0.0	0	0.0	2	16.7 0.0	3 0	7.9 0.0	189 22	18.3 2.1	10 0	40.0 0.0
Heterosexual	20	54.1	12	48.0	8	66.7	19	50.0	364	35.2	7	28.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	3.2	0	0.0
Other	ő	0.0	ő	0.0	ő	0.0	Ö	0.0	3	0.3	ŏ	0.0
Unknown	5	13.5	3	12.0	2	16.7	11	28.9	245	23.7	5	20.0
CLINICAL HISTORY	<b>.</b>	N.1/5										
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	395	38.2	1	4.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	640	61.8	24	96.0

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2010					AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010		
	Total HIV d	liagnoses	Withou	t AIDS	Concurrent	with AIDS diagnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	11	100.0	8	72.7	3	27.3	7	100.0	566	100.0	13	100.0
CEV AT DIDTH												
SEX AT BIRTH Male	8	72.7	5	62.5	3	100.0	7	100.0	336	59.4	10	76.9
Female	3	27.3	3	37.5	0	0.0	0	0.0	230	40.6	3	23.1
remaie	3	21.3	3	37.5	U	0.0	U	0.0	230	40.6	3	23.1
RACE/ETHNICITY												
Black	6	54.5	3	37.5	3	100.0	4	57.1	286	50.5	4	30.8
Latino/Hispanic	4	36.4	4	50.0	0	0.0	1	14.3	181	32.0	4	30.8 30.8 0.0 7.7
White	1	9.1	1	12.5	0	0.0	2	28.6	92	16.3	4	30.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	1	7.7
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	1.8	0	0.0
20-29	4	36.4	4	50.0	Ö	0.0	0	0.0	55	9.7	1	0.0 0.0 7.7
30-39	2	18.2	2	25.0	Ö	0.0	0	0.0	50	8.8	1	7.7
40-49	1	9.1	1	12.5	ő	0.0	4	57.1	216	38.2	6	46.2
50-59	4	36.4	i	12.5	3	100.0	3	42.9	180	31.8	5	38.5
60+	Ó	0.0	Ö	0.0	Õ	0.0	Ö	0.0	53	9.4	ő	38.5 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	18.2	2	25.0	0	0.0	1	14.3	.97	17.1	2	15.4
Injection drug use history (IDU)	2	18.2	1	12.5	1	33.3	1	14.3	128	22.6	4	30.8
MSM-IDU	1	9.1	1	12.5	0	0.0	0	0.0	19	3.4	0	0.0
Heterosexual	4	36.4	4	50.0	0	0.0	0	0.0	174	30.7	2	15.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	3.9	0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0 5	0.0
Unknown	2	18.2	0	0.0	2	66.7	5	71.4	125	22.1	5	38.5
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	214	37.8	1	7.7
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	352	62.2	12	92.3

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2010					AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010		
	Total HIV d	iagnoses %	Withou N	t AIDS %	Concurrent N	with AIDS diagnoses %	N	%	N	%	N	0/
TOTAL	28	100.0	19	67.9	9	32.1	27	100.0	997	100.0	26	100.0
SEX AT BIRTH												
Male	21	75.0	14	73.7	7	77.8	20	74.1	655	65.7	17	65.4
Female	7	25.0	5	26.3	2	22.2	7	25.9	342	34.3	9	34.6
RACE/ETHNICITY												
Black	16	57.1	10	52.6	6	66.7	16	59.3	446	44.7	8	30.8
Latino/Hispanic	7	25.0	5	26.3	2	22.2	9	33.3	280	28.1	12	46.2
White Asian/Pacific Islander	5 0	17.9 0.0	4 0	21.1 0.0	0	11.1 0.0	2	7.4 0.0	251 10	25.2 1.0	6 0	23.1
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	1.0	0	23.1 0.0 0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
13-19	1	3.6	1	5.3	0	0.0	0	0.0	13	1.3	0	0.0 0.0 3.8
20-29 30-39	2	7.1 14.3	2 2	10.5 10.5	0 2	0.0 22.2	2 5	7.4 18.5	62 150	6.2 15.0	0	0.0
40-49	13	46.4	10	52.6	3	33.3	12	44.4	347	34.8	7	26.9
50-59	5	17.9	3	15.8	2	22.2	4	14.8	315	31.6	13	50.0
60+	3	10.7	1	5.3	2	22.2	4	14.8	107	10.7	5	19.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	32.1	7	36.8	2	22.2	6	22.2	269	27.0	5	19.2
Injection drug use history (IDÙ)	4	14.3	2	10.5	2	22.2	4	14.8	202	20.3	8	30.8
MSM-IDU Heterosexual	0	0.0 21.4	0 4	0.0 21.1	0 2	0.0 22.2	0 8	0.0 29.6	30 236	3.0 23.7	2	7.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	3.2	0	11.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	11.5 0.0 0.0
Unknown	9	32.1	6	31.6	3	33.3	9	33.3	226	22.7	8	30.8
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	367	36.8	5	19.2
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	630	63.2	21	80.8

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2010					AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010		
	Total HIV di			out AIDS		diagnoses						
TOTAL	N 3	% 100.0	N 3	% 100.0	N 0	% 0.0	N 5	% 100.0	N 174	100.0	N <b>10</b>	% 100.0
IOTAL	3	100.0	3	100.0	U	0.0	J	100.0	174	100.0	10	100.0
SEX AT BIRTH												
Male	3	100.0	3	100.0	0	0.0	3	60.0	116	66.7	7	70.0
Female	0	0.0	0	0.0	0	0.0	2	40.0	58	33.3	3	30.0
RACE/ETHNICITY												
Black	1	33.3	1	33.3	0	0.0	0	0.0	27	15.5	2	20.0
Latino/Hispanic	1	33.3	1	33.3	0	0.0	1	20.0	46	26.4	2	20.0
White	1	33.3	1 0	33.3	0	0.0	4	80.0	97 4	55.7	6 0	60.0 0.0
Asian/Pacific Islander	0	0.0	U	0.0	U	0.0	U	0.0	4	2.3	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	33.3	1	33.3	0	0.0	2	40.0	12	6.9	1	10.0 0.0
30-39 40-49	1	33.3 0.0	0	33.3 0.0	0	0.0 0.0	2	20.0 40.0	29 60	16.7 34.5	0 2	20.0
50-59	1	33.3	1	33.3	0	0.0	0	0.0	50	28.7	3	30.0
60+	Ó	0.0	Ó	0.0	0	0.0	0	0.0	21	12.1	4	40.0
		0.0	Ŭ	0.0		0.0	Ŭ	0.0				10.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	33.3	1	33.3	0	0.0	1	20.0	54	31.0	2	20.0
Injection drug use history (IDU) MSM-IDU	0	0.0	0	0.0 0.0	0	0.0	1	20.0	37 4	21.3	3	30.0
Meterosexual	0	0.0 0.0	0	0.0	0	0.0 0.0	1	20.0 20.0	4 37	2.3 21.3	1	10.0 10.0
Perinatal	0	0.0	0	0.0	0	0.0	1 0	0.0	6	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	10.0
Unknown	2	66.7	2	66.7	ő	0.0	1	20.0	36	20.7	2	20.0
CLINICAL HISTORY												
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	70	40.2	2	20.0
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	104	59.8	8	80.0

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2010					AIDS DIAGNOSES, 2010		PLWHA AS OF 12/31/2010		DEATHS, 2010		
					Concurren	t with AIDS						
	Total HIV d		Withou			diagnoses						
	N	%	N	%	N	%		%	N	%	N	%
TOTAL	15	100.0	10	66.7	5	33.3	17	100.0	435	100.0	8	100.0
SEX AT BIRTH												
Male	13	86.7	8	80.0	5	100.0	13	76.5	302	69.4	5	62.5
Female	2	13.3	2	20.0	0	0.0	4	23.5	133	30.6	3	37.5
RACE/ETHNICITY												
Black	3	20.0	3	30.0	0	0.0	5	29.4	88	20.2	1	12.5
Latino/Hispanic	3	20.0	2	20.0	1	20.0	3	17.6	111	25.5	2	25.0
White Asian/Pacific Islander	9	60.0 0.0	5 0	50.0 0.0	4 0	80.0 0.0	9 0	52.9 0.0	232 3	53.3 0.7	5 0	62.5 0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 0.0
Olikiowii	· ·	0.0	· ·	0.0	o o	0.0	v	0.0		0.2	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	2	13.3	2	20.0	0	0.0	1	5.9	2	0.5	0	0.0
20-29	2	13.3	2	20.0	0	0.0	3	17.6	24	5.5	0	0.0
30-39 40-49	2 2	13.3 13.3	2	20.0 10.0	0	0.0 20.0	5	5.9 29.4	58 144	13.3 33.1	0 5	0.0 62.5
50-59	6	40.0	2	20.0	4	80.0	ე 7	41.2	163	37.5	5 1	12.5
60+	1	6.7	1	10.0	0	0.0	0	0.0	41	9.4	2	25.0
007	•	0.7	'	10.0	0	0.0	O	0.0	71	3.4	2	20.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	33.3	4	40.0	1	20.0	5	29.4	92	21.1	2	25.0
Injection drug use history (IDU)	2	13.3	1	10.0	1	20.0	3	17.6	92	21.1	4	50.0
MSM-IDU , , , , , ,	1	6.7	1	10.0	0	0.0	1	5.9	8	1.8	0	0.0
Heterosexual	2	13.3	1	10.0	1	20.0	4	23.5	110	25.3	1	12.5 0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	9	2.1	0	0.0 0.0
Other Unknown	0 5	0.0 33.3	0	0.0 30.0	0 2	0.0 40.0	0 3	0.0 17.6	3 121	0.7 27.8	0	0.0 12.5
UTIKITUWIT	5	33.3	3	30.0	2	40.0	3	17.6	121	27.8	1	12.5
CLINICAL HISTORY								N1/A				
HIV-only	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	182	41.8	3	37.5
Ever AIDS diagnosis	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	253	58.2	5	62.5

#### RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2010 Table 2.1. Overall and by sex, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION <sup>1,2</sup>	PLWHA AS PERCENT OF POPULATION <sup>2</sup>	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA³	2010 NEW YORK CITY POPULATION⁴
TOTAL	41.6	1.4	14.2	8,252,456
SEX AT BIRTH				
Male	68.2	2.1	14.4	3,920,768
Female	17.5	0.7	13.6	4,331,688
RACE/ETHNICITY				
Black	84.6	2.7	15.9	1,899,709
Latino/Hispanic	44.8	1.6	14.9	2,359,879
White	23.6	0.8	9.7	2,771,414
Asian/Pacific Islander	9.0	0.2	10.4	1,082,954
Native American	20.4*	1.3	24.3*	19,622
AGE GROUP (YEARS)				
0 - 12	0.6*	0.0	0.0*	1,277,784
13 - 19	20.0	0.2	2.7*	730,178
20 - 29	80.7	0.7	3.7	1,384,642
30 - 39	64.1	1.4	8.2	1,259,771
40 - 49	66.9	3.4	14.1	1,140,948
50 - 59	40.6	3.1	24.1	1,029,805
60+	12.0	1.0	41.3	1,429,328

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. Rates based on numerators ≤10 are marked with an asterisk (\*) and should be interpreted with caution.

<sup>&</sup>lt;sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>&</sup>lt;sup>2</sup>Rates calculated using the intercensal 2010 NYC population.

<sup>&</sup>lt;sup>3</sup>Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

<sup>&</sup>lt;sup>4</sup>Population from NYC intercensal estimates.

#### RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2010 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES	PLWHA AS	AGE-ADJUSTED	2010 NEW
	PER 100,000 POPULATION <sup>1,2</sup>	PERCENT OF POPULATION <sup>2</sup>	DEATH RATE PER 1,000 MID-YEAR PLWHA <sup>3</sup>	YORK CITY POPULATION⁴
TOTAL	41.6	1.4	14.2	8,252,456
BRONX <sup>5</sup>	47.5	1.8	15.4	1,384,143
Crotona - Tremont	59.2	2.4	16.5	206,208
Fordham - Bronx Park	49.9	1.8	12.5	252,757
High Bridge - Morrisania	58.6	2.6	19.7	208,027
Hunts Point - Mott Haven	65.0	2.3	13.9	136,924
Kingsbridge - Riverdale	17.6	0.7	11.1	91,090
Northeast Bronx	38.3	1.2	16.7	190,806
Pelham - Throgs Neck	36.9	1.4	12.3	298,330
BROOKLYN <sup>5</sup>	34.1	1.1	14.6	2,556,584
Bedford Stuyvesant - Crown Heights	66.0	2.3	18.4	319,678
Bensonhurst - Bay Ridge	4.6*	0.3	18.6	215,315
Borough Park	8.7	0.3	9.5	343,071
Canarsie - Flatlands	31.8	0.7	16.0	198,077
Coney Island - Sheepshead Bay	9.3	0.4	23.3	300,511
Downtown - Heights - Park Slope	37.5	1.2	8.1	224,124
East Flatbush - Flatbush	56.5	1.7	10.8	299,067
East New York	54.5	1.5	18.3	188,859
Greenpoint	18.9	0.7	12.1*	126,906
Sunset Park	23.9	0.6	6.3*	129,548
Williamsburg - Bushwick	55.3	1.7	15.3	211,428
MANHATTAN⁵	57.2	1.9	10.1	1,578,148
Central Harlem - Morningside Heights	93.0	2.8	13.2	163,420
Chelsea - Clinton	142.0	4.3	3.7	145,112
East Harlem	76.1	2.5	17.3	110,421
Gramercy Park - Murray Hill	47.6	1.5	8.4	134,375
Greenwich Village - Soho	64.6	2.3	4.8*	83,540
Lower Manhattan	42.9	1.0	3.5*	53,606
Union Square - Lower East Side	32.7	1.6	13.0	198,686
Upper East Side	17.2	0.6	16.0	220,391
Upper West Side	30.5	1.4	9.6	219,684
Washington Heights - Inwood	57.0	1.6	10.7	248,912
QUEENS <sup>5</sup>	24.0	0.7	40.0	2 250 065
			10.0	2,259,965
Bayside - Little Neck	2.3*	0.2 0.2	10.2*	88,047
Flushing - Clearview	5.4		10.8*	259,940
Fresh Meadows	8.2*	0.3	1.7*	96,985
Jamaica	38.3	1.1	17.6	289,800
Long Island City - Astoria	37.8	0.8	8.0	214,437
Ridgewood - Forest Hills	13.0	0.4	12.1	246,073
Rockaway	32.1	0.9	18.9	115,417
Southeast Queens	18.8	0.6	10.4	191,614
Southwest Queens West Queens	21.4 33.0	0.6 1.0	7.1 4.2	266,479 491,173
STATEN ISLAND <sup>5</sup>	12.1		40.0	
		0.5	18.0	469,363
Port Richmond	15.6	0.8	13.1	70,533
South Beach - Tottenville	7.9	0.2	14.2*	189,487
Stapleton - St. George	22.6	0.8	16.2	123,802
Willowbrook	3.5*	0.2	43.6*	85,542

As reported to the NYC Department of Health and Mental Hygiene by June 30, 2015. Table generated January 29, 2016. Rates based on numerators ≤10 are marked with an asterisk (\*) and should be interpreted with caution. 
¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>&</sup>lt;sup>2</sup>Rates calculated using the intercensal 2010 NYC population.

<sup>&</sup>lt;sup>3</sup>Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

<sup>&</sup>lt;sup>4</sup>Population from NYC intercensal estimates.

<sup>&</sup>lt;sup>5</sup>Borough-level data include people residing in unknown UHF neighborhoods.