

#### **NEW YORK CITY HIV/AIDS ANNUAL SURVEILLANCE STATISTICS 2013**

HIV Epidemiology and Field Services Program, New York City Department of Health and Mental Hygiene http://www1.nyc.gov/site/doh/data/data-sets/aids-hiv-epidemiology-and-field-services.page

#### **LIST OF ANNUAL TABLES**

Click on each title below to reach the corresponding table

#### TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 AND REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, New York CITY

Table 1.1	New York City (All)		
	•	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Males	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Females	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black males	Table 1.8.1	Greenpoint
Table 1.3.2	Black females	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic males	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic females	Table 1.8.4	East New York
Table 1.3.5	White males	Table 1.8.5	Sunset Park
Table 1.3.6	White females	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander males	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander females	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American males	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American females	Table 1.8.10	Coney Island – Sheepshead Bay
		Table 1.8.11	Williamsburg – Bushwick
	By Age		
Table 1.4.1	Males 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Females 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Males 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Females 13+ years	Table 1.9.3	East Harlem
		Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, males	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, females	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, males	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, females	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, males	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, females		B. IIII S. I.
Table 1.5.7	Queens, males	T. I.I. 4 40 4	By UHF Neighborhood: Queens
Table 1.5.8	Queens, females	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, males	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, females	Table 1.10.3	Flushing – Clearview
	By Transmission Bick	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	By Transmission Risk	Table 1.10.5	Ridgewood – Forest Hills Fresh Meadows
Table 1.6.1	Men who have sex with men (MSM) Injection drug users (IDU), males	Table 1.10.6	Southwest Queens
Table 1.6.2	Injection drug users (IDU), males Injection drug users (IDU), females	Table 1.10.7	Jamaica
Table 1.6.4	MSM and IDU	Table 1.10.8 Table 1.10.9	
Table 1.6.4	Heterosexual contact, males	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, finales	1 able 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
1 able 1.0.1	Transgender people with sexual contact	Table 1.11.1	Port Richmond
	By UHF Neighborhood: Bronx	Table 1.11.1	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Willowbrook
Table 1.7.1	Northeast Bronx	Table 1.11.3	South Beach – Tottenville
Table 1.7.2	Fordham – Bronx Park	14016 1.11.4	Could beach - Tollenville
1 avic 1.1.3	i didilalii – bidila i aik		

#### TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2013

Table 2.1 Overall and by gender, age, and race/ethnicity Table 2.2 Overall and by borough and UHF neighborhood of residence

Table 1.1. New York City (All)

		DIAGNOS	ES, 2013			AIDS DIAGNOSE	S, 2013	PLWHA AS 12/31/201		DEATHS,	2013	
	Total HIV d	iaanosas	Withou		ncurrent wit	th AIDS		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2,898	100.0	2,316	79.9	582	20.1	1,981	100.0	121,137	100.0	1,852	100.0
GENDER								_		_		
Male	2,305	79.5	1,853	80.0	452	77.7	1,472	74.3	86,776	71.6	1,299	70.1
Female Transgender	538 55	18.6 1.9	412 51	17.8 2.2	126 4	21.6	482 27	24.3 1.4	33,144 1,217	27.4 1.0	541 12	29.2 0.6
						• • • •	·		.,			
RACE/ETHNICITY Black	1,172	40.4	910	39.3	262	45.0	999	50.4	53,407	44.1	894	48.3
Latino/Hispanic	1,007	34.7	810	35.0	197	33.8	638	32.2	39,529	32.6	634	34.2
White	539	18.6	452	19.5	87	14.9	273	13.8	25,002	20.6	294	15.9
Asian/Pacific Islander Native American	125 7	4.3 0.2	95 7	4.1 0.3	30 0	5.2 0.0	53 5	2.7 0.3	2,342 285	1.9 0.2	22 5	1.2 0.3
Multiracial	48	1.7	42	1.8	6	1.0	13	0.3	234	0.2	3	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	338	0.3	0	0.0
AGE GROUP (YEARS)		_	_	_	_	_		_				
0-12	2	0.1	2	0.1	0	0.0	0	0.0	180	0.1	0	0.0
13-19 20-29	125 1,084	4.3 37.4	116 959	5.0 41.4	9 125	1.5 21.5	38 429	1.9 21.7	995	0.8 8.8	1 50	0.1 2.7
20-29 30-39	669	23.1	541	23.4	128	22.0	429 458	23.1	10,712 18,051	14.9	100	2.7 5.4
40-49	574	19.8	406	17.5	168	28.9	529	26.7	33,854	27.9	391	21.1
50-59	299	10.3	205	8.9	94	16.2	359	18.1	37,580	31.0	690	37.3
60+	145	5.0	87	3.8	58	10.0	168	8.5	19,765	16.3	620	33.5
BOROUGH OF RESIDENCE												
Bronx Brooklyn	534 707	18.4 24.4	425 550	18.4 23.7	109 157	18.7 27.0	418 465	21.1 23.5	27,079 28.563	22.4 23.6	487 449	26.3 24.2
Manhattan	691	23.8	554	23.7	137	23.5	412	20.8	31,400	25.9	355	19.2
Queens	457	15.8	349	15.1	108	18.6	281	14.2	17,315	14.3	159	8.6
Staten Island Outside NYC	53 377	1.8 13.0	42 319	1.8 13.8	11 58	1.9 10.0	26 317	1.3 16.0	2,210 12,200	1.8 10.1	61 70	3.3 3.8
Unknown	79	2.7	77	3.3	2	0.3	62	3.1	2,370	2.0	271	3.6 14.6
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	222	7.7	175	7.6	47	8.1	134	6.8	12,650	10.4	109	5.9
Medium poverty (10 to <20% below FPL)	802	27.7	631	27.2	171	29.4	485	24.5	32,884	27.1	356	19.2
High poverty (20 to <30% below FPL)	652	22.5	511	22.1	141	24.2	399	20.1	24,248	20.0	318	17.2
Very high poverty (≥30% below FPL)	758	26.2	595	25.7	163	28.0	579	29.2	35,381	29.2	725	39.1
Area-based poverty level not available	464	16.0	404	17.4	60	10.3	384	19.4	15,974	13.2	344	18.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,708	58.9	1,429	61.7	279	47.9	870	43.9	46,390	38.3	386	20.8
Injection drug use history (IDU) MSM-IDU	64 65	2.2 2.2	46 60	2.0 2.6	18 5	3.1 0.9	138 36	7.0 1.8	16,932 3,103	14.0 2.6	541 74	29.2 4.0
Heterosexual contact	547	18.9	409	17.7	138	23.7	445	22.5	24,081	19.9	340	18.4
Transgender people with sexual contact	49	1.7	45	1.9	4	0.7	26	1.3	1,013	0.8	12	0.6
Perinatal Other	2 0	0.1 0.0	2	0.1 0.0	0	0.0	30 0	1.5 0.0	2,576 210	2.1 0.2	10 11	0.5 0.6
Unknown	463	16.0	325	14.0	138	23.7	436	22.0	26,832	22.2	478	25.8

Table 1.2.1. Males (includes transgender men)

	Concurrent with AIDS						AIDS DIAGNOS	ES, 2013	PLWHA A: 12/31/20		DEATHS,	2013
	Total HIV di	agnoses %	Withou N			rith AIDS agnoses %	N	%	N	0/	N	0/
TOTAL	2,305	100.0	1,853	80.4	452	19.6		100.0	86,790	% 100.0	1,299	100.0
RACE/ETHNICITY					_	_		_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	830 820 497 115 6 37	36.0 35.6 21.6 5.0 0.3 1.6 0.0	642 667 418 87 6 33 0	34.6 36.0 22.6 4.7 0.3 1.8 0.0	188 153 79 28 0 4	41.6 33.8 17.5 6.2 0.0 0.9	695 476 248 44 3 8	47.2 32.3 16.8 3.0 0.2 0.5 0.0	33,560 28,202 22,463 1,922 207 177 259	38.7 32.5 25.9 2.2 0.2 0.2 0.3	581 451 245 15 4 3	44.7 34.7 18.9 1.2 0.3 0.2 0.0
AGE GROUP (YEARS)		2.2		0.4		0.0		0.0	20	0.4		
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 93 947 533 428 211 92	0.0 4.0 41.1 23.1 18.6 9.2 4.0	1 86 835 428 300 149 54	0.1 4.6 45.1 23.1 16.2 8.0 2.9	0 7 112 105 128 62 38	0.0 1.5 24.8 23.2 28.3 13.7 8.4	0 24 354 343 389 249 115	0.0 1.6 24.0 23.3 26.4 16.9 7.8	86 506 8,191 13,024 23,836 26,570 14,577	0.1 0.6 9.4 15.0 27.5 30.6 16.8	0 1 37 69 250 482 460	0.0 0.1 2.8 5.3 19.2 37.1 35.4
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	361 529 587 389 41 335 63	15.7 23.0 25.5 16.9 1.8 14.5 2.7	285 418 478 295 35 280 62	15.4 22.6 25.8 15.9 1.9 15.1 3.3	76 111 109 94 6 55	16.8 24.6 24.1 20.8 1.3 12.2 0.2	282 319 333 218 16 264 42	19.1 21.6 22.6 14.8 1.1 17.9 2.8	16,469 18,639 26,125 12,446 1,424 9,950 1,737	19.0 21.5 30.1 14.3 1.6 11.5 2.0	324 296 272 112 38 55 202	24.9 22.8 20.9 8.6 2.9 4.2 15.6
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	185	8.0	148	8.0	37	8.2	109	7.4	10,476	12.1	88	6.8
Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	654 517	28.4 22.4	519 414	28.0 22.3	135 103	29.9 22.8	368 284	25.0 19.3	24,172 17,042	27.9 19.6	253 215	19.5 16.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	545 404	23.6 17.5	424 348	22.9 18.8	121 56	26.8 12.4	404 309	27.4 21.0	22,300 12,800	25.7 14.7	484 259	37.3 19.9
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1,708 33 65 121 0 1 0 377	74.1 1.4 2.8 5.2 0.0 0.0 0.0 16.4	1,429 24 60 77 0 1 0 262	77.1 1.3 3.2 4.2 0.0 0.1 0.0 14.1	279 9 5 44 0 0 0	61.7 2.0 1.1 9.7 0.0 0.0 25.4	870 91 36 125 2 11 0	59.0 6.2 2.4 8.5 0.1 0.7 0.0 23.0	46,390 11,122 3,103 6,098 10 1,259 113 18,695	53.5 12.8 3.6 7.0 0.0 1.5 0.1 21.5	386 375 74 118 0 5 4 337	29.7 28.9 5.7 9.1 0.0 0.4 0.3 25.9

Table 1.2.2. Females (includes transgender women)

		HIV	DIAGNO	SES, 201	3		AIDS DIAGNOSE	S, 2013	PLWHA AS 12/31/20		DEATHS,	2013
	Total HIV dia	agnoses	Withou		oncurrent with diag	h AIDS gnoses		_				İ
TOTAL	N	%	N	%	N	%	N	%	N	%	N	% 400.0
TOTAL	593	100.0	463	78.1	130	21.9	507	100.0	34,347	100.0	553	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander	342 187 42 10	57.7 31.5 7.1 1.7	268 143 34 8	57.9 30.9 7.3 1.7	74 44 8 2	56.9 33.8 6.2 1.5	304 162 25 9	60.0 32.0 4.9 1.8	19,847 11,327 2,539 420	57.8 33.0 7.4 1.2	313 183 49 7	56.6 33.1 8.9 1.3
Mative American Multiracial Unknown	1 11 0	0.2 1.9 0.0	1 9 0	0.2 1.9 0.0	0 2 0	0.0 1.5 0.0	2 5 0	0.4 1.0 0.0	78 57 79	0.2 0.2 0.2	1 0 0	0.2 0.0 0.0
AGE GROUP (YEARS)								_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 32 137 136 146 88 53	0.2 5.4 23.1 22.9 24.6 14.8 8.9	1 30 124 113 106 56 33	0.2 6.5 26.8 24.4 22.9 12.1 7.1	0 2 13 23 40 32 20	0.0 1.5 10.0 17.7 30.8 24.6 15.4	0 14 75 115 140 110 53	0.0 2.8 14.8 22.7 27.6 21.7 10.5	94 489 2,521 5,027 10,018 11,010 5,188	0.3 1.4 7.3 14.6 29.2 32.1 15.1	0 0 13 31 141 208 160	0.0 0.0 2.4 5.6 25.5 37.6 28.9
BOROUGH OF RESIDENCE Bronx	173	29.2	140	30.2	33	25.4	136	26.8	10.610	30.9	163	29.5
Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	178 104 68 12 42 16	30.0 17.5 11.5 2.0 7.1 2.7	132 76 54 7 39 15	28.5 16.4 11.7 1.5 8.4 3.2	46 28 14 5 3	35.4 21.5 10.8 3.8 2.3 0.8	146 79 63 10 53 20	28.8 15.6 12.4 2.0 10.5 3.9	9,924 5,275 4,869 786 2,250 633	28.9 15.4 14.2 2.3 6.6 1.8	153 83 47 23 15	29.3 27.7 15.0 8.5 4.2 2.7 12.5
AREA-BASED POVERTY LEVEL						_						
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	37 148 135	6.2 25.0 22.8	27 112 97	5.8 24.2 21.0	10 36 38	7.7 27.7 29.2	25 117 115	4.9 23.1 22.7	2,174 8,712 7,206	6.3 25.4 21.0	21 103 103	3.8 18.6 18.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	213 60	35.9 10.1	171 56	36.9 12.1	42 4	32.3 3.1	175 75	34.5 14.8	13,081 3,174	38.1 9.2	241 85	43.6 15.4
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	31 426 49 1 0 86	5.2 71.8 8.3 0.2 0.0 14.5	22 332 45 1 0 63	4.8 71.7 9.7 0.2 0.0 13.6	9 94 4 0 0 23	6.9 72.3 3.1 0.0 0.0 17.7	47 320 24 19 0 97	9.3 63.1 4.7 3.7 0.0 19.1	5,810 17,983 1,003 1,317 97 8,137	16.9 52.4 2.9 3.8 0.3 23.7	166 222 12 5 7	30.0 40.1 2.2 0.9 1.3 25.5

Table 1.3.1. Black males (includes transgender men)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2013	PLWHA AS 12/31/20		DEATHS	, 2013
	T		14.00		Concurrent w	-		_				
	Total HIV dia	agnoses %	Withou N	t AIDS %	N A	iagnoses °⁄	N	%	N	0/	N	0/
TOTAL	830	100.0	642	77.3	188	22.7	695	100.0	33,560	% 100.0	581	100.0
I O I / L		10010	0.12	7710	100	2217	000	10010	50,500	100.0	001	10010
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	55	0.2	0	0.0
13-19	49	5.9	44	6.9	5	2.7	17	2.4	304	0.9	0	0.0
20-29 30-39	376 149	45.3	326	50.8	50	26.6 23.4	198	28.5	4,076	12.1 14.4	16	2.8 5.9
30-39 40-49	149	18.0 17.0	105 91	16.4 14.2	44 50	26.6	147 170	21.2 24.5	4,844 8,342	24.9	34 105	5.9 18.1
50-59	70	8.4	48	7.5	22	11.7	108	15.5	10,076	30.0	199	34.3
60+	45	5.4	28	4.4	17	9.0	55	7.9	5.863	17.5	227	39.1
		0.1			• • • • • • • • • • • • • • • • • • • •	0.0	00	7.0	0,000	17.0		00.1
BOROUGH OF RESIDENCE								_				
Bronx	161	19.4	122	19.0	39	20.7	147	21.2	7,253	21.6	132	22.7
Brooklyn	305	36.7	233	36.3	72	38.3	205	29.5	10,621	31.6	192	33.0
Manhattan	128	15.4	96	15.0	32	17.0	120	17.3	7,005	20.9	108	18.6
Queens	94	11.3	71	11.1	23	12.2	79	11.4	4,279	12.8	43	7.4
Staten Island	12	1.4	11	1.7	1	0.5	4	0.6	491	1.5	7	1.2
Outside NYC	111	13.4	90	14.0	21	11.2	116 24	16.7	3,277	9.8 1.9	25 74	4.3 12.7
Unknown	19	2.3	19	3.0	0	0.0	24	3.5	634	1.9	74	12.7
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	33	4.0	25	3.9	8	4.3	34	4.9	2,193	6.5	21	3.6
Medium poverty (10 to <20% below FPL)	194	23.4	158	24.6	36	19.1	148	21.3	9,024	26.9	117	20.1
High poverty (20 to <30% below FPL)	208	25.1	157	24.5	51	27.1	145	20.9	7,530	22.4	111	19.1
Very high poverty (≥30% below FPL)	264	31.8	192	29.9	72	38.3	228	32.8	10,494	31.3	231	39.8
Area-based poverty level not available	131	15.8	110	17.1	21	11.2	140	20.1	4.319	12.9	101	17.4
The based poverty level her available	101	10.0	110	.,	21	11.2	140	20.1	7,010	12.5	101	17
TRANSMISSION RISK												
Men who have sex with men (MSM)	559	67.3	461	71.8	98	52.1	376	54.1	14,276	42.5	147	25.3
Injection drug use history (IDU)	6	0.7	3	0.5	3	1.6	29	4.2	4,535	13.5	158	27.2
MSM-IDU	17	2.0	16	2.5	1	0.5	11	1.6	1,117	3.3	26	4.5
Heterosexual contact	59	7.1	38	5.9	21	11.2	67	9.6	3,331	9.9	55	9.5 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	0.1	8	0.0	0	0.0
Perinatal Out and	0	0.0	0	0.0	0	0.0	7	1.0	704	2.1	3	0.5
Other	0 189	0.0 22.8	0 124	0.0	0	0.0	0 204	0.0	35 9.554	0.1 28.5	0 192	0.0 33.0
Unknown	189	22.8	124	19.3	65	34.6	204	29.4	9,554	28.5	192	33.0

Table 1.3.2. Black females (includes transgender women)

	HIV DIAGNOSES, 2013  Concurrent with AIDS						AIDS DIAGNOSI	ES, 2013	PLWHA AS 12/31/20		DEATHS,	, 2013
	Total HIV d	%	Withou N	ıt AIDS %	dia N	agnoses %	N	%	N	%	N	%
TOTAL	342	100.0	268	78.4	74	21.6	304	100.0	19,847	100.0	313	100.0
ACE CROUP (VEARS)	_							_				
AGE GROUP (YEARS) 0-12	1	0.3	1	0.4	0	0.0	0	0.0	57	0.3	0	0.0
13-19	21	6.1	20	7.5	1	1.4	8	2.6	302	1.5	0	0.0
20-29	76	22.2	68	25.4	8	10.8	48	15.8	1.483	7.5	6	1.9
30-39	74	21.6	62	23.1	12	16.2	72	23.7	3,090	15.6	13	4.2 22.7
40-49	87	25.4	63	23.5	24	32.4	85	28.0	5,839	29.4	71	22.7
50-59	59	17.3	37	13.8	22	29.7	67	22.0	6,221	31.3	126	40.3
60+	24	7.0	17	6.3	7	9.5	24	7.9	2,855	14.4	97	31.0
BOROUGH OF RESIDENCE	_							_		_		
Bronx	86	25.1	74	27.6	12	16.2	77	25.3	5.378	27.1	76	24.3
Brooklyn	138	40.4	103	38.4	35	47.3	102	33.6	6,905	34.8	117	37.4
Manhattan	45	13.2	30	11.2	15	20.3	46	15.1	2,881	14.5	41	13.1
Queens	30	8.8	23	8.6	7	9.5	33	10.9	2,773	14.0	23	7.3
Staten Island	5	1.5	3	1.1	2	2.7	5	1.6	364	1.8	10	3.2 2.9 11.8
Outside NYC	29	8.5	27	10.1	2	2.7	31	10.2	1,189	6.0	9	2.9
Unknown	9	2.6	8	3.0	1	1.4	10	3.3	357	1.8	37	11.8
AREA-BASED POVERTY LEVEL	_	_	_	_				_		_		
Low poverty (<10% below FPL)	20	5.8	15	5.6	5	6.8	13	4.3	1,240	6.2	6	1.9
Medium poverty (10 to <20% below FPL)	97	28.4	73	27.2	24	32.4	75	24.7	5,256	26.5	63	20.1
High poverty (20 to <30% below FPL)	68	19.9	46	17.2	22	29.7	67	22.0	4,349	21.9	53	16.9
Very high poverty (≥30% below FPL)	119	34.8	99	36.9	20	27.0	106	34.9	7,294	36.8	144	46.0
Area-based poverty level not available	38	11.1	35	13.1	3	4.1	43	14.1	1,708	8.6	47	15.0
Area-based poverty level flot available	30		33	10.1	3	7.1	40	14.1	1,700	0.0	77	13.0
TRANSMISSION RISK												
Injection drug use history (IDU)	13	3.8	9	3.4	4	5.4	19	6.3	2,746	13.8	85	27.2
Heterosexual contact	244	71.3	194	72.4	50	67.6	191	62.8	10,672	53.8	129	41.2
Transgender people with sexual contact	25	7.3	24	9.0	1	1.4	12	3.9	498	2.5	1	0.3
Perinatal Other	1 0	0.3	1	0.4 0.0	0	0.0	13 0	4.3	764	3.8 0.3	0	0.0
Unknown	59	0.0 17.3	40	14.9	19	0.0 25.7	69	0.0 22.7	50 5,117	25.8	2 96	0.6 30.7
OTIKITOWIT	39	17.3	40	14.5	19	25.7	ษ	22.1	3,117	20.0	90	30.7

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.3.3. Latino/Hispanic males (includes transgender men)

		HIV	DIAGNO	)SES, 20			AIDS DIAGNOS	ES, 2013	PLWHA AS 12/31/20		DEATHS	, 2013
					Concurrent w	-		_				
	Total HIV di	•	Withou			iagnoses	N	0/	N	0/	NI.	0/
TOTAL	820	% 100.0	N 667	% 81.3	N 153	18.7	N <b>476</b>	% 100.0	N 28,202	% 100.0	N <b>451</b>	100.0
TOTAL	020	100.0	007	01.5	133	10.7	710	100.0	20,202	100.0	731	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	0	0.0
13-19	34	4.1	32	4.8	2	1.3	7	1.5	161	0.6	1	0.2
20-29	352	42.9	307	46.0	45	29.4	115	24.2	2,674	9.5	17	3.8 5.1
30-39	210	25.6	174	26.1	36	23.5	118	24.8	4,616	16.4	23	5.1
40-49	136	16.6	100	15.0	36	23.5	121	25.4	8,225	29.2	93	20.6
50-59 60+	64 24	7.8 2.9	43 11	6.4 1.6	21 13	13.7 8.5	81 34	17.0 7.1	8,355 4,146	29.6 14.7	177 140	39.2 31.0
00+	24	2.9	11	1.0	13	8.5	34	7.1	4,146	14.7	140	31.0
BOROUGH OF RESIDENCE								_				
Bronx	178	21.7	147	22.0	31	20.3	123	25.8	8,172	29.0	180	39.9
Brooklyn	126	15.4	99	14.8	27	17.6	75	15.8	4,688	16.6	73	16.2
Manhattan	199	24.3	165	24.7	34	22.2	100	21.0	7,103	25.2	80	17.7
Queens	193	23.5	149	22.3	44	28.8	97	20.4	5,158	18.3	36	8.0
Staten Island	17	2.1	15	2.2	2	1.3	4	0.8	415	1.5	17	3.8
Outside NYC	90	11.0	75	11.2	15	9.8	67	14.1	2,078	7.4	9	3.8 2.0 12.4
Unknown	17	2.1	17	2.5	0	0.0	10	2.1	588	2.1	56	12.4
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	59	7.2	49	7.3	10	6.5	33	6.9	2,156	7.6	17	3.8
Medium poverty (10 to <20% below FPL)	236	28.8	184	27.6	52	34.0	129	27.1	7,614	27.0	76	16.9
High poverty (20 to <30% below FPL)	198	24.1	164	24.6	34	22.2	89	18.7	5,825	20.7	73	16.2
Very high poverty (≥30% below FPL)	218	26.6	176	26.4	42	27.5	147	30.9	9.585	34.0	220	48.8
Area-based poverty level not available	109	13.3	94	14.1	15	9.8	78	16.4	-,	10.7	65	14.4
Area-based poverty level not available	109	13.3	94	14.1	15	9.8	78	16.4	3,022	10.7	65	14.4
TRANSMISSION RISK								_		_		
Men who have sex with men (MSM)	619	75.5	513	76.9	106	69.3	275	57.8	13,543	48.0	94	20.8
Injection drug use history (IDÙ)	17	2.1	14	2.1	3	2.0	51	10.7	5,229	18.5	178	39.5
MSM-IDU	23	2.8	21	3.1	2	1.3	14	2.9	1,215	4.3	33	7.3
Heterosexual contact	46	5.6	32	4.8	14	9.2	44	9.2	2,055	7.3	48	10.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	0.2	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	0.8	464	1.6	2	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	3	0.7
Unknown	115	14.0	87	13.0	28	18.3	87	18.3	5,670	20.1	93	20.6

Table 1.3.4. Latina/Hispanic females (includes transgender women)

	HIV DIAGNOSES, 2013					AIDS DIAGNOSE	S, 2013	PLWHA A: 12/31/20		DEATHS	, 2013	
	Total HIV di	agnoses %	Withou N		Concurrent with diag N	h AIDS gnoses %	N	%	N	%	N	%
TOTAL	187	100.0	143	76.5	44	23.5	162	100.0	11,327	100.0	183	100.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 9 42 47 45 23 21	0.0 4.8 22.5 25.1 24.1 12.3 11.2	0 8 38 40 31 16 10	0.0 5.6 26.6 28.0 21.7 11.2 7.0	0 1 4 7 14 7 11	0.0 2.3 9.1 15.9 31.8 15.9 25.0	0 5 23 32 48 33 21	0.0 3.1 14.2 19.8 29.6 20.4 13.0	32 164 820 1,523 3,270 3,696 1,822	0.3 1.4 7.2 13.4 28.9 32.6 16.1	0 0 3 10 59 60 51	0.0 0.0 1.6 5.5 32.2 32.8 27.9
BOROUGH OF RESIDENCE	_					_						
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	78 27 45 23 4 6 4	41.7 14.4 24.1 12.3 2.1 3.2 2.1	59 20 33 19 3 5 4	41.3 14.0 23.1 13.3 2.1 3.5 2.8	19 7 12 4 1 1	43.2 15.9 27.3 9.1 2.3 2.3 0.0	57 33 29 21 1 12	35.2 20.4 17.9 13.0 0.6 7.4 5.6	4,808 2,339 1,743 1,458 232 542 205	42.4 20.6 15.4 12.9 2.0 4.8 1.8	80 25 27 14 10 4 23	43.7 13.7 14.8 7.7 5.5 2.2 12.6
AREA-BASED POVERTY LEVEL			_	_		_				_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	8 33 52 83	4.3 17.6 27.8 44.4	5 25 39 64	3.5 17.5 27.3 44.8	3 8 13 19	6.8 18.2 29.5 43.2	8 32 38 63	4.9 19.8 23.5 38.9	441 2,465 2,349 5,257	3.9 21.8 20.7 46.4	5 25 38 88	2.7 13.7 20.8 48.1
Area-based poverty level not available	11	5.9	10	7.0	1	2.3	21	13.0	815	7.2	27	14.8
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	15 137 17 0 0	8.0 73.3 9.1 0.0 0.0 9.6	11 103 14 0 0	7.7 72.0 9.8 0.0 0.0	4 34 3 0 0	9.1 77.3 6.8 0.0 0.0 6.8	20 107 9 5 0	12.3 66.0 5.6 3.1 0.0 13.0	2,371 5,809 398 468 24 2,257	20.9 51.3 3.5 4.1 0.2 19.9	68 65 9 2 3	37.2 35.5 4.9 1.1 1.6 19.7

Table 1.3.5. White males (includes transgender men)

		DIAGNO	OSES, 20	13		AIDS DIAGNOS	ES, 2013	PLWHA A: 12/31/20		DEATHS	, 2013	
					Concurrent w	vith AIDS		_				
	Total HIV dia	-	Withou			iagnoses						
TOTAL	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	497	100.0	418	84.1	79	15.9	248	100.0	22,463	100.0	245	100.0
AGE GROUP (YEARS)								_		_		
0-12	1	0.2	1	0.2	0	0.0	0	0.0	3	0.0	0	0.0
13-19	7	1.4	7	1.7	0	0.0	0	0.0	29	0.1	0	0.0
20-29	153	30.8	145	34.7	8	10.1	28	11.3	1,133	5.0	3	1.2
30-39	142	28.6	122	29.2	20	25.3	65	26.2	3,034	13.5	10	4.1
40-49	114	22.9	83	19.9	31	39.2	81	32.7	6,488	28.9	47	19.2
50-59	63 17	12.7	49 11	11.7	14 6	17.7	51	20.6	7,512	33.4	100	40.8
60+	17	3.4	11	2.6	6	7.6	23	9.3	4,264	19.0	85	34.7
BOROUGH OF RESIDENCE								_				
Bronx	10	2.0	6	1.4	4	5.1	9	3.6	861	3.8	9	3.7
Brooklyn	78	15.7	67	16.0	11	13.9	32	12.9	2,917	13.0	29	11.8
Manhattan	213	42.9	179	42.8	34	43.0	99	39.9	11,129	49.5	77	31.4
Queens	51	10.3	39	9.3	12	15.2	22	8.9	2,318	10.3	28	11.4
Staten Island	10	2.0	8	1.9	2	2.5	7	2.8	482	2.1	14	5.7
Outside NYC	113	22.7	97	23.2	16	20.3	73	29.4	4,328	19.3	18	7.3
Unknown	22	4.4	22	5.3	0	0.0	6	2.4	428	1.9	70	28.6
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	76	15.3	61	14.6	15	19.0	37	14.9	5,774	25.7	45	18.4
Medium poverty (10 to <20% below FPL)	157	31.6	123	29.4	34	43.0	70	28.2	6.622	29.5	57	23.3
High poverty (20 to <30% below FPL)	82	16.5	74	17.7	8	10.1	35	14.1	3,179	14.2	29	11.8
Very high poverty (≥30% below FPL)	44	8.9	38	9.1	6	7.6	26	10.5	1.866	8.3	26	10.6
Area-based poverty level not available	138	27.8	122	29.2	16	20.3	80	32.3	5,022	22.4	88	35.9
Ariea-based poverty level not available	130	21.0	122	29.2	16	20.3	00	32.3	5,022	22.4	00	35.9
TRANSMISSION RISK								_		_		
Men who have sex with men (MSM)	415	83.5	358	85.6	57	72.2	184	74.2	17,093	76.1	141	57.6
Injection drug use history (IDÙ)	6	1.2	4	1.0	2	2.5	9	3.6	1,278	5.7	36	14.7
MSM-IDU	21	4.2	19	4.5	2	2.5	11	4.4	716	3.2	15	6.1
Heterosexual contact	8	1.6	4	1.0	4	5.1	8	3.2	512	2.3	13	5.3 0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	0	0.0	69	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.4
Unknown	46	9.3	32	7.7	14	17.7	36	14.5	2,748	12.2	39	15.9

Table 1.3.6. White females (includes transgender women)

	HIV DIAGNOSES, 2013				)13	AIDS DIAGNO	SES, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV di	%	Withou N	t AIDS %	Concurrent with AIDS diagnose N %	s 6 N	%	N	%	N	%
TOTAL	42	100.0	34	81.0	8 19.	0 25	100.0	2,539	100.0	49	100.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39	0 2 11 10	0.0 4.8 26.2 23.8	0 2 10 7	0.0 5.9 29.4 20.6	0 0. 0 0. 1 12. 3 37.	0 1 5 3 5 6	0.0 4.0 12.0 24.0	3 17 152 293	0.1 0.7 6.0 11.5	0 0 3 6	0.0 0.0 6.1 12.2
40-49 50-59 60+ BOROUGH OF RESIDENCE	11 3 5	26.2 7.1 11.9	10 2 3	29.4 5.9 8.8	1 12. 1 12. 2 25.	5 6	8.0 24.0 28.0	705 930 439	27.8 36.6 17.3	10 19 11	20.4 38.8 22.4
Bronx Bronk Bronklyn Manhattan Queens Staten Island Outside NYC Unknown	4 9 11 8 3 5 2	9.5 21.4 26.2 19.0 7.1 11.9 4.8	3 7 10 6 1 5	8.8 20.6 29.4 17.6 2.9 14.7 5.9	1 12. 2 25. 1 12. 2 25. 2 25. 0 0. 0 0.	0 6 5 3 0 6 0 4 0 4	4.0 24.0 12.0 24.0 16.0 16.0 4.0	335 526 540 438 182 473 45	13.2 20.7 21.3 17.3 7.2 18.6 1.8	5 11 14 7 3 1	10.2 22.4 28.6 14.3 6.1 2.0 16.3
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	8 14 6 6 8	19.0 33.3 14.3 14.3 19.0	6 10 5 5 8	17.6 29.4 14.7 14.7 23.5	2 25. 4 50. 1 12. 1 12. 0 0.	0 9 5 5 5 2	16.0 36.0 20.0 8.0 20.0	447 760 390 397 545	17.6 29.9 15.4 15.6 21.5	9 13 10 8 9	18.4 26.5 20.4 16.3 18.4
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1 30 4 0 0 7	2.4 71.4 9.5 0.0 0.0 16.7	0 24 4 0 0 6	0.0 70.6 11.8 0.0 0.0 17.6	1 12. 6 75. 0 0. 0 0. 0 0. 1 12.	0 10 0 1 0 1 0 0	28.0 40.0 4.0 4.0 0.0 24.0	659 1,166 69 70 20 555	26.0 45.9 2.7 2.8 0.8 21.9	13 21 2 2 2 2 9	26.5 42.9 4.1 4.1 4.1 18.4

Table 1.3.7. Asian/Pacific Islander males (includes transgender men)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOS	ES, 2013	PLWHA A 12/31/20		DEATHS,	2013
					Concurrent wi	ith AIDS		_				l
	Total HIV di		Withou	t AIDS	dia	agnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	115	100.0	87	75.7	28	24.3	44	100.0	1,922	100.0	15	100.0
AGE GROUP (YEARS)								_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	0.9	1	1.1	0	0.0	0	0.0	6	0.3	0	0.0
20-29	49	42.6	40	46.0	9	32.1	12	27.3	222	11.6	1	6.7
30-39	25	21.7	20	23.0	5	17.9	10	22.7	443	23.0	2	13.3
40-49	29	25.2	19	21.8	10	35.7	15	34.1	615	32.0	3	20.0
50-59	8	7.0	5	5.7	3	10.7	5	11.4	434	22.6	3	20.0
60+	3	2.6	2	2.3	1	3.6	2	4.5	199	10.4	6	40.0
BOROUGH OF RESIDENCE								_				
Bronx	7	6.1	6	6.9	1	3.6	2	4.5	109	5.7	1	6.7
Brooklyn	12	10.4	11	12.6	1	3.6	5	11.4	317	16.5	1	6.7
Manhattan	35	30.4	28	32.2	7	25.0	10	22.7	637	33.1	5	33.3
Queens	45	39.1	30	34.5	15	53.6	20	45.5	599	31.2	5	33.3
Staten Island	1	0.9	0	0.0	1	3.6	1	2.3	20	1.0	0	0.0
Outside NYC	11	9.6	9	10.3	2	7.1	5	11.4	175	9.1	1	6.7
Unknown	4	3.5	3	3.4	1	3.6	1	2.3	65	3.4	2	13.3
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL)	13	11.3	10	11.5	3	10.7	4	9.1	270	14.0	4	26.7
Medium poverty (10 to <20% below FPL)	54	47.0	42	48.3	12	42.9	18	40.9	724	37.7	3	20.0
High poverty (20 to <30% below FPL)	22	19.1	13	14.9	9	32.1	12	27.3	405	21.1	1	6.7
Very high poverty (≥30% below FPL)	11	9.6	10	11.5	1	3.6	3	6.8	262	13.6	4	26.7
Area-based poverty level not available	15	13.0	12	13.8	3	10.7	7	15.9	261	13.6	3	20.0
TRANSMISSION RISK										_		
Men who have sex with men (MSM)	84	73.0	66	75.9	18	64.3	29	65.9	1,201	62.5	4	26.7
Injection drug use history (IDÙ)	4	3.5	3	3.4	1	3.6	1	2.3	49	2.5	1	6.7
MSM-IDU	4	3.5	4	4.6	0	0.0	0	0.0	38	2.0	0	0.0
Heterosexual contact	5	4.3	1	1.1	4	14.3	5	11.4	176	9.2	1	6.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	18	15.7	13	14.9	5	17.9	9	20.5	443	23.0	9	60.0

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.3.8. Asian/Pacific Islander females (includes transgender women)

		HIV	DIAGNO	SES, 20	)13	AIDS DIA	GNOSES	, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di N	agnoses %	Withou N		Concurrent with A diagno N		N	%	N	%	N	%
TOTAL	10	100.0	8	80.0		20.0	9	100.0	420	100.0	7	100.0
AGE GROUP (YEARS)								_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 1 4 1 2 2	0.0 0.0 10.0 40.0 10.0 20.0 20.0	0 0 1 3 1 1 2	0.0 0.0 12.5 37.5 12.5 12.5 25.0	0 0 1 5 0	0.0 0.0 0.0 0.0 50.0 0.0	0 0 0 5 1 2	0.0 0.0 0.0 55.6 11.1 22.2 11.1	0 2 37 96 134 100 51	0.0 0.5 8.8 22.9 31.9 23.8 12.1	0 0 1 2 1 2	0.0 0.0 14.3 28.6 14.3 28.6 14.3
BOROUGH OF RESIDENCE								_		_		
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	2 0 0 6 0 1	20.0 0.0 0.0 60.0 10.0 10.0	1 0 0 5 0 1 1	12.5 0.0 0.0 62.5 0.0 12.5 12.5	0 0 1 0 0	50.0 0.0 0.0 50.0 0.0 0.0	1 0 0 3 0 5	11.1 0.0 0.0 33.3 0.0 55.6 0.0	40 91 70 161 3 35 20	9.5 21.7 16.7 38.3 0.7 8.3 4.8	2 0 0 3 0 1 1	28.6 0.0 0.0 42.9 0.0 14.3 14.3
AREA-BASED POVERTY LEVEL						_		_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	0 3 4 1 2	0.0 30.0 40.0 10.0 20.0	0 3 2 1 2	0.0 37.5 25.0 12.5 25.0	0 2 10 0	0.0 0.0 00.0 0.0 0.0	0 1 3 0 5	0.0 11.1 33.3 0.0 55.6	35 172 76 77 60	8.3 41.0 18.1 18.3 14.3	1 2 1 1 2	14.3 28.6 14.3 14.3 28.6
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	0 7 1 0 0	0.0 70.0 10.0 0.0 0.0 20.0	0 5 1 0	0.0 62.5 12.5 0.0 0.0 25.0	2 10 0 0 0	0.0 00.0 0.0 0.0 0.0 0.0	1 6 1 0	11.1 66.7 11.1 0.0 0.0	18 244 23 4 1	4.3 58.1 5.5 1.0 0.2 31.0	0 6 0 1 0	0.0 85.7 0.0 14.3 0.0 0.0

Table 1.3.9. Native American males (includes transgender men)

		HIV	DIAGNO	SES, 201	3	AIDS DIAGNO	SES, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV di	%	Ν	ut AIDS %		es % N	%	N	%	N	%
TOTAL	6	100.0	6	100.0	0 0.	0 3	100.0	207	100.0	4	100.0
AGE GROUP (YEARS)						_	_				
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 3 1 0 1	0.0 0.0 50.0 16.7 0.0 16.7 16.7	0 0 3 1 0 1	0.0 0.0 50.0 16.7 0.0 16.7 16.7	0 0. 0 0. 0 0. 0 0. 0 0. 0 0. 0 0. 0 0.	0 0 0 0 2 0 0 0	0.0 0.0 0.0 66.7 0.0 33.3 0.0	0 0 18 42 61 54 32	0.0 0.0 8.7 20.3 29.5 26.1 15.5	0 0 0 0 0 3 1	0.0 0.0 0.0 0.0 0.0 75.0 25.0
BOROUGH OF RESIDENCE							_		_		
Bronx Brooklyn Manhattan Queens Other/Unknown	0 2 1 2 1	0.0 33.3 16.7 33.3 16.7	0 2 1 2 1	0.0 33.3 16.7 33.3 16.7	0 0. 0 0. 0 0. 0 0. 0 0.	0 2 0 0 0 0	0.0 66.7 0.0 0.0 33.3	35 47 48 48 29	16.9 22.7 23.2 23.2 14.0	2 1 0 0 1	50.0 25.0 0.0 0.0 25.0
AREA-BASED POVERTY LEVEL											
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	1 3 0	16.7 50.0 0.0	1 3 0	16.7 50.0 0.0	0 0. 0 0. 0 0.	0 1	0.0 33.3 33.3	11 77 41	5.3 37.2 19.8	0 0 0	0.0 0.0 0.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	1 1	16.7 16.7	1 1	16.7 16.7	0 0. 0 0.		0.0 33.3	51 27	24.6 13.0	3 1	75.0 25.0
TRANSMISSION RISK							_		_		
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	4 0 0	66.7 0.0 0.0	4 0 0	66.7 0.0 0.0	0 0. 0 0. 0 0.	0 1 0	66.7 33.3 0.0	110 15 10	53.1 7.2 4.8	0 2 0	0.0 50.0 0.0 0.0
Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1 0 0 0 1	16.7 0.0 0.0 0.0 16.7	1 0 0 0 1	16.7 0.0 0.0 0.0 16.7	0 0. 0 0. 0 0. 0 0. 0 0.	0 0 0 0	0.0 0.0 0.0 0.0 0.0	17 0 0 2 53	8.2 0.0 0.0 1.0 25.6	0 0 0 0 2	0.0 0.0 0.0 0.0 50.0

Table 1.3.10. Native American females (includes transgender women)

		HIV	DIAGNO	OSES, 201	3		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV di	•		out AIDS		AIDS noses						
TOTAL	N 1	% 100.0	N 1	% 100.0	N 0	0.0	N <b>2</b>	% 100.0	N 78	% 100.0	N 1	% 100.0
101/12		10010		10010		0.0	-	.00.0		100.0	•	10010
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
20-29	1	100.0	1	100.0	0	0.0	0	0.0	7	9.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	10	12.8	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	100.0	32	41.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	20	25.6	1	100.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	6	7.7	0	0.0
BOROUGH OF RESIDENCE								_				
Bronx	1	100.0	1	100.0	0	0.0	0	0.0	22	28.2	0	0.0
Brooklyn	0	0.0	Ö	0.0	0	0.0	2	100.0	30	38.5	Ö	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	10	12.8	1	100.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	13	16.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Medium poverty (10 to <20% below FPL)	Ō	0.0	Ō	0.0	0	0.0	Ö	0.0	27	34.6	Ö	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	15	19.2	1	100.0
Very high poverty (≥30% below FPL)	1	100.0	1	100.0	0	0.0	1	50.0	31	39.7	0	0.0
, , , ,	•						0					
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
Heterosexual contact	1	100.0	1	100.0	0	0.0	2	100.0	50	64.1	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	6.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	19.2	0	0.0

Table 1.4.1. Males 0-12 Years

		HIV	DIAGNO	OSES, 201	3		AIDS DIAGNOSES, 2	013	PLWHA A: 12/31/20		DEATHS,	2013
	Total HIV di	iagnoses %	Witho N	out AIDS %	Concurrent with Ai diagno N		N	%	12/31/20 N	%	N	%
TOTAL	1	100.0	1	100.0		0.0	0	0.0	86	100.0	0	0.0
RACE/ETHNICITY								-				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	0 0 1 0 0	0.0 0.0 100.0 0.0 0.0 0.0	0 0 1 0 0	0.0 0.0 100.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	55 25 3 3 0 0	64.0 29.1 3.5 3.5 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	0 1 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0 0.0	0 1 0 0 0 0	0.0 100.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	26 21 14 15 1 4 5	30.2 24.4 16.3 17.4 1.2 4.7 5.8	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	0 1 0	0.0 100.0 0.0	0 1 0	0.0 100.0 0.0	0	0.0 0.0 0.0	0 0 0	0.0 0.0 0.0	8 19 15	9.3 22.1 17.4	0 0 0	0.0 0.0 0.0
Very high poverty (≥30% below FPL) Area-based poverty level not available	0	0.0 0.0	0 0	0.0 0.0		0.0	0 0	0.0 0.0	35 9	40.7 10.5	0 0	0.0 0.0
TRANSMISSION RISK			_			-		-		_		
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact	0 0 0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0
Transgender people with sexual contact Perinatal Other Unknown	0 1 0 0	0.0 100.0 0.0 0.0	0 1 0	0.0 100.0 0.0 0.0	0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 86 0	0.0 100.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0

Table 1.4.2. Females 0-12 Years

		HIV	DIAGNO	OSES, 201	3	AIDS	S DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV di	iagnoses	Witho	out AIDS	Concurrent with Ai diagno			_	12/01/20			
7074	N 1	%	N	%	N	%	N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	0	0.0	94	100.0	0	0.0
RACE/ETHNICITY	_					_		_		_		
Black	1	100.0	1	100.0	0	0.0	0	0.0	57	60.6	0	0.0
Latino/Hispanic	0	0.0	0	0.0		0.0	0	0.0	32	34.0	0	0.0 0.0 0.0
White	0	0.0	0	0.0		0.0	0	0.0		3.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0		0.0	0	0.0	1	1.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0
BOROUGH OF RESIDENCE						_						
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	32	34.0	0	0.0
Brooklyn	1	100.0	1	100.0		0.0	0	0.0	26	27.7	0	0.0
Manhattan	0	0.0	0	0.0		0.0	0	0.0	12	12.8	0	0.0 0.0 0.0 0.0 0.0
Queens	0	0.0	0	0.0		0.0	0	0.0	11	11.7	0	0.0
Staten Island	0	0.0	0	0.0		0.0	0	0.0	3 5	3.2	0	0.0
Outside NYC	0	0.0	0	0.0		0.0	0	0.0	5	5.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	5.3	0	0.0
AREA-BASED POVERTY LEVEL	_					_				_		
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	10	10.6	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0		0.0	0	0.0	16	17.0	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	16	17.0	0	0.0
Very high poverty (≥30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	41	43.6	0	0.0
Area-based poverty level not available	0	0.0	0	0.0		0.0	0	0.0	11	11.7	0	0.0
TRANSMISSION RISK						_		_				
Injection drug use history (IDU)	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0		0.0	0	0.0	0	0.0	0	0.0 0.0 0.0 0.0 0.0
Transgender people with sexual contact Perinatal	0	0.0	0	0.0		0.0	0 0	0.0 0.0	0 94	0.0	0	0.0
Other	0	100.0 0.0	0	100.0 0.0		0.0	0	0.0	94	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
OTIKITOWIT	0	0.0	U	0.0	U	0.0	U	0.0	U	0.0	U	0.0

Table 1.4.3. Males 13+ Years (includes transgender men)

		HIV	DIAGNOS	ES, 201	3		AIDS DIAGNOSE	S, 2013	PLWHA AS 12/31/20		DEATHS,	2013
	Total HIV di	-	Withou		oncurrent wi dia N	ith AIDS agnoses	N	%	N	0/	N	0/
TOTAL	2,304	% 100.0	1,852	80.4	452	19.6	N 1,474	100.0	86,704	100.0	N <b>1,299</b>	100.0
DAGE/ETHANGITY												
RACE/ETHNICITY Black	830	36.0	642	34.7	188	41.6	695	47.2	33,505	38.6	581	44.7
Latino/Hispanic	820	35.6	667	36.0	153	33.8	476	32.3	28,177	32.5	451	34.7
White	496	21.5	417	22.5	79	17.5	248	16.8	22,460	25.9	245	18.9
Asian/Pacific Islander Native American	115 6	5.0 0.3	87 6	4.7 0.3	28 0	6.2 0.0	44 3	3.0 0.2	1,919 207	2.2 0.2	15 4	1.2 0.3
Multiracial	37	1.6	33	1.8	4	0.0	ა 8	0.2	177	0.2	3	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	259	0.2	ő	0.0
AGE GROUP (VEARS)												
AGE GROUP (YEARS) 13-19	93	4.0	86	4.6	7	1.5	24	1.6	506	0.6	1	0.1
20-29	947	41.1	835	45.1	112	24.8	354	24.0	8.191	9.4	37	2.8
30-39	533	23.1	428	23.1	105	23.2	343	23.3	13,024	15.0	69	5.3 19.2
40-49	428	18.6	300	16.2	128	28.3	389	26.4	23,836	27.5	250	19.2
50-59 60+	211	9.2	149 54	8.0 2.9	62 38	13.7	249	16.9	26,570	30.6	482	37.1 35.4
00+	92	4.0	54	2.9	38	8.4	115	7.8	14,577	16.8	460	35.4
BOROUGH OF RESIDENCE												
Bronx	361	15.7	285	15.4	76	16.8	282	19.1	16,443	19.0	324	24.9
Brooklyn Manhattan	528 587	22.9 25.5	417 478	22.5 25.8	111 109	24.6 24.1	319 333	21.6 22.6	18,618 26,111	21.5 30.1	296 272	22.8 20.9
Queens	389	25.5 16.9	478 295	25.8 15.9	94	20.8	218	14.8	12,431	14.3	112	20.9 8.6
Staten Island	41	1.8	35	1.9	6	1.3	16	1.1	1,423	1.6	38	2.9
Outside NYC	335	14.5	280	15.1	55	12.2	264	17.9	9,946	11.5	55	4.2
Unknown	63	2.7	62	3.3	1	0.2	42	2.8	1,732	2.0	202	15.6
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL)	185	8.0	148	8.0	37	8.2	109	7.4	10,468	12.1	88	6.8
Medium poverty (10 to <20% below FPL)	653	28.3	518	28.0	135	29.9	368	25.0	24,153	27.9	253	19.5
High poverty (20 to <30% below FPL)	517	22.4	414	22.4	103	22.8	284	19.3	17,027	19.6	215	16.6
Very high poverty (≥30% below FPL)	545	23.7	424	22.9	121	26.8	404	27.4	22,265	25.7	484	37.3
Area-based poverty level not available	404	17.5	348	18.8	56	12.4	309	21.0	12,791	14.8	259	19.9
TRANSMISSION RISK								_				
Men who have sex with men (MSM)	1,708	74.1	1,429	77.2	279	61.7	870	59.0	46,390	53.5	386	29.7
Injection drug use history (IDÙ)	33	1.4	24	1.3	9	2.0	91	6.2	11,122	12.8	375	28.9
MSM-IDU	65	2.8	60	3.2	5	1.1	36 135	2.4	3,103	3.6	74	5.7
Heterosexual contact Transgender people with sexual contact	121 0	5.3 0.0	77 0	4.2 0.0	44 0	9.7 0.0	125 2	8.5 0.1	6,098 10	7.0 0.0	118 0	9.1 0.0
Perinatal	0	0.0	0	0.0	0	0.0	11	0.7	1,173	1.4	5	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	113	0.1	4	0.3
Unknown	377	16.4	262	14.1	115	25.4	339	23.0	18,695	21.6	337	25.9

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.4.4. Females 13+ Years (includes transgender women)

		HIV	DIAGNO	SES, 20	13 Concurrent w	ith AIDS	AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV di		Withou	t AIDS	dia	agnoses	N	0/	N.	0/	N.	0.4
TOTAL	N 592	% 100.0	N 462	% 78.0	N 130	22.0	N <b>507</b>	% 100.0	N 34,253	% 100.0	N <b>553</b>	% 100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	341 187 42 10 1 11	57.6 31.6 7.1 1.7 0.2 1.9 0.0	267 143 34 8 1 9	57.8 31.0 7.4 1.7 0.2 1.9 0.0	74 44 8 2 0 2 0	56.9 33.8 6.2 1.5 0.0 1.5 0.0	304 162 25 9 2 5	60.0 32.0 4.9 1.8 0.4 1.0 0.0	19,790 11,295 2,536 420 77 56 79	57.8 33.0 7.4 1.2 0.2 0.2 0.2	313 183 49 7 1 0	56.6 33.1 8.9 1.3 0.2 0.0
AGE GROUP (YEARS)				0.5				0.0	100			0.0
13-19 20-29 30-39 40-49 50-59 60+	32 137 136 146 88 53	5.4 23.1 23.0 24.7 14.9 9.0	30 124 113 106 56 33	6.5 26.8 24.5 22.9 12.1 7.1	2 13 23 40 32 20	1.5 10.0 17.7 30.8 24.6 15.4	14 75 115 140 110 53	2.8 14.8 22.7 27.6 21.7 10.5	489 2,521 5,027 10,018 11,010 5,188	1.4 7.4 14.7 29.2 32.1 15.1	0 13 31 141 208 160	0.0 2.4 5.6 25.5 37.6 28.9
BOROUGH OF RESIDENCE			_	_		_				_		
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	173 177 104 68 12 42 16	29.2 29.9 17.6 11.5 2.0 7.1 2.7	140 131 76 54 7 39 15	30.3 28.4 16.5 11.7 1.5 8.4 3.2	33 46 28 14 5 3	25.4 35.4 21.5 10.8 3.8 2.3 0.8	136 146 79 63 10 53 20	26.8 28.8 15.6 12.4 2.0 10.5 3.9	10,578 9,898 5,263 4,858 783 2,245 628	30.9 28.9 15.4 14.2 2.3 6.6 1.8	163 153 83 47 23 15	29.5 27.7 15.0 8.5 4.2 2.7 12.5
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	37 148 135	6.3 25.0 22.8	27 112 97	5.8 24.2 21.0	10 36 38	7.7 27.7 29.2	25 117 115	4.9 23.1 22.7	2,164 8,696 7,190	6.3 25.4 21.0	21 103 103	3.8 18.6 18.6
Very high poverty (≥30% below FPL) Area-based poverty level not available	212 60	35.8 10.1	170 56	36.8 12.1	42 4	32.3 3.1	175 75	34.5 14.8	13,040 3,163	38.1 9.2	241 85	43.6 15.4
TRANSMISSION RISK								-				
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	31 426 49 0 0 86	5.2 72.0 8.3 0.0 0.0 14.5	22 332 45 0 0 63	4.8 71.9 9.7 0.0 0.0 13.6	9 94 4 0 0 23	6.9 72.3 3.1 0.0 0.0 17.7	47 320 24 19 0 97	9.3 63.1 4.7 3.7 0.0 19.1	5,810 17,983 1,003 1,223 97 8,137	17.0 52.5 2.9 3.6 0.3 23.8	166 222 12 5 7 141	30.0 40.1 2.2 0.9 1.3 25.5

Table 1.5.1. Bronx, males (includes transgender men)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA AS 12/31/20		DEATHS,	, 2013
					Concurrent w	vith AIDS						1
	Total HIV di	-	Withou			iagnoses						
TOTAL	N	%	N 285	%	N	%	N	400.0	N	%	N	400.0
TOTAL	361	100.0	285	78.9	76	21.1	282	100.0	16,469	100.0	324	100.0
RACE/ETHNICITY						_		_		_		
Black	161	44.6	122	42.8	39	51.3	147	52.1	7,253	44.0	132	40.7
Latino/Hispanic	178	49.3	147	51.6	31	40.8	123	43.6	8,172	49.6	180	55.6
White	10	2.8	6	2.1	4	5.3	9	3.2	861	5.2	9	2.8
Asian/Pacific Islander	7	1.9	6	2.1	1	1.3	2	0.7	109	0.7	1	0.3 0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	35	0.2	2	0.6
Multiracial	5	1.4	4	1.4	1	1.3	1	0.4	15	0.1	0	0.0
Unknown	0	0.0	U	0.0	0	0.0	0	0.0	24	0.1	0	0.0
AGE GROUP (YEARS)	_		_					_		_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
13-19	17	4.7	16	5.6	1	1.3	4	1.4	135	0.8	1	0.3
20-29	156	43.2	133	46.7	23	30.3	69	24.5	1,624	9.9	8	2.5 4.3
30-39	71	19.7	60	21.1	11	14.5	56	19.9	2,244	13.6	14	4.3
40-49	71	19.7	48	16.8	23	30.3	74	26.2	4,323	26.2	64	19.8
50-59	33	9.1	23	8.1	10	13.2	53	18.8	5,286	32.1	138	42.6
60+	13	3.6	5	1.8	8	10.5	26	9.2	2,831	17.2	99	30.6
AREA-BASED POVERTY LEVEL								_		_		
Low poverty (<10% below FPL)	9	2.5	8	2.8	1	1.3	6	2.1	307	1.9	3	0.9
Medium poverty (10 to <20% below FPL)	44	12.2	31	10.9	13	17.1	34	12.1	2,138	13.0	29	9.0
High poverty (20 to <30% below FPL)	59	16.3	50	17.5	9	11.8	42	14.9	2,256	13.7	26	8.0
Very high poverty (≥30% below FPL)	249	69.0	196	68.8	53	69.7	200	70.9	11,647	70.7	266	82.1
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	121	0.7	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	224	62.0	184	64.6	40	52.6	129	45.7	5,749	34.9	67	20.7
Injection drug use history (IDÙ)	10	2.8	8	2.8	2	2.6	29	10.3	3,421	20.8	121	37.3
MSM-IDU	15	4.2	14	4.9	1	1.3	2	0.7	729	4.4	18	5.6
Heterosexual contact	27	7.5	20	7.0	7	9.2	28	9.9	1,612	9.8	34	10.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	0.4	5	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.4	412	2.5	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	1	0.3
Unknown	85	23.5	59	20.7	26	34.2	89	31.6	4,519	27.4	81	25.0

Table 1.5.2. Bronx, females (includes transgender women)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOS	ES, 2013	PLWHA A: 12/31/20		DEATHS	, 2013
TOTAL	Total HIV di	%	Withou	t AIDS %	N	agnoses %	N 400	%	N	%	N	%
TOTAL	173	100.0	140	80.9	33	19.1	136	100.0	10,610	100.0	163	100.0
RACE/ETHNICITY						_		_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	86 78 4 2 1 2	49.7 45.1 2.3 1.2 0.6 1.2 0.0	74 59 3 1 1 2 0	52.9 42.1 2.1 0.7 0.7 1.4 0.0	12 19 1 1 0 0	36.4 57.6 3.0 3.0 0.0 0.0	77 57 1 1 0 0	56.6 41.9 0.7 0.7 0.0 0.0	5,378 4,808 335 40 22 10	50.7 45.3 3.2 0.4 0.2 0.1	76 80 5 2 0 0	46.6 49.1 3.1 1.2 0.0 0.0
AGE GROUP (YEARS)								_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 10 45 41 36 23 18	0.0 5.8 26.0 23.7 20.8 13.3 10.4	0 10 39 36 28 14 13	0.0 7.1 27.9 25.7 20.0 10.0 9.3	0 6 5 8 9 5	0.0 0.0 18.2 15.2 24.2 27.3 15.2	0 2 21 27 40 36 10	0.0 1.5 15.4 19.9 29.4 26.5 7.4	32 156 767 1,609 3,160 3,391 1,495	0.3 1.5 7.2 15.2 29.8 32.0 14.1	0 0 3 9 42 69 40	0.0 0.0 1.8 5.5 25.8 42.3 24.5
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	7 17 29 120 0	4.0 9.8 16.8 69.4 0.0	5 11 22 102 0	3.6 7.9 15.7 72.9 0.0	2 6 7 18 0	6.1 18.2 21.2 54.5 0.0	6 19 23 88 0	4.4 14.0 16.9 64.7 0.0	209 1,392 1,647 7,325 37	2.0 13.1 15.5 69.0 0.3	3 11 17 132 0	1.8 6.7 10.4 81.0 0.0
TRANSMISSION RISK												
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	10 140 8 0 0	5.8 80.9 4.6 0.0 0.0 8.7	7 113 8 0 0 12	5.0 80.7 5.7 0.0 0.0 8.6	3 27 0 0 0 3	9.1 81.8 0.0 0.0 0.0 9.1	12 98 0 1 0 25	8.8 72.1 0.0 0.7 0.0 18.4	1,978 5,475 231 422 21 2,483	18.6 51.6 2.2 4.0 0.2 23.4	50 63 4 2 2 42	30.7 38.7 2.5 1.2 1.2 25.8

Table 1.5.3. Brooklyn, males (includes transgender men)

	Total HIV dia		<b>DIAGNO</b> Withou		Concurrent v	vith AIDS liagnoses	AIDS DIAGNOSI	ES, 2013	PLWHA A 12/31/20		DEATHS	5, 2013
	N	agnoses %	N	% AIDS	N	nagrioses	N	%	N	0/	N	%
TOTAL	529	100.0	418	79.0	111	21.0	319	100.0	18,639	100.0	296	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	305 126 78 12 2 6	57.7 23.8 14.7 2.3 0.4 1.1 0.0	233 99 67 11 2 6	55.7 23.7 16.0 2.6 0.5 1.4 0.0	72 27 11 1 0 0	64.9 24.3 9.9 0.9 0.0 0.0	205 75 32 5 2 0	64.3 23.5 10.0 1.6 0.6 0.0	10,621 4,688 2,917 317 47 24 25	57.0 25.2 15.6 1.7 0.3 0.1 0.1	192 73 29 1 1 0	64.9 24.7 9.8 0.3 0.3 0.0
AGE GROUP (YEARS)							_					
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 29 217 107 98 46 31	0.2 5.5 41.0 20.2 18.5 8.7 5.9	1 27 192 84 68 27 19	0.2 6.5 45.9 20.1 16.3 6.5 4.5	0 2 25 23 30 19	0.0 1.8 22.5 20.7 27.0 17.1 10.8	0 5 73 75 82 60 24	0.0 1.6 22.9 23.5 25.7 18.8 7.5	21 152 1,956 2,955 4,988 5,495 3,072	0.1 0.8 10.5 15.9 26.8 29.5 16.5	0 10 20 57 116 93	0.0 0.0 3.4 6.8 19.3 39.2 31.4
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	18 173 131	3.4 32.7 24.8	15 140 106	3.6 33.5 25.4	3 33 25	2.7 29.7 22.5	6 99 69	1.9 31.0 21.6	669 6,652 4,338	3.6 35.7 23.3	4 83 72	1.4 28.0 24.3
Very high poverty (≥30% below FPL) Area-based poverty level not available	207 0	39.1 0.0	157 0	37.6 0.0	50 0	45.0 0.0	145 0	45.5 0.0	6,801 179	36.5 1.0	135 2	45.6 0.7
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU)	374 9	70.7 1.7	317	75.8 1.7	57 2	51.4 1.8	172 19	53.9 6.0	8,769 2,589	47.0 13.9	72 79	24.3 26.7
MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	11 36 0 1 0 98	2.1 6.8 0.0 0.2 0.0 18.5	9 23 0 1 0	2.2 5.5 0.0 0.2 0.0 14.6	2 13 0 0 0 37	1.8 11.7 0.0 0.0 0.0 33.3	10 29 1 2 0 86	3.1 9.1 0.3 0.6 0.0 27.0	624 1,617 3 334 22 4,681	3.3 8.7 0.0 1.8 0.1 25.1	19 33 0 1 0 92	6.4 11.1 0.0 0.3 0.0 31.1

Table 1.5.4. Brooklyn, females (includes transgender women)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di N	agnoses %	Withou N		Concurrent with diag N	h AIDS gnoses %	N	%	N	%	N	%
TOTAL	178	100.0	132	74.2	46	25.8	146	100.0	9,924	100.0	153	100.0
RACE/ETHNICITY								_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	138 27 9 0 0 4 0	77.5 15.2 5.1 0.0 0.0 2.2 0.0	103 20 7 0 0 2	78.0 15.2 5.3 0.0 0.0 1.5 0.0	35 7 2 0 0 2	76.1 15.2 4.3 0.0 0.0 4.3 0.0	102 33 6 0 2 3 0	69.9 22.6 4.1 0.0 1.4 2.1 0.0	6,905 2,339 526 91 30 11 22	69.6 23.6 5.3 0.9 0.3 0.1	117 25 11 0 0 0	76.5 16.3 7.2 0.0 0.0 0.0
AGE GROUP (YEARS)						_		_		_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 8 34 38 52 32 13	0.6 4.5 19.1 21.3 29.2 18.0 7.3	1 7 29 28 37 22 8	0.8 5.3 22.0 21.2 28.0 16.7 6.1	0 1 5 10 15 10 5	0.0 2.2 10.9 21.7 32.6 21.7 10.9	0 4 25 39 40 24	0.0 2.7 17.1 26.7 27.4 16.4 9.6	26 134 698 1,472 2,829 3,218 1,547	0.3 1.4 7.0 14.8 28.5 32.4 15.6	0 0 5 4 42 59 43	0.0 0.0 3.3 2.6 27.5 38.6 28.1
AREA-BASED POVERTY LEVEL			_	_		_				_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	7 68 40 63 0	3.9 38.2 22.5 35.4 0.0	6 53 28 45 0	4.5 40.2 21.2 34.1 0.0	1 15 12 18 0	2.2 32.6 26.1 39.1 0.0	2 46 34 63 1	1.4 31.5 23.3 43.2 0.7	314 3,327 2,096 4,119 68	3.2 33.5 21.1 41.5 0.7	3 42 39 69 0	2.0 27.5 25.5 45.1 0.0
TRANSMISSION RISK												
Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	9 122 9 1 0 37	5.1 68.5 5.1 0.6 0.0 20.8	6 91 8 1 0 26	4.5 68.9 6.1 0.8 0.0 19.7	3 31 1 0 0	6.5 67.4 2.2 0.0 0.0 23.9	9 89 8 6 0 34	6.2 61.0 5.5 4.1 0.0 23.3	1,510 5,368 229 370 26 2,421	15.2 54.1 2.3 3.7 0.3 24.4	43 55 3 1 2 49	28.1 35.9 2.0 0.7 1.3 32.0

Table 1.5.5. Manhattan, males (includes transgender men)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSI	ES, 2013	PLWHA A 12/31/20		DEATHS	6, 2013
	T- (-1.1.11) (-1)		IA/'d		Concurrent w	-						
	Total HIV di	agnoses %	Withou N	it AIDS %	n N	liagnoses ~	N	%	N	%	N	0/_
TOTAL	587	100.0	478	81.4	109	18.6	333	100.0	26,125	100.0	272	100.0
RACE/ETHNICITY								_		_		
Black	128	21.8	96	20.1	32	29.4	120	36.0	7,005	26.8	108	39.7
Latino/Hispanic	199	33.9	165	34.5	34	31.2	100	30.0	7,103	27.2	80	29.4
White	213	36.3	179	37.4	34	31.2	99	29.7	11,129	42.6	77	28.3
Asian/Pacific Islander	35	6.0	28	5.9	7	6.4	10	3.0	637	2.4	5	1.8 0.0
Native American	1	0.2	1	0.2	0	0.0	0	0.0	48	0.2	0	0.0
Multiracial	11	1.9	9	1.9	2	1.8	4	1.2	48	0.2	2	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	155	0.6	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	17	2.9	15	3.1	2	1.8	5	1.5	58	0.2	0	0.0
20-29	213	36.3	192	40.2	21	19.3	67	20.1	1,668	6.4	4	1.5 3.3
30-39	160	27.3	134	28.0	26	23.9	76	22.8	3,662	14.0	9	3.3
40-49	124	21.1	86	18.0	38	34.9	94	28.2	7,479	28.6	46	16.9
50-59	55	9.4	40	8.4	15	13.8	67	20.1	8,214	31.4	81	29.8
60+	18	3.1	11	2.3	7	6.4	24	7.2	5,030	19.3	132	48.5
AREA-BASED POVERTY LEVEL										_		
Low poverty (<10% below FPL)	115	19.6	93	19.5	22	20.2	66	19.8	7,480	28.6	51	18.8
Medium poverty (10 to <20% below FPL)	163	27.8	135	28.2	28	25.7	87	26.1	6,710	25.7	55	20.2
High poverty (20 to <30% below FPL)	215	36.6	174	36.4	41	37.6	118	35.4	7,428	28.4	83	30.5
Very high poverty (≥30% below FPL)	89	15.2	71	14.9	18	16.5	59	17.7	3,852	14.7	83	30.5
Area-based poverty level not available	5	0.9	5	1.0	0	0.0	3	0.9	655	2.5	0	0.0
TRANSMISSION RISK						_		_		_		
Men who have sex with men (MSM)	485	82.6	403	84.3	82	75.2	231	69.4	17,301	66.2	111	40.8
Injection drug use history (IDÙ)	6	1.0	2	0.4	4	3.7	23	6.9	2,376	9.1	69	25.4
MSM-IDU	16	2.7	16	3.3	0	0.0	9	2.7	870	3.3	14	5.1
Heterosexual contact	19	3.2	13	2.7	6	5.5	17	5.1	1,005	3.8	14	5.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	176	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	2	0.7
Unknown	61	10.4	44	9.2	17	15.6	53	15.9	4,380	16.8	62	22.8

Table 1.5.6. Manhattan, females (includes transgender women)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSI	ES, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di	agnoses %	Withou N		Concurrent wit dia N	th AIDS agnoses %	N	%	N	%	N	%
TOTAL	104	100.0	76	73.1	28	26.9	79	100.0	5,275	100.0	83	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	45 45 11 0 0 3 0	43.3 43.3 10.6 0.0 0.0 2.9 0.0	30 33 10 0 0 3	39.5 43.4 13.2 0.0 0.0 3.9 0.0	15 12 1 0 0 0	53.6 42.9 3.6 0.0 0.0 0.0	46 29 3 0 0 1	58.2 36.7 3.8 0.0 0.0 1.3 0.0	2,881 1,743 540 70 10 13	54.6 33.0 10.2 1.3 0.2 0.2 0.3	41 27 14 0 1 0	49.4 32.5 16.9 0.0 1.2 0.0
AGE GROUP (YEARS)										_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 5 24 23 22 18 12	0.0 4.8 23.1 22.1 21.2 17.3 11.5	0 4 22 20 15 9 6	0.0 5.3 28.9 26.3 19.7 11.8 7.9	0 1 2 3 7 9 6	0.0 3.6 7.1 10.7 25.0 32.1 21.4	0 3 6 15 20 23 12	0.0 3.8 7.6 19.0 25.3 29.1 15.2	12 69 369 632 1,451 1,758 984	0.2 1.3 7.0 12.0 27.5 33.3 18.7	0 0 0 3 20 30 30	0.0 0.0 0.0 3.6 24.1 36.1 36.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	11 17 44 30	10.6 16.3 42.3 28.8	7 14 29 24	9.2 18.4 38.2 31.6	4 3 15 6	14.3 10.7 53.6 21.4	7 9 39 24	8.9 11.4 49.4 30.4	594 816 2,115 1,637	11.3 15.5 40.1 31.0	6 7 29 40	7.2 8.4 34.9 48.2
Area-based poverty level not available	2	1.9	2	2.6	0	0.0	0	0.0	113	2.1	1	1.2
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	5 72 10 0 0	4.8 69.2 9.6 0.0 0.0 16.3	4 52 9 0 0	5.3 68.4 11.8 0.0 0.0 14.5	1 20 1 0 0	3.6 71.4 3.6 0.0 0.0 21.4	10 49 3 4 0	12.7 62.0 3.8 5.1 0.0 16.5	1,076 2,430 209 196 15 1,349	20.4 46.1 4.0 3.7 0.3 25.6	26 38 3 0 2	31.3 45.8 3.6 0.0 2.4 16.9

Table 1.5.7. Queens, males (includes transgender men)

		HIV	DIAGNO	SES, 20	<b>13</b> Concurrent w	ith AIDS	AIDS DIAGNOS	ES, 2013	PLWHA A 12/31/20		DEATHS	5, 2013
	Total HIV di		Withou			iagnoses						
TOTAL	N 389	100.0	N 295	% 75.8	N 94	% 24.2	N <b>218</b>	% 	N 12,446	100.0	N <b>112</b>	% 100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	94 193 51 45 2 4 0	24.2 49.6 13.1 11.6 0.5 1.0 0.0	71 149 39 30 2 4 0	24.1 50.5 13.2 10.2 0.7 1.4 0.0	23 44 12 15 0 0	24.5 46.8 12.8 16.0 0.0 0.0	79 97 22 20 0 0	36.2 44.5 10.1 9.2 0.0 0.0	4,279 5,158 2,318 599 48 18 26	34.4 41.4 18.6 4.8 0.4 0.1	43 36 28 5 0 0	38.4 32.1 25.0 4.5 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59	0 8 170 97 63 38 13	0.0 2.1 43.7 24.9 16.2 9.8 3.3	0 8 142 72 40 26 7	0.0 2.7 48.1 24.4 13.6 8.8 2.4	0 0 28 25 23 12 6	0.0 0.0 29.8 26.6 24.5 12.8 6.4	0 0 50 62 59 31 16	0.0 0.0 22.9 28.4 27.1 14.2 7.3	15 59 1,083 1,999 3,644 3,856 1,790	0.1 0.5 8.7 16.1 29.3 31.0 14.4	0 0 4 5 23 41 39	0.0 0.0 3.6 4.5 20.5 36.6 34.8
AREA-BASED POVERTY LEVEL		0.5	07		40	40.0	0.7	40.4	4.040	40.0	10	47.0
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	37 261 91 0	9.5 67.1 23.4 0.0 0.0	27 202 66 0	9.2 68.5 22.4 0.0 0.0	10 59 25 0	10.6 62.8 26.6 0.0	27 142 49 0 0	12.4 65.1 22.5 0.0 0.0	1,619 8,226 2,460 0 141	13.0 66.1 19.8 0.0 1.1	19 70 23 0 0	17.0 62.5 20.5 0.0 0.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	301 1 4 26 0 0 0 57	77.4 0.3 1.0 6.7 0.0 0.0 0.0 14.7	240 1 4 12 0 0 0 38	81.4 0.3 1.4 4.1 0.0 0.0 0.0 12.9	61 0 0 14 0 0 0	64.9 0.0 0.0 14.9 0.0 0.0 20.2	130 5 1 34 0 2 0 46	59.6 2.3 0.5 15.6 0.0 0.9 0.0 21.1	6,252 1,609 387 1,153 0 183 22 2,840	50.2 12.9 3.1 9.3 0.0 1.5 0.2 22.8	32 20 5 16 0 1 0 38	28.6 17.9 4.5 14.3 0.0 0.9 0.0 33.9

Table 1.5.8. Queens, females (includes transgender women)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSI	ES, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di	agnoses %	Withou N		Concurrent with diag N	h AIDS gnoses %	N	%	N	%	N	%
TOTAL	68	100.0	54	79.4	14	20.6	63	100.0	4,869	100.0	47	100.0
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	30 23 8 6 0 1	44.1 33.8 11.8 8.8 0.0 1.5 0.0	23 19 6 5 0 1	42.6 35.2 11.1 9.3 0.0 1.9 0.0	7 4 2 1 0 0	50.0 28.6 14.3 7.1 0.0 0.0	33 21 6 3 0 0	52.4 33.3 9.5 4.8 0.0 0.0	2,773 1,458 438 161 13 12 14	57.0 29.9 9.0 3.3 0.3 0.2 0.3	23 14 7 3 0 0	48.9 29.8 14.9 6.4 0.0 0.0
AGE GROUP (YEARS)						_				_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 6 11 15 20 9 7	0.0 8.8 16.2 22.1 29.4 13.2 10.3	0 6 11 13 14 6 4	0.0 11.1 20.4 24.1 25.9 11.1 7.4	0 0 2 6 3 3	0.0 0.0 0.0 14.3 42.9 21.4 21.4	0 1 7 13 21 13 8	0.0 1.6 11.1 20.6 33.3 20.6 12.7	11 55 323 703 1,495 1,571 711	0.2 1.1 6.6 14.4 30.7 32.3 14.6	0 0 1 4 7 20 15	0.0 0.0 2.1 8.5 14.9 42.6 31.9
AREA-BASED POVERTY LEVEL										_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL)	10 40 18 0	14.7 58.8 26.5 0.0	8 31 15 0	14.8 57.4 27.8 0.0	2 9 3 0	14.3 64.3 21.4 0.0	8 38 16 0	12.7 60.3 25.4 0.0	863 2,881 1,054 0	17.7 59.2 21.6 0.0	6 27 14 0	12.8 57.4 29.8 0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	1.6	71	1.5	0	0.0
TRANSMISSION RISK Injection drug use history (IDU) Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	4 51 9 0 0 4	5.9 75.0 13.2 0.0 0.0 5.9	3 40 7 0 0 4	5.6 74.1 13.0 0.0 0.0 7.4	1 11 2 0 0	7.1 78.6 14.3 0.0 0.0 0.0	6 46 4 1 0 6	9.5 73.0 6.3 1.6 0.0 9.5	769 2,740 144 163 20 1,033	15.8 56.3 3.0 3.3 0.4 21.2	14 22 0 1 1 9	29.8 46.8 0.0 2.1 2.1 19.1

Table 1.5.9. Staten Island, males (includes transgender men)

		HIV	DIAGNO	SES, 20	)13	AIDS DIAGN	OSES, 2013	PLWHA / 12/31/2		DEATHS,	2013
	Total HIV di	%	Withou N	t AIDS %	Concurrent with AIL diagnos N	es % N	%	N	%	N	%
TOTAL	41	100.0	35	85.4	6 14	1.6	100.0	1,424	100.0	38	100.0
RACE/ETHNICITY						_					
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	12 17 10 1	29.3 41.5 24.4 2.4 2.4	11 15 8 0 1	31.4 42.9 22.9 0.0 2.9	1 16 2 33 2 33 1 16 0 (	3.3 4 3.3 7	25.0 25.0 43.8 6.3 0.0	491 415 482 20 16	34.5 29.1 33.8 1.4 1.1	7 17 14 0 0	18.4 44.7 36.8 0.0 0.0
AGE GROUP (YEARS)											
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 4 15 10 6 2 4	0.0 9.8 36.6 24.4 14.6 4.9 9.8	0 4 14 8 4 2 3	0.0 11.4 40.0 22.9 11.4 5.7 8.6	0 ( 1 16 2 33 2 33 0 (	3.3	0.0 6.3 12.5 18.8 31.3 12.5 18.8	1 15 98 173 370 522 245	0.1 1.1 6.9 12.1 26.0 36.7 17.2	0 0 2 2 8 10 16	0.0 0.0 5.3 5.3 21.1 26.3 42.1
AREA-BASED POVERTY LEVEL						_			_		
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	6 13 21	14.6 31.7 51.2	5 11 18	14.3 31.4 51.4	1 16 2 33 3 50	3.3	25.0 37.5 37.5	401 446 560	28.2 31.3 39.3	11 16 11	28.9 42.1 28.9
Very high poverty (≥30% below FPL) Area-based poverty level not available	0	0.0 2.4	0 1	0.0 2.9		0.0 0	0.0 0.0	0 17	0.0 1.2	0 0	0.0 0.0
TRANSMISSION RISK											
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	25 1 1	61.0 2.4 2.4	22 1 1	62.9 2.9 2.9	0 (	).0 ).0 2	37.5 12.5 12.5	554 281 67	38.9 19.7 4.7	7 19 2	18.4 50.0 5.3
Heterosexual contact Transgender people with sexual contact Perinatal Other	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0	0.0 0 0.0 0 0.0 1 0.0 0	0.0 0.0 6.3 0.0	130 0 35 0	9.1 0.0 2.5 0.0	4 0 0 1	10.5 0.0 0.0 2.6
Unknown	14	34.1	11	31.4	3 50	0.0 5	31.3	357	25.1	5	13.2

Table 1.5.10. Staten Island, females (includes transgender women)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV d		Withou	t AIDS		noses						
TOTAL	N 12	% 100.0	N 7	% 58.3	N 5	% 41.7	N <b>10</b>	% 100.0	786	100.0	N <b>23</b>	% 100.0
	.=							100.0				
RACE/ETHNICITY												
Black	5	41.7	3	42.9	2	40.0	5	50.0	364	46.3	10	43.5
Latino/Hispanic	4	33.3	3	42.9	1	20.0	1	10.0	232	29.5	10	43.5
White Asian/Pacific Islander	3	25.0	1	14.3	2	40.0	4	40.0	182	23.2	3	13.0
Other/Unknown	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	3 5	0.4 0.6	0 0	0.0 0.0
Other/Otherlown	U	0.0	U	0.0	U	0.0	U	0.0	3	0.0	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	2	16.7	2	28.6	0	0.0	0	0.0	13	1.7	0	0.0
20-29	2	16.7	2	28.6	0	0.0	1	10.0	46	5.9	1	4.3
30-39	4	33.3	2	28.6	2	40.0	3	30.0	104	13.2	0	0.0
40-49 50-59	3	25.0 8.3	0	14.3 0.0	2	40.0 20.0	3	30.0 30.0	232 286	29.5 36.4	10 6	43.5 26.1
60+	0	0.0	0	0.0	0	0.0	ა 0	0.0	102	13.0	6	26.1
1	O .	0.0	U	0.0	0	0.0	O	0.0	102	13.0	U	20.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	16.7	1	14.3	1	20.0	2	20.0	194	24.7	3	13.0
Medium poverty (10 to <20% below FPL)	6	50.0	3	42.9	3	60.0	5	50.0	296	37.7	16	69.6
High poverty (20 to <30% below FPL)	4	33.3	3	42.9	1	20.0	3	30.0	294	37.4	4	17.4
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
TRANSMISSION RISK								_				
Injection drug use history (IDU)	2	16.7	1	14.3	1	20.0	2	20.0	145	18.4	8	34.8
Heterosexual contact	5	41.7	4	57.1	1	20.0	3	30.0	425	54.1	8	34.8
Transgender people with sexual contact	ő	0.0	Ö	0.0	Ó	0.0	Õ	0.0	16	2.0	ő	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Unknown	5	41.7	2	28.6	3	60.0	5	50.0	161	20.5	7	30.4

Table 1.6.1. Men who have sex with men (MSM)

		HIV	DIAGNOS	ES, 201	3		AIDS DIAGNOS	ES, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV dia	agnoses %	Withou N		Concurrent w dia N	agnoses %	N	%	N	%	N	%
TOTAL	1,708	100.0	1,429	83.7	279	16.3	870	100.0	46,390	100.0	386	100.0
RACE/ETHNICITY		_	_	_		_		_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	559 619 415 84 4 27 0	32.7 36.2 24.3 4.9 0.2 1.6 0.0	461 513 358 66 4 27 0	32.3 35.9 25.1 4.6 0.3 1.9 0.0	98 106 57 18 0 0	35.1 38.0 20.4 6.5 0.0 0.0	376 275 184 29 2 4	43.2 31.6 21.1 3.3 0.2 0.5 0.0	14,276 13,543 17,093 1,201 110 134 33	30.8 29.2 36.8 2.6 0.2 0.3 0.1	147 94 141 4 0 0	38.1 24.4 36.5 1.0 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 79 813 417 266 100 33	0.0 4.6 47.6 24.4 15.6 5.9 1.9	0 73 716 343 198 73 26	0.0 5.1 50.1 24.0 13.9 5.1 1.8	0 6 97 74 68 27 7	0.0 2.2 34.8 26.5 24.4 9.7 2.5	0 16 288 234 204 104 24	0.0 1.8 33.1 26.9 23.4 12.0 2.8	0 147 6,321 9,503 13,708 11,381 5,330	0.0 0.3 13.6 20.5 29.5 24.5 11.5	0 20 31 96 138 101	0.0 0.0 5.2 8.0 24.9 35.8 26.2
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	224 374 485 301 25 256 43	13.1 21.9 28.4 17.6 1.5 15.0 2.5	184 317 403 240 22 220 43	12.9 22.2 28.2 16.8 1.5 15.4 3.0	40 57 82 61 3 36 0	14.3 20.4 29.4 21.9 1.1 12.9 0.0	129 172 231 130 6 184	14.8 19.8 26.6 14.9 0.7 21.1 2.1	5,749 8,769 17,301 6,252 554 6,543 1,222	12.4 18.9 37.3 13.5 1.2 14.1 2.6	67 72 111 32 7 19 78	17.4 18.7 28.8 8.3 1.8 4.9 20.2
AREA-BASED POVERTY LEVEL								_				
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	154 505 378	9.0 29.6 22.1	128 416 319	9.0 29.1 22.3	26 89 59	9.3 31.9 21.1	72 230 162	8.3 26.4 18.6	7,206 13,153 9,123	15.5 28.4 19.7	48 80 57	12.4 20.7 14.8
Very high poverty (≥30% below FPL)	366	21.4	297	20.8	69	24.7	202	23.2	8,739	18.8	103	26.7
Area-based poverty level not available	305	17.9	269	18.8	36	12.9	204	23.4	8,169	17.6	98	25.4

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.6.2. Injection drug use history (IDU), males (includes transgender men)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	S, 2013	PLWHA A 12/31/20		DEATHS	3, 2013
					Concurrent with A							
	Total HIV dia	agnoses %	Withou N	t AIDS %	diagno N	ses	N	%	N	0/	N	%
TOTAL	33	100.0	24	72.7		27.3	91	100.0	11,122	100.0	375	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	6 17 6 4 0	18.2 51.5 18.2 12.1 0.0 0.0	3 14 4 3 0	12.5 58.3 16.7 12.5 0.0	3 2 1 0	33.3 33.3 22.2 11.1 0.0 0.0	29 51 9 1 1	31.9 56.0 9.9 1.1 1.1 0.0	4,535 5,229 1,278 49 15	40.8 47.0 11.5 0.4 0.1	158 178 36 1 2	42.1 47.5 9.6 0.3 0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 5 5 15 6 2	0.0 0.0 15.2 15.2 45.5 18.2 6.1	0 0 5 5 9 5	0.0 0.0 20.8 20.8 37.5 20.8 0.0	1	0.0 0.0 0.0 0.0 66.7 11.1 22.2	0 0 2 8 26 34 21	0.0 0.0 2.2 8.8 28.6 37.4 23.1	0 0 39 343 1,816 5,018 3,906	0.0 0.0 0.4 3.1 16.3 45.1 35.1	0 0 1 6 41 168 159	0.0 0.0 0.3 1.6 10.9 44.8 42.4
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	10 9 6 1 1 3 3	30.3 27.3 18.2 3.0 3.0 9.1 9.1	8 7 2 1 1 2 3	33.3 29.2 8.3 4.2 4.2 8.3 12.5	2 4 0 0	22.2 22.2 44.4 0.0 0.0 11.1	29 19 23 5 2 9	31.9 20.9 25.3 5.5 2.2 9.9 4.4	3,421 2,589 2,376 1,609 281 770 76	30.8 23.3 21.4 14.5 2.5 6.9 0.7	121 79 69 20 19 11 56	32.3 21.1 18.4 5.3 5.1 2.9
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	1 5 9 12 6	3.0 15.2 27.3 36.4 18.2	0 3 5 11 5	0.0 12.5 20.8 45.8 20.8	2 4 1	11.1 22.2 44.4 11.1	3 19 18 38 13	3.3 20.9 19.8 41.8 14.3	705 2,915 2,062 4,351 1,089	6.3 26.2 18.5 39.1 9.8	14 57 71 166 67	3.7 15.2 18.9 44.3

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.6.3. Injection drug use history (IDU), females (includes transgender women)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV dia	aannsas	Withou		Concurrent with	AIDS noses						
	N	% agrioses	N	%	N N	710303 %	N	%	N	%	N	%
TOTAL	31	100.0	22	71.0	9	29.0	47	100.0	5,810	100.0	166	100.0
RACE/ETHNICITY				_				_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	13 15 1 0 0 2	41.9 48.4 3.2 0.0 0.0 6.5 0.0	9 11 0 0 0 2	40.9 50.0 0.0 0.0 0.0 9.1 0.0	4 4 1 0 0 0	44.4 44.4 11.1 0.0 0.0 0.0 0.0	19 20 7 1 0 0	40.4 42.6 14.9 2.1 0.0 0.0	2,746 2,371 659 18 4 8	47.3 40.8 11.3 0.3 0.1 0.1	85 68 13 0 0 0	51.2 41.0 7.8 0.0 0.0 0.0
AGE GROUP (YEARS)				0.0		0.0		0.0		011		0.0
13-19 20-29 30-39 40-49 50-59 60+	0 0 8 5 10 6 2	0.0 0.0 25.8 16.1 32.3 19.4 6.5	0 0 8 3 6 4 1	0.0 0.0 36.4 13.6 27.3 18.2 4.5	0 0 0 2 4 2	0.0 0.0 0.0 22.2 44.4 22.2 11.1	0 0 7 16 14	0.0 0.0 0.0 14.9 34.0 29.8 21.3	0 1 58 343 1,515 2,726 1,167	0.0 0.0 1.0 5.9 26.1 46.9 20.1	0 0 1 2 43 73 47	0.0 0.0 0.6 1.2 25.9 44.0 28.3
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	10 9 5 4 2 1	32.3 29.0 16.1 12.9 6.5 3.2 0.0	7 6 4 3 1 1	31.8 27.3 18.2 13.6 4.5 4.5	3 3 1 1 1 0 0	33.3 33.3 11.1 11.1 11.1 0.0 0.0	12 9 10 6 2 7 1	25.5 19.1 21.3 12.8 4.3 14.9 2.1	1,978 1,510 1,076 769 145 303 29	34.0 26.0 18.5 13.2 2.5 5.2 0.5	50 43 26 14 8 4 21	30.1 25.9 15.7 8.4 4.8 2.4 12.7
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	2 4 15 9 1	6.5 12.9 48.4 29.0 3.2	1 4 10 6 1	4.5 18.2 45.5 27.3 4.5	1 0 5 3 0	11.1 0.0 55.6 33.3 0.0	2 7 15 15	4.3 14.9 31.9 31.9 17.0	325 1,406 1,173 2,511 395	5.6 24.2 20.2 43.2 6.8	4 35 28 74 25	2.4 21.1 16.9 44.6 15.1

Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

		HIV	DIAGNO	SES, 20	)13	AIDS	DIAGNOSI	ES, 2013	PLWHA A 12/31/20		DEATHS,	2013
TOTAL	Total HIV di N 65	iagnoses % 100.0	Withou N 60		Concurrent with Al diagno N 5		N 36	% 1 <b>00.</b> 0	N 3,103	% 100.0	N <b>74</b>	% 100.0
IOTAL	65	100.0	60	92.3	3	7.7	30	100.0	3,103	100.0	74	100.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial	17 23 21 4 0	26.2 35.4 32.3 6.2 0.0 0.0	16 21 19 4 0	26.7 35.0 31.7 6.7 0.0 0.0	2 4 2 4 0 0	20.0 40.0 40.0 0.0 0.0 0.0	11 14 11 0 0	30.6 38.9 30.6 0.0 0.0	1,117 1,215 716 38 10 7	36.0 39.2 23.1 1.2 0.3 0.2	26 33 15 0 0	35.1 44.6 20.3 0.0 0.0
AGE GROUP (YEARS)						_						
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 3 29 17 14 2 0	0.0 4.6 44.6 26.2 21.5 3.1 0.0	0 3 29 17 10 1	0.0 5.0 48.3 28.3 16.7 1.7 0.0	0 0 0 4 8 1 2	0.0 0.0 0.0 0.0 30.0 20.0	0 1 10 9 9 5 2	0.0 2.8 27.8 25.0 25.0 13.9 5.6	0 4 238 489 898 1,007 467	0.0 0.1 7.7 15.8 28.9 32.5 15.0	0 0 1 7 19 31 16	0.0 0.0 1.4 9.5 25.7 41.9 21.6
BOROUGH OF RESIDENCE												
Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	15 11 16 4 1 16 2	23.1 16.9 24.6 6.2 1.5 24.6 3.1	14 9 16 4 1 14 2	23.3 15.0 26.7 6.7 1.7 23.3 3.3	2 4 0 0 0 0 2 4	20.0 40.0 0.0 0.0 0.0 40.0	2 10 9 1 2 12 0	5.6 27.8 25.0 2.8 5.6 33.3 0.0	729 624 870 387 67 377 49	23.5 20.1 28.0 12.5 2.2 12.1 1.6	18 19 14 5 2 2	24.3 25.7 18.9 6.8 2.7 2.7 18.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL)	4 14 13	6.2 21.5 20.0	4 11 13	6.7 18.3 21.7	3 6	0.0 60.0 0.0	6 6 6	16.7 16.7 16.7	279 833 607	9.0 26.8 19.6	2 16 11	2.7 21.6 14.9
Very high poverty (≥30% below FPL) Area-based poverty level not available	16 18	24.6 27.7	16 16	26.7 26.7		0.0 40.0	6 12	16.7 33.3	937 447	30.2 14.4	29 16	39.2 21.6

Table 1.6.5. Heterosexual contact, males

		HIV	DIAGNO	SES, 20	013 Concurrent with	a AIDS	AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV di N	iagnoses %	Withou N			gnoses %	N	%	N	%	N	%
TOTAL	121	100.0	77	63.6	44	36.4	125	100.0	6,098	100.0	118	100.0
  RACE/ETHNICITY								_		_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	59 46 8 5 1 2	48.8 38.0 6.6 4.1 0.8 1.7 0.0	38 32 4 1 1 1 0	49.4 41.6 5.2 1.3 1.3 0.0	21 14 4 4 0 1	47.7 31.8 9.1 9.1 0.0 2.3 0.0	67 44 8 5 0 1	53.6 35.2 6.4 4.0 0.0 0.8 0.0	3,331 2,055 512 176 17 2	54.6 33.7 8.4 2.9 0.3 0.0 0.1	55 48 13 1 0 1	46.6 40.7 11.0 0.8 0.0 0.8 0.0
AGE GROUP (YEARS) 0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 19 30 37 22 12	0.0 0.8 15.7 24.8 30.6 18.2 9.9	0 1 13 21 22 15 5	0.0 1.3 16.9 27.3 28.6 19.5 6.5	0 0 6 9 15 7	0.0 0.0 13.6 20.5 34.1 15.9	0 0 19 22 41 27 16	0.0 0.0 15.2 17.6 32.8 21.6 12.8	0 4 153 615 1,947 2,273 1,106	0.0 0.1 2.5 10.1 31.9 37.3 18.1	0 0 2 5 37 33 41	0.0 0.0 1.7 4.2 31.4 28.0 34.7
BOROUGH OF RESIDENCE Bronx Brooklyn Manhattan Queens Staten Island Outside NYC Unknown	27 36 19 26 0 13	22.3 29.8 15.7 21.5 0.0 10.7 0.0	20 23 13 12 0 9	26.0 29.9 16.9 15.6 0.0 11.7	7 13 6 14 0 4 0	15.9 29.5 13.6 31.8 0.0 9.1 0.0	28 29 17 34 0 17	22.4 23.2 13.6 27.2 0.0 13.6 0.0	1,612 1,617 1,005 1,153 130 516 65	26.4 26.5 16.5 18.9 2.1 8.5	34 33 14 16 4 6	28.8 28.0 11.9 13.6 3.4 5.1 9.3
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL) Medium poverty (10 to <20% below FPL) High poverty (20 to <30% below FPL) Very high poverty (≥30% below FPL) Area-based poverty level not available	6 31 29 42 13	5.0 25.6 24.0 34.7 10.7	3 19 16 30 9	3.9 24.7 20.8 39.0 11.7	3 12 13 12 4	6.8 27.3 29.5 27.3 9.1	8 29 39 32 17	6.4 23.2 31.2 25.6 13.6	406 1,659 1,315 2,099 619	6.7 27.2 21.6 34.4 10.2	3 28 20 50 17	2.5 23.7 16.9 42.4 14.4

Table 1.6.6. Heterosexual contact, females

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	ES, 2013	PLWHA AS 12/31/20		DEATHS	, 2013
				C	oncurrent w	ith AIDS		_	12/01/20			
	Total HIV dia	agnoses	Withou			iagnoses		_				
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	426	100.0	332	77.9	94	22.1	320	100.0	17,983	100.0	222	100.0
RACE/ETHNICITY						_				_		
Black	244	57.3	194	58.4	50	53.2	191	59.7	10,672	59.3	129	58.1
Latino/Hispanic	137	32.2	103	31.0	34	36.2	107	33.4	5,809	32.3	65	29.3
White	30	7.0	24	7.2	6	6.4	10	3.1	1,166	6.5	21	9.5
Asian/Pacific Islander	7	1.6	5	1.5	2	2.1	6	1.9	244	1.4	6	2.7
Native American	1	0.2	1	0.3	0	0.0	2	0.6	50	0.3	1	0.5
Multiracial	7	1.6	5	1.5	2	2.1	4	1.3	32	0.2	0	0.5 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	24	5.6	23	6.9	1	1.1	4	1.3	53	0.3	0	0.0
20-29	94	22.1	81	24.4	13	13.8	44	13.8	1,139	6.3	4	1.8
30-39	103	24.2	85	25.6	18	19.1	81	25.3	3,115	17.3	22	9.9
40-49	104	24.4	79	23.8	25	26.6	97	30.3	5,580	31.0	59 74	26.6
50-59	63	14.8	43	13.0	20	21.3	66	20.6	5,538	30.8	74	33.3
60+	38	8.9	21	6.3	17	18.1	28	8.8	2,558	14.2	63	28.4
BOROUGH OF RESIDENCE	_	_	_	_	_			_				
Bronx	140	32.9	113	34.0	27	28.7	98	30.6	5,475	30.4	63	28.4
Brooklyn	122	28.6	91	27.4	31	33.0	89	27.8	5,368	29.9	55	24.8
Manhattan	72	16.9	52	15.7	20	21.3	49	15.3	2,430	13.5	38	17.1
Queens	51	12.0	40	12.0	11	11.7	46	14.4	2,740	15.2	38 22	9.9 3.6
Staten Island	5	1.2	4	1.2	1	1.1	3	0.9	425	2.4	8	3.6
Outside NYC	29	6.8	26	7.8	3	3.2	25	7.8	1,152	6.4	8	3.6
Unknown	7	1.6	6	1.8	1	1.1	10	3.1	393	2.2	28	12.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	24	5.6	18	5.4	6	6.4	18	5.6	1,157	6.4	10	4.5
Medium poverty (10 to <20% below FPL)	108	25.4	81	24.4	27	28.7	80	25.0	4,616	25.7	39	17.6
High poverty (20 to <30% below FPL)	93	21.8	67	20.2	26	27.7	72	22.5	3,804	21.2	47	21.2
Very high poverty (≥30% below FPL)	165	38.7	134	40.4	31	33.0	114	35.6	6,775	37.7	90	40.5
Area-based poverty level not available	36	8.5	32	9.6	4	4.3	36	11.3	1,631	9.1	36	16.2
Mica-nascu poveity level flut available	30	0.3	32	9.0	4	4.3	30	11.3	1,031	9.1	30	10.2

Table 1.6.7. Transgender people with sexual contact

		HIV	DIAGNO	OSES, 201	3		AIDS DIAGNOS	ES, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
					oncurrent wi			_				
	Total HIV dia	agnoses %	Witho N	out AIDS %	dia N	agnoses %	N	%	N	%	N	%
TOTAL	49	100.0	45	91.8	4	8.2	26	100.0	1,013	100.0	12	100.0
GENDER								_				
Male	0	0.0	0	0.0	0	0.0	0	0.0	10	1.0	0	0.0
Female	49	100.0	45	100.0	4	100.0	26	100.0	1,003	99.0	12	100.0
RACE/ETHNICITY								_		_		
Black	25	51.0	24	53.3	1	25.0	13	50.0	506	50.0	1	8.3
Latino/Hispanic White	17 4	34.7 8.2	14 4	31.1 8.9	3	75.0 0.0	10	38.5 3.8	399 70	39.4 6.9	9 2	75.0 16.7
Asian/Pacific Islander	1	2.0	1	2.2	0	0.0	1	3.8	23	2.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Multiracial	2	4.1	2	4.4	0	0.0	1	3.8	10	1.0	0	0.0
AGE GROUP (YEARS)												
0-12 13-19	0 5	0.0 10.2	0 4	0.0 8.9	0	0.0 25.0	0	0.0 3.8	0 14	0.0 1.4	0 0	0.0 0.0
20-29	27	55.1	27	60.0	0	0.0	14	53.8	324	32.0	1	8.3
30-39	10	20.4	9	20.0	1	25.0	7	26.9	340	33.6	2	16.7
40-49	6	12.2	4	8.9	2	50.0	2	7.7	222	21.9	6	50.0
50-59 60+	1 0	2.0 0.0	1	2.2 0.0	0	0.0	0 2	0.0 7.7	92 21	9.1 2.1	2 1	16.7 8.3
	U	0.0	U	0.0	U	0.0	2	1.1	21	2.1	Ī	0.3
BOROUGH OF RESIDENCE Bronx	0	16.3	0	17.8	0	0.0	4	3.8	236	23.3	4	33.3
Brooklyn	8 9	18.4	8 8	17.8	0	25.0	9	34.6	230	23.3	4 3	25.0
Manhattan	10	20.4	9	20.0	i	25.0	3	11.5	211	20.8	3	25.0
Queens	9	18.4	7	15.6	2	50.0	4	15.4	144	14.2	0	0.0
Staten Island Outside NYC	0 5	0.0 10.2	0 5	0.0 11.1	0	0.0	0 8	0.0 30.8	16 119	1.6 11.7	0	0.0 8.3
Unknown	8	16.3	3 8	17.8	0	0.0	0 1	30.6	55	5.4	1	6.3 8.3
		. 0.0			, in the second	0.0	·	0.0		0	·	0.0
AREA-BASED POVERTY LEVEL Low poverty (<10% below FPL)	4	8.2	3	6.7	1	25.0	0	0.0	53	5.2	1	8.3
Medium poverty (10 to <20% below FPL)	10	20.4	8	17.8	2	50.0	6	23.1	263	26.0	0	0.0
High poverty (20 to <30% below FPL)	11	22.4	10	22.2	1	25.0	4	15.4	209	20.6	2	16.7
Very high poverty (≥30% below FPL)	9	18.4	9	20.0	0	0.0	7	26.9	306	30.2	7	58.3
Area-based poverty level not available	15	30.6	15	33.3	0	0.0	9	34.6	182	18.0	2	16.7

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

		HIV	DIAGNO	OSES, 201			AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV o	diagnoses %	Witho	out AIDS %	Concurrent with diagr N		N	%	N	%	N	%
TOTAL	13	100.0	8	61.5	5	38.5	10	100.0	658	100.0	2	100.0
GENDER								_				
Male	11	84.6	8	100.0	3	60.0	7	70.0	434	66.0	1	50.0
Female	2	15.4	0	0.0	2	40.0	3	30.0	224	34.0	1	50.0
RACE/ETHNICITY												
Black	5	38.5	5	62.5	0	0.0	1	10.0	225	34.2	0	0.0
Latino/Hispanic	4	30.8	2	25.0	2	40.0	6	60.0	300	45.6	1	50.0
White	4	30.8	1	12.5	3	60.0	3	30.0	122	18.5	1	50.0
Asian/Pacific Islander Native American	0	0.0 0.0	0	0.0 0.0	0	0.0	0	0.0 0.0	7 0	1.1 0.0	0 0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	Ö	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0 0.0
20-29 30-39	2 2	15.4 15.4	2	25.0 12.5	0	0.0	2	20.0 10.0	43 70	6.5 10.6	0	0.0
30-39 40-49	5	38.5	4	12.5 50.0	1	20.0	2	20.0	70 171	26.0	1	50.0
50-59	3	23.1	1	12.5	2	40.0	3	30.0	214	32.5	1	50.0
60+	1	7.7	Ö	0.0	1	20.0	2	20.0	153	23.3	Ö	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	61.5	5	62.5	3	60.0	7	70.0	215	32.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	112	17.0	0	0.0
MSM-IDU Heterosexual contact	0 3	0.0 23.1	0	0.0 12.5	0 2	0.0	0	0.0 30.0	9 144	1.4 21.9	0	0.0 50.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	ა ი	0.0	144	0.5	1	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	15.4	2	25.0	ő	0.0	Ŏ	0.0	160	24.3	1	50.0

Table 1.7.2. Northeast Bronx (Bronx)

		HIV	DIAGNO	SES, 20	)13	Al	IDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV d	iagnoses %	Withou N		Concurrent with AI diagnos N		N	%	N	%	N	%
TOTAL	52	100.0	39	75.0		25.0	50	100.0	2,479	100.0	30	100.0
GENDER						-		_				
Male	31	59.6	23	59.0		31.5	29	58.0	1,347	54.3	20	66.7
Female	21	40.4	16	41.0	5 3	38.5	21	42.0	1,132	45.7	10	33.3
RACE/ETHNICITY												
Black	32	61.5	23	59.0		89.2	35	70.0	1,569	63.3	17	56.7
Latino/Hispanic White	15 2	28.8 3.8	13	33.3 2.6		15.4 7.7	10	20.0 6.0	746 126	30.1 5.1	13 0	43.3 0.0
Asian/Pacific Islander	1	1.9	1	2.6		0.0	1	2.0	20	0.8	0	0.0
Native American	Ö	0.0	Ö	0.0		0.0	0	0.0	8	0.3	Ö	0.0 0.0
Multiracial	2	3.8	1	2.6		7.7	1	2.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0		0.0	0	0.0	9	0.4	0	0.0
13-19 20-29	2 18	3.8 34.6	2 17	5.1 43.6		0.0	0 9	0.0 18.0	41 242	1.7 9.8	0 2	0.0 6.7
30-39	11	21.2	10	25.6		7.7	8	16.0	367	14.8	4	13.3
40-49	9	17.3	8	20.5		7.7	14	28.0	691	27.9	7	13.3 23.3 33.3 23.3
50-59	8	15.4	2	5.1		16.2	12	24.0	754	30.4	10 7	33.3
60+	4	7.7	0	0.0	4 3	30.8	7	14.0	375	15.1	/	23.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	34.6	16	41.0		15.4	14	28.0	498	20.1	7	23.3
Injection drug use history (IDU) MSM-IDU	2	3.8 1.9	0	0.0 2.6		0.0	4	8.0 2.0	346 59	14.0 2.4	9 0	30.0 0.0
Heterosexual contact	19	36.5	15	38.5		30.8	17	34.0	758	30.6	6	20.0
Transgender people with sexual contact	2	3.8	2	5.1	0	0.0	0	0.0	16	0.6	Ö	0.0
Perinatal	0	0.0	0	0.0		0.0	1	2.0	95	3.8	0	0.0
Other	0	0.0 19.2	0 5	0.0		0.0	0	0.0	3	0.1	1	0.0 0.0 3.3 23.3
Unknown	10	19.2	5	12.8	5 3	38.5	13	26.0	704	28.4		23.3

Table 1.7.3. Fordham - Bronx Park (Bronx)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV di N	agnoses %	Withou N		Concurrent with A diagno N		N	%	N	%	N	%
TOTAL	106	100.0	88	83.0		17.0	77	100.0	5,136	100.0	80	100.0
GENDER								_				
Male Female	64 42	60.4 39.6	56 32	63.6 36.4		44.4 55.6	46 31	59.7 40.3	3,267 1,869	63.6 36.4	55 25	68.8 31.3
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	46 54 1 3 0 2	43.4 50.9 0.9 2.8 0.0 1.9 0.0	37 46 1 2 0 2	42.0 52.3 1.1 2.3 0.0 2.3 0.0		50.0 44.4 0.0 5.6 0.0 0.0	37 39 0 1 0 0	48.1 50.6 0.0 1.3 0.0 0.0	2,240 2,613 235 28 13 4	43.6 50.9 4.6 0.5 0.3 0.1	33 42 4 1 0 0	41.3 52.5 5.0 1.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 42 27 21 9 6	0.0 0.9 39.6 25.5 19.8 8.5 5.7	0 1 38 22 15 8 4	0.0 1.1 43.2 25.0 17.0 9.1 4.5	5 6 1	0.0 0.0 22.2 27.8 33.3 5.6 11.1	0 1 16 20 23 11 6	0.0 1.3 20.8 26.0 29.9 14.3 7.8	7 45 477 767 1,515 1,584 741	0.1 0.9 9.3 14.9 29.5 30.8 14.4	0 0 3 5 13 39 20	0.0 0.0 3.8 6.3 16.3 48.8 25.0
TRANSMISSION RISK						_						
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	45 5 3 36 2 0 0	42.5 4.7 2.8 34.0 1.9 0.0 0.0 14.2	40 5 3 26 2 0 0	45.5 5.7 3.4 29.5 2.3 0.0 0.0 13.6	0 0 10 0 0	27.8 0.0 0.0 55.6 0.0 0.0 0.0 16.7	24 5 0 31 0 1 0	31.2 6.5 0.0 40.3 0.0 1.3 0.0 20.8	1,299 960 152 1,250 58 127 4 1,286	25.3 18.7 3.0 24.3 1.1 2.5 0.1 25.0	14 27 2 11 1 1 0 24	17.5 33.8 2.5 13.8 1.3 1.3 0.0 30.0

Table 1.7.4. Pelham - Throgs Neck (Bronx)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV di	iaanosas	Withou		Concurrent with	h AIDS gnoses		_				
	N	agrioses %	Ν	%	N	%	N	%	N	%	N	%
TOTAL	83	100.0	66	79.5	17	20.5	62	100.0	4,231	100.0	53	100.0
GENDER						_				_		
Male Female	63 20	75.9 24.1	51 15	77.3 22.7	12 5	70.6 29.4	46 16	74.2 25.8	2,579 1,652	61.0 39.0	40 13	75.5 24.5
	20	24.1	15	22.1	5	29.4	10	25.6	1,052	39.0	13	24.5
RACE/ETHNICITY Black	20	20.0	27	40.0	6	25.0	20	40.4	1 602	40.0	10	24.5
Latino/Hispanic	33 43	39.8 51.8	27 33	40.9 50.0	6 10	35.3 58.8	30 31	48.4 50.0	1,693 2,208	40.0 52.2	13 36	24.5 67.9
White	3	3.6	3	4.5	0	0.0	0	0.0	286	6.8	3	5.7
Asian/Pacific Islander Other/Unknown	3 1	3.6 1.2	2 1	3.0 1.5	1 0	5.9 0.0	1 0	1.6 0.0	30 14	0.7 0.3	0 1	67.9 5.7 0.0 1.9
AGE GROUP (VEARS)												
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	37	0.9	Ŏ	0.0
20-29 30-39	42 10	50.6 12.0	36 8	54.5 12.1	6 2	35.3 11.8	17 11	27.4 17.7	381 554	9.0 13.1	1 2	1.9
40-49	18	21.7	14	21.2	4	23.5	17	27.4	1,193	28.2	10	18.9
50-59 60+	11 2	13.3 2.4	6	9.1 3.0	5 0	29.4	16	25.8 1.6	1,414 645	33.4 15.2	24 16	0.0 1.9 3.8 18.9 45.3 30.2
00+	2	2.4	2	3.0	U	0.0		1.0	040	15.2	10	30.2
TRANSMISSION RISK	- 10	40.0	0.5	50.0		00.4	40	20.0	050	00.7	_	40.0
Men who have sex with men (MSM) Injection drug use history (IDU)	40 2	48.2 2.4	35 1	53.0 1.5	5 1	29.4 5.9	18 4	29.0 6.5	959 794	22.7 18.8	7 20	13.2 37.7
MSM-IDU	3	3.6	2	3.0	1	5.9	_1	1.6	103	2.4	1	1.9
Heterosexual contact Transgender people with sexual contact	21	25.3 1.2	16 1	24.2 1.5	5 0	29.4	20	32.3 0.0	1,101 25	26.0 0.6	12 0	22.6 0.0 0.0 3.8
Perinatal	0	0.0	Ó	0.0	0	0.0	1	1.6	166	3.9	Ö	0.0
Other	0 16	0.0	0	0.0	0 5	0.0	0 18	0.0	14	0.3	2 11	3.8
Unknown	16	19.3	11	16.7	5	29.4	18	29.0	1,069	25.3	11	20.8

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.7.5. Crotona - Tremont (Bronx)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV dia	agnoses %	Withou N		Concurrent with A diagno N		N	%	N	%	N	%
TOTAL	110	100.0	90	81.8		18.2	61	100.0	5,234	100.0	116	100.0
GENDER								_				
Male Female	74 36	67.3 32.7	61 29	67.8 32.2		65.0 35.0	41 20	67.2 32.8	3,104 2,130	59.3 40.7	76 40	65.5 34.5
RACE/ETHNICITY						_				_		
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	48 57 1 2 0 2	43.6 51.8 0.9 1.8 0.0 1.8 0.0	38 47 1 2 0 2 0	42.2 52.2 1.1 2.2 0.0 2.2 0.0		50.0 50.0 0.0 0.0 0.0 0.0	37 24 0 0 0 0 0	60.7 39.3 0.0 0.0 0.0 0.0 0.0	2,417 2,619 151 26 12 5 4	46.2 50.0 2.9 0.5 0.2 0.1	48 63 3 2 0 0	41.4 54.3 2.6 1.7 0.0 0.0
AGE GROUP (YEARS)						_						
0-12 13-19 20-29 30-39 40-49 50-59	0 9 43 22 24 7 5	0.0 8.2 39.1 20.0 21.8 6.4 4.5	0 9 35 19 17 5	0.0 10.0 38.9 21.1 18.9 5.6 5.6	3 7	0.0 0.0 40.0 15.0 35.0 10.0 0.0	0 1 16 10 16 14 4	0.0 1.6 26.2 16.4 26.2 23.0 6.6	16 61 457 734 1,429 1,692 845	0.3 1.2 8.7 14.0 27.3 32.3 16.1	0 1 1 4 29 51 30	0.0 0.9 0.9 3.4 25.0 44.0 25.9
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	39 4 3 32 1 0 0 31	35.5 3.6 2.7 29.1 0.9 0.0 0.0 28.2	32 3 3 26 1 0 0 25	35.6 3.3 3.3 28.9 1.1 0.0 0.0 27.8	1 0 6 0 0	35.0 5.0 0.0 30.0 0.0 0.0 0.0 30.0	16 5 0 14 0 2 0 24	26.2 8.2 0.0 23.0 0.0 3.3 0.0 39.3	959 1,129 144 1,439 57 163 8 1,335	18.3 21.6 2.8 27.5 1.1 3.1 0.2 25.5	9 41 6 29 1 1 0 29	7.8 35.3 5.2 25.0 0.9 0.9 0.0 25.0

Table 1.7.6. High Bridge - Morrisania (Bronx)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di N	agnoses %	Withou N		Concurrent wit dia N	th AIDS agnoses %	N	%	N	%	N	%
TOTAL	111	100.0	85	76.6	26	23.4	106	100.0	5,634	100.0	144	100.0
GENDER								_				
Male	82	73.9	59	69.4	23	88.5	76	71.7	3,447	61.2	88	61.1
Female	29	26.1	26	30.6	3	11.5	30	28.3	2,187	38.8	56	38.9
RACE/ETHNICITY						_						
Black	54	48.6	40	47.1	14	53.8	58	54.7	2,922	51.9	78	54.2
Latino/Hispanic White	55 2	49.5 1.8	44	51.8 1.2	11	42.3 3.8	46 2	43.4 1.9	2,521 153	44.7 2.7	64 2	44.4 1.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
Native American	ŏ	0.0	Ö	0.0	ő	0.0	Õ	0.0	10	0.4	ő	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)						_				_		
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
13-19	11	9.9 35.1	10	11.8 38.8	1	3.8	4	3.8 18.9	59 449	1.0 8.0	0 3	0.0
20-29 30-39	39 23	20.7	33 20	23.5	6 3	23.1	20 22	20.8	819	14.5	3 1	2.1
40-49	21	18.9	11	12.9	10	38.5	25	23.6	1,476	26.2	31	2.8 21.5
50-59	6	5.4	4	4.7	2	7.7	25	23.6	1,837	32.6	53	36.8
60+	11	9.9	7	8.2	4	15.4	10	9.4	982	17.4	53	36.8
TRANSMISSION RISK		_	_	_		_				_		
Men who have sex with men (MSM)	53	47.7	43	50.6	10	38.5	32	30.2	1,114	19.8	19	13.2
Injection drug use history (IDU)	2	1.8	1	1.2	1	3.8	13	12.3	1,173	20.8	44	30.6
MSM-IDU Heterosexual contact	3 35	2.7	3	3.5 34.1	0	0.0	0 31	0.0	165	2.9	8	5.6
Transgender people with sexual contact	0	31.5 0.0	29 0	0.0	0	23.1	ان 1	29.2 0.9	1,481 41	26.3 0.7	27 2	18.8 1.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	144	2.6	2	1.4
Other	ő	0.0	ő	0.0	ő	0.0	Õ	0.0	9	0.2	0	0.0
Unknown	18	16.2	9	10.6	9	34.6	29	27.4	1,507	26.7	42	29.2

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

		HIV	DIAGNO	SES, 20 <sup>-</sup>	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV di	aanoses	Withou		Concurrent with diagr	_						
	N	% was a second	N	%	N	%	N	%	N	%	N	%
TOTAL	59	100.0	49	83.1	10	16.9	52	100.0	3,549	100.0	62	100.0
GENDER								_				
Male Female	36 23	61.0 39.0	27 22	55.1 44.9	9 1	90.0	37 15	71.2 28.8	2,170 1,379	61.1 38.9	44 18	71.0 29.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	29 28 1 0	49.2 47.5 1.7 0.0 1.7	26 21 1 0	53.1 42.9 2.0 0.0 2.0	3 7 0 0 0	30.0 70.0 0.0 0.0 0.0	26 24 2 0 0	50.0 46.2 3.8 0.0 0.0	1,512 1,899 107 18 13	42.6 53.5 3.0 0.5 0.4	19 41 1 0 1	30.6 66.1 1.6 0.0 1.6
AGE GROUP (YEARS)						_				_		
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 4 15 17 9 12 2	0.0 6.8 25.4 28.8 15.3 20.3 3.4	0 4 11 16 7 11 0	0.0 8.2 22.4 32.7 14.3 22.4 0.0	0 0 4 1 2 1 2	0.0 0.0 40.0 10.0 20.0 10.0 20.0	0 0 10 11 17 8 6	0.0 0.0 19.2 21.2 32.7 15.4 11.5	6 42 340 534 960 1,125 542	0.2 1.2 9.6 15.0 27.0 31.7 15.3	0 0 1 4 15 29 13	0.0 0.0 1.6 6.5 24.2 46.8 21.0
TRANSMISSION RISK  Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	21 5 2 21 2 0 0	35.6 8.5 3.4 35.6 3.4 0.0 0.0	13 5 2 20 2 0 0	26.5 10.2 4.1 40.8 4.1 0.0 0.0 14.3	8 0 0 1 0 0 0	80.0 0.0 0.0 10.0 0.0 0.0 0.0	18 10 0 10 0 0 0	34.6 19.2 0.0 19.2 0.0 0.0 0.0 26.9	691 831 95 905 36 124 4 863	19.5 23.4 2.7 25.5 1.0 3.5 0.1 24.3	11 30 1 11 0 0 0	17.7 48.4 1.6 17.7 0.0 0.0 0.0

Table 1.8.1. Greenpoint (Brooklyn)

		HIV	DIAGNO	OSES, 2013			AIDS DIAGNOSE	S, 2013	PLWHA A: 12/31/20		DEATHS,	2013
	Total HIV di			out AIDS		noses						
TOTAL	N 28	% 100.0	N 22	% 78.6	N 6	% 21.4	N 14	% 100.0	N 891	100.0	N 8	% 100.0
GENDER								_				
Male	27	96.4	22	100.0	5	83.3	10	71.4	712	79.9	6	75.0
Female	1	3.6	0	0.0	1	16.7	4	28.6	179	20.1	2	25.0
RACE/ETHNICITY												
Black Latino/Hispanic	7	25.0 25.0	5 7	22.7 31.8	2	33.3	3	21.4 28.6	131 410	14.7	2 5	25.0 62.5
White	13	46.4	10	45.5	0 3	50.0	6	42.9	333	46.0 37.4	1	12.5
Asian/Pacific Islander	1	3.6	0	0.0	1	16.7	1	7.1	14	1.6	0	12.5 0.0 0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0 3.6	0	0.0 4.5	0	0.0	0	0.0 0.0	1 3	0.1 0.3	0	0.0
13-19 20-29	11	39.3	10	4.5 45.5	0 1	16.7	2	14.3	87	9.8	0	0.0 0.0
30-39	7	25.0	5	22.7	2 2	33.3	5	35.7	190	21.3	1	12.5
40-49	8	28.6	6	27.3	2	33.3	6	42.9	267	30.0	3	37.5
50-59 60+	1	3.6 0.0	0	0.0 0.0	1 0	16.7	0	0.0 7.1	243 100	27.3 11.2	2 2	25.0 25.0
		0.0		0.0		0.0	•		100			20.0
TRANSMISSION RISK	0.4	05.7	04	05.5		50.0	7	50.0	450	54.0		05.0
Men who have sex with men (MSM) Injection drug use history (IDU)	24 0	85.7 0.0	21 0	95.5 0.0	3 0	50.0	/ 1	50.0 7.1	456 122	51.2 13.7	2 2	25.0 25.0
MSM-IDU	Ö	0.0	ő	0.0	ő	0.0	Ö	0.0	25	2.8	0	0.0
Heterosexual contact	1	3.6	0	0.0	1	16.7	4	28.6	116	13.0	1	12.5 0.0
Transgender people with sexual contact Perinatal	0	0.0 0.0	0	0.0 0.0	0	0.0	1	7.1 0.0	7 12	0.8 1.3	0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	3	10.7	11	4.5	2	33.3	11	7.1	149	16.7	3	37.5

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
					Concurrent with	_		_				
	Total HIV d		Withou			noses				٠,		
TOTAL	N 55	% 100.0	N 45	% 81.8	N 10	% 18.2	N <b>31</b>	400.0	N 2.702	% 100.0	N <b>26</b>	400.0
TOTAL	33	100.0	45	01.0	10	18.2	31	100.0	2,703	100.0	20	100.0
GENDER												
Male	49	89.1	40	88.9	9	90.0	29	93.5	2,061	76.2	16	61.5
Female	6	10.9	5	11.1	1	10.0	2	6.5	642	23.8	10	38.5
RACE/ETHNICITY												
Black	24	43.6	17	37.8	7	70.0	18	58.1	1,109	41.0	22	84.6
Latino/Hispanic	15	27.3	13	28.9	2	20.0	8	25.8	710	26.3	2	7.7 7.7
White	15	27.3	14	31.1	1	10.0	4	12.9	816	30.2	2	7.7
Asian/Pacific Islander	1	1.8	1	2.2	0	0.0	1	3.2	50	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0 0.0
Unknown	U	0.0	U	0.0	0	0.0	0	0.0	9	0.3	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0 3.8
20-29	18	32.7	16	35.6	2	20.0	4	12.9	172	6.4	1	3.8
30-39	12	21.8	12	26.7	0	0.0	5	16.1	349	12.9	0	0.0
40-49	13	23.6	8	17.8	5	50.0	11	35.5	775	28.7	5	19.2
50-59	6	10.9	5	11.1	1	10.0	8	25.8	850	31.4	8	30.8
60+	6	10.9	4	8.9	2	20.0	3	9.7	532	19.7	12	46.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	76.4	36	80.0	6	60.0	21	67.7	1,294	47.9	6	23.1
Injection drug use history (IDU)	1	1.8	0	0.0	1	10.0	1	3.2	374	13.8	9	34.6
MSM-IDU	2	3.6	1	2.2	1	10.0	3	9.7	60	2.2	1	3.8
Heterosexual contact	6	10.9	5	11.1	1	10.0	2	6.5	424	15.7	4	15.4
Transgender people with sexual contact	Ö	0.0	0	0.0	Ö	0.0	0	0.0	6	0.2	O	0.0
Perinatal	Ö	0.0	Ö	0.0	Ö	0.0	Ö	0.0	47	1.7	Ö	0.0
Other	0	0.0	Ō	0.0	0	0.0	0	0.0	2	0.1	Ō	0.0
Unknown	4	7.3	3	6.7	1	10.0	4	12.9	496	18.3	6	23.1

#### REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV d	iagnoses %	Withou N		Concurrent wi dia N	ith AIDS agnoses %	N	%	N	%	N	%
TOTAL	179	100.0	138	77.1	41	22.9	130	100.0	7,454	100.0	147	100.0
GENDER								_				
Male Female	131 48	73.2 26.8	104 34	75.4 24.6	27 14	65.9 34.1	91 39	70.0 30.0	4,726 2,728	63.4 36.6	96 51	65.3 34.7
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	143 21 10 0 1 4 0	79.9 11.7 5.6 0.0 0.6 2.2 0.0	108 18 8 0 1 3	78.3 13.0 5.8 0.0 0.7 2.2 0.0	35 3 2 0 0 1	85.4 7.3 4.9 0.0 0.0 2.4 0.0	106 14 6 1 2 1	81.5 10.8 4.6 0.8 1.5 0.8 0.0	5,871 1,085 413 47 19 10	78.8 14.6 5.5 0.6 0.3 0.1 0.1	115 22 8 1 1 0 0	78.2 15.0 5.4 0.7 0.7 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	1 5 72 32 44 16 9	0.6 2.8 40.2 17.9 24.6 8.9 5.0	1 5 62 24 31 8 7	0.7 3.6 44.9 17.4 22.5 5.8 5.1	0 0 10 8 13 8 2	0.0 0.0 24.4 19.5 31.7 19.5 4.9	0 3 29 27 36 26	0.0 2.3 22.3 20.8 27.7 20.0 6.9	14 81 684 1,230 2,057 2,232 1,156	0.2 1.1 9.2 16.5 27.6 29.9 15.5	0 0 3 10 29 60 45	0.0 0.0 2.0 6.8 19.7 40.8 30.6
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	93 3 2 38 5 1 0 37	52.0 1.7 1.1 21.2 2.8 0.6 0.0 20.7	80 3 2 26 5 1 0 21	58.0 2.2 1.4 18.8 3.6 0.7 0.0 15.2	13 0 0 12 0 0 0	31.7 0.0 0.0 29.3 0.0 0.0 0.0 39.0	45 8 3 30 1 4 0	34.6 6.2 2.3 23.1 0.8 3.1 0.0 30.0	2,156 1,055 169 1,900 83 187 8	28.9 14.2 2.3 25.5 1.1 2.5 0.1 25.4	23 37 7 30 1 1 2 46	15.6 25.2 4.8 20.4 0.7 0.7 1.4 31.3

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.8.4. East New York (Brooklyn)

		HIV	DIAGNO	SES, 201	3		AIDS DIAGNOSE	ES, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV d	iaanaaaa	Withou		oncurrent w	-						
	N	agnoses %	N	" AIDS	N N	iagnoses %	N	%	N	%	N	%
TOTAL	75	100.0	53	70.7	22	29.3	62	100.0	3,205	100.0	59	100.0
GENDER										_		
Male _	52	69.3	34	64.2	18	81.8	40	64.5	1,788	55.8	40	67.8
Female	23	30.7	19	35.8	4	18.2	22	35.5	1,417	44.2	19	32.2
RACE/ETHNICITY	_					_						
Black	57	76.0	38	71.7	19	86.4	47	75.8	2,067	64.5	43	72.9
Latino/Hispanic	15	20.0	13	24.5	2	9.1	13	21.0	999	31.2	14	23.7 3.4 0.0
White Asian/Pacific Islander	0	0.0 1.3	0	0.0 1.9	0	0.0	0	0.0 0.0	88 33	2.7 1.0	2 0	3.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	33 9	0.3	0	0.0
Multiracial	2	2.7	1	1.9	1	4.5	2	3.2	7	0.2	ő	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)	_					_						
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
13-19	9	12.0	8	15.1	1	4.5	1	1.6	54	1.7	0	0.0 1.7
20-29	20	26.7	16	30.2	4	18.2	14	22.6	371	11.6	1	1.7
30-39 40-49	15 14	20.0 18.7	11 9	20.8 17.0	4 5	18.2 22.7	16 16	25.8 25.8	488 869	15.2 27.1	4 14	6.8
50-59	10	13.3	6	11.3	4	18.2	7	11.3	994	31.0	20	23.7 33.9
60+	7	9.3	3	5.7	4	18.2	8	12.9	421	13.1	20	33.9
TRANSMISSION RISK	_							_				
Men who have sex with men (MSM)	28	37.3	20	37.7	8	36.4	18	29.0	696	21.7	11	18.6
Injection drug use history (IDÙ)	3	4.0	3	5.7	0	0.0	1	1.6	497	15.5	14	23.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.6	62	1.9	3	5.1
Heterosexual contact	24	32.0	19	35.8	5	22.7	19	30.6	1,012	31.6	13	22.0
Transgender people with sexual contact Perinatal	1 0	1.3 0.0	1	1.9 0.0	0	0.0	2	3.2 0.0	32 107	1.0 3.3	0	0.0 1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	19	25.3	10	18.9	9	40.9	21	33.9	794	24.8	17	28.8

Table 1.8.5. Sunset Park (Brooklyn)

		HIV	DIAGNO	OSES, 201	3		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di			out AIDS		n AIDS gnoses						
TOTAL	N 17	% 100.0	N 16	% 94.1	N 1	% 5.9	N 11	% 100.0	N 819	100.0	N 9	% 100.0
GENDER		_		_	_			_				
Male Female	17 0	100.0 0.0	16 0	100.0 0.0	1 0	100.0	10 1	90.9 9.1	599 220	73.1 26.9	7 2	77.8 22.2
RACE/ETHNICITY						_				_		
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	4 9 2 1 1	23.5 52.9 11.8 5.9 5.9	3 9 2 1 1	18.8 56.3 12.5 6.3 6.3	1 0 0 0 0	100.0 0.0 0.0 0.0 0.0	3 6 2 0 0	27.3 54.5 18.2 0.0 0.0	139 475 155 46 4	17.0 58.0 18.9 5.6 0.5	1 7 1 0 0	11.1 77.8 11.1 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 0 12 2 2 1 0	0.0 0.0 70.6 11.8 11.8 5.9 0.0	0 0 12 2 2 0 0	0.0 0.0 75.0 12.5 12.5 0.0	0 0 0 0 0 1	0.0 0.0 0.0 0.0 0.0 100.0	0 0 2 1 3 5	0.0 0.0 18.2 9.1 27.3 45.5 0.0	0 2 66 131 254 234 132	0.0 0.2 8.1 16.0 31.0 28.6 16.1	0 0 1 0 1 3 4	0.0 0.0 11.1 0.0 11.1 33.3 44.4
TRANSMISSION RISK Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU	16	94.1 0.0	15 0 1	93.8 0.0	1 0	100.0	6	54.5 9.1	273 161	33.3 19.7	2 3	22.2 33.3
MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other	1 0 0 0	5.9 0.0 0.0 0.0 0.0	1 0 0 0	6.3 0.0 0.0 0.0 0.0	0 0 0 0	0.0 0.0 0.0 0.0	0 0 0	0.0 0.0 0.0 0.0 0.0	36 171 5 10	4.4 20.9 0.6 1.2 0.1	1 1 1 0	11.1 11.1 11.1 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	4	36.4	162	19.8	1	11.1

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.8.6. Borough Park (Brooklyn)

		HIV	DIAGNO	SES, 201	3		AIDS DIAGNOSE	ES, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV d	iaanaaa	Withou		Concurrent w	-						
	N	agrioses %	N	% AIDS	N N	agnoses %	N	%	N	%	N	%
TOTAL	27	100.0	19	70.4	8	29.6	13	100.0	1,062	100.0	15	100.0
GENDER												
Male	24	88.9	18	94.7	6	75.0	11	84.6	775	73.0	10	66.7
Female	3	11.1	1	5.3	2	25.0	2	15.4	287	27.0	5	33.3
RACE/ETHNICITY						_				_		
Black	5	18.5	3	15.8	2	25.0	5	38.5	286	26.9	2	13.3
Latino/Hispanic	10	37.0	6	31.6	4	50.0	5	38.5	401	37.8	6	40.0 46.7
White	10	37.0	8	42.1	2	25.0	3	23.1	321	30.2	7	46.7
Asian/Pacific Islander Native American	2 0	7.4 0.0	2	10.5 0.0	0	0.0	0	0.0 0.0	50	4.7 0.1	0 0	0.0 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Olikiowii	U	0.0	U	0.0	U	0.0	O	0.0		0.1	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.7	1	5.3	0	0.0	0	0.0	5	0.5	0	0.0
20-29	7	25.9	7	36.8	0	0.0	1	7.7	76	7.2	0	0.0
30-39	9	33.3	6	31.6	3	37.5	4	30.8	160	15.1	0	0.0
40-49	7	25.9	4	21.1	3	37.5	6 2	46.2	300 337	28.2 31.7	4	26.7 53.3
50-59 60+	3	11.1 0.0	0	5.3 0.0	2	25.0 0.0	0	15.4 0.0	183	17.2	8 3	20.0
00+	U	0.0	U	0.0	U	0.0	U	0.0	103	17.2	3	20.0
TRANSMISSION RISK						_		_				
Men who have sex with men (MSM)	19	70.4	15	78.9	4	50.0	8	61.5	405	38.1	1	6.7
Injection drug use history (IDÙ)	1	3.7	0	0.0	1	12.5	1	7.7	182	17.1	5	33.3
MSM-IDU	1	3.7	1	5.3	0	0.0	0	0.0	26	2.4	0	0.0
Heterosexual contact	4	14.8	3	15.8	1	12.5	2	15.4	214	20.2	3	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	0.6	0	0.0 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	7.4	0	0.0	2	25.0	2	15.4	209	19.7	6	40.0

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV d	iagnoses %	Withou N		Concurrent with diag N	h AIDS gnoses %	N	%	N	%	N	%
TOTAL	115	100.0	93	80.9	22	19.1	77	100.0	5,148	100.0	60	100.0
GENDER								_				
Male Female	75 40	65.2 34.8	63 30	67.7 32.3	12 10	54.5 45.5	43 34	55.8 44.2	3,260 1,888	63.3 36.7	39 21	65.0 35.0
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	89 15 9 1 0 1	77.4 13.0 7.8 0.9 0.0 0.9 0.0	71 12 8 1 0 1	76.3 12.9 8.6 1.1 0.0 1.1	18 3 1 0 0 0	81.8 13.6 4.5 0.0 0.0 0.0	61 15 1 0 0 0	79.2 19.5 1.3 0.0 0.0 0.0	4,077 715 277 47 20 6 6	79.2 13.9 5.4 0.9 0.4 0.1	51 8 1 0 0 0	85.0 13.3 1.7 0.0 0.0 0.0 0.0
AGE GROUP (YEARS)							_					
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 10 32 26 23 13 11	0.0 8.7 27.8 22.6 20.0 11.3 9.6	0 9 30 20 17 10 7	0.0 9.7 32.3 21.5 18.3 10.8 7.5	0 1 2 6 6 3 4	0.0 4.5 9.1 27.3 27.3 13.6 18.2	0 2 18 24 16 12	0.0 2.6 23.4 31.2 20.8 15.6 6.5	5 50 490 799 1,397 1,513 894	0.1 1.0 9.5 15.5 27.1 29.4 17.4	0 0 4 2 12 22 20	0.0 0.0 6.7 3.3 20.0 36.7 33.3
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	50 2 1 29 2 0 0	43.5 1.7 0.9 25.2 1.7 0.0 0.0 27.0	44 1 22 2 0 0 23	47.3 1.1 1.1 23.7 2.2 0.0 0.0 24.7	6 1 0 7 0 0 0 8	27.3 4.5 0.0 31.8 0.0 0.0 0.0 36.4	26 3 0 25 2 3 0	33.8 3.9 0.0 32.5 2.6 3.9 0.0 23.4	1,462 539 97 1,391 43 119 13	28.4 10.5 1.9 27.0 0.8 2.3 0.3 28.8	11 16 2 10 0 0 0	18.3 26.7 3.3 16.7 0.0 0.0 0.0 35.0

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV di	iagnosas	Withou		Concurrent w	-						
	N	agrioses %	N	11 AIDS %	N N	agnoses %	N	%	N	%	N	%
TOTAL	53	100.0	36	67.9	17	32.1	31	100.0	1,547	100.0	23	100.0
GENDER								_				
Male	34	64.2	21	58.3	13	76.5	23	74.2	821	53.1	13	56.5
Female	19	35.8	15	41.7	4	23.5	8	25.8	726	46.9	10	43.5
RACE/ETHNICITY		77.4	00	00.0		70.0	20	74.0	4.040	70.0	4.0	20.0
Black Latino/Hispanic	41 10	77.4 18.9	29 5	80.6 13.9	12 5	70.6 29.4	23 7	74.2 22.6	1,219 196	78.8 12.7	19 3	82.6
White	0	0.0	0	0.0	0	0.0	0	0.0	110	7.1	ა 1	13.0 4.3 0.0
Asian/Pacific Islander	1	1.9	1	2.8	0	0.0	1	3.2	15	1.0	Ö	0.0
Native American	1	1.9	1	2.8	Ö	0.0	Ó	0.0	3	0.2	Ö	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)				_		_						
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	5	9.4	5	13.9	0	0.0	0	0.0	25	1.6	0	0.0 8.7
20-29	16	30.2	12	33.3	4	23.5	6	19.4	151	9.8	2	8.7
30-39 40-49	9 12	17.0 22.6	6 7	16.7 19.4	3	17.6 29.4	5 10	16.1 32.3	221 386	14.3 25.0	0	0.0
50-59	12	9.4	3	8.3	5 2	11.8	6	32.3 19.4	510	33.0	3 5	13.0 21.7
60+	5 6	11.3	3	8.3	3	17.6	4	12.9	253	16.4	13	56.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	20	37.7	14	38.9	6	35.3	10	32.3	275	17.8	3	13.0
Injection drug use history (IDU) MSM-IDU	1 0	1.9 0.0	1	2.8 0.0	0	0.0	2	6.5 0.0	141 13	9.1 0.8	5 0	21.7 0.0
Heterosexual contact	18	34.0	11	30.6	7	41.2	10	32.3	543	35.1	4	17.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	1	4.3
Perinatal	0	0.0	Ō	0.0	0	0.0	0	0.0	62	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0 43.5
Unknown	14	26.4	10	27.8	4	23.5	9	29.0	507	32.8	10	43.5

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2013						AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
					Concurrent with	n AIDS						
	Total HIV d		Withou			gnoses		0.4		0.4		0.4
TOTAL	N 15	% 100.0	N 13	% 86.7	N 2	13.3	N 6	% 100.0	N 640	100.0	N 9	% 100.0
IOIAL	13	100.0	13	00.7		13.3	U	100.0	040	100.0	9	100.0
GENDER												
Male	12	80.0	10	76.9	2	100.0	4	66.7	480	75.0	8	88.9
Female	3	20.0	3	23.1	0	0.0	2	33.3	160	25.0	1	11.1
RACE/ETHNICITY						_						
Black	2	13.3	2	15.4	0	0.0	0	0.0	87	13.6	2	22.2
Latino/Hispanic	3	20.0	3	23.1	0	0.0	2	33.3	189	29.5	5	55.6
White	8	53.3	6	46.2	2	100.0	3	50.0	323	50.5	2	22.2
Asian/Pacific Islander Other/Unknown	2	13.3 0.0	2	15.4 0.0	0	0.0	1 0	16.7 0.0	38 3	5.9 0.5	0	0.0 0.0
Other/Othknown	U	0.0	U	0.0	U	0.0	U	0.0	S	0.5	U	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0 4	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29 30-39	4	26.7 6.7	4	30.8 7.7	0	0.0	0	0.0 50.0	36 98	5.6 15.3	0	0.0 0.0
40-49	6	40.0	5	38.5	1	50.0	1	16.7	178	27.8	4	44.4
50-59	4	26.7	3	23.1	1	50.0	2	33.3	213	33.3	2	22.2
60+	0	0.0	0	0.0	0	0.0	0	0.0	114	17.8	3	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	53.3	7	53.8	1	50.0	2	33.3	261	40.8	2	22.2
Injection drug use history (IDU)	2	13.3	2	15.4	0	0.0	0	0.0	100	15.6	4	44.4
MSM-IDU	1	6.7	0	0.0	1	50.0	1	16.7	19	3.0	Ö	0.0
Heterosexual contact	2	13.3	2	15.4	0	0.0	3	50.0	107	16.7	2	22.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0 0.0	2	0.3	0	0.0
Unknown	2	13.3	2	15.4	0	0.0	0	0.0	143	22.3	1	11.1

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

		HIV	DIAGNO	SES, 20	13	AIDS DIAGNO	SES, 2013	PLWHA A		DEATHS	, 2013
	Total HIV dia		Withou	t AIDS	Concurrent with AIL diagnos	es					
TOTAL	N 38	% 100.0	N 33	% 86.8	N 5 13	% N .2 18	% 100.0	N 1,086	% 100.0	N <b>25</b>	% 100.0
GENDER							_				
Male Female	23 15	60.5 39.5	20 13	60.6 39.4	3 60 2 40		61.1 38.9	675 411	62.2 37.8	17 8	68.0 32.0
i emale	13	39.3	13	33.4	2 40	.0	30.9	411	37.0	O	32.0
RACE/ETHNICITY											
Black Latino/Hispanic	14 14	36.8 36.8	13 12	39.4 36.4	1 20 2 40		16.7 22.2	438 348	40.3 32.0	8 7	32.0 28.0
White	9	23.7	7	21.2	2 40	.0 10	55.6	268	24.7	10	28.0 40.0
Asian/Pacific Islander	0	0.0	0	0.0		.0 0	0.0	27	2.5	0	0.0
Native American Multiracial	0	0.0 2.6	0	0.0 3.0		.0 1 .0 0	5.6 0.0	1 2	0.1 0.2	0 0	0.0 0.0
Unknown	Ö	0.0	Ó	0.0		.0 0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)							_		_		
0-12 13-19	1 0	2.6 0.0	1 0	3.0 0.0	0 0	.0 .0 0	0.0 0.0	2 10	0.2 0.9	0 0	0.0 0.0 0.0
20-29	15	39.5	15	45.5		.0 1	5.6	98	9.0	0	0.0
30-39 40-49	12 7	31.6 18.4	10 4	30.3 12.1	2 40 3 60		55.6 33.3	155 277	14.3 25.5	3	12.0 16.0
50-59	3	7.9	3	9.1		.0 1	5.6	354	32.6	14	56.0
60+	0	0.0	0	0.0	0 0	.0 0	0.0	190	17.5	4	16.0
TRANSMISSION RISK											
Men who have sex with men (MSM)	15	39.5	14	42.4	1 20		27.8	272	25.0	2	8.0
Injection drug use history (IDU) MSM-IDU	2	5.3 2.6	1	3.0 3.0	1 20	.0 3 .0 0	16.7 0.0	193 24	17.8 2.2	8 1	32.0 4.0
Heterosexual contact	14	36.8	12	36.4	2 40		38.9	287	26.4	7	28.0
Transgender people with sexual contact	0	0.0	0	0.0	0 0	.0	0.0	7	0.6	0	0.0
Perinatal	1	2.6	1	3.0		.0 0	0.0	30	2.8	0	0.0
Other Unknown	0 5	0.0 13.2	0 4	0.0 12.1	0 0 1 20	.0 .0 3	0.0 16.7	4 269	0.4 24.8	7	0.0 28.0

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A: 12/31/20		DEATHS,	2013
	Total HIV d	ioanoooo	Withou		Concurrent with	_		_				İ
	N	agrioses %	N	l AIDS %	N alag	gnoses %	N	%	N	%	N	%
TOTAL	105	100.0	82	78.1	23	21.9	71	100.0	3,761	100.0	66	100.0
GENDER								_				
Male	85	81.0	70	85.4	15	65.2	47	66.2	2,563	68.1	42	63.6
Female	20	19.0	12	14.6	8	34.8	24	33.8	1,198	31.9	24	36.4
RACE/ETHNICITY												
Black	57	54.3	47	57.3	10	43.5	37	52.1	1,960	52.1	42	63.6
Latino/Hispanic White	34 11	32.4 10.5	21 11	25.6 13.4	13 0	56.5 0.0	30 3	42.3 4.2	1,438 305	38.2 8.1	19 5	28.8 7.6
Asian/Pacific Islander	2	1.9	2	2.4	Ö	0.0	0	0.0	41	1.1	0	0.0 0.0
Other/Unknown	1	1.0	1	1.2	0	0.0	1	1.4	17	0.5	0	0.0
AGE GROUP (YEARS)			_			_		_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19 20-29	6 44	5.7 41.9	5 37	6.1 45.1	1 7	4.3 30.4	3 21	4.2 29.6	39 412	1.0 11.0	0 3	0.0 4.5
30-39	20	19.0	15	18.3	5	21.7	14	19.7	580	15.4	4	6.1
40-49	14	13.3	12	14.6	2	8.7	11	15.5	997	26.5	19	28.8
50-59 60+	16 5	15.2 4.8	10 3	12.2 3.7	6 2	26.1 8.7	14 8	19.7 11.3	1,144 583	30.4 15.5	30 10	45.5 15.2
60+	5	4.0	3	3.1	2	0.7	0	11.3	503	15.5	10	15.2
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU)	59 3	56.2 2.9	51 2	62.2 2.4	8	34.8 4.3	24 7	33.8 9.9	1,174 666	31.2 17.7	8 19	12.1 28.8
MSM-IDU	2	1.9	2	2.4	Ó	0.0	2	2.8	91	2.4	4	6.1
Heterosexual contact	22	21.0	14	17.1	8	34.8	16	22.5	793	21.1	13	19.7
Transgender people with sexual contact Perinatal	1	1.0 0.0	0	0.0	1	4.3 0.0	3	4.2 1.4	38 97	1.0 2.6	0 0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	Ö	0.0	4	0.1	0	0.0
Unknown	18	17.1	13	15.9	5	21.7	18	25.4	898	23.9	22	33.3

Table 1.9.1. Washington Heights - Inwood (Manhattan)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	ES, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV di	aanoses	Withou		Concurrent w di	ith AIDS agnoses						İ
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	127	100.0	106	83.5	21	16.5	65	100.0	4,284	100.0	50	100.0
GENDER						_				_		
Male Female	102 25	80.3 19.7	88 18	83.0 17.0	14 7	66.7 33.3	52 13	80.0 20.0	3,433 851	80.1 19.9	44 6	88.0 12.0
i citiale	2.5	13.7	10	17.0	,	33.3	13	20.0	031	19.9	U	12.0
RACE/ETHNICITY								=				
Black Latino/Hispanic	33 68	26.0 53.5	22 60	20.8 56.6	11 8	52.4 38.1	27 23	41.5 35.4	1,448 1,867	33.8 43.6	20 23	40.0 46.0
White	22	17.3	22	20.8	Ö	0.0	13	20.0	880	20.5	5	10.0
Asian/Pacific Islander Other/Unknown	2 2	1.6 1.6	1	0.9 0.9	1	4.8 4.8	1	1.5 1.5	59 30	1.4 0.7	0 2	0.0 4.0
Other/Officiowif	2	1.0	'	0.9	'	4.0	'	1.5	30	0.7	2	4.0
AGE GROUP (YEARS)												
0-12 13-19	0 3	0.0 2.4	0 3	0.0 2.8	0	0.0	0	0.0 0.0	8 25	0.2 0.6	0	0.0
20-29	43	33.9	41	38.7	2	9.5	7	10.8	397	9.3	1	0.0 2.0
30-39	23	18.1	21	19.8	2	9.5	14	21.5	700	16.3	3	6.0
40-49 50-59	35 16	27.6 12.6	24 15	22.6 14.2	11	52.4 4.8	24 8	36.9 12.3	1,278 1,178	29.8 27.5	7 15	14.0 30.0
60+	7	5.5	2	1.9	5	23.8	12	18.5	698	16.3	24	48.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	75	59.1	68	64.2	7	33.3	32	49.2	2,183	51.0	12	24.0
Injection drug use history (IDÙ)	5	3.9	2	1.9	3	14.3	6	9.2	399	9.3	14	28.0
MSM-IDU Heterosexual contact	2 24	1.6 18.9	2 14	1.9 13.2	0 10	0.0 47.6	2 14	3.1 21.5	101 626	2.4 14.6	5	10.0 12.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	14	1.5	30	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	Ô	0.0	75	1.8	Ö	0.0
Other Unknown	0 21	0.0 16.5	0 20	0.0 18.9	0	0.0 4.8	0 10	0.0 15.4	6 864	0.1 20.2	0 13	0.0 26.0
Ulikilowii	21	10.5	20	10.9		4.8	10	15.4	804	20.2	13	26.0

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

		HIV	DIAGNO	SES, 201	13		AIDS DIAGNOSE	S, 2013	PLWHA A: 12/31/20		DEATHS,	2013
	Total HIV di	aanaaa	Withou		Concurrent wit	_						
	N	agnoses %	N	t AIDS %	N Ula	gnoses %	N	%	N	%	N	%
TOTAL	121	100.0	86	71.1	35	28.9	87	100.0	4,586	100.0	65	100.0
GENDER								_				
Male	96	79.3	69	80.2	27	77.1	63	72.4	3,233	70.5	38	58.5
Female	25	20.7	17	19.8	8	22.9	24	27.6	1,353	29.5	27	41.5
RACE/ETHNICITY												
Black	67	55.4	44	51.2	23	65.7	63	72.4	3,011	65.7	47	72.3
Latino/Hispanic White	35 14	28.9 11.6	24 14	27.9 16.3	11 0	31.4	19 3	21.8 3.4	923 579	20.1 12.6	14 4	21.5
Asian/Pacific Islander	2	1.7	1	1.2	1	2.9	1	1.1	52	1.1	0	6.2 0.0 0.0
Other/Unknown	3	2.5	3	3.5	0	0.0	1	1.1	21	0.5	0	0.0
AGE GROUP (YEARS)		_				_						
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
13-19 20-29	4 47	3.3 38.8	2 38	2.3 44.2	2 9	5.7 25.7	4 22	4.6 25.3	28 434	0.6 9.5	0	0.0 1.5
30-39	32	26.4	24	27.9	8	22.9	21	24.1	735	16.0	1	1.5
40-49	22	18.2	15	17.4	7	20.0	16	18.4	1,325	28.9	19	29.2
50-59 60+	11 5	9.1 4.1	4	4.7 3.5	7 2	20.0	21 3	24.1 3.4	1,331 724	29.0 15.8	18 26	27.7 40.0
00+	5	4.1	3	3.3	2	5.7	3	3.4	724	15.6	20	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU)	69	57.0 0.8	51	59.3 1.2	18 0	51.4 0.0	39 8	44.8 9.2	1,743 613	38.0 13.4	7 20	10.8 30.8
IMSM-IDU	4	3.3	4	4.7	0	0.0	1	1.1	113	2.5	1	1.5
Heterosexual contact	20	16.5	15	17.4	5	14.3	19	21.8	888	19.4	17	26.2
Transgender people with sexual contact	3	2.5	3 0	3.5 0.0	0	0.0	1	1.1 1.1	31 86	0.7 1.9	1	1.5
Perinatal Other	0	0.0 0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	0.0 1.5
Unknown	24	19.8	12	14.0	12	34.3	18	20.7	1,107	24.1	18	27.7

Table 1.9.3. East Harlem (Manhattan)

		HIV	DIAGNO	SES, 20	13	4	AIDS DIAGNOSES	, 2013	PLWHA AS 12/31/20		DEATHS,	2013
	Total HIV di	iagnasas	Withou		Concurrent with All diagnos			_				Ì
	N	agrioses %	N	%	N Ulagrios	%	N	%	N	%	N	%
TOTAL	47	100.0	41	87.2	6 1:	2.8	47	100.0	2,934	100.0	61	100.0
GENDER						٠.		_				
Male	34	72.3	30	73.2	4 6	6.7	33	70.2	2,013	68.6	45	73.8
Female	13	27.7	11	26.8	2 3	3.3	14	29.8	921	31.4	16	26.2
RACE/ETHNICITY						-		_				
Black	15	31.9	13	31.7		3.3	22	46.8	1,412	48.1	32	52.5
Latino/Hispanic White	26	55.3	22	53.7 12.2		6.7	19	40.4	1,156	39.4	17 11	27.9
Asian/Pacific Islander	5 1	10.6 2.1	5 1	2.4		0.0	0	12.8 0.0	321 27	10.9 0.9	11	18.0 1.6
Other/Unknown	Ö	0.0	Ö	0.0	-	0.0	Ö	0.0	18	0.6	Ö	0.0
AGE GROUP (YEARS)								_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
13-19	1	2.1	1	2.4	0	0.0	0	0.0	23	0.8	0	0.0 0.0 1.6 3.3 14.8
20-29	21 13	44.7 27.7	20 12	48.8 29.3		6.7 6.7	6 10	12.8 21.3	254 389	8.7 13.3	1	1.6
30-39 40-49	13	8.5	12	29.3 9.8		0.0	10	29.8	788	26.9	9	3.3 14.8
50-59	6	12.8	3	7.3	3 5	0.0	14	29.8	892	30.4	21	34.4 45.9
60+	2	4.3	1	2.4	1 1	6.7	3	6.4	583	19.9	28	45.9
TRANSMISSION RISK						-						
Men who have sex with men (MSM)	28	59.6	24	58.5		6.7	17	36.2	901	30.7	16	26.2
Injection drug use history (IDÜ) MSM-IDU	0	0.0 2.1	0	0.0 2.4		0.0	5	10.6 2.1	608 93	20.7	19 2	31.1 3.3
Heterosexual contact	12	25.5	11	26.8	•	6.7	10	21.3	607	20.7	10	3.3 16.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Perinatal Others	0	0.0	0	0.0		0.0	0	0.0	91	3.1	0	0.0
Other Unknown	0	0.0 12.8	0 5	0.0 12.2		0.0 6.7	0 14	0.0 29.8	4 613	0.1 20.9	1 13	1.6 21.3
Oliviowii		12.0	- 0	12.2		0.7	17	20.0	010	20.3	10	۷1.5

Table 1.9.4. Upper West Side (Manhattan)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	5, 2013	PLWHA AS 12/31/20		DEATHS,	2013
	Total I IIV di		14/:4/		Concurrent with	_						İ
	Total HIV dia	agnoses %	Withou N	t AIDS %	diagn N	oses %	N	%	N	%	N	%
TOTAL	48	100.0	41	85.4	7	14.6	29	100.0	3,075	100.0	29	100.0
GENDER Male	43	89.6	38	92.7	5	71.4	22	75.9	2,638	85.8	25	86.2
Female	5	10.4	30	7.3	5 2	28.6	7	24.1	437	14.2	4	13.8
i sinalo		10.1	Ŭ	7.0	_	20.0	•		101		·	10.0
RACE/ETHNICITY												
Black Latino/Hispanic	7 10	14.6 20.8	6 8	14.6 19.5	1 2	14.3 28.6	15	51.7 27.6	852 812	27.7 26.4	12 7	41.4 24.1
White	27	56.3	23	56.1	4	57.1	o 6	20.7	1,323	43.0	9	31.0
Asian/Pacific Islander	2	4.2	2	4.9	0	0.0	Ő	0.0	64	2.1	1	3.4
Other/Unknown	2	4.2	2	4.9	0	0.0	0	0.0	24	0.8	0	3.4 0.0
AGE ORGUR (VEARS)								_				
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	4.2	2	4.9	0	0.0	0	0.0	11	0.4	0	0.0
20-29	17	35.4	16	39.0	1	14.3	5	17.2	160	5.2	0	0.0 0.0 0.0
30-39	8	16.7	8	19.5	0	0.0	4	13.8	317	10.3	0	0.0
40-49	9	18.8	6	14.6	3	42.9	6	20.7	738	24.0	4	13.8
50-59 60+	8	16.7 8.3	5 4	12.2 9.8	3	42.9	9 5	31.0 17.2	1,046 803	34.0 26.1	5 20	17.2 69.0
	-	0.0		-0.0		0.0	J	17.2	- 000	20.1	20	00.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	81.3	35	85.4	4	57.1	14	48.3	1,776	57.8	13	44.8
Injection drug use history (IDU) MSM-IDU	0	0.0 4.2	0 2	0.0 4.9	0	0.0	ნ 1	20.7 3.4	324 96	10.5 3.1	5 1	17.2
Heterosexual contact	4	8.3	2	4.9	2	28.6	5	17.2	288	9.4	2	6.9
Transgender people with sexual contact	Ö	0.0	0	0.0	0	0.0	1	3.4	26	0.8	0	3.4 6.9 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	3.4
Unknown	3	6.3	2	4.9	1	14.3	2	6.9	535	17.4		24.1

Table 1.9.5. Upper East Side (Manhattan)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	5, 2013	PLWHA AS 12/31/20		DEATHS,	2013
	Total HIV di	aanaaa	Withou		Concurrent with	_		_				
	N N	agnoses %	N	t AIDS %	diagn N	ioses %	N	%	N	%	N	%
TOTAL	35	100.0	28	80.0	7	20.0	20	100.0	1,414	100.0	14	100.0
GENDER												
Male	31	88.6	26	92.9	5	71.4	15	75.0	1,236	87.4	12 2	85.7
Female	4	11.4	2	7.1	2	28.6	5	25.0	178	12.6	2	14.3
RACE/ETHNICITY						_						
Black	2	5.7	1	3.6	1	14.3	7	35.0	270	19.1	4	28.6
Latino/Hispanic	12	34.3	11	39.3	1	14.3	6	30.0	307	21.7	3	21.4
White	14	40.0	11	39.3	3	42.9	5	25.0	784	55.4	6	42.9 0.0 7.1
Asian/Pacific Islander	5	14.3	4	14.3	1	14.3	1	5.0	47	3.3	0	0.0
Other/Unknown	2	5.7	1	3.6	1	14.3	1	5.0	6	0.4	1	7.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	2.9	1	3.6	0	0.0	0	0.0	1	0.1	0	0.0 0.0 0.0
20-29	11	31.4	9	32.1	2	28.6	3	15.0	70	5.0	0	0.0
30-39	8	22.9	7	25.0	1	14.3	4	20.0	166	11.7	1	7.1
40-49	7	20.0	4	14.3	3	42.9	5	25.0	369	26.1	3	21.4
50-59	5	14.3	4	14.3	1	14.3	6	30.0	475	33.6	3	21.4
60+	3	8.6	3	10.7	0	0.0	2	10.0	331	23.4	7	50.0
TRANSMISSION RISK						_				_		
Men who have sex with men (MSM)	28	80.0	24	85.7	4	57.1	9	45.0	879	62.2	4	28.6
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	5.0	105	7.4	1	7.1
MSM-IDU TO TO TO THE SECOND TO	1	2.9	1	3.6	0	0.0	2	10.0	34	2.4	0	0.0
Heterosexual contact	3	8.6	1	3.6	2	28.6	5	25.0	115	8.1	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	3	8.6	2	7.1	1	14.3	3	15.0	266	18.8	8	57.1

Table 1.9.6. Chelsea - Clinton (Manhattan)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV dia	agnoses %	Withou N		Concurrent with A diagn N		N	%	N	%	N	%
TOTAL	141	100.0	118	83.7		16.3	65	100.0	6,540	100.0	40	100.0
GENDER								_				
Male Female	133 8	94.3 5.7	112 6	94.9 5.1	21 2	91.3 8.7	62 3	95.4 4.6	6,098 442	93.2 6.8	39 1	97.5 2.5
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	16 38 74 11 0 2	11.3 27.0 52.5 7.8 0.0 1.4 0.0	14 33 60 9 0 2	11.9 28.0 50.8 7.6 0.0 1.7 0.0		8.7 21.7 60.9 8.7 0.0 0.0	10 21 31 3 0 0	15.4 32.3 47.7 4.6 0.0 0.0 0.0	1,039 1,446 3,798 184 10 14	15.9 22.1 58.1 2.8 0.2 0.2 0.7	6 5 28 1 0 0	15.0 12.5 70.0 2.5 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 4 46 49 30 11	0.0 2.8 32.6 34.8 21.3 7.8 0.7	0 3 43 42 21 8 1	0.0 2.5 36.4 35.6 17.8 6.8 0.8	7 9	0.0 4.3 13.0 30.4 39.1 13.0 0.0	0 2 13 14 22 13	0.0 3.1 20.0 21.5 33.8 20.0 1.5	1 11 333 1,003 2,053 2,146 993	0.0 0.2 5.1 15.3 31.4 32.8 15.2	0 0 1 3 5 15	0.0 0.0 2.5 7.5 12.5 37.5 40.0
TRANSMISSION RISK			_	_								
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	124 2 2 6 3 0 0 4	87.9 1.4 1.4 4.3 2.1 0.0 0.0 2.8	103 2 2 5 2 0 0 4	87.3 1.7 1.7 4.2 1.7 0.0 0.0 3.4	21 0 0 1 1 0 0	91.3 0.0 0.0 4.3 4.3 0.0 0.0	55 1 1 3 0 0 0 5	84.6 1.5 1.5 4.6 0.0 0.0 0.0 7.7	4,850 381 182 246 48 24 2 807	74.2 5.8 2.8 3.8 0.7 0.4 0.0 12.3	30 2 3 1 0 0 1 3	75.0 5.0 7.5 2.5 0.0 0.0 2.5 7.5

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

		HIV	DIAGNO	SES, 201	13		AIDS DIAGNOSES	5, 2013	PLWHA A		DEATHS,	2013
	Total HIV d	iaanoses	Withou		Concurrent with diagn							İ
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	38	100.0	31	81.6	7	18.4	22	100.0	2,020	100.0	21	100.0
GENDER						_				_		
Male Female	35 3	92.1 7.9	28 3	90.3 9.7	7 0	0.0	22 0	100.0 0.0	1,852 168	91.7 8.3	18 3	85.7 14.3
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	5 11 18 4 0	13.2 28.9 47.4 10.5 0.0	4 10 13 4 0	12.9 32.3 41.9 12.9 0.0	1 1 5 0 0	14.3 14.3 71.4 0.0 0.0	5 3 13 1 0	22.7 13.6 59.1 4.5 0.0	373 457 1,112 58 20	18.5 22.6 55.0 2.9 1.0	2 5 13 1 0	9.5 23.8 61.9 4.8 0.0
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29 30-39 40-49 50-59 60+	0 6 14 9 7 2	0.0 15.8 36.8 23.7 18.4 5.3	0 6 13 5 5	0.0 0.0 19.4 41.9 16.1 16.1 6.5	0 0 1 4 2 0	0.0 0.0 14.3 57.1 28.6 0.0	0 0 5 7 8 2	0.0 0.0 22.7 31.8 36.4 9.1	2 70 230 537 662 519	0.0 0.1 3.5 11.4 26.6 32.8 25.7	0 0 0 3 10 8	0.0 0.0 0.0 14.3 47.6 38.1
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	30 1 0 3 0 0 0 4	78.9 2.6 0.0 7.9 0.0 0.0 0.0	25 0 0 3 0 0 0 3	80.6 0.0 0.0 9.7 0.0 0.0 0.0	5 1 0 0 0 0 0	71.4 14.3 0.0 0.0 0.0 0.0 0.0 14.3	16 2 0 1 0 0 0 3	72.7 9.1 0.0 4.5 0.0 0.0 0.0 13.6	1,306 185 65 118 8 8 2 328	64.7 9.2 3.2 5.8 0.4 0.4 0.1 16.2	10 5 0 2 1 0 0 3	47.6 23.8 0.0 9.5 4.8 0.0 0.0

Table 1.9.8. Greenwich Village - Soho (Manhattan)

		HIV	DIAGNO	SES, 20	13	AIDS	S DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV d	liagnoses	Withou		Concurrent with Al							İ
	N	% magnoses	Ν	%	N Glagnot	%	N	%	N	%	N	%
TOTAL	30	100.0	23	76.7	7 2	3.3	21	100.0	1,962	100.0	10	100.0
GENDER						_						
Male	29	96.7	22 1	95.7		0.0	20	95.2	1,860	94.8	9	90.0
Female		3.3	'	4.3	0	0.0	1	4.8	102	5.2	1	10.0
RACE/ETHNICITY						_						10.0
Black Latino/Hispanic	6	23.3 20.0	6 4	26.1 17.4		4.3	4 6	19.0 28.6	380 407	19.4 20.7	4 2	40.0 20.0
White	14	46.7	11	47.8	3 4	2.9	9	42.9	1,111	56.6	4	40.0
Asian/Pacific Islander Other/Unknown	1 2	3.3 6.7	0 2	0.0 8.7		4.3	1	4.8 4.8	50 14	2.5 0.7	0	0.0 0.0
		0.7		0.7		0.0	•	4.0		0.7	O	0.0
AGE GROUP (YEARS)		0.0		0.0		0.0		0.0		0.0		0.0
0-12 13-19	0	0.0 3.3	0	0.0 4.3		0.0	0	0.0 0.0	0 2	0.0 0.1	0	0.0 0.0
20-29	10	33.3	8	34.8	2 2	8.6	8	38.1	96	4.9	Ō	0.0
30-39 40-49	8	26.7 23.3	5 6	21.7 26.1		2.9 4.3	7 2	33.3 9.5	213 578	10.9 29.5	1	10.0 10.0
50-59	4	13.3	3	13.0		4.3	3	14.3	658	33.5	2	20.0
60+	0	0.0	0	0.0	0	0.0	1	4.8	415	21.2	6	60.0
TRANSMISSION RISK						_						
Men who have sex with men (MSM)	22	73.3	17	73.9		1.4	14	66.7	1,323	67.4	7	70.0
Injection drug use history (IDU) MSM-IDU	1	3.3 0.0	0	0.0		4.3	2	9.5 0.0	160 58	8.2 3.0	2	20.0 0.0
Heterosexual contact	2	6.7	2	8.7	0	0.0	1	4.8	64	3.3	1	10.0
Transgender people with sexual contact Perinatal	0	0.0 0.0	0	0.0		0.0	0	0.0 0.0	26 4	1.3 0.2	0	0.0 0.0 0.0 0.0
Other	0	0.0	0	0.0		0.0	0	0.0	0	0.2	0	0.0
Unknown	5	16.7	4	17.4		4.3	4	19.0	327	16.7	0	0.0

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.9.9. Union Square - Lower East Side (Manhattan)

		HIV	DIAGNO	SES, 20			AIDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS,	, 2013
	Total HIV di N	%	Withou N	ıt AIDS %	Concurrent with A diagno N	oses %	N	%	N	%	N	%
TOTAL	83	100.0	64	77.1	19	22.9	42	100.0	3,255	100.0	60	100.0
GENDER								_				
Male	68	81.9	53	82.8	15	78.9	30	71.4	2,625	80.6	39	65.0
Female	15	18.1	11	17.2	4	21.1	12	28.6	630	19.4	21	35.0
RACE/ETHNICITY						-		_				
Black	15	18.1	11	17.2		21.1	10	23.8	709	21.8	19	31.7
Latino/Hispanic	29	34.9	20	31.3		47.4	17	40.5	1,115	34.3	30	50.0 16.7
White Asian/Pacific Islander	31	37.3	26	40.6	5	26.3	13	31.0	1,273	39.1	10	16. <i>7</i> 1.7
Native American	6 0	7.2 0.0	5 0	7.8 0.0	0	5.3	0	2.4 0.0	126 8	3.9 0.2	1 0	1.7
Multiracial	2	2.4	2	3.1	0	0.0	1	2.4	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	ő	0.0	Ö	0.0	14	0.4	0	0.0 0.0 0.0
AGE GROUP (YEARS)						-		_				
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	4	4.8	4	6.3	0	0.0	2	4.8	19	0.6	0	0.0
20-29	32	38.6	29	45.3		15.8	8	19.0	186	5.7	0	0.0
30-39	20	24.1	17	26.6		15.8	6	14.3	364	11.2	0	0.0 0.0 0.0 0.0 25.0 33.3
40-49	18	21.7	11	17.2		36.8	13	31.0	854	26.2	15	25.0
50-59	4	4.8	2	3.1		10.5	6 7	14.3	1,143	35.1	20 25	33.3 41.7
60+	5	6.0	1	1.6	4	21.1	/	16.7	688	21.1	25	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	57	68.7	46	71.9		57.9	24	57.1	1,688	51.9	11	18.3
Injection drug use history (IDU)	1	1.2	1	1.6	0	0.0	2	4.8	493	15.1	27	45.0 1.7
MSM-IDU Heterosexual contact	4	4.8 15.7	4	6.3 14.1	0 4	0.0	0 8	0.0 19.0	103 387	3.2 11.9	1 11	1.7
Transgender people with sexual contact	13 2	2.4	9 2	3.1	0	0.0	8	0.0	387 14	0.4	11	18.3 1.7
Perinatal	0	0.0	0	0.0	0	0.0	3	7.1	40	1.2	0	0.0
Other	ő	0.0	Ö	0.0	ő	0.0	0	0.0	5	0.2	ő	0.0
Unknown	6	7.2	2	3.1		21.1	5	11.9	525	16.1	9	15.0

Table 1.9.10. Lower Manhattan (Manhattan)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	, 2013	PLWHA AS 12/31/20		DEATHS	, 2013
	Total HIV di N	agnoses %	Withou N		Concurrent with A diagno N		N	%	N	%	N	%
TOTAL	14	100.0	9	64.3		35.7	11	100.0	562	100.0	4	100.0
GENDER												
Male Female	11 3	78.6 21.4	7 2	77.8 22.2		80.0 20.0	11 0	100.0	482 80	85.8 14.2	3 1	75.0 25.0
RACE/ETHNICITY						_						
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	5 6 2 1 0 0	35.7 42.9 14.3 7.1 0.0 0.0 0.0	4 3 1 1 0 0	44.4 33.3 11.1 11.1 0.0 0.0	3	20.0 60.0 20.0 0.0 0.0 0.0	3 6 2 0 0 0	27.3 54.5 18.2 0.0 0.0 0.0	117 142 280 20 0 1 2	20.8 25.3 49.8 3.6 0.0 0.2 0.4	2 1 1 0 0 0	50.0 25.0 25.0 0.0 0.0 0.0
AGE GROUP (YEARS)		0.0		0.0		0.0	•	0.0		0.0	_	0.0
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 2 6 3 1 1	0.0 7.1 14.3 42.9 21.4 7.1 7.1	0 1 2 3 3 0 0	0.0 11.1 22.2 33.3 33.3 0.0 0.0	0 1 :	0.0 0.0 0.0 60.0 0.0 20.0	0 0 1 6 3 1	0.0 0.0 9.1 54.5 27.3 9.1 0.0	0 4 25 95 195 175 68	0.0 0.7 4.4 16.9 34.7 31.1 12.1	0 0 1 0 1 2	0.0 0.0 0.0 25.0 0.0 25.0 50.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	8 0 0 4 0 0 0 2	57.1 0.0 0.0 28.6 0.0 0.0 0.0 14.3	5 0 0 3 0 0 0	55.6 0.0 0.0 33.3 0.0 0.0 0.0	0 0 1 0 0	60.0 0.0 0.0 20.0 0.0 0.0 0.0 20.0	9 0 1 0 0 0 0	81.8 0.0 9.1 0.0 0.0 0.0 0.0 9.1	343 44 11 52 2 5 1	61.0 7.8 2.0 9.3 0.4 0.9 0.2 18.5	1 0 1 1 0 0 0	25.0 0.0 25.0 25.0 0.0 0.0 0.0 25.0

Table 1.10.1. Long Island City - Astoria (Queens)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV d	iaanosas	Withou		Concurrent with	h AIDS gnoses						
	N	% magnoses	N	%	N Ula	9110363 %	N	%	N	%	N	%
TOTAL	78	100.0	60	76.9	18	23.1	34	100.0	1,941	100.0	10	100.0
GENDER	_		_			_		-				
Male	70	89.7	54	90.0	16	88.9	29	85.3	1,630	84.0	7	70.0
Female	8	10.3	6	10.0	2	11.1	5	14.7	311	16.0	3	30.0
RACE/ETHNICITY						_				_		
Black	12	15.4	11	18.3	1	5.6	7	20.6	356	18.3	5	50.0
Latino/Hispanic White	32 27	41.0 34.6	23 22	38.3 36.7	9 5	50.0 27.8	15 9	44.1 26.5	767 721	39.5 37.1	3	10.0 30.0
Asian/Pacific Islander	6	7.7	3	5.0	3	16.7	3	8.8	83	4.3	1	10.0
Other/Unknown	1	1.3	1	1.7	0	0.0	0	0.0	14	0.7	0	0.0
AGE GROUP (YEARS)						_						
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0 0.0
13-19 20-29	1 31	1.3 39.7	1 26	1.7 43.3	0 5	0.0 27.8	0 8	0.0 23.5	5 149	0.3 7.7	0	0.0 10.0
30-39	25	32.1	18	30.0	7	38.9	15	44.1	412	21.2	2	20.0
40-49	11	14.1	9	15.0	2	11.1	6	17.6	598	30.8	1	10.0
50-59 60+	5 5	6.4 6.4	5	8.3 1.7	0	0.0 22.2	1	2.9 11.8	567 208	29.2 10.7	3 3	30.0 30.0
00+	5	0.4	'	1.7	4	22.2	4	11.0	200	10.7	3	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU)	62	79.5 1.3	50	83.3 1.7	12 0	66.7 0.0	21	61.8 2.9	1,167 127	60.1 6.5	3 3	30.0 30.0
MSM-IDU	1	1.3	1	1.7	0	0.0	1	2.9	46	2.4	0	0.0
Heterosexual contact	6	7.7	4	6.7	2	11.1	5	14.7	252	13.0	2	20.0
Transgender people with sexual contact Perinatal	2	2.6 0.0	2	3.3 0.0	0	0.0	0	0.0 0.0	17 14	0.9 0.7	0	0.0 10.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Unknown	6	7.7	2	3.3	4	22.2	6	17.6	316	16.3	1	10.0

# REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.10.2. West Queens (Queens)

		HIV	DIAGNO	SES, 20	)13		AIDS DIAGNOSES	5, 2013	PLWHA A 12/31/20		DEATHS	, 2013
	Total HIV dia	agnoses %	Withou N		Concurrent with diagr N		N	%	N	%	N	0/
TOTAL	139	100.0	102	73.4	37	26.6	94	100.0	5,861	100.0	44	100.0
GENDER		_		_		_		-	_			
Male Female	126 13	90.6 9.4	92 10	90.2 9.8	34 3	91.9 8.1	81 13	86.2 13.8	4,710 1,151	80.4 19.6	34 10	77.3 22.7
RACE/ETHNICITY												
Black Latino/Hispanic White Asian/Pacific Islander Native American Multiracial Unknown	7 99 13 19 0 1	5.0 71.2 9.4 13.7 0.0 0.7 0.0	6 74 8 13 0 1	5.9 72.5 7.8 12.7 0.0 1.0 0.0	1 25 5 6 0 0	2.7 67.6 13.5 16.2 0.0 0.0	18 57 9 10 0 0	19.1 60.6 9.6 10.6 0.0 0.0	1,777 3,153 656 247 17 6	30.3 53.8 11.2 4.2 0.3 0.1 0.1	11 20 12 1 0 0	25.0 45.5 27.3 2.3 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 63 29 25 13 8	0.0 0.7 45.3 20.9 18.0 9.4 5.8	0 1 50 23 15 9 4	0.0 1.0 49.0 22.5 14.7 8.8 3.9	0 0 13 6 10 4 4	0.0 0.0 35.1 16.2 27.0 10.8 10.8	0 0 24 28 23 14 5	0.0 0.0 25.5 29.8 24.5 14.9 5.3	4 19 481 978 1,891 1,773 715	0.1 0.3 8.2 16.7 32.3 30.3 12.2	0 0 1 2 12 15 14	0.0 0.0 2.3 4.5 27.3 34.1 31.8
TRANSMISSION RISK												
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	101 2 1 18 2 0 0	72.7 1.4 0.7 12.9 1.4 0.0 0.0 10.8	76 1 1 13 1 0 0	74.5 1.0 1.0 12.7 1.0 0.0 0.0 9.8	25 1 0 5 1 0 0	67.6 2.7 0.0 13.5 2.7 0.0 0.0 13.5	54 5 0 18 1 3 0	57.4 5.3 0.0 19.1 1.1 3.2 0.0 13.8	2,279 1,084 181 969 72 64 5 1,207	38.9 18.5 3.1 16.5 1.2 1.1 0.1 20.6	9 7 3 11 0 0 0	20.5 15.9 6.8 25.0 0.0 0.0 31.8

Table 1.10.3. Flushing - Clearview (Queens)

		HIV	DIAGNO	OSES, 201			AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	5, 2013
	Total HIV o	diagnoses %	Witho N	out AIDS %	Concurrent with diagr N	_	N	%	N	%	N	%
TOTAL	23	100.0	18	78.3	5	21.7	8	100.0	633	100.0	7	100.0
GENDER								_				
Male	22	95.7	18	100.0	4	80.0	5	62.5	471	74.4	4	57.1
Female	1	4.3	0	0.0	i	20.0	3	37.5	162	25.6	3	42.9
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	106	16.7	1	14.3
Latino/Hispanic White	12 2	52.2 8.7	11 2	61.1 11.1	1 0	20.0	3	37.5 0.0	243 189	38.4 29.9	1 3	14.3 42.9
Asian/Pacific Islander	8	34.8	4	22.2	4	80.0	5	62.5	85	13.4	2	28.6
Native American	Ö	0.0	Ö	0.0	ó	0.0	Õ	0.0	5	0.8	Ō	0.0
Multiracial	1	4.3	1	5.6	0	0.0	0	0.0	3	0.5	0	0.0 0.0 0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	0 8	0.0 34.8	0 7	0.0 38.9	0	0.0	0	0.0 12.5	2 39	0.3 6.2	0 0	0.0 0.0
30-39	7	30.4		33.3	1	20.0	2	25.0	86	13.6	1	0.0 14 3
40-49	3	13.0	6 3	16.7	Ö	0.0	1	12.5	185	29.2	2	14.3 28.6
50-59	5	21.7	2	11.1	3	60.0	3	37.5	201	31.8	2	28.6
60+	0	0.0	0	0.0	0	0.0	1	12.5	120	19.0	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	69.6	14	77.8	2	40.0	2	25.0	259	40.9	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	73	11.5	0	0.0
MSM-IDU Heterosexual contact	0 2	0.0 8.7	0	0.0 0.0	0 2	0.0	0	0.0 62.5	13 146	2.1 23.1	0 3	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	5 0	0.0	140	0.2	0	42.9 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	42.9 0.0 0.0 0.0
Other	Ö	0.0	Ö	0.0	Ö	0.0	Ō	0.0	2	0.3	Õ	0.0
Unknown	5	21.7	4	22.2	1	20.0	11	12.5	130	20.5	3	42.9

Table 1.10.4. Bayside - Little Neck (Queens)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A: 12/31/20		DEATHS	, 2013
					Concurrent with	_						
	Total HIV di N	agnoses %	Without N	AIDS %	dia N	gnoses	N	%	N	0/	N	0/
TOTAL	1	100.0	0	0.0	1	100.0	2	100.0	140	% 100.0	2	100.0
				<b>U.U</b>			_	100.0		100.0	=	
GENDER												
Male Female	1 0	100.0 0.0	0	0.0	1 0	100.0	2	100.0 0.0	113 27	80.7 19.3	2 0	100.0 0.0
remale	U	0.0	U	0.0	U	0.0	U	0.0	21	19.5	U	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	29	20.7	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	26	18.6	0	0.0
White Asian/Pacific Islander	0	100.0 0.0	0	0.0	0	100.0	2	100.0 0.0	75 9	53.6 6.4	2 0	100.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0 0.0
		0.0	· ·	0.0	· ·	0.0	· ·	0.0		0	· ·	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0 0	0.0
13-19 20-29	0	0.0 0.0	0	0.0	0	0.0	0	0.0 0.0	5	0.7 3.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	10	7.1	0	0.0 0.0 0.0
40-49	Ö	0.0	Ö	0.0	Ö	0.0	Ö	0.0	47	33.6	Ö	0.0
50-59	1	100.0	0	0.0	1	100.0	1	50.0	46	32.9	1	50.0
60+	0	0.0	0	0.0	0	0.0	1	50.0	31	22.1	1	50.0
TRANSMISSION RISK						_		_				
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	1	50.0	61	43.6	1	50.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	12	8.6	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	1 0	100.0	0	0.0	1 0	100.0	1	50.0 0.0	27 0	19.3 0.0	1 0	50.0
Transgender people with sexual contact Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0 0.0
Other	Ö	0.0	Ö	0.0	ő	0.0	ŏ	0.0	4	2.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	22.1	0	0.0

Table 1.10.5. Ridgewood - Forest Hills (Queens)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV d	iognosos	Withou		Concurrent wi	-		_				
	N	agrioses %	N	" AIDS	N N	agnoses %	N	%	N	%	N	%
TOTAL	33	100.0	22	66.7	11	33.3	26	100.0	1,155	100.0	15	100.0
GENDER												
Male	29	87.9	18	81.8	11	100.0	22	84.6	848	73.4	12	80.0
Female	4	12.1	4	18.2	0	0.0	4	15.4	307	26.6	3	20.0
RACE/ETHNICITY												
Black Latino/Hispanic	3 19	9.1 57.6	2 11	9.1 50.0	1 8	9.1 72.7	4 18	15.4 69.2	153 553	13.2 47.9	1 4	6.7
White	7	21.2	6	27.3	1	9.1	3	11.5	393	34.0	8	26.7 53.3
Asian/Pacific Islander	2	6.1	1	4.5	1	9.1	1	3.8	49	4.2	2	13.3
Other/Unknown	2	6.1	2	9.1	0	0.0	0	0.0	7	0.6	0	0.0
AGE GROUP (YEARS)												
0-12 13-19	0	0.0 3.0	0	0.0 4.5	0	0.0	0	0.0 0.0	1 8	0.1 0.7	0	0.0 0.0 6.7
20-29	11	33.3	8	36.4	3	27.3	7	26.9	75	6.5	1	6.7
30-39	9	27.3	7	31.8	2	18.2	4	15.4	175	15.2	1	6.7
40-49 50-59	7	21.2 9.1	3 2	13.6 9.1	4	36.4 9.1	8	30.8 19.2	347 363	30.0 31.4	0 8	0.0 53.3
60+	2	6.1	1	4.5	1	9.1	2	7.7	186	16.1	5	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	22	66.7	15	68.2	7	63.6	15	57.7	522	45.2	5	33.3
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	100	8.7	0	0.0
MSM-IDU Heterosexual contact	0 7	0.0 21.2	0 5	0.0 22.7	0 2	0.0 18.2	0 5	0.0 19.2	26 257	2.3 22.3	0 3	0.0 20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	ŏ	0.0	11	1.0	0	0.0 6.7
Perinatal	0	0.0 0.0	0	0.0	0	0.0	0	0.0	27 5	2.3	1	6.7
Other Unknown	4	12.1	0	0.0 9.1	2	0.0	6	0.0 23.1	5 207	0.4 17.9	0 6	0.0 40.0

Table 1.10.6. Fresh Meadows (Queens)

		HIV	DIAGNO	OSES, 2013			AIDS DIAGNOSES	5, 2013	PLWHA A: 12/31/20		DEATHS	, 2013
	Total HIV di	iagnoses	Witho	C out AIDS	oncurrent with diag	AIDS noses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	5	100.0	4	80.0	1	20.0	3	100.0	268	100.0	2	100.0
GENDER										_		
Male	5	100.0	4	100.0		100.0	2	66.7	172	64.2	2	100.0
Female	0	0.0	0	0.0	0	0.0	1	33.3	96	35.8	0	0.0
RACE/ETHNICITY												
Black	2	40.0	2	50.0	0	0.0	1	33.3	126	47.0	2	100.0
Latino/Hispanic	1	20.0	1	25.0	0	0.0	1	33.3	72	26.9	0	0.0
White Asian/Pacific Islander	0 2	0.0	0	0.0	0	0.0	0	0.0	52 17	19.4	0	0.0
Other/Unknown	0	40.0 0.0	0	25.0 0.0	0	100.0	0	33.3 0.0	17	6.3 0.4	0	0.0 0.0
outer, entrancement		0.0	Ŭ	0.0	Ŭ	0.0	· ·	0.0	·	0.1	Ü	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19 20-29	0 2	0.0 40.0	0 2	0.0 50.0	0	0.0	0	0.0 33.3	5 18	1.9 6.7	0	0.0 0.0
30-39	2	40.0	2	50.0	0	0.0	ı	0.0	28	10.4	0	0.0
40-49	1	20.0	0	0.0	1	100.0	2	66.7	77	28.7	0	0.0
50-59	0	0.0	Ō	0.0	0	0.0	0	0.0	92	34.3	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	48	17.9	1	50.0
TRANSMISSION RISK								_		_		
Men who have sex with men (MSM)	4	80.0	3	75.0	1	100.0	2	66.7	75	28.0	0	0.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	0	0.0	75 26	9.7	1	50.0
MSM-IDU	1	20.0	1	25.0	0	0.0	0	0.0	4	1.5	0	0.0
Heterosexual contact Transgender people with sexual contact	0	0.0 0.0	0	0.0 0.0	0	0.0	1	33.3 0.0	75 1	28.0 0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	2.6	0	0.0 0.0
Other	ő	0.0	Ö	0.0	ő	0.0	ŏ	0.0	2	0.7	ő	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	78	29.1	1	50.0

Table 1.10.7. Southwest Queens (Queens)

		HIV	DIAGNO	SES, 201	3		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS	5, 2013
	Total HIV di	iaanasas	Withou		oncurrent wi	th AIDS						
	N	%	N	%	N	% with the second	N	%	N	%	N	%
TOTAL	48	100.0	40	83.3	8	16.7	23	100.0	1,708	100.0	19	100.0
GENDER												
Male	39	81.3	32	80.0	7	87.5	18	78.3	1,197	70.1	12	63.2
Female	9	18.8	8	20.0	1	12.5	5	21.7	511	29.9	7	36.8
RACE/ETHNICITY						_						
Black	7	14.6	5	12.5	2	25.0	7	30.4	499	29.2	7	36.8
Latino/Hispanic	27	56.3	23	57.5	4	50.0	12	52.2	756	44.3	6	31.6
White (Paris, 1)	4	8.3	3	7.5	1	12.5	2	8.7	280	16.4	4	21.1
Asian/Pacific Islander Native American	9	18.8 2.1	8	20.0 2.5	1 0	12.5 0.0	2	8.7 0.0	149 19	8.7	2 0	10.5 0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	1.1 0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Olikilowii		0.0	U	0.0	O	0.0	O	0.0	2	0.1	O	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	5	10.4	5	12.5	0	0.0	0	0.0	16	0.9	0	0.0
20-29	13	27.1	12	30.0	1	12.5	3	13.0	129	7.6	0	0.0
30-39	15	31.3	10	25.0	5	62.5	8	34.8	267	15.6	0	0.0
40-49	10	20.8	8	20.0	2	25.0	6	26.1	515	30.2	4	21.1
50-59 60+	4	8.3 2.1	4	10.0 2.5	0	0.0	3	13.0	550 228	32.2 13.3	9 6	47.4
00+	1	2.1	1	2.5	U	0.0	3	13.0	228	13.3	О	31.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	60.4	26	65.0	3	37.5	9	39.1	620	36.3	3	15.8
Injection drug use history (IDÙ)	1	2.1	1	2.5	0	0.0	1	4.3	206	12.1	6	31.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	1.4	1	5.3
Heterosexual contact	8	16.7	6	15.0	2	25.0	5	21.7	411	24.1	4	21.1
Transgender people with sexual contact	2	4.2	2	5.0	0	0.0	0	0.0	13	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.6	0	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	8	16.7	5	12.5	3	37.5	8	34.8	387	22.7	5	26.3

## REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2013 and REPORTED PERSONS LIVING WITH HIV/AIDS (PLWHA) AS OF 12/31/2013, NEW YORK CITY Table 1.10.8. Jamaica (Queens)

PLWHA AS OF **HIV DIAGNOSES, 2013 AIDS DIAGNOSES, 2013 DEATHS, 2013** 12/31/2013 Concurrent with AIDS Total HIV diagnoses Without AIDS diagnoses Ν TOTAL 68 100.0 51 75.0 25.0 50 100.0 3.032 100.0 31 100.0 17 GENDER 34 60.4 19 Male 51 75.0 74.5 13 76.5 68.0 1,832 61.3 Female 17 25.0 13 25.5 4 23.5 16 32.0 1,200 39.6 12 38.7 RACE/ETHNICITY Black 22 7 48 88.2 2.235 71.0 70.6 33 64.7 15 44 88.0 73.7 14 20.6 13 25.5 5.9 558 22.6 Latino/Hispanic 5 10.0 18.4 155 2 2 5.9 5.1 White 3 4.4 3.9 1 2.0 6.5 Asian/Pacific Islander 2 2.9 2 3.9 0 0.0 0 0.0 64 2.1 0 0.0 Native American 0.0 0.0 0.3 0 0.0 0.0 0 0.0 0 0.0 Multiracial 1.5 2.0 0.0 0 0.0 0.2 Unknown 0.0 0.0 0.0 0 0 0.0 AGE GROUP (YEARS) 0-12 0.0 0.0 0.0 0 0.0 0 0.0 13-19 2 2.9 2 0.9 0.0 3.9 0.0 1 2.0 26 0 26 38.2 9.2 2 20-29 23 45.1 17.6 6 12.0 280 6.5 12.9 30-39 13 19.1 10 19.6 3 17.6 8 16.0 390 1 3.2 814 26.8 40-49 16 23.5 10 19.6 6 35.3 21 42.0 4 12.9 50-59 11 16.2 11.8 29.4 10 20.0 980 32.3 11 35.5 60+ 0.0 0.0 0.0 4 533 13 41.9 TRANSMISSION RISK Men who have sex with men (MSM) 54.9 24.5 2 34 50.0 28 35.3 14 28.0 742 6.5 12.8 389 32.3 Injection drug use history (IDU) 1.5 1 2.0 0.0 3 6.0 10 MSM-IDU 0 0.0 0.0 0.0 0 0.0 49 1.6 1 3.2 21 925 30.5 6 19.4 Heterosexual contact 20 29.4 13 25.5 41.2 42.0 Transgender people with sexual contact 1.5 0.0 5.9 2 4.0 16 0.5 0 0.0 Perinatal 0 0.0 0.0 0.0 0 0.0 93 3.1 0 0.0 Other 0.0 0.0 0.0 0 0.0 0.3 3.2 17.6 26.7 Unknown 17.6 17.6 10 20.0 810 35.5

Table 1.10.9. Southeast Queens (Queens)

		HIV	DIAGNO	SES, 20	13		AIDS DIAGNOSES	S, 2013	PLWHA A: 12/31/20		DEATHS,	2013
	Total I IIV at	000000	14/:46		Concurrent with	_		_				İ
	Total HIV di	agnoses %	Withou N	t AIDS %	alag N	noses %	N	%	N	%	N	%
TOTAL	33	100.0	27	81.8	6	18.2	23	100.0	1,257	100.0	9	100.0
GENDER												
Male	22	66.7	19	70.4	3	50.0	14	60.9	715	56.9	6	66.7
Female	11	33.3	8	29.6	3	50.0	9	39.1	542	43.1	3	33.3
RACE/ETHNICITY								_				
Black	25	75.8	19	70.4	6	100.0	20	87.0	976	77.6	6	66.7
Latino/Hispanic	6	18.2	6	22.2	0	0.0	2	8.7	152	12.1	3	33.3
White	1	3.0	1	3.7	0	0.0	1	4.3	87	6.9	0	0.0
Asian/Pacific Islander Other/Unknown	0	3.0 0.0	0	3.7 0.0	0	0.0	0	0.0 0.0	35 7	2.8 0.6	0	0.0 0.0 0.0
		0.0		0.0		0.0	ŭ	0.0		0.0	· ·	0.0
AGE GROUP (YEARS)												
0-12 13-19	0	0.0 3.0	0	0.0 3.7	0	0.0	0	0.0 0.0	6 11	0.5 0.9	0	0.0
20-29	13	39.4	13	3.7 48.1	0	0.0	0 4	17.4	128	10.2	0	0.0 0.0
30-39	8	24.2	6	22.2	2	33.3	6	26.1	178	14.2	1	11.1
40-49	4	12.1	1	3.7	3	50.0	7	30.4	310	24.7	2	22.2
50-59	4	12.1	3	11.1	1	16.7	4	17.4	410	32.6	4	44.4 22.2
60+	3	9.1	3	11.1	0	0.0	2	8.7	214	17.0	2	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	39.4	10	37.0	3	50.0	6	26.1	256	20.4	2	22.2 33.3
Injection drug use history (IDU) MSM-IDU	0	0.0 3.0	0	0.0 3.7	0	0.0	0	0.0 0.0	141 15	11.2 1.2	3	33.3
Heterosexual contact	11	33.3	8	29.6	3	50.0	11	47.8	389	30.9	2	22.2
Transgender people with sexual contact	1	3.0	1	3.7	ő	0.0	0	0.0	5	0.4	ō	22.2 0.0 0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	49	3.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	/	21.2		25.9	0	0.0	6	26.1	394	31.3	2	22.2

Table 1.10.10. Rockaway (Queens)

		HIV	DIAGNO	SES, 201	13		AIDS DIAGNOSE	S, 2013	PLWHA A 12/31/20		DEATHS,	2013
	Total HIV d	iaanoses	Withou		Concurrent wit dia	th AIDS gnoses						
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	29	100.0	25	86.2	44	13.8	17	100.0	1,108	100.0	20	100.0
GENDER		_	_			_		_		_		
Male	24	82.8	20	80.0	4	100.0	11	64.7	617	55.7	14	70.0
Female	5	17.2	5	20.0	0	0.0	6	35.3	491	44.3	6	30.0
RACE/ETHNICITY			_			_		_		_		
Black	20	69.0	16	64.0	4	100.0	10	58.8	703	63.4	11	55.0
Latino/Hispanic	6	20.7	6	24.0	0	0.0	5	29.4	268	24.2	8	40.0
White Asian/Pacific Islander	1 2	3.4 6.9	1 2	4.0 8.0	0	0.0	1	5.9 5.9	116	10.5 1.4	1 0	5.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16 5	0.5	0	5.0 0.0 0.0
							-				_	
AGE GROUP (YEARS)												
0-12	0 3	0.0 10.3	0	0.0 12.0	0	0.0	0	0.0 0.0	0 19	0.0	0	0.0 0.0 0.0 5.0
13-19 20-29	14	48.3	3 12	48.0	2	50.0	3	17.6	92	1.7 8.3	0	0.0
30-39	4	13.8	3	12.0	1	25.0	3	17.6	157	14.2	1	5.0
40-49	6	20.7	5	20.0	1	25.0	6	35.3	290	26.2	5	25.0
50-59	1	3.4	1	4.0	0	0.0	3	17.6	368	33.2	7	35.0
60+	1	3.4	1	4.0	0	0.0	2	11.8	182	16.4	7	35.0
TRANSMISSION RISK						_						
Men who have sex with men (MSM)	20	69.0	18	72.0	2	50.0	6	35.3	235	21.2	6	30.0
Injection drug use history (IDÙ)	0	0.0	0	0.0	0	0.0	1	5.9	182	16.4	4	20.0
MSM-IDU Heterosexual contact	0	0.0 13.8	0 3	0.0 12.0	0	0.0 25.0	0	0.0 41.2	23 398	2.1 35.9	0 6	0.0 30.0
Transgender people with sexual contact	1	3.4	ა 1	4.0	0	0.0	1	5.9	390 6	0.5	0	0.0
Perinatal	0	0.0	ó	0.0	Ö	0.0	Ö	0.0	31	2.8	ő	0.0 0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	4	13.8	3	12.0	1	25.0	2	11.8	229	20.7	4	20.0

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2013					AI	AIDS DIAGNOSES, 2013		PLWHA AS OF 12/31/2013		DEATHS, 2013	
	T- (-1.1.11) (-1		14/2/-		Concurrent with Al	_		_				
	Total HIV dia	agnoses %	Withou N	t AIDS %	diagno: N	ses %	N	%	N	%	N	%
TOTAL	21	100.0	17	81.0		9.0	10	100.0	563	100.0	13	100.0
GENDER						-		_				
Male	17	81.0	14	82.4	3 7	<b>'</b> 5.0	6	60.0	338	60.0	4	30.8
Female	4	19.0	3	17.6	1 2	25.0	4	40.0	225	40.0	9	69.2
RACE/ETHNICITY						-						
Black	6	28.6	5	29.4		25.0	5	50.0	276	49.0	6	46.2
Latino/Hispanic White	10	47.6 14.3	9 2	52.9 11.8		25.0 25.0	2	20.0 20.0	192 84	34.1 14.9	6	46.2 7.7
Asian/Pacific Islander	1	4.8	0	0.0		25.0	1	10.0	4	0.7	0	0.0
Other/Unknown	1	4.8	1	5.9		0.0	Ô	0.0	7	1.2	Ō	0.0 0.0
AGE GROUP (YEARS)			_	_		-		_				
0-12	0	0.0	0	0.0		0.0	0	0.0	1	0.2	0	0.0
13-19	4	19.0	4	23.5		0.0	0 2	0.0	9 48	1.6	0	0.0 7.7
20-29 30-39	6 7	28.6 33.3	5 6	29.4 35.3		25.0 25.0	2	20.0 20.0	48 76	8.5 13.5	0	0.0
40-49	3	14.3	1	5.9		0.0	3	30.0	147	26.1	5	38.5
50-59	0	0.0	0	0.0		0.0	1	10.0	197	35.0	5	38.5 38.5 15.4
60+	1	4.8	1	5.9	0	0.0	2	20.0	85	15.1	2	15.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	61.9	11	64.7		0.0	3	30.0	122	21.7	1	7.7
Injection drug use history (IDÜ) MSM-IDU	1 0	4.8 0.0	0	5.9 0.0		0.0	2	20.0 0.0	118 13	21.0 2.3	5 0	38.5 0.0
Heterosexual contact	3	14.3	3	17.6		0.0	2	20.0	160	28.4	4	30.8
Transgender people with sexual contact	0	0.0	0	0.0		0.0	0	0.0	2	0.4	0	30.8 0.0 0.0 0.0
Perinatal Other	0	0.0 0.0	0	0.0		0.0	0	0.0 0.0	22	3.9	0	0.0
Unknown	4	19.0	2	11.8		0.0	0 3	30.0	125	0.2 22.2	3	23.1
JOHNIOWH		13.0		11.0		0.0	<u> </u>	50.0	120	22.2		20.1

Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2013				AID	AIDS DIAGNOSES, 2013		PLWHA AS OF 12/31/2013		DEATHS, 2013		
	Total HIV d	iaanosas	Withou		Concurrent with Al diagnos							j
	N	%	N	%	N Ulagrio	%	N	%	N	%	N	%
TOTAL	23	100.0	18	78.3	5 2	1.7	10	100.0	1,033	100.0	34	100.0
GENDER	_					_						
Male Female	17 6	73.9 26.1	15 3	83.3 16.7		0.0	6 4	60.0 40.0	668 365	64.7 35.3	23 11	67.6 32.4
RACE/ETHNICITY								_				
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	9 10 4 0 0	39.1 43.5 17.4 0.0 0.0	7 8 3 0 0	38.9 44.4 16.7 0.0 0.0	2 4 1 2 0	0.0 0.0 0.0 0.0 0.0	3 2 5 0	30.0 20.0 50.0 0.0 0.0	464 293 254 12 10	44.9 28.4 24.6 1.2 1.0	10 15 9 0	29.4 44.1 26.5 0.0 0.0
AGE GROUP (YEARS)												
0-12 13-19 20-29 30-39 40-49 50-59 60+	0 1 8 6 5 1 2	0.0 4.3 34.8 26.1 21.7 4.3 8.7	0 1 8 3 3 1 2	0.0 5.6 44.4 16.7 16.7 5.6 11.1	0 0 3 6 2 4	0.0 0.0 0.0 60.0 60.0 0.0 0.0	0 1 1 4 3 1 0	0.0 10.0 10.0 40.0 30.0 10.0	1 12 64 133 280 379 164	0.1 1.2 6.2 12.9 27.1 36.7 15.9	0 0 2 2 12 5 13	0.0 0.0 5.9 5.9 35.3 14.7 38.2
TRANSMISSION RISK		00.4		44.4				00.0	004	07.0	_	44.7
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	9 2 0 2 0 0 0	39.1 8.7 0.0 8.7 0.0 0.0 0.0 43.5	8 1 0 1 0 0 0 8	44.4 5.6 0.0 5.6 0.0 0.0 0.0 44.4	1 2 0 1 2 0 0 0 0	20.0 20.0 0.0 20.0 0.0 0.0 0.0	2 1 2 1 0 1 0 3	20.0 10.0 20.0 10.0 0.0 10.0 0.0 30.0	281 189 39 247 10 30 2 235	27.2 18.3 3.8 23.9 1.0 2.9 0.2 22.7	5 14 2 6 0 1 6	14.7 41.2 5.9 17.6 0.0 2.9 17.6

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2013						AIDS DIAGNOSES, 2013		PLWHA AS OF 12/31/2013		DEATHS, 2013	
	Total HIV o	liannoses	Witho	C out AIDS	oncurrent with A diagno							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	2	100.0	2	100.0	0	0.0	2	100.0	185	100.0	9	100.0
GENDER												
Male Female	2	100.0 0.0	2 0	100.0 0.0	0 0	0.0	2 0	100.0 0.0	127 58	68.6 31.4	8 1	88.9 11.1
RACE/ETHNICITY										_		
Black Latino/Hispanic White Asian/Pacific Islander Other/Unknown	1 1 0 0	50.0 50.0 0.0 0.0 0.0	1 1 0 0	50.0 50.0 0.0 0.0 0.0	0 0 0	0.0 0.0 0.0 0.0 0.0	0 1 1 0 0	0.0 50.0 50.0 0.0 0.0	32 54 93 4 2	17.3 29.2 50.3 2.2 1.1	1 4 4 0 0	11.1 44.4 44.4 0.0 0.0
AGE GROUP (YEARS) 0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
3-19 20-29 30-39 40-49 50-59 60+	0 0 0 1 1 0	0.0 0.0 0.0 50.0 50.0 0.0	0 0 0 1 1	0.0 0.0 0.0 50.0 50.0	0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0	0 0 0 1 1	0.0 0.0 0.0 50.0 50.0	3 12 21 50 71 28	1.6 6.5 11.4 27.0 38.4 15.1	0 0 0 1 3 5	0.0 0.0 0.0 11.1 33.3 55.6
TRANSMISSION RISK		50.0		50.0		0.0		0.0	00	00.5		44.4
Men who have sex with men (MSM) Injection drug use history (IDU) MSM-IDU Heterosexual contact Transgender people with sexual contact Perinatal Other Unknown	1 0 0 0 0 0 0	50.0 0.0 0.0 0.0 0.0 0.0 0.0 50.0	1 0 0 0 0 0 0	50.0 0.0 0.0 0.0 0.0 0.0 0.0 50.0	0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0	0 1 0 0 0 0 0	0.0 50.0 0.0 0.0 0.0 0.0 0.0 50.0	62 38 5 35 0 5 1	33.5 20.5 2.7 18.9 0.0 2.7 0.5 21.1	1 5 0 1 0 0 0 2	11.1 55.6 0.0 11.1 0.0 0.0 0.0 22.2

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2013						AIDS DIAGNOSES, 2013		PLWHA AS OF 12/31/2013		DEATHS, 2013	
	Total HIV	diaanosas	Withou	C It AIDS	oncurrent wi	th AIDS agnoses						
	N	wiagnoses %	N	% AIDS	N	% with the second	N	%	N	%	N	%
TOTAL	6	100.0	4	66.7	2	33.3	4	100.0	410	100.0	5	100.0
GENDER								_				
Male	4	66.7	3	75.0	1	50.0	2	50.0	274	66.8	3	60.0
Female	2	33.3	1	25.0	1	50.0	2	50.0	136	33.2	2	40.0
RACE/ETHNICITY	_					_						
Black	1	16.7	1	25.0	0	0.0	1	25.0	75	18.3	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	101	24.6	2	40.0
White	5	83.3	3	75.0	2	100.0	3	75.0	230	56.1	3	60.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	1	16.7	1	25.0	0	0.0	0	0.0	4	1.0	0	0.0
20-29	2	33.3	2	50.0	0	0.0	0	0.0	20	4.9	0	0.0
30-39	1	16.7	1	25.0	0	0.0	0	0.0	45	11.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	25.0	117	28.5	0	0.0
50-59	1	16.7	0	0.0	1	50.0	2	50.0	155	37.8	3	60.0
60+	1	16.7	0	0.0	1	50.0	1	25.0	67	16.3	2	40.0
TRANSMISSION RISK			_									
Men who have sex with men (MSM)	1	16.7	1	25.0	0	0.0	1	25.0	89	21.7	0	0.0
Injection drug use history (IDÜ) MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	76	18.5	3	60.0
MSM-IDU	1	16.7	1	25.0	0	0.0	0	0.0	10	2.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	113	27.6	1	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Unknown	4	66.7	2	50.0	2	100.0	3	75.0	105	25.6	1	20.0

#### RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2013 Table 2.1. Overall and by gender, age, and race/ethnicity

	HIV DIAGNOSES PER 100,000 POPULATION <sup>1,2</sup>	PLWHA AS PERCENT OF POPULATION <sup>2</sup>	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWHA³	2013 NEW YORK CITY POPULATION⁴
TOTAL	34.4	1.4	11.1	8,422,460
GENDER				
Male	57.4	2.2	10.9	4,012,292
Female	13.4	0.8	11.6	4,410,168
RACE/ETHNICITY				
Black	61.4	2.8	12.3	1,907,542
Latino/Hispanic	41.2	1.6	11.9	2,442,152
White	19.5	0.9	7.9	2,760,429
Asian/Pacific Islander	10.8	0.2	8.7	1,159,912
Native American	35.9*	1.5	12.1*	19,481
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,316,333
13 - 19	18.5	0.1	0.9*	674,576
20 - 29	77.0	0.8	4.2	1,407,636
30 - 39	51.0	1.4	5.4	1,312,204
40 - 49	50.7	3.0	11.1	1,131,153
50 - 59	28.0	3.5	18.6	1,067,876
60+	9.6	1.3	32.5	1,512,682

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated September 13, 2018. Male category includes transgender men and female category includes transgender women. Rates based on numerators ≤10 are marked with an asterisk (\*) and should be interpreted with caution.

<sup>&</sup>lt;sup>1</sup>HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>&</sup>lt;sup>2</sup>Rates calculated using DOHMH 2013 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2017.

<sup>&</sup>lt;sup>3</sup>Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

<sup>&</sup>lt;sup>4</sup>Population from DOHMH NYC intercensal estimates.

#### RATES OF REPORTED HIV DIAGNOSES, PLWHA, AND DEATHS AMONG PWHA IN NEW YORK CITY, 2013 Table 2.2. Overall and by borough and UHF neighborhood of residence

	HIV DIAGNOSES	PLWHA AS	AGE-ADJUSTED	2013 NEW
	PER 100,000 POPULATION <sup>1,2</sup>	PERCENT OF POPULATION <sup>2</sup>	DEATH RATE PER 1,000 MID-YEAR PLWHA <sup>3</sup>	YORK CITY POPULATION⁴
TOTAL	34.4	1.4	11.1	8,422,460
BRONX <sup>5</sup>	37.4	1.9	12.3	1,426,184
Crotona - Tremont	51.3	2.4	14.9	214,569
Fordham - Bronx Park	41.8	2.0	10.8	253,860
High Bridge - Morrisania	51.2	2.6	17.7	216,884
Hunts Point - Mott Haven	41.6	2.5	11.3	141,885
Kingsbridge - Riverdale	14.1	0.7	0.8*	92,097
Northeast Bronx	25.7	1.2	9.4	202,033
Pelham - Throgs Neck	27.2	1.4	8.3	304,855
  BROOKLYN⁵	27,2	1.1	11.1	2,595,344
Bedford Stuyvesant - Crown Heights	54.2	2.3	14.2	330,428
Bensonhurst - Bay Ridge	7.2	0.3	9.0*	208,528
Borough Park	7.9	0.3	7.4	341,865
Canarsie - Flatlands	25.5	0.7	13.7	207,498
Coney Island - Sheepshead Bay	13.5	0.4	13.4	282,030
Downtown - Heights - Park Slope	22.1	1.1	6.8	248,863
East Flatbush - Flatbush	38.2	1.7	8.6	301,282
East New York	39.8	1.7	14.6	188,266
Greenpoint	20.6	0.7	6.2*	135,901
Sunset Park	13.1	0.6	10.2*	130,032
Williamsburg - Bushwick	47.6	1.7	11.1	220,650
MANHATTAN⁵	42.8	1.9	8.0	1,615,012
Central Harlem - Morningside Heights	68.6	2.6	10.9	176,471
Chelsea - Clinton	92.4	4.3	5.2	152,606
East Harlem	41.7	2.6	14.6	112,610
Gramercy Park - Murray Hill	29.3	1.6	5.4	129,782
Greenwich Village - Soho	36.8	2.4	3.9*	81,429
Lower Manhattan	23.5	0.9	8.4*	59,604
Union Square - Lower East Side	42.4	1.7	11.0	195,868
Upper East Side	16.0	0.6	6.0	219,056
Upper West Side	21.9	1.4	5.8	219,030
Washington Heights - Inwood	47.3	1.6	9.6	268,404
QUEENS <sup>5</sup>	19.8	0.7	6.9	2,309,101
Bayside - Little Neck	1.1*	0.2	8.3*	89,987
Flushing - Clearview	9.0	0.2	7.5*	256,694
Fresh Meadows	5.0*	0.2	5.3*	99,976
Jamaica	21.7	1.0	8.0	
Long Island City - Astoria		0.9		312,715
Ridgewood - Forest Hills	36.9	0.9	5.5* 9.8	211,614
=	13.1	0.9		251,887
Rockaway	23.9		12.8	121,171
Southeast Queens Southwest Queens	16.0 16.7	0.6 0.6	4.7* 8.1	206,313 288,151
West Queens	29.5	1.2	5.3	470,592
STATEN ISLAND <sup>5</sup>	11.2	0.5	22.7	472,515
Port Richmond	31.5	0.8	15.5	66,600
South Beach - Tottenville	3.1*	0.2	7.9*	195,792
Stapleton - St. George	18.7	0.8	29.7	122,947
Willowbrook	2.3*	0.2	38.6*	87,176

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2018. Table generated September 13, 2018. Rates based on numerators ≤10 are marked with an asterisk (\*) and should be interpreted with caution. 
¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

<sup>&</sup>lt;sup>2</sup>Rates calculated using DOHMH 2013 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2017.

<sup>&</sup>lt;sup>3</sup>Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.

<sup>&</sup>lt;sup>4</sup>Population from DOHMH NYC intercensal estimates.

<sup>&</sup>lt;sup>5</sup>Borough-level data include people residing in unknown UHF neighborhoods.