



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 New HIV and AIDS Diagnoses and Deaths from January 1, 2019, to December 31, 2019; and People Diagnosed with HIV, Reported in NYC and Presumed to be Living as of December 31, 2019

Table 1.1	New York City (All)	Table 1.7.2	Northeast Bronx
		Table 1.7.3	Fordham – Bronx Park
	By Gender	Table 1.7.4	Pelham – Throgs Neck
Table 1.2.1	Men	Table 1.7.5	Crotona – Tremont
Table 1.2.2	Women	Table 1.7.6	High Bridge – Morrisania
		Table 1.7.7	Hunts Point – Mott Haven
	By Race or Ethnicity		By UHF Neighborhood in Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian or Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian or Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.3.11	Multiracial Men	Table 1.8.11	Williamsburg – Bushwick
Table 1.3.12	Multiracial Women		
	By Age		By UHF Neighborhood in Manhattan
Table 1.4.1	Boys Ages 0 to 12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.2	Girls Ages 0 to 12 years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.3	Men Ages 13 Years and Older	Table 1.9.3	East Harlem
Table 1.4.4	Women Ages 13 Years and Older	Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women		By UHF Neighborhood in Queens
Table 1.5.7	Queens, Men	Table 1.10.1	Long Island City – Astoria
Table 1.5.8	Queens, Women	Table 1.10.2	West Queens
Table 1.5.9	Staten Island, Men	Table 1.10.3	Flushing – Clearview
Table 1.5.10	Staten Island, Women	Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men Who Have Sex With Men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection Drug Use History (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection Drug Use History (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM-IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual Contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual Contact, Women		By UHF Neighborhood in Staten Island
Table 1.6.7	Transgender People With Sexual Contact	Table 1.11.1	Port Richmond
	By UHF Neighborhood in the Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

Tables 2.1-2.2 Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2019

Table 2.1	Overall and by gender, age, and race or ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

For a glossary of terms, see nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page

Suggested citation: HIV Epidemiology Program. *Annual HIV Surveillance Statistics, 2019*. New York City Department of Health and Mental Hygiene: New York, NY. December 2024. Accessed [access date] at nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page.

Table 1.1. New York City (All)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses, 2019						New AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1,781	100.0	1,486	83.4	295	16.6	1,159	100.0	133,728	100.0	1,823	100.0
Gender												
Men	1,393	78.2	1,171	78.8	222	75.3	825	71.2	97,158	72.7	1,306	71.6
Women	324	18.2	257	17.3	67	22.7	298	25.7	33,949	25.4	490	26.9
Transgender women	60	3.4	54	3.6	6	2.0	35	3.0	2,569	1.9	27	1.5
Transgender men	4	0.2	4	0.3	0	0.0	1	0.1	52	0.0	0	0.0
Race or ethnicity												
Black	788	44.2	664	44.7	124	42.0	580	50.0	57,424	42.9	869	47.7
Latino	705	39.6	579	39.0	126	42.7	404	34.9	44,850	33.5	576	31.6
White	195	10.9	171	11.5	24	8.1	117	10.1	26,814	20.1	320	17.6
Asian or Pacific Islander	72	4.0	56	3.8	16	5.4	42	3.6	3,341	2.5	13	0.7
Native American	3	0.2	3	0.2	0	0.0	2	0.2	318	0.2	1	0.1
Multiracial	18	1.0	13	0.9	5	1.7	14	1.2	675	0.5	40	2.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	306	0.2	4	0.2
Age group (years)												
0-12	3	0.2	3	0.2	0	0.0	1	0.1	67	0.1	0	0.0
13-19	63	3.5	60	4.0	3	1.0	13	1.1	417	0.3	0	0.0
20-29	670	37.6	615	41.4	55	18.6	211	18.2	10,121	7.6	34	1.9
30-39	500	28.1	404	27.2	96	32.5	319	27.5	22,350	16.7	125	6.9
40-49	242	13.6	185	12.4	57	19.3	214	18.5	24,691	18.5	208	11.4
50-59	196	11.0	142	9.6	54	18.3	237	20.4	40,657	30.4	536	29.4
60+	107	6.0	77	5.2	30	10.2	164	14.2	35,425	26.5	920	50.5
Borough of residence												
Bronx	466	26.2	380	25.6	86	29.2	323	27.9	31,229	23.4	459	25.2
Brooklyn	437	24.5	373	25.1	64	21.7	271	23.4	30,520	22.8	398	21.8
Manhattan	325	18.2	275	18.5	50	16.9	193	16.7	32,734	24.5	311	17.1
Queens	307	17.2	237	15.9	70	23.7	169	14.6	18,818	14.1	167	9.2
Staten Island	29	1.6	25	1.7	4	1.4	16	1.4	2,555	1.9	39	2.1
Outside NYC	155	8.7	134	9.0	21	7.1	175	15.1	14,624	10.9	70	3.8
Unknown	62	3.5	62	4.2	0	0.0	12	1.0	3,248	2.4	379	20.8
Neighborhood poverty level												
Low poverty (<10% below FPL)	208	11.7	165	11.1	43	14.6	118	10.2	18,829	14.1	137	7.5
Medium poverty (10 to <20% below FPL)	604	33.9	494	33.2	110	37.3	347	29.9	43,416	32.5	458	25.1
High poverty (20 to <30% below FPL)	388	21.8	331	22.3	57	19.3	247	21.3	26,566	19.9	355	19.5
Very high poverty (≥30% below FPL)	361	20.3	297	20.0	64	21.7	259	22.3	25,766	19.3	424	23.3
Area-based poverty level not available	220	12.4	199	13.4	21	7.1	188	16.2	19,151	14.3	449	24.6
Transmission category												
Men who have sex with men (MSM)	991	55.6	855	57.5	136	46.1	465	40.1	59,896	44.8	509	27.9
Injection drug use history (IDU)	39	2.2	35	2.4	4	1.4	95	8.2	15,552	11.6	491	26.9
MSM-IDU	27	1.5	25	1.7	2	0.7	27	2.3	3,776	2.8	79	4.3
Heterosexual contact	339	19.0	261	17.6	78	26.4	283	24.4	27,943	20.9	392	21.5
Transgender people with sexual contact	57	3.2	52	3.5	5	1.7	32	2.8	2,289	1.7	21	1.2
Perinatal	3	0.2	3	0.2	0	0.0	19	1.6	2,590	1.9	12	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	200	0.1	1	0.1
Unknown	325	18.2	255	17.2	70	23.7	238	20.5	21,482	16.1	318	17.4

**Table 1.2.1. Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1,397	100.0	1,175	84.1	222	15.9	826	100.0	97,210	100.0	1,306	100.0
Race or ethnicity												
Black	553	39.6	470	40.0	83	37.4	371	44.9	36,409	37.5	564	43.2
Latino	592	42.4	488	41.5	104	46.8	312	37.8	32,807	33.7	423	32.4
White	172	12.3	154	13.1	18	8.1	92	11.1	24,189	24.9	277	21.2
Asian or Pacific Islander	63	4.5	49	4.2	14	6.3	38	4.6	2,807	2.9	12	0.9
Native American	3	0.2	3	0.3	0	0.0	2	0.2	242	0.2	1	0.1
Multiracial	14	1.0	11	0.9	3	1.4	11	1.3	520	0.5	25	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	236	0.2	4	0.3
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	1	0.1	33	0.0	0	0.0
13-19	51	3.7	49	4.2	2	0.9	6	0.7	263	0.3	0	0.0
20-29	574	41.1	527	44.9	47	21.2	169	20.5	7,792	8.0	31	2.4
30-39	398	28.5	318	27.1	80	36.0	244	29.5	17,596	18.1	86	6.6
40-49	175	12.5	137	11.7	38	17.1	136	16.5	17,426	17.9	133	10.2
50-59	124	8.9	89	7.6	35	15.8	153	18.5	28,753	29.6	367	28.1
60+	75	5.4	55	4.7	20	9.0	117	14.2	25,347	26.1	689	52.8
Borough of residence												
Bronx	345	24.7	281	23.9	64	28.8	216	26.2	19,419	20.0	310	23.7
Brooklyn	338	24.2	290	24.7	48	21.6	171	20.7	20,439	21.0	257	19.7
Manhattan	277	19.8	236	20.1	41	18.5	152	18.4	27,588	28.4	234	17.9
Queens	239	17.1	190	16.2	49	22.1	123	14.9	13,828	14.2	125	9.6
Staten Island	22	1.6	21	1.8	1	0.5	10	1.2	1,643	1.7	24	1.8
Outside NYC	125	8.9	106	9.0	19	8.6	143	17.3	11,770	12.1	55	4.2
Unknown	51	3.7	51	4.3	0	0.0	11	1.3	2,523	2.6	301	23.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	165	11.8	129	11.0	36	16.2	94	11.4	15,309	15.7	114	8.7
Medium poverty (10 to <20% below FPL)	484	34.6	407	34.6	77	34.7	239	28.9	32,374	33.3	333	25.5
High poverty (20 to <30% below FPL)	303	21.7	264	22.5	39	17.6	163	19.7	17,944	18.5	237	18.1
Very high poverty (≥30% below FPL)	266	19.0	215	18.3	51	23.0	175	21.2	16,285	16.8	266	20.4
Area-based poverty level not available	179	12.8	160	13.6	19	8.6	155	18.8	15,298	15.7	356	27.3
Transmission category												
Men who have sex with men (MSM)	991	70.9	855	72.8	136	61.3	465	56.3	59,896	61.6	509	39.0
Injection drug use history (IDU)	25	1.8	21	1.8	4	1.8	55	6.7	10,010	10.3	315	24.1
MSM-IDU	27	1.9	25	2.1	2	0.9	27	3.3	3,776	3.9	79	6.0
Heterosexual contact	68	4.9	49	4.2	19	8.6	73	8.8	7,412	7.6	147	11.3
Transgender people with sexual contact	2	0.1	2	0.2	0	0.0	1	0.1	28	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	11	1.3	1,258	1.3	7	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	112	0.1	0	0.0
Unknown	284	20.3	223	19.0	61	27.5	194	23.5	14,718	15.1	249	19.1

Table 1.2.2. Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	384	100.0	311	81.0	73	19.0	333	100.0	36,518	100.0	517	100.0
Race or ethnicity												
Black	235	61.2	194	62.4	41	56.2	209	62.8	21,015	57.5	305	59.0
Latina	113	29.4	91	29.3	22	30.1	92	27.6	12,043	33.0	153	29.6
White	23	6.0	17	5.5	6	8.2	25	7.5	2,625	7.2	43	8.3
Asian or Pacific Islander	9	2.3	7	2.3	2	2.7	4	1.2	534	1.5	1	0.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
Multiracial	4	1.0	2	0.6	2	2.7	3	0.9	155	0.4	15	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	70	0.2	0	0.0
Age group (years)												
0-12	3	0.8	3	1.0	0	0.0	0	0.0	34	0.1	0	0.0
13-19	12	3.1	11	3.5	1	1.4	7	2.1	154	0.4	0	0.0
20-29	96	25.0	88	28.3	8	11.0	42	12.6	2,329	6.4	3	0.6
30-39	102	26.6	86	27.7	16	21.9	75	22.5	4,754	13.0	39	7.5
40-49	67	17.4	48	15.4	19	26.0	78	23.4	7,265	19.9	75	14.5
50-59	72	18.8	53	17.0	19	26.0	84	25.2	11,904	32.6	169	32.7
60+	32	8.3	22	7.1	10	13.7	47	14.1	10,078	27.6	231	44.7
Borough of residence												
Bronx	121	31.5	99	31.8	22	30.1	107	32.1	11,810	32.3	149	28.8
Brooklyn	99	25.8	83	26.7	16	21.9	100	30.0	10,081	27.6	141	27.3
Manhattan	48	12.5	39	12.5	9	12.3	41	12.3	5,146	14.1	77	14.9
Queens	68	17.7	47	15.1	21	28.8	46	13.8	4,990	13.7	42	8.1
Staten Island	7	1.8	4	1.3	3	4.1	6	1.8	912	2.5	15	2.9
Outside NYC	30	7.8	28	9.0	2	2.7	32	9.6	2,854	7.8	15	2.9
Unknown	11	2.9	11	3.5	0	0.0	1	0.3	725	2.0	78	15.1
Neighborhood poverty level												
Low poverty (<10% below FPL)	43	11.2	36	11.6	7	9.6	24	7.2	3,520	9.6	23	4.4
Medium poverty (10 to <20% below FPL)	120	31.3	87	28.0	33	45.2	108	32.4	11,042	30.2	125	24.2
High poverty (20 to <30% below FPL)	85	22.1	67	21.5	18	24.7	84	25.2	8,622	23.6	118	22.8
Very high poverty (≥30% below FPL)	95	24.7	82	26.4	13	17.8	84	25.2	9,481	26.0	158	30.6
Area-based poverty level not available	41	10.7	39	12.5	2	2.7	33	9.9	3,853	10.6	93	18.0
Transmission category												
Injection drug use history (IDU)	14	3.6	14	4.5	0	0.0	40	12.0	5,542	15.2	176	34.0
Heterosexual contact	271	70.6	212	68.2	59	80.8	210	63.1	20,531	56.2	245	47.4
Transgender people with sexual contact	55	14.3	50	16.1	5	6.8	31	9.3	2,261	6.2	21	4.1
Perinatal	3	0.8	3	1.0	0	0.0	8	2.4	1,332	3.6	5	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	88	0.2	1	0.2
Unknown	41	10.7	32	10.3	9	12.3	44	13.2	6,764	18.5	69	13.3

Table 1.3.1. Black Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	553	100.0	470	85.0	83	15.0	371	100.0	36,409	100.0	564	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	1	0.3	20	0.1	0	0.0
13-19	25	4.5	25	5.3	0	0.0	4	1.1	141	0.4	0	0.0
20-29	233	42.1	216	46.0	17	20.5	80	21.6	3,494	9.6	18	3.2
30-39	130	23.5	109	23.2	21	25.3	105	28.3	6,967	19.1	46	8.2
40-49	73	13.2	58	12.3	15	18.1	49	13.2	5,937	16.3	58	10.3
50-59	56	10.1	38	8.1	18	21.7	70	18.9	10,096	27.7	144	25.5
60+	36	6.5	24	5.1	12	14.5	62	16.7	9,754	26.8	298	52.8
Borough of residence												
Bronx	145	26.2	121	25.7	24	28.9	97	26.1	8,801	24.2	126	22.3
Brooklyn	178	32.2	153	32.6	25	30.1	108	29.1	11,144	30.6	159	28.2
Manhattan	107	19.3	92	19.6	15	18.1	50	13.5	7,310	20.1	86	15.2
Queens	60	10.8	47	10.0	13	15.7	39	10.5	4,262	11.7	51	9.0
Staten Island	10	1.8	10	2.1	0	0.0	5	1.3	595	1.6	4	0.7
Outside NYC	39	7.1	33	7.0	6	7.2	67	18.1	3,789	10.4	21	3.7
Unknown	14	2.5	14	3.0	0	0.0	5	1.3	508	1.4	117	20.7
Neighborhood poverty level												
Low poverty (<10% below FPL)	50	9.0	38	8.1	12	14.5	36	9.7	3,681	10.1	31	5.5
Medium poverty (10 to <20% below FPL)	178	32.2	147	31.3	31	37.3	94	25.3	11,633	32.0	154	27.3
High poverty (20 to <30% below FPL)	151	27.3	136	28.9	15	18.1	86	23.2	8,712	23.9	127	22.5
Very high poverty (≥30% below FPL)	118	21.3	99	21.1	19	22.9	83	22.4	7,719	21.2	114	20.2
Area-based poverty level not available	56	10.1	50	10.6	6	7.2	72	19.4	4,664	12.8	138	24.5
Transmission category												
Men who have sex with men (MSM)	358	64.7	316	67.2	42	50.6	186	50.1	18,632	51.2	193	34.2
Injection drug use history (IDU)	9	1.6	8	1.7	1	1.2	18	4.9	4,027	11.1	127	22.5
MSM-IDU	6	1.1	6	1.3	0	0.0	7	1.9	1,331	3.7	26	4.6
Heterosexual contact	37	6.7	25	5.3	12	14.5	47	12.7	4,037	11.1	87	15.4
Transgender people with sexual contact	2	0.4	2	0.4	0	0.0	1	0.3	17	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	7	1.9	698	1.9	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	35	0.1	0	0.0
Unknown	141	25.5	113	24.0	28	33.7	105	28.3	7,632	21.0	127	22.5

Table 1.3.2. Black Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	235	100.0	194	82.6	41	17.4	209	100.0	21,015	100.0	305	100.0
Age group (years)												
0-12	2	0.9	2	1.0	0	0.0	0	0.0	12	0.1	0	0.0
13-19	4	1.7	4	2.1	0	0.0	4	1.9	91	0.4	0	0.0
20-29	61	26.0	58	29.9	3	7.3	21	10.0	1,304	6.2	3	1.0
30-39	60	25.5	50	25.8	10	24.4	48	23.0	2,802	13.3	24	7.9
40-49	41	17.4	31	16.0	10	24.4	50	23.9	4,357	20.7	49	16.1
50-59	48	20.4	38	19.6	10	24.4	57	27.3	6,847	32.6	103	33.8
60+	19	8.1	11	5.7	8	19.5	29	13.9	5,602	26.7	126	41.3
Borough of residence												
Bronx	76	32.3	62	32.0	14	34.1	65	31.1	6,191	29.5	67	22.0
Brooklyn	70	29.8	59	30.4	11	26.8	74	35.4	7,001	33.3	98	32.1
Manhattan	26	11.1	22	11.3	4	9.8	26	12.4	2,755	13.1	46	15.1
Queens	39	16.6	29	14.9	10	24.4	19	9.1	2,744	13.1	28	9.2
Staten Island	3	1.3	3	1.5	0	0.0	3	1.4	446	2.1	8	2.6
Outside NYC	15	6.4	13	6.7	2	4.9	22	10.5	1,567	7.5	7	2.3
Unknown	6	2.6	6	3.1	0	0.0	0	0.0	311	1.5	51	16.7
Neighborhood poverty level												
Low poverty (<10% below FPL)	24	10.2	22	11.3	2	4.9	12	5.7	1,941	9.2	11	3.6
Medium poverty (10 to <20% below FPL)	67	28.5	51	26.3	16	39.0	57	27.3	6,559	31.2	82	26.9
High poverty (20 to <30% below FPL)	63	26.8	50	25.8	13	31.7	60	28.7	5,256	25.0	64	21.0
Very high poverty (≥30% below FPL)	60	25.5	52	26.8	8	19.5	58	27.8	5,230	24.9	90	29.5
Area-based poverty level not available	21	8.9	19	9.8	2	4.9	22	10.5	2,029	9.7	58	19.0
Transmission category												
Injection drug use history (IDU)	6	2.6	6	3.1	0	0.0	25	12.0	2,649	12.6	95	31.1
Heterosexual contact	173	73.6	141	72.7	32	78.0	131	62.7	12,170	57.9	154	50.5
Transgender people with sexual contact	26	11.1	25	12.9	1	2.4	13	6.2	1,117	5.3	9	3.0
Perinatal	2	0.9	2	1.0	0	0.0	6	2.9	761	3.6	4	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.3
Unknown	28	11.9	20	10.3	8	19.5	34	16.3	4,272	20.3	42	13.8

Table 1.3.3. Latino Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	592	100.0	488	82.4	104	17.6	312	100.0	32,807	100.0	423	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.0	0	0.0
13-19	24	4.1	22	4.5	2	1.9	2	0.6	98	0.3	0	0.0
20-29	256	43.2	235	48.2	21	20.2	62	19.9	2,945	9.0	12	2.8
30-39	193	32.6	146	29.9	47	45.2	103	33.0	6,419	19.6	24	5.7
40-49	55	9.3	41	8.4	14	13.5	56	17.9	6,364	19.4	41	9.7
50-59	40	6.8	27	5.5	13	12.5	54	17.3	9,458	28.8	132	31.2
60+	24	4.1	17	3.5	7	6.7	35	11.2	7,513	22.9	214	50.6
Borough of residence												
Bronx	190	32.1	150	30.7	40	38.5	107	34.3	9,247	28.2	156	36.9
Brooklyn	87	14.7	74	15.2	13	12.5	42	13.5	5,135	15.7	63	14.9
Manhattan	100	16.9	82	16.8	18	17.3	61	19.6	7,799	23.8	64	15.1
Queens	131	22.1	104	21.3	27	26.0	64	20.5	6,015	18.3	39	9.2
Staten Island	6	1.0	6	1.2	0	0.0	1	0.3	486	1.5	12	2.8
Outside NYC	50	8.4	44	9.0	6	5.8	35	11.2	2,666	8.1	13	3.1
Unknown	28	4.7	28	5.7	0	0.0	2	0.6	1,459	4.4	76	18.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	74	12.5	59	12.1	15	14.4	35	11.2	4,411	13.4	27	6.4
Medium poverty (10 to <20% below FPL)	197	33.3	161	33.0	36	34.6	102	32.7	10,525	32.1	100	23.6
High poverty (20 to <30% below FPL)	106	17.9	87	17.8	19	18.3	57	18.3	6,132	18.7	83	19.6
Very high poverty (≥30% below FPL)	137	23.1	109	22.3	28	26.9	80	25.6	7,280	22.2	124	29.3
Area-based poverty level not available	78	13.2	72	14.8	6	5.8	38	12.2	4,459	13.6	89	21.0
Transmission category												
Men who have sex with men (MSM)	445	75.2	373	76.4	72	69.2	180	57.7	19,130	58.3	119	28.1
Injection drug use history (IDU)	12	2.0	9	1.8	3	2.9	31	9.9	4,746	14.5	147	34.8
MSM-IDU	13	2.2	13	2.7	0	0.0	15	4.8	1,415	4.3	31	7.3
Heterosexual contact	22	3.7	18	3.7	4	3.8	17	5.4	2,497	7.6	52	12.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.3	456	1.4	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	0.1	0	0.0
Unknown	100	16.9	75	15.4	25	24.0	65	20.8	4,528	13.8	72	17.0

**Table 1.3.4. Latina Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	113	100.0	91	80.5	22	19.5	92	100.0	12,043	100.0	153	100.0
Age group (years)												
0-12	1	0.9	1	1.1	0	0.0	0	0.0	15	0.1	0	0.0
13-19	6	5.3	5	5.5	1	4.5	3	3.3	51	0.4	0	0.0
20-29	28	24.8	25	27.5	3	13.6	17	18.5	826	6.9	0	0.0
30-39	32	28.3	28	30.8	4	18.2	16	17.4	1,500	12.5	14	9.2
40-49	21	18.6	14	15.4	7	31.8	21	22.8	2,258	18.7	19	12.4
50-59	13	11.5	8	8.8	5	22.7	22	23.9	3,941	32.7	47	30.7
60+	12	10.6	10	11.0	2	9.1	13	14.1	3,452	28.7	73	47.7
Borough of residence												
Bronx	41	36.3	34	37.4	7	31.8	37	40.2	5,161	42.9	67	43.8
Brooklyn	16	14.2	13	14.3	3	13.6	15	16.3	2,308	19.2	29	19.0
Manhattan	20	17.7	15	16.5	5	22.7	13	14.1	1,763	14.6	23	15.0
Queens	21	18.6	15	16.5	6	27.3	18	19.6	1,545	12.8	10	6.5
Staten Island	1	0.9	0	0.0	1	4.5	2	2.2	252	2.1	3	2.0
Outside NYC	10	8.8	10	11.0	0	0.0	6	6.5	685	5.7	4	2.6
Unknown	4	3.5	4	4.4	0	0.0	1	1.1	329	2.7	17	11.1
Neighborhood poverty level												
Low poverty (<10% below FPL)	12	10.6	10	11.0	2	9.1	8	8.7	900	7.5	5	3.3
Medium poverty (10 to <20% below FPL)	40	35.4	29	31.9	11	50.0	35	38.0	3,271	27.2	29	19.0
High poverty (20 to <30% below FPL)	18	15.9	13	14.3	5	22.7	21	22.8	2,901	24.1	42	27.5
Very high poverty (≥30% below FPL)	29	25.7	25	27.5	4	18.2	21	22.8	3,897	32.4	56	36.6
Area-based poverty level not available	14	12.4	14	15.4	0	0.0	7	7.6	1,074	8.9	21	13.7
Transmission category												
Injection drug use history (IDU)	6	5.3	6	6.6	0	0.0	10	10.9	2,201	18.3	64	41.8
Heterosexual contact	74	65.5	56	61.5	18	81.8	57	62.0	6,572	54.6	62	40.5
Transgender people with sexual contact	25	22.1	22	24.2	3	13.6	16	17.4	922	7.7	9	5.9
Perinatal	1	0.9	1	1.1	0	0.0	2	2.2	475	3.9	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	7	6.2	6	6.6	1	4.5	7	7.6	1,851	15.4	17	11.1

**Table 1.3.5. White Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	172	100.0	154	89.5	18	10.5	92	100.0	24,189	100.0	277	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	0.6	1	0.6	0	0.0	0	0.0	13	0.1	0	0.0
20-29	58	33.7	55	35.7	3	16.7	13	14.1	898	3.7	1	0.4
30-39	48	27.9	40	26.0	8	44.4	23	25.0	3,305	13.7	9	3.2
40-49	33	19.2	28	18.2	5	27.8	18	19.6	4,273	17.7	32	11.6
50-59	21	12.2	19	12.3	2	11.1	22	23.9	8,255	34.1	80	28.9
60+	11	6.4	11	7.1	0	0.0	16	17.4	7,444	30.8	155	56.0
Borough of residence												
Bronx	6	3.5	6	3.9	0	0.0	8	8.7	1,069	4.4	19	6.9
Brooklyn	57	33.1	52	33.8	5	27.8	11	12.0	3,498	14.5	30	10.8
Manhattan	54	31.4	50	32.5	4	22.2	30	32.6	11,327	46.8	80	28.9
Queens	14	8.1	11	7.1	3	16.7	8	8.7	2,489	10.3	24	8.7
Staten Island	5	2.9	5	3.2	0	0.0	2	2.2	517	2.1	7	2.5
Outside NYC	29	16.9	23	14.9	6	33.3	30	32.6	4,884	20.2	20	7.2
Unknown	7	4.1	7	4.5	0	0.0	3	3.3	405	1.7	97	35.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	22	12.8	18	11.7	4	22.2	14	15.2	6,362	26.3	51	18.4
Medium poverty (10 to <20% below FPL)	77	44.8	73	47.4	4	22.2	25	27.2	8,776	36.3	66	23.8
High poverty (20 to <30% below FPL)	29	16.9	28	18.2	1	5.6	11	12.0	2,503	10.3	25	9.0
Very high poverty (≥30% below FPL)	8	4.7	5	3.2	3	16.7	9	9.8	1,031	4.3	18	6.5
Area-based poverty level not available	36	20.9	30	19.5	6	33.3	33	35.9	5,517	22.8	117	42.2
Transmission category												
Men who have sex with men (MSM)	132	76.7	120	77.9	12	66.7	66	71.7	19,560	80.9	175	63.2
Injection drug use history (IDU)	4	2.3	4	2.6	0	0.0	6	6.5	1,133	4.7	37	13.4
MSM-IDU	6	3.5	5	3.2	1	5.6	3	3.3	932	3.9	22	7.9
Heterosexual contact	6	3.5	5	3.2	1	5.6	2	2.2	597	2.5	5	1.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	78	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	0	0.0
Unknown	24	14.0	20	13.0	4	22.2	15	16.3	1,843	7.6	37	13.4

**Table 1.3.6. White Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	23	100.0	17	73.9	6	26.1	25	100.0	2,625	100.0	43	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	8.7	2	11.8	0	0.0	0	0.0	9	0.3	0	0.0
20-29	5	21.7	3	17.6	2	33.3	3	12.0	140	5.3	0	0.0
30-39	5	21.7	5	29.4	0	0.0	7	28.0	307	11.7	1	2.3
40-49	2	8.7	1	5.9	1	16.7	6	24.0	423	16.1	6	14.0
50-59	8	34.8	5	29.4	3	50.0	4	16.0	900	34.3	12	27.9
60+	1	4.3	1	5.9	0	0.0	5	20.0	842	32.1	24	55.8
Borough of residence												
Bronx	2	8.7	2	11.8	0	0.0	4	16.0	340	13.0	11	25.6
Brooklyn	8	34.8	7	41.2	1	16.7	10	40.0	566	21.6	6	14.0
Manhattan	2	8.7	2	11.8	0	0.0	2	8.0	516	19.7	7	16.3
Queens	4	17.4	1	5.9	3	50.0	4	16.0	427	16.3	4	9.3
Staten Island	3	13.0	1	5.9	2	33.3	1	4.0	199	7.6	3	7.0
Outside NYC	3	13.0	3	17.6	0	0.0	4	16.0	516	19.7	2	4.7
Unknown	1	4.3	1	5.9	0	0.0	0	0.0	61	2.3	10	23.3
Neighborhood poverty level												
Low poverty (<10% below FPL)	5	21.7	3	17.6	2	33.3	2	8.0	544	20.7	7	16.3
Medium poverty (10 to <20% below FPL)	10	43.5	6	35.3	4	66.7	12	48.0	909	34.6	10	23.3
High poverty (20 to <30% below FPL)	1	4.3	1	5.9	0	0.0	3	12.0	315	12.0	6	14.0
Very high poverty (≥30% below FPL)	3	13.0	3	17.6	0	0.0	4	16.0	252	9.6	8	18.6
Area-based poverty level not available	4	17.4	4	23.5	0	0.0	4	16.0	605	23.0	12	27.9
Transmission category												
Injection drug use history (IDU)	2	8.7	2	11.8	0	0.0	5	20.0	638	24.3	14	32.6
Heterosexual contact	15	65.2	10	58.8	5	83.3	15	60.0	1,309	49.9	20	46.5
Transgender people with sexual contact	2	8.7	1	5.9	1	16.7	2	8.0	134	5.1	2	4.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	76	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Unknown	4	17.4	4	23.5	0	0.0	3	12.0	451	17.2	7	16.3

**Table 1.3.7. Asian or Pacific Islander Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	63	100.0	49	77.8	14	22.2	38	100.0	2,807	100.0	12	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	1.6	1	2.0	0	0.0	0	0.0	10	0.4	0	0.0
20-29	21	33.3	16	32.7	5	35.7	10	26.3	338	12.0	0	0.0
30-39	19	30.2	16	32.7	3	21.4	9	23.7	661	23.5	2	16.7
40-49	13	20.6	9	18.4	4	28.6	12	31.6	682	24.3	1	8.3
50-59	6	9.5	5	10.2	1	7.1	5	13.2	692	24.7	6	50.0
60+	3	4.8	2	4.1	1	7.1	2	5.3	422	15.0	3	25.0
Borough of residence												
Bronx	3	4.8	3	6.1	0	0.0	1	2.6	168	6.0	1	8.3
Brooklyn	10	15.9	5	10.2	5	35.7	9	23.7	488	17.4	1	8.3
Manhattan	12	19.0	10	20.4	2	14.3	9	23.7	805	28.7	2	16.7
Queens	30	47.6	24	49.0	6	42.9	11	28.9	930	33.1	5	41.7
Staten Island	0	0.0	0	0.0	0	0.0	1	2.6	25	0.9	0	0.0
Outside NYC	6	9.5	5	10.2	1	7.1	6	15.8	264	9.4	0	0.0
Unknown	2	3.2	2	4.1	0	0.0	1	2.6	127	4.5	3	25.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	17	27.0	13	26.5	4	28.6	8	21.1	694	24.7	3	25.0
Medium poverty (10 to <20% below FPL)	24	38.1	20	40.8	4	28.6	14	36.8	1,116	39.8	4	33.3
High poverty (20 to <30% below FPL)	12	19.0	8	16.3	4	28.6	8	21.1	447	15.9	1	8.3
Very high poverty (≥30% below FPL)	2	3.2	1	2.0	1	7.1	1	2.6	139	5.0	1	8.3
Area-based poverty level not available	8	12.7	7	14.3	1	7.1	7	18.4	411	14.6	3	25.0
Transmission category												
Men who have sex with men (MSM)	45	71.4	37	75.5	8	57.1	23	60.5	1,960	69.8	7	58.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	59	2.1	0	0.0
MSM-IDU	1	1.6	0	0.0	1	7.1	2	5.3	52	1.9	0	0.0
Heterosexual contact	3	4.8	1	2.0	2	14.3	5	13.2	232	8.3	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	14	22.2	11	22.4	3	21.4	8	21.1	487	17.3	4	33.3

**Table 1.3.8. Asian or Pacific Islander Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	9	100.0	7	77.8	2	22.2	4	100.0	534	100.0	1	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	1	11.1	1	14.3	0	0.0	1	25.0	26	4.9	0	0.0
30-39	4	44.4	2	28.6	2	100.0	3	75.0	89	16.7	0	0.0
40-49	2	22.2	2	28.6	0	0.0	0	0.0	167	31.3	0	0.0
50-59	2	22.2	2	28.6	0	0.0	0	0.0	137	25.7	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	112	21.0	1	100.0
Borough of residence												
Bronx	1	11.1	1	14.3	0	0.0	0	0.0	47	8.8	1	100.0
Brooklyn	2	22.2	2	28.6	0	0.0	0	0.0	117	21.9	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	68	12.7	0	0.0
Queens	4	44.4	2	28.6	2	100.0	4	100.0	227	42.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Outside NYC	2	22.2	2	28.6	0	0.0	0	0.0	54	10.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	2.8	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	22.2	1	14.3	1	50.0	2	50.0	109	20.4	0	0.0
Medium poverty (10 to <20% below FPL)	2	22.2	1	14.3	1	50.0	2	50.0	218	40.8	0	0.0
High poverty (20 to <30% below FPL)	1	11.1	1	14.3	0	0.0	0	0.0	85	15.9	1	100.0
Very high poverty (≥30% below FPL)	2	22.2	2	28.6	0	0.0	0	0.0	48	9.0	0	0.0
Area-based poverty level not available	2	22.2	2	28.6	0	0.0	0	0.0	74	13.9	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	3.6	1	100.0
Heterosexual contact	6	66.7	4	57.1	2	100.0	4	100.0	347	65.0	0	0.0
Transgender people with sexual contact	1	11.1	1	14.3	0	0.0	0	0.0	46	8.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	22.2	2	28.6	0	0.0	0	0.0	115	21.5	0	0.0

**Table 1.3.9. Native American Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People with HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	3	100.0	3	100.0	0	0.0	2	100.0	242	100.0	1	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	19	7.9	0	0.0
30-39	3	100.0	3	100.0	0	0.0	1	50.0	51	21.1	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	50.0	52	21.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	69	28.5	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	51	21.1	1	100.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	45	18.6	0	0.0
Brooklyn	1	33.3	1	33.3	0	0.0	0	0.0	54	22.3	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	54	22.3	0	0.0
Queens	1	33.3	1	33.3	0	0.0	0	0.0	51	21.1	1	100.0
Other or unknown	1	33.3	1	33.3	0	0.0	1	50.0	38	15.7	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	37	15.3	0	0.0
Medium poverty (10 to <20% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	84	34.7	1	100.0
High poverty (20 to <30% below FPL)	1	33.3	1	33.3	0	0.0	1	50.0	46	19.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	40	16.5	0	0.0
Area-based poverty level not available	1	33.3	1	33.3	0	0.0	1	50.0	35	14.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	2	66.7	2	66.7	0	0.0	2	100.0	147	60.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	18	7.4	0	0.0
MSM-IDU	1	33.3	1	33.3	0	0.0	0	0.0	12	5.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	24	9.9	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	39	16.1	1	100.0

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

**Table 1.3.10. Native American Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People with HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	0	0.0	0	0.0	0	0.0	0	0.0	76	100.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	8	10.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	13	17.1	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	16	21.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	26	34.2	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	12	15.8	0	0.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	25	32.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	24	31.6	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	8	10.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	14.5	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	10.5	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	26	34.2	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	26.3	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	26.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	6	7.9	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	48	63.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	11.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	5.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	14.5	0	0.0

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

**Table 1.3.11. Multiracial Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	14	100.0	11	78.6	3	21.4	11	100.0	520	100.0	25	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	6	42.9	5	45.5	1	33.3	4	36.4	95	18.3	0	0.0
30-39	5	35.7	4	36.4	1	33.3	3	27.3	183	35.2	5	20.0
40-49	1	7.1	1	9.1	0	0.0	0	0.0	98	18.8	1	4.0
50-59	1	7.1	0	0.0	1	33.3	2	18.2	90	17.3	5	20.0
60+	1	7.1	1	9.1	0	0.0	2	18.2	53	10.2	14	56.0
Borough of residence												
Bronx	1	7.1	1	9.1	0	0.0	2	18.2	66	12.7	8	32.0
Brooklyn	5	35.7	5	45.5	0	0.0	1	9.1	99	19.0	3	12.0
Manhattan	4	28.6	2	18.2	2	66.7	2	18.2	154	29.6	2	8.0
Queens	3	21.4	3	27.3	0	0.0	1	9.1	55	10.6	5	20.0
Staten Island	1	7.1	0	0.0	1	33.3	1	9.1	11	2.1	1	4.0
Outside NYC	0	0.0	0	0.0	0	0.0	4	36.4	116	22.3	1	4.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	3.7	5	20.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	14.3	1	9.1	1	33.3	1	9.1	64	12.3	2	8.0
Medium poverty (10 to <20% below FPL)	7	50.0	5	45.5	2	66.7	4	36.4	164	31.5	8	32.0
High poverty (20 to <30% below FPL)	4	28.6	4	36.4	0	0.0	0	0.0	90	17.3	1	4.0
Very high poverty (≥30% below FPL)	1	7.1	1	9.1	0	0.0	2	18.2	65	12.5	8	32.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	4	36.4	137	26.3	6	24.0
Transmission category												
Men who have sex with men (MSM)	9	64.3	7	63.6	2	66.7	8	72.7	392	75.4	13	52.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	22	4.2	3	12.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	33	6.3	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	18.2	20	3.8	2	8.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	35.7	4	36.4	1	33.3	1	9.1	47	9.0	7	28.0

**Table 1.3.12. Multiracial Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	4	100.0	2	50.0	2	50.0	3	100.0	155	100.0	15	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
20-29	1	25.0	1	50.0	0	0.0	0	0.0	24	15.5	0	0.0
30-39	1	25.0	1	50.0	0	0.0	1	33.3	41	26.5	0	0.0
40-49	1	25.0	0	0.0	1	50.0	1	33.3	31	20.0	1	6.7
50-59	1	25.0	0	0.0	1	50.0	1	33.3	31	20.0	7	46.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	26	16.8	7	46.7
Borough of residence												
Bronx	1	25.0	0	0.0	1	50.0	1	33.3	31	20.0	3	20.0
Brooklyn	3	75.0	2	100.0	1	50.0	1	33.3	45	29.0	8	53.3
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	19	12.3	1	6.7
Queens	0	0.0	0	0.0	0	0.0	1	33.3	23	14.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	3.2	1	6.7
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	26	16.8	2	13.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	3.9	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	18	11.6	0	0.0
Medium poverty (10 to <20% below FPL)	1	25.0	0	0.0	1	50.0	2	66.7	45	29.0	4	26.7
High poverty (20 to <30% below FPL)	2	50.0	2	100.0	0	0.0	0	0.0	33	21.3	5	33.3
Very high poverty (≥30% below FPL)	1	25.0	0	0.0	1	50.0	1	33.3	27	17.4	4	26.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	32	20.6	2	13.3
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	27	17.4	2	13.3
Heterosexual contact	3	75.0	1	50.0	2	100.0	3	100.0	72	46.5	9	60.0
Transgender people with sexual contact	1	25.0	1	50.0	0	0.0	0	0.0	33	21.3	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	5.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	8.4	3	20.0

**Table 1.4.1. Boys Ages 0 to 12 Years
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	0	0.0	0	0.0	0	0.0	1	100.0	33	100.0	0	0.0
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	1	100.0	20	60.6	0	0.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	10	30.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	3.0	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	6.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	9	27.3	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	7	21.2	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	5	15.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	4	12.1	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	3.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	9.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	100.0	4	12.1	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	6.1	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	13	39.4	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	6.1	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	9	27.3	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	100.0	7	21.2	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	32	97.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	3.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Table 1.4.2. Girls Ages 0 to 12 Years
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	3	100.0	3	100.0	0	0.0	0	0.0	34	100.0	0	0.0
Race or ethnicity												
Black	2	66.7	2	66.7	0	0.0	0	0.0	12	35.3	0	0.0
Latina	1	33.3	1	33.3	0	0.0	0	0.0	15	44.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	4	11.8	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0
Borough of residence												
Bronx	1	33.3	1	33.3	0	0.0	0	0.0	7	20.6	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	5	14.7	0	0.0
Manhattan	1	33.3	1	33.3	0	0.0	0	0.0	5	14.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	5	14.7	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	8.8	0	0.0
Outside NYC	1	33.3	1	33.3	0	0.0	0	0.0	6	17.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	8.8	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	4	11.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	7	20.6	0	0.0
High poverty (20 to <30% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	6	17.6	0	0.0
Very high poverty (≥30% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	8	23.5	0	0.0
Area-based poverty level not available	1	33.3	1	33.3	0	0.0	0	0.0	9	26.5	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	3	100.0	3	100.0	0	0.0	0	0.0	34	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Table 1.4.3. Men Ages 13 Years and Older (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1,397	100.0	1,175	84.1	222	15.9	825	100.0	97,177	100.0	1,306	100.0
Race or ethnicity												
Black	553	39.6	470	40.0	83	37.4	370	44.8	36,389	37.4	564	43.2
Latino	592	42.4	488	41.5	104	46.8	312	37.8	32,797	33.7	423	32.4
White	172	12.3	154	13.1	18	8.1	92	11.2	24,188	24.9	277	21.2
Asian or Pacific Islander	63	4.5	49	4.2	14	6.3	38	4.6	2,805	2.9	12	0.9
Native American	3	0.2	3	0.3	0	0.0	2	0.2	242	0.2	1	0.1
Multiracial	14	1.0	11	0.9	3	1.4	11	1.3	520	0.5	25	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	236	0.2	4	0.3
Age group (years)												
13-19	51	3.7	49	4.2	2	0.9	6	0.7	263	0.3	0	0.0
20-29	574	41.1	527	44.9	47	21.2	169	20.5	7,792	8.0	31	2.4
30-39	398	28.5	318	27.1	80	36.0	244	29.6	17,596	18.1	86	6.6
40-49	175	12.5	137	11.7	38	17.1	136	16.5	17,426	17.9	133	10.2
50-59	124	8.9	89	7.6	35	15.8	153	18.5	28,753	29.6	367	28.1
60+	75	5.4	55	4.7	20	9.0	117	14.2	25,347	26.1	689	52.8
Borough of residence												
Bronx	345	24.7	281	23.9	64	28.8	216	26.2	19,410	20.0	310	23.7
Brooklyn	338	24.2	290	24.7	48	21.6	171	20.7	20,432	21.0	257	19.7
Manhattan	277	19.8	236	20.1	41	18.5	152	18.4	27,583	28.4	234	17.9
Queens	239	17.1	190	16.2	49	22.1	123	14.9	13,824	14.2	125	9.6
Staten Island	22	1.6	21	1.8	1	0.5	10	1.2	1,642	1.7	24	1.8
Outside NYC	125	8.9	106	9.0	19	8.6	143	17.3	11,767	12.1	55	4.2
Unknown	51	3.7	51	4.3	0	0.0	10	1.2	2,519	2.6	301	23.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	165	11.8	129	11.0	36	16.2	94	11.4	15,307	15.8	114	8.7
Medium poverty (10 to <20% below FPL)	484	34.6	407	34.6	77	34.7	239	29.0	32,361	33.3	333	25.5
High poverty (20 to <30% below FPL)	303	21.7	264	22.5	39	17.6	163	19.8	17,942	18.5	237	18.1
Very high poverty (≥30% below FPL)	266	19.0	215	18.3	51	23.0	175	21.2	16,276	16.7	266	20.4
Area-based poverty level not available	179	12.8	160	13.6	19	8.6	154	18.7	15,291	15.7	356	27.3
Transmission category												
Men who have sex with men (MSM)	991	70.9	855	72.8	136	61.3	465	56.4	59,896	61.6	509	39.0
Injection drug use history (IDU)	25	1.8	21	1.8	4	1.8	55	6.7	10,010	10.3	315	24.1
MSM-IDU	27	1.9	25	2.1	2	0.9	27	3.3	3,776	3.9	79	6.0
Heterosexual contact	68	4.9	49	4.2	19	8.6	73	8.8	7,412	7.6	147	11.3
Transgender people with sexual contact	2	0.1	2	0.2	0	0.0	1	0.1	28	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	10	1.2	1,226	1.3	7	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	111	0.1	0	0.0
Unknown	284	20.3	223	19.0	61	27.5	194	23.5	14,718	15.1	249	19.1

**Table 1.4.4. Women Ages 13 Years and Older (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	381	100.0	308	80.8	73	19.2	333	100.0	36,484	100.0	517	100.0
Race or ethnicity												
Black	233	61.2	192	62.3	41	56.2	209	62.8	21,003	57.6	305	59.0
Latina	112	29.4	90	29.2	22	30.1	92	27.6	12,028	33.0	153	29.6
White	23	6.0	17	5.5	6	8.2	25	7.5	2,621	7.2	43	8.3
Asian or Pacific Islander	9	2.4	7	2.3	2	2.7	4	1.2	532	1.5	1	0.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
Multiracial	4	1.0	2	0.6	2	2.7	3	0.9	154	0.4	15	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	70	0.2	0	0.0
Age group (years)												
13-19	12	3.1	11	3.6	1	1.4	7	2.1	154	0.4	0	0.0
20-29	96	25.2	88	28.6	8	11.0	42	12.6	2,329	6.4	3	0.6
30-39	102	26.8	86	27.9	16	21.9	75	22.5	4,754	13.0	39	7.5
40-49	67	17.6	48	15.6	19	26.0	78	23.4	7,265	19.9	75	14.5
50-59	72	18.9	53	17.2	19	26.0	84	25.2	11,904	32.6	169	32.7
60+	32	8.4	22	7.1	10	13.7	47	14.1	10,078	27.6	231	44.7
Borough of residence												
Bronx	120	31.5	98	31.8	22	30.1	107	32.1	11,803	32.4	149	28.8
Brooklyn	99	26.0	83	26.9	16	21.9	100	30.0	10,076	27.6	141	27.3
Manhattan	47	12.3	38	12.3	9	12.3	41	12.3	5,141	14.1	77	14.9
Queens	68	17.8	47	15.3	21	28.8	46	13.8	4,985	13.7	42	8.1
Staten Island	7	1.8	4	1.3	3	4.1	6	1.8	909	2.5	15	2.9
Outside NYC	29	7.6	27	8.8	2	2.7	32	9.6	2,848	7.8	15	2.9
Unknown	11	2.9	11	3.6	0	0.0	1	0.3	722	2.0	78	15.1
Neighborhood poverty level												
Low poverty (<10% below FPL)	43	11.3	36	11.7	7	9.6	24	7.2	3,516	9.6	23	4.4
Medium poverty (10 to <20% below FPL)	120	31.5	87	28.2	33	45.2	108	32.4	11,035	30.2	125	24.2
High poverty (20 to <30% below FPL)	84	22.0	66	21.4	18	24.7	84	25.2	8,616	23.6	118	22.8
Very high poverty (≥30% below FPL)	94	24.7	81	26.3	13	17.8	84	25.2	9,473	26.0	158	30.6
Area-based poverty level not available	40	10.5	38	12.3	2	2.7	33	9.9	3,844	10.5	93	18.0
Transmission category												
Injection drug use history (IDU)	14	3.7	14	4.5	0	0.0	40	12.0	5,542	15.2	176	34.0
Heterosexual contact	271	71.1	212	68.8	59	80.8	210	63.1	20,531	56.3	245	47.4
Transgender people with sexual contact	55	14.4	50	16.2	5	6.8	31	9.3	2,261	6.2	21	4.1
Perinatal	0	0.0	0	0.0	0	0.0	8	2.4	1,298	3.6	5	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	88	0.2	1	0.2
Unknown	41	10.8	32	10.4	9	12.3	44	13.2	6,764	18.5	69	13.3

Table 1.5.1. Bronx, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	345	100.0	281	81.4	64	18.6	216	100.0	19,419	100.0	310	100.0
Race or ethnicity												
Black	145	42.0	121	43.1	24	37.5	97	44.9	8,801	45.3	126	40.6
Latino	190	55.1	150	53.4	40	62.5	107	49.5	9,247	47.6	156	50.3
White	6	1.7	6	2.1	0	0.0	8	3.7	1,069	5.5	19	6.1
Asian or Pacific Islander	3	0.9	3	1.1	0	0.0	1	0.5	168	0.9	1	0.3
Native American	0	0.0	0	0.0	0	0.0	1	0.5	45	0.2	0	0.0
Multiracial	1	0.3	1	0.4	0	0.0	2	0.9	66	0.3	8	2.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	19	5.5	18	6.4	1	1.6	2	0.9	70	0.4	0	0.0
20-29	147	42.6	132	47.0	15	23.4	42	19.4	1,591	8.2	6	1.9
30-39	94	27.2	71	25.3	23	35.9	60	27.8	3,615	18.6	19	6.1
40-49	28	8.1	22	7.8	6	9.4	31	14.4	3,236	16.7	28	9.0
50-59	30	8.7	19	6.8	11	17.2	41	19.0	5,847	30.1	94	30.3
60+	27	7.8	19	6.8	8	12.5	40	18.5	5,051	26.0	163	52.6
Neighborhood poverty level												
Low poverty (<10% below FPL)	3	0.9	3	1.1	0	0.0	0	0.0	252	1.3	2	0.6
Medium poverty (10 to <20% below FPL)	67	19.4	53	18.9	14	21.9	37	17.1	3,274	16.9	54	17.4
High poverty (20 to <30% below FPL)	66	19.1	53	18.9	13	20.3	42	19.4	4,057	20.9	64	20.6
Very high poverty (≥30% below FPL)	209	60.6	172	61.2	37	57.8	137	63.4	11,738	60.4	190	61.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	98	0.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	215	62.3	177	63.0	38	59.4	102	47.2	8,840	45.5	72	23.2
Injection drug use history (IDU)	10	2.9	8	2.8	2	3.1	23	10.6	3,239	16.7	108	34.8
MSM-IDU	5	1.4	5	1.8	0	0.0	6	2.8	1,000	5.1	25	8.1
Heterosexual contact	21	6.1	16	5.7	5	7.8	24	11.1	2,129	11.0	49	15.8
Transgender people with sexual contact	1	0.3	1	0.4	0	0.0	0	0.0	14	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	0.9	411	2.1	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	93	27.0	74	26.3	19	29.7	59	27.3	3,764	19.4	54	17.4

**Table 1.5.2. Bronx, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	121	100.0	99	81.8	22	18.2	107	100.0	11,810	100.0	149	100.0
Race or ethnicity												
Black	76	62.8	62	62.6	14	63.6	65	60.7	6,191	52.4	67	45.0
Latina	41	33.9	34	34.3	7	31.8	37	34.6	5,161	43.7	67	45.0
White	2	1.7	2	2.0	0	0.0	4	3.7	340	2.9	11	7.4
Asian or Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	47	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	25	0.2	0	0.0
Multiracial	1	0.8	0	0.0	1	4.5	1	0.9	31	0.3	3	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Age group (years)												
0-12	1	0.8	1	1.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	4	3.3	4	4.0	0	0.0	2	1.9	41	0.3	0	0.0
20-29	28	23.1	27	27.3	1	4.5	15	14.0	723	6.1	1	0.7
30-39	36	29.8	33	33.3	3	13.6	20	18.7	1,569	13.3	12	8.1
40-49	23	19.0	15	15.2	8	36.4	30	28.0	2,487	21.1	19	12.8
50-59	21	17.4	14	14.1	7	31.8	29	27.1	3,968	33.6	51	34.2
60+	8	6.6	5	5.1	3	13.6	11	10.3	3,015	25.5	66	44.3
Neighborhood poverty level												
Low poverty (<10% below FPL)	3	2.5	3	3.0	0	0.0	1	0.9	128	1.1	0	0.0
Medium poverty (10 to <20% below FPL)	14	11.6	12	12.1	2	9.1	15	14.0	2,070	17.5	20	13.4
High poverty (20 to <30% below FPL)	26	21.5	17	17.2	9	40.9	31	29.0	2,457	20.8	31	20.8
Very high poverty (≥30% below FPL)	78	64.5	67	67.7	11	50.0	60	56.1	7,119	60.3	98	65.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
Transmission category												
Injection drug use history (IDU)	11	9.1	11	11.1	0	0.0	17	15.9	2,031	17.2	66	44.3
Heterosexual contact	81	66.9	64	64.6	17	77.3	64	59.8	6,644	56.3	58	38.9
Transgender people with sexual contact	21	17.4	19	19.2	2	9.1	14	13.1	700	5.9	4	2.7
Perinatal	1	0.8	1	1.0	0	0.0	1	0.9	427	3.6	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
Unknown	7	5.8	4	4.0	3	13.6	11	10.3	1,992	16.9	20	13.4

**Table 1.5.3. Brooklyn, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	338	100.0	290	85.8	48	14.2	171	100.0	20,439	100.0	257	100.0
Race or ethnicity												
Black	178	52.7	153	52.8	25	52.1	108	63.2	11,144	54.5	159	61.9
Latino	87	25.7	74	25.5	13	27.1	42	24.6	5,135	25.1	63	24.5
White	57	16.9	52	17.9	5	10.4	11	6.4	3,498	17.1	30	11.7
Asian or Pacific Islander	10	3.0	5	1.7	5	10.4	9	5.3	488	2.4	1	0.4
Native American	1	0.3	1	0.3	0	0.0	0	0.0	54	0.3	0	0.0
Multiracial	5	1.5	5	1.7	0	0.0	1	0.6	99	0.5	3	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.4
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
13-19	10	3.0	9	3.1	1	2.1	2	1.2	59	0.3	0	0.0
20-29	148	43.8	137	47.2	11	22.9	32	18.7	1,820	8.9	6	2.3
30-39	91	26.9	75	25.9	16	33.3	49	28.7	4,028	19.7	18	7.0
40-49	47	13.9	41	14.1	6	12.5	28	16.4	3,759	18.4	29	11.3
50-59	23	6.8	16	5.5	7	14.6	33	19.3	5,607	27.4	67	26.1
60+	19	5.6	12	4.1	7	14.6	27	15.8	5,159	25.2	137	53.3
Neighborhood poverty level												
Low poverty (<10% below FPL)	25	7.4	20	6.9	5	10.4	13	7.6	1,392	6.8	13	5.1
Medium poverty (10 to <20% below FPL)	141	41.7	119	41.0	22	45.8	65	38.0	8,813	43.1	108	42.0
High poverty (20 to <30% below FPL)	143	42.3	130	44.8	13	27.1	70	40.9	7,634	37.4	101	39.3
Very high poverty (≥30% below FPL)	29	8.6	21	7.2	8	16.7	23	13.5	2,447	12.0	35	13.6
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	153	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	232	68.6	207	71.4	25	52.1	85	49.7	11,447	56.0	83	32.3
Injection drug use history (IDU)	2	0.6	2	0.7	0	0.0	13	7.6	2,222	10.9	52	20.2
MSM-IDU	10	3.0	8	2.8	2	4.2	9	5.3	733	3.6	14	5.4
Heterosexual contact	23	6.8	16	5.5	7	14.6	24	14.0	1,874	9.2	31	12.1
Transgender people with sexual contact	1	0.3	1	0.3	0	0.0	0	0.0	6	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	320	1.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
Unknown	70	20.7	56	19.3	14	29.2	38	22.2	3,814	18.7	76	29.6

**Table 1.5.4. Brooklyn, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	99	100.0	83	83.8	16	16.2	100	100.0	10,081	100.0	141	100.0
Race or ethnicity												
Black	70	70.7	59	71.1	11	68.8	74	74.0	7,001	69.4	98	69.5
Latina	16	16.2	13	15.7	3	18.8	15	15.0	2,308	22.9	29	20.6
White	8	8.1	7	8.4	1	6.3	10	10.0	566	5.6	6	4.3
Asian or Pacific Islander	2	2.0	2	2.4	0	0.0	0	0.0	117	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Multiracial	3	3.0	2	2.4	1	6.3	1	1.0	45	0.4	8	5.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	5	5.1	4	4.8	1	6.3	2	2.0	46	0.5	0	0.0
20-29	25	25.3	23	27.7	2	12.5	13	13.0	578	5.7	1	0.7
30-39	20	20.2	18	21.7	2	12.5	26	26.0	1,287	12.8	8	5.7
40-49	19	19.2	14	16.9	5	31.3	21	21.0	1,979	19.6	25	17.7
50-59	21	21.2	18	21.7	3	18.8	20	20.0	3,234	32.1	41	29.1
60+	9	9.1	6	7.2	3	18.8	18	18.0	2,952	29.3	66	46.8
Neighborhood poverty level												
Low poverty (<10% below FPL)	7	7.1	7	8.4	0	0.0	6	6.0	694	6.9	5	3.5
Medium poverty (10 to <20% below FPL)	39	39.4	31	37.3	8	50.0	40	40.0	3,840	38.1	47	33.3
High poverty (20 to <30% below FPL)	39	39.4	33	39.8	6	37.5	38	38.0	4,006	39.7	50	35.5
Very high poverty (≥30% below FPL)	14	14.1	12	14.5	2	12.5	16	16.0	1,480	14.7	39	27.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	61	0.6	0	0.0
Transmission category												
Injection drug use history (IDU)	2	2.0	2	2.4	0	0.0	12	12.0	1,356	13.5	42	29.8
Heterosexual contact	80	80.8	67	80.7	13	81.3	63	63.0	5,870	58.2	75	53.2
Transgender people with sexual contact	6	6.1	6	7.2	0	0.0	4	4.0	437	4.3	7	5.0
Perinatal	0	0.0	0	0.0	0	0.0	5	5.0	359	3.6	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	27	0.3	0	0.0
Unknown	11	11.1	8	9.6	3	18.8	16	16.0	2,032	20.2	16	11.3

**Table 1.5.5. Manhattan, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	277	100.0	236	85.2	41	14.8	152	100.0	27,588	100.0	234	100.0
Race or ethnicity												
Black	107	38.6	92	39.0	15	36.6	50	32.9	7,310	26.5	86	36.8
Latino	100	36.1	82	34.7	18	43.9	61	40.1	7,799	28.3	64	27.4
White	54	19.5	50	21.2	4	9.8	30	19.7	11,327	41.1	80	34.2
Asian or Pacific Islander	12	4.3	10	4.2	2	4.9	9	5.9	805	2.9	2	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	54	0.2	0	0.0
Multiracial	4	1.4	2	0.8	2	4.9	2	1.3	154	0.6	2	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	139	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	7	2.5	7	3.0	0	0.0	0	0.0	31	0.1	0	0.0
20-29	95	34.3	90	38.1	5	12.2	19	12.5	1,323	4.8	3	1.3
30-39	91	32.9	72	30.5	19	46.3	47	30.9	4,359	15.8	16	6.8
40-49	39	14.1	31	13.1	8	19.5	31	20.4	5,025	18.2	21	9.0
50-59	31	11.2	25	10.6	6	14.6	31	20.4	8,749	31.7	63	26.9
60+	14	5.1	11	4.7	3	7.3	24	15.8	8,096	29.3	131	56.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	39	14.1	28	11.9	11	26.8	31	20.4	7,817	28.3	55	23.5
Medium poverty (10 to <20% below FPL)	124	44.8	110	46.6	14	34.1	62	40.8	11,454	41.5	78	33.3
High poverty (20 to <30% below FPL)	84	30.3	74	31.4	10	24.4	43	28.3	5,610	20.3	60	25.6
Very high poverty (≥30% below FPL)	28	10.1	22	9.3	6	14.6	15	9.9	2,100	7.6	41	17.5
Area-based poverty level not available	2	0.7	2	0.8	0	0.0	1	0.7	607	2.2	0	0.0
Transmission category												
Men who have sex with men (MSM)	207	74.7	180	76.3	27	65.9	101	66.4	19,950	72.3	113	48.3
Injection drug use history (IDU)	6	2.2	6	2.5	0	0.0	5	3.3	2,071	7.5	50	21.4
MSM-IDU	9	3.2	9	3.8	0	0.0	7	4.6	1,076	3.9	16	6.8
Heterosexual contact	7	2.5	6	2.5	1	2.4	3	2.0	1,109	4.0	22	9.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	0.7	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.3	180	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Unknown	48	17.3	35	14.8	13	31.7	33	21.7	3,185	11.5	33	14.1

**Table 1.5.6. Manhattan, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	48	100.0	39	81.3	9	18.8	41	100.0	5,146	100.0	77	100.0
Race or ethnicity												
Black	26	54.2	22	56.4	4	44.4	26	63.4	2,755	53.5	46	59.7
Latina	20	41.7	15	38.5	5	55.6	13	31.7	1,763	34.3	23	29.9
White	2	4.2	2	5.1	0	0.0	2	4.9	516	10.0	7	9.1
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	68	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Age group (years)												
0-12	1	2.1	1	2.6	0	0.0	0	0.0	5	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
20-29	12	25.0	11	28.2	1	11.1	3	7.3	286	5.6	1	1.3
30-39	20	41.7	17	43.6	3	33.3	6	14.6	571	11.1	6	7.8
40-49	6	12.5	3	7.7	3	33.3	13	31.7	896	17.4	7	9.1
50-59	3	6.3	2	5.1	1	11.1	11	26.8	1,732	33.7	25	32.5
60+	6	12.5	5	12.8	1	11.1	8	19.5	1,641	31.9	38	49.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	4	8.3	3	7.7	1	11.1	6	14.6	657	12.8	5	6.5
Medium poverty (10 to <20% below FPL)	24	50.0	18	46.2	6	66.7	14	34.1	1,750	34.0	17	22.1
High poverty (20 to <30% below FPL)	17	35.4	15	38.5	2	22.2	13	31.7	1,748	34.0	34	44.2
Very high poverty (≥30% below FPL)	3	6.3	3	7.7	0	0.0	8	19.5	882	17.1	21	27.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	109	2.1	0	0.0
Transmission category												
Injection drug use history (IDU)	1	2.1	1	2.6	0	0.0	7	17.1	1,014	19.7	29	37.7
Heterosexual contact	30	62.5	23	59.0	7	77.8	27	65.9	2,523	49.0	34	44.2
Transgender people with sexual contact	10	20.8	9	23.1	1	11.1	3	7.3	375	7.3	2	2.6
Perinatal	1	2.1	1	2.6	0	0.0	0	0.0	176	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	1	1.3
Unknown	6	12.5	5	12.8	1	11.1	4	9.8	1,044	20.3	11	14.3

**Table 1.5.7. Queens, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	239	100.0	190	79.5	49	20.5	123	100.0	13,828	100.0	125	100.0
Race or ethnicity												
Black	60	25.1	47	24.7	13	26.5	39	31.7	4,262	30.8	51	40.8
Latino	131	54.8	104	54.7	27	55.1	64	52.0	6,015	43.5	39	31.2
White	14	5.9	11	5.8	3	6.1	8	6.5	2,489	18.0	24	19.2
Asian or Pacific Islander	30	12.6	24	12.6	6	12.2	11	8.9	930	6.7	5	4.0
Native American	1	0.4	1	0.5	0	0.0	0	0.0	51	0.4	1	0.8
Multiracial	3	1.3	3	1.6	0	0.0	1	0.8	55	0.4	5	4.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
13-19	8	3.3	8	4.2	0	0.0	0	0.0	28	0.2	0	0.0
20-29	87	36.4	78	41.1	9	18.4	26	21.1	974	7.0	4	3.2
30-39	72	30.1	55	28.9	17	34.7	37	30.1	2,489	18.0	8	6.4
40-49	39	16.3	25	13.2	14	28.6	24	19.5	2,796	20.2	12	9.6
50-59	24	10.0	17	8.9	7	14.3	24	19.5	4,171	30.2	33	26.4
60+	9	3.8	7	3.7	2	4.1	12	9.8	3,366	24.3	68	54.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	90	37.7	70	36.8	20	40.8	49	39.8	5,305	38.4	39	31.2
Medium poverty (10 to <20% below FPL)	138	57.7	112	58.9	26	53.1	66	53.7	7,744	56.0	74	59.2
High poverty (20 to <30% below FPL)	10	4.2	7	3.7	3	6.1	8	6.5	643	4.6	12	9.6
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	0.4	1	0.5	0	0.0	0	0.0	136	1.0	0	0.0
Transmission category												
Men who have sex with men (MSM)	183	76.6	151	79.5	32	65.3	69	56.1	8,366	60.5	54	43.2
Injection drug use history (IDU)	3	1.3	2	1.1	1	2.0	8	6.5	1,360	9.8	22	17.6
MSM-IDU	1	0.4	1	0.5	0	0.0	2	1.6	415	3.0	1	0.8
Heterosexual contact	12	5.0	7	3.7	5	10.2	13	10.6	1,289	9.3	18	14.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	179	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	40	16.7	29	15.3	11	22.4	31	25.2	2,198	15.9	30	24.0

**Table 1.5.8. Queens, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	68	100.0	47	69.1	21	30.9	46	100.0	4,990	100.0	42	100.0
Race or ethnicity												
Black	39	57.4	29	61.7	10	47.6	19	41.3	2,744	55.0	28	66.7
Latina	21	30.9	15	31.9	6	28.6	18	39.1	1,545	31.0	10	23.8
White	4	5.9	1	2.1	3	14.3	4	8.7	427	8.6	4	9.5
Asian or Pacific Islander	4	5.9	2	4.3	2	9.5	4	8.7	227	4.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.2	23	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	1	1.5	1	2.1	0	0.0	1	2.2	14	0.3	0	0.0
20-29	14	20.6	12	25.5	2	9.5	3	6.5	267	5.4	0	0.0
30-39	18	26.5	10	21.3	8	38.1	15	32.6	606	12.1	3	7.1
40-49	11	16.2	10	21.3	1	4.8	4	8.7	1,029	20.6	4	9.5
50-59	17	25.0	10	21.3	7	33.3	16	34.8	1,613	32.3	14	33.3
60+	7	10.3	4	8.5	3	14.3	7	15.2	1,456	29.2	21	50.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	27	39.7	22	46.8	5	23.8	10	21.7	1,771	35.5	11	26.2
Medium poverty (10 to <20% below FPL)	38	55.9	23	48.9	15	71.4	34	73.9	2,742	54.9	28	66.7
High poverty (20 to <30% below FPL)	3	4.4	2	4.3	1	4.8	2	4.3	411	8.2	3	7.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	66	1.3	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	6.5	620	12.4	10	23.8
Heterosexual contact	52	76.5	35	74.5	17	81.0	31	67.4	3,058	61.3	25	59.5
Transgender people with sexual contact	7	10.3	5	10.6	2	9.5	4	8.7	264	5.3	3	7.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.2	180	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	9	13.2	7	14.9	2	9.5	7	15.2	851	17.1	4	9.5

**Table 1.5.9. Staten Island, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People with HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	22	100.0	21	95.5	1	4.5	10	100.0	1,643	100.0	24	100.0
Race or ethnicity												
Black	10	45.5	10	47.6	0	0.0	5	50.0	595	36.2	4	16.7
Latino	6	27.3	6	28.6	0	0.0	1	10.0	486	29.6	12	50.0
White	5	22.7	5	23.8	0	0.0	2	20.0	517	31.5	7	29.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	10.0	25	1.5	0	0.0
Other or unknown	1	4.5	0	0.0	1	100.0	1	10.0	20	1.2	1	4.2
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.5	1	4.8	0	0.0	0	0.0	3	0.2	0	0.0
20-29	11	50.0	10	47.6	1	100.0	2	20.0	119	7.2	1	4.2
30-39	4	18.2	4	19.0	0	0.0	3	30.0	247	15.0	2	8.3
40-49	3	13.6	3	14.3	0	0.0	0	0.0	253	15.4	4	16.7
50-59	2	9.1	2	9.5	0	0.0	2	20.0	538	32.7	7	29.2
60+	1	4.5	1	4.8	0	0.0	3	30.0	482	29.3	10	41.7
Neighborhood poverty level												
Low poverty (<10% below FPL)	8	36.4	8	38.1	0	0.0	1	10.0	543	33.0	5	20.8
Medium poverty (10 to <20% below FPL)	14	63.6	13	61.9	1	100.0	9	90.0	1,089	66.3	19	79.2
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	15	68.2	15	71.4	0	0.0	6	60.0	790	48.1	6	25.0
Injection drug use history (IDU)	1	4.5	1	4.8	0	0.0	1	10.0	275	16.7	9	37.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	79	4.8	3	12.5
Heterosexual contact	1	4.5	1	4.8	0	0.0	0	0.0	178	10.8	3	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	35	2.1	1	4.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	22.7	4	19.0	1	100.0	3	30.0	286	17.4	2	8.3

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.5.10. Staten Island, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People with HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	7	100.0	4	57.1	3	42.9	6	100.0	912	100.0	15	100.0
Race or ethnicity												
Black	3	42.9	3	75.0	0	0.0	3	50.0	446	48.9	8	53.3
Latina	1	14.3	0	0.0	1	33.3	2	33.3	252	27.6	3	20.0
White	3	42.9	1	25.0	2	66.7	1	16.7	199	21.8	3	20.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	1	6.7
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	4	57.1	2	50.0	2	66.7	2	33.3	48	5.3	0	0.0
30-39	1	14.3	1	25.0	0	0.0	1	16.7	125	13.7	0	0.0
40-49	1	14.3	0	0.0	1	33.3	2	33.3	175	19.2	3	20.0
50-59	1	14.3	1	25.0	0	0.0	1	16.7	329	36.1	9	60.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	228	25.0	3	20.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	28.6	1	25.0	1	33.3	1	16.7	270	29.6	2	13.3
Medium poverty (10 to <20% below FPL)	5	71.4	3	75.0	2	66.7	5	83.3	640	70.2	13	86.7
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (\geq 30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	138	15.1	3	20.0
Heterosexual contact	7	100.0	4	100.0	3	100.0	6	100.0	545	59.8	8	53.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	49	5.4	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	141	15.5	3	20.0

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of \leq 500 people or a cell with a denominator of \leq 100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.6.1. Men Who Have Sex With Men (MSM)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	991	100.0	855	86.3	136	13.7	465	100.0	59,896	100.0	509	100.0
Race or ethnicity												
Black	358	36.1	316	37.0	42	30.9	186	40.0	18,632	31.1	193	37.9
Latino	445	44.9	373	43.6	72	52.9	180	38.7	19,130	31.9	119	23.4
White	132	13.3	120	14.0	12	8.8	66	14.2	19,560	32.7	175	34.4
Asian or Pacific Islander	45	4.5	37	4.3	8	5.9	23	4.9	1,960	3.3	7	1.4
Native American	2	0.2	2	0.2	0	0.0	2	0.4	147	0.2	0	0.0
Multiracial	9	0.9	7	0.8	2	1.5	8	1.7	392	0.7	13	2.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	75	0.1	2	0.4
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	42	4.2	40	4.7	2	1.5	4	0.9	136	0.2	0	0.0
20-29	479	48.3	439	51.3	40	29.4	134	28.8	6,231	10.4	20	3.9
30-39	283	28.6	226	26.4	57	41.9	165	35.5	14,339	23.9	61	12.0
40-49	104	10.5	85	9.9	19	14.0	75	16.1	12,276	20.5	73	14.3
50-59	64	6.5	48	5.6	16	11.8	64	13.8	16,296	27.2	155	30.5
60+	19	1.9	17	2.0	2	1.5	23	4.9	10,618	17.7	200	39.3
Borough of residence												
Bronx	215	21.7	177	20.7	38	27.9	102	21.9	8,840	14.8	72	14.1
Brooklyn	232	23.4	207	24.2	25	18.4	85	18.3	11,447	19.1	83	16.3
Manhattan	207	20.9	180	21.1	27	19.9	101	21.7	19,950	33.3	113	22.2
Queens	183	18.5	151	17.7	32	23.5	69	14.8	8,366	14.0	54	10.6
Staten Island	15	1.5	15	1.8	0	0.0	6	1.3	790	1.3	6	1.2
Outside NYC	106	10.7	92	10.8	14	10.3	95	20.4	8,540	14.3	18	3.5
Unknown	33	3.3	33	3.9	0	0.0	7	1.5	1,963	3.3	163	32.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	119	12.0	96	11.2	23	16.9	57	12.3	10,314	17.2	57	11.2
Medium poverty (10 to <20% below FPL)	350	35.3	301	35.2	49	36.0	140	30.1	20,986	35.0	139	27.3
High poverty (20 to <30% below FPL)	211	21.3	191	22.3	20	14.7	80	17.2	10,312	17.2	77	15.1
Very high poverty (≥30% below FPL)	169	17.1	139	16.3	30	22.1	86	18.5	7,381	12.3	55	10.8
Area-based poverty level not available	142	14.3	128	15.0	14	10.3	102	21.9	10,903	18.2	181	35.6

**Table 1.6.2. Injection Drug Use History (IDU), Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	25	100.0	21	84.0	4	16.0	55	100.0	10,010	100.0	315	100.0
Race or ethnicity												
Black	9	36.0	8	38.1	1	25.0	18	32.7	4,027	40.2	127	40.3
Latino	12	48.0	9	42.9	3	75.0	31	56.4	4,746	47.4	147	46.7
White	4	16.0	4	19.0	0	0.0	6	10.9	1,133	11.3	37	11.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	59	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	3	1.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	1	0.3
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	8	32.0	8	38.1	0	0.0	0	0.0	25	0.2	0	0.0
30-39	6	24.0	5	23.8	1	25.0	4	7.3	191	1.9	3	1.0
40-49	1	4.0	1	4.8	0	0.0	9	16.4	660	6.6	20	6.3
50-59	8	32.0	5	23.8	3	75.0	17	30.9	3,096	30.9	76	24.1
60+	2	8.0	2	9.5	0	0.0	25	45.5	6,038	60.3	216	68.6
Borough of residence												
Bronx	10	40.0	8	38.1	2	50.0	23	41.8	3,239	32.4	108	34.3
Brooklyn	2	8.0	2	9.5	0	0.0	13	23.6	2,222	22.2	52	16.5
Manhattan	6	24.0	6	28.6	0	0.0	5	9.1	2,071	20.7	50	15.9
Queens	3	12.0	2	9.5	1	25.0	8	14.5	1,360	13.6	22	7.0
Staten Island	1	4.0	1	4.8	0	0.0	1	1.8	275	2.7	9	2.9
Outside NYC	2	8.0	1	4.8	1	25.0	5	9.1	800	8.0	19	6.0
Unknown	1	4.0	1	4.8	0	0.0	0	0.0	43	0.4	55	17.5
Neighborhood poverty level												
Low poverty (<10% below FPL)	5	20.0	4	19.0	1	25.0	7	12.7	1,287	12.9	11	3.5
Medium poverty (10 to <20% below FPL)	3	12.0	3	14.3	0	0.0	13	23.6	2,663	26.6	71	22.5
High poverty (20 to <30% below FPL)	5	20.0	4	19.0	1	25.0	14	25.5	2,129	21.3	53	16.8
Very high poverty (≥30% below FPL)	9	36.0	8	38.1	1	25.0	16	29.1	2,862	28.6	106	33.7
Area-based poverty level not available	3	12.0	2	9.5	1	25.0	5	9.1	1,069	10.7	74	23.5

**Table 1.6.3. Injection Drug Use History (IDU), Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	14	100.0	14	100.0	0	0.0	40	100.0	5,542	100.0	176	100.0
Race or ethnicity												
Black	6	42.9	6	42.9	0	0.0	25	62.5	2,649	47.8	95	54.0
Latina	6	42.9	6	42.9	0	0.0	10	25.0	2,201	39.7	64	36.4
White	2	14.3	2	14.3	0	0.0	5	12.5	638	11.5	14	8.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	27	0.5	2	1.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	14.3	2	14.3	0	0.0	0	0.0	50	0.9	0	0.0
30-39	4	28.6	4	28.6	0	0.0	6	15.0	218	3.9	5	2.8
40-49	4	28.6	4	28.6	0	0.0	10	25.0	623	11.2	17	9.7
50-59	3	21.4	3	21.4	0	0.0	16	40.0	2,283	41.2	63	35.8
60+	1	7.1	1	7.1	0	0.0	8	20.0	2,368	42.7	91	51.7
Borough of residence												
Bronx	11	78.6	11	78.6	0	0.0	17	42.5	2,031	36.6	66	37.5
Brooklyn	2	14.3	2	14.3	0	0.0	12	30.0	1,356	24.5	42	23.9
Manhattan	1	7.1	1	7.1	0	0.0	7	17.5	1,014	18.3	29	16.5
Queens	0	0.0	0	0.0	0	0.0	3	7.5	620	11.2	10	5.7
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	138	2.5	3	1.7
Outside NYC	0	0.0	0	0.0	0	0.0	1	2.5	369	6.7	4	2.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	22	12.5
Neighborhood poverty level												
Low poverty (<10% below FPL)	1	7.1	1	7.1	0	0.0	2	5.0	518	9.3	7	4.0
Medium poverty (10 to <20% below FPL)	1	7.1	1	7.1	0	0.0	8	20.0	1,458	26.3	34	19.3
High poverty (20 to <30% below FPL)	3	21.4	3	21.4	0	0.0	10	25.0	1,377	24.8	35	19.9
Very high poverty (≥30% below FPL)	9	64.3	9	64.3	0	0.0	19	47.5	1,743	31.5	74	42.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	2.5	446	8.0	26	14.8

**Table 1.6.4. Men Who Have Sex With Men and Inject Drugs (MSM-IDU)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	27	100.0	25	92.6	2	7.4	27	100.0	3,776	100.0	79	100.0
Race or ethnicity												
Black	6	22.2	6	24.0	0	0.0	7	25.9	1,331	35.2	26	32.9
Latino	13	48.1	13	52.0	0	0.0	15	55.6	1,415	37.5	31	39.2
White	6	22.2	5	20.0	1	50.0	3	11.1	932	24.7	22	27.8
Asian or Pacific Islander	1	3.7	0	0.0	1	50.0	2	7.4	52	1.4	0	0.0
Native American	1	3.7	1	4.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	33	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.7	1	4.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	8	29.6	7	28.0	1	50.0	3	11.1	200	5.3	1	1.3
30-39	10	37.0	10	40.0	0	0.0	7	25.9	651	17.2	8	10.1
40-49	5	18.5	4	16.0	1	50.0	9	33.3	701	18.6	13	16.5
50-59	1	3.7	1	4.0	0	0.0	5	18.5	1,231	32.6	26	32.9
60+	2	7.4	2	8.0	0	0.0	3	11.1	989	26.2	31	39.2
Borough of residence												
Bronx	5	18.5	5	20.0	0	0.0	6	22.2	1,000	26.5	25	31.6
Brooklyn	10	37.0	8	32.0	2	100.0	9	33.3	733	19.4	14	17.7
Manhattan	9	33.3	9	36.0	0	0.0	7	25.9	1,076	28.5	16	20.3
Queens	1	3.7	1	4.0	0	0.0	2	7.4	415	11.0	1	1.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	79	2.1	3	3.8
Outside NYC	1	3.7	1	4.0	0	0.0	3	11.1	458	12.1	2	2.5
Unknown	1	3.7	1	4.0	0	0.0	0	0.0	15	0.4	18	22.8
Neighborhood poverty level												
Low poverty (<10% below FPL)	5	18.5	5	20.0	0	0.0	2	7.4	520	13.8	5	6.3
Medium poverty (10 to <20% below FPL)	8	29.6	6	24.0	2	100.0	9	33.3	1,179	31.2	18	22.8
High poverty (20 to <30% below FPL)	7	25.9	7	28.0	0	0.0	8	29.6	744	19.7	17	21.5
Very high poverty (≥30% below FPL)	5	18.5	5	20.0	0	0.0	5	18.5	838	22.2	19	24.1
Area-based poverty level not available	2	7.4	2	8.0	0	0.0	3	11.1	495	13.1	20	25.3

Table 1.6.5. Heterosexual Contact, Men
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	68	100.0	49	72.1	19	27.9	73	100.0	7,412	100.0	147	100.0
Race or ethnicity												
Black	37	54.4	25	51.0	12	63.2	47	64.4	4,037	54.5	87	59.2
Latino	22	32.4	18	36.7	4	21.1	17	23.3	2,497	33.7	52	35.4
White	6	8.8	5	10.2	1	5.3	2	2.7	597	8.1	5	3.4
Asian or Pacific Islander	3	4.4	1	2.0	2	10.5	5	6.8	232	3.1	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	2.7	20	0.3	2	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	2.9	2	4.1	0	0.0	0	0.0	3	0.0	0	0.0
20-29	14	20.6	12	24.5	2	10.5	7	9.6	141	1.9	0	0.0
30-39	20	29.4	14	28.6	6	31.6	18	24.7	551	7.4	3	2.0
40-49	11	16.2	9	18.4	2	10.5	7	9.6	1,282	17.3	14	9.5
50-59	12	17.6	6	12.2	6	31.6	23	31.5	2,959	39.9	47	32.0
60+	9	13.2	6	12.2	3	15.8	18	24.7	2,476	33.4	83	56.5
Borough of residence												
Bronx	21	30.9	16	32.7	5	26.3	24	32.9	2,129	28.7	49	33.3
Brooklyn	23	33.8	16	32.7	7	36.8	24	32.9	1,874	25.3	31	21.1
Manhattan	7	10.3	6	12.2	1	5.3	3	4.1	1,109	15.0	22	15.0
Queens	12	17.6	7	14.3	5	26.3	13	17.8	1,289	17.4	18	12.2
Staten Island	1	1.5	1	2.0	0	0.0	0	0.0	178	2.4	3	2.0
Outside NYC	2	2.9	1	2.0	1	5.3	9	12.3	748	10.1	2	1.4
Unknown	2	2.9	2	4.1	0	0.0	0	0.0	85	1.1	22	15.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	5	7.4	1	2.0	4	21.1	9	12.3	866	11.7	15	10.2
Medium poverty (10 to <20% below FPL)	25	36.8	20	40.8	5	26.3	15	20.5	2,367	31.9	37	25.2
High poverty (20 to <30% below FPL)	16	23.5	12	24.5	4	21.1	18	24.7	1,552	20.9	34	23.1
Very high poverty (≥30% below FPL)	18	26.5	13	26.5	5	26.3	21	28.8	1,754	23.7	37	25.2
Area-based poverty level not available	4	5.9	3	6.1	1	5.3	10	13.7	873	11.8	24	16.3

Table 1.6.6. Heterosexual Contact, Women
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	271	100.0	212	78.2	59	21.8	210	100.0	20,531	100.0	245	100.0
Race or ethnicity												
Black	173	63.8	141	66.5	32	54.2	131	62.4	12,170	59.3	154	62.9
Latina	74	27.3	56	26.4	18	30.5	57	27.1	6,572	32.0	62	25.3
White	15	5.5	10	4.7	5	8.5	15	7.1	1,309	6.4	20	8.2
Asian or Pacific Islander	6	2.2	4	1.9	2	3.4	4	1.9	347	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	48	0.2	0	0.0
Multiracial	3	1.1	1	0.5	2	3.4	3	1.4	72	0.4	9	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	10	3.7	9	4.2	1	1.7	4	1.9	22	0.1	0	0.0
20-29	58	21.4	52	24.5	6	10.2	19	9.0	740	3.6	1	0.4
30-39	75	27.7	62	29.2	13	22.0	55	26.2	2,749	13.4	18	7.3
40-49	44	16.2	30	14.2	14	23.7	52	24.8	4,628	22.5	44	18.0
50-59	61	22.5	45	21.2	16	27.1	51	24.3	6,904	33.6	82	33.5
60+	23	8.5	14	6.6	9	15.3	29	13.8	5,488	26.7	100	40.8
Borough of residence												
Bronx	81	29.9	64	30.2	17	28.8	64	30.5	6,644	32.4	58	23.7
Brooklyn	80	29.5	67	31.6	13	22.0	63	30.0	5,870	28.6	75	30.6
Manhattan	30	11.1	23	10.8	7	11.9	27	12.9	2,523	12.3	34	13.9
Queens	52	19.2	35	16.5	17	28.8	31	14.8	3,058	14.9	25	10.2
Staten Island	7	2.6	4	1.9	3	5.1	6	2.9	545	2.7	8	3.3
Outside NYC	17	6.3	15	7.1	2	3.4	18	8.6	1,634	8.0	5	2.0
Unknown	4	1.5	4	1.9	0	0.0	1	0.5	257	1.3	40	16.3
Neighborhood poverty level												
Low poverty (<10% below FPL)	35	12.9	30	14.2	5	8.5	16	7.6	2,015	9.8	13	5.3
Medium poverty (10 to <20% below FPL)	88	32.5	61	28.8	27	45.8	71	33.8	6,430	31.3	66	26.9
High poverty (20 to <30% below FPL)	61	22.5	46	21.7	15	25.4	52	24.8	4,851	23.6	61	24.9
Very high poverty (≥30% below FPL)	66	24.4	56	26.4	10	16.9	52	24.8	5,265	25.6	60	24.5
Area-based poverty level not available	21	7.7	19	9.0	2	3.4	19	9.0	1,970	9.6	45	18.4

**Table 1.6.7. Transgender People With Sexual Contact
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	57	100.0	52	91.2	5	8.8	32	100.0	2,289	100.0	21	100.0
Gender												
Men	2	3.5	2	3.8	0	0.0	0	0.0	28	1.2	0	0.0
Women	55	96.5	50	96.2	5	100.0	32	100.0	2,261	98.8	21	100.0
Race or ethnicity												
Black	28	49.1	27	51.9	1	20.0	14	43.8	1,134	49.5	9	42.9
Latino	25	43.9	22	42.3	3	60.0	16	50.0	929	40.6	9	42.9
White	2	3.5	1	1.9	1	20.0	2	6.3	136	5.9	2	9.5
Asian or Pacific Islander	1	1.8	1	1.9	0	0.0	0	0.0	47	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	1	1.8	1	1.9	0	0.0	0	0.0	34	1.5	1	4.8
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.5	2	3.8	0	0.0	1	3.1	15	0.7	0	0.0
20-29	32	56.1	31	59.6	1	20.0	16	50.0	609	26.6	1	4.8
30-39	15	26.3	13	25.0	2	40.0	9	28.1	844	36.9	8	38.1
40-49	7	12.3	6	11.5	1	20.0	2	6.3	488	21.3	5	23.8
50-59	1	1.8	0	0.0	1	20.0	4	12.5	266	11.6	6	28.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	67	2.9	1	4.8
Borough of residence												
Bronx	22	38.6	20	38.5	2	40.0	14	43.8	714	31.2	4	19.0
Brooklyn	7	12.3	7	13.5	0	0.0	4	12.5	443	19.4	7	33.3
Manhattan	10	17.5	9	17.3	1	20.0	4	12.5	377	16.5	2	9.5
Queens	7	12.3	5	9.6	2	40.0	4	12.5	265	11.6	3	14.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	49	2.1	1	4.8
Outside NYC	7	12.3	7	13.5	0	0.0	6	18.8	251	11.0	0	0.0
Unknown	4	7.0	4	7.7	0	0.0	0	0.0	190	8.3	4	19.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	3	5.3	1	1.9	2	40.0	4	12.5	204	8.9	0	0.0
Medium poverty (10 to <20% below FPL)	16	28.1	15	28.8	1	20.0	5	15.6	598	26.1	4	19.0
High poverty (20 to <30% below FPL)	12	21.1	11	21.2	1	20.0	10	31.3	467	20.4	6	28.6
Very high poverty (≥30% below FPL)	15	26.3	14	26.9	1	20.0	7	21.9	574	25.1	7	33.3
Area-based poverty level not available	11	19.3	11	21.2	0	0.0	6	18.8	446	19.5	4	19.0

Table 1.7.1. Kingsbridge - Riverdale (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	15	100.0	13	86.7	2	13.3	3	100.0	770	100.0	13	100.0
Gender												
Men	12	80.0	10	76.9	2	100.0	3	100.0	531	69.0	11	84.6
Women	3	20.0	3	23.1	0	0.0	0	0.0	239	31.0	2	15.4
Race or ethnicity												
Black	4	26.7	3	23.1	1	50.0	1	33.3	256	33.2	8	61.5
Latino	8	53.3	7	53.8	1	50.0	2	66.7	352	45.7	3	23.1
White	2	13.3	2	15.4	0	0.0	0	0.0	145	18.8	2	15.4
Asian or Pacific Islander	1	6.7	1	7.7	0	0.0	0	0.0	11	1.4	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	6	40.0	5	38.5	1	50.0	1	33.3	43	5.6	0	0.0
30-39	8	53.3	7	53.8	1	50.0	1	33.3	132	17.1	1	7.7
40-49	0	0.0	0	0.0	0	0.0	0	0.0	119	15.5	0	0.0
50-59	1	6.7	1	7.7	0	0.0	0	0.0	239	31.0	1	7.7
60+	0	0.0	0	0.0	0	0.0	1	33.3	234	30.4	11	84.6
Transmission category												
Men who have sex with men (MSM)	9	60.0	7	53.8	2	100.0	2	66.7	320	41.6	5	38.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	33.3	100	13.0	2	15.4
MSM-IDU	1	6.7	1	7.7	0	0.0	0	0.0	16	2.1	0	0.0
Heterosexual contact	3	20.0	3	23.1	0	0.0	0	0.0	178	23.1	3	23.1
Transgender people with sexual contact	1	6.7	1	7.7	0	0.0	0	0.0	10	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	6.7	1	7.7	0	0.0	0	0.0	126	16.4	3	23.1

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	44	100.0	36	81.8	8	18.2	28	100.0	2,763	100.0	31	100.0
Gender												
Men	34	77.3	28	77.8	6	75.0	17	60.7	1,590	57.5	22	71.0
Women	10	22.7	8	22.2	2	25.0	11	39.3	1,173	42.5	9	29.0
Race or ethnicity												
Black	31	70.5	25	69.4	6	75.0	18	64.3	1,794	64.9	16	51.6
Latino	13	29.5	11	30.6	2	25.0	9	32.1	807	29.2	13	41.9
White	0	0.0	0	0.0	0	0.0	1	3.6	112	4.1	1	3.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	1	3.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	2.3	1	2.8	0	0.0	0	0.0	12	0.4	0	0.0
20-29	19	43.2	17	47.2	2	25.0	9	32.1	225	8.1	1	3.2
30-39	12	27.3	11	30.6	1	12.5	6	21.4	454	16.4	4	12.9
40-49	1	2.3	1	2.8	0	0.0	3	10.7	496	18.0	3	9.7
50-59	5	11.4	2	5.6	3	37.5	4	14.3	864	31.3	11	35.5
60+	6	13.6	4	11.1	2	25.0	6	21.4	711	25.7	12	38.7
Transmission category												
Men who have sex with men (MSM)	19	43.2	16	44.4	3	37.5	10	35.7	733	26.5	6	19.4
Injection drug use history (IDU)	1	2.3	1	2.8	0	0.0	0	0.0	322	11.7	7	22.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.6	71	2.6	0	0.0
Heterosexual contact	10	22.7	9	25.0	1	12.5	8	28.6	960	34.7	11	35.5
Transgender people with sexual contact	1	2.3	1	2.8	0	0.0	1	3.6	37	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	93	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	13	29.5	9	25.0	4	50.0	7	25.0	546	19.8	7	22.6

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Table 1.7.3. Fordham - Bronx Park (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	82	100.0	66	80.5	16	19.5	55	100.0	5,994	100.0	82	100.0
Gender												
Men	57	69.5	48	72.7	9	56.3	32	58.2	3,904	65.1	58	70.7
Women	25	30.5	18	27.3	7	43.8	23	41.8	2,090	34.9	24	29.3
Race or ethnicity												
Black	37	45.1	30	45.5	7	43.8	24	43.6	2,737	45.7	28	34.1
Latino	44	53.7	35	53.0	9	56.3	27	49.1	2,902	48.4	45	54.9
White	1	1.2	1	1.5	0	0.0	3	5.5	281	4.7	6	7.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	43	0.7	2	2.4
Native American	0	0.0	0	0.0	0	0.0	1	1.8	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	1	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	4.9	4	6.1	0	0.0	0	0.0	13	0.2	0	0.0
20-29	34	41.5	32	48.5	2	12.5	9	16.4	452	7.5	0	0.0
30-39	20	24.4	16	24.2	4	25.0	16	29.1	1,029	17.2	6	7.3
40-49	9	11.0	5	7.6	4	25.0	16	29.1	1,142	19.1	8	9.8
50-59	7	8.5	5	7.6	2	12.5	8	14.5	1,893	31.6	20	24.4
60+	8	9.8	4	6.1	4	25.0	6	10.9	1,463	24.4	48	58.5
Transmission category												
Men who have sex with men (MSM)	35	42.7	33	50.0	2	12.5	13	23.6	1,985	33.1	14	17.1
Injection drug use history (IDU)	4	4.9	4	6.1	0	0.0	6	10.9	946	15.8	29	35.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.8	188	3.1	7	8.5
Heterosexual contact	17	20.7	9	13.6	8	50.0	18	32.7	1,533	25.6	16	19.5
Transgender people with sexual contact	9	11.0	8	12.1	1	6.3	5	9.1	158	2.6	1	1.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	122	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	17	20.7	12	18.2	5	31.3	12	21.8	1,054	17.6	15	18.3

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

Table 1.7.4. Pelham - Throgs Neck (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	68	100.0	52	76.5	16	23.5	59	100.0	4,559	100.0	59	100.0
Gender												
Men	50	73.5	38	73.1	12	75.0	43	72.9	2,844	62.4	41	69.5
Women	18	26.5	14	26.9	4	25.0	16	27.1	1,715	37.6	18	30.5
Race or ethnicity												
Black	28	41.2	22	42.3	6	37.5	27	45.8	1,868	41.0	28	47.5
Latino	35	51.5	25	48.1	10	62.5	28	47.5	2,329	51.1	25	42.4
White	2	2.9	2	3.8	0	0.0	2	3.4	295	6.5	6	10.2
Asian or Pacific Islander	2	2.9	2	3.8	0	0.0	1	1.7	44	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	1	1.5	1	1.9	0	0.0	1	1.7	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	4	5.9	4	7.7	0	0.0	1	1.7	14	0.3	0	0.0
20-29	23	33.8	21	40.4	2	12.5	5	8.5	294	6.4	0	0.0
30-39	17	25.0	13	25.0	4	25.0	12	20.3	713	15.6	2	3.4
40-49	7	10.3	4	7.7	3	18.8	13	22.0	777	17.0	6	10.2
50-59	11	16.2	5	9.6	6	37.5	19	32.2	1,503	33.0	21	35.6
60+	6	8.8	5	9.6	1	6.3	9	15.3	1,257	27.6	30	50.8
Transmission category												
Men who have sex with men (MSM)	29	42.6	21	40.4	8	50.0	19	32.2	1,318	28.9	9	15.3
Injection drug use history (IDU)	2	2.9	1	1.9	1	6.3	9	15.3	734	16.1	20	33.9
MSM-IDU	1	1.5	1	1.9	0	0.0	0	0.0	119	2.6	2	3.4
Heterosexual contact	17	25.0	13	25.0	4	25.0	17	28.8	1,287	28.2	18	30.5
Transgender people with sexual contact	1	1.5	1	1.9	0	0.0	0	0.0	61	1.3	1	1.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	140	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Unknown	18	26.5	15	28.8	3	18.8	14	23.7	888	19.5	9	15.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

Table 1.7.5. Crotona - Tremont (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	97	100.0	85	87.6	12	12.4	62	100.0	6,556	100.0	100	100.0
Gender												
Men	68	70.1	60	70.6	8	66.7	38	61.3	4,004	61.1	64	64.0
Women	29	29.9	25	29.4	4	33.3	24	38.7	2,552	38.9	36	36.0
Race or ethnicity												
Black	53	54.6	47	55.3	6	50.0	28	45.2	3,177	48.5	49	49.0
Latino	41	42.3	36	42.4	5	41.7	32	51.6	3,115	47.5	46	46.0
White	2	2.1	2	2.4	0	0.0	1	1.6	188	2.9	2	2.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	33	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	1	1.0	0	0.0	1	8.3	1	1.6	22	0.3	3	3.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Age group (years)												
0-12	1	1.0	1	1.2	0	0.0	0	0.0	6	0.1	0	0.0
13-19	6	6.2	6	7.1	0	0.0	1	1.6	31	0.5	0	0.0
20-29	36	37.1	33	38.8	3	25.0	10	16.1	514	7.8	4	4.0
30-39	28	28.9	26	30.6	2	16.7	14	22.6	1,136	17.3	7	7.0
40-49	11	11.3	7	8.2	4	33.3	12	19.4	1,217	18.6	10	10.0
50-59	7	7.2	5	5.9	2	16.7	13	21.0	2,024	30.9	37	37.0
60+	8	8.2	7	8.2	1	8.3	12	19.4	1,628	24.8	42	42.0
Transmission category												
Men who have sex with men (MSM)	49	50.5	42	49.4	7	58.3	15	24.2	1,744	26.6	19	19.0
Injection drug use history (IDU)	7	7.2	7	8.2	0	0.0	10	16.1	1,211	18.5	42	42.0
MSM-IDU	0	0.0	0	0.0	0	0.0	3	4.8	238	3.6	7	7.0
Heterosexual contact	20	20.6	17	20.0	3	25.0	20	32.3	1,861	28.4	20	20.0
Transgender people with sexual contact	5	5.2	4	4.7	1	8.3	2	3.2	210	3.2	0	0.0
Perinatal	1	1.0	1	1.2	0	0.0	0	0.0	177	2.7	1	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	15	15.5	14	16.5	1	8.3	12	19.4	1,112	17.0	11	11.0

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Table 1.7.6. High Bridge - Morrisania (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	113	100.0	93	82.3	20	17.7	72	100.0	6,387	100.0	121	100.0
Gender												
Men	87	77.0	70	75.3	17	85.0	52	72.2	3,971	62.2	79	65.3
Women	26	23.0	23	24.7	3	15.0	20	27.8	2,416	37.8	42	34.7
Race or ethnicity												
Black	49	43.4	41	44.1	8	40.0	41	56.9	3,304	51.7	46	38.0
Latino	62	54.9	50	53.8	12	60.0	26	36.1	2,800	43.8	62	51.2
White	1	0.9	1	1.1	0	0.0	4	5.6	207	3.2	9	7.4
Asian or Pacific Islander	1	0.9	1	1.1	0	0.0	0	0.0	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.4	23	0.4	4	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	4	3.5	4	4.3	0	0.0	0	0.0	23	0.4	0	0.0
20-29	46	40.7	41	44.1	5	25.0	13	18.1	439	6.9	2	1.7
30-39	28	24.8	19	20.4	9	45.0	19	26.4	976	15.3	8	6.6
40-49	18	15.9	15	16.1	3	15.0	13	18.1	1,204	18.9	13	10.7
50-59	14	12.4	11	11.8	3	15.0	19	26.4	2,021	31.6	36	29.8
60+	3	2.7	3	3.2	0	0.0	8	11.1	1,721	26.9	62	51.2
Transmission category												
Men who have sex with men (MSM)	56	49.6	45	48.4	11	55.0	29	40.3	1,653	25.9	12	9.9
Injection drug use history (IDU)	4	3.5	3	3.2	1	5.0	8	11.1	1,161	18.2	59	48.8
MSM-IDU	2	1.8	2	2.2	0	0.0	1	1.4	221	3.5	3	2.5
Heterosexual contact	24	21.2	20	21.5	4	20.0	17	23.6	1,805	28.3	25	20.7
Transgender people with sexual contact	4	3.5	4	4.3	0	0.0	1	1.4	111	1.7	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	1	1.4	160	2.5	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	23	20.4	19	20.4	4	20.0	15	20.8	1,268	19.9	19	15.7

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

Table 1.7.7. Hunts Point - Mott Haven (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	47	100.0	35	74.5	12	25.5	44	100.0	4,066	100.0	53	100.0
Gender												
Men	37	78.7	27	77.1	10	83.3	31	70.5	2,477	60.9	35	66.0
Women	10	21.3	8	22.9	2	16.7	13	29.5	1,589	39.1	18	34.0
Race or ethnicity												
Black	19	40.4	15	42.9	4	33.3	23	52.3	1,809	44.5	18	34.0
Latino	28	59.6	20	57.1	8	66.7	20	45.5	2,045	50.3	29	54.7
White	0	0.0	0	0.0	0	0.0	1	2.3	166	4.1	4	7.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	2	3.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	4	8.5	3	8.6	1	8.3	2	4.5	15	0.4	0	0.0
20-29	11	23.4	10	28.6	1	8.3	10	22.7	347	8.5	0	0.0
30-39	17	36.2	12	34.3	5	41.7	12	27.3	743	18.3	3	5.7
40-49	5	10.6	5	14.3	0	0.0	4	9.1	755	18.6	7	13.2
50-59	6	12.8	4	11.4	2	16.7	7	15.9	1,214	29.9	19	35.8
60+	4	8.5	1	2.9	3	25.0	9	20.5	989	24.3	24	45.3
Transmission category												
Men who have sex with men (MSM)	18	38.3	13	37.1	5	41.7	14	31.8	1,077	26.5	7	13.2
Injection drug use history (IDU)	3	6.4	3	8.6	0	0.0	6	13.6	745	18.3	15	28.3
MSM-IDU	1	2.1	1	2.9	0	0.0	0	0.0	145	3.6	6	11.3
Heterosexual contact	11	23.4	9	25.7	2	16.7	8	18.2	1,140	28.0	14	26.4
Transgender people with sexual contact	1	2.1	1	2.9	0	0.0	5	11.4	127	3.1	1	1.9
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	126	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	13	27.7	8	22.9	5	41.7	10	22.7	701	17.2	10	18.9

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**Table 1.8.1. Greenpoint (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	13	100.0	12	92.3	1	7.7	3	100.0	922	100.0	5	100.0
Gender												
Men	13	100.0	12	100.0	1	100.0	3	100.0	744	80.7	4	80.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	178	19.3	1	20.0
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	2	66.7	143	15.5	0	0.0
Latino	5	38.5	5	41.7	0	0.0	0	0.0	412	44.7	4	80.0
White	6	46.2	6	50.0	0	0.0	0	0.0	339	36.8	1	20.0
Asian or Pacific Islander	1	7.7	0	0.0	1	100.0	1	33.3	22	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	7.7	1	8.3	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	23.1	3	25.0	0	0.0	0	0.0	52	5.6	0	0.0
30-39	8	61.5	7	58.3	1	100.0	1	33.3	222	24.1	1	20.0
40-49	2	15.4	2	16.7	0	0.0	1	33.3	211	22.9	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	258	28.0	3	60.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	179	19.4	1	20.0
Transmission category												
Men who have sex with men (MSM)	11	84.6	10	83.3	1	100.0	2	66.7	529	57.4	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	102	11.1	0	0.0
MSM-IDU	2	15.4	2	16.7	0	0.0	0	0.0	27	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	121	13.1	3	60.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	33.3	119	12.9	0	0.0

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Greenpoint: 11211, 11222.

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	28	100.0	25	89.3	3	10.7	17	100.0	2,732	100.0	35	100.0
Gender												
Men	17	60.7	15	60.0	2	66.7	8	47.1	2,124	77.7	25	71.4
Women	11	39.3	10	40.0	1	33.3	9	52.9	608	22.3	10	28.6
Race or ethnicity												
Black	17	60.7	15	60.0	2	66.7	10	58.8	1,108	40.6	21	60.0
Latino	4	14.3	4	16.0	0	0.0	3	17.6	666	24.4	7	20.0
White	5	17.9	4	16.0	1	33.3	3	17.6	859	31.4	6	17.1
Asian or Pacific Islander	1	3.6	1	4.0	0	0.0	0	0.0	71	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	3.6	1	4.0	0	0.0	1	5.9	10	0.4	1	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	7.1	2	8.0	0	0.0	0	0.0	13	0.5	0	0.0
20-29	9	32.1	9	36.0	0	0.0	1	5.9	167	6.1	1	2.9
30-39	8	28.6	7	28.0	1	33.3	6	35.3	402	14.7	1	2.9
40-49	3	10.7	2	8.0	1	33.3	4	23.5	478	17.5	6	17.1
50-59	4	14.3	3	12.0	1	33.3	4	23.5	841	30.8	9	25.7
60+	2	7.1	2	8.0	0	0.0	2	11.8	830	30.4	18	51.4
Transmission category												
Men who have sex with men (MSM)	13	46.4	13	52.0	0	0.0	5	29.4	1,482	54.2	13	37.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	298	10.9	4	11.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	68	2.5	0	0.0
Heterosexual contact	8	28.6	8	32.0	0	0.0	5	29.4	420	15.4	6	17.1
Transgender people with sexual contact	1	3.6	1	4.0	0	0.0	1	5.9	25	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	21.4	3	12.0	3	100.0	5	29.4	392	14.3	12	34.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	104	100.0	90	86.5	14	13.5	73	100.0	7,924	100.0	121	100.0
Gender												
Men	70	67.3	60	66.7	10	71.4	40	54.8	5,155	65.1	72	59.5
Women	34	32.7	30	33.3	4	28.6	33	45.2	2,769	34.9	49	40.5
Race or ethnicity												
Black	77	74.0	70	77.8	7	50.0	56	76.7	5,957	75.2	90	74.4
Latino	16	15.4	12	13.3	4	28.6	11	15.1	1,290	16.3	25	20.7
White	9	8.7	8	8.9	1	7.1	4	5.5	547	6.9	4	3.3
Asian or Pacific Islander	2	1.9	0	0.0	2	14.3	2	2.7	73	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	31	0.4	2	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	8	7.7	8	8.9	0	0.0	0	0.0	29	0.4	0	0.0
20-29	41	39.4	37	41.1	4	28.6	11	15.1	681	8.6	4	3.3
30-39	22	21.2	19	21.1	3	21.4	22	30.1	1,376	17.4	11	9.1
40-49	18	17.3	14	15.6	4	28.6	13	17.8	1,516	19.1	18	14.9
50-59	12	11.5	11	12.2	1	7.1	14	19.2	2,291	28.9	25	20.7
60+	3	2.9	1	1.1	2	14.3	13	17.8	2,027	25.6	63	52.1
Transmission category												
Men who have sex with men (MSM)	47	45.2	41	45.6	6	42.9	20	27.4	2,840	35.8	20	16.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	8	11.0	936	11.8	33	27.3
MSM-IDU	3	2.9	3	3.3	0	0.0	1	1.4	188	2.4	4	3.3
Heterosexual contact	37	35.6	32	35.6	5	35.7	28	38.4	2,120	26.8	34	28.1
Transgender people with sexual contact	3	2.9	3	3.3	0	0.0	2	2.7	151	1.9	4	3.3
Perinatal	0	0.0	0	0.0	0	0.0	2	2.7	198	2.5	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	14	13.5	11	12.2	3	21.4	12	16.4	1,481	18.7	24	19.8

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

Table 1.8.4. East New York (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	61	100.0	56	91.8	5	8.2	37	100.0	3,567	100.0	43	100.0
Gender												
Men	49	80.3	45	80.4	4	80.0	28	75.7	2,071	58.1	30	69.8
Women	12	19.7	11	19.6	1	20.0	9	24.3	1,496	41.9	13	30.2
Race or ethnicity												
Black	41	67.2	37	66.1	4	80.0	26	70.3	2,280	63.9	30	69.8
Latino	14	23.0	13	23.2	1	20.0	10	27.0	1,100	30.8	12	27.9
White	3	4.9	3	5.4	0	0.0	0	0.0	118	3.3	1	2.3
Asian or Pacific Islander	1	1.6	1	1.8	0	0.0	1	2.7	38	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	2	3.3	2	3.6	0	0.0	0	0.0	18	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.6	0	0.0	1	20.0	1	2.7	15	0.4	0	0.0
20-29	29	47.5	28	50.0	1	20.0	6	16.2	359	10.1	0	0.0
30-39	15	24.6	14	25.0	1	20.0	12	32.4	642	18.0	2	4.7
40-49	10	16.4	10	17.9	0	0.0	7	18.9	709	19.9	2	4.7
50-59	5	8.2	3	5.4	2	40.0	11	29.7	1,062	29.8	18	41.9
60+	1	1.6	1	1.8	0	0.0	0	0.0	777	21.8	21	48.8
Transmission category												
Men who have sex with men (MSM)	34	55.7	32	57.1	2	40.0	13	35.1	1,035	29.0	5	11.6
Injection drug use history (IDU)	1	1.6	1	1.8	0	0.0	6	16.2	429	12.0	11	25.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.7	67	1.9	2	4.7
Heterosexual contact	13	21.3	11	19.6	2	40.0	9	24.3	1,174	32.9	12	27.9
Transgender people with sexual contact	3	4.9	3	5.4	0	0.0	0	0.0	72	2.0	1	2.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	107	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	10	16.4	9	16.1	1	20.0	8	21.6	677	19.0	12	27.9

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East New York: 11207, 11208.

Table 1.8.5. Sunset Park (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	14	100.0	12	85.7	2	14.3	6	100.0	886	100.0	7	100.0
Gender												
Men	12	85.7	10	83.3	2	100.0	6	100.0	673	76.0	5	71.4
Women	2	14.3	2	16.7	0	0.0	0	0.0	213	24.0	2	28.6
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	156	17.6	0	0.0
Latino	10	71.4	9	75.0	1	50.0	4	66.7	471	53.2	6	85.7
White	1	7.1	1	8.3	0	0.0	0	0.0	181	20.4	0	0.0
Asian or Pacific Islander	2	14.3	1	8.3	1	50.0	2	33.3	74	8.4	1	14.3
Other or unknown	1	7.1	1	8.3	0	0.0	0	0.0	4	0.5	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.1	1	8.3	0	0.0	0	0.0	2	0.2	0	0.0
20-29	5	35.7	4	33.3	1	50.0	1	16.7	56	6.3	0	0.0
30-39	2	14.3	2	16.7	0	0.0	1	16.7	150	16.9	1	14.3
40-49	3	21.4	3	25.0	0	0.0	3	50.0	184	20.8	0	0.0
50-59	1	7.1	1	8.3	0	0.0	0	0.0	263	29.7	2	28.6
60+	2	14.3	1	8.3	1	50.0	1	16.7	231	26.1	4	57.1
Transmission category												
Men who have sex with men (MSM)	8	57.1	7	58.3	1	50.0	3	50.0	345	38.9	2	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	153	17.3	3	42.9
MSM-IDU	1	7.1	1	8.3	0	0.0	1	16.7	51	5.8	0	0.0
Heterosexual contact	2	14.3	2	16.7	0	0.0	0	0.0	192	21.7	2	28.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	21.4	2	16.7	1	50.0	2	33.3	124	14.0	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Sunset Park: 11220, 11232.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.6. Borough Park (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	11	100.0	8	72.7	3	27.3	10	100.0	1,142	100.0	18	100.0
Gender												
Men	9	81.8	7	87.5	2	66.7	5	50.0	855	74.9	12	66.7
Women	2	18.2	1	12.5	1	33.3	5	50.0	287	25.1	6	33.3
Race or ethnicity												
Black	3	27.3	2	25.0	1	33.3	2	20.0	301	26.4	6	33.3
Latino	1	9.1	1	12.5	0	0.0	2	20.0	407	35.6	3	16.7
White	2	18.2	2	25.0	0	0.0	3	30.0	339	29.7	7	38.9
Asian or Pacific Islander	4	36.4	3	37.5	1	33.3	2	20.0	80	7.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	1	9.1	0	0.0	1	33.3	1	10.0	9	0.8	1	5.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	2	18.2	1	12.5	1	33.3	2	20.0	58	5.1	0	0.0
30-39	5	45.5	4	50.0	1	33.3	5	50.0	203	17.8	0	0.0
40-49	2	18.2	2	25.0	0	0.0	0	0.0	226	19.8	1	5.6
50-59	1	9.1	0	0.0	1	33.3	1	10.0	349	30.6	5	27.8
60+	1	9.1	1	12.5	0	0.0	2	20.0	302	26.4	12	66.7
Transmission category												
Men who have sex with men (MSM)	3	27.3	3	37.5	0	0.0	1	10.0	503	44.0	3	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	20.0	157	13.7	6	33.3
MSM-IDU	1	9.1	0	0.0	1	33.3	1	10.0	26	2.3	1	5.6
Heterosexual contact	3	27.3	2	25.0	1	33.3	4	40.0	227	19.9	4	22.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.5	1	5.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	36.4	3	37.5	1	33.3	2	20.0	197	17.3	3	16.7

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	85	100.0	70	82.4	15	17.6	47	100.0	5,468	100.0	72	100.0
Gender												
Men	70	82.4	59	84.3	11	73.3	31	66.0	3,531	64.6	46	63.9
Women	15	17.6	11	15.7	4	26.7	16	34.0	1,937	35.4	26	36.1
Race or ethnicity												
Black	57	67.1	46	65.7	11	73.3	40	85.1	4,259	77.9	56	77.8
Latino	16	18.8	12	17.1	4	26.7	6	12.8	758	13.9	11	15.3
White	9	10.6	9	12.9	0	0.0	1	2.1	341	6.2	2	2.8
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	61	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	3	3.5	3	4.3	0	0.0	0	0.0	27	0.5	3	4.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.2	1	1.4	0	0.0	1	2.1	13	0.2	0	0.0
20-29	34	40.0	32	45.7	2	13.3	11	23.4	353	6.5	1	1.4
30-39	25	29.4	19	27.1	6	40.0	10	21.3	924	16.9	3	4.2
40-49	10	11.8	8	11.4	2	13.3	8	17.0	1,048	19.2	13	18.1
50-59	6	7.1	5	7.1	1	6.7	4	8.5	1,569	28.7	19	26.4
60+	9	10.6	5	7.1	4	26.7	13	27.7	1,558	28.5	36	50.0
Transmission category												
Men who have sex with men (MSM)	49	57.6	44	62.9	5	33.3	15	31.9	1,874	34.3	12	16.7
Injection drug use history (IDU)	2	2.4	2	2.9	0	0.0	4	8.5	476	8.7	20	27.8
MSM-IDU	0	0.0	0	0.0	0	0.0	2	4.3	112	2.0	3	4.2
Heterosexual contact	17	20.0	10	14.3	7	46.7	16	34.0	1,533	28.0	21	29.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.1	65	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	109	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	17	20.0	14	20.0	3	20.0	7	14.9	1,286	23.5	16	22.2

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Table 1.8.8. Canarsie - Flatlands (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	28	100.0	22	78.6	6	21.4	22	100.0	1,832	100.0	25	100.0
Gender												
Men	21	75.0	16	72.7	5	83.3	14	63.6	1,012	55.2	15	60.0
Women	7	25.0	6	27.3	1	16.7	8	36.4	820	44.8	10	40.0
Race or ethnicity												
Black	22	78.6	16	72.7	6	100.0	19	86.4	1,452	79.3	19	76.0
Latino	5	17.9	5	22.7	0	0.0	2	9.1	238	13.0	5	20.0
White	1	3.6	1	4.5	0	0.0	1	4.5	109	5.9	1	4.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
20-29	13	46.4	11	50.0	2	33.3	3	13.6	135	7.4	0	0.0
30-39	6	21.4	4	18.2	2	33.3	4	18.2	288	15.7	4	16.0
40-49	5	17.9	4	18.2	1	16.7	6	27.3	330	18.0	4	16.0
50-59	2	7.1	2	9.1	0	0.0	5	22.7	531	29.0	6	24.0
60+	2	7.1	1	4.5	1	16.7	4	18.2	541	29.5	11	44.0
Transmission category												
Men who have sex with men (MSM)	11	39.3	8	36.4	3	50.0	5	22.7	427	23.3	5	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	146	8.0	3	12.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.5	21	1.1	2	8.0
Heterosexual contact	8	28.6	7	31.8	1	16.7	7	31.8	685	37.4	9	36.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.5	60	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	9	32.1	7	31.8	2	33.3	8	36.4	480	26.2	6	24.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	19	100.0	17	89.5	2	10.5	8	100.0	738	100.0	8	100.0
Gender												
Men	16	84.2	14	82.4	2	100.0	4	50.0	566	76.7	6	75.0
Women	3	15.8	3	17.6	0	0.0	4	50.0	172	23.3	2	25.0
Race or ethnicity												
Black	1	5.3	1	5.9	0	0.0	0	0.0	81	11.0	1	12.5
Latino	7	36.8	6	35.3	1	50.0	4	50.0	236	32.0	5	62.5
White	11	57.9	10	58.8	1	50.0	3	37.5	362	49.1	2	25.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	12.5	52	7.0	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	8	42.1	8	47.1	0	0.0	0	0.0	38	5.1	0	0.0
30-39	6	31.6	5	29.4	1	50.0	2	25.0	112	15.2	1	12.5
40-49	2	10.5	1	5.9	1	50.0	2	25.0	150	20.3	0	0.0
50-59	2	10.5	2	11.8	0	0.0	1	12.5	221	29.9	1	12.5
60+	1	5.3	1	5.9	0	0.0	3	37.5	215	29.1	6	75.0
Transmission category												
Men who have sex with men (MSM)	12	63.2	11	64.7	1	50.0	1	12.5	354	48.0	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	93	12.6	2	25.0
MSM-IDU	1	5.3	0	0.0	1	50.0	2	25.0	34	4.6	0	0.0
Heterosexual contact	4	21.1	4	23.5	0	0.0	4	50.0	129	17.5	1	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.7	0	0.0
Unknown	2	10.5	2	11.8	0	0.0	1	12.5	113	15.3	1	12.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	22	100.0	17	77.3	5	22.7	17	100.0	1,253	100.0	12	100.0
Gender												
Men	15	68.2	13	76.5	2	40.0	9	52.9	802	64.0	11	91.7
Women	7	31.8	4	23.5	3	60.0	8	47.1	451	36.0	1	8.3
Race or ethnicity												
Black	8	36.4	5	29.4	3	60.0	11	64.7	466	37.2	4	33.3
Latino	6	27.3	5	29.4	1	20.0	3	17.6	376	30.0	1	8.3
White	8	36.4	7	41.2	1	20.0	3	17.6	349	27.9	7	58.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	3.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	5.9	6	0.5	0	0.0
20-29	7	31.8	6	35.3	1	20.0	2	11.8	88	7.0	0	0.0
30-39	5	22.7	5	29.4	0	0.0	5	29.4	215	17.2	0	0.0
40-49	2	9.1	1	5.9	1	20.0	2	11.8	236	18.8	1	8.3
50-59	6	27.3	4	23.5	2	40.0	6	35.3	345	27.5	3	25.0
60+	2	9.1	1	5.9	1	20.0	1	5.9	363	29.0	8	66.7
Transmission category												
Men who have sex with men (MSM)	10	45.5	9	52.9	1	20.0	4	23.5	391	31.2	3	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	184	14.7	2	16.7
MSM-IDU	1	4.5	1	5.9	0	0.0	0	0.0	19	1.5	1	8.3
Heterosexual contact	7	31.8	4	23.5	3	60.0	7	41.2	355	28.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	4	18.2	3	17.6	1	20.0	4	23.5	250	20.0	6	50.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	52	100.0	44	84.6	8	15.4	31	100.0	3,842	100.0	52	100.0
Gender												
Men	46	88.5	39	88.6	7	87.5	23	74.2	2,753	71.7	31	59.6
Women	6	11.5	5	11.4	1	12.5	8	25.8	1,089	28.3	21	40.4
Race or ethnicity												
Black	22	42.3	20	45.5	2	25.0	16	51.6	1,821	47.4	30	57.7
Latino	19	36.5	15	34.1	4	50.0	12	38.7	1,435	37.4	13	25.0
White	10	19.2	8	18.2	2	25.0	3	9.7	491	12.8	5	9.6
Asian or Pacific Islander	1	1.9	1	2.3	0	0.0	0	0.0	64	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	20	0.5	4	7.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.8	1	2.3	1	12.5	1	3.2	15	0.4	0	0.0
20-29	22	42.3	21	47.7	1	12.5	8	25.8	407	10.6	1	1.9
30-39	9	17.3	7	15.9	2	25.0	7	22.6	765	19.9	2	3.8
40-49	9	17.3	8	18.2	1	12.5	3	9.7	623	16.2	9	17.3
50-59	5	9.6	3	6.8	2	25.0	6	19.4	1,052	27.4	17	32.7
60+	5	9.6	4	9.1	1	12.5	6	19.4	980	25.5	23	44.2
Transmission category												
Men who have sex with men (MSM)	34	65.4	29	65.9	5	62.5	16	51.6	1,626	42.3	14	26.9
Injection drug use history (IDU)	1	1.9	1	2.3	0	0.0	3	9.7	546	14.2	10	19.2
MSM-IDU	1	1.9	1	2.3	0	0.0	0	0.0	117	3.0	1	1.9
Heterosexual contact	4	7.7	3	6.8	1	12.5	7	22.6	762	19.8	14	26.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	60	1.6	1	1.9
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	80	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	23.1	10	22.7	2	25.0	4	12.9	648	16.9	12	23.1

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Table 1.9.1. Washington Heights - Inwood (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	72	100.0	62	86.1	10	13.9	40	100.0	4,909	100.0	44	100.0
Gender												
Men	55	76.4	49	79.0	6	60.0	30	75.0	4,074	83.0	35	79.5
Women	17	23.6	13	21.0	4	40.0	10	25.0	835	17.0	9	20.5
Race or ethnicity												
Black	28	38.9	23	37.1	5	50.0	13	32.5	1,561	31.8	19	43.2
Latino	32	44.4	27	43.5	5	50.0	21	52.5	2,158	44.0	14	31.8
White	12	16.7	12	19.4	0	0.0	5	12.5	1,061	21.6	11	25.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.5	77	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	34	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Age group (years)												
0-12	1	1.4	1	1.6	0	0.0	0	0.0	4	0.1	0	0.0
13-19	1	1.4	1	1.6	0	0.0	0	0.0	15	0.3	0	0.0
20-29	22	30.6	21	33.9	1	10.0	5	12.5	376	7.7	0	0.0
30-39	27	37.5	23	37.1	4	40.0	12	30.0	974	19.8	3	6.8
40-49	9	12.5	6	9.7	3	30.0	12	30.0	951	19.4	5	11.4
50-59	6	8.3	4	6.5	2	20.0	8	20.0	1,400	28.5	14	31.8
60+	6	8.3	6	9.7	0	0.0	3	7.5	1,189	24.2	22	50.0
Transmission category												
Men who have sex with men (MSM)	44	61.1	39	62.9	5	50.0	24	60.0	2,903	59.1	17	38.6
Injection drug use history (IDU)	2	2.8	2	3.2	0	0.0	1	2.5	383	7.8	7	15.9
MSM-IDU	2	2.8	2	3.2	0	0.0	0	0.0	147	3.0	2	4.5
Heterosexual contact	15	20.8	11	17.7	4	40.0	9	22.5	665	13.5	9	20.5
Transgender people with sexual contact	2	2.8	2	3.2	0	0.0	0	0.0	62	1.3	1	2.3
Perinatal	1	1.4	1	1.6	0	0.0	0	0.0	77	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	6	8.3	5	8.1	1	10.0	6	15.0	665	13.5	8	18.2

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

**Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	77	100.0	65	84.4	12	15.6	47	100.0	4,999	100.0	61	100.0
Gender												
Men	66	85.7	57	87.7	9	75.0	34	72.3	3,656	73.1	38	62.3
Women	11	14.3	8	12.3	3	25.0	13	27.7	1,343	26.9	23	37.7
Race or ethnicity												
Black	49	63.6	40	61.5	9	75.0	30	63.8	3,118	62.4	45	73.8
Latino	20	26.0	17	26.2	3	25.0	13	27.7	1,114	22.3	11	18.0
White	6	7.8	6	9.2	0	0.0	3	6.4	653	13.1	5	8.2
Asian or Pacific Islander	1	1.3	1	1.5	0	0.0	1	2.1	72	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	1	1.3	1	1.5	0	0.0	0	0.0	30	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
20-29	38	49.4	37	56.9	1	8.3	6	12.8	352	7.0	1	1.6
30-39	21	27.3	17	26.2	4	33.3	13	27.7	938	18.8	7	11.5
40-49	8	10.4	6	9.2	2	16.7	8	17.0	1,001	20.0	9	14.8
50-59	5	6.5	3	4.6	2	16.7	13	27.7	1,467	29.3	19	31.1
60+	5	6.5	2	3.1	3	25.0	7	14.9	1,226	24.5	25	41.0
Transmission category												
Men who have sex with men (MSM)	50	64.9	47	72.3	3	25.0	19	40.4	2,330	46.6	12	19.7
Injection drug use history (IDU)	1	1.3	1	1.5	0	0.0	1	2.1	550	11.0	19	31.1
MSM-IDU	1	1.3	1	1.5	0	0.0	5	10.6	145	2.9	1	1.6
Heterosexual contact	10	13.0	7	10.8	3	25.0	10	21.3	945	18.9	15	24.6
Transgender people with sexual contact	1	1.3	1	1.5	0	0.0	2	4.3	69	1.4	1	1.6
Perinatal	0	0.0	0	0.0	0	0.0	1	2.1	79	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	14	18.2	8	12.3	6	50.0	9	19.1	875	17.5	13	21.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**Table 1.9.3. East Harlem (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	31	100.0	25	80.6	6	19.4	23	100.0	2,982	100.0	62	100.0
Gender												
Men	28	90.3	22	88.0	6	100.0	15	65.2	2,100	70.4	41	66.1
Women	3	9.7	3	12.0	0	0.0	8	34.8	882	29.6	21	33.9
Race or ethnicity												
Black	13	41.9	11	44.0	2	33.3	13	56.5	1,367	45.8	30	48.4
Latino	11	35.5	8	32.0	3	50.0	7	30.4	1,172	39.3	24	38.7
White	5	16.1	4	16.0	1	16.7	3	13.0	378	12.7	7	11.3
Asian or Pacific Islander	1	3.2	1	4.0	0	0.0	0	0.0	42	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	1	3.2	1	4.0	0	0.0	0	0.0	13	0.4	1	1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	11	35.5	10	40.0	1	16.7	2	8.7	176	5.9	1	1.6
30-39	11	35.5	10	40.0	1	16.7	4	17.4	460	15.4	1	1.6
40-49	6	19.4	4	16.0	2	33.3	5	21.7	530	17.8	5	8.1
50-59	2	6.5	1	4.0	1	16.7	6	26.1	933	31.3	13	21.0
60+	1	3.2	0	0.0	1	16.7	6	26.1	876	29.4	42	67.7
Transmission category												
Men who have sex with men (MSM)	19	61.3	17	68.0	2	33.3	4	17.4	1,101	36.9	7	11.3
Injection drug use history (IDU)	1	3.2	1	4.0	0	0.0	6	26.1	584	19.6	34	54.8
MSM-IDU	1	3.2	1	4.0	0	0.0	0	0.0	97	3.3	1	1.6
Heterosexual contact	2	6.5	2	8.0	0	0.0	5	21.7	625	21.0	13	21.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	34	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	83	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	1.6
Unknown	8	25.8	4	16.0	4	66.7	8	34.8	456	15.3	6	9.7

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East Harlem: 10029, 10035.

**Table 1.9.4. Upper West Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	21	100.0	16	76.2	5	23.8	17	100.0	3,202	100.0	30	100.0
Gender												
Men	19	90.5	14	87.5	5	100.0	14	82.4	2,774	86.6	23	76.7
Women	2	9.5	2	12.5	0	0.0	3	17.6	428	13.4	7	23.3
Race or ethnicity												
Black	4	19.0	4	25.0	0	0.0	4	23.5	839	26.2	14	46.7
Latino	9	42.9	7	43.8	2	40.0	7	41.2	851	26.6	4	13.3
White	4	19.0	4	25.0	0	0.0	2	11.8	1,394	43.5	12	40.0
Asian or Pacific Islander	3	14.3	1	6.3	2	40.0	3	17.6	80	2.5	0	0.0
Other or unknown	1	4.8	0	0.0	1	20.0	1	5.9	38	1.2	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	9.5	2	12.5	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	23.8	3	18.8	2	40.0	4	23.5	150	4.7	0	0.0
30-39	6	28.6	5	31.3	1	20.0	4	23.5	401	12.5	1	3.3
40-49	2	9.5	1	6.3	1	20.0	4	23.5	444	13.9	1	3.3
50-59	6	28.6	5	31.3	1	20.0	3	17.6	966	30.2	10	33.3
60+	0	0.0	0	0.0	0	0.0	2	11.8	1,239	38.7	18	60.0
Transmission category												
Men who have sex with men (MSM)	18	85.7	13	81.3	5	100.0	11	64.7	2,065	64.5	13	43.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	275	8.6	5	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	5.9	106	3.3	3	10.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	5.9	301	9.4	5	16.7
Transgender people with sexual contact	2	9.5	2	12.5	0	0.0	1	5.9	40	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	1	4.8	1	6.3	0	0.0	2	11.8	379	11.8	4	13.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.9.5. Upper East Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	7	100.0	4	57.1	3	42.9	15	100.0	1,480	100.0	11	100.0
Gender												
Men	6	85.7	4	100.0	2	66.7	11	73.3	1,299	87.8	9	81.8
Women	1	14.3	0	0.0	1	33.3	4	26.7	181	12.2	2	18.2
Race or ethnicity												
Black	1	14.3	1	25.0	0	0.0	3	20.0	266	18.0	1	9.1
Latino	2	28.6	0	0.0	2	66.7	5	33.3	338	22.8	5	45.5
White	3	42.9	2	50.0	1	33.3	6	40.0	798	53.9	4	36.4
Asian or Pacific Islander	1	14.3	1	25.0	0	0.0	1	6.7	67	4.5	1	9.1
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	6.7	48	3.2	0	0.0
30-39	5	71.4	3	75.0	2	66.7	3	20.0	195	13.2	0	0.0
40-49	1	14.3	0	0.0	1	33.3	6	40.0	232	15.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	6.7	454	30.7	2	18.2
60+	1	14.3	1	25.0	0	0.0	4	26.7	548	37.0	9	81.8
Transmission category												
Men who have sex with men (MSM)	2	28.6	1	25.0	1	33.3	9	60.0	990	66.9	3	27.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	91	6.1	1	9.1
MSM-IDU	1	14.3	1	25.0	0	0.0	0	0.0	43	2.9	0	0.0
Heterosexual contact	1	14.3	0	0.0	1	33.3	3	20.0	120	8.1	2	18.2
Transgender people with sexual contact	1	14.3	0	0.0	1	33.3	1	6.7	11	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	28.6	2	50.0	0	0.0	2	13.3	213	14.4	5	45.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.6. Chelsea - Clinton (Manhattan)**New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	48	100.0	43	89.6	5	10.4	20	100.0	7,092	100.0	44	100.0
Gender												
Men	44	91.7	40	93.0	4	80.0	19	95.0	6,601	93.1	41	93.2
Women	4	8.3	3	7.0	1	20.0	1	5.0	491	6.9	3	6.8
Race or ethnicity												
Black	9	18.8	9	20.9	0	0.0	4	20.0	1,201	16.9	11	25.0
Latino	22	45.8	18	41.9	4	80.0	9	45.0	1,688	23.8	12	27.3
White	12	25.0	11	25.6	1	20.0	5	25.0	3,885	54.8	20	45.5
Asian or Pacific Islander	5	10.4	5	11.6	0	0.0	2	10.0	225	3.2	1	2.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	38	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	40	0.6	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.3	0	0.0	0	0.0	2	0.0	0	0.0
20-29	12	25.0	11	25.6	1	20.0	4	20.0	263	3.7	1	2.3
30-39	17	35.4	13	30.2	4	80.0	6	30.0	1,088	15.3	6	13.6
40-49	9	18.8	9	20.9	0	0.0	4	20.0	1,438	20.3	3	6.8
50-59	6	12.5	6	14.0	0	0.0	5	25.0	2,431	34.3	13	29.5
60+	3	6.3	3	7.0	0	0.0	1	5.0	1,870	26.4	21	47.7
Transmission category												
Men who have sex with men (MSM)	35	72.9	32	74.4	3	60.0	16	80.0	5,530	78.0	29	65.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	364	5.1	3	6.8
MSM-IDU	3	6.3	3	7.0	0	0.0	0	0.0	246	3.5	5	11.4
Heterosexual contact	4	8.3	4	9.3	0	0.0	0	0.0	297	4.2	6	13.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	82	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	6	12.5	4	9.3	2	40.0	4	20.0	545	7.7	1	2.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

**Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	18	100.0	15	83.3	3	16.7	9	100.0	1,999	100.0	12	100.0
Gender												
Men	15	83.3	12	80.0	3	100.0	9	100.0	1,825	91.3	12	100.0
Women	3	16.7	3	20.0	0	0.0	0	0.0	174	8.7	0	0.0
Race or ethnicity												
Black	4	22.2	4	26.7	0	0.0	2	22.2	396	19.8	4	33.3
Latino	10	55.6	7	46.7	3	100.0	4	44.4	472	23.6	1	8.3
White	4	22.2	4	26.7	0	0.0	3	33.3	1,036	51.8	7	58.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	72	3.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	1.2	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	53	2.7	0	0.0
30-39	5	27.8	3	20.0	2	66.7	4	44.4	196	9.8	1	8.3
40-49	2	11.1	2	13.3	0	0.0	1	11.1	319	16.0	1	8.3
50-59	5	27.8	4	26.7	1	33.3	3	33.3	701	35.1	4	33.3
60+	2	11.1	2	13.3	0	0.0	1	11.1	728	36.4	6	50.0
Transmission category												
Men who have sex with men (MSM)	8	44.4	6	40.0	2	66.7	5	55.6	1,343	67.2	6	50.0
Injection drug use history (IDU)	1	5.6	1	6.7	0	0.0	1	11.1	165	8.3	0	0.0
MSM-IDU	1	5.6	1	6.7	0	0.0	1	11.1	90	4.5	2	16.7
Heterosexual contact	3	16.7	3	20.0	0	0.0	0	0.0	123	6.2	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	27.8	4	26.7	1	33.3	2	22.2	252	12.6	3	25.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.9.8. Greenwich Village - Soho (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	12	100.0	11	91.7	1	8.3	4	100.0	1,781	100.0	13	100.0
Gender												
Men	12	100.0	11	100.0	1	100.0	3	75.0	1,688	94.8	12	92.3
Women	0	0.0	0	0.0	0	0.0	1	25.0	93	5.2	1	7.7
Race or ethnicity												
Black	1	8.3	1	9.1	0	0.0	0	0.0	329	18.5	2	15.4
Latino	5	41.7	5	45.5	0	0.0	2	50.0	374	21.0	3	23.1
White	5	41.7	5	45.5	0	0.0	1	25.0	1,006	56.5	8	61.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	54	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Multiracial	1	8.3	0	0.0	1	100.0	1	25.0	6	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	50.0	6	54.5	0	0.0	0	0.0	56	3.1	1	7.7
30-39	5	41.7	4	36.4	1	100.0	2	50.0	200	11.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	289	16.2	2	15.4
50-59	0	0.0	0	0.0	0	0.0	1	25.0	634	35.6	0	0.0
60+	1	8.3	1	9.1	0	0.0	1	25.0	602	33.8	10	76.9
Transmission category												
Men who have sex with men (MSM)	10	83.3	9	81.8	1	100.0	2	50.0	1,264	71.0	9	69.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	50.0	123	6.9	2	15.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	61	3.4	1	7.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	84	4.7	1	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	16.7	2	18.2	0	0.0	0	0.0	213	12.0	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

**Table 1.9.9. Union Square - Lower East Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	30	100.0	29	96.7	1	3.3	12	100.0	2,965	100.0	30	100.0
Gender												
Men	23	76.7	22	75.9	1	100.0	11	91.7	2,442	82.4	20	66.7
Women	7	23.3	7	24.1	0	0.0	1	8.3	523	17.6	10	33.3
Race or ethnicity												
Black	18	60.0	18	62.1	0	0.0	5	41.7	596	20.1	5	16.7
Latino	9	30.0	8	27.6	1	100.0	5	41.7	1,035	34.9	13	43.3
White	2	6.7	2	6.9	0	0.0	2	16.7	1,154	38.9	11	36.7
Asian or Pacific Islander	1	3.3	1	3.4	0	0.0	0	0.0	142	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	1	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.7	2	6.9	0	0.0	0	0.0	6	0.2	0	0.0
20-29	6	20.0	6	20.7	0	0.0	0	0.0	103	3.5	0	0.0
30-39	11	36.7	10	34.5	1	100.0	4	33.3	352	11.9	3	10.0
40-49	6	20.0	6	20.7	0	0.0	1	8.3	464	15.6	2	6.7
50-59	4	13.3	4	13.8	0	0.0	1	8.3	1,026	34.6	10	33.3
60+	1	3.3	1	3.4	0	0.0	6	50.0	1,014	34.2	15	50.0
Transmission category												
Men who have sex with men (MSM)	14	46.7	13	44.8	1	100.0	7	58.3	1,715	57.8	14	46.7
Injection drug use history (IDU)	2	6.7	2	6.9	0	0.0	1	8.3	369	12.4	8	26.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	111	3.7	1	3.3
Heterosexual contact	2	6.7	2	6.9	0	0.0	1	8.3	367	12.4	4	13.3
Transgender people with sexual contact	4	13.3	4	13.8	0	0.0	0	0.0	27	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	8	26.7	8	27.6	0	0.0	3	25.0	344	11.6	3	10.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**Table 1.9.10. Lower Manhattan (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	7	100.0	3	42.9	4	57.1	5	100.0	609	100.0	4	100.0
Gender												
Men	7	100.0	3	100.0	4	100.0	5	100.0	522	85.7	3	75.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	87	14.3	1	25.0
Race or ethnicity												
Black	4	57.1	1	33.3	3	75.0	2	40.0	133	21.8	1	25.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	150	24.6	0	0.0
White	3	42.9	2	66.7	1	25.0	2	40.0	297	48.8	2	50.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	20.0	23	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	1	25.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	28.6	2	66.7	0	0.0	0	0.0	26	4.3	0	0.0
30-39	3	42.9	1	33.3	2	50.0	1	20.0	68	11.2	0	0.0
40-49	2	28.6	0	0.0	2	50.0	3	60.0	146	24.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	223	36.6	3	75.0
60+	0	0.0	0	0.0	0	0.0	1	20.0	146	24.0	1	25.0
Transmission category												
Men who have sex with men (MSM)	5	71.4	1	33.3	4	100.0	4	80.0	400	65.7	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	50	8.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	59	9.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	28.6	2	66.7	0	0.0	1	20.0	78	12.8	1	25.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

**Table 1.10.1. Long Island City - Astoria (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	29	100.0	21	72.4	8	27.6	13	100.0	2,371	100.0	17	100.0
Gender												
Men	24	82.8	18	85.7	6	75.0	11	84.6	2,049	86.4	15	88.2
Women	5	17.2	3	14.3	2	25.0	2	15.4	322	13.6	2	11.8
Race or ethnicity												
Black	5	17.2	4	19.0	1	12.5	1	7.7	390	16.4	4	23.5
Latino	19	65.5	13	61.9	6	75.0	10	76.9	980	41.3	8	47.1
White	4	13.8	3	14.3	1	12.5	2	15.4	860	36.3	5	29.4
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	119	5.0	0	0.0
Other or unknown	1	3.4	1	4.8	0	0.0	0	0.0	22	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.4	1	4.8	0	0.0	0	0.0	3	0.1	0	0.0
20-29	9	31.0	8	38.1	1	12.5	2	15.4	140	5.9	0	0.0
30-39	10	34.5	8	38.1	2	25.0	2	15.4	543	22.9	0	0.0
40-49	3	10.3	1	4.8	2	25.0	4	30.8	565	23.8	4	23.5
50-59	5	17.2	2	9.5	3	37.5	3	23.1	667	28.1	5	29.4
60+	1	3.4	1	4.8	0	0.0	2	15.4	453	19.1	8	47.1
Transmission category												
Men who have sex with men (MSM)	19	65.5	14	66.7	5	62.5	7	53.8	1,637	69.0	8	47.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	122	5.1	6	35.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	54	2.3	0	0.0
Heterosexual contact	4	13.8	2	9.5	2	25.0	3	23.1	274	11.6	2	11.8
Transgender people with sexual contact	2	6.9	2	9.5	0	0.0	0	0.0	32	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	4	13.8	3	14.3	1	12.5	3	23.1	234	9.9	1	5.9

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.2. West Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	101	100.0	81	80.2	20	19.8	45	100.0	5,719	100.0	26	100.0
Gender												
Men	85	84.2	70	86.4	15	75.0	38	84.4	4,687	82.0	22	84.6
Women	16	15.8	11	13.6	5	25.0	7	15.6	1,032	18.0	4	15.4
Race or ethnicity												
Black	7	6.9	6	7.4	1	5.0	4	8.9	1,366	23.9	3	11.5
Latino	80	79.2	63	77.8	17	85.0	37	82.2	3,327	58.2	13	50.0
White	4	4.0	3	3.7	1	5.0	2	4.4	623	10.9	6	23.1
Asian or Pacific Islander	10	9.9	9	11.1	1	5.0	2	4.4	374	6.5	2	7.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	1	3.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	1	3.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	1	1.0	1	1.2	0	0.0	1	2.2	7	0.1	0	0.0
20-29	42	41.6	40	49.4	2	10.0	6	13.3	354	6.2	1	3.8
30-39	35	34.7	25	30.9	10	50.0	17	37.8	987	17.3	3	11.5
40-49	13	12.9	8	9.9	5	25.0	7	15.6	1,273	22.3	1	3.8
50-59	8	7.9	6	7.4	2	10.0	10	22.2	1,813	31.7	7	26.9
60+	2	2.0	1	1.2	1	5.0	4	8.9	1,283	22.4	14	53.8
Transmission category												
Men who have sex with men (MSM)	74	73.3	61	75.3	13	65.0	28	62.2	2,813	49.2	15	57.7
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	2	4.4	785	13.7	3	11.5
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	154	2.7	0	0.0
Heterosexual contact	13	12.9	9	11.1	4	20.0	10	22.2	914	16.0	4	15.4
Transgender people with sexual contact	2	2.0	1	1.2	1	5.0	1	2.2	122	2.1	1	3.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	65	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	9.9	8	9.9	2	10.0	4	8.9	861	15.1	3	11.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

Table 1.10.3. Flushing - Clearview (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	18	100.0	13	72.2	5	27.8	10	100.0	769	100.0	8	100.0
Gender												
Men	17	94.4	12	92.3	5	100.0	10	100.0	579	75.3	6	75.0
Women	1	5.6	1	7.7	0	0.0	0	0.0	190	24.7	2	25.0
Race or ethnicity												
Black	2	11.1	2	15.4	0	0.0	1	10.0	122	15.9	2	25.0
Latino	6	33.3	5	38.5	1	20.0	3	30.0	292	38.0	4	50.0
White	1	5.6	0	0.0	1	20.0	2	20.0	193	25.1	0	0.0
Asian or Pacific Islander	9	50.0	6	46.2	3	60.0	4	40.0	151	19.6	2	25.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	8	44.4	6	46.2	2	40.0	3	30.0	51	6.6	0	0.0
30-39	1	5.6	0	0.0	1	20.0	1	10.0	103	13.4	1	12.5
40-49	4	22.2	2	15.4	2	40.0	2	20.0	140	18.2	0	0.0
50-59	4	22.2	4	30.8	0	0.0	2	20.0	248	32.2	4	50.0
60+	1	5.6	1	7.7	0	0.0	2	20.0	224	29.1	3	37.5
Transmission category												
Men who have sex with men (MSM)	10	55.6	7	53.8	3	60.0	5	50.0	359	46.7	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	71	9.2	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.2	0	0.0
Heterosexual contact	3	16.7	2	15.4	1	20.0	1	10.0	176	22.9	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	27.8	4	30.8	1	20.0	3	30.0	126	16.4	1	12.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Table 1.10.4. Bayside - Little Neck (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1	100.0	1	100.0	0	0.0	0	0.0	144	100.0	0	0.0
Gender												
Men	0	0.0	0	0.0	0	0.0	0	0.0	113	78.5	0	0.0
Women	1	100.0	1	100.0	0	0.0	0	0.0	31	21.5	0	0.0
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	17	11.8	0	0.0
Latino	1	100.0	1	100.0	0	0.0	0	0.0	37	25.7	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	77	53.5	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	6.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	17	11.8	0	0.0
40-49	1	100.0	1	100.0	0	0.0	0	0.0	18	12.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	48	33.3	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	52	36.1	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	68	47.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	15	10.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Heterosexual contact	1	100.0	1	100.0	0	0.0	0	0.0	32	22.2	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	13.9	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.10.5. Ridgewood - Forest Hills (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	23	100.0	20	87.0	3	13.0	14	100.0	1,367	100.0	13	100.0
Gender												
Men	22	95.7	19	95.0	3	100.0	10	71.4	1,073	78.5	11	84.6
Women	1	4.3	1	5.0	0	0.0	4	28.6	294	21.5	2	15.4
Race or ethnicity												
Black	3	13.0	3	15.0	0	0.0	3	21.4	170	12.4	2	15.4
Latino	13	56.5	10	50.0	3	100.0	7	50.0	677	49.5	4	30.8
White	3	13.0	3	15.0	0	0.0	2	14.3	423	30.9	7	53.8
Asian or Pacific Islander	2	8.7	2	10.0	0	0.0	1	7.1	82	6.0	0	0.0
Other or unknown	2	8.7	2	10.0	0	0.0	1	7.1	15	1.1	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	4	17.4	4	20.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	7	30.4	7	35.0	0	0.0	2	14.3	112	8.2	0	0.0
30-39	6	26.1	3	15.0	3	100.0	7	50.0	208	15.2	2	15.4
40-49	5	21.7	5	25.0	0	0.0	2	14.3	246	18.0	1	7.7
50-59	0	0.0	0	0.0	0	0.0	2	14.3	428	31.3	3	23.1
60+	1	4.3	1	5.0	0	0.0	1	7.1	369	27.0	7	53.8
Transmission category												
Men who have sex with men (MSM)	19	82.6	16	80.0	3	100.0	7	50.0	772	56.5	8	61.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	85	6.2	1	7.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	34	2.5	0	0.0
Heterosexual contact	1	4.3	1	5.0	0	0.0	3	21.4	263	19.2	2	15.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Unknown	3	13.0	3	15.0	0	0.0	4	28.6	170	12.4	2	15.4

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.6. Fresh Meadows (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	8	100.0	7	87.5	1	12.5	2	100.0	314	100.0	6	100.0
Gender												
Men	5	62.5	4	57.1	1	100.0	1	50.0	198	63.1	1	16.7
Women	3	37.5	3	42.9	0	0.0	1	50.0	116	36.9	5	83.3
Race or ethnicity												
Black	2	25.0	2	28.6	0	0.0	0	0.0	131	41.7	4	66.7
Latino	2	25.0	2	28.6	0	0.0	1	50.0	108	34.4	1	16.7
White	1	12.5	0	0.0	1	100.0	1	50.0	48	15.3	1	16.7
Asian or Pacific Islander	3	37.5	3	42.9	0	0.0	0	0.0	26	8.3	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	12.5	1	14.3	0	0.0	0	0.0	2	0.6	0	0.0
20-29	2	25.0	2	28.6	0	0.0	0	0.0	28	8.9	0	0.0
30-39	3	37.5	2	28.6	1	100.0	1	50.0	49	15.6	0	0.0
40-49	2	25.0	2	28.6	0	0.0	0	0.0	45	14.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	50.0	100	31.8	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	90	28.7	4	66.7
Transmission category												
Men who have sex with men (MSM)	5	62.5	4	57.1	1	100.0	1	50.0	113	36.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	7.6	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	1.6	0	0.0
Heterosexual contact	2	25.0	2	28.6	0	0.0	1	50.0	89	28.3	3	50.0
Transgender people with sexual contact	1	12.5	1	14.3	0	0.0	0	0.0	5	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	65	20.7	2	33.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.7. Southwest Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	28	100.0	20	71.4	8	28.6	23	100.0	1,961	100.0	21	100.0
Gender												
Men	23	82.1	16	80.0	7	87.5	16	69.6	1,407	71.7	17	81.0
Women	5	17.9	4	20.0	1	12.5	7	30.4	554	28.3	4	19.0
Race or ethnicity												
Black	7	25.0	4	20.0	3	37.5	6	26.1	503	25.7	5	23.8
Latino	11	39.3	10	50.0	1	12.5	9	39.1	926	47.2	9	42.9
White	2	7.1	1	5.0	1	12.5	1	4.3	289	14.7	5	23.8
Asian or Pacific Islander	7	25.0	4	20.0	3	37.5	7	30.4	213	10.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
Multiracial	1	3.6	1	5.0	0	0.0	0	0.0	10	0.5	2	9.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	9	32.1	6	30.0	3	37.5	6	26.1	129	6.6	2	9.5
30-39	4	14.3	4	20.0	0	0.0	3	13.0	320	16.3	2	9.5
40-49	6	21.4	3	15.0	3	37.5	7	30.4	399	20.3	3	14.3
50-59	6	21.4	4	20.0	2	25.0	6	26.1	631	32.2	5	23.8
60+	3	10.7	3	15.0	0	0.0	1	4.3	478	24.4	9	42.9
Transmission category												
Men who have sex with men (MSM)	13	46.4	10	50.0	3	37.5	6	26.1	846	43.1	6	28.6
Injection drug use history (IDU)	1	3.6	1	5.0	0	0.0	2	8.7	175	8.9	2	9.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	1.4	0	0.0
Heterosexual contact	4	14.3	3	15.0	1	12.5	5	21.7	500	25.5	5	23.8
Transgender people with sexual contact	1	3.6	0	0.0	1	12.5	2	8.7	25	1.3	1	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	9	32.1	6	30.0	3	37.5	8	34.8	336	17.1	7	33.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**Table 1.10.8. Jamaica (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	53	100.0	42	79.2	11	20.8	31	100.0	3,301	100.0	37	100.0
Gender												
Men	39	73.6	34	81.0	5	45.5	17	54.8	2,054	62.2	28	75.7
Women	14	26.4	8	19.0	6	54.5	14	45.2	1,247	37.8	9	24.3
Race or ethnicity												
Black	36	67.9	29	69.0	7	63.6	19	61.3	2,350	71.2	26	70.3
Latino	15	28.3	12	28.6	3	27.3	10	32.3	637	19.3	7	18.9
White	1	1.9	1	2.4	0	0.0	0	0.0	171	5.2	1	2.7
Asian or Pacific Islander	1	1.9	0	0.0	1	9.1	1	3.2	113	3.4	1	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	3.2	13	0.4	2	5.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	3.8	2	4.8	0	0.0	0	0.0	13	0.4	0	0.0
20-29	11	20.8	11	26.2	0	0.0	5	16.1	242	7.3	0	0.0
30-39	20	37.7	14	33.3	6	54.5	11	35.5	478	14.5	1	2.7
40-49	11	20.8	9	21.4	2	18.2	4	12.9	608	18.4	1	2.7
50-59	8	15.1	6	14.3	2	18.2	9	29.0	964	29.2	11	29.7
60+	1	1.9	0	0.0	1	9.1	2	6.5	993	30.1	24	64.9
Transmission category												
Men who have sex with men (MSM)	28	52.8	25	59.5	3	27.3	9	29.0	1,034	31.3	6	16.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	343	10.4	11	29.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.2	65	2.0	0	0.0
Heterosexual contact	17	32.1	10	23.8	7	63.6	12	38.7	1,072	32.5	12	32.4
Transgender people with sexual contact	1	1.9	1	2.4	0	0.0	1	3.2	40	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	95	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	7	13.2	6	14.3	1	9.1	7	22.6	644	19.5	8	21.6

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**Table 1.10.9. Southeast Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	29	100.0	21	72.4	8	27.6	15	100.0	1,360	100.0	13	100.0
Gender												
Men	15	51.7	10	47.6	5	62.5	13	86.7	779	57.3	9	69.2
Women	14	48.3	11	52.4	3	37.5	2	13.3	581	42.7	4	30.8
Race or ethnicity												
Black	23	79.3	18	85.7	5	62.5	10	66.7	1,039	76.4	10	76.9
Latino	4	13.8	2	9.5	2	25.0	4	26.7	175	12.9	1	7.7
White	1	3.4	0	0.0	1	12.5	1	6.7	87	6.4	2	15.4
Asian or Pacific Islander	1	3.4	1	4.8	0	0.0	0	0.0	48	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
20-29	8	27.6	6	28.6	2	25.0	4	26.7	84	6.2	1	7.7
30-39	8	27.6	7	33.3	1	12.5	4	26.7	195	14.3	1	7.7
40-49	2	6.9	2	9.5	0	0.0	0	0.0	265	19.5	0	0.0
50-59	6	20.7	4	19.0	2	25.0	3	20.0	400	29.4	4	30.8
60+	5	17.2	2	9.5	3	37.5	4	26.7	408	30.0	7	53.8
Transmission category												
Men who have sex with men (MSM)	10	34.5	9	42.9	1	12.5	5	33.3	333	24.5	1	7.7
Injection drug use history (IDU)	1	3.4	0	0.0	1	12.5	2	13.3	127	9.3	3	23.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	22	1.6	0	0.0
Heterosexual contact	14	48.3	10	47.6	4	50.0	4	26.7	522	38.4	5	38.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	4	13.8	2	9.5	2	25.0	4	26.7	298	21.9	4	30.8

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**Table 1.10.10. Rockaway (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	16	100.0	10	62.5	6	37.5	16	100.0	1,310	100.0	26	100.0
Gender												
Men	8	50.0	6	60.0	2	33.3	7	43.8	753	57.5	16	61.5
Women	8	50.0	4	40.0	4	66.7	9	56.3	557	42.5	10	38.5
Race or ethnicity												
Black	13	81.3	7	70.0	6	100.0	14	87.5	831	63.4	23	88.5
Latino	1	6.3	1	10.0	0	0.0	1	6.3	334	25.5	2	7.7
White	1	6.3	1	10.0	0	0.0	1	6.3	117	8.9	1	3.8
Asian or Pacific Islander	1	6.3	1	10.0	0	0.0	0	0.0	15	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	31.3	4	40.0	1	16.7	1	6.3	87	6.6	0	0.0
30-39	2	12.5	1	10.0	1	16.7	6	37.5	181	13.8	1	3.8
40-49	3	18.8	2	20.0	1	16.7	2	12.5	231	17.6	6	23.1
50-59	4	25.0	1	10.0	3	50.0	4	25.0	419	32.0	6	23.1
60+	2	12.5	2	20.0	0	0.0	3	18.8	392	29.9	13	50.0
Transmission category												
Men who have sex with men (MSM)	4	25.0	4	40.0	0	0.0	1	6.3	351	26.8	6	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	25.0	187	14.3	4	15.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	6.3	29	2.2	1	3.8
Heterosexual contact	5	31.3	2	20.0	3	50.0	5	31.3	467	35.6	8	30.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	1	3.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	7	43.8	4	40.0	3	50.0	5	31.3	224	17.1	6	23.1

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.1. Port Richmond (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	11	100.0	8	72.7	3	27.3	9	100.0	657	100.0	6	100.0
Gender												
Men	9	81.8	8	100.0	1	33.3	4	44.4	389	59.2	3	50.0
Women	2	18.2	0	0.0	2	66.7	5	55.6	268	40.8	3	50.0
Race or ethnicity												
Black	5	45.5	5	62.5	0	0.0	4	44.4	343	52.2	2	33.3
Latino	3	27.3	2	25.0	1	33.3	2	22.2	210	32.0	2	33.3
White	2	18.2	1	12.5	1	33.3	2	22.2	90	13.7	1	16.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
Other or unknown	1	9.1	0	0.0	1	33.3	1	11.1	10	1.5	1	16.7
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	9.1	1	12.5	0	0.0	0	0.0	4	0.6	0	0.0
20-29	5	45.5	3	37.5	2	66.7	4	44.4	52	7.9	0	0.0
30-39	2	18.2	2	25.0	0	0.0	2	22.2	118	18.0	0	0.0
40-49	2	18.2	1	12.5	1	33.3	1	11.1	106	16.1	0	0.0
50-59	1	9.1	1	12.5	0	0.0	1	11.1	227	34.6	3	50.0
60+	0	0.0	0	0.0	0	0.0	1	11.1	149	22.7	3	50.0
Transmission category												
Men who have sex with men (MSM)	5	45.5	5	62.5	0	0.0	3	33.3	186	28.3	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	109	16.6	3	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	3.0	0	0.0
Heterosexual contact	3	27.3	1	12.5	2	66.7	5	55.6	207	31.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	2.0	1	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	27.3	2	25.0	1	33.3	1	11.1	98	14.9	2	33.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.11.2. Stapleton - St. George (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	10	100.0	10	100.0	0	0.0	5	100.0	1,236	100.0	27	100.0
Gender												
Men	7	70.0	7	70.0	0	0.0	5	100.0	797	64.5	17	63.0
Women	3	30.0	3	30.0	0	0.0	0	0.0	439	35.5	10	37.0
Race or ethnicity												
Black	8	80.0	8	80.0	0	0.0	2	40.0	579	46.8	10	37.0
Latino	2	20.0	2	20.0	0	0.0	1	20.0	337	27.3	11	40.7
White	0	0.0	0	0.0	0	0.0	1	20.0	292	23.6	5	18.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	20.0	14	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	1.1	1	3.7
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	40.0	4	40.0	0	0.0	0	0.0	79	6.4	1	3.7
30-39	3	30.0	3	30.0	0	0.0	1	20.0	176	14.2	2	7.4
40-49	1	10.0	1	10.0	0	0.0	0	0.0	210	17.0	6	22.2
50-59	1	10.0	1	10.0	0	0.0	2	40.0	413	33.4	9	33.3
60+	1	10.0	1	10.0	0	0.0	2	40.0	356	28.8	9	33.3
Transmission category												
Men who have sex with men (MSM)	6	60.0	6	60.0	0	0.0	2	40.0	396	32.0	6	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	198	16.0	7	25.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	45	3.6	2	7.4
Heterosexual contact	3	30.0	3	30.0	0	0.0	0	0.0	347	28.1	9	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	2.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	2.0	1	3.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	10.0	1	10.0	0	0.0	2	40.0	195	15.8	2	7.4

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.3. Willowbrook (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	4	100.0	3	75.0	1	25.0	0	0.0	215	100.0	3	100.0
Gender												
Men	3	75.0	3	100.0	0	0.0	0	0.0	151	70.2	2	66.7
Women	1	25.0	0	0.0	1	100.0	0	0.0	64	29.8	1	33.3
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	46	21.4	0	0.0
Latino	1	25.0	1	33.3	0	0.0	0	0.0	63	29.3	2	66.7
White	3	75.0	2	66.7	1	100.0	0	0.0	95	44.2	1	33.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	3.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	3	75.0	2	66.7	1	100.0	0	0.0	12	5.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	38	17.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	35	16.3	0	0.0
50-59	1	25.0	1	33.3	0	0.0	0	0.0	72	33.5	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	57	26.5	1	33.3
Transmission category												
Men who have sex with men (MSM)	1	25.0	1	33.3	0	0.0	0	0.0	84	39.1	0	0.0
Injection drug use history (IDU)	1	25.0	1	33.3	0	0.0	0	0.0	28	13.0	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	0.0
Heterosexual contact	1	25.0	0	0.0	1	100.0	0	0.0	47	21.9	1	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	1	25.0	1	33.3	0	0.0	0	0.0	41	19.1	1	33.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP code is included in Willowbrook: 10314.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.4. South Beach - Tottenville (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019**

	HIV Diagnoses, 2019						AIDS Diagnoses, 2019		People With HIV as of 12/31/2019		Deaths, 2019	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	4	100.0	4	100.0	0	0.0	2	100.0	434	100.0	3	100.0
Gender												
Men	3	75.0	3	75.0	0	0.0	1	50.0	295	68.0	2	66.7
Women	1	25.0	1	25.0	0	0.0	1	50.0	139	32.0	1	33.3
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	2	100.0	69	15.9	0	0.0
Latino	1	25.0	1	25.0	0	0.0	0	0.0	123	28.3	0	0.0
White	3	75.0	3	75.0	0	0.0	0	0.0	236	54.4	3	100.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	1.2	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	75.0	3	75.0	0	0.0	0	0.0	24	5.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	50.0	38	8.8	0	0.0
40-49	1	25.0	1	25.0	0	0.0	1	50.0	75	17.3	1	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	151	34.8	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	143	32.9	0	0.0
Transmission category												
Men who have sex with men (MSM)	3	75.0	3	75.0	0	0.0	1	50.0	124	28.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	75	17.3	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.1	1	33.3
Heterosexual contact	1	25.0	1	25.0	0	0.0	1	50.0	122	28.1	1	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	83	19.1	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 2.1. Rate of New HIV Diagnoses, Prevalence of People With HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2019 Overall and by Gender, Age, and Race or Ethnicity

	HIV Diagnoses per 100,000 People ^{1,2}	People With HIV as a Percent of Population ²	Age-Adjusted Death Rate per 1,000 People With HIV ³	2019 New York City Population ⁴
Total	20.2	1.5	9.6	8,824,887
Gender				
Men	33.2	2.3	9.7	4,211,902
Women	8.3	0.8	9.2	4,612,985
Race or ethnicity				
Black	40.9	3.0	11.0	1,924,429
Latino	27.7	1.8	9.4	2,549,543
White	6.8	0.9	7.4	2,847,058
Asian or Pacific Islander				
Native American	14.0*	1.5	1.4*	21,382
Multiracial	11.2	0.4	52.3	161,045
Age group (years)				
0 - 12	0.2*	0.0	0.0*	1,346,128
13 - 19	9.6	0.1	0.0*	655,302
20 - 29	49.7	0.8	3.2	1,347,217
30 - 39	35.3	1.6	5.5	1,414,583
40 - 49	21.9	2.2	8.2	1,103,088
50 - 59	17.9	3.7	13.0	1,093,500
60+	5.7	1.9	26.9	1,865,069

As reported to the NYC Health Department by March 31, 2024.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using NYC Health Department 2019 population estimates, modified from US Census Bureau intercensal population estimates.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC Health Department intercensal estimates.

Table 2.2. Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2019
Overall and by Borough and United Hospital Fund Neighborhood of Residence

	HIV Diagnoses per 100,000 People ^{1,2}	People With HIV as a Percent of Population ²	Age-Adjusted Death Rate per 1,000 People With HIV ³	2019 New York City Population ⁴
Total	20.2	1.5	9.6	8,824,887
Bronx⁵	31.1	2.1	10.1	1,500,114
Crotona - Tremont	42.9	2.9	9.6	225,999
Fordham - Bronx Park	29.5	2.2	12.6	277,772
High Bridge - Morrisania	49.9	2.8	13.2	226,380
Hunts Point - Mott Haven	32.0	2.8	7.6	146,830
Kingsbridge - Riverdale	15.4	0.8	11.7	97,616
Northeast Bronx	20.5	1.3	6.9	214,805
Pelham - Throgs Neck	21.6	1.5	8.0	314,330
Brooklyn⁵	16.1	1.1	10.0	2,710,352
Bedford Stuyvesant - Crown Heights	30.0	2.3	10.7	346,473
Bensonhurst - Bay Ridge	8.8	0.3	6.7*	216,549
Borough Park	3.2	0.3	12.5	343,182
Canarsie - Flatlands	13.0	0.9	11.7	215,105
Coney Island - Sheepshead Bay	7.2	0.4	7.9	305,013
Downtown - Heights - Park Slope	10.3	1.0	9.5	271,426
East Flatbush - Flatbush	27.6	1.8	9.7	307,845
East New York	30.7	1.8	9.2	198,752
Greenpoint	8.6	0.6	13.1*	150,919
Sunset Park	11.1	0.7	9.9*	125,991
Williamsburg - Bushwick	22.7	1.7	11.6	229,097
Manhattan⁵	18.8	1.9	6.0	1,726,624
Central Harlem - Morningside Heights	40.5	2.6	7.3	190,344
Chelsea - Clinton	27.9	4.1	4.8	171,919
East Harlem	26.4	2.5	12.3	117,599
Gramercy Park - Murray Hill	12.6	1.4	3.0	142,881
Greenwich Village - Soho	13.8	2.1	6.1	86,719
Lower Manhattan	10.3*	0.9	3.7*	67,653
Union Square - Lower East Side	15.3	1.5	5.1	196,119
Upper East Side	3.1*	0.7	3.7	226,205
Upper West Side	9.2	1.4	5.5	229,414
Washington Heights - Inwood	25.8	1.8	6.8	279,502
Queens⁵	12.9	0.8	5.7	2,384,150
Bayside - Little Neck	1.1*	0.2	0.0*	92,361
Flushing - Clearview	6.9	0.3	4.2*	262,662
Fresh Meadows	7.7*	0.3	16.7*	104,370
Jamaica	16.0	1.0	4.4	331,708
Long Island City - Astoria	13.7	1.1	4.7	211,102
Ridgewood - Forest Hills	8.5	0.5	7.3	272,045
Rockaway	11.8	1.0	11.9	135,237
Southeast Queens	13.0	0.6	6.3	223,724
Southwest Queens	9.6	0.7	7.0	293,072
West Queens	21.4	1.2	4.3	472,518
Staten Island⁵	5.8	0.5	10.2	503,647
Port Richmond	14.9	0.9	3.4*	73,787
South Beach - Tottenville	2.0*	0.2	3.3*	203,328
Stapleton - St. George	7.7*	0.9	17.4	130,344
Willowbrook	4.2*	0.2	4.7*	96,189

As reported to the NYC Health Department by March 31, 2024.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using NYC Health Department 2019 population estimates, modified from US Census Bureau intercensal population estimates.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC Health Department intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.