Annual HIV Surveillance Statistics 2019

New York City Department of Health and Mental Hygiene (NYC Health Department)

List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 New HIV and AIDS Diagnoses and Deaths from January 1, 2019, to December 31, 2019; and People Diagnosed with HIV, Reported in NYC and Presumed to be Living as of December 31, 2019

Table 1.1 **New York City (All)**

By Gender

Table 1.2.1 Men
Table 1.2.2 Women

By Race and Ethnicity

Table 1.3.1 Black Men
Table 1.3.2 Black Women
Table 1.3.3 Latino Men
Table 1.3.4 Latina Women
Table 1.3.5 White Men
Table 1.3.6 White Women
Table 1.3.7 Asian or Pacific Islander Men
Table 1.3.8 Asian or Pacific Islander Women
Table 1.3.9 Native American Men
Table 1.3.10 Native American Women
Table 1.3.11 Multiracial Men
Table 1.3.12 Multiracial Women

By Age

Table 1.4.1 Boys Ages 0 to 12 years
Table 1.4.2 Girls Ages 0 to 12 years
Table 1.4.3 Men Ages 13 Years and Older
Table 1.4.4 Women Ages 13 Years and Older

By Borough

Table 1.5.1 Bronx, Men
Table 1.5.2 Bronx, Women
Table 1.5.3 Brooklyn, Men
Table 1.5.4 Brooklyn, Women
Table 1.5.5 Manhattan, Men
Table 1.5.6 Manhattan, Women
Table 1.5.7 Queens, Men
Table 1.5.8 Queens, Women
Table 1.5.9 Staten Island, Men
Table 1.5.10 Staten Island, Women

By Transmission Category

Table 1.6.1 Men Who Have Sex With Men (MSM)
Table 1.6.2 Injection Drug Use History (IDU), Men
Table 1.6.3 Injection Drug Use History (IDU), Women
Table 1.6.4 MSM-IDU
Table 1.6.5 Heterosexual Contact, Men
Table 1.6.6 Heterosexual Contact, Women
Table 1.6.7 Transgender People With Sexual Contact

By United Hospital Fund Neighborhood in the Bronx

Table 1.7.1 Kingsbridge – Riverdale
Table 1.7.2 Northeast Bronx
Table 1.7.3 Fordham – Bronx Park
Table 1.7.4 Pelham – Throgs Neck
Table 1.7.5 Crotona – Tremont
Table 1.7.6 High Bridge – Morrisania
Table 1.7.7 Hunts Point – Mott Haven

By United Hospital Fund Neighborhood in Brooklyn

Table 1.8.1 Greenpoint
Table 1.8.2 Downtown – Heights – Park Slope
Table 1.8.3 Bedford Stuyvesant – Crown Heights
Table 1.8.4 East New York
Table 1.8.5 Sunset Park
Table 1.8.6 Borough Park
Table 1.8.7 East Flatbush – Flatbush
Table 1.8.8 Canarsie – Flatlands
Table 1.8.9 Bensonhurst – Bay Ridge
Table 1.8.10 Coney Island – Sheepshead Bay
Table 1.8.11 Williamsburg – Bushwick

By United Hospital Fund Neighborhood in Manhattan

Table 1.9.1 Washington Heights – Inwood
Table 1.9.2 Central Harlem – Morningside Heights
Table 1.9.3 East Harlem
Table 1.9.4 Upper West Side
Table 1.9.5 Upper East Side
Table 1.9.6 Chelsea – Clinton
Table 1.9.7 Gramercy Park – Murray Hill
Table 1.9.8 Greenwich Village – Soho
Table 1.9.9 Union Square – Lower East Side
Table 1.9.10 Lower Manhattan

By United Hospital Fund Neighborhood in Queens

Table 1.10.1 Long Island City – Astoria
Table 1.10.2 West Queens
Table 1.10.3 Flushing – Clearview
Table 1.10.4 Bayside – Little Neck
Table 1.10.5 Ridgewood – Forest Hills
Table 1.10.6 Fresh Meadows
Table 1.10.7 Southwest Queens
Table 1.10.8 Jamaica
Table 1.10.9 Southeast Queens
Table 1.10.10 Rockaway

By United Hospital Fund Neighborhood in Staten Island

Table 1.11.1 Port Richmond
Table 1.11.2 Stapleton – St. George
Table 1.11.3 Willowbrook
Table 1.11.4 South Beach – Tottenville

Tables 2.1-2.2 Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2019

Table 2.1 Overall and by gender, age, and race and ethnicity

Table 2.2 Overall and by borough and United Hospital Fund neighborhood of residence

For more reports and a glossary of terms, scan the QR code or visit **nyc.gov/hivreports**

Suggested citation: HIV Epidemiology Program. *Annual HIV Surveillance Statistics, 2019.* New York City Department of Health and Mental Hygiene: New York, NY. December 2025. Accessed [access date] at nyc.gov/hivreports.

Table 1.1. New York City (All)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnosis[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**1,802**	**100.0**	**1,507**	**83.6**	**295**	**16.4**	**1,166**	**100.0**	**135,153**	**100.0**	**1,824**	**100.0**
Gender[5]												
Men	1,410	78.2	1,188	78.8	222	75.3	829	71.1	98,172	72.6	1,306	71.6
Women	325	18.0	258	17.1	67	22.7	299	25.6	34,177	25.3	490	26.9
Transgender women	61	3.4	55	3.6	6	2.0	36	3.1	2,701	2.0	27	1.5
Transgender men	5	0.3	5	0.3	0	0.0	1	0.1	53	0.0	0	0.0
Additional gender identities	1	0.1	1	0.1	0	0.0	1	0.1	50	0.0	1	0.1
Race and ethnicity[6]												
Black	796	44.2	672	44.6	124	42.0	585	50.2	57,925	42.9	870	47.7
Latino	711	39.5	586	38.9	125	42.4	405	34.7	45,446	33.6	576	31.6
White	201	11.2	177	11.7	24	8.1	117	10.0	27,020	20.0	320	17.5
Asian or Pacific Islander	72	4.0	56	3.7	16	5.4	42	3.6	3,406	2.5	13	0.7
Native American	3	0.2	3	0.2	0	0.0	2	0.2	321	0.2	1	0.1
Multiracial	19	1.1	13	0.9	6	2.0	15	1.3	733	0.5	40	2.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	302	0.2	4	0.2
Age group (years)[7]												
0-12	3	0.2	3	0.2	0	0.0	0	0.0	73	0.1	0	0.0
13-19	65	3.6	61	4.0	4	1.4	14	1.2	437	0.3	0	0.0
20-29	679	37.7	624	41.4	55	18.6	213	18.3	10,627	7.9	34	1.9
30-39	507	28.1	411	27.3	96	32.5	324	27.8	22,862	16.9	126	6.9
40-49	243	13.5	187	12.4	56	19.0	214	18.4	24,897	18.4	208	11.4
50-59	197	10.9	143	9.5	54	18.3	235	20.2	40,790	30.2	536	29.4
60+	108	6.0	78	5.2	30	10.2	166	14.2	35,467	26.2	920	50.4
Borough of residence[8]												
Bronx	465	25.8	380	25.2	85	28.8	323	27.7	31,244	23.1	459	25.2
Brooklyn	437	24.3	373	24.8	64	21.7	271	23.2	30,521	22.6	398	21.8
Manhattan	326	18.1	276	18.3	50	16.9	194	16.6	32,729	24.2	311	17.1
Queens	308	17.1	238	15.8	70	23.7	169	14.5	18,847	13.9	167	9.2
Staten Island	29	1.6	25	1.7	4	1.4	16	1.4	2,553	1.9	39	2.1
Outside NYC	157	8.7	135	9.0	22	7.5	182	15.6	15,263	11.3	70	3.8
Unknown	80	4.4	80	5.3	0	0.0	11	0.9	3,996	3.0	380	20.8
Neighborhood poverty level[9]												
Low poverty	209	11.6	166	11.0	43	14.6	120	10.3	18,842	13.9	137	7.5
Medium poverty	604	33.5	494	32.8	110	37.3	347	29.8	43,434	32.1	458	25.1
High poverty	387	21.5	331	22.0	56	19.0	246	21.1	26,570	19.7	355	19.5
Very high poverty	362	20.1	298	19.8	64	21.7	259	22.2	25,771	19.1	424	23.2
Not available	240	13.3	218	14.5	22	7.5	194	16.6	20,536	15.2	450	24.7
Transmission category												
Men who have sex with men (MSM)	1,003	55.7	866	57.5	137	46.4	469	40.2	60,833	45.0	515	28.2
Injection drug use history (IDU)	39	2.2	35	2.3	4	1.4	95	8.1	15,571	11.5	491	26.9
MSM-IDU	27	1.5	25	1.7	2	0.7	29	2.5	3,827	2.8	79	4.3
Heterosexual contact	339	18.8	261	17.3	78	26.4	284	24.4	28,078	20.8	392	21.5
Transgender people with sexual contact	60	3.3	55	3.6	5	1.7	34	2.9	2,465	1.8	22	1.2
Perinatal	3	0.2	3	0.2	0	0.0	18	1.5	2,609	1.9	12	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	202	0.1	1	0.1
Unknown	331	18.4	262	17.4	69	23.4	237	20.3	21,568	16.0	312	17.1

[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Additional gender identities include nonbinary, genderqueer, gender non-conforming, and any gender identity not previously listed. Gender identities are based on limited reported HIV surveillance data and are listed without any intended hierarchy or prioritization. [6]Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [7]For HIV and AIDS diagnoses, age at diagnosis; for people with HIV, age at the end of the calendar year; for deaths, age at death. [8]For HIV and AIDS diagnoses, borough of residence at diagnosis; for people with HIV and deaths, borough of residence on most recent record available. [9]Neighborhood poverty level determined by proportion of residents living below federal poverty level (FPL) in NYC ZIP code of residence. For HIV and AIDS diagnoses, ZIP code of residence at diagnosis; for people with HIV and deaths, ZIP code of residence on most recent record available. Low poverty = less than 10% below FPL; medium poverty = 10% to less than 20% below FPL; high poverty = 20% to less than 30% below FPL; very high poverty = greater than or equal to 30% below FPL.
As reported to the NYC Health Department by March 31, 2025.

Table 1.2.1. Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**1,416**	**100.0**	**1,194**	**84.3**	**222**	**15.7**	**831**	**100.0**	**98,275**	**100.0**	**1,307**	**100.0**
Race and ethnicity												
Black	562	39.7	479	40.1	83	37.4	375	45.1	36,743	37.4	565	43.2
Latino	596	42.1	493	41.3	103	46.4	312	37.5	33,260	33.8	423	32.4
White	177	12.5	159	13.3	18	8.1	92	11.1	24,365	24.8	277	21.2
Asian or Pacific Islander	63	4.4	49	4.1	14	6.3	38	4.6	2,860	2.9	12	0.9
Native American	3	0.2	3	0.3	0	0.0	2	0.2	243	0.2	1	0.1
Multiracial	15	1.1	11	0.9	4	1.8	12	1.4	571	0.6	25	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	233	0.2	4	0.3
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	35	0.0	0	0.0
13-19	53	3.7	50	4.2	3	1.4	7	0.8	278	0.3	0	0.0
20-29	580	41.0	533	44.6	47	21.2	170	20.5	8,195	8.3	31	2.4
30-39	405	28.6	325	27.2	80	36.0	247	29.7	17,977	18.3	87	6.7
40-49	178	12.6	141	11.8	37	16.7	138	16.6	17,577	17.9	133	10.2
50-59	125	8.8	90	7.5	35	15.8	152	18.3	28,840	29.3	367	28.1
60+	75	5.3	55	4.6	20	9.0	117	14.1	25,373	25.8	689	52.7
Borough of residence												
Bronx	344	24.3	281	23.5	63	28.4	217	26.1	19,429	19.8	310	23.7
Brooklyn	338	23.9	290	24.3	48	21.6	171	20.6	20,441	20.8	257	19.7
Manhattan	278	19.6	237	19.8	41	18.5	153	18.4	27,589	28.1	234	17.9
Queens	240	16.9	191	16.0	49	22.1	122	14.7	13,849	14.1	125	9.6
Staten Island	22	1.6	21	1.8	1	0.5	10	1.2	1,642	1.7	24	1.8
Outside NYC	125	8.8	105	8.8	20	9.0	148	17.8	12,279	12.5	55	4.2
Unknown	69	4.9	69	5.8	0	0.0	10	1.2	3,046	3.1	302	23.1
Neighborhood poverty level												
Low poverty	166	11.7	130	10.9	36	16.2	94	11.3	15,321	15.6	114	8.7
Medium poverty	484	34.2	407	34.1	77	34.7	239	28.8	32,388	33.0	333	25.5
High poverty	302	21.3	264	22.1	38	17.1	163	19.6	17,948	18.3	237	18.1
Very high poverty	267	18.9	216	18.1	51	23.0	176	21.2	16,290	16.6	266	20.4
Not available	197	13.9	177	14.8	20	9.0	159	19.1	16,328	16.6	357	27.3
Transmission category												
Men who have sex with men (MSM)	1,003	70.8	866	72.5	137	61.7	469	56.4	60,833	61.9	515	39.4
Injection drug use history (IDU)	25	1.8	21	1.8	4	1.8	55	6.6	10,027	10.2	315	24.1
MSM-IDU	27	1.9	25	2.1	2	0.9	29	3.5	3,827	3.9	79	6.0
Heterosexual contact	68	4.8	49	4.1	19	8.6	73	8.8	7,435	7.6	147	11.2
Transgender people with sexual contact	4	0.3	4	0.3	0	0.0	2	0.2	76	0.1	1	0.1
Perinatal	0	0.0	0	0.0	0	0.0	10	1.2	1,263	1.3	7	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	114	0.1	0	0.0
Unknown	289	20.4	229	19.2	60	27.0	193	23.2	14,700	15.0	243	18.6

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.2.2. Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**386**	**100.0**	**313**	**81.1**	**73**	**18.9**	**335**	**100.0**	**36,878**	**100.0**	**517**	**100.0**
Race and ethnicity												
Black	234	60.6	193	61.7	41	56.2	210	62.7	21,182	57.4	305	59.0
Latina	115	29.8	93	29.7	22	30.1	93	27.8	12,186	33.0	153	29.6
White	24	6.2	18	5.8	6	8.2	25	7.5	2,655	7.2	43	8.3
Asian or Pacific Islander	9	2.3	7	2.2	2	2.7	4	1.2	546	1.5	1	0.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	78	0.2	0	0.0
Multiracial	4	1.0	2	0.6	2	2.7	3	0.9	162	0.4	15	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	69	0.2	0	0.0
Age group (years)												
0-12	3	0.8	3	1.0	0	0.0	0	0.0	38	0.1	0	0.0
13-19	12	3.1	11	3.5	1	1.4	7	2.1	159	0.4	0	0.0
20-29	99	25.6	91	29.1	8	11.0	43	12.8	2,432	6.6	3	0.6
30-39	102	26.4	86	27.5	16	21.9	77	23.0	4,885	13.2	39	7.5
40-49	65	16.8	46	14.7	19	26.0	76	22.7	7,320	19.8	75	14.5
50-59	72	18.7	53	16.9	19	26.0	83	24.8	11,950	32.4	169	32.7
60+	33	8.5	23	7.3	10	13.7	49	14.6	10,094	27.4	231	44.7
Borough of residence												
Bronx	121	31.3	99	31.6	22	30.1	106	31.6	11,815	32.0	149	28.8
Brooklyn	99	25.6	83	26.5	16	21.9	100	29.9	10,080	27.3	141	27.3
Manhattan	48	12.4	39	12.5	9	12.3	41	12.2	5,140	13.9	77	14.9
Queens	68	17.6	47	15.0	21	28.8	47	14.0	4,998	13.6	42	8.1
Staten Island	7	1.8	4	1.3	3	4.1	6	1.8	911	2.5	15	2.9
Outside NYC	32	8.3	30	9.6	2	2.7	34	10.1	2,984	8.1	15	2.9
Unknown	11	2.8	11	3.5	0	0.0	1	0.3	950	2.6	78	15.1
Neighborhood poverty level												
Low poverty	43	11.1	36	11.5	7	9.6	26	7.8	3,521	9.5	23	4.4
Medium poverty	120	31.1	87	27.8	33	45.2	108	32.2	11,046	30.0	125	24.2
High poverty	85	22.0	67	21.4	18	24.7	83	24.8	8,622	23.4	118	22.8
Very high poverty	95	24.6	82	26.2	13	17.8	83	24.8	9,481	25.7	158	30.6
Not available	43	11.1	41	13.1	2	2.7	35	10.4	4,208	11.4	93	18.0
Transmission category												
Injection drug use history (IDU)	14	3.6	14	4.5	0	0.0	40	11.9	5,544	15.0	176	34.0
Heterosexual contact	271	70.2	212	67.7	59	80.8	211	63.0	20,643	56.0	245	47.4
Transgender people with sexual contact	56	14.5	51	16.3	5	6.8	32	9.6	2,389	6.5	21	4.1
Perinatal	3	0.8	3	1.0	0	0.0	8	2.4	1,346	3.6	5	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	88	0.2	1	0.2
Unknown	42	10.9	33	10.5	9	12.3	44	13.1	6,868	18.6	69	13.3

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.1. Black Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**562**	**100.0**	**479**	**85.2**	**83**	**14.8**	**375**	**100.0**	**36,743**	**100.0**	**565**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
13-19	26	4.6	26	5.4	0	0.0	4	1.1	144	0.4	0	0.0
20-29	234	41.6	217	45.3	17	20.5	81	21.6	3,619	9.8	18	3.2
30-39	134	23.8	113	23.6	21	25.3	107	28.5	7,079	19.3	47	8.3
40-49	76	13.5	61	12.7	15	18.1	50	13.3	5,996	16.3	58	10.3
50-59	56	10.0	38	7.9	18	21.7	70	18.7	10,124	27.6	144	25.5
60+	36	6.4	24	5.0	12	14.5	63	16.8	9,760	26.6	298	52.7
Borough of residence												
Bronx	146	26.0	122	25.5	24	28.9	99	26.4	8,791	23.9	126	22.3
Brooklyn	179	31.9	154	32.2	25	30.1	108	28.8	11,145	30.3	159	28.1
Manhattan	107	19.0	92	19.2	15	18.1	50	13.3	7,305	19.9	86	15.2
Queens	60	10.7	47	9.8	13	15.7	39	10.4	4,263	11.6	51	9.0
Staten Island	10	1.8	10	2.1	0	0.0	5	1.3	595	1.6	4	0.7
Outside NYC	38	6.8	32	6.7	6	7.2	70	18.7	4,041	11.0	21	3.7
Unknown	22	3.9	22	4.6	0	0.0	4	1.1	603	1.6	118	20.9
Neighborhood poverty level												
Low poverty	50	8.9	38	7.9	12	14.5	36	9.6	3,685	10.0	31	5.5
Medium poverty	179	31.9	148	30.9	31	37.3	94	25.1	11,628	31.6	154	27.3
High poverty	151	26.9	136	28.4	15	18.1	86	22.9	8,705	23.7	127	22.5
Very high poverty	119	21.2	100	20.9	19	22.9	85	22.7	7,714	21.0	114	20.2
Not available	63	11.2	57	11.9	6	7.2	74	19.7	5,011	13.6	139	24.6
Transmission category												
Men who have sex with men (MSM)	359	63.9	317	66.2	42	50.6	189	50.4	18,937	51.5	196	34.7
Injection drug use history (IDU)	9	1.6	8	1.7	1	1.2	18	4.8	4,034	11.0	127	22.5
MSM-IDU	7	1.2	7	1.5	0	0.0	8	2.1	1,345	3.7	26	4.6
Heterosexual contact	37	6.6	25	5.2	12	14.5	47	12.5	4,048	11.0	87	15.4
Transgender people with sexual contact	4	0.7	4	0.8	0	0.0	2	0.5	39	0.1	1	0.2
Perinatal	0	0.0	0	0.0	0	0.0	6	1.6	702	1.9	4	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	37	0.1	0	0.0
Unknown	146	26.0	118	24.6	28	33.7	105	28.0	7,601	20.7	124	21.9

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.2. Black Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**234**	**100.0**	**193**	**82.5**	**41**	**17.5**	**210**	**100.0**	**21,182**	**100.0**	**305**	**100.0**
Age group (years)												
0-12	2	0.9	2	1.0	0	0.0	0	0.0	15	0.1	0	0.0
13-19	4	1.7	4	2.1	0	0.0	4	1.9	94	0.4	0	0.0
20-29	61	26.1	58	30.1	3	7.3	22	10.5	1,343	6.3	3	1.0
30-39	60	25.6	50	25.9	10	24.4	49	23.3	2,859	13.5	24	7.9
40-49	39	16.7	29	15.0	10	24.4	48	22.9	4,387	20.7	49	16.1
50-59	48	20.5	38	19.7	10	24.4	56	26.7	6,876	32.5	103	33.8
60+	20	8.5	12	6.2	8	19.5	31	14.8	5,608	26.5	126	41.3
Borough of residence												
Bronx	75	32.1	61	31.6	14	34.1	64	30.5	6,188	29.2	67	22.0
Brooklyn	70	29.9	59	30.6	11	26.8	74	35.2	6,999	33.0	98	32.1
Manhattan	26	11.1	22	11.4	4	9.8	26	12.4	2,744	13.0	46	15.1
Queens	39	16.7	29	15.0	10	24.4	20	9.5	2,748	13.0	28	9.2
Staten Island	3	1.3	3	1.6	0	0.0	3	1.4	446	2.1	8	2.6
Outside NYC	14	6.0	12	6.2	2	4.9	23	11.0	1,650	7.8	7	2.3
Unknown	7	3.0	7	3.6	0	0.0	0	0.0	407	1.9	51	16.7
Neighborhood poverty level												
Low poverty	24	10.3	22	11.4	2	4.9	14	6.7	1,941	9.2	11	3.6
Medium poverty	67	28.6	51	26.4	16	39.0	57	27.1	6,562	31.0	82	26.9
High poverty	63	26.9	50	25.9	13	31.7	59	28.1	5,251	24.8	64	21.0
Very high poverty	59	25.2	51	26.4	8	19.5	57	27.1	5,220	24.6	90	29.5
Not available	21	9.0	19	9.8	2	4.9	23	11.0	2,208	10.4	58	19.0
Transmission category												
Injection drug use history (IDU)	6	2.6	6	3.1	0	0.0	25	11.9	2,646	12.5	95	31.1
Heterosexual contact	172	73.5	140	72.5	32	78.0	131	62.4	12,229	57.7	154	50.5
Transgender people with sexual contact	25	10.7	24	12.4	1	2.4	14	6.7	1,164	5.5	9	3.0
Perinatal	2	0.9	2	1.0	0	0.0	6	2.9	770	3.6	4	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	1	0.3
Unknown	29	12.4	21	10.9	8	19.5	34	16.2	4,327	20.4	42	13.8

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.3. Latino Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**596**	**100.0**	**493**	**82.7**	**103**	**17.3**	**312**	**100.0**	**33,260**	**100.0**	**423**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.0	0	0.0
13-19	24	4.0	22	4.5	2	1.9	2	0.6	108	0.3	0	0.0
20-29	258	43.3	237	48.1	21	20.4	62	19.9	3,140	9.4	12	2.8
30-39	196	32.9	149	30.2	47	45.6	104	33.3	6,578	19.8	24	5.7
40-49	54	9.1	41	8.3	13	12.6	57	18.3	6,415	19.3	41	9.7
50-59	40	6.7	27	5.5	13	12.6	53	17.0	9,486	28.5	132	31.2
60+	24	4.0	17	3.4	7	6.8	34	10.9	7,522	22.6	214	50.6
Borough of residence												
Bronx	188	31.5	149	30.2	39	37.9	106	34.0	9,260	27.8	156	36.9
Brooklyn	87	14.6	74	15.0	13	12.6	42	13.5	5,135	15.4	63	14.9
Manhattan	101	16.9	83	16.8	18	17.5	62	19.9	7,816	23.5	64	15.1
Queens	132	22.1	105	21.3	27	26.2	63	20.2	6,030	18.1	39	9.2
Staten Island	6	1.0	6	1.2	0	0.0	1	0.3	486	1.5	12	2.8
Outside NYC	48	8.1	42	8.5	6	5.8	36	11.5	2,771	8.3	13	3.1
Unknown	34	5.7	34	6.9	0	0.0	2	0.6	1,762	5.3	76	18.0
Neighborhood poverty level												
Low poverty	75	12.6	60	12.2	15	14.6	35	11.2	4,422	13.3	27	6.4
Medium poverty	197	33.1	161	32.7	36	35.0	102	32.7	10,539	31.7	100	23.6
High poverty	105	17.6	87	17.6	18	17.5	57	18.3	6,143	18.5	83	19.6
Very high poverty	137	23.0	109	22.1	28	27.2	79	25.3	7,289	21.9	124	29.3
Not available	82	13.8	76	15.4	6	5.8	39	12.5	4,867	14.6	89	21.0
Transmission category												
Men who have sex with men (MSM)	451	75.7	379	76.9	72	69.9	181	58.0	19,521	58.7	121	28.6
Injection drug use history (IDU)	12	2.0	9	1.8	3	2.9	31	9.9	4,750	14.3	147	34.8
MSM-IDU	12	2.0	12	2.4	0	0.0	15	4.8	1,431	4.3	31	7.3
Heterosexual contact	22	3.7	18	3.7	4	3.9	17	5.4	2,501	7.5	52	12.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.3	456	1.4	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	0.1	0	0.0
Unknown	99	16.6	75	15.2	24	23.3	64	20.5	4,554	13.7	70	16.5

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.4. Latina Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**115**	**100.0**	**93**	**80.9**	**22**	**19.1**	**93**	**100.0**	**12,186**	**100.0**	**153**	**100.0**
Age group (years)												
0-12	1	0.9	1	1.1	0	0.0	0	0.0	16	0.1	0	0.0
13-19	6	5.2	5	5.4	1	4.5	3	3.2	51	0.4	0	0.0
20-29	30	26.1	27	29.0	3	13.6	17	18.3	872	7.2	0	0.0
30-39	32	27.8	28	30.1	4	18.2	17	18.3	1,559	12.8	14	9.2
40-49	21	18.3	14	15.1	7	31.8	21	22.6	2,276	18.7	19	12.4
50-59	13	11.3	8	8.6	5	22.7	22	23.7	3,954	32.4	47	30.7
60+	12	10.4	10	10.8	2	9.1	13	14.0	3,458	28.4	73	47.7
Borough of residence												
Bronx	42	36.5	35	37.6	7	31.8	37	39.8	5,172	42.4	67	43.8
Brooklyn	16	13.9	13	14.0	3	13.6	15	16.1	2,308	18.9	29	19.0
Manhattan	20	17.4	15	16.1	5	22.7	13	14.0	1,767	14.5	23	15.0
Queens	21	18.3	15	16.1	6	27.3	18	19.4	1,546	12.7	10	6.5
Staten Island	1	0.9	0	0.0	1	4.5	2	2.2	252	2.1	3	2.0
Outside NYC	12	10.4	12	12.9	0	0.0	7	7.5	708	5.8	4	2.6
Unknown	3	2.6	3	3.2	0	0.0	1	1.1	433	3.6	17	11.1
Neighborhood poverty level												
Low poverty	12	10.4	10	10.8	2	9.1	8	8.6	899	7.4	5	3.3
Medium poverty	40	34.8	29	31.2	11	50.0	35	37.6	3,274	26.9	29	19.0
High poverty	18	15.7	13	14.0	5	22.7	21	22.6	2,904	23.8	42	27.5
Very high poverty	30	26.1	26	28.0	4	18.2	21	22.6	3,908	32.1	56	36.6
Not available	15	13.0	15	16.1	0	0.0	8	8.6	1,201	9.9	21	13.7
Transmission category												
Injection drug use history (IDU)	6	5.2	6	6.5	0	0.0	10	10.8	2,203	18.1	64	41.8
Heterosexual contact	74	64.3	56	60.2	18	81.8	58	62.4	6,616	54.3	62	40.5
Transgender people with sexual contact	27	23.5	24	25.8	3	13.6	16	17.2	979	8.0	9	5.9
Perinatal	1	0.9	1	1.1	0	0.0	2	2.2	479	3.9	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	7	6.1	6	6.5	1	4.5	7	7.5	1,887	15.5	17	11.1

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.5. White Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**177**	**100.0**	**159**	**89.8**	**18**	**10.2**	**92**	**100.0**	**24,365**	**100.0**	**277**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	0.6	1	0.6	0	0.0	0	0.0	12	0.0	0	0.0
20-29	61	34.5	58	36.5	3	16.7	13	14.1	944	3.9	1	0.4
30-39	48	27.1	40	25.2	8	44.4	23	25.0	3,377	13.9	9	3.2
40-49	34	19.2	29	18.2	5	27.8	18	19.6	4,297	17.6	32	11.6
50-59	22	12.4	20	12.6	2	11.1	22	23.9	8,285	34.0	80	28.9
60+	11	6.2	11	6.9	0	0.0	16	17.4	7,449	30.6	155	56.0
Borough of residence												
Bronx	6	3.4	6	3.8	0	0.0	8	8.7	1,073	4.4	19	6.9
Brooklyn	56	31.6	51	32.1	5	27.8	11	12.0	3,496	14.3	30	10.8
Manhattan	54	30.5	50	31.4	4	22.2	30	32.6	11,314	46.4	80	28.9
Queens	14	7.9	11	6.9	3	16.7	8	8.7	2,492	10.2	24	8.7
Staten Island	5	2.8	5	3.1	0	0.0	2	2.2	515	2.1	7	2.5
Outside NYC	31	17.5	25	15.7	6	33.3	30	32.6	4,994	20.5	20	7.2
Unknown	11	6.2	11	6.9	0	0.0	3	3.3	481	2.0	97	35.0
Neighborhood poverty level												
Low poverty	22	12.4	18	11.3	4	22.2	14	15.2	6,355	26.1	51	18.4
Medium poverty	76	42.9	72	45.3	4	22.2	25	27.2	8,773	36.0	66	23.8
High poverty	29	16.4	28	17.6	1	5.6	11	12.0	2,503	10.3	25	9.0
Very high poverty	8	4.5	5	3.1	3	16.7	9	9.8	1,031	4.2	18	6.5
Not available	42	23.7	36	22.6	6	33.3	33	35.9	5,703	23.4	117	42.2
Transmission category												
Men who have sex with men (MSM)	136	76.8	124	78.0	12	66.7	66	71.7	19,718	80.9	176	63.5
Injection drug use history (IDU)	4	2.3	4	2.5	0	0.0	6	6.5	1,136	4.7	37	13.4
MSM-IDU	6	3.4	5	3.1	1	5.6	3	3.3	951	3.9	22	7.9
Heterosexual contact	6	3.4	5	3.1	1	5.6	2	2.2	603	2.5	5	1.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	78	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	0	0.0
Unknown	25	14.1	21	13.2	4	22.2	15	16.3	1,823	7.5	36	13.0

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.6. White Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**24**	**100.0**	**18**	**75.0**	**6**	**25.0**	**25**	**100.0**	**2,655**	**100.0**	**43**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	2	8.3	2	11.1	0	0.0	0	0.0	9	0.3	0	0.0
20-29	6	25.0	4	22.2	2	33.3	3	12.0	154	5.8	0	0.0
30-39	5	20.8	5	27.8	0	0.0	7	28.0	317	11.9	1	2.3
40-49	2	8.3	1	5.6	1	16.7	6	24.0	427	16.1	6	14.0
50-59	8	33.3	5	27.8	3	50.0	4	16.0	902	34.0	12	27.9
60+	1	4.2	1	5.6	0	0.0	5	20.0	842	31.7	24	55.8
Borough of residence												
Bronx	2	8.3	2	11.1	0	0.0	4	16.0	339	12.8	11	25.6
Brooklyn	8	33.3	7	38.9	1	16.7	10	40.0	563	21.2	6	14.0
Manhattan	2	8.3	2	11.1	0	0.0	2	8.0	518	19.5	7	16.3
Queens	4	16.7	1	5.6	3	50.0	4	16.0	428	16.1	4	9.3
Staten Island	3	12.5	1	5.6	2	33.3	1	4.0	198	7.5	3	7.0
Outside NYC	4	16.7	4	22.2	0	0.0	4	16.0	530	20.0	2	4.7
Unknown	1	4.2	1	5.6	0	0.0	0	0.0	79	3.0	10	23.3
Neighborhood poverty level												
Low poverty	5	20.8	3	16.7	2	33.3	2	8.0	545	20.5	7	16.3
Medium poverty	10	41.7	6	33.3	4	66.7	12	48.0	908	34.2	10	23.3
High poverty	1	4.2	1	5.6	0	0.0	3	12.0	313	11.8	6	14.0
Very high poverty	3	12.5	3	16.7	0	0.0	4	16.0	252	9.5	8	18.6
Not available	5	20.8	5	27.8	0	0.0	4	16.0	637	24.0	12	27.9
Transmission category												
Injection drug use history (IDU)	2	8.3	2	11.1	0	0.0	5	20.0	638	24.0	14	32.6
Heterosexual contact	16	66.7	11	61.1	5	83.3	15	60.0	1,315	49.5	20	46.5
Transgender people with sexual contact	2	8.3	1	5.6	1	16.7	2	8.0	149	5.6	2	4.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	76	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Unknown	4	16.7	4	22.2	0	0.0	3	12.0	460	17.3	7	16.3

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.7. Asian or Pacific Islander Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**63**	**100.0**	**49**	**77.8**	**14**	**22.2**	**38**	**100.0**	**2,860**	**100.0**	**12**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	1.6	1	2.0	0	0.0	0	0.0	11	0.4	0	0.0
20-29	21	33.3	16	32.7	5	35.7	10	26.3	358	12.5	0	0.0
30-39	19	30.2	16	32.7	3	21.4	9	23.7	680	23.8	2	16.7
40-49	13	20.6	9	18.4	4	28.6	12	31.6	690	24.1	1	8.3
50-59	6	9.5	5	10.2	1	7.1	5	13.2	693	24.2	6	50.0
60+	3	4.8	2	4.1	1	7.1	2	5.3	426	14.9	3	25.0
Borough of residence												
Bronx	3	4.8	3	6.1	0	0.0	1	2.6	168	5.9	1	8.3
Brooklyn	10	15.9	5	10.2	5	35.7	9	23.7	489	17.1	1	8.3
Manhattan	12	19.0	10	20.4	2	14.3	9	23.7	805	28.1	2	16.7
Queens	30	47.6	24	49.0	6	42.9	11	28.9	931	32.6	5	41.7
Staten Island	0	0.0	0	0.0	0	0.0	1	2.6	26	0.9	0	0.0
Outside NYC	6	9.5	5	10.2	1	7.1	6	15.8	273	9.5	0	0.0
Unknown	2	3.2	2	4.1	0	0.0	1	2.6	168	5.9	3	25.0
Neighborhood poverty level												
Low poverty	17	27.0	13	26.5	4	28.6	8	21.1	697	24.4	3	25.0
Medium poverty	24	38.1	20	40.8	4	28.6	14	36.8	1,116	39.0	4	33.3
High poverty	12	19.0	8	16.3	4	28.6	8	21.1	447	15.6	1	8.3
Very high poverty	2	3.2	1	2.0	1	7.1	1	2.6	139	4.9	1	8.3
Not available	8	12.7	7	14.3	1	7.1	7	18.4	461	16.1	3	25.0
Transmission category												
Men who have sex with men (MSM)	45	71.4	37	75.5	8	57.1	22	57.9	2,002	70.0	7	58.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	60	2.1	0	0.0
MSM-IDU	1	1.6	0	0.0	1	7.1	3	7.9	52	1.8	0	0.0
Heterosexual contact	3	4.8	1	2.0	2	14.3	5	13.2	233	8.1	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	14	22.2	11	22.4	3	21.4	8	21.1	494	17.3	4	33.3

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.8. Asian or Pacific Islander Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**9**	**100.0**	**7**	**77.8**	**2**	**22.2**	**4**	**100.0**	**546**	**100.0**	**1**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
20-29	1	11.1	1	14.3	0	0.0	1	25.0	28	5.1	0	0.0
30-39	4	44.4	2	28.6	2	100.0	3	75.0	90	16.5	0	0.0
40-49	2	22.2	2	28.6	0	0.0	0	0.0	171	31.3	0	0.0
50-59	2	22.2	2	28.6	0	0.0	0	0.0	139	25.5	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	114	20.9	1	100.0
Borough of residence												
Bronx	1	11.1	1	14.3	0	0.0	0	0.0	47	8.6	1	100.0
Brooklyn	2	22.2	2	28.6	0	0.0	0	0.0	117	21.4	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	67	12.3	0	0.0
Queens	4	44.4	2	28.6	2	100.0	4	100.0	229	41.9	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Outside NYC	2	22.2	2	28.6	0	0.0	0	0.0	57	10.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	4.2	0	0.0
Neighborhood poverty level												
Low poverty	2	22.2	1	14.3	1	50.0	2	50.0	110	20.1	0	0.0
Medium poverty	2	22.2	1	14.3	1	50.0	2	50.0	217	39.7	0	0.0
High poverty	1	11.1	1	14.3	0	0.0	0	0.0	86	15.8	1	100.0
Very high poverty	2	22.2	2	28.6	0	0.0	0	0.0	48	8.8	0	0.0
Not available	2	22.2	2	28.6	0	0.0	0	0.0	85	15.6	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	3.5	1	100.0
Heterosexual contact	6	66.7	4	57.1	2	100.0	4	100.0	351	64.3	0	0.0
Transgender people with sexual contact	1	11.1	1	14.3	0	0.0	0	0.0	50	9.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	22.2	2	28.6	0	0.0	0	0.0	118	21.6	0	0.0

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.9. Native American Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**3**	**100.0**	**3**	**100.0**	**0**	**0.0**	**2**	**100.0**	**243**	**100.0**	**1**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	19	7.8	0	0.0
30-39	3	100.0	3	100.0	0	0.0	1	50.0	51	21.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	50.0	52	21.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	69	28.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	52	21.4	1	100.0
Borough of residence[6]												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	45	18.5	0	0.0
Brooklyn	1	33.3	1	33.3	0	0.0	0	0.0	54	22.2	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	53	21.8	0	0.0
Queens	1	33.3	1	33.3	0	0.0	0	0.0	52	21.4	1	100.0
Other or unknown	1	33.3	1	33.3	0	0.0	1	50.0	39	16.0	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	37	15.2	0	0.0
Medium poverty	1	33.3	1	33.3	0	0.0	0	0.0	85	35.0	1	100.0
High poverty	1	33.3	1	33.3	0	0.0	1	50.0	45	18.5	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	40	16.5	0	0.0
Not available	1	33.3	1	33.3	0	0.0	1	50.0	36	14.8	0	0.0
Transmission category												
Men who have sex with men (MSM)	2	66.7	2	66.7	0	0.0	2	100.0	150	61.7	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	18	7.4	0	0.0
MSM-IDU	1	33.3	1	33.3	0	0.0	0	0.0	12	4.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	24	9.9	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	37	15.2	1	100.0

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV. [6]In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.10. Native American Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**0**	**0.0**	**0**	**0.0**	**0**	**0.0**	**0**	**0.0**	**78**	**100.0**	**0**	**0.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	11.5	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	13	16.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	16	20.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	26	33.3	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	13	16.7	0	0.0
Borough of residence[6]												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	24	30.8	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	26	33.3	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	8	10.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	12.8	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	12.8	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	26	33.3	0	0.0
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	21	26.9	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	19	24.4	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	8	10.3	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	48	61.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	11.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	15.4	0	0.0

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV. [6]In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.11. Multiracial Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**15**	**100.0**	**11**	**73.3**	**4**	**26.7**	**12**	**100.0**	**571**	**100.0**	**25**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	6.7	0	0.0	1	25.0	1	8.3	3	0.5	0	0.0
20-29	6	40.0	5	45.5	1	25.0	4	33.3	112	19.6	0	0.0
30-39	5	33.3	4	36.4	1	25.0	3	25.0	202	35.4	5	20.0
40-49	1	6.7	1	9.1	0	0.0	0	0.0	107	18.7	1	4.0
50-59	1	6.7	0	0.0	1	25.0	2	16.7	92	16.1	5	20.0
60+	1	6.7	1	9.1	0	0.0	2	16.7	55	9.6	14	56.0
Borough of residence												
Bronx	1	6.7	1	9.1	0	0.0	2	16.7	69	12.1	8	32.0
Brooklyn	5	33.3	5	45.5	0	0.0	1	8.3	101	17.7	3	12.0
Manhattan	4	26.7	2	18.2	2	50.0	2	16.7	160	28.0	2	8.0
Queens	3	20.0	3	27.3	0	0.0	1	8.3	55	9.6	5	20.0
Staten Island	1	6.7	0	0.0	1	25.0	1	8.3	11	1.9	1	4.0
Outside NYC	1	6.7	0	0.0	1	25.0	5	41.7	148	25.9	1	4.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	4.7	5	20.0
Neighborhood poverty level												
Low poverty	2	13.3	1	9.1	1	25.0	1	8.3	65	11.4	2	8.0
Medium poverty	7	46.7	5	45.5	2	50.0	4	33.3	172	30.1	8	32.0
High poverty	4	26.7	4	36.4	0	0.0	0	0.0	91	15.9	1	4.0
Very high poverty	1	6.7	1	9.1	0	0.0	2	16.7	66	11.6	8	32.0
Not available	1	6.7	0	0.0	1	25.0	5	41.7	177	31.0	6	24.0
Transmission category												
Men who have sex with men (MSM)	10	66.7	7	63.6	3	75.0	9	75.0	430	75.3	13	52.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	4.2	3	12.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	35	6.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	16.7	21	3.7	2	8.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	33.3	4	36.4	1	25.0	1	8.3	52	9.1	7	28.0

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.3.12. Multiracial Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**4**	**100.0**	**2**	**50.0**	**2**	**50.0**	**3**	**100.0**	**162**	**100.0**	**15**	**100.0**
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0
20-29	1	25.0	1	50.0	0	0.0	0	0.0	25	15.4	0	0.0
30-39	1	25.0	1	50.0	0	0.0	1	33.3	45	27.8	0	0.0
40-49	1	25.0	0	0.0	1	50.0	1	33.3	30	18.5	1	6.7
50-59	1	25.0	0	0.0	1	50.0	1	33.3	31	19.1	7	46.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	28	17.3	7	46.7
Borough of residence												
Bronx	1	25.0	0	0.0	1	50.0	1	33.3	30	18.5	3	20.0
Brooklyn	3	75.0	2	100.0	1	50.0	1	33.3	47	29.0	8	53.3
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	20	12.3	1	6.7
Queens	0	0.0	0	0.0	0	0.0	1	33.3	24	14.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	3.1	1	6.7
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	31	19.1	2	13.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	3.1	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	18	11.1	0	0.0
Medium poverty	1	25.0	0	0.0	1	50.0	2	66.7	45	27.8	4	26.7
High poverty	2	50.0	2	100.0	0	0.0	0	0.0	36	22.2	5	33.3
Very high poverty	1	25.0	0	0.0	1	50.0	1	33.3	27	16.7	4	26.7
Not available	0	0.0	0	0.0	0	0.0	0	0.0	36	22.2	2	13.3
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	29	17.9	2	13.3
Heterosexual contact	3	75.0	1	50.0	2	100.0	3	100.0	72	44.4	9	60.0
Transgender people with sexual contact	1	25.0	1	50.0	0	0.0	0	0.0	38	23.5	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	5.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	8.0	3	20.0

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.4.1. Boys Ages 0 to 12 Years[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**0**	**0.0**	**0**	**0.0**	**0**	**0.0**	**0**	**0.0**	**35**	**100.0**	**0**	**0.0**
Race and ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	21	60.0	0	0.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	11	31.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	5.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	9	25.7	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	7	20.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	5	14.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	4	11.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	8.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	17.1	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	2	5.7	0	0.0
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	13	37.1	0	0.0
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	2	5.7	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	9	25.7	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	9	25.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	97.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[1]Boys includes transgender boys and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.4.2. Girls Ages 0 to 12 Years[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**3**	**100.0**	**3**	**100.0**	**0**	**0.0**	**0**	**0.0**	**38**	**100.0**	**0**	**0.0**
Race and ethnicity												
Black	2	66.7	2	66.7	0	0.0	0	0.0	15	39.5	0	0.0
Latina	1	33.3	1	33.3	0	0.0	0	0.0	16	42.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	4	10.5	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	5.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	2.6	0	0.0
Borough of residence												
Bronx	1	33.3	1	33.3	0	0.0	0	0.0	7	18.4	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	5	13.2	0	0.0
Manhattan	1	33.3	1	33.3	0	0.0	0	0.0	5	13.2	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	5	13.2	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	7.9	0	0.0
Outside NYC	1	33.3	1	33.3	0	0.0	0	0.0	7	18.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	15.8	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	4	10.5	0	0.0
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	7	18.4	0	0.0
High poverty	1	33.3	1	33.3	0	0.0	0	0.0	6	15.8	0	0.0
Very high poverty	1	33.3	1	33.3	0	0.0	0	0.0	8	21.1	0	0.0
Not available	1	33.3	1	33.3	0	0.0	0	0.0	13	34.2	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	3	100.0	3	100.0	0	0.0	0	0.0	38	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

[1]Girls includes transgender girls and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.4.3. Men Ages 13 Years and Older[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**1,416**	**100.0**	**1,194**	**84.3**	**222**	**15.7**	**831**	**100.0**	**98,240**	**100.0**	**1,307**	**100.0**
Race and ethnicity												
Black	562	39.7	479	40.1	83	37.4	375	45.1	36,722	37.4	565	43.2
Latino	596	42.1	493	41.3	103	46.4	312	37.5	33,249	33.8	423	32.4
White	177	12.5	159	13.3	18	8.1	92	11.1	24,364	24.8	277	21.2
Asian or Pacific Islander	63	4.4	49	4.1	14	6.3	38	4.6	2,858	2.9	12	0.9
Native American	3	0.2	3	0.3	0	0.0	2	0.2	243	0.2	1	0.1
Multiracial	15	1.1	11	0.9	4	1.8	12	1.4	571	0.6	25	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	233	0.2	4	0.3
Age group (years)												
13-19	53	3.7	50	4.2	3	1.4	7	0.8	278	0.3	0	0.0
20-29	580	41.0	533	44.6	47	21.2	170	20.5	8,195	8.3	31	2.4
30-39	405	28.6	325	27.2	80	36.0	247	29.7	17,977	18.3	87	6.7
40-49	178	12.6	141	11.8	37	16.7	138	16.6	17,577	17.9	133	10.2
50-59	125	8.8	90	7.5	35	15.8	152	18.3	28,840	29.4	367	28.1
60+	75	5.3	55	4.6	20	9.0	117	14.1	25,373	25.8	689	52.7
Borough of residence												
Bronx	344	24.3	281	23.5	63	28.4	217	26.1	19,420	19.8	310	23.7
Brooklyn	338	23.9	290	24.3	48	21.6	171	20.6	20,434	20.8	257	19.7
Manhattan	278	19.6	237	19.8	41	18.5	153	18.4	27,584	28.1	234	17.9
Queens	240	16.9	191	16.0	49	22.1	122	14.7	13,845	14.1	125	9.6
Staten Island	22	1.6	21	1.8	1	0.5	10	1.2	1,641	1.7	24	1.8
Outside NYC	125	8.8	105	8.8	20	9.0	148	17.8	12,276	12.5	55	4.2
Unknown	69	4.9	69	5.8	0	0.0	10	1.2	3,040	3.1	302	23.1
Neighborhood poverty level												
Low poverty	166	11.7	130	10.9	36	16.2	94	11.3	15,319	15.6	114	8.7
Medium poverty	484	34.2	407	34.1	77	34.7	239	28.8	32,375	33.0	333	25.5
High poverty	302	21.3	264	22.1	38	17.1	163	19.6	17,946	18.3	237	18.1
Very high poverty	267	18.9	216	18.1	51	23.0	176	21.2	16,281	16.6	266	20.4
Not available	197	13.9	177	14.8	20	9.0	159	19.1	16,319	16.6	357	27.3
Transmission category												
Men who have sex with men (MSM)	1,003	70.8	866	72.5	137	61.7	469	56.4	60,833	61.9	515	39.4
Injection drug use history (IDU)	25	1.8	21	1.8	4	1.8	55	6.6	10,027	10.2	315	24.1
MSM-IDU	27	1.9	25	2.1	2	0.9	29	3.5	3,827	3.9	79	6.0
Heterosexual contact	68	4.8	49	4.1	19	8.6	73	8.8	7,435	7.6	147	11.2
Transgender people with sexual contact	4	0.3	4	0.3	0	0.0	2	0.2	76	0.1	1	0.1
Perinatal	0	0.0	0	0.0	0	0.0	10	1.2	1,229	1.3	7	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	113	0.1	0	0.0
Unknown	289	20.4	229	19.2	60	27.0	193	23.2	14,700	15.0	243	18.6

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.4.4. Women Ages 13 Years and Older[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**383**	**100.0**	**310**	**80.9**	**73**	**19.1**	**335**	**100.0**	**36,840**	**100.0**	**517**	**100.0**
Race and ethnicity												
Black	232	60.6	191	61.6	41	56.2	210	62.7	21,167	57.5	305	59.0
Latina	114	29.8	92	29.7	22	30.1	93	27.8	12,170	33.0	153	29.6
White	24	6.3	18	5.8	6	8.2	25	7.5	2,651	7.2	43	8.3
Asian or Pacific Islander	9	2.3	7	2.3	2	2.7	4	1.2	544	1.5	1	0.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	78	0.2	0	0.0
Multiracial	4	1.0	2	0.6	2	2.7	3	0.9	161	0.4	15	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	69	0.2	0	0.0
Age group (years)												
13-19	12	3.1	11	3.5	1	1.4	7	2.1	159	0.4	0	0.0
20-29	99	25.8	91	29.4	8	11.0	43	12.8	2,432	6.6	3	0.6
30-39	102	26.6	86	27.7	16	21.9	77	23.0	4,885	13.3	39	7.5
40-49	65	17.0	46	14.8	19	26.0	76	22.7	7,320	19.9	75	14.5
50-59	72	18.8	53	17.1	19	26.0	83	24.8	11,950	32.4	169	32.7
60+	33	8.6	23	7.4	10	13.7	49	14.6	10,094	27.4	231	44.7
Borough of residence												
Bronx	120	31.3	98	31.6	22	30.1	106	31.6	11,808	32.1	149	28.8
Brooklyn	99	25.8	83	26.8	16	21.9	100	29.9	10,075	27.3	141	27.3
Manhattan	47	12.3	38	12.3	9	12.3	41	12.2	5,135	13.9	77	14.9
Queens	68	17.8	47	15.2	21	28.8	47	14.0	4,993	13.6	42	8.1
Staten Island	7	1.8	4	1.3	3	4.1	6	1.8	908	2.5	15	2.9
Outside NYC	31	8.1	29	9.4	2	2.7	34	10.1	2,977	8.1	15	2.9
Unknown	11	2.9	11	3.5	0	0.0	1	0.3	944	2.6	78	15.1
Neighborhood poverty level												
Low poverty	43	11.2	36	11.6	7	9.6	26	7.8	3,517	9.5	23	4.4
Medium poverty	120	31.3	87	28.1	33	45.2	108	32.2	11,039	30.0	125	24.2
High poverty	84	21.9	66	21.3	18	24.7	83	24.8	8,616	23.4	118	22.8
Very high poverty	94	24.5	81	26.1	13	17.8	83	24.8	9,473	25.7	158	30.6
Not available	42	11.0	40	12.9	2	2.7	35	10.4	4,195	11.4	93	18.0
Transmission category												
Injection drug use history (IDU)	14	3.7	14	4.5	0	0.0	40	11.9	5,544	15.0	176	34.0
Heterosexual contact	271	70.8	212	68.4	59	80.8	211	63.0	20,643	56.0	245	47.4
Transgender people with sexual contact	56	14.6	51	16.5	5	6.8	32	9.6	2,389	6.5	21	4.1
Perinatal	0	0.0	0	0.0	0	0.0	8	2.4	1,308	3.6	5	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	88	0.2	1	0.2
Unknown	42	11.0	33	10.6	9	12.3	44	13.1	6,868	18.6	69	13.3

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.1. Bronx, Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**344**	**100.0**	**281**	**81.7**	**63**	**18.3**	**217**	**100.0**	**19,429**	**100.0**	**310**	**100.0**
Race and ethnicity												
Black	146	42.4	122	43.4	24	38.1	99	45.6	8,791	45.2	126	40.6
Latino	188	54.7	149	53.0	39	61.9	106	48.8	9,260	47.7	156	50.3
White	6	1.7	6	2.1	0	0.0	8	3.7	1,073	5.5	19	6.1
Asian or Pacific Islander	3	0.9	3	1.1	0	0.0	1	0.5	168	0.9	1	0.3
Native American	0	0.0	0	0.0	0	0.0	1	0.5	45	0.2	0	0.0
Multiracial	1	0.3	1	0.4	0	0.0	2	0.9	69	0.4	8	2.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	19	5.5	18	6.4	1	1.6	2	0.9	69	0.4	0	0.0
20-29	146	42.4	131	46.6	15	23.8	42	19.4	1,595	8.2	6	1.9
30-39	94	27.3	71	25.3	23	36.5	61	28.1	3,623	18.6	19	6.1
40-49	28	8.1	23	8.2	5	7.9	32	14.7	3,242	16.7	28	9.0
50-59	30	8.7	19	6.8	11	17.5	41	18.9	5,841	30.1	94	30.3
60+	27	7.8	19	6.8	8	12.7	39	18.0	5,050	26.0	163	52.6
Neighborhood poverty level												
Low poverty	3	0.9	3	1.1	0	0.0	0	0.0	252	1.3	2	0.6
Medium poverty	67	19.5	53	18.9	14	22.2	37	17.1	3,278	16.9	54	17.4
High poverty	65	18.9	53	18.9	12	19.0	42	19.4	4,063	20.9	64	20.6
Very high poverty	209	60.8	172	61.2	37	58.7	138	63.6	11,738	60.4	190	61.3
Not available	0	0.0	0	0.0	0	0.0	0	0.0	98	0.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	215	62.5	177	63.0	38	60.3	104	47.9	8,885	45.7	72	23.2
Injection drug use history (IDU)	10	2.9	8	2.8	2	3.2	23	10.6	3,238	16.7	108	34.8
MSM-IDU	5	1.5	5	1.8	0	0.0	6	2.8	1,000	5.1	25	8.1
Heterosexual contact	21	6.1	16	5.7	5	7.9	24	11.1	2,130	11.0	49	15.8
Transgender people with sexual contact	1	0.3	1	0.4	0	0.0	0	0.0	18	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	0.9	407	2.1	2	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	92	26.7	74	26.3	18	28.6	58	26.7	3,729	19.2	54	17.4

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.2. Bronx, Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**121**	**100.0**	**99**	**81.8**	**22**	**18.2**	**106**	**100.0**	**11,815**	**100.0**	**149**	**100.0**
Race and ethnicity												
Black	75	62.0	61	61.6	14	63.6	64	60.4	6,188	52.4	67	45.0
Latina	42	34.7	35	35.4	7	31.8	37	34.9	5,172	43.8	67	45.0
White	2	1.7	2	2.0	0	0.0	4	3.8	339	2.9	11	7.4
Asian or Pacific Islander	1	0.8	1	1.0	0	0.0	0	0.0	47	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Multiracial	1	0.8	0	0.0	1	4.5	1	0.9	30	0.3	3	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Age group (years)												
0-12	1	0.8	1	1.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	4	3.3	4	4.0	0	0.0	2	1.9	41	0.3	0	0.0
20-29	29	24.0	28	28.3	1	4.5	15	14.2	726	6.1	1	0.7
30-39	36	29.8	33	33.3	3	13.6	20	18.9	1,572	13.3	12	8.1
40-49	22	18.2	14	14.1	8	36.4	28	26.4	2,482	21.0	19	12.8
50-59	21	17.4	14	14.1	7	31.8	29	27.4	3,973	33.6	51	34.2
60+	8	6.6	5	5.1	3	13.6	12	11.3	3,014	25.5	66	44.3
Neighborhood poverty level												
Low poverty	3	2.5	3	3.0	0	0.0	2	1.9	128	1.1	0	0.0
Medium poverty	14	11.6	12	12.1	2	9.1	15	14.2	2,071	17.5	20	13.4
High poverty	26	21.5	17	17.2	9	40.9	30	28.3	2,456	20.8	31	20.8
Very high poverty	78	64.5	67	67.7	11	50.0	59	55.7	7,124	60.3	98	65.8
Not available	0	0.0	0	0.0	0	0.0	0	0.0	36	0.3	0	0.0
Transmission category												
Injection drug use history (IDU)	11	9.1	11	11.1	0	0.0	17	16.0	2,032	17.2	66	44.3
Heterosexual contact	80	66.1	63	63.6	17	77.3	63	59.4	6,645	56.2	58	38.9
Transgender people with sexual contact	22	18.2	20	20.2	2	9.1	14	13.2	708	6.0	4	2.7
Perinatal	1	0.8	1	1.0	0	0.0	1	0.9	428	3.6	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
Unknown	7	5.8	4	4.0	3	13.6	11	10.4	1,986	16.8	20	13.4

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.3. Brooklyn, Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**338**	**100.0**	**290**	**85.8**	**48**	**14.2**	**171**	**100.0**	**20,441**	**100.0**	**257**	**100.0**
Race and ethnicity												
Black	179	53.0	154	53.1	25	52.1	108	63.2	11,145	54.5	159	61.9
Latino	87	25.7	74	25.5	13	27.1	42	24.6	5,135	25.1	63	24.5
White	56	16.6	51	17.6	5	10.4	11	6.4	3,496	17.1	30	11.7
Asian or Pacific Islander	10	3.0	5	1.7	5	10.4	9	5.3	489	2.4	1	0.4
Native American	1	0.3	1	0.3	0	0.0	0	0.0	54	0.3	0	0.0
Multiracial	5	1.5	5	1.7	0	0.0	1	0.6	101	0.5	3	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	1	0.4
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
13-19	10	3.0	9	3.1	1	2.1	2	1.2	59	0.3	0	0.0
20-29	148	43.8	137	47.2	11	22.9	32	18.7	1,820	8.9	6	2.3
30-39	91	26.9	75	25.9	16	33.3	49	28.7	4,033	19.7	18	7.0
40-49	47	13.9	41	14.1	6	12.5	28	16.4	3,763	18.4	29	11.3
50-59	23	6.8	16	5.5	7	14.6	33	19.3	5,604	27.4	67	26.1
60+	19	5.6	12	4.1	7	14.6	27	15.8	5,155	25.2	137	53.3
Neighborhood poverty level												
Low poverty	25	7.4	20	6.9	5	10.4	13	7.6	1,395	6.8	13	5.1
Medium poverty	141	41.7	119	41.0	22	45.8	65	38.0	8,813	43.1	108	42.0
High poverty	143	42.3	130	44.8	13	27.1	70	40.9	7,632	37.3	101	39.3
Very high poverty	29	8.6	21	7.2	8	16.7	23	13.5	2,446	12.0	35	13.6
Not available	0	0.0	0	0.0	0	0.0	0	0.0	155	0.8	0	0.0
Transmission category												
Men who have sex with men (MSM)	231	68.3	206	71.0	25	52.1	85	49.7	11,451	56.0	84	32.7
Injection drug use history (IDU)	2	0.6	2	0.7	0	0.0	13	7.6	2,221	10.9	52	20.2
MSM-IDU	10	3.0	8	2.8	2	4.2	9	5.3	740	3.6	14	5.4
Heterosexual contact	23	6.8	16	5.5	7	14.6	24	14.0	1,873	9.2	31	12.1
Transgender people with sexual contact	2	0.6	2	0.7	0	0.0	0	0.0	23	0.1	1	0.4
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	321	1.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
Unknown	70	20.7	56	19.3	14	29.2	38	22.2	3,789	18.5	74	28.8

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.4. Brooklyn, Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**99**	**100.0**	**83**	**83.8**	**16**	**16.2**	**100**	**100.0**	**10,080**	**100.0**	**141**	**100.0**
Race and ethnicity												
Black	70	70.7	59	71.1	11	68.8	74	74.0	6,999	69.4	98	69.5
Latina	16	16.2	13	15.7	3	18.8	15	15.0	2,308	22.9	29	20.6
White	8	8.1	7	8.4	1	6.3	10	10.0	563	5.6	6	4.3
Asian or Pacific Islander	2	2.0	2	2.4	0	0.0	0	0.0	117	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Multiracial	3	3.0	2	2.4	1	6.3	1	1.0	47	0.5	8	5.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	5	5.1	4	4.8	1	6.3	2	2.0	46	0.5	0	0.0
20-29	25	25.3	23	27.7	2	12.5	13	13.0	582	5.8	1	0.7
30-39	20	20.2	18	21.7	2	12.5	26	26.0	1,288	12.8	8	5.7
40-49	19	19.2	14	16.9	5	31.3	21	21.0	1,974	19.6	25	17.7
50-59	21	21.2	18	21.7	3	18.8	20	20.0	3,235	32.1	41	29.1
60+	9	9.1	6	7.2	3	18.8	18	18.0	2,950	29.3	66	46.8
Neighborhood poverty level												
Low poverty	7	7.1	7	8.4	0	0.0	6	6.0	693	6.9	5	3.5
Medium poverty	39	39.4	31	37.3	8	50.0	40	40.0	3,842	38.1	47	33.3
High poverty	39	39.4	33	39.8	6	37.5	38	38.0	4,007	39.8	50	35.5
Very high poverty	14	14.1	12	14.5	2	12.5	16	16.0	1,477	14.7	39	27.7
Not available	0	0.0	0	0.0	0	0.0	0	0.0	61	0.6	0	0.0
Transmission category												
Injection drug use history (IDU)	2	2.0	2	2.4	0	0.0	12	12.0	1,353	13.4	42	29.8
Heterosexual contact	80	80.8	67	80.7	13	81.3	63	63.0	5,865	58.2	75	53.2
Transgender people with sexual contact	6	6.1	6	7.2	0	0.0	4	4.0	443	4.4	7	5.0
Perinatal	0	0.0	0	0.0	0	0.0	5	5.0	360	3.6	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	11	11.1	8	9.6	3	18.8	16	16.0	2,033	20.2	16	11.3

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.5. Manhattan, Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**278**	**100.0**	**237**	**85.3**	**41**	**14.7**	**153**	**100.0**	**27,589**	**100.0**	**234**	**100.0**
Race and ethnicity												
Black	107	38.5	92	38.8	15	36.6	50	32.7	7,305	26.5	86	36.8
Latino	101	36.3	83	35.0	18	43.9	62	40.5	7,816	28.3	64	27.4
White	54	19.4	50	21.1	4	9.8	30	19.6	11,314	41.0	80	34.2
Asian or Pacific Islander	12	4.3	10	4.2	2	4.9	9	5.9	805	2.9	2	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	53	0.2	0	0.0
Multiracial	4	1.4	2	0.8	2	4.9	2	1.3	160	0.6	2	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	136	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	7	2.5	7	3.0	0	0.0	0	0.0	31	0.1	0	0.0
20-29	96	34.5	91	38.4	5	12.2	19	12.4	1,331	4.8	3	1.3
30-39	91	32.7	72	30.4	19	46.3	48	31.4	4,364	15.8	16	6.8
40-49	39	14.0	31	13.1	8	19.5	31	20.3	5,024	18.2	21	9.0
50-59	31	11.2	25	10.5	6	14.6	31	20.3	8,749	31.7	63	26.9
60+	14	5.0	11	4.6	3	7.3	24	15.7	8,085	29.3	131	56.0
Neighborhood poverty level												
Low poverty	39	14.0	28	11.8	11	26.8	31	20.3	7,809	28.3	55	23.5
Medium poverty	124	44.6	110	46.4	14	34.1	63	41.2	11,461	41.5	78	33.3
High poverty	84	30.2	74	31.2	10	24.4	43	28.1	5,609	20.3	60	25.6
Very high poverty	29	10.4	23	9.7	6	14.6	15	9.8	2,106	7.6	41	17.5
Not available	2	0.7	2	0.8	0	0.0	1	0.7	604	2.2	0	0.0
Transmission category												
Men who have sex with men (MSM)	207	74.5	180	75.9	27	65.9	101	66.0	19,988	72.4	115	49.1
Injection drug use history (IDU)	6	2.2	6	2.5	0	0.0	5	3.3	2,074	7.5	50	21.4
MSM-IDU	10	3.6	10	4.2	0	0.0	7	4.6	1,079	3.9	16	6.8
Heterosexual contact	7	2.5	6	2.5	1	2.4	3	2.0	1,110	4.0	22	9.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	0.7	12	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.3	180	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Unknown	48	17.3	35	14.8	13	31.7	34	22.2	3,131	11.3	31	13.2

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.6. Manhattan, Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**48**	**100.0**	**39**	**81.3**	**9**	**18.8**	**41**	**100.0**	**5,140**	**100.0**	**77**	**100.0**
Race and ethnicity												
Black	26	54.2	22	56.4	4	44.4	26	63.4	2,744	53.4	46	59.7
Latina	20	41.7	15	38.5	5	55.6	13	31.7	1,767	34.4	23	29.9
White	2	4.2	2	5.1	0	0.0	2	4.9	518	10.1	7	9.1
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	67	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Age group (years)												
0-12	1	2.1	1	2.6	0	0.0	0	0.0	5	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
20-29	12	25.0	11	28.2	1	11.1	3	7.3	285	5.5	1	1.3
30-39	20	41.7	17	43.6	3	33.3	6	14.6	577	11.2	6	7.8
40-49	6	12.5	3	7.7	3	33.3	13	31.7	897	17.5	7	9.1
50-59	3	6.3	2	5.1	1	11.1	11	26.8	1,725	33.6	25	32.5
60+	6	12.5	5	12.8	1	11.1	8	19.5	1,636	31.8	38	49.4
Neighborhood poverty level												
Low poverty	4	8.3	3	7.7	1	11.1	6	14.6	658	12.8	5	6.5
Medium poverty	24	50.0	18	46.2	6	66.7	14	34.1	1,745	33.9	17	22.1
High poverty	17	35.4	15	38.5	2	22.2	13	31.7	1,748	34.0	34	44.2
Very high poverty	3	6.3	3	7.7	0	0.0	8	19.5	880	17.1	21	27.3
Not available	0	0.0	0	0.0	0	0.0	0	0.0	109	2.1	0	0.0
Transmission category												
Injection drug use history (IDU)	1	2.1	1	2.6	0	0.0	7	17.1	1,010	19.6	29	37.7
Heterosexual contact	30	62.5	23	59.0	7	77.8	27	65.9	2,520	49.0	34	44.2
Transgender people with sexual contact	10	20.8	9	23.1	1	11.1	3	7.3	380	7.4	2	2.6
Perinatal	1	2.1	1	2.6	0	0.0	0	0.0	176	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	1	1.3
Unknown	6	12.5	5	12.8	1	11.1	4	9.8	1,040	20.2	11	14.3

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.7. Queens, Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**240**	**100.0**	**191**	**79.6**	**49**	**20.4**	**122**	**100.0**	**13,849**	**100.0**	**125**	**100.0**
Race and ethnicity												
Black	60	25.0	47	24.6	13	26.5	39	32.0	4,263	30.8	51	40.8
Latino	132	55.0	105	55.0	27	55.1	63	51.6	6,030	43.5	39	31.2
White	14	5.8	11	5.8	3	6.1	8	6.6	2,492	18.0	24	19.2
Asian or Pacific Islander	30	12.5	24	12.6	6	12.2	11	9.0	931	6.7	5	4.0
Native American	1	0.4	1	0.5	0	0.0	0	0.0	52	0.4	1	0.8
Multiracial	3	1.3	3	1.6	0	0.0	1	0.8	55	0.4	5	4.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
13-19	8	3.3	8	4.2	0	0.0	0	0.0	28	0.2	0	0.0
20-29	88	36.7	79	41.4	9	18.4	26	21.3	981	7.1	4	3.2
30-39	72	30.0	55	28.8	17	34.7	37	30.3	2,499	18.0	8	6.4
40-49	39	16.3	25	13.1	14	28.6	24	19.7	2,798	20.2	12	9.6
50-59	24	10.0	17	8.9	7	14.3	23	18.9	4,171	30.1	33	26.4
60+	9	3.8	7	3.7	2	4.1	12	9.8	3,368	24.3	68	54.4
Neighborhood poverty level												
Low poverty	91	37.9	71	37.2	20	40.8	49	40.2	5,322	38.4	39	31.2
Medium poverty	138	57.5	112	58.6	26	53.1	65	53.3	7,748	55.9	74	59.2
High poverty	10	4.2	7	3.7	3	6.1	8	6.6	644	4.7	12	9.6
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	1	0.4	1	0.5	0	0.0	0	0.0	135	1.0	0	0.0
Transmission category												
Men who have sex with men (MSM)	184	76.7	152	79.6	32	65.3	68	55.7	8,400	60.7	54	43.2
Injection drug use history (IDU)	3	1.3	2	1.0	1	2.0	8	6.6	1,361	9.8	22	17.6
MSM-IDU	1	0.4	1	0.5	0	0.0	2	1.6	417	3.0	1	0.8
Heterosexual contact	12	5.0	7	3.7	5	10.2	13	10.7	1,289	9.3	18	14.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	178	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	40	16.7	29	15.2	11	22.4	31	25.4	2,175	15.7	30	24.0

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.8. Queens, Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**68**	**100.0**	**47**	**69.1**	**21**	**30.9**	**47**	**100.0**	**4,998**	**100.0**	**42**	**100.0**
Race and ethnicity												
Black	39	57.4	29	61.7	10	47.6	20	42.6	2,748	55.0	28	66.7
Latina	21	30.9	15	31.9	6	28.6	18	38.3	1,546	30.9	10	23.8
White	4	5.9	1	2.1	3	14.3	4	8.5	428	8.6	4	9.5
Asian or Pacific Islander	4	5.9	2	4.3	2	9.5	4	8.5	229	4.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.1	24	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	1	1.5	1	2.1	0	0.0	1	2.1	14	0.3	0	0.0
20-29	14	20.6	12	25.5	2	9.5	3	6.4	267	5.3	0	0.0
30-39	18	26.5	10	21.3	8	38.1	15	31.9	615	12.3	3	7.1
40-49	11	16.2	10	21.3	1	4.8	4	8.5	1,029	20.6	4	9.5
50-59	17	25.0	10	21.3	7	33.3	16	34.0	1,610	32.2	14	33.3
60+	7	10.3	4	8.5	3	14.3	8	17.0	1,458	29.2	21	50.0
Neighborhood poverty level												
Low poverty	27	39.7	22	46.8	5	23.8	11	23.4	1,772	35.5	11	26.2
Medium poverty	38	55.9	23	48.9	15	71.4	34	72.3	2,749	55.0	28	66.7
High poverty	3	4.4	2	4.3	1	4.8	2	4.3	411	8.2	3	7.1
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	66	1.3	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	6.4	619	12.4	10	23.8
Heterosexual contact	53	77.9	36	76.6	17	81.0	32	68.1	3,057	61.2	25	59.5
Transgender people with sexual contact	7	10.3	5	10.6	2	9.5	4	8.5	269	5.4	3	7.1
Perinatal	0	0.0	0	0.0	0	0.0	1	2.1	181	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	8	11.8	6	12.8	2	9.5	7	14.9	855	17.1	4	9.5

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.9. Staten Island, Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**22**	**100.0**	**21**	**95.5**	**1**	**4.5**	**10**	**100.0**	**1,642**	**100.0**	**24**	**100.0**
Race and ethnicity[6]												
Black	10	45.5	10	47.6	0	0.0	5	50.0	595	36.2	4	16.7
Latino	6	27.3	6	28.6	0	0.0	1	10.0	486	29.6	12	50.0
White	5	22.7	5	23.8	0	0.0	2	20.0	515	31.4	7	29.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	10.0	26	1.6	0	0.0
Other or unknown	1	4.5	0	0.0	1	100.0	1	10.0	20	1.2	1	4.2
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.5	1	4.8	0	0.0	0	0.0	3	0.2	0	0.0
20-29	11	50.0	10	47.6	1	100.0	2	20.0	118	7.2	1	4.2
30-39	4	18.2	4	19.0	0	0.0	3	30.0	247	15.0	2	8.3
40-49	3	13.6	3	14.3	0	0.0	0	0.0	255	15.5	4	16.7
50-59	2	9.1	2	9.5	0	0.0	2	20.0	537	32.7	7	29.2
60+	1	4.5	1	4.8	0	0.0	3	30.0	481	29.3	10	41.7
Neighborhood poverty level												
Low poverty	8	36.4	8	38.1	0	0.0	1	10.0	543	33.1	5	20.8
Medium poverty	14	63.6	13	61.9	1	100.0	9	90.0	1,088	66.3	19	79.2
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	15	68.2	15	71.4	0	0.0	6	60.0	793	48.3	6	25.0
Injection drug use history (IDU)	1	4.5	1	4.8	0	0.0	1	10.0	275	16.7	9	37.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	79	4.8	3	12.5
Heterosexual contact	1	4.5	1	4.8	0	0.0	0	0.0	178	10.8	3	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	2.1	1	4.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	22.7	4	19.0	1	100.0	3	30.0	283	17.2	2	8.3

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV. [6]In order to protect privacy and confidentiality, race and ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race and ethnicity category includes Native American people, multiracial people, and people with an unknown race and ethnicity.
As reported to the NYC Health Department by March 31, 2025.

Table 1.5.10. Staten Island, Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**7**	**100.0**	**4**	**57.1**	**3**	**42.9**	**6**	**100.0**	**911**	**100.0**	**15**	**100.0**
Race and ethnicity[6]												
Black	3	42.9	3	75.0	0	0.0	3	50.0	446	49.0	8	53.3
Latina	1	14.3	0	0.0	1	33.3	2	33.3	252	27.7	3	20.0
White	3	42.9	1	25.0	2	66.7	1	16.7	198	21.7	3	20.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	1	6.7
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	4	57.1	2	50.0	2	66.7	2	33.3	48	5.3	0	0.0
30-39	1	14.3	1	25.0	0	0.0	1	16.7	125	13.7	0	0.0
40-49	1	14.3	0	0.0	1	33.3	2	33.3	174	19.1	3	20.0
50-59	1	14.3	1	25.0	0	0.0	1	16.7	331	36.3	9	60.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	226	24.8	3	20.0
Neighborhood poverty level												
Low poverty	2	28.6	1	25.0	1	33.3	1	16.7	270	29.6	2	13.3
Medium poverty	5	71.4	3	75.0	2	66.7	5	83.3	639	70.1	13	86.7
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	138	15.1	3	20.0
Heterosexual contact	7	100.0	4	100.0	3	100.0	6	100.0	544	59.7	8	53.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	50	5.5	1	6.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	140	15.4	3	20.0

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV. [6]In order to protect privacy and confidentiality, race and ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race and ethnicity category includes Native American people, multiracial people, and people with an unknown race and ethnicity.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.1. Men Who Have Sex With Men (MSM)[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**1,003**	**100.0**	**866**	**86.3**	**137**	**13.7**	**469**	**100.0**	**60,833**	**100.0**	**515**	**100.0**
Race and ethnicity												
Black	359	35.8	317	36.6	42	30.7	189	40.3	18,937	31.1	196	38.1
Latino	451	45.0	379	43.8	72	52.6	181	38.6	19,521	32.1	121	23.5
White	136	13.6	124	14.3	12	8.8	66	14.1	19,718	32.4	176	34.2
Asian or Pacific Islander	45	4.5	37	4.3	8	5.8	22	4.7	2,002	3.3	7	1.4
Native American	2	0.2	2	0.2	0	0.0	2	0.4	150	0.2	0	0.0
Multiracial	10	1.0	7	0.8	3	2.2	9	1.9	430	0.7	13	2.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	75	0.1	2	0.4
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	44	4.4	41	4.7	3	2.2	5	1.1	150	0.2	0	0.0
20-29	482	48.1	442	51.0	40	29.2	134	28.6	6,565	10.8	20	3.9
30-39	286	28.5	229	26.4	57	41.6	165	35.2	14,644	24.1	62	12.0
40-49	108	10.8	89	10.3	19	13.9	77	16.4	12,378	20.3	72	14.0
50-59	64	6.4	48	5.5	16	11.7	63	13.4	16,411	27.0	157	30.5
60+	19	1.9	17	2.0	2	1.5	25	5.3	10,685	17.6	204	39.6
Borough of residence												
Bronx	215	21.4	177	20.4	38	27.7	104	22.2	8,885	14.6	72	14.0
Brooklyn	231	23.0	206	23.8	25	18.2	85	18.1	11,451	18.8	84	16.3
Manhattan	207	20.6	180	20.8	27	19.7	101	21.5	19,988	32.9	115	22.3
Queens	184	18.3	152	17.6	32	23.4	68	14.5	8,400	13.8	54	10.5
Staten Island	15	1.5	15	1.7	0	0.0	6	1.3	793	1.3	6	1.2
Outside NYC	107	10.7	92	10.6	15	10.9	98	20.9	8,975	14.8	18	3.5
Unknown	44	4.4	44	5.1	0	0.0	7	1.5	2,341	3.8	166	32.2
Neighborhood poverty level												
Low poverty	120	12.0	97	11.2	23	16.8	57	12.2	10,333	17.0	58	11.3
Medium poverty	350	34.9	301	34.8	49	35.8	140	29.9	21,032	34.6	139	27.0
High poverty	209	20.8	189	21.8	20	14.6	80	17.1	10,341	17.0	79	15.3
Very high poverty	170	16.9	140	16.2	30	21.9	87	18.6	7,409	12.2	55	10.7
Not available	154	15.4	139	16.1	15	10.9	105	22.4	11,718	19.3	184	35.7

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.2. Injection Drug Use History (IDU), Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**25**	**100.0**	**21**	**84.0**	**4**	**16.0**	**55**	**100.0**	**10,027**	**100.0**	**315**	**100.0**
Race and ethnicity												
Black	9	36.0	8	38.1	1	25.0	18	32.7	4,034	40.2	127	40.3
Latino	12	48.0	9	42.9	3	75.0	31	56.4	4,750	47.4	147	46.7
White	4	16.0	4	19.0	0	0.0	6	10.9	1,136	11.3	37	11.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	60	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	3	1.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	1	0.3
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	8	32.0	8	38.1	0	0.0	0	0.0	26	0.3	0	0.0
30-39	6	24.0	5	23.8	1	25.0	4	7.3	196	2.0	3	1.0
40-49	1	4.0	1	4.8	0	0.0	9	16.4	663	6.6	20	6.3
50-59	8	32.0	5	23.8	3	75.0	17	30.9	3,104	31.0	76	24.1
60+	2	8.0	2	9.5	0	0.0	25	45.5	6,038	60.2	216	68.6
Borough of residence												
Bronx	10	40.0	8	38.1	2	50.0	23	41.8	3,238	32.3	108	34.3
Brooklyn	2	8.0	2	9.5	0	0.0	13	23.6	2,221	22.2	52	16.5
Manhattan	6	24.0	6	28.6	0	0.0	5	9.1	2,074	20.7	50	15.9
Queens	3	12.0	2	9.5	1	25.0	8	14.5	1,361	13.6	22	7.0
Staten Island	1	4.0	1	4.8	0	0.0	1	1.8	275	2.7	9	2.9
Outside NYC	2	8.0	1	4.8	1	25.0	5	9.1	817	8.1	19	6.0
Unknown	1	4.0	1	4.8	0	0.0	0	0.0	41	0.4	55	17.5
Neighborhood poverty level												
Low poverty	5	20.0	4	19.0	1	25.0	7	12.7	1,291	12.9	11	3.5
Medium poverty	3	12.0	3	14.3	0	0.0	13	23.6	2,659	26.5	71	22.5
High poverty	5	20.0	4	19.0	1	25.0	14	25.5	2,128	21.2	53	16.8
Very high poverty	9	36.0	8	38.1	1	25.0	16	29.1	2,865	28.6	106	33.7
Not available	3	12.0	2	9.5	1	25.0	5	9.1	1,084	10.8	74	23.5

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.3. Injection Drug Use History (IDU), Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**14**	**100.0**	**14**	**100.0**	**0**	**0.0**	**40**	**100.0**	**5,544**	**100.0**	**176**	**100.0**
Race and ethnicity												
Black	6	42.9	6	42.9	0	0.0	25	62.5	2,646	47.7	95	54.0
Latina	6	42.9	6	42.9	0	0.0	10	25.0	2,203	39.7	64	36.4
White	2	14.3	2	14.3	0	0.0	5	12.5	638	11.5	14	8.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	29	0.5	2	1.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	14.3	2	14.3	0	0.0	0	0.0	52	0.9	0	0.0
30-39	4	28.6	4	28.6	0	0.0	6	15.0	219	4.0	5	2.8
40-49	4	28.6	4	28.6	0	0.0	10	25.0	622	11.2	17	9.7
50-59	3	21.4	3	21.4	0	0.0	16	40.0	2,283	41.2	63	35.8
60+	1	7.1	1	7.1	0	0.0	8	20.0	2,368	42.7	91	51.7
Borough of residence												
Bronx	11	78.6	11	78.6	0	0.0	17	42.5	2,032	36.7	66	37.5
Brooklyn	2	14.3	2	14.3	0	0.0	12	30.0	1,353	24.4	42	23.9
Manhattan	1	7.1	1	7.1	0	0.0	7	17.5	1,010	18.2	29	16.5
Queens	0	0.0	0	0.0	0	0.0	3	7.5	619	11.2	10	5.7
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	138	2.5	3	1.7
Outside NYC	0	0.0	0	0.0	0	0.0	1	2.5	376	6.8	4	2.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	22	12.5
Neighborhood poverty level												
Low poverty	1	7.1	1	7.1	0	0.0	2	5.0	516	9.3	7	4.0
Medium poverty	1	7.1	1	7.1	0	0.0	8	20.0	1,458	26.3	34	19.3
High poverty	3	21.4	3	21.4	0	0.0	10	25.0	1,376	24.8	35	19.9
Very high poverty	9	64.3	9	64.3	0	0.0	19	47.5	1,739	31.4	74	42.0
Not available	0	0.0	0	0.0	0	0.0	1	2.5	455	8.2	26	14.8

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.4. Men Who Have Sex With Men and Inject Drugs (MSM-IDU)[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**27**	**100.0**	**25**	**92.6**	**2**	**7.4**	**29**	**100.0**	**3,827**	**100.0**	**79**	**100.0**
Race and ethnicity												
Black	7	25.9	7	28.0	0	0.0	8	27.6	1,345	35.1	26	32.9
Latino	12	44.4	12	48.0	0	0.0	15	51.7	1,431	37.4	31	39.2
White	6	22.2	5	20.0	1	50.0	3	10.3	951	24.8	22	27.8
Asian or Pacific Islander	1	3.7	0	0.0	1	50.0	3	10.3	52	1.4	0	0.0
Native American	1	3.7	1	4.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	35	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.7	1	4.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	8	29.6	7	28.0	1	50.0	3	10.3	219	5.7	1	1.3
30-39	10	37.0	10	40.0	0	0.0	8	27.6	662	17.3	8	10.1
40-49	5	18.5	4	16.0	1	50.0	9	31.0	711	18.6	13	16.5
50-59	1	3.7	1	4.0	0	0.0	5	17.2	1,240	32.4	26	32.9
60+	2	7.4	2	8.0	0	0.0	4	13.8	991	25.9	31	39.2
Borough of residence												
Bronx	5	18.5	5	20.0	0	0.0	6	20.7	1,000	26.1	25	31.6
Brooklyn	10	37.0	8	32.0	2	100.0	9	31.0	740	19.3	14	17.7
Manhattan	10	37.0	10	40.0	0	0.0	7	24.1	1,079	28.2	16	20.3
Queens	1	3.7	1	4.0	0	0.0	2	6.9	417	10.9	1	1.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	79	2.1	3	3.8
Outside NYC	0	0.0	0	0.0	0	0.0	5	17.2	492	12.9	2	2.5
Unknown	1	3.7	1	4.0	0	0.0	0	0.0	20	0.5	18	22.8
Neighborhood poverty level												
Low poverty	5	18.5	5	20.0	0	0.0	2	6.9	522	13.6	5	6.3
Medium poverty	8	29.6	6	24.0	2	100.0	9	31.0	1,186	31.0	18	22.8
High poverty	8	29.6	8	32.0	0	0.0	8	27.6	746	19.5	17	21.5
Very high poverty	5	18.5	5	20.0	0	0.0	5	17.2	839	21.9	19	24.1
Not available	1	3.7	1	4.0	0	0.0	5	17.2	534	14.0	20	25.3

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.5. Heterosexual Contact, Men[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**68**	**100.0**	**49**	**72.1**	**19**	**27.9**	**73**	**100.0**	**7,435**	**100.0**	**147**	**100.0**
Race and ethnicity												
Black	37	54.4	25	51.0	12	63.2	47	64.4	4,048	54.4	87	59.2
Latino	22	32.4	18	36.7	4	21.1	17	23.3	2,501	33.6	52	35.4
White	6	8.8	5	10.2	1	5.3	2	2.7	603	8.1	5	3.4
Asian or Pacific Islander	3	4.4	1	2.0	2	10.5	5	6.8	233	3.1	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	2.7	21	0.3	2	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	2.9	2	4.1	0	0.0	0	0.0	3	0.0	0	0.0
20-29	14	20.6	12	24.5	2	10.5	7	9.6	143	1.9	0	0.0
30-39	20	29.4	14	28.6	6	31.6	18	24.7	556	7.5	3	2.0
40-49	11	16.2	9	18.4	2	10.5	8	11.0	1,295	17.4	14	9.5
50-59	12	17.6	6	12.2	6	31.6	23	31.5	2,958	39.8	47	32.0
60+	9	13.2	6	12.2	3	15.8	17	23.3	2,480	33.4	83	56.5
Borough of residence												
Bronx	21	30.9	16	32.7	5	26.3	24	32.9	2,130	28.6	49	33.3
Brooklyn	23	33.8	16	32.7	7	36.8	24	32.9	1,873	25.2	31	21.1
Manhattan	7	10.3	6	12.2	1	5.3	3	4.1	1,110	14.9	22	15.0
Queens	12	17.6	7	14.3	5	26.3	13	17.8	1,289	17.3	18	12.2
Staten Island	1	1.5	1	2.0	0	0.0	0	0.0	178	2.4	3	2.0
Outside NYC	2	2.9	1	2.0	1	5.3	9	12.3	760	10.2	2	1.4
Unknown	2	2.9	2	4.1	0	0.0	0	0.0	95	1.3	22	15.0
Neighborhood poverty level												
Low poverty	5	7.4	1	2.0	4	21.1	9	12.3	867	11.7	15	10.2
Medium poverty	25	36.8	20	40.8	5	26.3	15	20.5	2,367	31.8	37	25.2
High poverty	16	23.5	12	24.5	4	21.1	19	26.0	1,552	20.9	34	23.1
Very high poverty	18	26.5	13	26.5	5	26.3	20	27.4	1,754	23.6	37	25.2
Not available	4	5.9	3	6.1	1	5.3	10	13.7	895	12.0	24	16.3

[1]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.6. Heterosexual Contact, Women[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**271**	**100.0**	**212**	**78.2**	**59**	**21.8**	**211**	**100.0**	**20,643**	**100.0**	**245**	**100.0**
Race and ethnicity												
Black	172	63.5	140	66.0	32	54.2	131	62.1	12,229	59.2	154	62.9
Latina	74	27.3	56	26.4	18	30.5	58	27.5	6,616	32.0	62	25.3
White	16	5.9	11	5.2	5	8.5	15	7.1	1,315	6.4	20	8.2
Asian or Pacific Islander	6	2.2	4	1.9	2	3.4	4	1.9	351	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	48	0.2	0	0.0
Multiracial	3	1.1	1	0.5	2	3.4	3	1.4	72	0.3	9	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	10	3.7	9	4.2	1	1.7	4	1.9	22	0.1	0	0.0
20-29	59	21.8	53	25.0	6	10.2	19	9.0	755	3.7	1	0.4
30-39	76	28.0	63	29.7	13	22.0	57	27.0	2,784	13.5	18	7.3
40-49	42	15.5	28	13.2	14	23.7	50	23.7	4,653	22.5	44	18.0
50-59	61	22.5	45	21.2	16	27.1	50	23.7	6,929	33.6	82	33.5
60+	23	8.5	14	6.6	9	15.3	31	14.7	5,500	26.6	100	40.8
Borough of residence												
Bronx	80	29.5	63	29.7	17	28.8	63	29.9	6,645	32.2	58	23.7
Brooklyn	80	29.5	67	31.6	13	22.0	63	29.9	5,865	28.4	75	30.6
Manhattan	30	11.1	23	10.8	7	11.9	27	12.8	2,520	12.2	34	13.9
Queens	53	19.6	36	17.0	17	28.8	32	15.2	3,057	14.8	25	10.2
Staten Island	7	2.6	4	1.9	3	5.1	6	2.8	544	2.6	8	3.3
Outside NYC	18	6.6	16	7.5	2	3.4	19	9.0	1,671	8.1	5	2.0
Unknown	3	1.1	3	1.4	0	0.0	1	0.5	341	1.7	40	16.3
Neighborhood poverty level												
Low poverty	36	13.3	31	14.6	5	8.5	18	8.5	2,014	9.8	13	5.3
Medium poverty	88	32.5	61	28.8	27	45.8	71	33.6	6,430	31.1	66	26.9
High poverty	61	22.5	46	21.7	15	25.4	51	24.2	4,847	23.5	61	24.9
Very high poverty	65	24.0	55	25.9	10	16.9	51	24.2	5,261	25.5	60	24.5
Not available	21	7.7	19	9.0	2	3.4	20	9.5	2,091	10.1	45	18.4

[1]Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.6.7. Transgender People With Sexual Contact[1]
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[2]						New AIDS Diagnoses[4]		People With HIV as of 12/31/2019		Deaths[5]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[3]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**60**	**100.0**	**55**	**91.7**	**5**	**8.3**	**34**	**100.0**	**2,465**	**100.0**	**22**	**100.0**
Gender												
Men	4	6.7	4	7.3	0	0.0	1	2.9	76	3.1	1	4.5
Women	56	93.3	51	92.7	5	100.0	33	97.1	2,389	96.9	21	95.5
Race and ethnicity												
Black	29	48.3	28	50.9	1	20.0	16	47.1	1,203	48.8	10	45.5
Latino	27	45.0	24	43.6	3	60.0	16	47.1	998	40.5	9	40.9
White	2	3.3	1	1.8	1	20.0	2	5.9	161	6.5	2	9.1
Asian or Pacific Islander	1	1.7	1	1.8	0	0.0	0	0.0	53	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	1	1.7	1	1.8	0	0.0	0	0.0	41	1.7	1	4.5
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.3	2	3.6	0	0.0	1	2.9	17	0.7	0	0.0
20-29	35	58.3	34	61.8	1	20.0	18	52.9	685	27.8	1	4.5
30-39	15	25.0	13	23.6	2	40.0	9	26.5	911	37.0	8	36.4
40-49	7	11.7	6	10.9	1	20.0	2	5.9	507	20.6	6	27.3
50-59	1	1.7	0	0.0	1	20.0	4	11.8	274	11.1	6	27.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	71	2.9	1	4.5
Borough of residence												
Bronx	23	38.3	21	38.2	2	40.0	14	41.2	726	29.5	4	18.2
Brooklyn	8	13.3	8	14.5	0	0.0	4	11.8	466	18.9	8	36.4
Manhattan	10	16.7	9	16.4	1	20.0	4	11.8	392	15.9	2	9.1
Queens	7	11.7	5	9.1	2	40.0	4	11.8	278	11.3	3	13.6
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	50	2.0	1	4.5
Outside NYC	8	13.3	8	14.5	0	0.0	8	23.5	311	12.6	0	0.0
Unknown	4	6.7	4	7.3	0	0.0	0	0.0	242	9.8	4	18.2
Neighborhood poverty level												
Low poverty	3	5.0	1	1.8	2	40.0	4	11.8	218	8.8	0	0.0
Medium poverty	16	26.7	15	27.3	1	20.0	5	14.7	622	25.2	4	18.2
High poverty	13	21.7	12	21.8	1	20.0	10	29.4	481	19.5	7	31.8
Very high poverty	16	26.7	15	27.3	1	20.0	7	20.6	586	23.8	7	31.8
Not available	12	20.0	12	21.8	0	0.0	8	23.5	558	22.6	4	18.2

[1]&genftnt. [2]Excludes people known to have been diagnosed outside NYC. [3]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [4]Includes concurrent HIV/AIDS diagnoses. [5]Includes deaths from any cause in people with HIV.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.1. Kingsbridge - Riverdale (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**15**	**100.0**	**13**	**86.7**	**2**	**13.3**	**3**	**100.0**	**770**	**100.0**	**13**	**100.0**
Gender[5]												
Men	12	80.0	10	76.9	2	100.0	3	100.0	532	69.1	11	84.6
Women	3	20.0	3	23.1	0	0.0	0	0.0	238	30.9	2	15.4
Race and ethnicity[6]												
Black	4	26.7	3	23.1	1	50.0	1	33.3	256	33.2	8	61.5
Latino	8	53.3	7	53.8	1	50.0	2	66.7	352	45.7	3	23.1
White	2	13.3	2	15.4	0	0.0	0	0.0	145	18.8	2	15.4
Asian or Pacific Islander	1	6.7	1	7.7	0	0.0	0	0.0	11	1.4	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	6	40.0	5	38.5	1	50.0	1	33.3	43	5.6	0	0.0
30-39	8	53.3	7	53.8	1	50.0	1	33.3	132	17.1	1	7.7
40-49	0	0.0	0	0.0	0	0.0	0	0.0	119	15.5	0	0.0
50-59	1	6.7	1	7.7	0	0.0	0	0.0	239	31.0	1	7.7
60+	0	0.0	0	0.0	0	0.0	1	33.3	234	30.4	11	84.6
Transmission category												
Men who have sex with men (MSM)	9	60.0	7	53.8	2	100.0	2	66.7	321	41.7	5	38.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	33.3	100	13.0	2	15.4
MSM-IDU	1	6.7	1	7.7	0	0.0	0	0.0	16	2.1	0	0.0
Heterosexual contact	3	20.0	3	23.1	0	0.0	0	0.0	178	23.1	3	23.1
Transgender people with sexual contact	1	6.7	1	7.7	0	0.0	0	0.0	10	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	6.7	1	7.7	0	0.0	0	0.0	125	16.2	3	23.1

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.2. Northeast Bronx (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**44**	**100.0**	**36**	**81.8**	**8**	**18.2**	**28**	**100.0**	**2,767**	**100.0**	**31**	**100.0**
Gender[5]												
Men	34	77.3	28	77.8	6	75.0	17	60.7	1,591	57.5	22	71.0
Women	10	22.7	8	22.2	2	25.0	11	39.3	1,176	42.5	9	29.0
Race and ethnicity												
Black	31	70.5	25	69.4	6	75.0	18	64.3	1,796	64.9	16	51.6
Latino	13	29.5	11	30.6	2	25.0	9	32.1	806	29.1	13	41.9
White	0	0.0	0	0.0	0	0.0	1	3.6	114	4.1	1	3.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	29	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	1	3.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	2.3	1	2.8	0	0.0	0	0.0	12	0.4	0	0.0
20-29	19	43.2	17	47.2	2	25.0	9	32.1	228	8.2	1	3.2
30-39	12	27.3	11	30.6	1	12.5	6	21.4	455	16.4	4	12.9
40-49	1	2.3	1	2.8	0	0.0	3	10.7	497	18.0	3	9.7
50-59	5	11.4	2	5.6	3	37.5	4	14.3	864	31.2	11	35.5
60+	6	13.6	4	11.1	2	25.0	6	21.4	710	25.7	12	38.7
Transmission category												
Men who have sex with men (MSM)	19	43.2	16	44.4	3	37.5	10	35.7	735	26.6	6	19.4
Injection drug use history (IDU)	1	2.3	1	2.8	0	0.0	0	0.0	322	11.6	7	22.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.6	71	2.6	0	0.0
Heterosexual contact	10	22.7	9	25.0	1	12.5	8	28.6	961	34.7	11	35.5
Transgender people with sexual contact	1	2.3	1	2.8	0	0.0	1	3.6	39	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.6	93	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	13	29.5	9	25.0	4	50.0	7	25.0	545	19.7	7	22.6

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.3. Fordham - Bronx Park (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**81**	**100.0**	**66**	**81.5**	**15**	**18.5**	**55**	**100.0**	**6,000**	**100.0**	**82**	**100.0**
Gender[5]												
Men	56	69.1	48	72.7	8	53.3	32	58.2	3,908	65.1	58	70.7
Women	25	30.9	18	27.3	7	46.7	23	41.8	2,092	34.9	24	29.3
Race and ethnicity												
Black	37	45.7	30	45.5	7	46.7	24	43.6	2,732	45.5	28	34.1
Latino	43	53.1	35	53.0	8	53.3	27	49.1	2,911	48.5	45	54.9
White	1	1.2	1	1.5	0	0.0	3	5.5	283	4.7	6	7.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	43	0.7	2	2.4
Native American	0	0.0	0	0.0	0	0.0	1	1.8	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	1	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	4.9	4	6.1	0	0.0	0	0.0	13	0.2	0	0.0
20-29	34	42.0	32	48.5	2	13.3	9	16.4	456	7.6	0	0.0
30-39	20	24.7	16	24.2	4	26.7	16	29.1	1,032	17.2	6	7.3
40-49	8	9.9	5	7.6	3	20.0	16	29.1	1,143	19.1	8	9.8
50-59	7	8.6	5	7.6	2	13.3	8	14.5	1,893	31.6	20	24.4
60+	8	9.9	4	6.1	4	26.7	6	10.9	1,461	24.4	48	58.5
Transmission category												
Men who have sex with men (MSM)	35	43.2	33	50.0	2	13.3	13	23.6	1,996	33.3	14	17.1
Injection drug use history (IDU)	4	4.9	4	6.1	0	0.0	6	10.9	946	15.8	29	35.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.8	188	3.1	7	8.5
Heterosexual contact	17	21.0	9	13.6	8	53.3	18	32.7	1,536	25.6	16	19.5
Transgender people with sexual contact	9	11.1	8	12.1	1	6.7	5	9.1	160	2.7	1	1.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	122	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	16	19.8	12	18.2	4	26.7	12	21.8	1,044	17.4	15	18.3

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.4. Pelham - Throgs Neck (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**68**	**100.0**	**52**	**76.5**	**16**	**23.5**	**60**	**100.0**	**4,566**	**100.0**	**59**	**100.0**
Gender[5]												
Men	50	73.5	38	73.1	12	75.0	44	73.3	2,851	62.4	41	69.5
Women	18	26.5	14	26.9	4	25.0	16	26.7	1,715	37.6	18	30.5
Race and ethnicity												
Black	28	41.2	22	42.3	6	37.5	28	46.7	1,869	40.9	28	47.5
Latino	35	51.5	25	48.1	10	62.5	28	46.7	2,336	51.2	25	42.4
White	2	2.9	2	3.8	0	0.0	2	3.3	294	6.4	6	10.2
Asian or Pacific Islander	2	2.9	2	3.8	0	0.0	1	1.7	44	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	1	1.5	1	1.9	0	0.0	1	1.7	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	4	5.9	4	7.7	0	0.0	1	1.7	14	0.3	0	0.0
20-29	23	33.8	21	40.4	2	12.5	5	8.3	296	6.5	0	0.0
30-39	17	25.0	13	25.0	4	25.0	12	20.0	715	15.7	2	3.4
40-49	7	10.3	4	7.7	3	18.8	13	21.7	777	17.0	6	10.2
50-59	11	16.2	5	9.6	6	37.5	19	31.7	1,504	32.9	21	35.6
60+	6	8.8	5	9.6	1	6.3	10	16.7	1,259	27.6	30	50.8
Transmission category												
Men who have sex with men (MSM)	29	42.6	21	40.4	8	50.0	21	35.0	1,330	29.1	9	15.3
Injection drug use history (IDU)	2	2.9	1	1.9	1	6.3	9	15.0	735	16.1	20	33.9
MSM-IDU	1	1.5	1	1.9	0	0.0	0	0.0	119	2.6	2	3.4
Heterosexual contact	17	25.0	13	25.0	4	25.0	18	30.0	1,290	28.3	18	30.5
Transgender people with sexual contact	1	1.5	1	1.9	0	0.0	0	0.0	61	1.3	1	1.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	140	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Unknown	18	26.5	15	28.8	3	18.8	12	20.0	879	19.3	9	15.3

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.5. Crotona - Tremont (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**97**	**100.0**	**85**	**87.6**	**12**	**12.4**	**61**	**100.0**	**6,556**	**100.0**	**100**	**100.0**
Gender[5]												
Men	69	71.1	61	71.8	8	66.7	37	60.7	4,005	61.1	64	64.0
Women	28	28.9	24	28.2	4	33.3	24	39.3	2,551	38.9	36	36.0
Race and ethnicity												
Black	53	54.6	47	55.3	6	50.0	28	45.9	3,174	48.4	49	49.0
Latino	41	42.3	36	42.4	5	41.7	31	50.8	3,121	47.6	46	46.0
White	2	2.1	2	2.4	0	0.0	1	1.6	186	2.8	2	2.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	33	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Multiracial	1	1.0	0	0.0	1	8.3	1	1.6	22	0.3	3	3.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Age group (years)												
0-12	1	1.0	1	1.2	0	0.0	0	0.0	6	0.1	0	0.0
13-19	6	6.2	6	7.1	0	0.0	1	1.6	31	0.5	0	0.0
20-29	36	37.1	33	38.8	3	25.0	10	16.4	512	7.8	4	4.0
30-39	28	28.9	26	30.6	2	16.7	14	23.0	1,139	17.4	7	7.0
40-49	11	11.3	7	8.2	4	33.3	12	19.7	1,216	18.5	10	10.0
50-59	7	7.2	5	5.9	2	16.7	13	21.3	2,025	30.9	37	37.0
60+	8	8.2	7	8.2	1	8.3	11	18.0	1,627	24.8	42	42.0
Transmission category												
Men who have sex with men (MSM)	50	51.5	43	50.6	7	58.3	15	24.6	1,749	26.7	19	19.0
Injection drug use history (IDU)	7	7.2	7	8.2	0	0.0	10	16.4	1,211	18.5	42	42.0
MSM-IDU	0	0.0	0	0.0	0	0.0	3	4.9	237	3.6	7	7.0
Heterosexual contact	19	19.6	16	18.8	3	25.0	19	31.1	1,858	28.3	20	20.0
Transgender people with sexual contact	5	5.2	4	4.7	1	8.3	2	3.3	213	3.2	0	0.0
Perinatal	1	1.0	1	1.2	0	0.0	0	0.0	176	2.7	1	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	15	15.5	14	16.5	1	8.3	12	19.7	1,109	16.9	11	11.0

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.6. High Bridge - Morrisania (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**113**	**100.0**	**93**	**82.3**	**20**	**17.7**	**73**	**100.0**	**6,384**	**100.0**	**121**	**100.0**
Gender[5]												
Men	87	77.0	70	75.3	17	85.0	53	72.6	3,964	62.1	79	65.3
Women	26	23.0	23	24.7	3	15.0	20	27.4	2,420	37.9	42	34.7
Race and ethnicity												
Black	49	43.4	41	44.1	8	40.0	42	57.5	3,300	51.7	46	38.0
Latino	62	54.9	50	53.8	12	60.0	26	35.6	2,799	43.8	62	51.2
White	1	0.9	1	1.1	0	0.0	4	5.5	208	3.3	9	7.4
Asian or Pacific Islander	1	0.9	1	1.1	0	0.0	0	0.0	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.4	24	0.4	4	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	4	3.5	4	4.3	0	0.0	0	0.0	22	0.3	0	0.0
20-29	46	40.7	41	44.1	5	25.0	13	17.8	439	6.9	2	1.7
30-39	28	24.8	19	20.4	9	45.0	20	27.4	977	15.3	8	6.6
40-49	18	15.9	15	16.1	3	15.0	13	17.8	1,203	18.8	13	10.7
50-59	14	12.4	11	11.8	3	15.0	19	26.0	2,017	31.6	36	29.8
60+	3	2.7	3	3.2	0	0.0	8	11.0	1,723	27.0	62	51.2
Transmission category												
Men who have sex with men (MSM)	56	49.6	45	48.4	11	55.0	29	39.7	1,657	26.0	12	9.9
Injection drug use history (IDU)	4	3.5	3	3.2	1	5.0	8	11.0	1,161	18.2	59	48.8
MSM-IDU	2	1.8	2	2.2	0	0.0	1	1.4	221	3.5	3	2.5
Heterosexual contact	24	21.2	20	21.5	4	20.0	17	23.3	1,805	28.3	25	20.7
Transgender people with sexual contact	4	3.5	4	4.3	0	0.0	1	1.4	116	1.8	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	1	1.4	158	2.5	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	23	20.4	19	20.4	4	20.0	16	21.9	1,258	19.7	19	15.7

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.7.7. Hunts Point - Mott Haven (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**47**	**100.0**	**35**	**74.5**	**12**	**25.5**	**43**	**100.0**	**4,067**	**100.0**	**53**	**100.0**
Gender[5]												
Men	36	76.6	26	74.3	10	83.3	31	72.1	2,480	61.0	35	66.0
Women	11	23.4	9	25.7	2	16.7	12	27.9	1,587	39.0	18	34.0
Race and ethnicity												
Black	19	40.4	15	42.9	4	33.3	22	51.2	1,805	44.4	18	34.0
Latino	28	59.6	20	57.1	8	66.7	20	46.5	2,049	50.4	29	54.7
White	0	0.0	0	0.0	0	0.0	1	2.3	167	4.1	4	7.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	25	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	2	3.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	4	8.5	3	8.6	1	8.3	2	4.7	15	0.4	0	0.0
20-29	11	23.4	10	28.6	1	8.3	10	23.3	347	8.5	0	0.0
30-39	17	36.2	12	34.3	5	41.7	12	27.9	744	18.3	3	5.7
40-49	5	10.6	5	14.3	0	0.0	3	7.0	756	18.6	7	13.2
50-59	6	12.8	4	11.4	2	16.7	7	16.3	1,215	29.9	19	35.8
60+	4	8.5	1	2.9	3	25.0	9	20.9	987	24.3	24	45.3
Transmission category												
Men who have sex with men (MSM)	17	36.2	12	34.3	5	41.7	14	32.6	1,087	26.7	7	13.2
Injection drug use history (IDU)	3	6.4	3	8.6	0	0.0	6	14.0	744	18.3	15	28.3
MSM-IDU	1	2.1	1	2.9	0	0.0	0	0.0	146	3.6	6	11.3
Heterosexual contact	11	23.4	9	25.7	2	16.7	7	16.3	1,138	28.0	14	26.4
Transgender people with sexual contact	2	4.3	2	5.7	0	0.0	5	11.6	127	3.1	1	1.9
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	126	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	13	27.7	8	22.9	5	41.7	10	23.3	694	17.1	10	18.9

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.1. Greenpoint (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**13**	**100.0**	**12**	**92.3**	**1**	**7.7**	**3**	**100.0**	**921**	**100.0**	**5**	**100.0**
Gender[5]												
Men	13	100.0	12	100.0	1	100.0	3	100.0	743	80.7	4	80.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	178	19.3	1	20.0
Race and ethnicity												
Black	0	0.0	0	0.0	0	0.0	2	66.7	143	15.5	0	0.0
Latino	5	38.5	5	41.7	0	0.0	0	0.0	411	44.6	4	80.0
White	6	46.2	6	50.0	0	0.0	0	0.0	338	36.7	1	20.0
Asian or Pacific Islander	1	7.7	0	0.0	1	100.0	1	33.3	22	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	7.7	1	8.3	0	0.0	0	0.0	6	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	23.1	3	25.0	0	0.0	0	0.0	53	5.8	0	0.0
30-39	8	61.5	7	58.3	1	100.0	1	33.3	222	24.1	1	20.0
40-49	2	15.4	2	16.7	0	0.0	1	33.3	209	22.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	258	28.0	3	60.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	179	19.4	1	20.0
Transmission category												
Men who have sex with men (MSM)	11	84.6	10	83.3	1	100.0	2	66.7	527	57.2	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	102	11.1	0	0.0
MSM-IDU	2	15.4	2	16.7	0	0.0	0	0.0	27	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	121	13.1	3	60.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	33.3	119	12.9	0	0.0

The following ZIP codes are included in Greenpoint: 11211, 11222, 11249.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**28**	**100.0**	**25**	**89.3**	**3**	**10.7**	**17**	**100.0**	**2,732**	**100.0**	**35**	**100.0**
Gender[5]												
Men	17	60.7	15	60.0	2	66.7	8	47.1	2,123	77.7	25	71.4
Women	11	39.3	10	40.0	1	33.3	9	52.9	609	22.3	10	28.6
Race and ethnicity												
Black	17	60.7	15	60.0	2	66.7	10	58.8	1,109	40.6	21	60.0
Latino	4	14.3	4	16.0	0	0.0	3	17.6	665	24.3	7	20.0
White	5	17.9	4	16.0	1	33.3	3	17.6	858	31.4	6	17.1
Asian or Pacific Islander	1	3.6	1	4.0	0	0.0	0	0.0	72	2.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	3.6	1	4.0	0	0.0	1	5.9	10	0.4	1	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	7.1	2	8.0	0	0.0	0	0.0	13	0.5	0	0.0
20-29	9	32.1	9	36.0	0	0.0	1	5.9	166	6.1	1	2.9
30-39	8	28.6	7	28.0	1	33.3	6	35.3	403	14.8	1	2.9
40-49	3	10.7	2	8.0	1	33.3	4	23.5	478	17.5	6	17.1
50-59	4	14.3	3	12.0	1	33.3	4	23.5	841	30.8	9	25.7
60+	2	7.1	2	8.0	0	0.0	2	11.8	830	30.4	18	51.4
Transmission category												
Men who have sex with men (MSM)	13	46.4	13	52.0	0	0.0	5	29.4	1,481	54.2	13	37.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	297	10.9	4	11.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	68	2.5	0	0.0
Heterosexual contact	8	28.6	8	32.0	0	0.0	5	29.4	421	15.4	6	17.1
Transgender people with sexual contact	1	3.6	1	4.0	0	0.0	1	5.9	26	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	21.4	3	12.0	3	100.0	5	29.4	392	14.3	12	34.3

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**104**	**100.0**	**90**	**86.5**	**14**	**13.5**	**73**	**100.0**	**7,919**	**100.0**	**121**	**100.0**
Gender[5]												
Men	70	67.3	60	66.7	10	71.4	40	54.8	5,152	65.1	72	59.5
Women	34	32.7	30	33.3	4	28.6	33	45.2	2,767	34.9	49	40.5
Race and ethnicity												
Black	77	74.0	70	77.8	7	50.0	56	76.7	5,954	75.2	90	74.4
Latino	16	15.4	12	13.3	4	28.6	11	15.1	1,289	16.3	25	20.7
White	9	8.7	8	8.9	1	7.1	4	5.5	546	6.9	4	3.3
Asian or Pacific Islander	2	1.9	0	0.0	2	14.3	2	2.7	72	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	32	0.4	2	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	8	7.7	8	8.9	0	0.0	0	0.0	29	0.4	0	0.0
20-29	41	39.4	37	41.1	4	28.6	11	15.1	682	8.6	4	3.3
30-39	22	21.2	19	21.1	3	21.4	22	30.1	1,375	17.4	11	9.1
40-49	18	17.3	14	15.6	4	28.6	13	17.8	1,513	19.1	18	14.9
50-59	12	11.5	11	12.2	1	7.1	14	19.2	2,292	28.9	25	20.7
60+	3	2.9	1	1.1	2	14.3	13	17.8	2,024	25.6	63	52.1
Transmission category												
Men who have sex with men (MSM)	47	45.2	41	45.6	6	42.9	20	27.4	2,841	35.9	20	16.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	8	11.0	938	11.8	33	27.3
MSM-IDU	3	2.9	3	3.3	0	0.0	1	1.4	189	2.4	4	3.3
Heterosexual contact	37	35.6	32	35.6	5	35.7	28	38.4	2,116	26.7	34	28.1
Transgender people with sexual contact	3	2.9	3	3.3	0	0.0	2	2.7	155	2.0	4	3.3
Perinatal	0	0.0	0	0.0	0	0.0	2	2.7	197	2.5	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	14	13.5	11	12.2	3	21.4	12	16.4	1,473	18.6	24	19.8

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.4. East New York (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**61**	**100.0**	**56**	**91.8**	**5**	**8.2**	**37**	**100.0**	**3,570**	**100.0**	**43**	**100.0**
Gender[5]												
Men	49	80.3	45	80.4	4	80.0	28	75.7	2,075	58.1	30	69.8
Women	12	19.7	11	19.6	1	20.0	9	24.3	1,495	41.9	13	30.2
Race and ethnicity												
Black	41	67.2	37	66.1	4	80.0	26	70.3	2,278	63.8	30	69.8
Latino	14	23.0	13	23.2	1	20.0	10	27.0	1,102	30.9	12	27.9
White	3	4.9	3	5.4	0	0.0	0	0.0	120	3.4	1	2.3
Asian or Pacific Islander	1	1.6	1	1.8	0	0.0	1	2.7	38	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	2	3.3	2	3.6	0	0.0	0	0.0	18	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.6	0	0.0	1	20.0	1	2.7	15	0.4	0	0.0
20-29	29	47.5	28	50.0	1	20.0	6	16.2	361	10.1	0	0.0
30-39	15	24.6	14	25.0	1	20.0	12	32.4	643	18.0	2	4.7
40-49	10	16.4	10	17.9	0	0.0	7	18.9	708	19.8	2	4.7
50-59	5	8.2	3	5.4	2	40.0	11	29.7	1,063	29.8	18	41.9
60+	1	1.6	1	1.8	0	0.0	0	0.0	777	21.8	21	48.8
Transmission category												
Men who have sex with men (MSM)	34	55.7	32	57.1	2	40.0	13	35.1	1,042	29.2	7	16.3
Injection drug use history (IDU)	1	1.6	1	1.8	0	0.0	6	16.2	429	12.0	11	25.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.7	67	1.9	2	4.7
Heterosexual contact	13	21.3	11	19.6	2	40.0	9	24.3	1,172	32.8	12	27.9
Transgender people with sexual contact	3	4.9	3	5.4	0	0.0	0	0.0	76	2.1	1	2.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	107	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	10	16.4	9	16.1	1	20.0	8	21.6	671	18.8	10	23.3

The following ZIP codes are included in East New York: 11207, 11208.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.5. Sunset Park (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**14**	**100.0**	**12**	**85.7**	**2**	**14.3**	**6**	**100.0**	**888**	**100.0**	**7**	**100.0**
Gender[5]												
Men	12	85.7	10	83.3	2	100.0	6	100.0	674	75.9	5	71.4
Women	2	14.3	2	16.7	0	0.0	0	0.0	214	24.1	2	28.6
Race and ethnicity[6]												
Black	0	0.0	0	0.0	0	0.0	0	0.0	155	17.5	0	0.0
Latino	10	71.4	9	75.0	1	50.0	4	66.7	473	53.3	6	85.7
White	1	7.1	1	8.3	0	0.0	0	0.0	179	20.2	0	0.0
Asian or Pacific Islander	2	14.3	1	8.3	1	50.0	2	33.3	75	8.4	1	14.3
Other or unknown	1	7.1	1	8.3	0	0.0	0	0.0	6	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.1	1	8.3	0	0.0	0	0.0	2	0.2	0	0.0
20-29	5	35.7	4	33.3	1	50.0	1	16.7	56	6.3	0	0.0
30-39	2	14.3	2	16.7	0	0.0	1	16.7	151	17.0	1	14.3
40-49	3	21.4	3	25.0	0	0.0	3	50.0	185	20.8	0	0.0
50-59	1	7.1	1	8.3	0	0.0	0	0.0	262	29.5	2	28.6
60+	2	14.3	1	8.3	1	50.0	1	16.7	232	26.1	4	57.1
Transmission category												
Men who have sex with men (MSM)	8	57.1	7	58.3	1	50.0	3	50.0	345	38.9	2	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	152	17.1	3	42.9
MSM-IDU	1	7.1	1	8.3	0	0.0	1	16.7	52	5.9	0	0.0
Heterosexual contact	2	14.3	2	16.7	0	0.0	0	0.0	192	21.6	2	28.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	21.4	2	16.7	1	50.0	2	33.3	125	14.1	0	0.0

The following ZIP codes are included in Sunset Park: 11220, 11232.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.6. Borough Park (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**11**	**100.0**	**8**	**72.7**	**3**	**27.3**	**10**	**100.0**	**1,145**	**100.0**	**18**	**100.0**
Gender[5]												
Men	9	81.8	7	87.5	2	66.7	5	50.0	857	74.8	12	66.7
Women	2	18.2	1	12.5	1	33.3	5	50.0	288	25.2	6	33.3
Race and ethnicity												
Black	3	27.3	2	25.0	1	33.3	2	20.0	301	26.3	6	33.3
Latino	1	9.1	1	12.5	0	0.0	2	20.0	408	35.6	3	16.7
White	2	18.2	2	25.0	0	0.0	3	30.0	341	29.8	7	38.9
Asian or Pacific Islander	4	36.4	3	37.5	1	33.3	2	20.0	80	7.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	1	9.1	0	0.0	1	33.3	1	10.0	9	0.8	1	5.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	5.6
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	2	18.2	1	12.5	1	33.3	2	20.0	59	5.2	0	0.0
30-39	5	45.5	4	50.0	1	33.3	5	50.0	204	17.8	0	0.0
40-49	2	18.2	2	25.0	0	0.0	0	0.0	227	19.8	1	5.6
50-59	1	9.1	0	0.0	1	33.3	1	10.0	350	30.6	5	27.8
60+	1	9.1	1	12.5	0	0.0	2	20.0	301	26.3	12	66.7
Transmission category												
Men who have sex with men (MSM)	3	27.3	3	37.5	0	0.0	1	10.0	507	44.3	3	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	20.0	157	13.7	6	33.3
MSM-IDU	1	9.1	0	0.0	1	33.3	1	10.0	26	2.3	1	5.6
Heterosexual contact	3	27.3	2	25.0	1	33.3	4	40.0	227	19.8	4	22.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.5	1	5.6
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	36.4	3	37.5	1	33.3	2	20.0	196	17.1	3	16.7

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**85**	**100.0**	**70**	**82.4**	**15**	**17.6**	**47**	**100.0**	**5,467**	**100.0**	**72**	**100.0**
Gender[5]												
Men	70	82.4	59	84.3	11	73.3	31	66.0	3,531	64.6	46	63.9
Women	15	17.6	11	15.7	4	26.7	16	34.0	1,936	35.4	26	36.1
Race and ethnicity												
Black	57	67.1	46	65.7	11	73.3	40	85.1	4,261	77.9	56	77.8
Latino	16	18.8	12	17.1	4	26.7	6	12.8	757	13.8	11	15.3
White	9	10.6	9	12.9	0	0.0	1	2.1	339	6.2	2	2.8
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	61	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	3	3.5	3	4.3	0	0.0	0	0.0	27	0.5	3	4.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.2	1	1.4	0	0.0	1	2.1	13	0.2	0	0.0
20-29	34	40.0	32	45.7	2	13.3	11	23.4	352	6.4	1	1.4
30-39	25	29.4	19	27.1	6	40.0	10	21.3	924	16.9	3	4.2
40-49	10	11.8	8	11.4	2	13.3	8	17.0	1,052	19.2	13	18.1
50-59	6	7.1	5	7.1	1	6.7	4	8.5	1,567	28.7	19	26.4
60+	9	10.6	5	7.1	4	26.7	13	27.7	1,556	28.5	36	50.0
Transmission category												
Men who have sex with men (MSM)	49	57.6	44	62.9	5	33.3	15	31.9	1,876	34.3	12	16.7
Injection drug use history (IDU)	2	2.4	2	2.9	0	0.0	4	8.5	474	8.7	20	27.8
MSM-IDU	0	0.0	0	0.0	0	0.0	2	4.3	115	2.1	3	4.2
Heterosexual contact	17	20.0	10	14.3	7	46.7	16	34.0	1,530	28.0	21	29.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.1	68	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	109	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	17	20.0	14	20.0	3	20.0	7	14.9	1,282	23.4	16	22.2

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.8. Canarsie - Flatlands (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**28**	**100.0**	**22**	**78.6**	**6**	**21.4**	**22**	**100.0**	**1,833**	**100.0**	**25**	**100.0**
Gender[5]												
Men	21	75.0	16	72.7	5	83.3	14	63.6	1,012	55.2	15	60.0
Women	7	25.0	6	27.3	1	16.7	8	36.4	821	44.8	10	40.0
Race and ethnicity[6]												
Black	22	78.6	16	72.7	6	100.0	19	86.4	1,454	79.3	19	76.0
Latino	5	17.9	5	22.7	0	0.0	2	9.1	237	12.9	5	20.0
White	1	3.6	1	4.5	0	0.0	1	4.5	108	5.9	1	4.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
20-29	13	46.4	11	50.0	2	33.3	3	13.6	137	7.5	0	0.0
30-39	6	21.4	4	18.2	2	33.3	4	18.2	288	15.7	4	16.0
40-49	5	17.9	4	18.2	1	16.7	6	27.3	330	18.0	4	16.0
50-59	2	7.1	2	9.1	0	0.0	5	22.7	531	29.0	6	24.0
60+	2	7.1	1	4.5	1	16.7	4	18.2	540	29.5	11	44.0
Transmission category												
Men who have sex with men (MSM)	11	39.3	8	36.4	3	50.0	5	22.7	428	23.3	5	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	145	7.9	3	12.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.5	21	1.1	2	8.0
Heterosexual contact	8	28.6	7	31.8	1	16.7	7	31.8	685	37.4	9	36.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.5	61	3.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	9	32.1	7	31.8	2	33.3	8	36.4	478	26.1	6	24.0

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**19**	**100.0**	**17**	**89.5**	**2**	**10.5**	**8**	**100.0**	**737**	**100.0**	**8**	**100.0**
Gender[5]												
Men	16	84.2	14	82.4	2	100.0	4	50.0	566	76.8	6	75.0
Women	3	15.8	3	17.6	0	0.0	4	50.0	171	23.2	2	25.0
Race and ethnicity[6]												
Black	2	10.5	2	11.8	0	0.0	0	0.0	81	11.0	1	12.5
Latino	7	36.8	6	35.3	1	50.0	4	50.0	236	32.0	5	62.5
White	10	52.6	9	52.9	1	50.0	3	37.5	361	49.0	2	25.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	12.5	52	7.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	8	42.1	8	47.1	0	0.0	0	0.0	38	5.2	0	0.0
30-39	6	31.6	5	29.4	1	50.0	2	25.0	112	15.2	1	12.5
40-49	2	10.5	1	5.9	1	50.0	2	25.0	150	20.4	0	0.0
50-59	2	10.5	2	11.8	0	0.0	1	12.5	220	29.9	1	12.5
60+	1	5.3	1	5.9	0	0.0	3	37.5	215	29.2	6	75.0
Transmission category												
Men who have sex with men (MSM)	12	63.2	11	64.7	1	50.0	1	12.5	354	48.0	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	93	12.6	2	25.0
MSM-IDU	1	5.3	0	0.0	1	50.0	2	25.0	34	4.6	0	0.0
Heterosexual contact	4	21.1	4	23.5	0	0.0	4	50.0	128	17.4	1	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	2	10.5	2	11.8	0	0.0	1	12.5	113	15.3	1	12.5

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**22**	**100.0**	**17**	**77.3**	**5**	**22.7**	**17**	**100.0**	**1,254**	**100.0**	**12**	**100.0**
Gender[5]												
Men	15	68.2	13	76.5	2	40.0	9	52.9	804	64.1	11	91.7
Women	7	31.8	4	23.5	3	60.0	8	47.1	450	35.9	1	8.3
Race and ethnicity												
Black	8	36.4	5	29.4	3	60.0	11	64.7	466	37.2	4	33.3
Latino	6	27.3	5	29.4	1	20.0	3	17.6	376	30.0	1	8.3
White	8	36.4	7	41.2	1	20.0	3	17.6	350	27.9	7	58.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	3.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	5.9	6	0.5	0	0.0
20-29	7	31.8	6	35.3	1	20.0	2	11.8	88	7.0	0	0.0
30-39	5	22.7	5	29.4	0	0.0	5	29.4	217	17.3	0	0.0
40-49	2	9.1	1	5.9	1	20.0	2	11.8	236	18.8	1	8.3
50-59	6	27.3	4	23.5	2	40.0	6	35.3	344	27.4	3	25.0
60+	2	9.1	1	5.9	1	20.0	1	5.9	363	28.9	8	66.7
Transmission category												
Men who have sex with men (MSM)	10	45.5	9	52.9	1	20.0	4	23.5	392	31.3	3	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	183	14.6	2	16.7
MSM-IDU	1	4.5	1	5.9	0	0.0	0	0.0	20	1.6	1	8.3
Heterosexual contact	7	31.8	4	23.5	3	60.0	7	41.2	356	28.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	4	18.2	3	17.6	1	20.0	4	23.5	249	19.9	6	50.0

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**52**	**100.0**	**44**	**84.6**	**8**	**15.4**	**31**	**100.0**	**3,839**	**100.0**	**52**	**100.0**
Gender[5]												
Men	46	88.5	39	88.6	7	87.5	23	74.2	2,749	71.6	31	59.6
Women	6	11.5	5	11.4	1	12.5	8	25.8	1,090	28.4	21	40.4
Race and ethnicity												
Black	22	42.3	20	45.5	2	25.0	16	51.6	1,819	47.4	30	57.7
Latino	19	36.5	15	34.1	4	50.0	12	38.7	1,435	37.4	13	25.0
White	10	19.2	8	18.2	2	25.0	3	9.7	490	12.8	5	9.6
Asian or Pacific Islander	1	1.9	1	2.3	0	0.0	0	0.0	64	1.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	20	0.5	4	7.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.8	1	2.3	1	12.5	1	3.2	15	0.4	0	0.0
20-29	22	42.3	21	47.7	1	12.5	8	25.8	406	10.6	1	1.9
30-39	9	17.3	7	15.9	2	25.0	7	22.6	765	19.9	2	3.8
40-49	9	17.3	8	18.2	1	12.5	3	9.7	622	16.2	9	17.3
50-59	5	9.6	3	6.8	2	25.0	6	19.4	1,051	27.4	17	32.7
60+	5	9.6	4	9.1	1	12.5	6	19.4	980	25.5	23	44.2
Transmission category												
Men who have sex with men (MSM)	33	63.5	28	63.6	5	62.5	16	51.6	1,615	42.1	13	25.0
Injection drug use history (IDU)	1	1.9	1	2.3	0	0.0	3	9.7	546	14.2	10	19.2
MSM-IDU	1	1.9	1	2.3	0	0.0	0	0.0	118	3.1	1	1.9
Heterosexual contact	4	7.7	3	6.8	1	12.5	7	22.6	764	19.9	14	26.9
Transgender people with sexual contact	1	1.9	1	2.3	0	0.0	0	0.0	67	1.7	2	3.8
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	80	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	23.1	10	22.7	2	25.0	4	12.9	646	16.8	12	23.1

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.1. Washington Heights - Inwood (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**72**	**100.0**	**62**	**86.1**	**10**	**13.9**	**40**	**100.0**	**4,906**	**100.0**	**44**	**100.0**
Gender[5]												
Men	55	76.4	49	79.0	6	60.0	30	75.0	4,070	83.0	35	79.5
Women	17	23.6	13	21.0	4	40.0	10	25.0	836	17.0	9	20.5
Race and ethnicity												
Black	28	38.9	23	37.1	5	50.0	13	32.5	1,559	31.8	19	43.2
Latino	32	44.4	27	43.5	5	50.0	21	52.5	2,160	44.0	14	31.8
White	12	16.7	12	19.4	0	0.0	5	12.5	1,058	21.6	11	25.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	2.5	77	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	37	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Age group (years)												
0-12	1	1.4	1	1.6	0	0.0	0	0.0	4	0.1	0	0.0
13-19	1	1.4	1	1.6	0	0.0	0	0.0	15	0.3	0	0.0
20-29	22	30.6	21	33.9	1	10.0	5	12.5	377	7.7	0	0.0
30-39	27	37.5	23	37.1	4	40.0	12	30.0	977	19.9	3	6.8
40-49	9	12.5	6	9.7	3	30.0	12	30.0	949	19.3	5	11.4
50-59	6	8.3	4	6.5	2	20.0	8	20.0	1,398	28.5	14	31.8
60+	6	8.3	6	9.7	0	0.0	3	7.5	1,186	24.2	22	50.0
Transmission category												
Men who have sex with men (MSM)	44	61.1	39	62.9	5	50.0	24	60.0	2,906	59.2	17	38.6
Injection drug use history (IDU)	2	2.8	2	3.2	0	0.0	1	2.5	383	7.8	7	15.9
MSM-IDU	2	2.8	2	3.2	0	0.0	0	0.0	147	3.0	2	4.5
Heterosexual contact	15	20.8	11	17.7	4	40.0	9	22.5	665	13.6	9	20.5
Transgender people with sexual contact	2	2.8	2	3.2	0	0.0	0	0.0	66	1.3	1	2.3
Perinatal	1	1.4	1	1.6	0	0.0	0	0.0	77	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	6	8.3	5	8.1	1	10.0	6	15.0	655	13.4	8	18.2

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**77**	**100.0**	**65**	**84.4**	**12**	**15.6**	**48**	**100.0**	**4,997**	**100.0**	**61**	**100.0**
Gender[5]												
Men	66	85.7	57	87.7	9	75.0	35	72.9	3,657	73.2	38	62.3
Women	11	14.3	8	12.3	3	25.0	13	27.1	1,340	26.8	23	37.7
Race and ethnicity												
Black	49	63.6	40	61.5	9	75.0	30	62.5	3,115	62.3	45	73.8
Latino	20	26.0	17	26.2	3	25.0	14	29.2	1,116	22.3	11	18.0
White	6	7.8	6	9.2	0	0.0	3	6.3	651	13.0	5	8.2
Asian or Pacific Islander	1	1.3	1	1.5	0	0.0	1	2.1	71	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	1	1.3	1	1.5	0	0.0	0	0.0	32	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
20-29	38	49.4	37	56.9	1	8.3	6	12.5	353	7.1	1	1.6
30-39	21	27.3	17	26.2	4	33.3	14	29.2	939	18.8	7	11.5
40-49	8	10.4	6	9.2	2	16.7	8	16.7	1,000	20.0	9	14.8
50-59	5	6.5	3	4.6	2	16.7	13	27.1	1,466	29.3	19	31.1
60+	5	6.5	2	3.1	3	25.0	7	14.6	1,224	24.5	25	41.0
Transmission category												
Men who have sex with men (MSM)	49	63.6	46	70.8	3	25.0	19	39.6	2,336	46.7	13	21.3
Injection drug use history (IDU)	1	1.3	1	1.5	0	0.0	1	2.1	548	11.0	19	31.1
MSM-IDU	2	2.6	2	3.1	0	0.0	5	10.4	147	2.9	1	1.6
Heterosexual contact	10	13.0	7	10.8	3	25.0	10	20.8	947	19.0	15	24.6
Transgender people with sexual contact	1	1.3	1	1.5	0	0.0	2	4.2	72	1.4	1	1.6
Perinatal	0	0.0	0	0.0	0	0.0	1	2.1	79	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	14	18.2	8	12.3	6	50.0	10	20.8	862	17.3	12	19.7

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.3. East Harlem (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**32**	**100.0**	**26**	**81.3**	**6**	**18.8**	**23**	**100.0**	**2,986**	**100.0**	**62**	**100.0**
Gender[5]												
Men	29	90.6	23	88.5	6	100.0	15	65.2	2,106	70.5	41	66.1
Women	3	9.4	3	11.5	0	0.0	8	34.8	880	29.5	21	33.9
Race and ethnicity												
Black	13	40.6	11	42.3	2	33.3	13	56.5	1,363	45.6	30	48.4
Latino	12	37.5	9	34.6	3	50.0	7	30.4	1,180	39.5	24	38.7
White	5	15.6	4	15.4	1	16.7	3	13.0	378	12.7	7	11.3
Asian or Pacific Islander	1	3.1	1	3.8	0	0.0	0	0.0	42	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	1	3.1	1	3.8	0	0.0	0	0.0	13	0.4	1	1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	12	37.5	11	42.3	1	16.7	2	8.7	178	6.0	1	1.6
30-39	11	34.4	10	38.5	1	16.7	4	17.4	460	15.4	1	1.6
40-49	6	18.8	4	15.4	2	33.3	5	21.7	532	17.8	5	8.1
50-59	2	6.3	1	3.8	1	16.7	6	26.1	934	31.3	13	21.0
60+	1	3.1	0	0.0	1	16.7	6	26.1	875	29.3	42	67.7
Transmission category												
Men who have sex with men (MSM)	20	62.5	18	69.2	2	33.3	4	17.4	1,107	37.1	7	11.3
Injection drug use history (IDU)	1	3.1	1	3.8	0	0.0	6	26.1	583	19.5	34	54.8
MSM-IDU	1	3.1	1	3.8	0	0.0	0	0.0	97	3.2	1	1.6
Heterosexual contact	2	6.3	2	7.7	0	0.0	5	21.7	624	20.9	13	21.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	34	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	83	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	1	1.6
Unknown	8	25.0	4	15.4	4	66.7	8	34.8	456	15.3	6	9.7

The following ZIP codes are included in East Harlem: 10029, 10035.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.4. Upper West Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**21**	**100.0**	**16**	**76.2**	**5**	**23.8**	**17**	**100.0**	**3,201**	**100.0**	**30**	**100.0**
Gender[5]												
Men	19	90.5	14	87.5	5	100.0	14	82.4	2,773	86.6	23	76.7
Women	2	9.5	2	12.5	0	0.0	3	17.6	428	13.4	7	23.3
Race and ethnicity[6]												
Black	4	19.0	4	25.0	0	0.0	4	23.5	839	26.2	14	46.7
Latino	9	42.9	7	43.8	2	40.0	7	41.2	850	26.6	4	13.3
White	4	19.0	4	25.0	0	0.0	2	11.8	1,393	43.5	12	40.0
Asian or Pacific Islander	3	14.3	1	6.3	2	40.0	3	17.6	80	2.5	0	0.0
Other or unknown	1	4.8	0	0.0	1	20.0	1	5.9	39	1.2	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	9.5	2	12.5	0	0.0	0	0.0	1	0.0	0	0.0
20-29	5	23.8	3	18.8	2	40.0	4	23.5	149	4.7	0	0.0
30-39	6	28.6	5	31.3	1	20.0	4	23.5	404	12.6	1	3.3
40-49	2	9.5	1	6.3	1	20.0	4	23.5	444	13.9	1	3.3
50-59	6	28.6	5	31.3	1	20.0	3	17.6	966	30.2	10	33.3
60+	0	0.0	0	0.0	0	0.0	2	11.8	1,236	38.6	18	60.0
Transmission category												
Men who have sex with men (MSM)	18	85.7	13	81.3	5	100.0	11	64.7	2,069	64.6	14	46.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	274	8.6	5	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	5.9	106	3.3	3	10.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	5.9	301	9.4	5	16.7
Transgender people with sexual contact	2	9.5	2	12.5	0	0.0	1	5.9	41	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	33	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	1	4.8	1	6.3	0	0.0	2	11.8	374	11.7	3	10.0

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.5. Upper East Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**7**	**100.0**	**4**	**57.1**	**3**	**42.9**	**15**	**100.0**	**1,477**	**100.0**	**11**	**100.0**
Gender[5]												
Men	6	85.7	4	100.0	2	66.7	11	73.3	1,297	87.8	9	81.8
Women	1	14.3	0	0.0	1	33.3	4	26.7	180	12.2	2	18.2
Race and ethnicity[6]												
Black	1	14.3	1	25.0	0	0.0	3	20.0	264	17.9	1	9.1
Latino	2	28.6	0	0.0	2	66.7	5	33.3	339	23.0	5	45.5
White	3	42.9	2	50.0	1	33.3	6	40.0	795	53.8	4	36.4
Asian or Pacific Islander	1	14.3	1	25.0	0	0.0	1	6.7	67	4.5	1	9.1
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	6.7	49	3.3	0	0.0
30-39	5	71.4	3	75.0	2	66.7	3	20.0	195	13.2	0	0.0
40-49	1	14.3	0	0.0	1	33.3	6	40.0	232	15.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	6.7	454	30.7	2	18.2
60+	1	14.3	1	25.0	0	0.0	4	26.7	544	36.8	9	81.8
Transmission category												
Men who have sex with men (MSM)	2	28.6	1	25.0	1	33.3	9	60.0	992	67.2	3	27.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	91	6.2	1	9.1
MSM-IDU	1	14.3	1	25.0	0	0.0	0	0.0	45	3.0	0	0.0
Heterosexual contact	1	14.3	0	0.0	1	33.3	3	20.0	119	8.1	2	18.2
Transgender people with sexual contact	1	14.3	0	0.0	1	33.3	1	6.7	11	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	28.6	2	50.0	0	0.0	2	13.3	207	14.0	5	45.5

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.6. Chelsea - Clinton (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**48**	**100.0**	**43**	**89.6**	**5**	**10.4**	**20**	**100.0**	**7,099**	**100.0**	**44**	**100.0**
Gender[5]												
Men	44	91.7	40	93.0	4	80.0	19	95.0	6,611	93.1	41	93.2
Women	4	8.3	3	7.0	1	20.0	1	5.0	488	6.9	3	6.8
Race and ethnicity												
Black	9	18.8	9	20.9	0	0.0	4	20.0	1,202	16.9	11	25.0
Latino	22	45.8	18	41.9	4	80.0	9	45.0	1,695	23.9	12	27.3
White	12	25.0	11	25.6	1	20.0	5	25.0	3,884	54.7	20	45.5
Asian or Pacific Islander	5	10.4	5	11.6	0	0.0	2	10.0	225	3.2	1	2.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	38	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	40	0.6	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.3	0	0.0	0	0.0	2	0.0	0	0.0
20-29	12	25.0	11	25.6	1	20.0	4	20.0	265	3.7	1	2.3
30-39	17	35.4	13	30.2	4	80.0	6	30.0	1,091	15.4	6	13.6
40-49	9	18.8	9	20.9	0	0.0	4	20.0	1,441	20.3	3	6.8
50-59	6	12.5	6	14.0	0	0.0	5	25.0	2,430	34.2	13	29.5
60+	3	6.3	3	7.0	0	0.0	1	5.0	1,870	26.3	21	47.7
Transmission category												
Men who have sex with men (MSM)	35	72.9	32	74.4	3	60.0	16	80.0	5,541	78.1	29	65.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	365	5.1	3	6.8
MSM-IDU	3	6.3	3	7.0	0	0.0	0	0.0	245	3.5	5	11.4
Heterosexual contact	4	8.3	4	9.3	0	0.0	0	0.0	297	4.2	6	13.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	88	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	6	12.5	4	9.3	2	40.0	4	20.0	535	7.5	1	2.3

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**18**	**100.0**	**15**	**83.3**	**3**	**16.7**	**9**	**100.0**	**1,998**	**100.0**	**12**	**100.0**
Gender[5]												
Men	15	83.3	12	80.0	3	100.0	9	100.0	1,824	91.3	12	100.0
Women	3	16.7	3	20.0	0	0.0	0	0.0	174	8.7	0	0.0
Race and ethnicity[6]												
Black	4	22.2	4	26.7	0	0.0	2	22.2	396	19.8	4	33.3
Latino	10	55.6	7	46.7	3	100.0	4	44.4	472	23.6	1	8.3
White	4	22.2	4	26.7	0	0.0	3	33.3	1,035	51.8	7	58.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	72	3.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	1.2	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	4	22.2	4	26.7	0	0.0	0	0.0	53	2.7	0	0.0
30-39	5	27.8	3	20.0	2	66.7	4	44.4	196	9.8	1	8.3
40-49	2	11.1	2	13.3	0	0.0	1	11.1	318	15.9	1	8.3
50-59	5	27.8	4	26.7	1	33.3	3	33.3	701	35.1	4	33.3
60+	2	11.1	2	13.3	0	0.0	1	11.1	728	36.4	6	50.0
Transmission category												
Men who have sex with men (MSM)	8	44.4	6	40.0	2	66.7	5	55.6	1,343	67.2	6	50.0
Injection drug use history (IDU)	1	5.6	1	6.7	0	0.0	1	11.1	166	8.3	0	0.0
MSM-IDU	1	5.6	1	6.7	0	0.0	1	11.1	90	4.5	2	16.7
Heterosexual contact	3	16.7	3	20.0	0	0.0	0	0.0	123	6.2	1	8.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	18	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	5	27.8	4	26.7	1	33.3	2	22.2	249	12.5	3	25.0

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.8. Greenwich Village - Soho (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**12**	**100.0**	**11**	**91.7**	**1**	**8.3**	**4**	**100.0**	**1,781**	**100.0**	**13**	**100.0**
Gender[5]												
Men	12	100.0	11	100.0	1	100.0	3	75.0	1,688	94.8	12	92.3
Women	0	0.0	0	0.0	0	0.0	1	25.0	93	5.2	1	7.7
Race and ethnicity												
Black	1	8.3	1	9.1	0	0.0	0	0.0	327	18.4	2	15.4
Latino	5	41.7	5	45.5	0	0.0	2	50.0	375	21.1	3	23.1
White	5	41.7	5	45.5	0	0.0	1	25.0	1,007	56.5	8	61.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	54	3.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Multiracial	1	8.3	0	0.0	1	100.0	1	25.0	6	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	6	50.0	6	54.5	0	0.0	0	0.0	57	3.2	1	7.7
30-39	5	41.7	4	36.4	1	100.0	2	50.0	200	11.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	290	16.3	2	15.4
50-59	0	0.0	0	0.0	0	0.0	1	25.0	633	35.5	0	0.0
60+	1	8.3	1	9.1	0	0.0	1	25.0	601	33.7	10	76.9
Transmission category												
Men who have sex with men (MSM)	10	83.3	9	81.8	1	100.0	2	50.0	1,269	71.3	9	69.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	50.0	123	6.9	2	15.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	62	3.5	1	7.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	84	4.7	1	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	16.7	2	18.2	0	0.0	0	0.0	207	11.6	0	0.0

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.9. Union Square - Lower East Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**30**	**100.0**	**29**	**96.7**	**1**	**3.3**	**12**	**100.0**	**2,965**	**100.0**	**30**	**100.0**
Gender[5]												
Men	23	76.7	22	75.9	1	100.0	11	91.7	2,440	82.3	20	66.7
Women	7	23.3	7	24.1	0	0.0	1	8.3	525	17.7	10	33.3
Race and ethnicity												
Black	18	60.0	18	62.1	0	0.0	5	41.7	594	20.0	5	16.7
Latino	9	30.0	8	27.6	1	100.0	5	41.7	1,036	34.9	13	43.3
White	2	6.7	2	6.9	0	0.0	2	16.7	1,155	39.0	11	36.7
Asian or Pacific Islander	1	3.3	1	3.4	0	0.0	0	0.0	142	4.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	1	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	6.7	2	6.9	0	0.0	0	0.0	6	0.2	0	0.0
20-29	6	20.0	6	20.7	0	0.0	0	0.0	103	3.5	0	0.0
30-39	11	36.7	10	34.5	1	100.0	4	33.3	354	11.9	3	10.0
40-49	6	20.0	6	20.7	0	0.0	1	8.3	463	15.6	2	6.7
50-59	4	13.3	4	13.8	0	0.0	1	8.3	1,025	34.6	10	33.3
60+	1	3.3	1	3.4	0	0.0	6	50.0	1,014	34.2	15	50.0
Transmission category												
Men who have sex with men (MSM)	14	46.7	13	44.8	1	100.0	7	58.3	1,717	57.9	14	46.7
Injection drug use history (IDU)	2	6.7	2	6.9	0	0.0	1	8.3	370	12.5	8	26.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	110	3.7	1	3.3
Heterosexual contact	2	6.7	2	6.9	0	0.0	1	8.3	366	12.3	4	13.3
Transgender people with sexual contact	4	13.3	4	13.8	0	0.0	0	0.0	27	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	8	26.7	8	27.6	0	0.0	3	25.0	343	11.6	3	10.0

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.9.10. Lower Manhattan (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**7**	**100.0**	**3**	**42.9**	**4**	**57.1**	**5**	**100.0**	**610**	**100.0**	**4**	**100.0**
Gender[5]												
Men	7	100.0	3	100.0	4	100.0	5	100.0	523	85.7	3	75.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	87	14.3	1	25.0
Race and ethnicity												
Black	4	57.1	1	33.3	3	75.0	2	40.0	133	21.8	1	25.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	152	24.9	0	0.0
White	3	42.9	2	66.7	1	25.0	2	40.0	296	48.5	2	50.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	20.0	23	3.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	1	25.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	28.6	2	66.7	0	0.0	0	0.0	26	4.3	0	0.0
30-39	3	42.9	1	33.3	2	50.0	1	20.0	69	11.3	0	0.0
40-49	2	28.6	0	0.0	2	50.0	3	60.0	146	23.9	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	223	36.6	3	75.0
60+	0	0.0	0	0.0	0	0.0	1	20.0	146	23.9	1	25.0
Transmission category												
Men who have sex with men (MSM)	5	71.4	1	33.3	4	100.0	4	80.0	403	66.1	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	50	8.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	59	9.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	28.6	2	66.7	0	0.0	1	20.0	76	12.5	1	25.0

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.1. Long Island City - Astoria (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**29**	**100.0**	**21**	**72.4**	**8**	**27.6**	**13**	**100.0**	**2,372**	**100.0**	**17**	**100.0**
Gender[5]												
Men	24	82.8	18	85.7	6	75.0	11	84.6	2,049	86.4	15	88.2
Women	5	17.2	3	14.3	2	25.0	2	15.4	323	13.6	2	11.8
Race and ethnicity[6]												
Black	5	17.2	4	19.0	1	12.5	1	7.7	391	16.5	4	23.5
Latino	19	65.5	13	61.9	6	75.0	10	76.9	981	41.4	8	47.1
White	4	13.8	3	14.3	1	12.5	2	15.4	859	36.2	5	29.4
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	119	5.0	0	0.0
Other or unknown	1	3.4	1	4.8	0	0.0	0	0.0	22	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.4	1	4.8	0	0.0	0	0.0	3	0.1	0	0.0
20-29	9	31.0	8	38.1	1	12.5	2	15.4	141	5.9	0	0.0
30-39	10	34.5	8	38.1	2	25.0	2	15.4	544	22.9	0	0.0
40-49	3	10.3	1	4.8	2	25.0	4	30.8	565	23.8	4	23.5
50-59	5	17.2	2	9.5	3	37.5	3	23.1	666	28.1	5	29.4
60+	1	3.4	1	4.8	0	0.0	2	15.4	453	19.1	8	47.1
Transmission category												
Men who have sex with men (MSM)	19	65.5	14	66.7	5	62.5	7	53.8	1,640	69.1	8	47.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	121	5.1	6	35.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	55	2.3	0	0.0
Heterosexual contact	4	13.8	2	9.5	2	25.0	3	23.1	273	11.5	2	11.8
Transgender people with sexual contact	2	6.9	2	9.5	0	0.0	0	0.0	32	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	4	13.8	3	14.3	1	12.5	3	23.1	232	9.8	1	5.9

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.2. West Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**102**	**100.0**	**82**	**80.4**	**20**	**19.6**	**44**	**100.0**	**5,718**	**100.0**	**26**	**100.0**
Gender[5]												
Men	86	84.3	71	86.6	15	75.0	37	84.1	4,688	82.0	22	84.6
Women	16	15.7	11	13.4	5	25.0	7	15.9	1,030	18.0	4	15.4
Race and ethnicity												
Black	7	6.9	6	7.3	1	5.0	4	9.1	1,365	23.9	3	11.5
Latino	81	79.4	64	78.0	17	85.0	36	81.8	3,328	58.2	13	50.0
White	4	3.9	3	3.7	1	5.0	2	4.5	623	10.9	6	23.1
Asian or Pacific Islander	10	9.8	9	11.0	1	5.0	2	4.5	374	6.5	2	7.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	1	3.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	1	3.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	1	1.0	1	1.2	0	0.0	1	2.3	7	0.1	0	0.0
20-29	43	42.2	41	50.0	2	10.0	6	13.6	355	6.2	1	3.8
30-39	35	34.3	25	30.5	10	50.0	17	38.6	988	17.3	3	11.5
40-49	13	12.7	8	9.8	5	25.0	7	15.9	1,273	22.3	1	3.8
50-59	8	7.8	6	7.3	2	10.0	9	20.5	1,810	31.7	7	26.9
60+	2	2.0	1	1.2	1	5.0	4	9.1	1,283	22.4	14	53.8
Transmission category												
Men who have sex with men (MSM)	75	73.5	62	75.6	13	65.0	27	61.4	2,815	49.2	15	57.7
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	2	4.5	785	13.7	3	11.5
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	155	2.7	0	0.0
Heterosexual contact	13	12.7	9	11.0	4	20.0	10	22.7	912	15.9	4	15.4
Transgender people with sexual contact	2	2.0	1	1.2	1	5.0	1	2.3	129	2.3	1	3.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	65	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	9.8	8	9.8	2	10.0	4	9.1	852	14.9	3	11.5

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.3. Flushing - Clearview (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**18**	**100.0**	**13**	**72.2**	**5**	**27.8**	**10**	**100.0**	**775**	**100.0**	**8**	**100.0**
Gender[5]												
Men	17	94.4	12	92.3	5	100.0	10	100.0	584	75.4	6	75.0
Women	1	5.6	1	7.7	0	0.0	0	0.0	191	24.6	2	25.0
Race and ethnicity												
Black	2	11.1	2	15.4	0	0.0	1	10.0	122	15.7	2	25.0
Latino	6	33.3	5	38.5	1	20.0	3	30.0	294	37.9	4	50.0
White	1	5.6	0	0.0	1	20.0	2	20.0	194	25.0	0	0.0
Asian or Pacific Islander	9	50.0	6	46.2	3	60.0	4	40.0	154	19.9	2	25.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	8	44.4	6	46.2	2	40.0	3	30.0	52	6.7	0	0.0
30-39	1	5.6	0	0.0	1	20.0	1	10.0	106	13.7	1	12.5
40-49	4	22.2	2	15.4	2	40.0	2	20.0	142	18.3	0	0.0
50-59	4	22.2	4	30.8	0	0.0	2	20.0	247	31.9	4	50.0
60+	1	5.6	1	7.7	0	0.0	2	20.0	225	29.0	3	37.5
Transmission category												
Men who have sex with men (MSM)	10	55.6	7	53.8	3	60.0	5	50.0	362	46.7	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	71	9.2	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	2.2	0	0.0
Heterosexual contact	3	16.7	2	15.4	1	20.0	1	10.0	176	22.7	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	27.8	4	30.8	1	20.0	3	30.0	129	16.6	1	12.5

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.4. Bayside - Little Neck (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**1**	**100.0**	**1**	**100.0**	**0**	**0.0**	**0**	**0.0**	**145**	**100.0**	**0**	**0.0**
Gender[5]												
Men	0	0.0	0	0.0	0	0.0	0	0.0	114	78.6	0	0.0
Women	1	100.0	1	100.0	0	0.0	0	0.0	31	21.4	0	0.0
Race and ethnicity[6]												
Black	0	0.0	0	0.0	0	0.0	0	0.0	17	11.7	0	0.0
Latino	1	100.0	1	100.0	0	0.0	0	0.0	37	25.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	78	53.8	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	7.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	9	6.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	17	11.7	0	0.0
40-49	1	100.0	1	100.0	0	0.0	0	0.0	18	12.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	48	33.1	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	53	36.6	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	69	47.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	15	10.3	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.8	0	0.0
Heterosexual contact	1	100.0	1	100.0	0	0.0	0	0.0	32	22.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	13.8	0	0.0

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.5. Ridgewood - Forest Hills (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**23**	**100.0**	**20**	**87.0**	**3**	**13.0**	**14**	**100.0**	**1,370**	**100.0**	**13**	**100.0**
Gender[5]												
Men	22	95.7	19	95.0	3	100.0	10	71.4	1,077	78.6	11	84.6
Women	1	4.3	1	5.0	0	0.0	4	28.6	293	21.4	2	15.4
Race and ethnicity[6]												
Black	3	13.0	3	15.0	0	0.0	3	21.4	170	12.4	2	15.4
Latino	13	56.5	10	50.0	3	100.0	7	50.0	678	49.5	4	30.8
White	3	13.0	3	15.0	0	0.0	2	14.3	425	31.0	7	53.8
Asian or Pacific Islander	2	8.7	2	10.0	0	0.0	1	7.1	82	6.0	0	0.0
Other or unknown	2	8.7	2	10.0	0	0.0	1	7.1	15	1.1	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	4	17.4	4	20.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	7	30.4	7	35.0	0	0.0	2	14.3	112	8.2	0	0.0
30-39	6	26.1	3	15.0	3	100.0	7	50.0	208	15.2	2	15.4
40-49	5	21.7	5	25.0	0	0.0	2	14.3	246	18.0	1	7.7
50-59	0	0.0	0	0.0	0	0.0	2	14.3	429	31.3	3	23.1
60+	1	4.3	1	5.0	0	0.0	1	7.1	371	27.1	7	53.8
Transmission category												
Men who have sex with men (MSM)	19	82.6	16	80.0	3	100.0	7	50.0	776	56.6	8	61.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	85	6.2	1	7.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	34	2.5	0	0.0
Heterosexual contact	1	4.3	1	5.0	0	0.0	3	21.4	262	19.1	2	15.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Unknown	3	13.0	3	15.0	0	0.0	4	28.6	169	12.3	2	15.4

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.6. Fresh Meadows (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**8**	**100.0**	**7**	**87.5**	**1**	**12.5**	**2**	**100.0**	**314**	**100.0**	**6**	**100.0**
Gender[5]												
Men	5	62.5	4	57.1	1	100.0	1	50.0	199	63.4	1	16.7
Women	3	37.5	3	42.9	0	0.0	1	50.0	115	36.6	5	83.3
Race and ethnicity[6]												
Black	2	25.0	2	28.6	0	0.0	0	0.0	130	41.4	4	66.7
Latino	2	25.0	2	28.6	0	0.0	1	50.0	109	34.7	1	16.7
White	1	12.5	0	0.0	1	100.0	1	50.0	48	15.3	1	16.7
Asian or Pacific Islander	3	37.5	3	42.9	0	0.0	0	0.0	26	8.3	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	12.5	1	14.3	0	0.0	0	0.0	2	0.6	0	0.0
20-29	2	25.0	2	28.6	0	0.0	0	0.0	29	9.2	0	0.0
30-39	3	37.5	2	28.6	1	100.0	1	50.0	50	15.9	0	0.0
40-49	2	25.0	2	28.6	0	0.0	0	0.0	44	14.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	50.0	99	31.5	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	90	28.7	4	66.7
Transmission category												
Men who have sex with men (MSM)	5	62.5	4	57.1	1	100.0	1	50.0	114	36.3	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	7.6	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	1.6	0	0.0
Heterosexual contact	2	25.0	2	28.6	0	0.0	1	50.0	88	28.0	3	50.0
Transgender people with sexual contact	1	12.5	1	14.3	0	0.0	0	0.0	5	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	65	20.7	2	33.3

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.7. Southwest Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**28**	**100.0**	**20**	**71.4**	**8**	**28.6**	**23**	**100.0**	**1,970**	**100.0**	**21**	**100.0**
Gender[5]												
Men	23	82.1	16	80.0	7	87.5	16	69.6	1,414	71.8	17	81.0
Women	5	17.9	4	20.0	1	12.5	7	30.4	556	28.2	4	19.0
Race and ethnicity												
Black	7	25.0	4	20.0	3	37.5	6	26.1	505	25.6	5	23.8
Latino	11	39.3	10	50.0	1	12.5	9	39.1	931	47.3	9	42.9
White	2	7.1	1	5.0	1	12.5	1	4.3	290	14.7	5	23.8
Asian or Pacific Islander	7	25.0	4	20.0	3	37.5	7	30.4	213	10.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.9	0	0.0
Multiracial	1	3.6	1	5.0	0	0.0	0	0.0	10	0.5	2	9.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	9	32.1	6	30.0	3	37.5	6	26.1	131	6.6	2	9.5
30-39	4	14.3	4	20.0	0	0.0	3	13.0	325	16.5	2	9.5
40-49	6	21.4	3	15.0	3	37.5	7	30.4	400	20.3	3	14.3
50-59	6	21.4	4	20.0	2	25.0	6	26.1	630	32.0	5	23.8
60+	3	10.7	3	15.0	0	0.0	1	4.3	480	24.4	9	42.9
Transmission category												
Men who have sex with men (MSM)	13	46.4	10	50.0	3	37.5	6	26.1	851	43.2	6	28.6
Injection drug use history (IDU)	1	3.6	1	5.0	0	0.0	2	8.7	175	8.9	2	9.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	28	1.4	0	0.0
Heterosexual contact	4	14.3	3	15.0	1	12.5	5	21.7	501	25.4	5	23.8
Transgender people with sexual contact	1	3.6	0	0.0	1	12.5	2	8.7	27	1.4	1	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	46	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	9	32.1	6	30.0	3	37.5	8	34.8	337	17.1	7	33.3

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.8. Jamaica (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**53**	**100.0**	**42**	**79.2**	**11**	**20.8**	**31**	**100.0**	**3,308**	**100.0**	**37**	**100.0**
Gender[5]												
Men	39	73.6	34	81.0	5	45.5	17	54.8	2,054	62.1	28	75.7
Women	14	26.4	8	19.0	6	54.5	14	45.2	1,254	37.9	9	24.3
Race and ethnicity												
Black	36	67.9	29	69.0	7	63.6	19	61.3	2,352	71.1	26	70.3
Latino	15	28.3	12	28.6	3	27.3	10	32.3	641	19.4	7	18.9
White	1	1.9	1	2.4	0	0.0	0	0.0	172	5.2	1	2.7
Asian or Pacific Islander	1	1.9	0	0.0	1	9.1	1	3.2	113	3.4	1	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	3.2	13	0.4	2	5.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	3.8	2	4.8	0	0.0	0	0.0	13	0.4	0	0.0
20-29	11	20.8	11	26.2	0	0.0	5	16.1	242	7.3	0	0.0
30-39	20	37.7	14	33.3	6	54.5	11	35.5	484	14.6	1	2.7
40-49	11	20.8	9	21.4	2	18.2	4	12.9	608	18.4	1	2.7
50-59	8	15.1	6	14.3	2	18.2	9	29.0	967	29.2	11	29.7
60+	1	1.9	0	0.0	1	9.1	2	6.5	991	30.0	24	64.9
Transmission category												
Men who have sex with men (MSM)	28	52.8	25	59.5	3	27.3	9	29.0	1,045	31.6	6	16.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	345	10.4	11	29.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.2	65	2.0	0	0.0
Heterosexual contact	17	32.1	10	23.8	7	63.6	12	38.7	1,072	32.4	12	32.4
Transgender people with sexual contact	1	1.9	1	2.4	0	0.0	1	3.2	42	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	94	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	7	13.2	6	14.3	1	9.1	7	22.6	637	19.3	8	21.6

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.9. Southeast Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**29**	**100.0**	**21**	**72.4**	**8**	**27.6**	**16**	**100.0**	**1,365**	**100.0**	**13**	**100.0**
Gender[5]												
Men	15	51.7	10	47.6	5	62.5	13	81.3	782	57.3	9	69.2
Women	14	48.3	11	52.4	3	37.5	3	18.8	583	42.7	4	30.8
Race and ethnicity												
Black	23	79.3	18	85.7	5	62.5	11	68.8	1,043	76.4	10	76.9
Latino	4	13.8	2	9.5	2	25.0	4	25.0	176	12.9	1	7.7
White	1	3.4	0	0.0	1	12.5	1	6.3	87	6.4	2	15.4
Asian or Pacific Islander	1	3.4	1	4.8	0	0.0	0	0.0	48	3.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
20-29	8	27.6	6	28.6	2	25.0	4	25.0	85	6.2	1	7.7
30-39	8	27.6	7	33.3	1	12.5	4	25.0	197	14.4	1	7.7
40-49	2	6.9	2	9.5	0	0.0	0	0.0	265	19.4	0	0.0
50-59	6	20.7	4	19.0	2	25.0	3	18.8	400	29.3	4	30.8
60+	5	17.2	2	9.5	3	37.5	5	31.3	410	30.0	7	53.8
Transmission category												
Men who have sex with men (MSM)	10	34.5	9	42.9	1	12.5	5	31.3	333	24.4	1	7.7
Injection drug use history (IDU)	1	3.4	0	0.0	1	12.5	2	12.5	127	9.3	3	23.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	22	1.6	0	0.0
Heterosexual contact	15	51.7	11	52.4	4	50.0	5	31.3	525	38.5	5	38.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	3	10.3	1	4.8	2	25.0	4	25.0	299	21.9	4	30.8

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 1.10.10. Rockaway (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**16**	**100.0**	**10**	**62.5**	**6**	**37.5**	**16**	**100.0**	**1,309**	**100.0**	**26**	**100.0**
Gender[5]												
Men	8	50.0	6	60.0	2	33.3	7	43.8	753	57.5	16	61.5
Women	8	50.0	4	40.0	4	66.7	9	56.3	556	42.5	10	38.5
Race and ethnicity[6]												
Black	13	81.3	7	70.0	6	100.0	14	87.5	830	63.4	23	88.5
Latino	1	6.3	1	10.0	0	0.0	1	6.3	334	25.5	2	7.7
White	1	6.3	1	10.0	0	0.0	1	6.3	116	8.9	1	3.8
Asian or Pacific Islander	1	6.3	1	10.0	0	0.0	0	0.0	15	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	1.1	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	31.3	4	40.0	1	16.7	1	6.3	87	6.6	0	0.0
30-39	2	12.5	1	10.0	1	16.7	6	37.5	181	13.8	1	3.8
40-49	3	18.8	2	20.0	1	16.7	2	12.5	231	17.6	6	23.1
50-59	4	25.0	1	10.0	3	50.0	4	25.0	419	32.0	6	23.1
60+	2	12.5	2	20.0	0	0.0	3	18.8	391	29.9	13	50.0
Transmission category												
Men who have sex with men (MSM)	4	25.0	4	40.0	0	0.0	1	6.3	354	27.0	6	23.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	25.0	186	14.2	4	15.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	6.3	29	2.2	1	3.8
Heterosexual contact	5	31.3	2	20.0	3	50.0	5	31.3	467	35.7	8	30.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	1	3.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	41	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	7	43.8	4	40.0	3	50.0	5	31.3	221	16.9	6	23.1

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.11.1. Port Richmond (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**11**	**100.0**	**8**	**72.7**	**3**	**27.3**	**9**	**100.0**	**657**	**100.0**	**6**	**100.0**
Gender[5]												
Men	9	81.8	8	100.0	1	33.3	4	44.4	390	59.4	3	50.0
Women	2	18.2	0	0.0	2	66.7	5	55.6	267	40.6	3	50.0
Race and ethnicity[6]												
Black	5	45.5	5	62.5	0	0.0	4	44.4	343	52.2	2	33.3
Latino	3	27.3	2	25.0	1	33.3	2	22.2	210	32.0	2	33.3
White	2	18.2	1	12.5	1	33.3	2	22.2	90	13.7	1	16.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
Other or unknown	1	9.1	0	0.0	1	33.3	1	11.1	10	1.5	1	16.7
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	9.1	1	12.5	0	0.0	0	0.0	4	0.6	0	0.0
20-29	5	45.5	3	37.5	2	66.7	4	44.4	52	7.9	0	0.0
30-39	2	18.2	2	25.0	0	0.0	2	22.2	118	18.0	0	0.0
40-49	2	18.2	1	12.5	1	33.3	1	11.1	106	16.1	0	0.0
50-59	1	9.1	1	12.5	0	0.0	1	11.1	227	34.6	3	50.0
60+	0	0.0	0	0.0	0	0.0	1	11.1	149	22.7	3	50.0
Transmission category												
Men who have sex with men (MSM)	5	45.5	5	62.5	0	0.0	3	33.3	187	28.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	109	16.6	3	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	3.0	0	0.0
Heterosexual contact	3	27.3	1	12.5	2	66.7	5	55.6	206	31.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	2.0	1	16.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	23	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	27.3	2	25.0	1	33.3	1	11.1	98	14.9	2	33.3

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.11.2. Stapleton - St. George (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**10**	**100.0**	**10**	**100.0**	**0**	**0.0**	**5**	**100.0**	**1,235**	**100.0**	**27**	**100.0**
Gender[5]												
Men	7	70.0	7	70.0	0	0.0	5	100.0	796	64.5	17	63.0
Women	3	30.0	3	30.0	0	0.0	0	0.0	439	35.5	10	37.0
Race and ethnicity[6]												
Black	8	80.0	8	80.0	0	0.0	2	40.0	579	46.9	10	37.0
Latino	2	20.0	2	20.0	0	0.0	1	20.0	337	27.3	11	40.7
White	0	0.0	0	0.0	0	0.0	1	20.0	291	23.6	5	18.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	20.0	14	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	1.1	1	3.7
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
20-29	4	40.0	4	40.0	0	0.0	0	0.0	79	6.4	1	3.7
30-39	3	30.0	3	30.0	0	0.0	1	20.0	176	14.3	2	7.4
40-49	1	10.0	1	10.0	0	0.0	0	0.0	211	17.1	6	22.2
50-59	1	10.0	1	10.0	0	0.0	2	40.0	414	33.5	9	33.3
60+	1	10.0	1	10.0	0	0.0	2	40.0	353	28.6	9	33.3
Transmission category												
Men who have sex with men (MSM)	6	60.0	6	60.0	0	0.0	2	40.0	397	32.1	6	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	20.0	198	16.0	7	25.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	45	3.6	2	7.4
Heterosexual contact	3	30.0	3	30.0	0	0.0	0	0.0	347	28.1	9	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	2.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	2.0	1	3.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	10.0	1	10.0	0	0.0	2	40.0	193	15.6	2	7.4

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.11.3. Willowbrook (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**4**	**100.0**	**3**	**75.0**	**1**	**25.0**	**0**	**0.0**	**215**	**100.0**	**3**	**100.0**
Gender[5]												
Men	3	75.0	3	100.0	0	0.0	0	0.0	151	70.2	2	66.7
Women	1	25.0	0	0.0	1	100.0	0	0.0	64	29.8	1	33.3
Race and ethnicity[6]												
Black	0	0.0	0	0.0	0	0.0	0	0.0	46	21.4	0	0.0
Latino	1	25.0	1	33.3	0	0.0	0	0.0	64	29.8	2	66.7
White	3	75.0	2	66.7	1	100.0	0	0.0	94	43.7	1	33.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	3.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.4	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	3	75.0	2	66.7	1	100.0	0	0.0	12	5.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	38	17.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	35	16.3	0	0.0
50-59	1	25.0	1	33.3	0	0.0	0	0.0	72	33.5	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	57	26.5	1	33.3
Transmission category												
Men who have sex with men (MSM)	1	25.0	1	33.3	0	0.0	0	0.0	84	39.1	0	0.0
Injection drug use history (IDU)	1	25.0	1	33.3	0	0.0	0	0.0	28	13.0	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	0.0
Heterosexual contact	1	25.0	0	0.0	1	100.0	0	0.0	47	21.9	1	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	1	25.0	1	33.3	0	0.0	0	0.0	40	18.6	1	33.3

The following ZIP code is included in Willowbrook: 10314.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 1.11.4. South Beach - Tottenville (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2019, to December 31, 2019; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2019

	New HIV Diagnoses[1]						New AIDS Diagnoses[3]		People With HIV as of 12/31/2019		Deaths[4]	
	Total		*Without AIDS*		*Concurrent With AIDS Diagnoses[2]*							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	**4**	**100.0**	**4**	**100.0**	**0**	**0.0**	**2**	**100.0**	**433**	**100.0**	**3**	**100.0**
Gender[5]												
Men	3	75.0	3	75.0	0	0.0	1	50.0	294	67.9	2	66.7
Women	1	25.0	1	25.0	0	0.0	1	50.0	139	32.1	1	33.3
Race and ethnicity[6]												
Black	0	0.0	0	0.0	0	0.0	2	100.0	69	15.9	0	0.0
Latino	1	25.0	1	25.0	0	0.0	0	0.0	122	28.2	0	0.0
White	3	75.0	3	75.0	0	0.0	0	0.0	235	54.3	3	100.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	1.4	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	75.0	3	75.0	0	0.0	0	0.0	23	5.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	50.0	38	8.8	0	0.0
40-49	1	25.0	1	25.0	0	0.0	1	50.0	75	17.3	1	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	151	34.9	2	66.7
60+	0	0.0	0	0.0	0	0.0	0	0.0	143	33.0	0	0.0
Transmission category												
Men who have sex with men (MSM)	3	75.0	3	75.0	0	0.0	1	50.0	125	28.9	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	75	17.3	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.1	1	33.3
Heterosexual contact	1	25.0	1	25.0	0	0.0	1	50.0	122	28.2	1	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	82	18.9	0	0.0

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.
[1]Excludes people known to have been diagnosed outside NYC. [2]HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). [3]Includes concurrent HIV/AIDS diagnoses. [4]Includes deaths from any cause in people with HIV. [5]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. [6]In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.
As reported to the NYC Health Department by March 31, 2025.

Table 2.1. Rate of New HIV Diagnoses, Prevalence of People With HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2019 Overall and by Gender, Age, and Race or Ethnicity

	HIV Diagnoses per 100,000 People[1,2]	People With HIV as a Percent of Population[2,3]	Age-Adjusted Death Rate per 1,000 People With HIV[4]	2019 New York City Population[5]
Total	**18.6**	**1.4**	**9.6**	**8,824,887**
Gender[6]				
Men	30.7	2.0	9.7	4,211,902
Women	7.7	0.7	9.2	4,612,985
Race and ethnicity				
Black	38.7	2.7	10.9	1,924,429
Latino	25.5	1.6	9.4	2,549,543
White	5.8	0.8	7.4	2,847,058
Asian or Pacific Islander	4.8	0.2	2.3	1,321,431
Native American	9.4*	1.3	1.4*	21,382
Multiracial	11.2	0.3	50.5	161,045
Age group (years)				
0 - 12	0.1*	<0.1	0.0 *	1,346,128
13 - 19	9.2	<0.1	0.0 *	655,302
20 - 29	45.0	0.7	3.0	1,347,217
30 - 39	33.3	1.4	5.4	1,414,583
40 - 49	20.4	2.0	8.1	1,103,088
50 - 59	16.4	3.3	12.9	1,093,500
60+	5.5	1.7	26.9	1,865,069

*Rate based on a numerator of ten or fewer people, interpret with caution.
[1]HIV diagnoses includes diagnoses of HIV without AIDS and HIV concurrent with AIDS and excludes diagnoses among people residing outside of New York City at the time of diagnosis. [2]Rates calculated using NYC Health Department 2019 population estimates, modified from US Census Bureau intercensal population estimates. [3]People with HIV excludes people believed to be residing outside of New York City at the end of the calendar year. [4]Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator. [5]Population from NYC Health Department intercensal estimates. [6]Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.
As reported to the NYC Health Department by March 31, 2025.

Table 2.2. Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2019
Overall and by Borough and United Hospital Fund Neighborhood of Residence

	HIV Diagnoses per 100,000 People[1,2]	People With HIV as a Percent of Population[2,3]	Age-Adjusted Death Rate per 1,000 People With HIV[4]	2019 New York City Population[5]
Total	**18.6**	**1.4**	**9.6**	**8,824,887**
Bronx[6]	**31.0**	**2.1**	**10.1**	**1,500,114**
Crotona - Tremont	42.9	2.9	9.6	225,999
Fordham - Bronx Park	29.2	2.2	12.6	277,772
High Bridge - Morrisania	49.9	2.8	13.2	226,380
Hunts Point - Mott Haven	32.0	2.8	7.6	146,830
Kingsbridge - Riverdale	15.4	0.8	11.7	97,616
Northeast Bronx	20.5	1.3	6.8	214,805
Pelham - Throgs Neck	21.6	1.5	8.0	314,330
Brooklyn[6]	**16.1**	**1.1**	**10.0**	**2,710,352**
Bedford Stuyvesant - Crown Heights	30.0	2.3	10.7	346,473
Bensonhurst - Bay Ridge	8.8	0.3	6.7*	216,549
Borough Park	3.2	0.3	12.5	343,182
Canarsie - Flatlands	13.0	0.9	11.7	215,105
Coney Island - Sheepshead Bay	7.2	0.4	7.9	305,013
Downtown - Heights - Park Slope	10.3	1.0	9.5	271,426
East Flatbush - Flatbush	27.6	1.8	9.7	307,845
East New York	30.7	1.8	9.2	198,752
Greenpoint	8.6	0.6	13.1*	150,919
Sunset Park	11.1	0.7	9.9*	125,991
Williamsburg - Bushwick	22.7	1.7	11.6	229,097
Manhattan[6]	**18.9**	**1.9**	**6.0**	**1,726,624**
Central Harlem - Morningside Heights	40.5	2.6	7.3	190,344
Chelsea - Clinton	27.9	4.1	4.8	171,919
East Harlem	27.2	2.5	12.3	117,599
Gramercy Park - Murray Hill	12.6	1.4	3.0	142,881
Greenwich Village - Soho	13.8	2.1	6.1	86,719
Lower Manhattan	10.3*	0.9	3.7*	67,653
Union Square - Lower East Side	15.3	1.5	5.1	196,119
Upper East Side	3.1*	0.7	3.7	226,205
Upper West Side	9.2	1.4	5.5	229,414
Washington Heights - Inwood	25.8	1.8	6.8	279,502
Queens[6]	**12.9**	**0.8**	**5.7**	**2,384,150**
Bayside - Little Neck	1.1*	0.2	0.0 *	92,361
Flushing - Clearview	6.9	0.3	4.2*	262,662
Fresh Meadows	7.7*	0.3	16.7*	104,370
Jamaica	16.0	1.0	4.4	331,708
Long Island City - Astoria	13.7	1.1	4.7	211,102
Ridgewood - Forest Hills	8.5	0.5	7.3	272,045
Rockaway	11.8	1.0	11.9	135,237
Southeast Queens	13.0	0.6	6.2	223,724
Southwest Queens	9.6	0.7	7.0	293,072
West Queens	21.6	1.2	4.3	472,518
Staten Island[6]	**5.8**	**0.5**	**10.2**	**503,647**
Port Richmond	14.9	0.9	3.4*	73,787
South Beach - Tottenville	2.0*	0.2	3.3*	203,328
Stapleton - St. George	7.7*	0.9	17.4	130,344
Willowbrook	4.2*	0.2	4.7*	96,189

*Rate based on a numerator of ten or fewer people, interpret with caution.
[1]HIV diagnoses includes diagnoses of HIV without AIDS and HIV concurrent with AIDS and excludes diagnoses among people residing outside of New York City at the time of diagnosis. [2]Rates calculated using NYC Health Department 2019 population estimates, modified from US Census Bureau intercensal population estimates. [3]People with HIV excludes people believed to be residing outside of New York City at the end of the calendar year. [4]Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator. [5]Population from NYC Health Department intercensal estimates. [6]Borough-level data include people residing in unknown UHF neighborhoods.
As reported to the NYC Health Department by March 31, 2025.