



List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 New HIV and AIDS Diagnoses and Deaths from January 1, 2020, to December 31, 2020; and People Diagnosed with HIV, Reported in NYC and Presumed to be Living as of December 31, 2020

Table 1.1	New York City (All)	Table 1.7.2	Northeast Bronx
	By Gender	Table 1.7.3	Fordham – Bronx Park
Table 1.2.1	Men	Table 1.7.4	Pelham – Throgs Neck
Table 1.2.2	Women	Table 1.7.5	Crotona – Tremont
	By Race or Ethnicity	Table 1.7.6	High Bridge – Morrisania
		Table 1.7.7	Hunts Point – Mott Haven
Table 1.3.1	Black Men		By UHF Neighborhood in Brooklyn
Table 1.3.2	Black Women	Table 1.8.1	Greenpoint
Table 1.3.3	Latino Men	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.4	Latina Women	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.5	White Men	Table 1.8.4	East New York
Table 1.3.6	White Women	Table 1.8.5	Sunset Park
Table 1.3.7	Asian or Pacific Islander Men	Table 1.8.6	Borough Park
Table 1.3.8	Asian or Pacific Islander Women	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.9	Native American Men	Table 1.8.8	Canarsie – Flatlands
Table 1.3.10	Native American Women	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.11	Multiracial Men	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.3.12	Multiracial Women	Table 1.8.11	Williamsburg – Bushwick
	By Age		By UHF Neighborhood in Manhattan
Table 1.4.1	Boys Ages 0 to 12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.2	Girls Ages 0 to 12 years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.3	Men Ages 13 Years and Older	Table 1.9.3	East Harlem
Table 1.4.4	Women Ages 13 Years and Older	Table 1.9.4	Upper West Side
	By Borough	Table 1.9.5	Upper East Side
Table 1.5.1	Bronx, Men	Table 1.9.6	Chelsea – Clinton
Table 1.5.2	Bronx, Women	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.3	Brooklyn, Men	Table 1.9.8	Greenwich Village – Soho
Table 1.5.4	Brooklyn, Women	Table 1.9.9	Union Square – Lower East Side
Table 1.5.5	Manhattan, Men	Table 1.9.10	Lower Manhattan
Table 1.5.6	Manhattan, Women		By UHF Neighborhood in Queens
Table 1.5.7	Queens, Men	Table 1.10.1	Long Island City – Astoria
Table 1.5.8	Queens, Women	Table 1.10.2	West Queens
Table 1.5.9	Staten Island, Men	Table 1.10.3	Flushing – Clearview
Table 1.5.10	Staten Island, Women	Table 1.10.4	Bayside – Little Neck
	By Transmission Category	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.1	Men Who Have Sex With Men (MSM)	Table 1.10.6	Fresh Meadows
Table 1.6.2	Injection Drug Use History (IDU), Men	Table 1.10.7	Southwest Queens
Table 1.6.3	Injection Drug Use History (IDU), Women	Table 1.10.8	Jamaica
Table 1.6.4	MSM-IDU	Table 1.10.9	Southeast Queens
Table 1.6.5	Heterosexual Contact, Men	Table 1.10.10	Rockaway
Table 1.6.6	Heterosexual Contact, Women		By UHF Neighborhood in Staten Island
Table 1.6.7	Transgender People With Sexual Contact	Table 1.11.1	Port Richmond
	By UHF Neighborhood in the Bronx	Table 1.11.2	Stapleton – St. George
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.3	Willowbrook
		Table 1.11.4	South Beach – Tottenville

Tables 2.1-2.2 Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2020

Table 2.1	Overall and by gender, age, and race or ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	---	-----------	--

For a glossary of terms, see nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page

Suggested citation: HIV Epidemiology Program. *Annual HIV Surveillance Statistics, 2020*. New York City Department of Health and Mental Hygiene: New York, NY. December 2024. Accessed [access date] at nyc.gov/site/doh/data/data-sets/hiv-aids-surveillance-and-epidemiology-reports.page.

Table 1.1. New York City (All)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	New HIV Diagnoses, 2020						New AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Concurrent With AIDS Diagnoses				N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1,399	100.0	1,139	81.4	260	18.6	974	100.0	133,413	100.0	2,460	100.0
Gender												
Men	1,090	77.9	880	77.3	210	80.8	712	73.1	97,117	72.8	1,712	69.6
Women	253	18.1	205	18.0	48	18.5	233	23.9	33,612	25.2	702	28.5
Transgender women	55	3.9	53	4.7	2	0.8	29	3.0	2,631	2.0	46	1.9
Transgender men	1	0.1	1	0.1	0	0.0	0	0.0	53	0.0	0	0.0
Race or ethnicity												
Black	631	45.1	516	45.3	115	44.2	465	47.7	57,050	42.8	1,242	50.5
Latino	501	35.8	414	36.3	87	33.5	326	33.5	44,929	33.7	769	31.3
White	185	13.2	145	12.7	40	15.4	133	13.7	26,740	20.0	369	15.0
Asian or Pacific Islander	67	4.8	52	4.6	15	5.8	37	3.8	3,422	2.6	26	1.1
Native American	1	0.1	1	0.1	0	0.0	2	0.2	311	0.2	8	0.3
Multiracial	14	1.0	11	1.0	3	1.2	11	1.1	657	0.5	44	1.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	304	0.2	2	0.1
Age group (years)												
0-12	3	0.2	3	0.3	0	0.0	1	0.1	56	0.0	0	0.0
13-19	62	4.4	59	5.2	3	1.2	4	0.4	352	0.3	0	0.0
20-29	474	33.9	429	37.7	45	17.3	154	15.8	8,975	6.7	43	1.7
30-39	431	30.8	353	31.0	78	30.0	272	27.9	22,626	17.0	153	6.2
40-49	192	13.7	142	12.5	50	19.2	184	18.9	23,689	17.8	244	9.9
50-59	169	12.1	113	9.9	56	21.5	202	20.7	39,607	29.7	707	28.7
60+	68	4.9	40	3.5	28	10.8	157	16.1	38,108	28.6	1,313	53.4
Borough of residence												
Bronx	295	21.1	252	22.1	43	16.5	245	25.2	31,120	23.3	688	28.0
Brooklyn	406	29.0	312	27.4	94	36.2	247	25.4	30,539	22.9	530	21.5
Manhattan	270	19.3	223	19.6	47	18.1	199	20.4	32,670	24.5	384	15.6
Queens	265	18.9	210	18.4	55	21.2	137	14.1	18,847	14.1	246	10.0
Staten Island	28	2.0	23	2.0	5	1.9	18	1.8	2,537	1.9	54	2.2
Outside NYC	87	6.2	71	6.2	16	6.2	120	12.3	14,517	10.9	77	3.1
Unknown	48	3.4	48	4.2	0	0.0	8	0.8	3,183	2.4	481	19.6
Neighborhood poverty level												
Low poverty (<10% below FPL)	111	7.9	91	8.0	20	7.7	76	7.8	14,173	10.6	151	6.1
Medium poverty (10 to <20% below FPL)	546	39.0	430	37.8	116	44.6	351	36.0	47,974	36.0	670	27.2
High poverty (20 to <30% below FPL)	358	25.6	288	25.3	70	26.9	211	21.7	27,347	20.5	481	19.6
Very high poverty (≥30% below FPL)	245	17.5	208	18.3	37	14.2	202	20.7	24,939	18.7	598	24.3
Area-based poverty level not available	139	9.9	122	10.7	17	6.5	134	13.8	18,980	14.2	560	22.8
Transmission category												
Men who have sex with men (MSM)	720	51.5	606	53.2	114	43.8	421	43.2	60,395	45.3	635	25.8
Injection drug use history (IDU)	16	1.1	14	1.2	2	0.8	67	6.9	14,944	11.2	634	25.8
MSM-IDU	11	0.8	11	1.0	0	0.0	18	1.8	3,691	2.8	104	4.2
Heterosexual contact	216	15.4	170	14.9	46	17.7	200	20.5	27,641	20.7	595	24.2
Transgender people with sexual contact	55	3.9	53	4.7	2	0.8	27	2.8	2,359	1.8	36	1.5
Perinatal	3	0.2	3	0.3	0	0.0	14	1.4	2,570	1.9	23	0.9
Other	0	0.0	0	0.0	0	0.0	2	0.2	193	0.1	7	0.3
Unknown	378	27.0	282	24.8	96	36.9	225	23.1	21,620	16.2	426	17.3

**Table 1.2.1. Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1,091	100.0	881	80.8	210	19.2	712	100.0	97,170	100.0	1,712	100.0
Race or ethnicity												
Black	455	41.7	370	42.0	85	40.5	315	44.2	36,243	37.3	790	46.1
Latino	394	36.1	322	36.5	72	34.3	239	33.6	32,929	33.9	548	32.0
White	171	15.7	134	15.2	37	17.6	117	16.4	24,128	24.8	324	18.9
Asian or Pacific Islander	59	5.4	46	5.2	13	6.2	30	4.2	2,881	3.0	21	1.2
Native American	1	0.1	1	0.1	0	0.0	2	0.3	239	0.2	4	0.2
Multiracial	11	1.0	8	0.9	3	1.4	9	1.3	515	0.5	24	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	235	0.2	1	0.1
Age group (years)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	29	0.0	0	0.0
13-19	50	4.6	48	5.4	2	1.0	3	0.4	216	0.2	0	0.0
20-29	396	36.3	356	40.4	40	19.0	124	17.4	6,902	7.1	32	1.9
30-39	347	31.8	280	31.8	67	31.9	208	29.2	17,955	18.5	109	6.4
40-49	143	13.1	105	11.9	38	18.1	132	18.5	16,822	17.3	156	9.1
50-59	111	10.2	66	7.5	45	21.4	142	19.9	28,025	28.8	485	28.3
60+	43	3.9	25	2.8	18	8.6	103	14.5	27,221	28.0	930	54.3
Borough of residence												
Bronx	211	19.3	179	20.3	32	15.2	156	21.9	19,458	20.0	430	25.1
Brooklyn	312	28.6	242	27.5	70	33.3	170	23.9	20,546	21.1	366	21.4
Manhattan	226	20.7	186	21.1	40	19.0	154	21.6	27,544	28.3	302	17.6
Queens	215	19.7	164	18.6	51	24.3	113	15.9	13,866	14.3	177	10.3
Staten Island	21	1.9	16	1.8	5	2.4	17	2.4	1,637	1.7	34	2.0
Outside NYC	69	6.3	57	6.5	12	5.7	97	13.6	11,649	12.0	53	3.1
Unknown	37	3.4	37	4.2	0	0.0	5	0.7	2,470	2.5	350	20.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	87	8.0	70	7.9	17	8.1	63	8.8	11,742	12.1	124	7.2
Medium poverty (10 to <20% below FPL)	440	40.3	340	38.6	100	47.6	272	38.2	35,811	36.9	485	28.3
High poverty (20 to <30% below FPL)	275	25.2	222	25.2	53	25.2	147	20.6	18,663	19.2	319	18.6
Very high poverty (≥30% below FPL)	179	16.4	152	17.3	27	12.9	124	17.4	15,830	16.3	379	22.1
Area-based poverty level not available	110	10.1	97	11.0	13	6.2	106	14.9	15,124	15.6	405	23.7
Transmission category												
Men who have sex with men (MSM)	720	66.0	606	68.8	114	54.3	421	59.1	60,395	62.2	635	37.1
Injection drug use history (IDU)	12	1.1	11	1.2	1	0.5	38	5.3	9,603	9.9	425	24.8
MSM-IDU	11	1.0	11	1.2	0	0.0	18	2.5	3,691	3.8	104	6.1
Heterosexual contact	28	2.6	19	2.2	9	4.3	52	7.3	7,220	7.4	234	13.7
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	29	0.0	0	0.0
Perinatal	1	0.1	1	0.1	0	0.0	6	0.8	1,246	1.3	13	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.1	109	0.1	3	0.2
Unknown	318	29.1	232	26.3	86	41.0	176	24.7	14,877	15.3	298	17.4

**Table 1.2.2. Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	308	100.0	258	83.8	50	16.2	262	100.0	36,243	100.0	748	100.0
Race or ethnicity												
Black	176	57.1	146	56.6	30	60.0	150	57.3	20,807	57.4	452	60.4
Latina	107	34.7	92	35.7	15	30.0	87	33.2	12,000	33.1	221	29.5
White	14	4.5	11	4.3	3	6.0	16	6.1	2,612	7.2	45	6.0
Asian or Pacific Islander	8	2.6	6	2.3	2	4.0	7	2.7	541	1.5	5	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	4	0.5
Multiracial	3	1.0	3	1.2	0	0.0	2	0.8	142	0.4	20	2.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	69	0.2	1	0.1
Age group (years)												
0-12	2	0.6	2	0.8	0	0.0	1	0.4	27	0.1	0	0.0
13-19	12	3.9	11	4.3	1	2.0	1	0.4	136	0.4	0	0.0
20-29	78	25.3	73	28.3	5	10.0	30	11.5	2,073	5.7	11	1.5
30-39	84	27.3	73	28.3	11	22.0	64	24.4	4,671	12.9	44	5.9
40-49	49	15.9	37	14.3	12	24.0	52	19.8	6,867	18.9	88	11.8
50-59	58	18.8	47	18.2	11	22.0	60	22.9	11,582	32.0	222	29.7
60+	25	8.1	15	5.8	10	20.0	54	20.6	10,887	30.0	383	51.2
Borough of residence												
Bronx	84	27.3	73	28.3	11	22.0	89	34.0	11,662	32.2	258	34.5
Brooklyn	94	30.5	70	27.1	24	48.0	77	29.4	9,993	27.6	164	21.9
Manhattan	44	14.3	37	14.3	7	14.0	45	17.2	5,126	14.1	82	11.0
Queens	50	16.2	46	17.8	4	8.0	24	9.2	4,981	13.7	69	9.2
Staten Island	7	2.3	7	2.7	0	0.0	1	0.4	900	2.5	20	2.7
Outside NYC	18	5.8	14	5.4	4	8.0	23	8.8	2,868	7.9	24	3.2
Unknown	11	3.6	11	4.3	0	0.0	3	1.1	713	2.0	131	17.5
Neighborhood poverty level												
Low poverty (<10% below FPL)	24	7.8	21	8.1	3	6.0	13	5.0	2,431	6.7	27	3.6
Medium poverty (10 to <20% below FPL)	106	34.4	90	34.9	16	32.0	79	30.2	12,163	33.6	185	24.7
High poverty (20 to <30% below FPL)	83	26.9	66	25.6	17	34.0	64	24.4	8,684	24.0	162	21.7
Very high poverty (≥30% below FPL)	66	21.4	56	21.7	10	20.0	78	29.8	9,109	25.1	219	29.3
Area-based poverty level not available	29	9.4	25	9.7	4	8.0	28	10.7	3,856	10.6	155	20.7
Transmission category												
Injection drug use history (IDU)	4	1.3	3	1.2	1	2.0	29	11.1	5,341	14.7	209	27.9
Heterosexual contact	188	61.0	151	58.5	37	74.0	148	56.5	20,421	56.3	361	48.3
Transgender people with sexual contact	54	17.5	52	20.2	2	4.0	27	10.3	2,330	6.4	36	4.8
Perinatal	2	0.6	2	0.8	0	0.0	8	3.1	1,324	3.7	10	1.3
Other	0	0.0	0	0.0	0	0.0	1	0.4	84	0.2	4	0.5
Unknown	60	19.5	50	19.4	10	20.0	49	18.7	6,743	18.6	128	17.1

**Table 1.3.1. Black Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	455	100.0	370	81.3	85	18.7	315	100.0	36,243	100.0	790	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.0	0	0.0
13-19	17	3.7	16	4.3	1	1.2	2	0.6	105	0.3	0	0.0
20-29	193	42.4	172	46.5	21	24.7	69	21.9	3,087	8.5	12	1.5
30-39	131	28.8	111	30.0	20	23.5	88	27.9	7,220	19.9	50	6.3
40-49	55	12.1	40	10.8	15	17.6	46	14.6	5,723	15.8	69	8.7
50-59	41	9.0	23	6.2	18	21.2	61	19.4	9,705	26.8	214	27.1
60+	18	4.0	8	2.2	10	11.8	49	15.6	10,385	28.7	445	56.3
Borough of residence												
Bronx	85	18.7	73	19.7	12	14.1	80	25.4	8,814	24.3	204	25.8
Brooklyn	184	40.4	144	38.9	40	47.1	96	30.5	11,168	30.8	225	28.5
Manhattan	86	18.9	73	19.7	13	15.3	54	17.1	7,326	20.2	104	13.2
Queens	57	12.5	44	11.9	13	15.3	37	11.7	4,246	11.7	83	10.5
Staten Island	9	2.0	8	2.2	1	1.2	5	1.6	591	1.6	13	1.6
Outside NYC	24	5.3	18	4.9	6	7.1	42	13.3	3,633	10.0	19	2.4
Unknown	10	2.2	10	2.7	0	0.0	1	0.3	465	1.3	142	18.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	32	7.0	26	7.0	6	7.1	20	6.3	2,396	6.6	37	4.7
Medium poverty (10 to <20% below FPL)	154	33.8	118	31.9	36	42.4	110	34.9	12,985	35.8	216	27.3
High poverty (20 to <30% below FPL)	140	30.8	116	31.4	24	28.2	71	22.5	8,730	24.1	184	23.3
Very high poverty (≥30% below FPL)	94	20.7	82	22.2	12	14.1	69	21.9	7,662	21.1	191	24.2
Area-based poverty level not available	35	7.7	28	7.6	7	8.2	45	14.3	4,470	12.3	162	20.5
Transmission category												
Men who have sex with men (MSM)	267	58.7	232	62.7	35	41.2	170	54.0	18,778	51.8	231	29.2
Injection drug use history (IDU)	4	0.9	4	1.1	0	0.0	11	3.5	3,830	10.6	203	25.7
MSM-IDU	4	0.9	4	1.1	0	0.0	10	3.2	1,299	3.6	38	4.8
Heterosexual contact	15	3.3	10	2.7	5	5.9	30	9.5	3,918	10.8	139	17.6
Transgender people with sexual contact	1	0.2	1	0.3	0	0.0	0	0.0	18	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.3	693	1.9	5	0.6
Other	0	0.0	0	0.0	0	0.0	1	0.3	33	0.1	2	0.3
Unknown	164	36.0	119	32.2	45	52.9	89	28.3	7,674	21.2	172	21.8

**Table 1.3.2. Black Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	176	100.0	146	83.0	30	17.0	150	100.0	20,807	100.0	452	100.0
Age group (years)												
0-12	2	1.1	2	1.4	0	0.0	1	0.7	10	0.0	0	0.0
13-19	9	5.1	8	5.5	1	3.3	1	0.7	79	0.4	0	0.0
20-29	45	25.6	43	29.5	2	6.7	18	12.0	1,159	5.6	6	1.3
30-39	46	26.1	38	26.0	8	26.7	38	25.3	2,699	13.0	29	6.4
40-49	24	13.6	18	12.3	6	20.0	26	17.3	4,120	19.8	54	11.9
50-59	40	22.7	32	21.9	8	26.7	38	25.3	6,708	32.2	136	30.1
60+	10	5.7	5	3.4	5	16.7	28	18.7	6,032	29.0	227	50.2
Borough of residence												
Bronx	51	29.0	42	28.8	9	30.0	45	30.0	6,129	29.5	136	30.1
Brooklyn	68	38.6	51	34.9	17	56.7	54	36.0	6,931	33.3	119	26.3
Manhattan	18	10.2	17	11.6	1	3.3	24	16.0	2,725	13.1	49	10.8
Queens	25	14.2	23	15.8	2	6.7	13	8.7	2,738	13.2	37	8.2
Staten Island	2	1.1	2	1.4	0	0.0	1	0.7	426	2.0	15	3.3
Outside NYC	7	4.0	6	4.1	1	3.3	12	8.0	1,566	7.5	13	2.9
Unknown	5	2.8	5	3.4	0	0.0	1	0.7	292	1.4	83	18.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	15	8.5	12	8.2	3	10.0	8	5.3	1,278	6.1	16	3.5
Medium poverty (10 to <20% below FPL)	56	31.8	45	30.8	11	36.7	48	32.0	7,265	34.9	118	26.1
High poverty (20 to <30% below FPL)	52	29.5	43	29.5	9	30.0	36	24.0	5,101	24.5	101	22.3
Very high poverty (≥30% below FPL)	41	23.3	35	24.0	6	20.0	43	28.7	5,152	24.8	121	26.8
Area-based poverty level not available	12	6.8	11	7.5	1	3.3	15	10.0	2,011	9.7	96	21.2
Transmission category												
Injection drug use history (IDU)	1	0.6	1	0.7	0	0.0	8	5.3	2,551	12.3	102	22.6
Heterosexual contact	110	62.5	85	58.2	25	83.3	95	63.3	12,075	58.0	229	50.7
Transgender people with sexual contact	25	14.2	24	16.4	1	3.3	12	8.0	1,138	5.5	21	4.6
Perinatal	2	1.1	2	1.4	0	0.0	4	2.7	758	3.6	5	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	44	0.2	2	0.4
Unknown	38	21.6	34	23.3	4	13.3	31	20.7	4,241	20.4	93	20.6

Table 1.3.3. Latino Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	394	100.0	322	81.7	72	18.3	239	100.0	32,929	100.0	548	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.0	0	0.0
13-19	26	6.6	25	7.8	1	1.4	1	0.4	90	0.3	0	0.0
20-29	132	33.5	121	37.6	11	15.3	40	16.7	2,639	8.0	14	2.6
30-39	143	36.3	112	34.8	31	43.1	78	32.6	6,569	19.9	43	7.8
40-49	51	12.9	37	11.5	14	19.4	51	21.3	6,182	18.8	56	10.2
50-59	28	7.1	18	5.6	10	13.9	42	17.6	9,360	28.4	155	28.3
60+	14	3.6	9	2.8	5	6.9	27	11.3	8,081	24.5	280	51.1
Borough of residence												
Bronx	104	26.4	89	27.6	15	20.8	63	26.4	9,252	28.1	199	36.3
Brooklyn	71	18.0	53	16.5	18	25.0	50	20.9	5,199	15.8	102	18.6
Manhattan	73	18.5	59	18.3	14	19.4	46	19.2	7,802	23.7	92	16.8
Queens	94	23.9	71	22.0	23	31.9	49	20.5	6,028	18.3	50	9.1
Staten Island	4	1.0	4	1.2	0	0.0	6	2.5	480	1.5	8	1.5
Outside NYC	31	7.9	29	9.0	2	2.8	21	8.8	2,689	8.2	19	3.5
Unknown	17	4.3	17	5.3	0	0.0	4	1.7	1,479	4.5	78	14.2
Neighborhood poverty level												
Low poverty (<10% below FPL)	28	7.1	24	7.5	4	5.6	19	7.9	2,868	8.7	29	5.3
Medium poverty (10 to <20% below FPL)	155	39.3	116	36.0	39	54.2	100	41.8	12,069	36.7	146	26.6
High poverty (20 to <30% below FPL)	90	22.8	75	23.3	15	20.8	48	20.1	6,677	20.3	111	20.3
Very high poverty (≥30% below FPL)	71	18.0	59	18.3	12	16.7	47	19.7	6,825	20.7	164	29.9
Area-based poverty level not available	50	12.7	48	14.9	2	2.8	25	10.5	4,490	13.6	98	17.9
Transmission category												
Men who have sex with men (MSM)	287	72.8	242	75.2	45	62.5	137	57.3	19,455	59.1	170	31.0
Injection drug use history (IDU)	5	1.3	4	1.2	1	1.4	23	9.6	4,585	13.9	167	30.5
MSM-IDU	5	1.3	5	1.6	0	0.0	5	2.1	1,381	4.2	42	7.7
Heterosexual contact	9	2.3	7	2.2	2	2.8	16	6.7	2,436	7.4	77	14.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	0.8	449	1.4	7	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	28	0.1	0	0.0
Unknown	88	22.3	64	19.9	24	33.3	56	23.4	4,588	13.9	85	15.5

**Table 1.3.4. Latina Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	107	100.0	92	86.0	15	14.0	87	100.0	12,000	100.0	221	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
13-19	3	2.8	3	3.3	0	0.0	0	0.0	44	0.4	0	0.0
20-29	31	29.0	28	30.4	3	20.0	11	12.6	754	6.3	4	1.8
30-39	32	29.9	29	31.5	3	20.0	20	23.0	1,516	12.6	9	4.1
40-49	17	15.9	15	16.3	2	13.3	15	17.2	2,119	17.7	27	12.2
50-59	14	13.1	11	12.0	3	20.0	18	20.7	3,809	31.7	64	29.0
60+	10	9.3	6	6.5	4	26.7	23	26.4	3,747	31.2	117	52.9
Borough of residence												
Bronx	33	30.8	31	33.7	2	13.3	41	47.1	5,096	42.5	107	48.4
Brooklyn	20	18.7	15	16.3	5	33.3	14	16.1	2,297	19.1	33	14.9
Manhattan	23	21.5	18	19.6	5	33.3	17	19.5	1,760	14.7	26	11.8
Queens	16	15.0	15	16.3	1	6.7	7	8.0	1,546	12.9	21	9.5
Staten Island	3	2.8	3	3.3	0	0.0	0	0.0	264	2.2	2	0.9
Outside NYC	7	6.5	5	5.4	2	13.3	7	8.0	697	5.8	4	1.8
Unknown	5	4.7	5	5.4	0	0.0	1	1.1	340	2.8	28	12.7
Neighborhood poverty level												
Low poverty (<10% below FPL)	6	5.6	6	6.5	0	0.0	3	3.4	596	5.0	4	1.8
Medium poverty (10 to <20% below FPL)	38	35.5	35	38.0	3	20.0	25	28.7	3,604	30.0	50	22.6
High poverty (20 to <30% below FPL)	27	25.2	21	22.8	6	40.0	22	25.3	3,078	25.7	51	23.1
Very high poverty (≥30% below FPL)	24	22.4	20	21.7	4	26.7	29	33.3	3,627	30.2	84	38.0
Area-based poverty level not available	12	11.2	10	10.9	2	13.3	8	9.2	1,095	9.1	32	14.5
Transmission category												
Injection drug use history (IDU)	2	1.9	1	1.1	1	6.7	14	16.1	2,127	17.7	77	34.8
Heterosexual contact	61	57.0	53	57.6	8	53.3	40	46.0	6,557	54.6	103	46.6
Transgender people with sexual contact	28	26.2	27	29.3	1	6.7	14	16.1	967	8.1	11	5.0
Perinatal	0	0.0	0	0.0	0	0.0	4	4.6	471	3.9	4	1.8
Other	0	0.0	0	0.0	0	0.0	1	1.1	20	0.2	2	0.9
Unknown	16	15.0	11	12.0	5	33.3	14	16.1	1,858	15.5	24	10.9

**Table 1.3.5. White Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	171	100.0	134	78.4	37	21.6	117	100.0	24,128	100.0	324	100.0
Age group (years)												
0-12	1	0.6	1	0.7	0	0.0	0	0.0	2	0.0	0	0.0
13-19	3	1.8	3	2.2	0	0.0	0	0.0	10	0.0	0	0.0
20-29	49	28.7	44	32.8	5	13.5	10	8.5	763	3.2	5	1.5
30-39	46	26.9	36	26.9	10	27.0	28	23.9	3,215	13.3	12	3.7
40-49	26	15.2	21	15.7	5	13.5	24	20.5	4,056	16.8	27	8.3
50-59	36	21.1	22	16.4	14	37.8	33	28.2	8,028	33.3	96	29.6
60+	10	5.8	7	5.2	3	8.1	22	18.8	8,054	33.4	184	56.8
Borough of residence												
Bronx	18	10.5	14	10.4	4	10.8	9	7.7	1,093	4.5	19	5.9
Brooklyn	48	28.1	37	27.6	11	29.7	20	17.1	3,505	14.5	32	9.9
Manhattan	56	32.7	46	34.3	10	27.0	44	37.6	11,245	46.6	96	29.6
Queens	30	17.5	23	17.2	7	18.9	12	10.3	2,490	10.3	29	9.0
Staten Island	3	1.8	0	0.0	3	8.1	5	4.3	515	2.1	13	4.0
Outside NYC	10	5.8	8	6.0	2	5.4	27	23.1	4,907	20.3	14	4.3
Unknown	6	3.5	6	4.5	0	0.0	0	0.0	373	1.5	121	37.3
Neighborhood poverty level												
Low poverty (<10% below FPL)	20	11.7	16	11.9	4	10.8	17	14.5	5,938	24.6	54	16.7
Medium poverty (10 to <20% below FPL)	94	55.0	76	56.7	18	48.6	47	40.2	8,963	37.1	101	31.2
High poverty (20 to <30% below FPL)	31	18.1	20	14.9	11	29.7	19	16.2	2,631	10.9	20	6.2
Very high poverty (≥30% below FPL)	9	5.3	7	5.2	2	5.4	5	4.3	1,080	4.5	14	4.3
Area-based poverty level not available	17	9.9	15	11.2	2	5.4	29	24.8	5,516	22.9	135	41.7
Transmission category												
Men who have sex with men (MSM)	114	66.7	92	68.7	22	59.5	84	71.8	19,533	81.0	209	64.5
Injection drug use history (IDU)	2	1.2	2	1.5	0	0.0	3	2.6	1,091	4.5	46	14.2
MSM-IDU	2	1.2	2	1.5	0	0.0	3	2.6	916	3.8	21	6.5
Heterosexual contact	4	2.3	2	1.5	2	5.4	4	3.4	590	2.4	12	3.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	1	0.6	1	0.7	0	0.0	0	0.0	78	0.3	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	43	0.2	1	0.3
Unknown	48	28.1	35	26.1	13	35.1	23	19.7	1,875	7.8	34	10.5

**Table 1.3.6. White Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	14	100.0	11	78.6	3	21.4	16	100.0	2,612	100.0	45	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
20-29	1	7.1	1	9.1	0	0.0	1	6.3	111	4.2	0	0.0
30-39	4	28.6	4	36.4	0	0.0	6	37.5	312	11.9	4	8.9
40-49	5	35.7	3	27.3	2	66.7	5	31.3	405	15.5	4	8.9
50-59	1	7.1	1	9.1	0	0.0	2	12.5	848	32.5	14	31.1
60+	3	21.4	2	18.2	1	33.3	2	12.5	924	35.4	23	51.1
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	2	12.5	323	12.4	10	22.2
Brooklyn	3	21.4	2	18.2	1	33.3	5	31.3	561	21.5	5	11.1
Manhattan	1	7.1	1	9.1	0	0.0	2	12.5	526	20.1	3	6.7
Queens	5	35.7	4	36.4	1	33.3	3	18.8	424	16.2	6	13.3
Staten Island	1	7.1	1	9.1	0	0.0	0	0.0	196	7.5	3	6.7
Outside NYC	4	28.6	3	27.3	1	33.3	3	18.8	524	20.1	6	13.3
Unknown	0	0.0	0	0.0	0	0.0	1	6.3	58	2.2	12	26.7
Neighborhood poverty level												
Low poverty (<10% below FPL)	1	7.1	1	9.1	0	0.0	1	6.3	482	18.5	3	6.7
Medium poverty (10 to <20% below FPL)	8	57.1	6	54.5	2	66.7	5	31.3	937	35.9	11	24.4
High poverty (20 to <30% below FPL)	1	7.1	1	9.1	0	0.0	2	12.5	343	13.1	7	15.6
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	4	25.0	240	9.2	6	13.3
Area-based poverty level not available	4	28.6	3	27.3	1	33.3	4	25.0	610	23.4	18	40.0
Transmission category												
Injection drug use history (IDU)	1	7.1	1	9.1	0	0.0	6	37.5	617	23.6	22	48.9
Heterosexual contact	10	71.4	8	72.7	2	66.7	7	43.8	1,312	50.2	17	37.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	137	5.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	75	2.9	1	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Unknown	3	21.4	2	18.2	1	33.3	3	18.8	454	17.4	5	11.1

**Table 1.3.7. Asian or Pacific Islander Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	59	100.0	46	78.0	13	22.0	30	100.0	2,881	100.0	21	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	5.1	3	6.5	0	0.0	0	0.0	10	0.3	0	0.0
20-29	20	33.9	17	37.0	3	23.1	5	16.7	313	10.9	1	4.8
30-39	20	33.9	16	34.8	4	30.8	9	30.0	697	24.2	2	9.5
40-49	9	15.3	6	13.0	3	23.1	7	23.3	686	23.8	1	4.8
50-59	6	10.2	3	6.5	3	23.1	5	16.7	702	24.4	9	42.9
60+	1	1.7	1	2.2	0	0.0	4	13.3	472	16.4	8	38.1
Borough of residence												
Bronx	4	6.8	3	6.5	1	7.7	3	10.0	170	5.9	1	4.8
Brooklyn	8	13.6	7	15.2	1	7.7	4	13.3	494	17.1	2	9.5
Manhattan	7	11.9	5	10.9	2	15.4	7	23.3	820	28.5	2	9.5
Queens	31	52.5	23	50.0	8	61.5	13	43.3	971	33.7	10	47.6
Staten Island	3	5.1	3	6.5	0	0.0	0	0.0	30	1.0	0	0.0
Outside NYC	3	5.1	2	4.3	1	7.7	3	10.0	267	9.3	1	4.8
Unknown	3	5.1	3	6.5	0	0.0	0	0.0	129	4.5	5	23.8
Neighborhood poverty level												
Low poverty (<10% below FPL)	4	6.8	2	4.3	2	15.4	6	20.0	415	14.4	3	14.3
Medium poverty (10 to <20% below FPL)	32	54.2	25	54.3	7	53.8	11	36.7	1,429	49.6	11	52.4
High poverty (20 to <30% below FPL)	13	22.0	11	23.9	2	15.4	7	23.3	475	16.5	0	0.0
Very high poverty (≥30% below FPL)	4	6.8	3	6.5	1	7.7	3	10.0	147	5.1	1	4.8
Area-based poverty level not available	6	10.2	5	10.9	1	7.7	3	10.0	415	14.4	6	28.6
Transmission category												
Men who have sex with men (MSM)	43	72.9	33	71.7	10	76.9	21	70.0	2,014	69.9	13	61.9
Injection drug use history (IDU)	1	1.7	1	2.2	0	0.0	1	3.3	59	2.0	1	4.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	52	1.8	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	6.7	230	8.0	3	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	15	25.4	12	26.1	3	23.1	6	20.0	509	17.7	4	19.0

**Table 1.3.8. Asian or Pacific Islander Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	8	100.0	6	75.0	2	25.0	7	100.0	541	100.0	5	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	1	12.5	1	16.7	0	0.0	0	0.0	23	4.3	0	0.0
30-39	1	12.5	1	16.7	0	0.0	0	0.0	84	15.5	1	20.0
40-49	3	37.5	1	16.7	2	100.0	6	85.7	166	30.7	0	0.0
50-59	3	37.5	3	50.0	0	0.0	1	14.3	148	27.4	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	117	21.6	3	60.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	47	8.7	0	0.0
Brooklyn	1	12.5	0	0.0	1	50.0	3	42.9	121	22.4	1	20.0
Manhattan	1	12.5	0	0.0	1	50.0	2	28.6	73	13.5	0	0.0
Queens	4	50.0	4	66.7	0	0.0	1	14.3	227	42.0	2	40.0
Staten Island	1	12.5	1	16.7	0	0.0	0	0.0	6	1.1	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	14.3	52	9.6	0	0.0
Unknown	1	12.5	1	16.7	0	0.0	0	0.0	15	2.8	2	40.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	1	12.5	1	16.7	0	0.0	1	14.3	60	11.1	1	20.0
Medium poverty (10 to <20% below FPL)	3	37.5	3	50.0	0	0.0	1	14.3	264	48.8	1	20.0
High poverty (20 to <30% below FPL)	3	37.5	1	16.7	2	100.0	3	42.9	102	18.9	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	1	14.3	42	7.8	1	20.0
Area-based poverty level not available	1	12.5	1	16.7	0	0.0	1	14.3	73	13.5	2	40.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	3.5	0	0.0
Heterosexual contact	5	62.5	3	50.0	2	100.0	6	85.7	353	65.2	1	20.0
Transgender people with sexual contact	1	12.5	1	16.7	0	0.0	1	14.3	46	8.5	2	40.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	25.0	2	33.3	0	0.0	0	0.0	116	21.4	2	40.0

**Table 1.3.9. Native American Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People with HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1	100.0	1	100.0	0	0.0	2	100.0	239	100.0	4	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	17	7.1	0	0.0
30-39	1	100.0	1	100.0	0	0.0	2	100.0	47	19.7	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	53	22.2	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	69	28.9	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	53	22.2	3	75.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	45	18.8	1	25.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	54	22.6	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	56	23.4	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	47	19.7	1	25.0
Other or unknown	1	100.0	1	100.0	0	0.0	1	50.0	37	15.5	2	50.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	19	7.9	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	97	40.6	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	58	24.3	1	25.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	32	13.4	1	25.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	50.0	33	13.8	2	50.0
Transmission category												
Men who have sex with men (MSM)	1	100.0	1	100.0	0	0.0	2	100.0	147	61.5	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	16	6.7	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	12	5.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	24	10.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	38	15.9	1	25.0

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

**Table 1.3.10. Native American Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People with HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	0	0.0	0	0.0	0	0.0	0	0.0	72	100.0	4	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	8	11.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	11	15.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	16	22.2	1	25.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	22	30.6	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	14	19.4	2	50.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	23	31.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	23	31.9	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	7	9.7	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	12	16.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	9.7	4	100.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	25	34.7	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	20	27.8	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	18	25.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	6	8.3	4	100.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.2	1	25.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	45	62.5	3	75.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	12.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	5.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	15.3	0	0.0

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

**Table 1.3.11. Multiracial Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	11	100.0	8	72.7	3	27.3	9	100.0	515	100.0	24	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	9.1	1	12.5	0	0.0	0	0.0	1	0.2	0	0.0
20-29	2	18.2	2	25.0	0	0.0	0	0.0	81	15.7	0	0.0
30-39	6	54.5	4	50.0	2	66.7	3	33.3	201	39.0	2	8.3
40-49	2	18.2	1	12.5	1	33.3	4	44.4	100	19.4	3	12.5
50-59	0	0.0	0	0.0	0	0.0	1	11.1	79	15.3	9	37.5
60+	0	0.0	0	0.0	0	0.0	1	11.1	53	10.3	10	41.7
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	62	12.0	6	25.0
Brooklyn	1	9.1	1	12.5	0	0.0	0	0.0	106	20.6	5	20.8
Manhattan	4	36.4	3	37.5	1	33.3	3	33.3	156	30.3	8	33.3
Queens	3	27.3	3	37.5	0	0.0	2	22.2	57	11.1	4	16.7
Staten Island	1	9.1	0	0.0	1	33.3	1	11.1	11	2.1	0	0.0
Outside NYC	1	9.1	0	0.0	1	33.3	3	33.3	104	20.2	0	0.0
Unknown	1	9.1	1	12.5	0	0.0	0	0.0	19	3.7	1	4.2
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	18.2	1	12.5	1	33.3	1	11.1	48	9.3	1	4.2
Medium poverty (10 to <20% below FPL)	5	45.5	5	62.5	0	0.0	4	44.4	191	37.1	11	45.8
High poverty (20 to <30% below FPL)	1	9.1	0	0.0	1	33.3	1	11.1	78	15.1	3	12.5
Very high poverty (≥30% below FPL)	1	9.1	1	12.5	0	0.0	0	0.0	73	14.2	8	33.3
Area-based poverty level not available	2	18.2	1	12.5	1	33.3	3	33.3	125	24.3	1	4.2
Transmission category												
Men who have sex with men (MSM)	8	72.7	6	75.0	2	66.7	7	77.8	394	76.5	10	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	17	3.3	6	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	30	5.8	3	12.5
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	3.3	3	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	27.3	2	25.0	1	33.3	2	22.2	51	9.9	2	8.3

**Table 1.3.12. Multiracial Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	3	100.0	3	100.0	0	0.0	2	100.0	142	100.0	20	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	18	12.7	1	5.0
30-39	1	33.3	1	33.3	0	0.0	0	0.0	46	32.4	1	5.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	30	21.1	2	10.0
50-59	0	0.0	0	0.0	0	0.0	1	50.0	25	17.6	6	30.0
60+	2	66.7	2	66.7	0	0.0	1	50.0	20	14.1	10	50.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	1	50.0	29	20.4	5	25.0
Brooklyn	2	66.7	2	66.7	0	0.0	1	50.0	40	28.2	6	30.0
Manhattan	1	33.3	1	33.3	0	0.0	0	0.0	19	13.4	4	20.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	21	14.8	3	15.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	5	3.5	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	23	16.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	3.5	2	10.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	10	7.0	3	15.0
Medium poverty (10 to <20% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	52	36.6	5	25.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	50.0	28	19.7	3	15.0
Very high poverty (≥30% below FPL)	1	33.3	1	33.3	0	0.0	1	50.0	24	16.9	7	35.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	28	19.7	2	10.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	50.0	20	14.1	7	35.0
Heterosexual contact	2	66.7	2	66.7	0	0.0	0	0.0	66	46.5	8	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	33	23.2	2	10.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	6.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	1	33.3	1	33.3	0	0.0	1	50.0	13	9.2	3	15.0

**Table 1.4.1. Boys Ages 0 to 12 Years
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1	100.0	1	100.0	0	0.0	0	0.0	29	100.0	0	0.0
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	18	62.1	0	0.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	8	27.6	0	0.0
White	1	100.0	1	100.0	0	0.0	0	0.0	2	6.9	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	9	31.0	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	5	17.2	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	4	13.8	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	3	10.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	10.3	0	0.0
Unknown	1	100.0	1	100.0	0	0.0	0	0.0	4	13.8	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	10	34.5	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	10.3	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	8	27.6	0	0.0
Area-based poverty level not available	1	100.0	1	100.0	0	0.0	0	0.0	7	24.1	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	0	0.0	28	96.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	3.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Table 1.4.2. Girls Ages 0 to 12 Years
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	2	100.0	2	100.0	0	0.0	1	100.0	27	100.0	0	0.0
Race or ethnicity												
Black	2	100.0	2	100.0	0	0.0	1	100.0	10	37.0	0	0.0
Latina	0	0.0	0	0.0	0	0.0	0	0.0	11	40.7	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	11.1	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0
Borough of residence												
Bronx	1	50.0	1	50.0	0	0.0	0	0.0	5	18.5	0	0.0
Brooklyn	1	50.0	1	50.0	0	0.0	1	100.0	4	14.8	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	5	18.5	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	5	18.5	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	3.7	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	5	18.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	0	0.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	7.4	0	0.0
Medium poverty (10 to <20% below FPL)	2	100.0	2	100.0	0	0.0	1	100.0	8	29.6	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	11.1	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	7	25.9	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	7	25.9	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	100.0	2	100.0	0	0.0	1	100.0	27	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

**Table 1.4.3. Men Ages 13 Years and Older (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	1,090	100.0	880	80.7	210	19.3	712	100.0	97,141	100.0	1,712	100.0
Race or ethnicity												
Black	455	41.7	370	42.0	85	40.5	315	44.2	36,225	37.3	790	46.1
Latino	394	36.1	322	36.6	72	34.3	239	33.6	32,921	33.9	548	32.0
White	170	15.6	133	15.1	37	17.6	117	16.4	24,126	24.8	324	18.9
Asian or Pacific Islander	59	5.4	46	5.2	13	6.2	30	4.2	2,880	3.0	21	1.2
Native American	1	0.1	1	0.1	0	0.0	2	0.3	239	0.2	4	0.2
Multiracial	11	1.0	8	0.9	3	1.4	9	1.3	515	0.5	24	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	235	0.2	1	0.1
Age group (years)												
13-19	50	4.6	48	5.5	2	1.0	3	0.4	216	0.2	0	0.0
20-29	396	36.3	356	40.5	40	19.0	124	17.4	6,902	7.1	32	1.9
30-39	347	31.8	280	31.8	67	31.9	208	29.2	17,955	18.5	109	6.4
40-49	143	13.1	105	11.9	38	18.1	132	18.5	16,822	17.3	156	9.1
50-59	111	10.2	66	7.5	45	21.4	142	19.9	28,025	28.8	485	28.3
60+	43	3.9	25	2.8	18	8.6	103	14.5	27,221	28.0	930	54.3
Borough of residence												
Bronx	211	19.4	179	20.3	32	15.2	156	21.9	19,449	20.0	430	25.1
Brooklyn	312	28.6	242	27.5	70	33.3	170	23.9	20,541	21.1	366	21.4
Manhattan	226	20.7	186	21.1	40	19.0	154	21.6	27,540	28.4	302	17.6
Queens	215	19.7	164	18.6	51	24.3	113	15.9	13,863	14.3	177	10.3
Staten Island	21	1.9	16	1.8	5	2.4	17	2.4	1,636	1.7	34	2.0
Outside NYC	69	6.3	57	6.5	12	5.7	97	13.6	11,646	12.0	53	3.1
Unknown	36	3.3	36	4.1	0	0.0	5	0.7	2,466	2.5	350	20.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	87	8.0	70	8.0	17	8.1	63	8.8	11,741	12.1	124	7.2
Medium poverty (10 to <20% below FPL)	440	40.4	340	38.6	100	47.6	272	38.2	35,801	36.9	485	28.3
High poverty (20 to <30% below FPL)	275	25.2	222	25.2	53	25.2	147	20.6	18,660	19.2	319	18.6
Very high poverty (≥30% below FPL)	179	16.4	152	17.3	27	12.9	124	17.4	15,822	16.3	379	22.1
Area-based poverty level not available	109	10.0	96	10.9	13	6.2	106	14.9	15,117	15.6	405	23.7
Transmission category												
Men who have sex with men (MSM)	720	66.1	606	68.9	114	54.3	421	59.1	60,395	62.2	635	37.1
Injection drug use history (IDU)	12	1.1	11	1.3	1	0.5	38	5.3	9,603	9.9	425	24.8
MSM-IDU	11	1.0	11	1.3	0	0.0	18	2.5	3,691	3.8	104	6.1
Heterosexual contact	28	2.6	19	2.2	9	4.3	52	7.3	7,220	7.4	234	13.7
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	29	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	0.8	1,218	1.3	13	0.8
Other	0	0.0	0	0.0	0	0.0	1	0.1	108	0.1	3	0.2
Unknown	318	29.2	232	26.4	86	41.0	176	24.7	14,877	15.3	298	17.4

**Table 1.4.4. Women Ages 13 Years and Older (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	306	100.0	256	83.7	50	16.3	261	100.0	36,216	100.0	748	100.0
Race or ethnicity												
Black	174	56.9	144	56.3	30	60.0	149	57.1	20,797	57.4	452	60.4
Latina	107	35.0	92	35.9	15	30.0	87	33.3	11,989	33.1	221	29.5
White	14	4.6	11	4.3	3	6.0	16	6.1	2,609	7.2	45	6.0
Asian or Pacific Islander	8	2.6	6	2.3	2	4.0	7	2.7	539	1.5	5	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	72	0.2	4	0.5
Multiracial	3	1.0	3	1.2	0	0.0	2	0.8	141	0.4	20	2.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	69	0.2	1	0.1
Age group (years)												
13-19	12	3.9	11	4.3	1	2.0	1	0.4	136	0.4	0	0.0
20-29	78	25.5	73	28.5	5	10.0	30	11.5	2,073	5.7	11	1.5
30-39	84	27.5	73	28.5	11	22.0	64	24.5	4,671	12.9	44	5.9
40-49	49	16.0	37	14.5	12	24.0	52	19.9	6,867	19.0	88	11.8
50-59	58	19.0	47	18.4	11	22.0	60	23.0	11,582	32.0	222	29.7
60+	25	8.2	15	5.9	10	20.0	54	20.7	10,887	30.1	383	51.2
Borough of residence												
Bronx	83	27.1	72	28.1	11	22.0	89	34.1	11,657	32.2	258	34.5
Brooklyn	93	30.4	69	27.0	24	48.0	76	29.1	9,989	27.6	164	21.9
Manhattan	44	14.4	37	14.5	7	14.0	45	17.2	5,121	14.1	82	11.0
Queens	50	16.3	46	18.0	4	8.0	24	9.2	4,976	13.7	69	9.2
Staten Island	7	2.3	7	2.7	0	0.0	1	0.4	899	2.5	20	2.7
Outside NYC	18	5.9	14	5.5	4	8.0	23	8.8	2,863	7.9	24	3.2
Unknown	11	3.6	11	4.3	0	0.0	3	1.1	711	2.0	131	17.5
Neighborhood poverty level												
Low poverty (<10% below FPL)	24	7.8	21	8.2	3	6.0	13	5.0	2,429	6.7	27	3.6
Medium poverty (10 to <20% below FPL)	104	34.0	88	34.4	16	32.0	78	29.9	12,155	33.6	185	24.7
High poverty (20 to <30% below FPL)	83	27.1	66	25.8	17	34.0	64	24.5	8,681	24.0	162	21.7
Very high poverty (≥30% below FPL)	66	21.6	56	21.9	10	20.0	78	29.9	9,102	25.1	219	29.3
Area-based poverty level not available	29	9.5	25	9.8	4	8.0	28	10.7	3,849	10.6	155	20.7
Transmission category												
Injection drug use history (IDU)	4	1.3	3	1.2	1	2.0	29	11.1	5,341	14.7	209	27.9
Heterosexual contact	188	61.4	151	59.0	37	74.0	148	56.7	20,421	56.4	361	48.3
Transgender people with sexual contact	54	17.6	52	20.3	2	4.0	27	10.3	2,330	6.4	36	4.8
Perinatal	0	0.0	0	0.0	0	0.0	7	2.7	1,297	3.6	10	1.3
Other	0	0.0	0	0.0	0	0.0	1	0.4	84	0.2	4	0.5
Unknown	60	19.6	50	19.5	10	20.0	49	18.8	6,743	18.6	128	17.1

**Table 1.5.1. Bronx, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	211	100.0	179	84.8	32	15.2	156	100.0	19,458	100.0	430	100.0
Race or ethnicity												
Black	85	40.3	73	40.8	12	37.5	80	51.3	8,814	45.3	204	47.4
Latino	104	49.3	89	49.7	15	46.9	63	40.4	9,252	47.5	199	46.3
White	18	8.5	14	7.8	4	12.5	9	5.8	1,093	5.6	19	4.4
Asian or Pacific Islander	4	1.9	3	1.7	1	3.1	3	1.9	170	0.9	1	0.2
Native American	0	0.0	0	0.0	0	0.0	1	0.6	45	0.2	1	0.2
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	62	0.3	6	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.0	0	0.0
13-19	14	6.6	12	6.7	2	6.3	2	1.3	58	0.3	0	0.0
20-29	76	36.0	72	40.2	4	12.5	26	16.7	1,400	7.2	7	1.6
30-39	69	32.7	57	31.8	12	37.5	49	31.4	3,805	19.6	22	5.1
40-49	30	14.2	24	13.4	6	18.8	24	15.4	3,183	16.4	38	8.8
50-59	12	5.7	8	4.5	4	12.5	30	19.2	5,633	28.9	133	30.9
60+	10	4.7	6	3.4	4	12.5	25	16.0	5,370	27.6	230	53.5
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	0.9	2	1.1	0	0.0	0	0.0	114	0.6	4	0.9
Medium poverty (10 to <20% below FPL)	37	17.5	33	18.4	4	12.5	27	17.3	3,454	17.8	73	17.0
High poverty (20 to <30% below FPL)	66	31.3	53	29.6	13	40.6	39	25.0	5,164	26.5	94	21.9
Very high poverty (≥30% below FPL)	106	50.2	91	50.8	15	46.9	90	57.7	10,629	54.6	259	60.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	97	0.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	133	63.0	117	65.4	16	50.0	82	52.6	9,067	46.6	103	24.0
Injection drug use history (IDU)	5	2.4	5	2.8	0	0.0	16	10.3	3,112	16.0	154	35.8
MSM-IDU	2	0.9	2	1.1	0	0.0	5	3.2	963	4.9	27	6.3
Heterosexual contact	9	4.3	6	3.4	3	9.4	13	8.3	2,070	10.6	64	14.9
Transgender people with sexual contact	1	0.5	1	0.6	0	0.0	0	0.0	15	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	419	2.2	4	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
Unknown	61	28.9	48	26.8	13	40.6	39	25.0	3,791	19.5	78	18.1

**Table 1.5.2. Bronx, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	84	100.0	73	86.9	11	13.1	89	100.0	11,662	100.0	258	100.0
Race or ethnicity												
Black	51	60.7	42	57.5	9	81.8	45	50.6	6,129	52.6	136	52.7
Latina	33	39.3	31	42.5	2	18.2	41	46.1	5,096	43.7	107	41.5
White	0	0.0	0	0.0	0	0.0	2	2.2	323	2.8	10	3.9
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	47	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	1.1	29	0.2	5	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Age group (years)												
0-12	1	1.2	1	1.4	0	0.0	0	0.0	5	0.0	0	0.0
13-19	3	3.6	3	4.1	0	0.0	0	0.0	41	0.4	0	0.0
20-29	21	25.0	21	28.8	0	0.0	7	7.9	627	5.4	2	0.8
30-39	19	22.6	17	23.3	2	18.2	16	18.0	1,527	13.1	17	6.6
40-49	13	15.5	9	12.3	4	36.4	22	24.7	2,313	19.8	37	14.3
50-59	20	23.8	18	24.7	2	18.2	24	27.0	3,902	33.5	78	30.2
60+	7	8.3	4	5.5	3	27.3	20	22.5	3,247	27.8	124	48.1
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	53	0.5	0	0.0
Medium poverty (10 to <20% below FPL)	12	14.3	10	13.7	2	18.2	18	20.2	2,165	18.6	34	13.2
High poverty (20 to <30% below FPL)	24	28.6	20	27.4	4	36.4	22	24.7	2,886	24.7	62	24.0
Very high poverty (≥30% below FPL)	48	57.1	43	58.9	5	45.5	49	55.1	6,523	55.9	162	62.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	35	0.3	0	0.0
Transmission category												
Injection drug use history (IDU)	2	2.4	1	1.4	1	9.1	17	19.1	1,923	16.5	88	34.1
Heterosexual contact	55	65.5	47	64.4	8	72.7	49	55.1	6,599	56.6	114	44.2
Transgender people with sexual contact	17	20.2	17	23.3	0	0.0	2	2.2	719	6.2	9	3.5
Perinatal	1	1.2	1	1.4	0	0.0	4	4.5	423	3.6	4	1.6
Other	0	0.0	0	0.0	0	0.0	1	1.1	15	0.1	1	0.4
Unknown	9	10.7	7	9.6	2	18.2	16	18.0	1,983	17.0	42	16.3

**Table 1.5.3. Brooklyn, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	312	100.0	242	77.6	70	22.4	170	100.0	20,546	100.0	366	100.0
Race or ethnicity												
Black	184	59.0	144	59.5	40	57.1	96	56.5	11,168	54.4	225	61.5
Latino	71	22.8	53	21.9	18	25.7	50	29.4	5,199	25.3	102	27.9
White	48	15.4	37	15.3	11	15.7	20	11.8	3,505	17.1	32	8.7
Asian or Pacific Islander	8	2.6	7	2.9	1	1.4	4	2.4	494	2.4	2	0.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	54	0.3	0	0.0
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	106	0.5	5	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	12	3.8	12	5.0	0	0.0	1	0.6	45	0.2	0	0.0
20-29	117	37.5	102	42.1	15	21.4	34	20.0	1,662	8.1	10	2.7
30-39	96	30.8	73	30.2	23	32.9	46	27.1	4,223	20.6	22	6.0
40-49	46	14.7	34	14.0	12	17.1	33	19.4	3,623	17.6	30	8.2
50-59	32	10.3	16	6.6	16	22.9	36	21.2	5,526	26.9	96	26.2
60+	9	2.9	5	2.1	4	5.7	20	11.8	5,462	26.6	208	56.8
Neighborhood poverty level												
Low poverty (<10% below FPL)	8	2.6	4	1.7	4	5.7	9	5.3	917	4.5	12	3.3
Medium poverty (10 to <20% below FPL)	114	36.5	82	33.9	32	45.7	69	40.6	9,035	44.0	138	37.7
High poverty (20 to <30% below FPL)	149	47.8	123	50.8	26	37.1	71	41.8	7,976	38.8	155	42.3
Very high poverty (≥30% below FPL)	41	13.1	33	13.6	8	11.4	21	12.4	2,465	12.0	61	16.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	153	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	203	65.1	163	67.4	40	57.1	94	55.3	11,685	56.9	99	27.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	8	4.7	2,114	10.3	94	25.7
MSM-IDU	3	1.0	3	1.2	0	0.0	3	1.8	742	3.6	21	5.7
Heterosexual contact	6	1.9	5	2.1	1	1.4	12	7.1	1,821	8.9	68	18.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	314	1.5	5	1.4
Other	0	0.0	0	0.0	0	0.0	1	0.6	21	0.1	2	0.5
Unknown	100	32.1	71	29.3	29	41.4	50	29.4	3,844	18.7	77	21.0

**Table 1.5.4. Brooklyn, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	94	100.0	70	74.5	24	25.5	77	100.0	9,993	100.0	164	100.0
Race or ethnicity												
Black	68	72.3	51	72.9	17	70.8	54	70.1	6,931	69.4	119	72.6
Latina	20	21.3	15	21.4	5	20.8	14	18.2	2,297	23.0	33	20.1
White	3	3.2	2	2.9	1	4.2	5	6.5	561	5.6	5	3.0
Asian or Pacific Islander	1	1.1	0	0.0	1	4.2	3	3.9	121	1.2	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Multiracial	2	2.1	2	2.9	0	0.0	1	1.3	40	0.4	6	3.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0
Age group (years)												
0-12	1	1.1	1	1.4	0	0.0	1	1.3	4	0.0	0	0.0
13-19	4	4.3	3	4.3	1	4.2	1	1.3	43	0.4	0	0.0
20-29	19	20.2	17	24.3	2	8.3	7	9.1	515	5.2	2	1.2
30-39	28	29.8	22	31.4	6	25.0	24	31.2	1,219	12.2	8	4.9
40-49	13	13.8	8	11.4	5	20.8	10	13.0	1,910	19.1	21	12.8
50-59	23	24.5	16	22.9	7	29.2	19	24.7	3,101	31.0	48	29.3
60+	6	6.4	3	4.3	3	12.5	15	19.5	3,201	32.0	85	51.8
Neighborhood poverty level												
Low poverty (<10% below FPL)	6	6.4	4	5.7	2	8.3	6	7.8	415	4.2	5	3.0
Medium poverty (10 to <20% below FPL)	39	41.5	31	44.3	8	33.3	24	31.2	4,002	40.0	69	42.1
High poverty (20 to <30% below FPL)	39	41.5	28	40.0	11	45.8	31	40.3	4,065	40.7	55	33.5
Very high poverty (≥30% below FPL)	10	10.6	7	10.0	3	12.5	16	20.8	1,451	14.5	35	21.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	60	0.6	0	0.0
Transmission category												
Injection drug use history (IDU)	1	1.1	1	1.4	0	0.0	5	6.5	1,319	13.2	42	25.6
Heterosexual contact	65	69.1	44	62.9	21	87.5	54	70.1	5,810	58.1	78	47.6
Transgender people with sexual contact	6	6.4	6	8.6	0	0.0	3	3.9	461	4.6	9	5.5
Perinatal	1	1.1	1	1.4	0	0.0	3	3.9	349	3.5	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	3	1.8
Unknown	21	22.3	18	25.7	3	12.5	12	15.6	2,030	20.3	31	18.9

**Table 1.5.5. Manhattan, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	226	100.0	186	82.3	40	17.7	154	100.0	27,544	100.0	302	100.0
Race or ethnicity												
Black	86	38.1	73	39.2	13	32.5	54	35.1	7,326	26.6	104	34.4
Latino	73	32.3	59	31.7	14	35.0	46	29.9	7,802	28.3	92	30.5
White	56	24.8	46	24.7	10	25.0	44	28.6	11,245	40.8	96	31.8
Asian or Pacific Islander	7	3.1	5	2.7	2	5.0	7	4.5	820	3.0	2	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	56	0.2	0	0.0
Multiracial	4	1.8	3	1.6	1	2.5	3	1.9	156	0.6	8	2.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	139	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.0	0	0.0
13-19	12	5.3	12	6.5	0	0.0	0	0.0	31	0.1	0	0.0
20-29	81	35.8	71	38.2	10	25.0	23	14.9	1,168	4.2	3	1.0
30-39	71	31.4	62	33.3	9	22.5	45	29.2	4,319	15.7	16	5.3
40-49	21	9.3	15	8.1	6	15.0	30	19.5	4,779	17.4	23	7.6
50-59	28	12.4	17	9.1	11	27.5	27	17.5	8,537	31.0	83	27.5
60+	13	5.8	9	4.8	4	10.0	29	18.8	8,706	31.6	177	58.6
Neighborhood poverty level												
Low poverty (<10% below FPL)	33	14.6	28	15.1	5	12.5	27	17.5	7,730	28.1	66	21.9
Medium poverty (10 to <20% below FPL)	105	46.5	87	46.8	18	45.0	79	51.3	11,331	41.1	112	37.1
High poverty (20 to <30% below FPL)	52	23.0	40	21.5	12	30.0	32	20.8	5,136	18.6	65	21.5
Very high poverty (≥30% below FPL)	32	14.2	28	15.1	4	10.0	13	8.4	2,736	9.9	59	19.5
Area-based poverty level not available	4	1.8	3	1.6	1	2.5	3	1.9	611	2.2	0	0.0
Transmission category												
Men who have sex with men (MSM)	153	67.7	133	71.5	20	50.0	101	65.6	19,981	72.5	152	50.3
Injection drug use history (IDU)	3	1.3	2	1.1	1	2.5	4	2.6	2,003	7.3	61	20.2
MSM-IDU	5	2.2	5	2.7	0	0.0	5	3.2	1,063	3.9	17	5.6
Heterosexual contact	4	1.8	3	1.6	1	2.5	8	5.2	1,080	3.9	33	10.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.6	179	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	1	0.3
Unknown	61	27.0	43	23.1	18	45.0	35	22.7	3,221	11.7	38	12.6

**Table 1.5.6. Manhattan, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	44	100.0	37	84.1	7	15.9	45	100.0	5,126	100.0	82	100.0
Race or ethnicity												
Black	18	40.9	17	45.9	1	14.3	24	53.3	2,725	53.2	49	59.8
Latina	23	52.3	18	48.6	5	71.4	17	37.8	1,760	34.3	26	31.7
White	1	2.3	1	2.7	0	0.0	2	4.4	526	10.3	3	3.7
Asian or Pacific Islander	1	2.3	0	0.0	1	14.3	2	4.4	73	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	1	2.3	1	2.7	0	0.0	0	0.0	19	0.4	4	4.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	2	4.5	2	5.4	0	0.0	0	0.0	15	0.3	0	0.0
20-29	12	27.3	11	29.7	1	14.3	6	13.3	274	5.3	0	0.0
30-39	13	29.5	12	32.4	1	14.3	11	24.4	562	11.0	1	1.2
40-49	7	15.9	6	16.2	1	14.3	7	15.6	836	16.3	6	7.3
50-59	5	11.4	4	10.8	1	14.3	11	24.4	1,674	32.7	29	35.4
60+	5	11.4	2	5.4	3	42.9	10	22.2	1,760	34.3	46	56.1
Neighborhood poverty level												
Low poverty (<10% below FPL)	7	15.9	6	16.2	1	14.3	4	8.9	623	12.2	8	9.8
Medium poverty (10 to <20% below FPL)	11	25.0	9	24.3	2	28.6	15	33.3	1,709	33.3	17	20.7
High poverty (20 to <30% below FPL)	18	40.9	16	43.2	2	28.6	11	24.4	1,549	30.2	35	42.7
Very high poverty (≥30% below FPL)	8	18.2	6	16.2	2	28.6	13	28.9	1,135	22.1	22	26.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	4.4	110	2.1	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	8.9	986	19.2	25	30.5
Heterosexual contact	24	54.5	20	54.1	4	57.1	23	51.1	2,525	49.3	38	46.3
Transgender people with sexual contact	13	29.5	12	32.4	1	14.3	9	20.0	402	7.8	3	3.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	182	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	7	15.9	5	13.5	2	28.6	9	20.0	1,017	19.8	16	19.5

**Table 1.5.7. Queens, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	215	100.0	164	76.3	51	23.7	113	100.0	13,866	100.0	177	100.0
Race or ethnicity												
Black	57	26.5	44	26.8	13	25.5	37	32.7	4,246	30.6	83	46.9
Latino	94	43.7	71	43.3	23	45.1	49	43.4	6,028	43.5	50	28.2
White	30	14.0	23	14.0	7	13.7	12	10.6	2,490	18.0	29	16.4
Asian or Pacific Islander	31	14.4	23	14.0	8	15.7	13	11.5	971	7.0	10	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	47	0.3	1	0.6
Multiracial	3	1.4	3	1.8	0	0.0	2	1.8	57	0.4	4	2.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	27	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	7	3.3	7	4.3	0	0.0	0	0.0	32	0.2	0	0.0
20-29	76	35.3	68	41.5	8	15.7	17	15.0	880	6.3	1	0.6
30-39	67	31.2	51	31.1	16	31.4	33	29.2	2,571	18.5	19	10.7
40-49	32	14.9	20	12.2	12	23.5	22	19.5	2,699	19.5	17	9.6
50-59	25	11.6	15	9.1	10	19.6	28	24.8	4,063	29.3	42	23.7
60+	8	3.7	3	1.8	5	9.8	13	11.5	3,618	26.1	98	55.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	36	16.7	31	18.9	5	9.8	19	16.8	2,425	17.5	29	16.4
Medium poverty (10 to <20% below FPL)	171	79.5	127	77.4	44	86.3	88	77.9	10,921	78.8	141	79.7
High poverty (20 to <30% below FPL)	8	3.7	6	3.7	2	3.9	5	4.4	387	2.8	5	2.8
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	133	1.0	2	1.1
Transmission category												
Men who have sex with men (MSM)	143	66.5	115	70.1	28	54.9	63	55.8	8,485	61.2	74	41.8
Injection drug use history (IDU)	1	0.5	1	0.6	0	0.0	4	3.5	1,281	9.2	28	15.8
MSM-IDU	0	0.0	0	0.0	0	0.0	2	1.8	400	2.9	7	4.0
Heterosexual contact	6	2.8	4	2.4	2	3.9	9	8.0	1,242	9.0	27	15.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	170	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	65	30.2	44	26.8	21	41.2	35	31.0	2,266	16.3	41	23.2

**Table 1.5.8. Queens, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	50	100.0	46	92.0	4	8.0	24	100.0	4,981	100.0	69	100.0
Race or ethnicity												
Black	25	50.0	23	50.0	2	50.0	13	54.2	2,738	55.0	37	53.6
Latina	16	32.0	15	32.6	1	25.0	7	29.2	1,546	31.0	21	30.4
White	5	10.0	4	8.7	1	25.0	3	12.5	424	8.5	6	8.7
Asian or Pacific Islander	4	8.0	4	8.7	0	0.0	1	4.2	227	4.6	2	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	21	0.4	3	4.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
13-19	2	4.0	2	4.3	0	0.0	0	0.0	11	0.2	0	0.0
20-29	18	36.0	17	37.0	1	25.0	4	16.7	242	4.9	3	4.3
30-39	11	22.0	10	21.7	1	25.0	6	25.0	619	12.4	8	11.6
40-49	8	16.0	7	15.2	1	25.0	6	25.0	991	19.9	3	4.3
50-59	5	10.0	5	10.9	0	0.0	3	12.5	1,565	31.4	24	34.8
60+	6	12.0	5	10.9	1	25.0	5	20.8	1,548	31.1	31	44.9
Neighborhood poverty level												
Low poverty (<10% below FPL)	10	20.0	10	21.7	0	0.0	3	12.5	1,062	21.3	10	14.5
Medium poverty (10 to <20% below FPL)	38	76.0	34	73.9	4	100.0	21	87.5	3,667	73.6	49	71.0
High poverty (20 to <30% below FPL)	2	4.0	2	4.3	0	0.0	0	0.0	184	3.7	10	14.5
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	68	1.4	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.3	593	11.9	11	15.9
Heterosexual contact	27	54.0	26	56.5	1	25.0	10	41.7	3,048	61.2	37	53.6
Transgender people with sexual contact	10	20.0	9	19.6	1	25.0	6	25.0	282	5.7	5	7.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	178	3.6	2	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	13	26.0	11	23.9	2	50.0	6	25.0	863	17.3	14	20.3

**Table 1.5.9. Staten Island, Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People with HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	21	100.0	16	76.2	5	23.8	17	100.0	1,637	100.0	34	100.0
Race or ethnicity												
Black	9	42.9	8	50.0	1	20.0	5	29.4	591	36.1	13	38.2
Latino	4	19.0	4	25.0	0	0.0	6	35.3	480	29.3	8	23.5
White	3	14.3	0	0.0	3	60.0	5	29.4	515	31.5	13	38.2
Asian or Pacific Islander	3	14.3	3	18.8	0	0.0	0	0.0	30	1.8	0	0.0
Other or unknown	2	9.5	1	6.3	1	20.0	1	5.9	21	1.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	33.3	6	37.5	1	20.0	2	11.8	112	6.8	0	0.0
30-39	10	47.6	8	50.0	2	40.0	5	29.4	253	15.5	1	2.9
40-49	2	9.5	1	6.3	1	20.0	4	23.5	260	15.9	4	11.8
50-59	2	9.5	1	6.3	1	20.0	4	23.5	490	29.9	5	14.7
60+	0	0.0	0	0.0	0	0.0	2	11.8	520	31.8	24	70.6
Neighborhood poverty level												
Low poverty (<10% below FPL)	8	38.1	5	31.3	3	60.0	8	47.1	556	34.0	13	38.2
Medium poverty (10 to <20% below FPL)	13	61.9	11	68.8	2	40.0	9	52.9	1,070	65.4	21	61.8
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	10	47.6	8	50.0	2	40.0	6	35.3	805	49.2	7	20.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	17.6	264	16.1	9	26.5
MSM-IDU	1	4.8	1	6.3	0	0.0	0	0.0	76	4.6	1	2.9
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	171	10.4	6	17.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	36	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	10	47.6	7	43.8	3	60.0	7	41.2	285	17.4	11	32.4

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.5.10. Staten Island, Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People with HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	7	100.0	7	100.0	0	0.0	1	100.0	900	100.0	20	100.0
Race or ethnicity												
Black	2	28.6	2	28.6	0	0.0	1	100.0	426	47.3	15	75.0
Latina	3	42.9	3	42.9	0	0.0	0	0.0	264	29.3	2	10.0
White	1	14.3	1	14.3	0	0.0	0	0.0	196	21.8	3	15.0
Asian or Pacific Islander	1	14.3	1	14.3	0	0.0	0	0.0	6	0.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
20-29	1	14.3	1	14.3	0	0.0	0	0.0	38	4.2	1	5.0
30-39	2	28.6	2	28.6	0	0.0	0	0.0	131	14.6	0	0.0
40-49	3	42.9	3	42.9	0	0.0	1	100.0	167	18.6	2	10.0
50-59	1	14.3	1	14.3	0	0.0	0	0.0	305	33.9	7	35.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	254	28.2	10	50.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	1	14.3	1	14.3	0	0.0	0	0.0	278	30.9	4	20.0
Medium poverty (10 to <20% below FPL)	6	85.7	6	85.7	0	0.0	1	100.0	620	68.9	16	80.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	135	15.0	5	25.0
Heterosexual contact	4	57.1	4	57.1	0	0.0	1	100.0	537	59.7	12	60.0
Transgender people with sexual contact	1	14.3	1	14.3	0	0.0	0	0.0	47	5.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	38	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	2	28.6	2	28.6	0	0.0	0	0.0	138	15.3	3	15.0

As reported to the NYC Health Department by March 31, 2024.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.6.1. Men Who Have Sex With Men (MSM)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	720	100.0	606	84.2	114	15.8	421	100.0	60,395	100.0	635	100.0
Race or ethnicity												
Black	267	37.1	232	38.3	35	30.7	170	40.4	18,778	31.1	231	36.4
Latino	287	39.9	242	39.9	45	39.5	137	32.5	19,455	32.2	170	26.8
White	114	15.8	92	15.2	22	19.3	84	20.0	19,533	32.3	209	32.9
Asian or Pacific Islander	43	6.0	33	5.4	10	8.8	21	5.0	2,014	3.3	13	2.0
Native American	1	0.1	1	0.2	0	0.0	2	0.5	147	0.2	1	0.2
Multiracial	8	1.1	6	1.0	2	1.8	7	1.7	394	0.7	10	1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	74	0.1	1	0.2
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	42	5.8	40	6.6	2	1.8	3	0.7	106	0.2	0	0.0
20-29	303	42.1	273	45.0	30	26.3	98	23.3	5,480	9.1	19	3.0
30-39	243	33.8	199	32.8	44	38.6	154	36.6	14,671	24.3	71	11.2
40-49	72	10.0	58	9.6	14	12.3	65	15.4	12,076	20.0	88	13.9
50-59	49	6.8	29	4.8	20	17.5	66	15.7	16,344	27.1	191	30.1
60+	11	1.5	7	1.2	4	3.5	35	8.3	11,718	19.4	266	41.9
Borough of residence												
Bronx	133	18.5	117	19.3	16	14.0	82	19.5	9,067	15.0	103	16.2
Brooklyn	203	28.2	163	26.9	40	35.1	94	22.3	11,685	19.3	99	15.6
Manhattan	153	21.3	133	21.9	20	17.5	101	24.0	19,981	33.1	152	23.9
Queens	143	19.9	115	19.0	28	24.6	63	15.0	8,485	14.0	74	11.7
Staten Island	10	1.4	8	1.3	2	1.8	6	1.4	805	1.3	7	1.1
Outside NYC	54	7.5	46	7.6	8	7.0	72	17.1	8,453	14.0	23	3.6
Unknown	24	3.3	24	4.0	0	0.0	3	0.7	1,919	3.2	177	27.9
Neighborhood poverty level												
Low poverty (<10% below FPL)	49	6.8	42	6.9	7	6.1	35	8.3	8,535	14.1	67	10.6
Medium poverty (10 to <20% below FPL)	290	40.3	237	39.1	53	46.5	161	38.2	22,811	37.8	189	29.8
High poverty (20 to <30% below FPL)	189	26.3	157	25.9	32	28.1	85	20.2	10,819	17.9	81	12.8
Very high poverty (≥30% below FPL)	112	15.6	99	16.3	13	11.4	62	14.7	7,457	12.3	97	15.3
Area-based poverty level not available	80	11.1	71	11.7	9	7.9	78	18.5	10,773	17.8	201	31.7

**Table 1.6.2. Injection Drug Use History (IDU), Men (Includes Transgender Men)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	12	100.0	11	91.7	1	8.3	38	100.0	9,603	100.0	425	100.0
Race or ethnicity												
Black	4	33.3	4	36.4	0	0.0	11	28.9	3,830	39.9	203	47.8
Latino	5	41.7	4	36.4	1	100.0	23	60.5	4,585	47.7	167	39.3
White	2	16.7	2	18.2	0	0.0	3	7.9	1,091	11.4	46	10.8
Asian or Pacific Islander	1	8.3	1	9.1	0	0.0	1	2.6	59	0.6	1	0.2
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	2	0.5
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	6	1.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	16.7	2	18.2	0	0.0	1	2.6	20	0.2	0	0.0
30-39	5	41.7	4	36.4	1	100.0	4	10.5	170	1.8	4	0.9
40-49	2	16.7	2	18.2	0	0.0	6	15.8	556	5.8	17	4.0
50-59	2	16.7	2	18.2	0	0.0	13	34.2	2,718	28.3	109	25.6
60+	1	8.3	1	9.1	0	0.0	14	36.8	6,139	63.9	295	69.4
Borough of residence												
Bronx	5	41.7	5	45.5	0	0.0	16	42.1	3,112	32.4	154	36.2
Brooklyn	0	0.0	0	0.0	0	0.0	8	21.1	2,114	22.0	94	22.1
Manhattan	3	25.0	2	18.2	1	100.0	4	10.5	2,003	20.9	61	14.4
Queens	1	8.3	1	9.1	0	0.0	4	10.5	1,281	13.3	28	6.6
Staten Island	0	0.0	0	0.0	0	0.0	3	7.9	264	2.7	9	2.1
Outside NYC	2	16.7	2	18.2	0	0.0	3	7.9	788	8.2	11	2.6
Unknown	1	8.3	1	9.1	0	0.0	0	0.0	41	0.4	68	16.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	4	10.5	693	7.2	24	5.6
Medium poverty (10 to <20% below FPL)	4	33.3	3	27.3	1	100.0	10	26.3	3,102	32.3	92	21.6
High poverty (20 to <30% below FPL)	2	16.7	2	18.2	0	0.0	9	23.7	2,139	22.3	91	21.4
Very high poverty (≥30% below FPL)	3	25.0	3	27.3	0	0.0	11	28.9	2,617	27.3	139	32.7
Area-based poverty level not available	3	25.0	3	27.3	0	0.0	4	10.5	1,052	11.0	79	18.6

**Table 1.6.3. Injection Drug Use History (IDU), Women (Includes Transgender Women)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	4	100.0	3	75.0	1	25.0	29	100.0	5,341	100.0	209	100.0
Race or ethnicity												
Black	1	25.0	1	33.3	0	0.0	8	27.6	2,551	47.8	102	48.8
Latina	2	50.0	1	33.3	1	100.0	14	48.3	2,127	39.8	77	36.8
White	1	25.0	1	33.3	0	0.0	6	20.7	617	11.6	22	10.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	0.5
Multiracial	0	0.0	0	0.0	0	0.0	1	3.4	20	0.4	7	3.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	39	0.7	0	0.0
30-39	3	75.0	2	66.7	1	100.0	7	24.1	191	3.6	6	2.9
40-49	1	25.0	1	33.3	0	0.0	6	20.7	535	10.0	19	9.1
50-59	0	0.0	0	0.0	0	0.0	8	27.6	2,047	38.3	74	35.4
60+	0	0.0	0	0.0	0	0.0	8	27.6	2,529	47.4	110	52.6
Borough of residence												
Bronx	2	50.0	1	33.3	1	100.0	17	58.6	1,923	36.0	88	42.1
Brooklyn	1	25.0	1	33.3	0	0.0	5	17.2	1,319	24.7	42	20.1
Manhattan	0	0.0	0	0.0	0	0.0	4	13.8	986	18.5	25	12.0
Queens	0	0.0	0	0.0	0	0.0	2	6.9	593	11.1	11	5.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	135	2.5	5	2.4
Outside NYC	1	25.0	1	33.3	0	0.0	1	3.4	373	7.0	4	1.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	34	16.3
Neighborhood poverty level												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	2	6.9	326	6.1	8	3.8
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	6	20.7	1,575	29.5	44	21.1
High poverty (20 to <30% below FPL)	2	50.0	1	33.3	1	100.0	5	17.2	1,386	26.0	43	20.6
Very high poverty (≥30% below FPL)	1	25.0	1	33.3	0	0.0	15	51.7	1,609	30.1	76	36.4
Area-based poverty level not available	1	25.0	1	33.3	0	0.0	1	3.4	445	8.3	38	18.2

**Table 1.6.4. Men Who Have Sex With Men and Inject Drugs (MSM-IDU)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	11	100.0	11	100.0	0	0.0	18	100.0	3,691	100.0	104	100.0
Race or ethnicity												
Black	4	36.4	4	36.4	0	0.0	10	55.6	1,299	35.2	38	36.5
Latino	5	45.5	5	45.5	0	0.0	5	27.8	1,381	37.4	42	40.4
White	2	18.2	2	18.2	0	0.0	3	16.7	916	24.8	21	20.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	52	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	30	0.8	3	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	6	54.5	6	54.5	0	0.0	1	5.6	164	4.4	2	1.9
30-39	3	27.3	3	27.3	0	0.0	7	38.9	622	16.9	4	3.8
40-49	0	0.0	0	0.0	0	0.0	2	11.1	666	18.0	10	9.6
50-59	1	9.1	1	9.1	0	0.0	5	27.8	1,178	31.9	33	31.7
60+	1	9.1	1	9.1	0	0.0	3	16.7	1,059	28.7	55	52.9
Borough of residence												
Bronx	2	18.2	2	18.2	0	0.0	5	27.8	963	26.1	27	26.0
Brooklyn	3	27.3	3	27.3	0	0.0	3	16.7	742	20.1	21	20.2
Manhattan	5	45.5	5	45.5	0	0.0	5	27.8	1,063	28.8	17	16.3
Queens	0	0.0	0	0.0	0	0.0	2	11.1	400	10.8	7	6.7
Staten Island	1	9.1	1	9.1	0	0.0	0	0.0	76	2.1	1	1.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	5.6	432	11.7	4	3.8
Unknown	0	0.0	0	0.0	0	0.0	2	11.1	15	0.4	27	26.0
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	18.2	2	18.2	0	0.0	2	11.1	379	10.3	3	2.9
Medium poverty (10 to <20% below FPL)	3	27.3	3	27.3	0	0.0	3	16.7	1,285	34.8	31	29.8
High poverty (20 to <30% below FPL)	4	36.4	4	36.4	0	0.0	4	22.2	796	21.6	19	18.3
Very high poverty (≥30% below FPL)	2	18.2	2	18.2	0	0.0	6	33.3	762	20.6	20	19.2
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	3	16.7	469	12.7	31	29.8

Table 1.6.5. Heterosexual Contact, Men
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	28	100.0	19	67.9	9	32.1	52	100.0	7,220	100.0	234	100.0
Race or ethnicity												
Black	15	53.6	10	52.6	5	55.6	30	57.7	3,918	54.3	139	59.4
Latino	9	32.1	7	36.8	2	22.2	16	30.8	2,436	33.7	77	32.9
White	4	14.3	2	10.5	2	22.2	4	7.7	590	8.2	12	5.1
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	2	3.8	230	3.2	3	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	3	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.6	1	5.3	0	0.0	0	0.0	3	0.0	0	0.0
20-29	7	25.0	6	31.6	1	11.1	4	7.7	121	1.7	1	0.4
30-39	9	32.1	6	31.6	3	33.3	7	13.5	514	7.1	7	3.0
40-49	2	7.1	2	10.5	0	0.0	12	23.1	1,117	15.5	22	9.4
50-59	7	25.0	3	15.8	4	44.4	17	32.7	2,816	39.0	68	29.1
60+	2	7.1	1	5.3	1	11.1	12	23.1	2,649	36.7	136	58.1
Borough of residence												
Bronx	9	32.1	6	31.6	3	33.3	13	25.0	2,070	28.7	64	27.4
Brooklyn	6	21.4	5	26.3	1	11.1	12	23.1	1,821	25.2	68	29.1
Manhattan	4	14.3	3	15.8	1	11.1	8	15.4	1,080	15.0	33	14.1
Queens	6	21.4	4	21.1	2	22.2	9	17.3	1,242	17.2	27	11.5
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	171	2.4	6	2.6
Outside NYC	3	10.7	1	5.3	2	22.2	10	19.2	750	10.4	7	3.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	86	1.2	29	12.4
Neighborhood poverty level												
Low poverty (<10% below FPL)	2	7.1	2	10.5	0	0.0	2	3.8	533	7.4	8	3.4
Medium poverty (10 to <20% below FPL)	9	32.1	7	36.8	2	22.2	16	30.8	2,620	36.3	77	32.9
High poverty (20 to <30% below FPL)	5	17.9	4	21.1	1	11.1	8	15.4	1,572	21.8	53	22.6
Very high poverty (≥30% below FPL)	9	32.1	5	26.3	4	44.4	16	30.8	1,620	22.4	60	25.6
Area-based poverty level not available	3	10.7	1	5.3	2	22.2	10	19.2	875	12.1	36	15.4

Table 1.6.6. Heterosexual Contact, Women
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	188	100.0	151	80.3	37	19.7	148	100.0	20,421	100.0	361	100.0
Race or ethnicity												
Black	110	58.5	85	56.3	25	67.6	95	64.2	12,075	59.1	229	63.4
Latina	61	32.4	53	35.1	8	21.6	40	27.0	6,557	32.1	103	28.5
White	10	5.3	8	5.3	2	5.4	7	4.7	1,312	6.4	17	4.7
Asian or Pacific Islander	5	2.7	3	2.0	2	5.4	6	4.1	353	1.7	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	3	0.8
Multiracial	2	1.1	2	1.3	0	0.0	0	0.0	66	0.3	8	2.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	8	4.3	7	4.6	1	2.7	1	0.7	21	0.1	0	0.0
20-29	39	20.7	37	24.5	2	5.4	9	6.1	642	3.1	3	0.8
30-39	51	27.1	43	28.5	8	21.6	39	26.4	2,562	12.5	17	4.7
40-49	33	17.6	22	14.6	11	29.7	31	20.9	4,407	21.6	48	13.3
50-59	42	22.3	34	22.5	8	21.6	37	25.0	6,843	33.5	92	25.5
60+	15	8.0	8	5.3	7	18.9	31	20.9	5,946	29.1	201	55.7
Borough of residence												
Bronx	55	29.3	47	31.1	8	21.6	49	33.1	6,599	32.3	114	31.6
Brooklyn	65	34.6	44	29.1	21	56.8	54	36.5	5,810	28.5	78	21.6
Manhattan	24	12.8	20	13.2	4	10.8	23	15.5	2,525	12.4	38	10.5
Queens	27	14.4	26	17.2	1	2.7	10	6.8	3,048	14.9	37	10.2
Staten Island	4	2.1	4	2.6	0	0.0	1	0.7	537	2.6	12	3.3
Outside NYC	7	3.7	4	2.6	3	8.1	10	6.8	1,651	8.1	11	3.0
Unknown	6	3.2	6	4.0	0	0.0	1	0.7	251	1.2	71	19.7
Neighborhood poverty level												
Low poverty (<10% below FPL)	15	8.0	13	8.6	2	5.4	8	5.4	1,420	7.0	10	2.8
Medium poverty (10 to <20% below FPL)	61	32.4	50	33.1	11	29.7	43	29.1	7,076	34.7	93	25.8
High poverty (20 to <30% below FPL)	52	27.7	38	25.2	14	37.8	40	27.0	4,859	23.8	86	23.8
Very high poverty (≥30% below FPL)	47	25.0	40	26.5	7	18.9	45	30.4	5,080	24.9	90	24.9
Area-based poverty level not available	13	6.9	10	6.6	3	8.1	12	8.1	1,986	9.7	82	22.7

**Table 1.6.7. Transgender People With Sexual Contact
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	55	100.0	53	96.4	2	3.6	27	100.0	2,359	100.0	36	100.0
Gender												
Men	1	1.8	1	1.9	0	0.0	0	0.0	29	1.2	0	0.0
Women	54	98.2	52	98.1	2	100.0	27	100.0	2,330	98.8	36	100.0
Race or ethnicity												
Black	26	47.3	25	47.2	1	50.0	12	44.4	1,156	49.0	21	58.3
Latino	28	50.9	27	50.9	1	50.0	14	51.9	974	41.3	11	30.6
White	0	0.0	0	0.0	0	0.0	0	0.0	139	5.9	0	0.0
Asian or Pacific Islander	1	1.8	1	1.9	0	0.0	1	3.7	47	2.0	2	5.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	34	1.4	2	5.6
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.6	2	3.8	0	0.0	0	0.0	13	0.6	0	0.0
20-29	31	56.4	29	54.7	2	100.0	10	37.0	556	23.6	3	8.3
30-39	13	23.6	13	24.5	0	0.0	11	40.7	917	38.9	12	33.3
40-49	7	12.7	7	13.2	0	0.0	5	18.5	504	21.4	10	27.8
50-59	2	3.6	2	3.8	0	0.0	1	3.7	291	12.3	8	22.2
60+	0	0.0	0	0.0	0	0.0	0	0.0	78	3.3	3	8.3
Borough of residence												
Bronx	18	32.7	18	34.0	0	0.0	2	7.4	734	31.1	9	25.0
Brooklyn	6	10.9	6	11.3	0	0.0	3	11.1	466	19.8	9	25.0
Manhattan	13	23.6	12	22.6	1	50.0	9	33.3	405	17.2	3	8.3
Queens	10	18.2	9	17.0	1	50.0	6	22.2	283	12.0	5	13.9
Staten Island	1	1.8	1	1.9	0	0.0	0	0.0	47	2.0	0	0.0
Outside NYC	4	7.3	4	7.5	0	0.0	5	18.5	230	9.7	2	5.6
Unknown	3	5.5	3	5.7	0	0.0	2	7.4	194	8.2	8	22.2
Neighborhood poverty level												
Low poverty (<10% below FPL)	5	9.1	4	7.5	1	50.0	2	7.4	120	5.1	1	2.8
Medium poverty (10 to <20% below FPL)	17	30.9	16	30.2	1	50.0	10	37.0	705	29.9	12	33.3
High poverty (20 to <30% below FPL)	16	29.1	16	30.2	0	0.0	4	14.8	517	21.9	6	16.7
Very high poverty (≥30% below FPL)	10	18.2	10	18.9	0	0.0	3	11.1	586	24.8	7	19.4
Area-based poverty level not available	7	12.7	7	13.2	0	0.0	8	29.6	431	18.3	10	27.8

Table 1.7.1. Kingsbridge - Riverdale (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	4	100.0	3	75.0	1	25.0	6	100.0	795	100.0	18	100.0
Gender												
Men	3	75.0	2	66.7	1	100.0	6	100.0	548	68.9	13	72.2
Women	1	25.0	1	33.3	0	0.0	0	0.0	247	31.1	5	27.8
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	3	50.0	264	33.2	6	33.3
Latino	3	75.0	2	66.7	1	100.0	2	33.3	367	46.2	8	44.4
White	1	25.0	1	33.3	0	0.0	1	16.7	144	18.1	4	22.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	13	1.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
20-29	2	50.0	1	33.3	1	100.0	2	33.3	39	4.9	0	0.0
30-39	1	25.0	1	33.3	0	0.0	1	16.7	149	18.7	0	0.0
40-49	1	25.0	1	33.3	0	0.0	1	16.7	115	14.5	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	241	30.3	5	27.8
60+	0	0.0	0	0.0	0	0.0	2	33.3	247	31.1	13	72.2
Transmission category												
Men who have sex with men (MSM)	2	50.0	1	33.3	1	100.0	3	50.0	339	42.6	4	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	16.7	101	12.7	5	27.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	180	22.6	2	11.1
Transgender people with sexual contact	1	25.0	1	33.3	0	0.0	0	0.0	10	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	21	2.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	25.0	1	33.3	0	0.0	2	33.3	127	16.0	7	38.9

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.7.2. Northeast Bronx (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	28	100.0	24	85.7	4	14.3	27	100.0	2,798	100.0	57	100.0
Gender												
Men	17	60.7	15	62.5	2	50.0	17	63.0	1,612	57.6	39	68.4
Women	11	39.3	9	37.5	2	50.0	10	37.0	1,186	42.4	18	31.6
Race or ethnicity												
Black	14	50.0	11	45.8	3	75.0	22	81.5	1,806	64.5	38	66.7
Latino	13	46.4	12	50.0	1	25.0	5	18.5	842	30.1	15	26.3
White	1	3.6	1	4.2	0	0.0	0	0.0	103	3.7	3	5.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	27	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	1	1.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	1	3.6	1	4.2	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	3.6	1	4.2	0	0.0	0	0.0	8	0.3	0	0.0
20-29	8	28.6	8	33.3	0	0.0	3	11.1	187	6.7	0	0.0
30-39	8	28.6	7	29.2	1	25.0	8	29.6	492	17.6	3	5.3
40-49	4	14.3	3	12.5	1	25.0	4	14.8	491	17.5	5	8.8
50-59	3	10.7	2	8.3	1	25.0	6	22.2	848	30.3	24	42.1
60+	3	10.7	2	8.3	1	25.0	6	22.2	770	27.5	25	43.9
Transmission category												
Men who have sex with men (MSM)	12	42.9	10	41.7	2	50.0	10	37.0	754	26.9	8	14.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	7.4	304	10.9	19	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	72	2.6	5	8.8
Heterosexual contact	9	32.1	7	29.2	2	50.0	9	33.3	974	34.8	14	24.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	41	1.5	1	1.8
Perinatal	1	3.6	1	4.2	0	0.0	1	3.7	96	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	21.4	6	25.0	0	0.0	5	18.5	557	19.9	10	17.5

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

Table 1.7.3. Fordham - Bronx Park (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	52	100.0	42	80.8	10	19.2	43	100.0	5,984	100.0	109	100.0
Gender												
Men	39	75.0	32	76.2	7	70.0	26	60.5	3,917	65.5	62	56.9
Women	13	25.0	10	23.8	3	30.0	17	39.5	2,067	34.5	47	43.1
Race or ethnicity												
Black	22	42.3	17	40.5	5	50.0	20	46.5	2,729	45.6	58	53.2
Latino	26	50.0	23	54.8	3	30.0	18	41.9	2,891	48.3	43	39.4
White	3	5.8	1	2.4	2	20.0	3	7.0	288	4.8	8	7.3
Asian or Pacific Islander	1	1.9	1	2.4	0	0.0	1	2.3	43	0.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	2.3	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	3.8	2	4.8	0	0.0	0	0.0	14	0.2	0	0.0
20-29	19	36.5	17	40.5	2	20.0	7	16.3	397	6.6	1	0.9
30-39	13	25.0	11	26.2	2	20.0	14	32.6	1,051	17.6	5	4.6
40-49	6	11.5	3	7.1	3	30.0	5	11.6	1,125	18.8	17	15.6
50-59	6	11.5	5	11.9	1	10.0	8	18.6	1,830	30.6	30	27.5
60+	6	11.5	4	9.5	2	20.0	9	20.9	1,566	26.2	56	51.4
Transmission category												
Men who have sex with men (MSM)	25	48.1	22	52.4	3	30.0	16	37.2	2,041	34.1	15	13.8
Injection drug use history (IDU)	1	1.9	1	2.4	0	0.0	4	9.3	915	15.3	25	22.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	184	3.1	6	5.5
Heterosexual contact	9	17.3	6	14.3	3	30.0	11	25.6	1,500	25.1	35	32.1
Transgender people with sexual contact	5	9.6	5	11.9	0	0.0	0	0.0	162	2.7	2	1.8
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	127	2.1	2	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	12	23.1	8	19.0	4	40.0	11	25.6	1,047	17.5	24	22.0

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

Table 1.7.4. Pelham - Throgs Neck (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	57	100.0	47	82.5	10	17.5	33	100.0	4,503	100.0	73	100.0
Gender												
Men	47	82.5	38	80.9	9	90.0	16	48.5	2,812	62.4	48	65.8
Women	10	17.5	9	19.1	1	10.0	17	51.5	1,691	37.6	25	34.2
Race or ethnicity												
Black	25	43.9	20	42.6	5	50.0	14	42.4	1,857	41.2	33	45.2
Latino	25	43.9	20	42.6	5	50.0	18	54.5	2,286	50.8	38	52.1
White	6	10.5	6	12.8	0	0.0	1	3.0	294	6.5	2	2.7
Asian or Pacific Islander	1	1.8	1	2.1	0	0.0	0	0.0	43	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	8.8	4	8.5	1	10.0	1	3.0	16	0.4	0	0.0
20-29	20	35.1	19	40.4	1	10.0	5	15.2	276	6.1	0	0.0
30-39	15	26.3	12	25.5	3	30.0	7	21.2	696	15.5	7	9.6
40-49	10	17.5	8	17.0	2	20.0	8	24.2	721	16.0	8	11.0
50-59	5	8.8	4	8.5	1	10.0	4	12.1	1,449	32.2	17	23.3
60+	2	3.5	0	0.0	2	20.0	8	24.2	1,345	29.9	41	56.2
Transmission category												
Men who have sex with men (MSM)	30	52.6	25	53.2	5	50.0	10	30.3	1,320	29.3	9	12.3
Injection drug use history (IDU)	2	3.5	2	4.3	0	0.0	2	6.1	699	15.5	24	32.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	115	2.6	2	2.7
Heterosexual contact	7	12.3	5	10.6	2	20.0	10	30.3	1,263	28.0	21	28.8
Transgender people with sexual contact	2	3.5	2	4.3	0	0.0	1	3.0	61	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.1	143	3.2	1	1.4
Other	0	0.0	0	0.0	0	0.0	1	3.0	11	0.2	1	1.4
Unknown	16	28.1	13	27.7	3	30.0	7	21.2	891	19.8	15	20.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

Table 1.7.5. Crotona - Tremont (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	56	100.0	50	89.3	6	10.7	60	100.0	6,499	100.0	174	100.0
Gender												
Men	39	69.6	35	70.0	4	66.7	43	71.7	3,991	61.4	110	63.2
Women	17	30.4	15	30.0	2	33.3	17	28.3	2,508	38.6	64	36.8
Race or ethnicity												
Black	26	46.4	24	48.0	2	33.3	30	50.0	3,148	48.4	81	46.6
Latino	27	48.2	24	48.0	3	50.0	27	45.0	3,079	47.4	85	48.9
White	1	1.8	1	2.0	0	0.0	2	3.3	195	3.0	5	2.9
Asian or Pacific Islander	2	3.6	1	2.0	1	16.7	1	1.7	41	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	19	0.3	3	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	2	3.6	2	4.0	0	0.0	0	0.0	24	0.4	0	0.0
20-29	16	28.6	16	32.0	0	0.0	6	10.0	450	6.9	3	1.7
30-39	22	39.3	18	36.0	4	66.7	16	26.7	1,171	18.0	9	5.2
40-49	7	12.5	6	12.0	1	16.7	13	21.7	1,164	17.9	19	10.9
50-59	6	10.7	5	10.0	1	16.7	18	30.0	1,956	30.1	56	32.2
60+	3	5.4	3	6.0	0	0.0	7	11.7	1,728	26.6	87	50.0
Transmission category												
Men who have sex with men (MSM)	25	44.6	22	44.0	3	50.0	21	35.0	1,796	27.6	27	15.5
Injection drug use history (IDU)	2	3.6	2	4.0	0	0.0	10	16.7	1,149	17.7	68	39.1
MSM-IDU	0	0.0	0	0.0	0	0.0	2	3.3	225	3.5	3	1.7
Heterosexual contact	11	19.6	10	20.0	1	16.7	15	25.0	1,837	28.3	46	26.4
Transgender people with sexual contact	6	10.7	6	12.0	0	0.0	0	0.0	209	3.2	5	2.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	169	2.6	2	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	12	21.4	10	20.0	2	33.3	12	20.0	1,111	17.1	23	13.2

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Table 1.7.6. High Bridge - Morrisania (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	58	100.0	49	84.5	9	15.5	46	100.0	6,351	100.0	175	100.0
Gender												
Men	39	67.2	32	65.3	7	77.8	28	60.9	3,984	62.7	106	60.6
Women	19	32.8	17	34.7	2	22.2	18	39.1	2,367	37.3	69	39.4
Race or ethnicity												
Black	33	56.9	28	57.1	5	55.6	27	58.7	3,288	51.8	91	52.0
Latino	21	36.2	19	38.8	2	22.2	15	32.6	2,783	43.8	71	40.6
White	4	6.9	2	4.1	2	22.2	3	6.5	210	3.3	5	2.9
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	28	0.4	1	0.6
Other or unknown	0	0.0	0	0.0	0	0.0	1	2.2	42	0.7	7	4.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	6.9	4	8.2	0	0.0	0	0.0	22	0.3	0	0.0
20-29	16	27.6	16	32.7	0	0.0	6	13.0	393	6.2	2	1.1
30-39	19	32.8	17	34.7	2	22.2	10	21.7	1,021	16.1	8	4.6
40-49	10	17.2	7	14.3	3	33.3	12	26.1	1,130	17.8	19	10.9
50-59	6	10.3	4	8.2	2	22.2	11	23.9	1,973	31.1	52	29.7
60+	3	5.2	1	2.0	2	22.2	7	15.2	1,810	28.5	94	53.7
Transmission category												
Men who have sex with men (MSM)	23	39.7	22	44.9	1	11.1	11	23.9	1,708	26.9	32	18.3
Injection drug use history (IDU)	1	1.7	1	2.0	0	0.0	3	6.5	1,094	17.2	68	38.9
MSM-IDU	0	0.0	0	0.0	0	0.0	3	6.5	212	3.3	7	4.0
Heterosexual contact	18	31.0	15	30.6	3	33.3	15	32.6	1,770	27.9	43	24.6
Transgender people with sexual contact	3	5.2	3	6.1	0	0.0	1	2.2	126	2.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	159	2.5	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	13	22.4	8	16.3	5	55.6	13	28.3	1,274	20.1	24	13.7

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.7.7. Hunts Point - Mott Haven (Bronx)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	40	100.0	37	92.5	3	7.5	30	100.0	4,058	100.0	82	100.0
Gender												
Men	27	67.5	25	67.6	2	66.7	20	66.7	2,497	61.5	52	63.4
Women	13	32.5	12	32.4	1	33.3	10	33.3	1,561	38.5	30	36.6
Race or ethnicity												
Black	16	40.0	15	40.5	1	33.3	9	30.0	1,805	44.5	33	40.2
Latino	22	55.0	20	54.1	2	66.7	19	63.3	2,043	50.3	46	56.1
White	2	5.0	2	5.4	0	0.0	1	3.3	167	4.1	2	2.4
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.3	22	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.3	1	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	3	7.5	2	5.4	1	33.3	1	3.3	11	0.3	0	0.0
20-29	16	40.0	16	43.2	0	0.0	4	13.3	285	7.0	3	3.7
30-39	10	25.0	8	21.6	2	66.7	9	30.0	752	18.5	7	8.5
40-49	5	12.5	5	13.5	0	0.0	3	10.0	740	18.2	7	8.5
50-59	6	15.0	6	16.2	0	0.0	7	23.3	1,182	29.1	27	32.9
60+	0	0.0	0	0.0	0	0.0	6	20.0	1,085	26.7	38	46.3
Transmission category												
Men who have sex with men (MSM)	16	40.0	15	40.5	1	33.3	11	36.7	1,099	27.1	8	9.8
Injection drug use history (IDU)	1	2.5	0	0.0	1	33.3	11	36.7	723	17.8	33	40.2
MSM-IDU	2	5.0	2	5.4	0	0.0	0	0.0	137	3.4	4	4.9
Heterosexual contact	10	25.0	10	27.0	0	0.0	2	6.7	1,136	28.0	17	20.7
Transgender people with sexual contact	1	2.5	1	2.7	0	0.0	0	0.0	125	3.1	1	1.2
Perinatal	0	0.0	0	0.0	0	0.0	1	3.3	126	3.1	2	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	25.0	9	24.3	1	33.3	5	16.7	707	17.4	17	20.7

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**Table 1.8.1. Greenpoint (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	11	100.0	9	81.8	2	18.2	4	100.0	917	100.0	9	100.0
Gender												
Men	9	81.8	7	77.8	2	100.0	4	100.0	744	81.1	7	77.8
Women	2	18.2	2	22.2	0	0.0	0	0.0	173	18.9	2	22.2
Race or ethnicity												
Black	5	45.5	4	44.4	1	50.0	2	50.0	148	16.1	2	22.2
Latino	3	27.3	2	22.2	1	50.0	2	50.0	416	45.4	5	55.6
White	3	27.3	3	33.3	0	0.0	0	0.0	329	35.9	1	11.1
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	2.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	1	11.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	18.2	2	22.2	0	0.0	0	0.0	54	5.9	0	0.0
30-39	6	54.5	5	55.6	1	50.0	1	25.0	218	23.8	1	11.1
40-49	1	9.1	0	0.0	1	50.0	2	50.0	188	20.5	2	22.2
50-59	1	9.1	1	11.1	0	0.0	0	0.0	263	28.7	3	33.3
60+	1	9.1	1	11.1	0	0.0	1	25.0	194	21.2	3	33.3
Transmission category												
Men who have sex with men (MSM)	5	45.5	4	44.4	1	50.0	2	50.0	523	57.0	3	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	102	11.1	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	27	2.9	2	22.2
Heterosexual contact	1	9.1	1	11.1	0	0.0	0	0.0	119	13.0	1	11.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	1.3	1	11.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	1	11.1
Unknown	5	45.5	4	44.4	1	50.0	2	50.0	122	13.3	1	11.1

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Greenpoint: 11211, 11222.

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	31	100.0	25	80.6	6	19.4	14	100.0	2,721	100.0	47	100.0
Gender												
Men	23	74.2	20	80.0	3	50.0	7	50.0	2,116	77.8	30	63.8
Women	8	25.8	5	20.0	3	50.0	7	50.0	605	22.2	17	36.2
Race or ethnicity												
Black	12	38.7	8	32.0	4	66.7	8	57.1	1,094	40.2	26	55.3
Latino	6	19.4	5	20.0	1	16.7	4	28.6	676	24.8	11	23.4
White	12	38.7	11	44.0	1	16.7	1	7.1	853	31.3	9	19.1
Asian or Pacific Islander	1	3.2	1	4.0	0	0.0	1	7.1	73	2.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	1	2.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	11	35.5	9	36.0	2	33.3	2	14.3	150	5.5	1	2.1
30-39	9	29.0	8	32.0	1	16.7	4	28.6	404	14.8	3	6.4
40-49	5	16.1	3	12.0	2	33.3	3	21.4	449	16.5	3	6.4
50-59	4	12.9	3	12.0	1	16.7	2	14.3	825	30.3	9	19.1
60+	2	6.5	2	8.0	0	0.0	3	21.4	887	32.6	31	66.0
Transmission category												
Men who have sex with men (MSM)	14	45.2	13	52.0	1	16.7	3	21.4	1,488	54.7	13	27.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	280	10.3	15	31.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	74	2.7	1	2.1
Heterosexual contact	6	19.4	3	12.0	3	50.0	7	50.0	416	15.3	12	25.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	1.6	1	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	11	35.5	9	36.0	2	33.3	4	28.6	392	14.4	5	10.6

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	100	100.0	78	78.0	22	22.0	62	100.0	7,886	100.0	168	100.0
Gender												
Men	81	81.0	63	80.8	18	81.8	39	62.9	5,180	65.7	100	59.5
Women	19	19.0	15	19.2	4	18.2	23	37.1	2,706	34.3	68	40.5
Race or ethnicity												
Black	80	80.0	64	82.1	16	72.7	43	69.4	5,909	74.9	126	75.0
Latino	13	13.0	8	10.3	5	22.7	16	25.8	1,300	16.5	33	19.6
White	5	5.0	4	5.1	1	4.5	3	4.8	549	7.0	4	2.4
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	67	0.8	1	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Multiracial	2	2.0	2	2.6	0	0.0	0	0.0	37	0.5	4	2.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	1	1.0	1	1.3	0	0.0	0	0.0	18	0.2	0	0.0
20-29	40	40.0	34	43.6	6	27.3	12	19.4	599	7.6	5	3.0
30-39	29	29.0	23	29.5	6	27.3	17	27.4	1,435	18.2	7	4.2
40-49	14	14.0	12	15.4	2	9.1	7	11.3	1,430	18.1	19	11.3
50-59	13	13.0	6	7.7	7	31.8	18	29.0	2,235	28.3	57	33.9
60+	3	3.0	2	2.6	1	4.5	8	12.9	2,166	27.5	80	47.6
Transmission category												
Men who have sex with men (MSM)	50	50.0	36	46.2	14	63.6	24	38.7	2,898	36.7	25	14.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	4.8	910	11.5	44	26.2
MSM-IDU	1	1.0	1	1.3	0	0.0	2	3.2	200	2.5	4	2.4
Heterosexual contact	16	16.0	12	15.4	4	18.2	20	32.3	2,066	26.2	46	27.4
Transgender people with sexual contact	1	1.0	1	1.3	0	0.0	1	1.6	152	1.9	6	3.6
Perinatal	0	0.0	0	0.0	0	0.0	1	1.6	186	2.4	1	0.6
Other	0	0.0	0	0.0	0	0.0	1	1.6	10	0.1	0	0.0
Unknown	32	32.0	28	35.9	4	18.2	10	16.1	1,464	18.6	42	25.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

**Table 1.8.4. East New York (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	62	100.0	55	88.7	7	11.3	26	100.0	3,599	100.0	67	100.0
Gender												
Men	45	72.6	40	72.7	5	71.4	17	65.4	2,133	59.3	51	76.1
Women	17	27.4	15	27.3	2	28.6	9	34.6	1,466	40.7	16	23.9
Race or ethnicity												
Black	44	71.0	39	70.9	5	71.4	16	61.5	2,298	63.9	48	71.6
Latino	17	27.4	16	29.1	1	14.3	9	34.6	1,116	31.0	17	25.4
White	0	0.0	0	0.0	0	0.0	0	0.0	115	3.2	2	3.0
Asian or Pacific Islander	1	1.6	0	0.0	1	14.3	1	3.8	41	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	3	4.8	3	5.5	0	0.0	0	0.0	17	0.5	0	0.0
20-29	22	35.5	21	38.2	1	14.3	4	15.4	353	9.8	1	1.5
30-39	21	33.9	20	36.4	1	14.3	8	30.8	674	18.7	5	7.5
40-49	8	12.9	7	12.7	1	14.3	4	15.4	686	19.1	11	16.4
50-59	8	12.9	4	7.3	4	57.1	8	30.8	1,010	28.1	16	23.9
60+	0	0.0	0	0.0	0	0.0	2	7.7	857	23.8	34	50.7
Transmission category												
Men who have sex with men (MSM)	32	51.6	31	56.4	1	14.3	7	26.9	1,109	30.8	12	17.9
Injection drug use history (IDU)	1	1.6	1	1.8	0	0.0	1	3.8	392	10.9	22	32.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	74	2.1	1	1.5
Heterosexual contact	12	19.4	10	18.2	2	28.6	9	34.6	1,134	31.5	19	28.4
Transgender people with sexual contact	3	4.8	3	5.5	0	0.0	1	3.8	75	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	108	3.0	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	14	22.6	10	18.2	4	57.1	8	30.8	701	19.5	12	17.9

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East New York: 11207, 11208.

Table 1.8.5. Sunset Park (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	9	100.0	7	77.8	2	22.2	4	100.0	878	100.0	8	100.0
Gender												
Men	5	55.6	5	71.4	0	0.0	2	50.0	658	74.9	6	75.0
Women	4	44.4	2	28.6	2	100.0	2	50.0	220	25.1	2	25.0
Race or ethnicity												
Black	1	11.1	1	14.3	0	0.0	1	25.0	157	17.9	0	0.0
Latino	6	66.7	4	57.1	2	100.0	2	50.0	467	53.2	8	100.0
White	0	0.0	0	0.0	0	0.0	1	25.0	174	19.8	0	0.0
Asian or Pacific Islander	2	22.2	2	28.6	0	0.0	0	0.0	76	8.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	4	44.4	3	42.9	1	50.0	2	50.0	51	5.8	0	0.0
30-39	2	22.2	2	28.6	0	0.0	0	0.0	139	15.8	1	12.5
40-49	1	11.1	1	14.3	0	0.0	1	25.0	179	20.4	0	0.0
50-59	1	11.1	1	14.3	0	0.0	0	0.0	267	30.4	2	25.0
60+	1	11.1	0	0.0	1	50.0	1	25.0	239	27.2	5	62.5
Transmission category												
Men who have sex with men (MSM)	4	44.4	4	57.1	0	0.0	2	50.0	338	38.5	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	149	17.0	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	46	5.2	1	12.5
Heterosexual contact	2	22.2	1	14.3	1	50.0	1	25.0	197	22.4	2	25.0
Transgender people with sexual contact	1	11.1	1	14.3	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	2	22.2	1	14.3	1	50.0	1	25.0	125	14.2	1	12.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Sunset Park: 11220, 11232.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.8.6. Borough Park (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	13	100.0	9	69.2	4	30.8	12	100.0	1,145	100.0	14	100.0
Gender												
Men	13	100.0	9	100.0	4	100.0	9	75.0	850	74.2	12	85.7
Women	0	0.0	0	0.0	0	0.0	3	25.0	295	25.8	2	14.3
Race or ethnicity												
Black	1	7.7	1	11.1	0	0.0	1	8.3	301	26.3	2	14.3
Latino	6	46.2	2	22.2	4	100.0	5	41.7	404	35.3	9	64.3
White	4	30.8	4	44.4	0	0.0	4	33.3	351	30.7	2	14.3
Asian or Pacific Islander	2	15.4	2	22.2	0	0.0	2	16.7	74	6.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.8	1	7.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	3	23.1	3	33.3	0	0.0	3	25.0	53	4.6	0	0.0
30-39	6	46.2	3	33.3	3	75.0	6	50.0	203	17.7	2	14.3
40-49	4	30.8	3	33.3	1	25.0	2	16.7	231	20.2	2	14.3
50-59	0	0.0	0	0.0	0	0.0	1	8.3	337	29.4	3	21.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	318	27.8	7	50.0
Transmission category												
Men who have sex with men (MSM)	10	76.9	7	77.8	3	75.0	6	50.0	504	44.0	5	35.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	150	13.1	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.2	1	7.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	8.3	233	20.3	2	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	16	1.4	1	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	3	23.1	2	22.2	1	25.0	4	33.3	204	17.8	1	7.1

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	74	100.0	54	73.0	20	27.0	46	100.0	5,486	100.0	86	100.0
Gender												
Men	52	70.3	38	70.4	14	70.0	32	69.6	3,541	64.5	62	72.1
Women	22	29.7	16	29.6	6	30.0	14	30.4	1,945	35.5	24	27.9
Race or ethnicity												
Black	59	79.7	42	77.8	17	85.0	36	78.3	4,254	77.5	61	70.9
Latino	11	14.9	9	16.7	2	10.0	9	19.6	774	14.1	20	23.3
White	2	2.7	1	1.9	1	5.0	1	2.2	339	6.2	5	5.8
Asian or Pacific Islander	1	1.4	1	1.9	0	0.0	0	0.0	66	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	1	1.4	1	1.9	0	0.0	0	0.0	31	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.4	4	7.4	0	0.0	1	2.2	14	0.3	0	0.0
20-29	20	27.0	17	31.5	3	15.0	9	19.6	325	5.9	1	1.2
30-39	23	31.1	15	27.8	8	40.0	15	32.6	921	16.8	4	4.7
40-49	12	16.2	8	14.8	4	20.0	9	19.6	1,028	18.7	6	7.0
50-59	8	10.8	7	13.0	1	5.0	5	10.9	1,536	28.0	21	24.4
60+	7	9.5	3	5.6	4	20.0	7	15.2	1,660	30.3	54	62.8
Transmission category												
Men who have sex with men (MSM)	30	40.5	23	42.6	7	35.0	18	39.1	1,905	34.7	15	17.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	8.7	455	8.3	15	17.4
MSM-IDU	1	1.4	1	1.9	0	0.0	0	0.0	110	2.0	5	5.8
Heterosexual contact	17	23.0	12	22.2	5	25.0	9	19.6	1,535	28.0	27	31.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.2	74	1.3	1	1.2
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	108	2.0	2	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	26	35.1	18	33.3	8	40.0	12	26.1	1,286	23.4	21	24.4

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

Table 1.8.8. Canarsie - Flatlands (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	25	100.0	18	72.0	7	28.0	21	100.0	1,847	100.0	35	100.0
Gender												
Men	15	60.0	9	50.0	6	85.7	16	76.2	1,026	55.5	23	65.7
Women	10	40.0	9	50.0	1	14.3	5	23.8	821	44.5	12	34.3
Race or ethnicity												
Black	22	88.0	15	83.3	7	100.0	18	85.7	1,475	79.9	29	82.9
Latino	2	8.0	2	11.1	0	0.0	3	14.3	228	12.3	5	14.3
White	1	4.0	1	5.6	0	0.0	0	0.0	107	5.8	1	2.9
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	1	4.0	1	5.6	0	0.0	1	4.8	1	0.1	0	0.0
13-19	2	8.0	2	11.1	0	0.0	0	0.0	4	0.2	0	0.0
20-29	6	24.0	5	27.8	1	14.3	3	14.3	123	6.7	1	2.9
30-39	5	20.0	3	16.7	2	28.6	6	28.6	304	16.5	3	8.6
40-49	4	16.0	2	11.1	2	28.6	4	19.0	315	17.1	3	8.6
50-59	7	28.0	5	27.8	2	28.6	5	23.8	522	28.3	9	25.7
60+	0	0.0	0	0.0	0	0.0	2	9.5	578	31.3	19	54.3
Transmission category												
Men who have sex with men (MSM)	7	28.0	6	33.3	1	14.3	7	33.3	436	23.6	6	17.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	144	7.8	8	22.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	0	0.0
Heterosexual contact	6	24.0	5	27.8	1	14.3	3	14.3	681	36.9	9	25.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
Perinatal	1	4.0	1	5.6	0	0.0	1	4.8	62	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	11	44.0	6	33.3	5	71.4	10	47.6	488	26.4	12	34.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	6	100.0	5	83.3	1	16.7	5	100.0	725	100.0	14	100.0
Gender												
Men	5	83.3	4	80.0	1	100.0	5	100.0	555	76.6	12	85.7
Women	1	16.7	1	20.0	0	0.0	0	0.0	170	23.4	2	14.3
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	1	20.0	75	10.3	2	14.3
Latino	3	50.0	2	40.0	1	100.0	2	40.0	244	33.7	3	21.4
White	3	50.0	3	60.0	0	0.0	2	40.0	346	47.7	7	50.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	55	7.6	1	7.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	1	7.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	1	16.7	1	20.0	0	0.0	0	0.0	31	4.3	1	7.1
30-39	3	50.0	2	40.0	1	100.0	1	20.0	107	14.8	0	0.0
40-49	1	16.7	1	20.0	0	0.0	0	0.0	148	20.4	1	7.1
50-59	1	16.7	1	20.0	0	0.0	2	40.0	206	28.4	3	21.4
60+	0	0.0	0	0.0	0	0.0	2	40.0	230	31.7	9	64.3
Transmission category												
Men who have sex with men (MSM)	4	66.7	3	60.0	1	100.0	4	80.0	350	48.3	4	28.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	90	12.4	1	7.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	34	4.7	2	14.3
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	120	16.6	5	35.7
Transgender people with sexual contact	1	16.7	1	20.0	0	0.0	0	0.0	4	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.2	1	7.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	1	7.1
Unknown	1	16.7	1	20.0	0	0.0	1	20.0	114	15.7	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	19	100.0	12	63.2	7	36.8	14	100.0	1,241	100.0	26	100.0
Gender												
Men	17	89.5	11	91.7	6	85.7	10	71.4	799	64.4	16	61.5
Women	2	10.5	1	8.3	1	14.3	4	28.6	442	35.6	10	38.5
Race or ethnicity												
Black	4	21.1	2	16.7	2	28.6	5	35.7	459	37.0	12	46.2
Latino	6	31.6	5	41.7	1	14.3	2	14.3	366	29.5	9	34.6
White	9	47.4	5	41.7	4	57.1	6	42.9	356	28.7	3	11.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.1	48	3.9	1	3.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	1	3.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
20-29	1	5.3	1	8.3	0	0.0	0	0.0	71	5.7	0	0.0
30-39	6	31.6	5	41.7	1	14.3	4	28.6	211	17.0	1	3.8
40-49	7	36.8	4	33.3	3	42.9	5	35.7	233	18.8	1	3.8
50-59	4	21.1	2	16.7	2	28.6	4	28.6	342	27.6	10	38.5
60+	1	5.3	0	0.0	1	14.3	1	7.1	379	30.5	14	53.8
Transmission category												
Men who have sex with men (MSM)	8	42.1	6	50.0	2	28.6	4	28.6	405	32.6	3	11.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	177	14.3	10	38.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	1.5	0	0.0
Heterosexual contact	2	10.5	1	8.3	1	14.3	4	28.6	342	27.6	9	34.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	29	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	1	3.8
Unknown	9	47.4	5	41.7	4	57.1	6	42.9	250	20.1	3	11.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	56	100.0	40	71.4	16	28.6	39	100.0	3,881	100.0	56	100.0
Gender												
Men	47	83.9	36	90.0	11	68.8	29	74.4	2,791	71.9	47	83.9
Women	9	16.1	4	10.0	5	31.3	10	25.6	1,090	28.1	9	16.1
Race or ethnicity												
Black	24	42.9	19	47.5	5	31.3	19	48.7	1,807	46.6	36	64.3
Latino	18	32.1	13	32.5	5	31.3	10	25.6	1,455	37.5	15	26.8
White	12	21.4	7	17.5	5	31.3	7	17.9	516	13.3	3	5.4
Asian or Pacific Islander	2	3.6	1	2.5	1	6.3	2	5.1	72	1.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.6	20	0.5	2	3.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	6	10.7	5	12.5	1	6.3	1	2.6	16	0.4	0	0.0
20-29	26	46.4	23	57.5	3	18.8	6	15.4	367	9.5	2	3.6
30-39	14	25.0	9	22.5	5	31.3	8	20.5	812	20.9	3	5.4
40-49	2	3.6	1	2.5	1	6.3	6	15.4	618	15.9	3	5.4
50-59	8	14.3	2	5.0	6	37.5	10	25.6	1,030	26.5	11	19.6
60+	0	0.0	0	0.0	0	0.0	8	20.5	1,038	26.7	37	66.1
Transmission category												
Men who have sex with men (MSM)	39	69.6	30	75.0	9	56.3	17	43.6	1,686	43.4	10	17.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	10.3	529	13.6	16	28.6
MSM-IDU	1	1.8	1	2.5	0	0.0	1	2.6	111	2.9	4	7.1
Heterosexual contact	9	16.1	4	10.0	5	31.3	12	30.8	761	19.6	14	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	64	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.6	79	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	2	3.6
Unknown	7	12.5	5	12.5	2	12.5	4	10.3	649	16.7	10	17.9

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

Table 1.9.1. Washington Heights - Inwood (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	54	100.0	44	81.5	10	18.5	31	100.0	4,896	100.0	45	100.0
Gender												
Men	46	85.2	38	86.4	8	80.0	21	67.7	4,070	83.1	35	77.8
Women	8	14.8	6	13.6	2	20.0	10	32.3	826	16.9	10	22.2
Race or ethnicity												
Black	19	35.2	17	38.6	2	20.0	11	35.5	1,547	31.6	17	37.8
Latino	26	48.1	21	47.7	5	50.0	14	45.2	2,156	44.0	17	37.8
White	7	13.0	5	11.4	2	20.0	4	12.9	1,066	21.8	7	15.6
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.2	77	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	2	3.7	1	2.3	1	10.0	1	3.2	31	0.6	4	8.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	3	5.6	3	6.8	0	0.0	0	0.0	13	0.3	0	0.0
20-29	20	37.0	19	43.2	1	10.0	2	6.5	340	6.9	1	2.2
30-39	20	37.0	16	36.4	4	40.0	13	41.9	976	19.9	1	2.2
40-49	3	5.6	2	4.5	1	10.0	6	19.4	893	18.2	7	15.6
50-59	5	9.3	2	4.5	3	30.0	6	19.4	1,391	28.4	19	42.2
60+	3	5.6	2	4.5	1	10.0	4	12.9	1,281	26.2	17	37.8
Transmission category												
Men who have sex with men (MSM)	36	66.7	31	70.5	5	50.0	14	45.2	2,926	59.8	14	31.1
Injection drug use history (IDU)	1	1.9	0	0.0	1	10.0	1	3.2	363	7.4	8	17.8
MSM-IDU	0	0.0	0	0.0	0	0.0	1	3.2	146	3.0	3	6.7
Heterosexual contact	7	13.0	5	11.4	2	20.0	9	29.0	640	13.1	14	31.1
Transgender people with sexual contact	2	3.7	2	4.5	0	0.0	1	3.2	66	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	74	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	8	14.8	6	13.6	2	20.0	5	16.1	674	13.8	6	13.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

**Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	54	100.0	47	87.0	7	13.0	38	100.0	5,013	100.0	79	100.0
Gender												
Men	43	79.6	36	76.6	7	100.0	29	76.3	3,677	73.3	50	63.3
Women	11	20.4	11	23.4	0	0.0	9	23.7	1,336	26.7	29	36.7
Race or ethnicity												
Black	37	68.5	32	68.1	5	71.4	30	78.9	3,107	62.0	53	67.1
Latino	12	22.2	10	21.3	2	28.6	5	13.2	1,109	22.1	24	30.4
White	4	7.4	4	8.5	0	0.0	3	7.9	674	13.4	2	2.5
Asian or Pacific Islander	1	1.9	1	2.1	0	0.0	0	0.0	79	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	31	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	5	9.3	5	10.6	0	0.0	0	0.0	14	0.3	0	0.0
20-29	20	37.0	18	38.3	2	28.6	9	23.7	297	5.9	0	0.0
30-39	15	27.8	15	31.9	0	0.0	7	18.4	963	19.2	7	8.9
40-49	8	14.8	5	10.6	3	42.9	8	21.1	959	19.1	7	8.9
50-59	4	7.4	2	4.3	2	28.6	7	18.4	1,461	29.1	24	30.4
60+	2	3.7	2	4.3	0	0.0	7	18.4	1,316	26.3	41	51.9
Transmission category												
Men who have sex with men (MSM)	31	57.4	29	61.7	2	28.6	15	39.5	2,355	47.0	22	27.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.6	536	10.7	19	24.1
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.6	150	3.0	2	2.5
Heterosexual contact	8	14.8	8	17.0	0	0.0	6	15.8	947	18.9	24	30.4
Transgender people with sexual contact	2	3.7	2	4.3	0	0.0	1	2.6	81	1.6	1	1.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	80	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	1.3
Unknown	13	24.1	8	17.0	5	71.4	14	36.8	859	17.1	10	12.7

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

**Table 1.9.3. East Harlem (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	29	100.0	24	82.8	5	17.2	18	100.0	2,924	100.0	71	100.0
Gender												
Men	22	75.9	19	79.2	3	60.0	7	38.9	2,044	69.9	52	73.2
Women	7	24.1	5	20.8	2	40.0	11	61.1	880	30.1	19	26.8
Race or ethnicity												
Black	13	44.8	13	54.2	0	0.0	8	44.4	1,339	45.8	39	54.9
Latino	16	55.2	11	45.8	5	100.0	7	38.9	1,149	39.3	26	36.6
White	0	0.0	0	0.0	0	0.0	1	5.6	378	12.9	4	5.6
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	2	11.1	39	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.4	2	2.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	3.4	1	4.2	0	0.0	0	0.0	4	0.1	0	0.0
20-29	13	44.8	12	50.0	1	20.0	2	11.1	169	5.8	0	0.0
30-39	8	27.6	7	29.2	1	20.0	4	22.2	450	15.4	3	4.2
40-49	1	3.4	1	4.2	0	0.0	4	22.2	501	17.1	4	5.6
50-59	5	17.2	3	12.5	2	40.0	5	27.8	881	30.1	23	32.4
60+	1	3.4	0	0.0	1	20.0	3	16.7	916	31.3	41	57.7
Transmission category												
Men who have sex with men (MSM)	14	48.3	12	50.0	2	40.0	4	22.2	1,095	37.4	16	22.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	11.1	545	18.6	24	33.8
MSM-IDU	2	6.9	2	8.3	0	0.0	0	0.0	94	3.2	4	5.6
Heterosexual contact	5	17.2	4	16.7	1	20.0	7	38.9	615	21.0	15	21.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	5.6	34	1.2	1	1.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	85	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	8	27.6	6	25.0	2	40.0	4	22.2	454	15.5	11	15.5

As reported to the NYC Health Department by March 31, 2024.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in East Harlem: 10029, 10035.

**Table 1.9.4. Upper West Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	19	100.0	13	68.4	6	31.6	23	100.0	3,209	100.0	37	100.0
Gender												
Men	17	89.5	11	84.6	6	100.0	20	87.0	2,774	86.4	32	86.5
Women	2	10.5	2	15.4	0	0.0	3	13.0	435	13.6	5	13.5
Race or ethnicity												
Black	6	31.6	5	38.5	1	16.7	5	21.7	839	26.1	11	29.7
Latino	3	15.8	2	15.4	1	16.7	10	43.5	857	26.7	8	21.6
White	7	36.8	4	30.8	3	50.0	6	26.1	1,380	43.0	16	43.2
Asian or Pacific Islander	1	5.3	0	0.0	1	16.7	2	8.7	90	2.8	0	0.0
Other or unknown	2	10.5	2	15.4	0	0.0	0	0.0	43	1.3	2	5.4
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	5.3	1	7.7	0	0.0	0	0.0	1	0.0	0	0.0
20-29	2	10.5	2	15.4	0	0.0	2	8.7	129	4.0	0	0.0
30-39	6	31.6	5	38.5	1	16.7	5	21.7	384	12.0	2	5.4
40-49	3	15.8	2	15.4	1	16.7	3	13.0	431	13.4	1	2.7
50-59	2	10.5	1	7.7	1	16.7	3	13.0	917	28.6	9	24.3
60+	5	26.3	2	15.4	3	50.0	10	43.5	1,346	41.9	25	67.6
Transmission category												
Men who have sex with men (MSM)	10	52.6	7	53.8	3	50.0	8	34.8	2,057	64.1	18	48.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.3	269	8.4	7	18.9
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.3	105	3.3	1	2.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	4	17.4	311	9.7	4	10.8
Transgender people with sexual contact	1	5.3	1	7.7	0	0.0	1	4.3	47	1.5	1	2.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	34	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	8	42.1	5	38.5	3	50.0	8	34.8	383	11.9	6	16.2

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.9.5. Upper East Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	8	100.0	8	100.0	0	0.0	6	100.0	1,471	100.0	20	100.0
Gender												
Men	6	75.0	6	75.0	0	0.0	6	100.0	1,297	88.2	15	75.0
Women	2	25.0	2	25.0	0	0.0	0	0.0	174	11.8	5	25.0
Race or ethnicity												
Black	1	12.5	1	12.5	0	0.0	2	33.3	257	17.5	8	40.0
Latino	3	37.5	3	37.5	0	0.0	3	50.0	344	23.4	4	20.0
White	4	50.0	4	50.0	0	0.0	1	16.7	792	53.8	8	40.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	67	4.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	2	25.0	2	25.0	0	0.0	0	0.0	44	3.0	0	0.0
30-39	5	62.5	5	62.5	0	0.0	2	33.3	190	12.9	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	226	15.4	1	5.0
50-59	1	12.5	1	12.5	0	0.0	3	50.0	435	29.6	4	20.0
60+	0	0.0	0	0.0	0	0.0	1	16.7	574	39.0	15	75.0
Transmission category												
Men who have sex with men (MSM)	4	50.0	4	50.0	0	0.0	5	83.3	989	67.2	6	30.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	90	6.1	4	20.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	37	2.5	2	10.0
Heterosexual contact	1	12.5	1	12.5	0	0.0	0	0.0	120	8.2	3	15.0
Transgender people with sexual contact	1	12.5	1	12.5	0	0.0	0	0.0	11	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	25.0	2	25.0	0	0.0	1	16.7	212	14.4	5	25.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.6. Chelsea - Clinton (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	52	100.0	43	82.7	9	17.3	44	100.0	7,108	100.0	74	100.0
Gender												
Men	46	88.5	38	88.4	8	88.9	39	88.6	6,623	93.2	70	94.6
Women	6	11.5	5	11.6	1	11.1	5	11.4	485	6.8	4	5.4
Race or ethnicity												
Black	15	28.8	11	25.6	4	44.4	9	20.5	1,230	17.3	11	14.9
Latino	21	40.4	19	44.2	2	22.2	15	34.1	1,715	24.1	19	25.7
White	14	26.9	12	27.9	2	22.2	16	36.4	3,835	54.0	40	54.1
Asian or Pacific Islander	1	1.9	0	0.0	1	11.1	2	4.5	232	3.3	2	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	0	0.0
Multiracial	1	1.9	1	2.3	0	0.0	2	4.5	43	0.6	2	2.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	39	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	5.8	3	7.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	20	38.5	15	34.9	5	55.6	8	18.2	241	3.4	2	2.7
30-39	14	26.9	12	27.9	2	22.2	18	40.9	1,090	15.3	1	1.4
40-49	5	9.6	5	11.6	0	0.0	8	18.2	1,388	19.5	5	6.8
50-59	8	15.4	6	14.0	2	22.2	6	13.6	2,390	33.6	19	25.7
60+	2	3.8	2	4.7	0	0.0	4	9.1	1,997	28.1	47	63.5
Transmission category												
Men who have sex with men (MSM)	33	63.5	29	67.4	4	44.4	31	70.5	5,543	78.0	48	64.9
Injection drug use history (IDU)	1	1.9	1	2.3	0	0.0	1	2.3	346	4.9	13	17.6
MSM-IDU	1	1.9	1	2.3	0	0.0	1	2.3	249	3.5	2	2.7
Heterosexual contact	0	0.0	0	0.0	0	0.0	2	4.5	296	4.2	2	2.7
Transgender people with sexual contact	4	7.7	3	7.0	1	11.1	2	4.5	86	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	13	25.0	9	20.9	4	44.4	7	15.9	557	7.8	9	12.2

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

**Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	14	100.0	14	100.0	0	0.0	9	100.0	2,042	100.0	14	100.0
Gender												
Men	12	85.7	12	85.7	0	0.0	7	77.8	1,864	91.3	12	85.7
Women	2	14.3	2	14.3	0	0.0	2	22.2	178	8.7	2	14.3
Race or ethnicity												
Black	2	14.3	2	14.3	0	0.0	4	44.4	413	20.2	4	28.6
Latino	5	35.7	5	35.7	0	0.0	2	22.2	492	24.1	3	21.4
White	6	42.9	6	42.9	0	0.0	3	33.3	1,040	50.9	7	50.0
Asian or Pacific Islander	1	7.1	1	7.1	0	0.0	0	0.0	71	3.5	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	1.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.1	1	7.1	0	0.0	0	0.0	3	0.1	0	0.0
20-29	4	28.6	4	28.6	0	0.0	2	22.2	54	2.6	0	0.0
30-39	3	21.4	3	21.4	0	0.0	2	22.2	197	9.6	1	7.1
40-49	2	14.3	2	14.3	0	0.0	1	11.1	304	14.9	1	7.1
50-59	3	21.4	3	21.4	0	0.0	2	22.2	679	33.3	2	14.3
60+	1	7.1	1	7.1	0	0.0	2	22.2	805	39.4	10	71.4
Transmission category												
Men who have sex with men (MSM)	9	64.3	9	64.3	0	0.0	4	44.4	1,368	67.0	9	64.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	22.2	168	8.2	3	21.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	11.1	93	4.6	1	7.1
Heterosexual contact	2	14.3	2	14.3	0	0.0	0	0.0	126	6.2	1	7.1
Transgender people with sexual contact	1	7.1	1	7.1	0	0.0	1	11.1	17	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	11.1	8	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	2	14.3	2	14.3	0	0.0	0	0.0	260	12.7	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.8. Greenwich Village - Soho (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	12	100.0	10	83.3	2	16.7	7	100.0	1,726	100.0	9	100.0
Gender												
Men	12	100.0	10	100.0	2	100.0	7	100.0	1,636	94.8	9	100.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	90	5.2	0	0.0
Race or ethnicity												
Black	3	25.0	2	20.0	1	50.0	2	28.6	312	18.1	1	11.1
Latino	1	8.3	1	10.0	0	0.0	0	0.0	363	21.0	2	22.2
White	8	66.7	7	70.0	1	50.0	4	57.1	977	56.6	6	66.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	14.3	57	3.3	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	33.3	3	30.0	1	50.0	2	28.6	50	2.9	0	0.0
30-39	4	33.3	4	40.0	0	0.0	0	0.0	175	10.1	1	11.1
40-49	2	16.7	1	10.0	1	50.0	1	14.3	262	15.2	0	0.0
50-59	1	8.3	1	10.0	0	0.0	2	28.6	592	34.3	0	0.0
60+	1	8.3	1	10.0	0	0.0	2	28.6	647	37.5	8	88.9
Transmission category												
Men who have sex with men (MSM)	4	33.3	3	30.0	1	50.0	6	85.7	1,219	70.6	9	100.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	123	7.1	0	0.0
MSM-IDU	1	8.3	1	10.0	0	0.0	0	0.0	58	3.4	0	0.0
Heterosexual contact	1	8.3	1	10.0	0	0.0	0	0.0	78	4.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	28	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	50.0	5	50.0	1	50.0	1	14.3	213	12.3	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.9.9. Union Square - Lower East Side (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	19	100.0	12	63.2	7	36.8	15	100.0	2,948	100.0	33	100.0
Gender												
Men	14	73.7	9	75.0	5	71.4	13	86.7	2,420	82.1	26	78.8
Women	5	26.3	3	25.0	2	28.6	2	13.3	528	17.9	7	21.2
Race or ethnicity												
Black	6	31.6	6	50.0	0	0.0	1	6.7	606	20.6	7	21.2
Latino	6	31.6	2	16.7	4	57.1	6	40.0	1,021	34.6	15	45.5
White	4	21.1	2	16.7	2	28.6	7	46.7	1,151	39.0	9	27.3
Asian or Pacific Islander	3	15.8	2	16.7	1	14.3	1	6.7	138	4.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	2	6.1
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
20-29	6	31.6	5	41.7	1	14.3	1	6.7	89	3.0	0	0.0
30-39	6	31.6	4	33.3	2	28.6	3	20.0	339	11.5	0	0.0
40-49	2	10.5	1	8.3	1	14.3	5	33.3	413	14.0	3	9.1
50-59	3	15.8	1	8.3	2	28.6	2	13.3	1,004	34.1	11	33.3
60+	2	10.5	1	8.3	1	14.3	4	26.7	1,096	37.2	19	57.6
Transmission category												
Men who have sex with men (MSM)	9	47.4	7	58.3	2	28.6	10	66.7	1,709	58.0	9	27.3
Injection drug use history (IDU)	1	5.3	1	8.3	0	0.0	0	0.0	373	12.7	8	24.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	100	3.4	2	6.1
Heterosexual contact	3	15.8	1	8.3	2	28.6	2	13.3	369	12.5	8	24.2
Transgender people with sexual contact	2	10.5	2	16.7	0	0.0	0	0.0	26	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	4	21.1	1	8.3	3	42.9	3	20.0	340	11.5	6	18.2

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

**Table 1.9.10. Lower Manhattan (Manhattan)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	5	100.0	5	100.0	0	0.0	3	100.0	612	100.0	2	100.0
Gender												
Men	4	80.0	4	80.0	0	0.0	2	66.7	528	86.3	1	50.0
Women	1	20.0	1	20.0	0	0.0	1	33.3	84	13.7	1	50.0
Race or ethnicity												
Black	1	20.0	1	20.0	0	0.0	2	66.7	132	21.6	2	100.0
Latino	1	20.0	1	20.0	0	0.0	1	33.3	155	25.3	0	0.0
White	2	40.0	2	40.0	0	0.0	0	0.0	292	47.7	0	0.0
Asian or Pacific Islander	1	20.0	1	20.0	0	0.0	0	0.0	25	4.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	20.0	1	20.0	0	0.0	1	33.3	25	4.1	0	0.0
30-39	3	60.0	3	60.0	0	0.0	1	33.3	71	11.6	1	50.0
40-49	1	20.0	1	20.0	0	0.0	0	0.0	135	22.1	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	219	35.8	1	50.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	162	26.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	1	20.0	1	20.0	0	0.0	1	33.3	410	67.0	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	44	7.2	0	0.0
MSM-IDU	1	20.0	1	20.0	0	0.0	0	0.0	16	2.6	0	0.0
Heterosexual contact	1	20.0	1	20.0	0	0.0	0	0.0	57	9.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	33.3	4	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	1	33.3	77	12.6	1	50.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.1. Long Island City - Astoria (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	30	100.0	23	76.7	7	23.3	20	100.0	2,434	100.0	23	100.0
Gender												
Men	25	83.3	19	82.6	6	85.7	19	95.0	2,113	86.8	18	78.3
Women	5	16.7	4	17.4	1	14.3	1	5.0	321	13.2	5	21.7
Race or ethnicity												
Black	4	13.3	3	13.0	1	14.3	7	35.0	408	16.8	2	8.7
Latino	10	33.3	8	34.8	2	28.6	7	35.0	1,000	41.1	11	47.8
White	10	33.3	8	34.8	2	28.6	3	15.0	869	35.7	7	30.4
Asian or Pacific Islander	6	20.0	4	17.4	2	28.6	2	10.0	136	5.6	2	8.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	5.0	11	0.5	1	4.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	4.3	0	0.0	0	0.0	3	0.1	0	0.0
20-29	7	23.3	6	26.1	1	14.3	5	25.0	125	5.1	0	0.0
30-39	12	40.0	8	34.8	4	57.1	9	45.0	551	22.6	4	17.4
40-49	4	13.3	3	13.0	1	14.3	2	10.0	575	23.6	4	17.4
50-59	6	20.0	5	21.7	1	14.3	3	15.0	673	27.6	5	21.7
60+	0	0.0	0	0.0	0	0.0	1	5.0	507	20.8	10	43.5
Transmission category												
Men who have sex with men (MSM)	19	63.3	15	65.2	4	57.1	14	70.0	1,696	69.7	13	56.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	123	5.1	1	4.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	55	2.3	0	0.0
Heterosexual contact	3	10.0	2	8.7	1	14.3	1	5.0	270	11.1	6	26.1
Transgender people with sexual contact	1	3.3	1	4.3	0	0.0	0	0.0	27	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	7	23.3	5	21.7	2	28.6	5	25.0	245	10.1	3	13.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

Table 1.10.2. West Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	71	100.0	55	77.5	16	22.5	39	100.0	5,567	100.0	35	100.0
Gender												
Men	61	85.9	45	81.8	16	100.0	31	79.5	4,550	81.7	29	82.9
Women	10	14.1	10	18.2	0	0.0	8	20.5	1,017	18.3	6	17.1
Race or ethnicity												
Black	4	5.6	4	7.3	0	0.0	5	12.8	1,290	23.2	6	17.1
Latino	50	70.4	38	69.1	12	75.0	27	69.2	3,272	58.8	22	62.9
White	10	14.1	8	14.5	2	12.5	4	10.3	608	10.9	2	5.7
Asian or Pacific Islander	7	9.9	5	9.1	2	12.5	3	7.7	370	6.6	5	14.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	4	5.6	4	7.3	0	0.0	0	0.0	11	0.2	0	0.0
20-29	28	39.4	25	45.5	3	18.8	5	12.8	301	5.4	0	0.0
30-39	22	31.0	17	30.9	5	31.3	14	35.9	947	17.0	3	8.6
40-49	8	11.3	3	5.5	5	31.3	8	20.5	1,168	21.0	9	25.7
50-59	3	4.2	1	1.8	2	12.5	10	25.6	1,751	31.5	9	25.7
60+	6	8.5	5	9.1	1	6.3	2	5.1	1,387	24.9	14	40.0
Transmission category												
Men who have sex with men (MSM)	43	60.6	33	60.0	10	62.5	20	51.3	2,761	49.6	18	51.4
Injection drug use history (IDU)	1	1.4	1	1.8	0	0.0	0	0.0	725	13.0	2	5.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.6	142	2.6	0	0.0
Heterosexual contact	8	11.3	7	12.7	1	6.3	5	12.8	887	15.9	5	14.3
Transgender people with sexual contact	3	4.2	3	5.5	0	0.0	2	5.1	122	2.2	1	2.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	59	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	16	22.5	11	20.0	5	31.3	11	28.2	865	15.5	9	25.7

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

Table 1.10.3. Flushing - Clearview (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	14	100.0	11	78.6	3	21.4	6	100.0	796	100.0	17	100.0
Gender												
Men	13	92.9	10	90.9	3	100.0	6	100.0	603	75.8	12	70.6
Women	1	7.1	1	9.1	0	0.0	0	0.0	193	24.2	5	29.4
Race or ethnicity												
Black	2	14.3	1	9.1	1	33.3	1	16.7	131	16.5	4	23.5
Latino	6	42.9	5	45.5	1	33.3	1	16.7	301	37.8	6	35.3
White	1	7.1	1	9.1	0	0.0	1	16.7	190	23.9	4	23.5
Asian or Pacific Islander	5	35.7	4	36.4	1	33.3	3	50.0	164	20.6	2	11.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.8	1	5.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	4	28.6	4	36.4	0	0.0	0	0.0	54	6.8	2	11.8
30-39	3	21.4	2	18.2	1	33.3	1	16.7	128	16.1	1	5.9
40-49	3	21.4	2	18.2	1	33.3	1	16.7	132	16.6	0	0.0
50-59	3	21.4	3	27.3	0	0.0	1	16.7	245	30.8	2	11.8
60+	1	7.1	0	0.0	1	33.3	3	50.0	236	29.6	12	70.6
Transmission category												
Men who have sex with men (MSM)	7	50.0	6	54.5	1	33.3	3	50.0	374	47.0	7	41.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	16.7	64	8.0	2	11.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	2.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	183	23.0	4	23.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.9	1	5.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	7	50.0	5	45.5	2	66.7	2	33.3	136	17.1	3	17.6

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

Table 1.10.4. Bayside - Little Neck (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	0	0.0	0	0.0	0	0.0	0	0.0	140	100.0	0	0.0
Gender												
Men	0	0.0	0	0.0	0	0.0	0	0.0	109	77.9	0	0.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	31	22.1	0	0.0
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	17	12.1	0	0.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	37	26.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	72	51.4	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	12	8.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	7	5.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	16	11.4	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	16	11.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	44	31.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	57	40.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	65	46.4	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	15	10.7	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	30	21.4	0	0.0
Transgender people with sexual c	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	15.0	0	0.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

**Table 1.10.5. Ridgewood - Forest Hills (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	27	100.0	22	81.5	5	18.5	8	100.0	1,368	100.0	19	100.0
Gender												
Men	24	88.9	19	86.4	5	100.0	8	100.0	1,081	79.0	17	89.5
Women	3	11.1	3	13.6	0	0.0	0	0.0	287	21.0	2	10.5
Race or ethnicity												
Black	3	11.1	2	9.1	1	20.0	1	12.5	178	13.0	1	5.3
Latino	13	48.1	11	50.0	2	40.0	5	62.5	675	49.3	7	36.8
White	9	33.3	7	31.8	2	40.0	2	25.0	418	30.6	9	47.4
Asian or Pacific Islander	1	3.7	1	4.5	0	0.0	0	0.0	85	6.2	2	10.5
Other or unknown	1	3.7	1	4.5	0	0.0	0	0.0	12	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	10	37.0	8	36.4	2	40.0	2	25.0	99	7.2	0	0.0
30-39	11	40.7	10	45.5	1	20.0	1	12.5	234	17.1	3	15.8
40-49	4	14.8	3	13.6	1	20.0	3	37.5	243	17.8	1	5.3
50-59	2	7.4	1	4.5	1	20.0	2	25.0	393	28.7	6	31.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	395	28.9	9	47.4
Transmission category												
Men who have sex with men (MSM)	16	59.3	14	63.6	2	40.0	4	50.0	782	57.2	9	47.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	81	5.9	3	15.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	32	2.3	1	5.3
Heterosexual contact	4	14.8	4	18.2	0	0.0	0	0.0	252	18.4	3	15.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	14	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Unknown	7	25.9	4	18.2	3	60.0	3	37.5	176	12.9	3	15.8

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.6. Fresh Meadows (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	3	100.0	1	33.3	2	66.7	3	100.0	328	100.0	5	100.0
Gender												
Men	3	100.0	1	100.0	2	100.0	3	100.0	205	62.5	3	60.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	123	37.5	2	40.0
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	1	33.3	139	42.4	4	80.0
Latino	2	66.7	1	100.0	1	50.0	1	33.3	112	34.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	46	14.0	1	20.0
Asian or Pacific Islander	1	33.3	0	0.0	1	50.0	1	33.3	29	8.8	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	33.3	28	8.5	1	20.0
30-39	2	66.7	1	100.0	1	50.0	1	33.3	51	15.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	50	15.2	0	0.0
50-59	1	33.3	0	0.0	1	50.0	1	33.3	106	32.3	1	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	92	28.0	3	60.0
Transmission category												
Men who have sex with men (MSM)	3	100.0	1	100.0	2	100.0	3	100.0	116	35.4	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	25	7.6	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	1.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	95	29.0	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	2.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	13	4.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	65	19.8	3	60.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 1.10.7. Southwest Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	31	100.0	24	77.4	7	22.6	12	100.0	2,025	100.0	16	100.0
Gender												
Men	23	74.2	18	75.0	5	71.4	10	83.3	1,464	72.3	8	50.0
Women	8	25.8	6	25.0	2	28.6	2	16.7	561	27.7	8	50.0
Race or ethnicity												
Black	11	35.5	8	33.3	3	42.9	4	33.3	519	25.6	6	37.5
Latino	11	35.5	8	33.3	3	42.9	5	41.7	960	47.4	5	31.3
White	1	3.2	0	0.0	1	14.3	2	16.7	294	14.5	3	18.8
Asian or Pacific Islander	7	22.6	7	29.2	0	0.0	1	8.3	220	10.9	1	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	17	0.8	0	0.0
Multiracial	1	3.2	1	4.2	0	0.0	0	0.0	12	0.6	1	6.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	9	29.0	8	33.3	1	14.3	2	16.7	119	5.9	0	0.0
30-39	12	38.7	11	45.8	1	14.3	1	8.3	355	17.5	0	0.0
40-49	5	16.1	3	12.5	2	28.6	4	33.3	391	19.3	1	6.3
50-59	3	9.7	1	4.2	2	28.6	4	33.3	630	31.1	7	43.8
60+	2	6.5	1	4.2	1	14.3	1	8.3	526	26.0	8	50.0
Transmission category												
Men who have sex with men (MSM)	16	51.6	13	54.2	3	42.9	5	41.7	897	44.3	5	31.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	171	8.4	2	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	27	1.3	1	6.3
Heterosexual contact	4	12.9	4	16.7	0	0.0	1	8.3	511	25.2	5	31.3
Transgender people with sexual contact	3	9.7	2	8.3	1	14.3	1	8.3	25	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	8	25.8	5	20.8	3	42.9	4	33.3	344	17.0	3	18.8

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

Table 1.10.8. Jamaica (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	46	100.0	37	80.4	9	19.6	30	100.0	3,316	100.0	63	100.0
Gender												
Men	34	73.9	26	70.3	8	88.9	19	63.3	2,060	62.1	47	74.6
Women	12	26.1	11	29.7	1	11.1	11	36.7	1,256	37.9	16	25.4
Race or ethnicity												
Black	28	60.9	23	62.2	5	55.6	18	60.0	2,344	70.7	53	84.1
Latino	9	19.6	7	18.9	2	22.2	7	23.3	643	19.4	8	12.7
White	1	2.2	0	0.0	1	11.1	2	6.7	185	5.6	1	1.6
Asian or Pacific Islander	7	15.2	6	16.2	1	11.1	3	10.0	112	3.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.4	0	0.0
Multiracial	1	2.2	1	2.7	0	0.0	0	0.0	15	0.5	1	1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	4.3	2	5.4	0	0.0	0	0.0	11	0.3	0	0.0
20-29	21	45.7	20	54.1	1	11.1	4	13.3	227	6.8	0	0.0
30-39	9	19.6	6	16.2	3	33.3	10	33.3	500	15.1	11	17.5
40-49	4	8.7	3	8.1	1	11.1	6	20.0	613	18.5	3	4.8
50-59	7	15.2	6	16.2	1	11.1	4	13.3	923	27.8	13	20.6
60+	3	6.5	0	0.0	3	33.3	6	20.0	1,038	31.3	36	57.1
Transmission category												
Men who have sex with men (MSM)	18	39.1	16	43.2	2	22.2	6	20.0	1,062	32.0	9	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.3	327	9.9	12	19.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	58	1.7	4	6.3
Heterosexual contact	7	15.2	6	16.2	1	11.1	10	33.3	1,043	31.5	24	38.1
Transgender people with sexual contact	1	2.2	1	2.7	0	0.0	3	10.0	58	1.7	3	4.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	93	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	20	43.5	14	37.8	6	66.7	10	33.3	667	20.1	11	17.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

Table 1.10.9. Southeast Queens (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	23	100.0	21	91.3	2	8.7	6	100.0	1,359	100.0	16	100.0
Gender												
Men	15	65.2	13	61.9	2	100.0	5	83.3	780	57.4	11	68.8
Women	8	34.8	8	38.1	0	0.0	1	16.7	579	42.6	5	31.3
Race or ethnicity												
Black	18	78.3	16	76.2	2	100.0	5	83.3	1,038	76.4	13	81.3
Latino	5	21.7	5	23.8	0	0.0	1	16.7	179	13.2	2	12.5
White	0	0.0	0	0.0	0	0.0	0	0.0	83	6.1	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	1	6.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	8.7	2	9.5	0	0.0	0	0.0	9	0.7	0	0.0
20-29	8	34.8	7	33.3	1	50.0	1	16.7	74	5.4	0	0.0
30-39	5	21.7	5	23.8	0	0.0	0	0.0	194	14.3	1	6.3
40-49	7	30.4	7	33.3	0	0.0	1	16.7	249	18.3	0	0.0
50-59	1	4.3	0	0.0	1	50.0	2	33.3	403	29.7	5	31.3
60+	0	0.0	0	0.0	0	0.0	2	33.3	430	31.6	10	62.5
Transmission category												
Men who have sex with men (MSM)	8	34.8	7	33.3	1	50.0	1	16.7	322	23.7	4	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	123	9.1	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	23	1.7	0	0.0
Heterosexual contact	6	26.1	6	28.6	0	0.0	1	16.7	526	38.7	2	12.5
Transgender people with sexual contact	2	8.7	2	9.5	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	40	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	7	30.4	6	28.6	1	50.0	4	66.7	308	22.7	5	31.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**Table 1.10.10. Rockaway (Queens)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	20	100.0	16	80.0	4	20.0	12	100.0	1,313	100.0	50	100.0
Gender												
Men	17	85.0	13	81.3	4	100.0	11	91.7	768	58.5	30	60.0
Women	3	15.0	3	18.8	0	0.0	1	8.3	545	41.5	20	40.0
Race or ethnicity												
Black	12	60.0	10	62.5	2	50.0	8	66.7	836	63.7	30	60.0
Latino	4	20.0	3	18.8	1	25.0	2	16.7	328	25.0	9	18.0
White	3	15.0	3	18.8	0	0.0	0	0.0	120	9.1	8	16.0
Asian or Pacific Islander	1	5.0	0	0.0	1	25.0	1	8.3	15	1.1	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	1	8.3	14	1.1	3	6.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	35.0	7	43.8	0	0.0	0	0.0	83	6.3	1	2.0
30-39	2	10.0	1	6.3	1	25.0	2	16.7	202	15.4	3	6.0
40-49	5	25.0	3	18.8	2	50.0	3	25.0	226	17.2	2	4.0
50-59	4	20.0	3	18.8	1	25.0	4	33.3	388	29.6	18	36.0
60+	2	10.0	2	12.5	0	0.0	3	25.0	414	31.5	26	52.0
Transmission category												
Men who have sex with men (MSM)	13	65.0	10	62.5	3	75.0	7	58.3	372	28.3	8	16.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	8.3	177	13.5	12	24.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	8.3	31	2.4	1	2.0
Heterosexual contact	1	5.0	1	6.3	0	0.0	1	8.3	452	34.4	13	26.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	3.0	2	4.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	6	30.0	5	31.3	1	25.0	2	16.7	230	17.5	14	28.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.1. Port Richmond (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	7	100.0	7	100.0	0	0.0	2	100.0	659	100.0	9	100.0
Gender												
Men	5	71.4	5	71.4	0	0.0	1	50.0	388	58.9	6	66.7
Women	2	28.6	2	28.6	0	0.0	1	50.0	271	41.1	3	33.3
Race or ethnicity												
Black	3	42.9	3	42.9	0	0.0	2	100.0	348	52.8	7	77.8
Latino	2	28.6	2	28.6	0	0.0	0	0.0	207	31.4	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	87	13.2	2	22.2
Asian or Pacific Islander	2	28.6	2	28.6	0	0.0	0	0.0	6	0.9	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	1.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	4	57.1	4	57.1	0	0.0	0	0.0	49	7.4	1	11.1
30-39	2	28.6	2	28.6	0	0.0	0	0.0	127	19.3	0	0.0
40-49	1	14.3	1	14.3	0	0.0	1	50.0	109	16.5	2	22.2
50-59	0	0.0	0	0.0	0	0.0	0	0.0	201	30.5	2	22.2
60+	0	0.0	0	0.0	0	0.0	1	50.0	171	25.9	4	44.4
Transmission category												
Men who have sex with men (MSM)	3	42.9	3	42.9	0	0.0	0	0.0	183	27.8	1	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	107	16.2	3	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	2.7	1	11.1
Heterosexual contact	2	28.6	2	28.6	0	0.0	1	50.0	210	31.9	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	14	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	25	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	28.6	2	28.6	0	0.0	1	50.0	101	15.3	1	11.1

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.2. Stapleton - St. George (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	13	100.0	10	76.9	3	23.1	9	100.0	1,201	100.0	33	100.0
Gender												
Men	9	69.2	6	60.0	3	100.0	9	100.0	782	65.1	20	60.6
Women	4	30.8	4	40.0	0	0.0	0	0.0	419	34.9	13	39.4
Race or ethnicity												
Black	7	53.8	6	60.0	1	33.3	2	22.2	548	45.6	18	54.5
Latino	3	23.1	3	30.0	0	0.0	3	33.3	339	28.2	9	27.3
White	3	23.1	1	10.0	2	66.7	4	44.4	287	23.9	6	18.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	1.0	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	4	30.8	3	30.0	1	33.3	1	11.1	67	5.6	0	0.0
30-39	3	23.1	3	30.0	0	0.0	0	0.0	173	14.4	0	0.0
40-49	4	30.8	3	30.0	1	33.3	4	44.4	210	17.5	3	9.1
50-59	2	15.4	1	10.0	1	33.3	3	33.3	375	31.2	9	27.3
60+	0	0.0	0	0.0	0	0.0	1	11.1	375	31.2	21	63.6
Transmission category												
Men who have sex with men (MSM)	4	30.8	2	20.0	2	66.7	3	33.3	405	33.7	4	12.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	33.3	183	15.2	7	21.2
MSM-IDU	1	7.7	1	10.0	0	0.0	0	0.0	43	3.6	0	0.0
Heterosexual contact	1	7.7	1	10.0	0	0.0	0	0.0	324	27.0	13	39.4
Transgender people with sexual contact	1	7.7	1	10.0	0	0.0	0	0.0	26	2.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	46.2	5	50.0	1	33.3	3	33.3	194	16.2	9	27.3

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.3. Willowbrook (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	2	100.0	2	100.0	0	0.0	2	100.0	226	100.0	4	100.0
Gender												
Men	1	50.0	1	50.0	0	0.0	2	100.0	158	69.9	3	75.0
Women	1	50.0	1	50.0	0	0.0	0	0.0	68	30.1	1	25.0
Race or ethnicity												
Black	1	50.0	1	50.0	0	0.0	2	100.0	50	22.1	3	75.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	66	29.2	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	98	43.4	1	25.0
Asian or Pacific Islander	1	50.0	1	50.0	0	0.0	0	0.0	9	4.0	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	50.0	11	4.9	0	0.0
30-39	1	50.0	1	50.0	0	0.0	1	50.0	42	18.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	37	16.4	1	25.0
50-59	1	50.0	1	50.0	0	0.0	0	0.0	72	31.9	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	64	28.3	3	75.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	2	100.0	91	40.3	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	32	14.2	2	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	0	0.0
Heterosexual contact	1	50.0	1	50.0	0	0.0	0	0.0	50	22.1	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
Unknown	1	50.0	1	50.0	0	0.0	0	0.0	39	17.3	1	25.0

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP code is included in Willowbrook: 10314.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

**Table 1.11.4. South Beach - Tottenville (Staten Island)
New HIV and AIDS Diagnoses and Deaths From January 1, 2020, to December 31, 2020; and
People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2020**

	HIV Diagnoses, 2020						AIDS Diagnoses, 2020		People With HIV as of 12/31/2020		Deaths, 2020	
	Total HIV Diagnoses		Without AIDS		Concurrent With AIDS Diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
Total	6	100.0	4	66.7	2	33.3	5	100.0	438	100.0	8	100.0
Gender												
Men	6	100.0	4	100.0	2	100.0	5	100.0	298	68.0	5	62.5
Women	0	0.0	0	0.0	0	0.0	0	0.0	140	32.0	3	37.5
Race or ethnicity												
Black	0	0.0	0	0.0	0	0.0	0	0.0	67	15.3	0	0.0
Latino	2	33.3	2	50.0	0	0.0	3	60.0	127	29.0	1	12.5
White	1	16.7	0	0.0	1	50.0	1	20.0	236	53.9	7	87.5
Asian or Pacific Islander	1	16.7	1	25.0	0	0.0	0	0.0	6	1.4	0	0.0
Other or unknown	2	33.3	1	25.0	1	50.0	1	20.0	2	0.5	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	23	5.3	0	0.0
30-39	6	100.0	4	100.0	2	100.0	4	80.0	41	9.4	1	12.5
40-49	0	0.0	0	0.0	0	0.0	0	0.0	70	16.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	20.0	142	32.4	1	12.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	158	36.1	6	75.0
Transmission category												
Men who have sex with men (MSM)	3	50.0	3	75.0	0	0.0	1	20.0	126	28.8	1	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	74	16.9	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	2.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	124	28.3	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	20.0	18	4.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	3	50.0	1	25.0	2	100.0	3	60.0	79	18.0	3	37.5

As reported to the NYC Health Department by March 31, 2024.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

Table 2.1. Rate of New HIV Diagnoses, Prevalence of People With HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2020 Overall and by Gender, Age, and Race or Ethnicity

	HIV Diagnoses per 100,000 People ^{1,2}	People With HIV as a Percent of Population ²	Age-Adjusted Death Rate per 1,000 People With HIV ³	2020 New York City Population ⁴
Total	16.0	1.5	12.4	8,740,647
Gender				
Men	25.9	2.3	12.2	4,209,227
Women	6.8	0.8	13.2	4,531,420
Race or ethnicity				
Black	33.0	3.0	14.7	1,912,450
Latino	19.8	1.8	12.1	2,534,751
White	6.6	1.0	8.8	2,783,311
Asian or Pacific Islander				
Native American	4.8*	1.5	18.5*	20,973
Multiracial	8.6	0.4	72.2	162,365
Age group (years)				
0 - 12	0.2*	0.0	0.0*	1,330,580
13 - 19	9.3	0.1	0.0*	663,839
20 - 29	36.7	0.7	4.5	1,290,483
30 - 39	30.4	1.6	6.5	1,416,504
40 - 49	17.4	2.1	9.9	1,102,340
50 - 59	15.5	3.6	17.6	1,092,587
60+	3.7	2.1	35.8	1,844,314

As reported to the NYC Health Department by March 31, 2024.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using NYC Health Department 2020 population estimates, modified from US Census Bureau intercensal population estimates.

³Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC Health Department intercensal estimates.

Table 2.2. Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2020
Overall and by Borough and United Hospital Fund Neighborhood of Residence

	HIV Diagnoses per 100,000 People ^{1,2}	People With HIV as a Percent of Population ²	Age-Adjusted Death Rate per 1,000 People With HIV ³	2020 New York City Population ⁴
Total	16.0	1.5	12.4	8,740,647
Bronx⁵	20.2	2.1	14.7	1,461,125
Crotona - Tremont	25.5	3.0	16.5	220,037
Fordham - Bronx Park	19.2	2.2	13.3	270,828
High Bridge - Morrisania	26.3	2.9	18.3	220,750
Hunts Point - Mott Haven	27.6	2.8	14.0	144,877
Kingsbridge - Riverdale	4.2*	0.8	9.8	94,676
Northeast Bronx	13.3	1.3	14.3	210,439
Pelham - Throgs Neck	18.7	1.5	11.7	304,539
Brooklyn⁵	14.9	1.1	11.9	2,719,044
Bedford Stuyvesant - Crown Heights	28.0	2.2	12.9	356,814
Bensonhurst - Bay Ridge	2.8*	0.3	15.5	213,046
Borough Park	3.8	0.3	9.1	343,432
Canarsie - Flatlands	11.7	0.9	16.6	213,850
Coney Island - Sheepshead Bay	6.3	0.4	11.2	299,347
Downtown - Heights - Park Slope	11.3	1.0	10.2	273,766
East Flatbush - Flatbush	24.1	1.8	11.0	306,510
East New York	29.8	1.7	18.7	207,930
Greenpoint	7.4	0.6	6.0*	147,686
Sunset Park	7.3*	0.7	6.0*	123,563
Williamsburg - Bushwick	24.0	1.7	10.0	233,102
Manhattan⁵	16.1	1.9	7.7	1,677,306
Central Harlem - Morningside Heights	28.8	2.7	10.9	187,686
Chelsea - Clinton	32.1	4.4	9.3	162,227
East Harlem	24.9	2.5	15.3	116,699
Gramercy Park - Murray Hill	10.1	1.5	3.3	138,937
Greenwich Village - Soho	14.6	2.1	4.3*	81,974
Lower Manhattan	7.7*	0.9	2.8*	64,990
Union Square - Lower East Side	9.9	1.5	7.4	191,483
Upper East Side	3.7*	0.7	6.0	215,686
Upper West Side	8.2	1.4	6.4	230,550
Washington Heights - Inwood	19.6	1.8	7.1	275,441
Queens⁵	11.1	0.8	8.9	2,388,586
Bayside - Little Neck	0.0*	0.1	0.0*	94,241
Flushing - Clearview	5.4	0.3	13.8	259,874
Fresh Meadows	3.0*	0.3	18.7*	100,796
Jamaica	13.7	1.0	14.1	334,855
Long Island City - Astoria	14.3	1.2	6.9	210,377
Ridgewood - Forest Hills	10.0	0.5	8.2	269,165
Rockaway	14.5	1.0	24.9	137,581
Southeast Queens	10.3	0.6	6.9	223,395
Southwest Queens	10.6	0.7	5.2	293,243
West Queens	15.1	1.2	3.9	471,672
Staten Island⁵	5.7	0.5	14.9	494,586
Port Richmond	9.6*	0.9	9.9*	72,544
South Beach - Tottenville	3.0*	0.2	13.1*	199,330
Stapleton - St. George	10.1	0.9	18.1	128,381
Willowbrook	2.1*	0.2	12.3*	94,331

As reported to the NYC Health Department by March 31, 2024.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using NYC Health Department 2020 population estimates, modified from US Census Bureau intercensal population estimates.

³Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from NYC Health Department intercensal estimates.

⁵Borough-level data include people residing in unknown UHF neighborhoods.