

Annual HIV Surveillance Statistics 2024

New York City Department of Health and Mental Hygiene (NYC Health Department)

List of Annual Tables

Click on each title below to reach the corresponding table

Tables 1.1-1.11.4 New HIV and AIDS Diagnoses and Deaths from January 1, 2024, to December 31, 2024; and People Diagnosed with HIV, Reported in NYC and Presumed to be Living as of December 31, 2024

Table 1.1	New York City (All)	Table 1.7.3	Fordham – Bronx Park
		Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race and Ethnicity		By United Hospital Fund Neighborhood in Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian or Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian or Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
Table 1.3.11	Multiracial Men	Table 1.8.11	Williamsburg – Bushwick
Table 1.3.12	Multiracial Women		
	By Age		By United Hospital Fund Neighborhood in Manhattan
Table 1.4.1	Boys Ages 0 to 12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.2	Girls Ages 0 to 12 years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.3	Men Ages 13 Years and Older	Table 1.9.3	East Harlem
Table 1.4.4	Women Ages 13 Years and Older	Table 1.9.4	Upper West Side
		Table 1.9.5	Upper East Side
	By Borough	Table 1.9.6	Chelsea – Clinton
Table 1.5.1	Bronx, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.2	Bronx, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.3	Brooklyn, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.4	Brooklyn, Women	Table 1.9.10	Lower Manhattan
Table 1.5.5	Manhattan, Men		
Table 1.5.6	Manhattan, Women		By United Hospital Fund Neighborhood in Queens
Table 1.5.7	Queens, Men	Table 1.10.1	Long Island City – Astoria
Table 1.5.8	Queens, Women	Table 1.10.2	West Queens
Table 1.5.9	Staten Island, Men	Table 1.10.3	Flushing – Clearview
Table 1.5.10	Staten Island, Women	Table 1.10.4	Bayside – Little Neck
		Table 1.10.5	Ridgewood – Forest Hills
	By Transmission Category	Table 1.10.6	Fresh Meadows
Table 1.6.1	Men Who Have Sex With Men (MSM)	Table 1.10.7	Southwest Queens
Table 1.6.2	Injection Drug Use History (IDU), Men	Table 1.10.8	Jamaica
Table 1.6.3	Injection Drug Use History (IDU), Women	Table 1.10.9	Southeast Queens
Table 1.6.4	MSM-IDU	Table 1.10.10	Rockaway
Table 1.6.5	Heterosexual Contact, Men		
Table 1.6.6	Heterosexual Contact, Women		By United Hospital Fund Neighborhood in Staten Island
Table 1.6.7	Transgender People With Sexual Contact	Table 1.11.1	Port Richmond
		Table 1.11.2	Stapleton – St. George
	By United Hospital Fund Neighborhood in the Bronx	Table 1.11.3	Willowbrook
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.4	South Beach – Tottenville
Table 1.7.2	Northeast Bronx		

Tables 2.1-2.2 Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2024

Table 2.1	Overall and by gender, age, and race and ethnicity	Table 2.2	Overall and by borough and United Hospital Fund neighborhood of residence
-----------	--	-----------	---



For more reports and a glossary of terms, scan the QR code or visit nyc.gov/hivreports

Suggested citation: HIV Epidemiology Program. Annual HIV Surveillance Statistics, 2024. New York City Department of Health and Mental Hygiene: New York, NY. December 2025. Accessed [access date] at nyc.gov/hivreports.



Table 1.1. New York City (All)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024			Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnosis ²								
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	1,791	100.0	1,458	81.4	333	18.6	1,184	100.0	136,864	100.0	1,511	100.0	
Gender⁵													
Men	1,348	75.3	1,090	74.8	258	77.5	852	72.0	100,153	73.2	1,060	70.2	
Women	360	20.1	290	19.9	70	21.0	290	24.5	33,504	24.5	414	27.4	
Transgender women	79	4.4	74	5.1	5	1.5	41	3.5	3,068	2.2	35	2.3	
Transgender men	1	0.1	1	0.1	0	0.0	0	0.0	64	0.0	2	0.1	
Additional gender identities	3	0.2	3	0.2	0	0.0	1	0.1	75	0.1	0	0.0	
Race and ethnicity⁶													
Black	784	43.8	633	43.4	151	45.3	530	44.8	57,375	41.9	771	51.0	
Latino	732	40.9	599	41.1	133	39.9	477	40.3	47,440	34.7	531	35.1	
White	154	8.6	132	9.1	22	6.6	114	9.6	26,777	19.6	172	11.4	
Asian or Pacific Islander	88	4.9	69	4.7	19	5.7	43	3.6	3,887	2.8	21	1.4	
Native American	3	0.2	2	0.1	1	0.3	2	0.2	313	0.2	4	0.3	
Multiracial	30	1.7	23	1.6	7	2.1	18	1.5	777	0.6	12	0.8	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	295	0.2	0	0.0	
Age group (years)⁷													
0-12	1	0.1	1	0.1	0	0.0	2	0.2	33	0.0	0	0.0	
13-19	52	2.9	49	3.4	3	0.9	9	0.8	210	0.2	1	0.1	
20-29	600	33.5	522	35.8	78	23.4	184	15.5	6,387	4.7	21	1.4	
30-39	576	32.2	483	33.1	93	27.9	348	29.4	23,271	17.0	117	7.7	
40-49	280	15.6	200	13.7	80	24.0	253	21.4	23,875	17.4	128	8.5	
50-59	161	9.0	115	7.9	46	13.8	188	15.9	32,102	23.5	335	22.2	
60+	121	6.8	88	6.0	33	9.9	200	16.9	50,986	37.3	909	60.2	
Borough of residence⁸													
Bronx	394	22.0	318	21.8	76	22.8	342	28.9	32,419	23.7	523	34.6	
Brooklyn	501	28.0	384	26.3	117	35.1	305	25.8	32,064	23.4	386	25.5	
Manhattan	329	18.4	277	19.0	52	15.6	214	18.1	33,120	24.2	308	20.4	
Queens	364	20.3	305	20.9	59	17.7	175	14.8	21,028	15.4	146	9.7	
Staten Island	39	2.2	30	2.1	9	2.7	25	2.1	2,608	1.9	44	2.9	
Outside NYC	134	7.5	115	7.9	19	5.7	117	9.9	15,255	11.1	53	3.5	
Unknown	30	1.7	29	2.0	1	0.3	6	0.5	370	0.3	51	3.4	
Neighborhood poverty level⁹													
Low poverty	146	8.2	121	8.3	25	7.5	96	8.1	15,408	11.3	114	7.5	
Medium poverty	728	40.6	583	40.0	145	43.5	424	35.8	49,877	36.4	473	31.3	
High poverty	397	22.2	316	21.7	81	24.3	261	22.0	28,173	20.6	356	23.6	
Very high poverty	352	19.7	290	19.9	62	18.6	278	23.5	26,580	19.4	463	30.6	
Not available	168	9.4	148	10.2	20	6.0	125	10.6	16,826	12.3	105	6.9	
Transmission category													
Men who have sex with men (MSM)	790	44.1	675	46.3	115	34.5	440	37.2	64,084	46.8	386	25.5	
Injection drug use history (IDU)	29	1.6	21	1.4	8	2.4	81	6.8	13,236	9.7	349	23.1	
MSM-IDU	13	0.7	12	0.8	1	0.3	23	1.9	3,439	2.5	78	5.2	
Heterosexual contact	302	16.9	240	16.5	62	18.6	241	20.4	27,495	20.1	355	23.5	
Transgender people with sexual contact	74	4.1	69	4.7	5	1.5	35	3.0	2,870	2.1	27	1.8	
Perinatal	1	0.1	1	0.1	0	0.0	14	1.2	2,506	1.8	10	0.7	
Other	0	0.0	0	0.0	0	0.0	0	0.0	187	0.1	1	0.1	
Unknown	582	32.5	440	30.2	142	42.6	350	29.6	23,047	16.8	305	20.2	

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Additional gender identities include nonbinary, genderqueer, gender non-conforming, and any gender identity not previously listed. Gender identities are based on limited reported HIV surveillance data and are listed without any intended hierarchy or prioritization. ⁶Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ⁷For HIV and AIDS diagnoses, age at diagnosis; for people with HIV, age at the end of the calendar year; for deaths, age at death. ⁸For HIV and AIDS diagnoses, borough of residence at diagnosis; for people with HIV and deaths, borough of residence on most recent record available. ⁹Neighborhood poverty level determined by proportion of residents living below federal poverty level (FPL) in NYC ZIP code of residence. For HIV and AIDS diagnoses, ZIP code of residence at diagnosis; for people with HIV and deaths, ZIP code of residence on most recent record available. Low poverty = less than 10% below FPL; medium poverty = 10% to less than 20% below FPL; high poverty = 20% to less than 30% below FPL; very high poverty = greater than or equal to 30% below FPL.

Table 1.2.1. Men¹**New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024**

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	1,349	100.0	1,091	80.9	258	19.1	852	100.0	100,217	100.0	1,062	100.0
Race and ethnicity												
Black	552	40.9	442	40.5	110	42.6	354	41.5	36,655	36.6	511	48.1
Latino	563	41.7	460	42.2	103	39.9	349	41.0	35,089	35.0	374	35.2
White	132	9.8	113	10.4	19	7.4	92	10.8	24,119	24.1	145	13.7
Asian or Pacific Islander	75	5.6	57	5.2	18	7.0	40	4.7	3,278	3.3	18	1.7
Native American	2	0.1	1	0.1	1	0.4	2	0.2	240	0.2	4	0.4
Multiracial	25	1.9	18	1.6	7	2.7	15	1.8	608	0.6	10	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	228	0.2	0	0.0
Age group (years)												
0-12	1	0.1	1	0.1	0	0.0	1	0.1	16	0.0	0	0.0
13-19	40	3.0	37	3.4	3	1.2	6	0.7	128	0.1	0	0.0
20-29	475	35.2	416	38.1	59	22.9	136	16.0	4,898	4.9	18	1.7
30-39	456	33.8	381	34.9	75	29.1	265	31.1	18,682	18.6	92	8.7
40-49	201	14.9	136	12.5	65	25.2	186	21.8	17,749	17.7	88	8.3
50-59	104	7.7	71	6.5	33	12.8	125	14.7	22,552	22.5	236	22.2
60+	72	5.3	49	4.5	23	8.9	133	15.6	36,192	36.1	628	59.1
Borough of residence												
Bronx	287	21.3	229	21.0	58	22.5	233	27.3	20,607	20.6	351	33.1
Brooklyn	366	27.1	280	25.7	86	33.3	213	25.0	21,759	21.7	260	24.5
Manhattan	258	19.1	217	19.9	41	15.9	162	19.0	28,032	28.0	242	22.8
Queens	283	21.0	230	21.1	53	20.5	136	16.0	15,669	15.6	95	8.9
Staten Island	27	2.0	20	1.8	7	2.7	19	2.2	1,678	1.7	33	3.1
Outside NYC	110	8.2	97	8.9	13	5.0	85	10.0	12,176	12.1	37	3.5
Unknown	18	1.3	18	1.6	0	0.0	4	0.5	296	0.3	44	4.1
Neighborhood poverty level												
Low poverty	111	8.2	92	8.4	19	7.4	72	8.5	12,734	12.7	97	9.1
Medium poverty	561	41.6	442	40.5	119	46.1	318	37.3	37,392	37.3	331	31.2
High poverty	302	22.4	238	21.8	64	24.8	186	21.8	19,469	19.4	231	21.8
Very high poverty	244	18.1	201	18.4	43	16.7	185	21.7	17,216	17.2	322	30.3
Not available	131	9.7	118	10.8	13	5.0	91	10.7	13,406	13.4	81	7.6
Transmission category												
Men who have sex with men (MSM)	790	58.6	675	61.9	115	44.6	440	51.6	64,084	63.9	386	36.3
Injection drug use history (IDU)	21	1.6	14	1.3	7	2.7	53	6.2	8,440	8.4	231	21.8
MSM-IDU	13	1.0	12	1.1	1	0.4	23	2.7	3,439	3.4	78	7.3
Heterosexual contact	42	3.1	31	2.8	11	4.3	50	5.9	6,887	6.9	127	12.0
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	40	0.0	0	0.0
Perinatal	1	0.1	1	0.1	0	0.0	8	0.9	1,200	1.2	6	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	105	0.1	1	0.1
Unknown	481	35.7	357	32.7	124	48.1	278	32.6	16,022	16.0	233	21.9

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.2.2. Women¹**New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024**

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	439	100.0	364	82.9	75	17.1	331	100.0	36,572	100.0	449	100.0
Race and ethnicity												
Black	230	52.4	189	51.9	41	54.7	175	52.9	20,686	56.6	260	57.9
Latina	168	38.3	138	37.9	30	40.0	128	38.7	12,332	33.7	157	35.0
White	22	5.0	19	5.2	3	4.0	22	6.6	2,643	7.2	27	6.0
Asian or Pacific Islander	13	3.0	12	3.3	1	1.3	3	0.9	606	1.7	3	0.7
Native American	1	0.2	1	0.3	0	0.0	0	0.0	73	0.2	0	0.0
Multiracial	5	1.1	5	1.4	0	0.0	3	0.9	165	0.5	2	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	67	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	1	0.3	17	0.0	0	0.0
13-19	12	2.7	12	3.3	0	0.0	3	0.9	82	0.2	1	0.2
20-29	123	28.0	104	28.6	19	25.3	48	14.5	1,471	4.0	3	0.7
30-39	120	27.3	102	28.0	18	24.0	82	24.8	4,552	12.4	25	5.6
40-49	78	17.8	63	17.3	15	20.0	67	20.2	6,112	16.7	40	8.9
50-59	57	13.0	44	12.1	13	17.3	63	19.0	9,545	26.1	99	22.0
60+	49	11.2	39	10.7	10	13.3	67	20.2	14,793	40.4	281	62.6
Borough of residence												
Bronx	106	24.1	88	24.2	18	24.0	109	32.9	11,799	32.3	172	38.3
Brooklyn	135	30.8	104	28.6	31	41.3	92	27.8	10,281	28.1	126	28.1
Manhattan	71	16.2	60	16.5	11	14.7	51	15.4	5,067	13.9	66	14.7
Queens	81	18.5	75	20.6	6	8.0	39	11.8	5,350	14.6	51	11.4
Staten Island	12	2.7	10	2.7	2	2.7	6	1.8	928	2.5	11	2.4
Outside NYC	23	5.2	17	4.7	6	8.0	32	9.7	3,074	8.4	16	3.6
Unknown	11	2.5	10	2.7	1	1.3	2	0.6	73	0.2	7	1.6
Neighborhood poverty level												
Low poverty	35	8.0	29	8.0	6	8.0	24	7.3	2,665	7.3	17	3.8
Medium poverty	167	38.0	141	38.7	26	34.7	105	31.7	12,456	34.1	142	31.6
High poverty	95	21.6	78	21.4	17	22.7	75	22.7	8,686	23.8	125	27.8
Very high poverty	107	24.4	88	24.2	19	25.3	93	28.1	9,351	25.6	141	31.4
Not available	35	8.0	28	7.7	7	9.3	34	10.3	3,414	9.3	24	5.3
Transmission category												
Injection drug use history (IDU)	8	1.8	7	1.9	1	1.3	28	8.5	4,794	13.1	118	26.3
Heterosexual contact	260	59.2	209	57.4	51	68.0	191	57.7	20,608	56.3	228	50.8
Transgender people with sexual contact	70	15.9	65	17.9	5	6.7	34	10.3	2,759	7.5	27	6.0
Perinatal	0	0.0	0	0.0	0	0.0	6	1.8	1,306	3.6	4	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	82	0.2	0	0.0
Unknown	101	23.0	83	22.8	18	24.0	72	21.8	7,023	19.2	72	16.0

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.3.1. Black Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵		
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N		N	
	N	%	N	%	N	%	N	100.0	N	100.0	N	100.0	N	100.0
Total	552	100.0	442	80.1	110	19.9	354	100.0	36,655	100.0	511	100.0		
Age group (years)														
0-12	1	0.2	1	0.2	0	0.0	1	0.3	11	0.0	0	0.0		
13-19	18	3.3	15	3.4	3	2.7	4	1.1	62	0.2	0	0.0		
20-29	197	35.7	179	40.5	18	16.4	41	11.6	2,050	5.6	10	2.0		
30-39	160	29.0	131	29.6	29	26.4	104	29.4	7,607	20.8	48	9.4		
40-49	86	15.6	56	12.7	30	27.3	80	22.6	6,199	16.9	37	7.2		
50-59	50	9.1	34	7.7	16	14.5	57	16.1	7,582	20.7	111	21.7		
60+	40	7.2	26	5.9	14	12.7	67	18.9	13,144	35.9	305	59.7		
Borough of residence														
Bronx	121	21.9	92	20.8	29	26.4	101	28.5	9,069	24.7	179	35.0		
Brooklyn	195	35.3	147	33.3	48	43.6	119	33.6	11,465	31.3	162	31.7		
Manhattan	101	18.3	85	19.2	16	14.5	68	19.2	7,378	20.1	87	17.0		
Queens	72	13.0	62	14.0	10	9.1	31	8.8	4,526	12.3	42	8.2		
Staten Island	7	1.3	7	1.6	0	0.0	4	1.1	585	1.6	13	2.5		
Outside NYC	44	8.0	37	8.4	7	6.4	30	8.5	3,546	9.7	14	2.7		
Unknown	12	2.2	12	2.7	0	0.0	1	0.3	86	0.2	14	2.7		
Neighborhood poverty level														
Low poverty	48	8.7	37	8.4	11	10.0	25	7.1	2,668	7.3	30	5.9		
Medium poverty	200	36.2	157	35.5	43	39.1	131	37.0	13,036	35.6	155	30.3		
High poverty	130	23.6	100	22.6	30	27.3	86	24.3	8,978	24.5	130	25.4		
Very high poverty	117	21.2	98	22.2	19	17.3	80	22.6	8,003	21.8	168	32.9		
Not available	57	10.3	50	11.3	7	6.4	32	9.0	3,970	10.8	28	5.5		
Transmission category														
Men who have sex with men (MSM)	262	47.5	221	50.0	41	37.3	156	44.1	19,683	53.7	171	33.5		
Injection drug use history (IDU)	8	1.4	6	1.4	2	1.8	22	6.2	3,287	9.0	96	18.8		
MSM-IDU	6	1.1	5	1.1	1	0.9	12	3.4	1,197	3.3	25	4.9		
Heterosexual contact	21	3.8	16	3.6	5	4.5	28	7.9	3,680	10.0	74	14.5		
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0		
Perinatal	1	0.2	1	0.2	0	0.0	5	1.4	670	1.8	4	0.8		
Other	0	0.0	0	0.0	0	0.0	0	0.0	34	0.1	1	0.2		
Unknown	254	46.0	193	43.7	61	55.5	131	37.0	8,081	22.0	140	27.4		

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.3.2. Black Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

Total	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	N	%	100.0	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	1	0.6	6	0.0	0	0.0
13-19	8	3.5	8	4.2	0	0.0	3	1.7	36	0.2	1	0.4
20-29	57	24.8	49	25.9	8	19.5	22	12.6	762	3.7	2	0.8
30-39	60	26.1	51	27.0	9	22.0	40	22.9	2,478	12.0	15	5.8
40-49	42	18.3	34	18.0	8	19.5	33	18.9	3,603	17.4	21	8.1
50-59	36	15.7	27	14.3	9	22.0	36	20.6	5,602	27.1	62	23.8
60+	27	11.7	20	10.6	7	17.1	40	22.9	8,199	39.6	159	61.2
Borough of residence												
Bronx	54	23.5	44	23.3	10	24.4	55	31.4	6,095	29.5	92	35.4
Brooklyn	95	41.3	74	39.2	21	51.2	60	34.3	6,971	33.7	83	31.9
Manhattan	26	11.3	24	12.7	2	4.9	22	12.6	2,642	12.8	33	12.7
Queens	30	13.0	28	14.8	2	4.9	19	10.9	2,871	13.9	28	10.8
Staten Island	9	3.9	7	3.7	2	4.9	2	1.1	440	2.1	6	2.3
Outside NYC	14	6.1	10	5.3	4	9.8	17	9.7	1,639	7.9	12	4.6
Unknown	2	0.9	2	1.1	0	0.0	0	0.0	28	0.1	6	2.3
Neighborhood poverty level												
Low poverty	19	8.3	15	7.9	4	9.8	12	6.9	1,421	6.9	8	3.1
Medium poverty	88	38.3	72	38.1	16	39.0	57	32.6	7,268	35.1	79	30.4
High poverty	55	23.9	47	24.9	8	19.5	43	24.6	5,042	24.4	73	28.1
Very high poverty	52	22.6	43	22.8	9	22.0	46	26.3	5,140	24.8	82	31.5
Not available	16	7.0	12	6.3	4	9.8	17	9.7	1,815	8.8	18	6.9
Transmission category												
Injection drug use history (IDU)	3	1.3	3	1.6	0	0.0	12	6.9	2,276	11.0	49	18.8
Heterosexual contact	141	61.3	109	57.7	32	78.0	109	62.3	12,014	58.1	143	55.0
Transgender people with sexual contact	28	12.2	27	14.3	1	2.4	13	7.4	1,259	6.1	14	5.4
Perinatal	0	0.0	0	0.0	0	0.0	3	1.7	744	3.6	2	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	42	0.2	0	0.0
Unknown	58	25.2	50	26.5	8	19.5	38	21.7	4,351	21.0	52	20.0

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. As reported to the NYC Health Department by March 31, 2025.

Table 1.3.3. Latino Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	100.0	100.0	100.0	100.0
Total	563	100.0	460	81.7	103	18.3	349	100.0	35,089	100.0	374	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	18	3.2	18	3.9	0	0.0	2	0.6	53	0.2	0	0.0
20-29	219	38.9	187	40.7	32	31.1	78	22.3	2,121	6.0	6	1.6
30-39	202	35.9	171	37.2	31	30.1	120	34.4	7,310	20.8	34	9.1
40-49	71	12.6	47	10.2	24	23.3	67	19.2	6,653	19.0	32	8.6
50-59	36	6.4	25	5.4	11	10.7	49	14.0	7,949	22.7	90	24.1
60+	17	3.0	12	2.6	5	4.9	33	9.5	10,998	31.3	212	56.7
Borough of residence												
Bronx	145	25.8	122	26.5	23	22.3	113	32.4	10,017	28.5	150	40.1
Brooklyn	107	19.0	85	18.5	22	21.4	54	15.5	5,826	16.6	67	17.9
Manhattan	99	17.6	84	18.3	15	14.6	57	16.3	8,351	23.8	88	23.5
Queens	155	27.5	121	26.3	34	33.0	78	22.3	7,253	20.7	30	8.0
Staten Island	13	2.3	7	1.5	6	5.8	10	2.9	518	1.5	12	3.2
Outside NYC	38	6.7	35	7.6	3	2.9	35	10.0	2,989	8.5	10	2.7
Unknown	6	1.1	6	1.3	0	0.0	2	0.6	135	0.4	17	4.5
Neighborhood poverty level												
Low poverty	32	5.7	29	6.3	3	2.9	23	6.6	3,503	10.0	21	5.6
Medium poverty	251	44.6	195	42.4	56	54.4	127	36.4	13,224	37.7	108	28.9
High poverty	126	22.4	103	22.4	23	22.3	79	22.6	7,260	20.7	81	21.7
Very high poverty	109	19.4	91	19.8	18	17.5	82	23.5	7,657	21.8	137	36.6
Not available	45	8.0	42	9.1	3	2.9	38	10.9	3,445	9.8	27	7.2
Transmission category												
Men who have sex with men (MSM)	382	67.9	329	71.5	53	51.5	200	57.3	21,851	62.3	117	31.3
Injection drug use history (IDU)	12	2.1	7	1.5	5	4.9	23	6.6	4,075	11.6	112	29.9
MSM-IDU	3	0.5	3	0.7	0	0.0	6	1.7	1,270	3.6	40	10.7
Heterosexual contact	15	2.7	10	2.2	5	4.9	17	4.9	2,366	6.7	40	10.7
Transgender people with sexual contact	1	0.2	1	0.2	0	0.0	0	0.0	10	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	0.9	427	1.2	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	0	0.0
Unknown	150	26.6	110	23.9	40	38.8	100	28.7	5,065	14.4	63	16.8

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.3.4. Latina Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

Total	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵		
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N		
	N	%	N	%	N	%	168	100.0	128	100.0	12,332	100.0	157
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.0	0	0.0	
13-19	4	2.4	4	2.9	0	0.0	0	0.0	39	0.3	0	0.0	
20-29	56	33.3	45	32.6	11	36.7	26	20.3	584	4.7	1	0.6	
30-39	50	29.8	42	30.4	8	26.7	35	27.3	1,633	13.2	6	3.8	
40-49	26	15.5	20	14.5	6	20.0	27	21.1	1,916	15.5	15	9.6	
50-59	13	7.7	11	8.0	2	6.7	19	14.8	3,088	25.0	30	19.1	
60+	19	11.3	16	11.6	3	10.0	21	16.4	5,066	41.1	105	66.9	
Borough of residence													
Bronx	46	27.4	38	27.5	8	26.7	47	36.7	5,247	42.5	76	48.4	
Brooklyn	27	16.1	20	14.5	7	23.3	26	20.3	2,424	19.7	35	22.3	
Manhattan	43	25.6	35	25.4	8	26.7	26	20.3	1,801	14.6	26	16.6	
Queens	37	22.0	33	23.9	4	13.3	14	10.9	1,746	14.2	13	8.3	
Staten Island	3	1.8	3	2.2	0	0.0	3	2.3	281	2.3	3	1.9	
Outside NYC	5	3.0	3	2.2	2	6.7	10	7.8	799	6.5	3	1.9	
Unknown	7	4.2	6	4.3	1	3.3	2	1.6	34	0.3	1	0.6	
Neighborhood poverty level													
Low poverty	8	4.8	7	5.1	1	3.3	6	4.7	657	5.3	3	1.9	
Medium poverty	62	36.9	54	39.1	8	26.7	37	28.9	3,818	31.0	48	30.6	
High poverty	35	20.8	26	18.8	9	30.0	31	24.2	3,109	25.2	47	29.9	
Very high poverty	50	29.8	41	29.7	9	30.0	42	32.8	3,855	31.3	54	34.4	
Not available	13	7.7	10	7.2	3	10.0	12	9.4	893	7.2	5	3.2	
Transmission category													
Injection drug use history (IDU)	2	1.2	1	0.7	1	3.3	12	9.4	1,904	15.4	56	35.7	
Heterosexual contact	104	61.9	88	63.8	16	53.3	64	50.0	6,750	54.7	72	45.9	
Transgender people with sexual contact	33	19.6	30	21.7	3	10.0	20	15.6	1,222	9.9	11	7.0	
Perinatal	0	0.0	0	0.0	0	0.0	3	2.3	466	3.8	2	1.3	
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.2	0	0.0	
Unknown	29	17.3	19	13.8	10	33.3	29	22.7	1,970	16.0	16	10.2	

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. As reported to the NYC Health Department by March 31, 2025.

Table 1.3.5. White Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		%		N		%
	N	%	N	%	N	%	92	100.0	24,119	100.0	145	100.0	
Total	132	100.0	113	85.6	19	14.4							
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
13-19	1	0.8	1	0.9	0	0.0	0	0.0	6	0.0	0	0.0	0
20-29	25	18.9	24	21.2	1	5.3	4	4.3	424	1.8	1	0.7	
30-39	55	41.7	46	40.7	9	47.4	27	29.3	2,663	11.0	6	4.1	
40-49	29	22.0	23	20.4	6	31.6	24	26.1	3,933	16.3	16	11.0	
50-59	12	9.1	10	8.8	2	10.5	11	12.0	6,049	25.1	26	17.9	
60+	10	7.6	9	8.0	1	5.3	26	28.3	11,044	45.8	96	66.2	
Borough of residence													
Bronx	9	6.8	8	7.1	1	5.3	9	9.8	1,168	4.8	17	11.7	
Brooklyn	48	36.4	36	31.9	12	63.2	25	27.2	3,667	15.2	28	19.3	
Manhattan	38	28.8	35	31.0	3	15.8	25	27.2	11,018	45.7	57	39.3	
Queens	12	9.1	11	9.7	1	5.3	11	12.0	2,553	10.6	16	11.0	
Staten Island	3	2.3	3	2.7	0	0.0	4	4.3	507	2.1	6	4.1	
Outside NYC	22	16.7	20	17.7	2	10.5	17	18.5	5,146	21.3	12	8.3	
Unknown	0	0.0	0	0.0	0	0.0	1	1.1	60	0.2	9	6.2	
Neighborhood poverty level													
Low poverty	18	13.6	18	15.9	0	0.0	16	17.4	5,891	24.4	39	26.9	
Medium poverty	57	43.2	46	40.7	11	57.9	35	38.0	9,066	37.6	58	40.0	
High poverty	27	20.5	22	19.5	5	26.3	12	13.0	2,513	10.4	15	10.3	
Very high poverty	7	5.3	6	5.3	1	5.3	11	12.0	1,233	5.1	12	8.3	
Not available	23	17.4	21	18.6	2	10.5	18	19.6	5,416	22.5	21	14.5	
Transmission category													
Men who have sex with men (MSM)	82	62.1	73	64.6	9	47.4	55	59.8	19,569	81.1	84	57.9	
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	5	5.4	992	4.1	18	12.4	
MSM-IDU	3	2.3	3	2.7	0	0.0	5	5.4	876	3.6	13	9.0	
Heterosexual contact	3	2.3	2	1.8	1	5.3	2	2.2	563	2.3	9	6.2	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	77	0.3	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	41	0.2	0	0.0	
Unknown	44	33.3	35	31.0	9	47.4	25	27.2	1,998	8.3	21	14.5	

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.3.6. White Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		Total		100.0		100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	22	100.0	19	86.4	3	13.6	22	100.0	2,643	100.0	27	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	4	18.2	4	21.1	0	0.0	0	0.0	89	3.4	0	0.0
30-39	6	27.3	5	26.3	1	33.3	4	18.2	291	11.0	4	14.8
40-49	6	27.3	5	26.3	1	33.3	7	31.8	388	14.7	3	11.1
50-59	5	22.7	4	21.1	1	33.3	6	27.3	629	23.8	6	22.2
60+	1	4.5	1	5.3	0	0.0	5	22.7	1,241	47.0	14	51.9
Borough of residence												
Bronx	4	18.2	4	21.1	0	0.0	6	27.3	340	12.9	3	11.1
Brooklyn	10	45.5	7	36.8	3	100.0	6	27.3	647	24.5	8	29.6
Manhattan	0	0.0	0	0.0	0	0.0	2	9.1	497	18.8	6	22.2
Queens	5	22.7	5	26.3	0	0.0	4	18.2	419	15.9	7	25.9
Staten Island	0	0.0	0	0.0	0	0.0	1	4.5	190	7.2	2	7.4
Outside NYC	2	9.1	2	10.5	0	0.0	3	13.6	544	20.6	1	3.7
Unknown	1	4.5	1	5.3	0	0.0	0	0.0	6	0.2	0	0.0
Neighborhood poverty level												
Low poverty	3	13.6	2	10.5	1	33.3	6	27.3	477	18.0	6	22.2
Medium poverty	10	45.5	9	47.4	1	33.3	7	31.8	975	36.9	12	44.4
High poverty	2	9.1	2	10.5	0	0.0	1	4.5	361	13.7	4	14.8
Very high poverty	4	18.2	3	15.8	1	33.3	5	22.7	255	9.6	4	14.8
Not available	3	13.6	3	15.8	0	0.0	3	13.6	575	21.8	1	3.7
Transmission category												
Injection drug use history (IDU)	3	13.6	3	15.8	0	0.0	4	18.2	570	21.6	11	40.7
Heterosexual contact	9	40.9	6	31.6	3	100.0	14	63.6	1,329	50.3	11	40.7
Transgender people with sexual contact	3	13.6	3	15.8	0	0.0	0	0.0	164	6.2	2	7.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	75	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Unknown	7	31.8	7	36.8	0	0.0	4	18.2	488	18.5	3	11.1

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. As reported to the NYC Health Department by March 31, 2025.

Table 1.3.7. Asian or Pacific Islander Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		%		N		%
	N	%	N	%	N	%	40	100.0	3,278	100.0	18	100.0	
Total	75	100.0	57	76.0	18	24.0							
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
13-19	3	4.0	3	5.3	0	0.0	0	0.0	6	0.2	0	0.0	0
20-29	23	30.7	17	29.8	6	33.3	11	27.5	217	6.6	0	0.0	0
30-39	32	42.7	28	49.1	4	22.2	7	17.5	823	25.1	1	5.6	
40-49	9	12.0	5	8.8	4	22.2	12	30.0	763	23.3	1	5.6	
50-59	4	5.3	2	3.5	2	11.1	6	15.0	766	23.4	7	38.9	
60+	4	5.3	2	3.5	2	11.1	4	10.0	703	21.4	9	50.0	
Borough of residence													
Bronx	7	9.3	4	7.0	3	16.7	3	7.5	198	6.0	2	11.1	
Brooklyn	10	13.3	7	12.3	3	16.7	11	27.5	582	17.8	1	5.6	
Manhattan	17	22.7	10	17.5	7	38.9	11	27.5	909	27.7	7	38.9	
Queens	35	46.7	30	52.6	5	27.8	13	32.5	1,190	36.3	4	22.2	
Staten Island	1	1.3	1	1.8	0	0.0	0	0.0	47	1.4	1	5.6	
Outside NYC	5	6.7	5	8.8	0	0.0	2	5.0	343	10.5	1	5.6	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	2	11.1	
Neighborhood poverty level													
Low poverty	11	14.7	7	12.3	4	22.2	7	17.5	539	16.4	4	22.2	
Medium poverty	39	52.0	33	57.9	6	33.3	20	50.0	1,675	51.1	6	33.3	
High poverty	13	17.3	8	14.0	5	27.8	7	17.5	520	15.9	3	16.7	
Very high poverty	7	9.3	4	7.0	3	16.7	4	10.0	179	5.5	2	11.1	
Not available	5	6.7	5	8.8	0	0.0	2	5.0	365	11.1	3	16.7	
Transmission category													
Men who have sex with men (MSM)	49	65.3	39	68.4	10	55.6	21	52.5	2,292	69.9	10	55.6	
Injection drug use history (IDU)	1	1.3	1	1.8	0	0.0	3	7.5	56	1.7	2	11.1	
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	53	1.6	0	0.0	
Heterosexual contact	3	4.0	3	5.3	0	0.0	2	5.0	234	7.1	3	16.7	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.4	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0	
Unknown	22	29.3	14	24.6	8	44.4	14	35.0	626	19.1	3	16.7	

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.3.8. Asian or Pacific Islander Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵		
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N		
	N	%	N	%	N	%	3	100.0	606	100.0	3	100.0	
Total	13	100.0	12	92.3	1	7.7							
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0			2	0.3	0	0.0	
13-19	0	0.0	0	0.0	0	0.0			2	0.3	0	0.0	
20-29	3	23.1	3	25.0	0	0.0			18	3.0	0	0.0	
30-39	3	23.1	3	25.0	0	0.0		1	33.3	78	12.9	0	0.0
40-49	3	23.1	3	25.0	0	0.0		0	0.0	151	24.9	1	33.3
50-59	3	23.1	2	16.7	1	100.0		2	66.7	162	26.7	1	33.3
60+	1	7.7	1	8.3	0	0.0		0	0.0	193	31.8	1	33.3
Borough of residence													
Bronx	2	15.4	2	16.7	0	0.0		0	0.0	45	7.4	1	33.3
Brooklyn	1	7.7	1	8.3	0	0.0		0	0.0	142	23.4	0	0.0
Manhattan	2	15.4	1	8.3	1	100.0		1	33.3	80	13.2	0	0.0
Queens	8	61.5	8	66.7	0	0.0		2	66.7	266	43.9	2	66.7
Staten Island	0	0.0	0	0.0	0	0.0		0	0.0	8	1.3	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0		0	0.0	62	10.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0		0	0.0	3	0.5	0	0.0
Neighborhood poverty level													
Low poverty	4	30.8	4	33.3	0	0.0		0	0.0	87	14.4	0	0.0
Medium poverty	6	46.2	5	41.7	1	100.0		3	100.0	288	47.5	2	66.7
High poverty	2	15.4	2	16.7	0	0.0		0	0.0	114	18.8	1	33.3
Very high poverty	1	7.7	1	8.3	0	0.0		0	0.0	47	7.8	0	0.0
Not available	0	0.0	0	0.0	0	0.0		0	0.0	70	11.6	0	0.0
Transmission category													
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0		0	0.0	18	3.0	1	33.3
Heterosexual contact	4	30.8	4	33.3	0	0.0		2	66.7	386	63.7	1	33.3
Transgender people with sexual contact	4	30.8	3	25.0	1	100.0		1	33.3	59	9.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0		0	0.0	7	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0		0	0.0	1	0.2	0	0.0
Unknown	5	38.5	5	41.7	0	0.0		0	0.0	135	22.3	1	33.3

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. As reported to the NYC Health Department by March 31, 2025.

Table 1.3.9. Native American Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	2	100.0	1	50.0	1	50.0	2	100.0	240	100.0	4	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
20-29	1	50.0	1	100.0	0	0.0	0	0.0	10	4.2	0	0.0
30-39	0	0.0	0	0.0	0	0.0	1	50.0	44	18.3	1	25.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	51	21.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	61	25.4	0	0.0
60+	1	50.0	0	0.0	1	100.0	1	50.0	73	30.4	3	75.0
Borough of residence⁶												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	38	15.8	2	50.0
Brooklyn	2	100.0	1	100.0	1	100.0	2	100.0	64	26.7	1	25.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	59	24.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	48	20.0	1	25.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	12.9	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	25	10.4	0	0.0
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	103	42.9	2	50.0
High poverty	1	50.0	1	100.0	0	0.0	1	50.0	52	21.7	0	0.0
Very high poverty	1	50.0	0	0.0	1	100.0	1	50.0	32	13.3	2	50.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	28	11.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	1	50.0	1	100.0	0	0.0	1	50.0	154	64.2	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	13	5.4	1	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	4.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	22	9.2	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.8	0	0.0
Unknown	1	50.0	0	0.0	1	100.0	1	50.0	38	15.8	1	25.0

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. ⁶In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

Table 1.3.10. Native American Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵		
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	1	100.0	1	100.0	0	0.0	0	0.0	73	100.0	0	0.0	
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	0	0.0	
20-29	1	100.0	1	100.0	0	0.0	0	0.0	4	5.5	0	0.0	
30-39	0	0.0	0	0.0	0	0.0	0	0.0	9	12.3	0	0.0	
40-49	0	0.0	0	0.0	0	0.0	0	0.0	16	21.9	0	0.0	
50-59	0	0.0	0	0.0	0	0.0	0	0.0	25	34.2	0	0.0	
60+	0	0.0	0	0.0	0	0.0	0	0.0	18	24.7	0	0.0	
Borough of residence⁶													
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	24	32.9	0	0.0	
Brooklyn	1	100.0	1	100.0	0	0.0	0	0.0	27	37.0	0	0.0	
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	7	9.6	0	0.0	
Queens	0	0.0	0	0.0	0	0.0	0	0.0	10	13.7	0	0.0	
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	6.8	0	0.0	
Neighborhood poverty level													
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0	
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	27	37.0	0	0.0	
High poverty	1	100.0	1	100.0	0	0.0	0	0.0	23	31.5	0	0.0	
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	17	23.3	0	0.0	
Not available	0	0.0	0	0.0	0	0.0	0	0.0	3	4.1	0	0.0	
Transmission category													
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	4	5.5	0	0.0	
Heterosexual contact	1	100.0	1	100.0	0	0.0	0	0.0	45	61.6	0	0.0	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	12.3	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	5.5	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	15.1	0	0.0	

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. ⁶In order to protect privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' borough category includes Staten Island, Outside NYC, and unknown groups.

Table 1.3.11. Multiracial Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		%		N		%
	N	%	N	%	N	%	15	100.0	608	100.0	10	100.0	
Total	25	100.0	18	72.0	7	28.0							
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0			0	0.0	0	0.0	0
13-19	0	0.0	0	0.0	0	0.0			0	0.0	0	0.0	0
20-29	10	40.0	8	44.4	2	28.6			2	13.3	75	12.3	1
30-39	7	28.0	5	27.8	2	28.6			6	40.0	228	37.5	2
40-49	6	24.0	5	27.8	1	14.3			3	20.0	142	23.4	2
50-59	2	8.0	0	0.0	2	28.6			2	13.3	92	15.1	2
60+	0	0.0	0	0.0	0	0.0			2	13.3	71	11.7	3
Borough of residence													
Bronx	5	20.0	3	16.7	2	28.6			7	46.7	95	15.6	1
Brooklyn	4	16.0	4	22.2	0	0.0			2	13.3	136	22.4	1
Manhattan	3	12.0	3	16.7	0	0.0			1	6.7	187	30.8	3
Queens	9	36.0	6	33.3	3	42.9			3	20.0	75	12.3	2
Staten Island	3	12.0	2	11.1	1	14.3			1	6.7	13	2.1	1
Outside NYC	1	4.0	0	0.0	1	14.3			1	6.7	99	16.3	0
Unknown	0	0.0	0	0.0	0	0.0			0	0.0	3	0.5	2
Neighborhood poverty level													
Low poverty	2	8.0	1	5.6	1	14.3			1	6.7	55	9.0	3
Medium poverty	14	56.0	11	61.1	3	42.9			5	33.3	217	35.7	2
High poverty	5	20.0	4	22.2	1	14.3			1	6.7	131	21.5	2
Very high poverty	3	12.0	2	11.1	1	14.3			7	46.7	101	16.6	1
Not available	1	4.0	0	0.0	1	14.3			1	6.7	104	17.1	2
Transmission category													
Men who have sex with men (MSM)	14	56.0	12	66.7	2	28.6			7	46.7	463	76.2	3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0			0	0.0	12	2.0	2
MSM-IDU	1	4.0	1	5.6	0	0.0			0	0.0	31	5.1	0
Heterosexual contact	0	0.0	0	0.0	0	0.0			1	6.7	17	2.8	0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0			0	0.0	2	0.3	0
Perinatal	0	0.0	0	0.0	0	0.0			0	0.0	6	1.0	0
Other	0	0.0	0	0.0	0	0.0			0	0.0	0	0.0	0
Unknown	10	40.0	5	27.8	5	71.4			7	46.7	77	12.7	5

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latino ethnicity. People with the ethnicity Latino are grouped in the Latino category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.3.12. Multiracial Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	5	100.0	5	100.0	0	0.0	3	100.0	165	100.0	2	100.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0
20-29	2	40.0	2	40.0	0	0.0	0	0.0	14	8.5	0	0.0
30-39	1	20.0	1	20.0	0	0.0	2	66.7	61	37.0	0	0.0
40-49	1	20.0	1	20.0	0	0.0	0	0.0	33	20.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	21	12.7	0	0.0
60+	1	20.0	1	20.0	0	0.0	1	33.3	34	20.6	2	100.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	1	33.3	33	20.0	0	0.0
Brooklyn	1	20.0	1	20.0	0	0.0	0	0.0	49	29.7	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	27	16.4	1	50.0
Queens	1	20.0	1	20.0	0	0.0	0	0.0	25	15.2	1	50.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	3.6	0	0.0
Outside NYC	2	40.0	2	40.0	0	0.0	2	66.7	25	15.2	0	0.0
Unknown	1	20.0	1	20.0	0	0.0	0	0.0	0	0.0	0	0.0
Neighborhood poverty level												
Low poverty	1	20.0	1	20.0	0	0.0	0	0.0	17	10.3	0	0.0
Medium poverty	1	20.0	1	20.0	0	0.0	1	33.3	64	38.8	1	50.0
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	29	17.6	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	30	18.2	1	50.0
Not available	3	60.0	3	60.0	0	0.0	2	66.7	25	15.2	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	18	10.9	1	50.0
Heterosexual contact	1	20.0	1	20.0	0	0.0	2	66.7	72	43.6	1	50.0
Transgender people with sexual contact	2	40.0	2	40.0	0	0.0	0	0.0	46	27.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	5.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	1	33.3	19	11.5	0	0.0

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. Black, white, Asian or Pacific Islander, Native American, and multiracial race categories exclude Latina ethnicity. People with the ethnicity Latina are grouped in the Latina category regardless of their race classification. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. As reported to the NYC Health Department by March 31, 2025.

Table 1.4.1. Boys Ages 0 to 12 Years¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	1	100.0	16	100.0	0	0.0
Total												
Race and ethnicity												
Black	1	100.0	1	100.0	0	0.0	1	100.0	11	68.8	0	0.0
Latino	0	0.0	0	0.0	0	0.0	0	0.0	5	31.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Borough of residence												
Bronx	1	100.0	1	100.0	0	0.0	0	0.0	8	50.0	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	4	25.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	1	100.0	1	6.3	0	0.0
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	5	31.3	0	0.0
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	3	18.8	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	5	31.3	0	0.0
Not available	1	100.0	1	100.0	0	0.0	0	0.0	2	12.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	1	100.0	14	87.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

¹Boys includes transgender boys and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.4.2. Girls Ages 0 to 12 Years¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	0	0.0	0	0.0	0	0.0	1	100.0	17	100.0	0	0.0
Race and ethnicity												
Black	0	0.0	0	0.0	0	0.0	1	100.0	6	35.3	0	0.0
Latina	0	0.0	0	0.0	0	0.0	0	0.0	6	35.3	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	11.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Borough of residence												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	2	11.8	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	1	100.0	7	41.2	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	2	11.8	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	1	5.9	0	0.0
Medium poverty	0	0.0	0	0.0	0	0.0	0	0.0	8	47.1	0	0.0
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	4	23.5	0	0.0
Very high poverty	0	0.0	0	0.0	0	0.0	1	100.0	1	5.9	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	17	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

¹Girls includes transgender girls and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

As reported to the NYC Health Department by March 31, 2025.

Table 1.4.3. Men Ages 13 Years and Older¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	1,348	100.0	1,090	80.9	258	19.1	851	100.0	100,201	100.0	1,062	100.0
Race and ethnicity												
Black	551	40.9	441	40.5	110	42.6	353	41.5	36,644	36.6	511	48.1
Latino	563	41.8	460	42.2	103	39.9	349	41.0	35,084	35.0	374	35.2
White	132	9.8	113	10.4	19	7.4	92	10.8	24,119	24.1	145	13.7
Asian or Pacific Islander	75	5.6	57	5.2	18	7.0	40	4.7	3,278	3.3	18	1.7
Native American	2	0.1	1	0.1	1	0.4	2	0.2	240	0.2	4	0.4
Multiracial	25	1.9	18	1.7	7	2.7	15	1.8	608	0.6	10	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	228	0.2	0	0.0
Age group (years)												
13-19	40	3.0	37	3.4	3	1.2	6	0.7	128	0.1	0	0.0
20-29	475	35.2	416	38.2	59	22.9	136	16.0	4,898	4.9	18	1.7
30-39	456	33.8	381	35.0	75	29.1	265	31.1	18,682	18.6	92	8.7
40-49	201	14.9	136	12.5	65	25.2	186	21.9	17,749	17.7	88	8.3
50-59	104	7.7	71	6.5	33	12.8	125	14.7	22,552	22.5	236	22.2
60+	72	5.3	49	4.5	23	8.9	133	15.6	36,192	36.1	628	59.1
Borough of residence												
Bronx	286	21.2	228	20.9	58	22.5	233	27.4	20,599	20.6	351	33.1
Brooklyn	366	27.2	280	25.7	86	33.3	212	24.9	21,755	21.7	260	24.5
Manhattan	258	19.1	217	19.9	41	15.9	162	19.0	28,031	28.0	242	22.8
Queens	283	21.0	230	21.1	53	20.5	136	16.0	15,668	15.6	95	8.9
Staten Island	27	2.0	20	1.8	7	2.7	19	2.2	1,678	1.7	33	3.1
Outside NYC	110	8.2	97	8.9	13	5.0	85	10.0	12,174	12.1	37	3.5
Unknown	18	1.3	18	1.7	0	0.0	4	0.5	296	0.3	44	4.1
Neighborhood poverty level												
Low poverty	111	8.2	92	8.4	19	7.4	71	8.3	12,733	12.7	97	9.1
Medium poverty	561	41.6	442	40.6	119	46.1	318	37.4	37,387	37.3	331	31.2
High poverty	302	22.4	238	21.8	64	24.8	186	21.9	19,466	19.4	231	21.8
Very high poverty	244	18.1	201	18.4	43	16.7	185	21.7	17,211	17.2	322	30.3
Not available	130	9.6	117	10.7	13	5.0	91	10.7	13,404	13.4	81	7.6
Transmission category												
Men who have sex with men (MSM)	790	58.6	675	61.9	115	44.6	440	51.7	64,084	64.0	386	36.3
Injection drug use history (IDU)	21	1.6	14	1.3	7	2.7	53	6.2	8,440	8.4	231	21.8
MSM-IDU	13	1.0	12	1.1	1	0.4	23	2.7	3,439	3.4	78	7.3
Heterosexual contact	42	3.1	31	2.8	11	4.3	50	5.9	6,887	6.9	127	12.0
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	40	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	7	0.8	1,186	1.2	6	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	103	0.1	1	0.1
Unknown	481	35.7	357	32.8	124	48.1	278	32.7	16,022	16.0	233	21.9

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.4.4. Women Ages 13 Years and Older¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³							
	N	%	N	%	N	%	N	%	N	%	N	%
Total	439	100.0	364	82.9	75	17.1	330	100.0	36,555	100.0	449	100.0
Race and ethnicity												
Black	230	52.4	189	51.9	41	54.7	174	52.7	20,680	56.6	260	57.9
Latina	168	38.3	138	37.9	30	40.0	128	38.8	12,326	33.7	157	35.0
White	22	5.0	19	5.2	3	4.0	22	6.7	2,640	7.2	27	6.0
Asian or Pacific Islander	13	3.0	12	3.3	1	1.3	3	0.9	604	1.7	3	0.7
Native American	1	0.2	1	0.3	0	0.0	0	0.0	73	0.2	0	0.0
Multiracial	5	1.1	5	1.4	0	0.0	3	0.9	165	0.5	2	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	67	0.2	0	0.0
Age group (years)												
13-19	12	2.7	12	3.3	0	0.0	3	0.9	82	0.2	1	0.2
20-29	123	28.0	104	28.6	19	25.3	48	14.5	1,471	4.0	3	0.7
30-39	120	27.3	102	28.0	18	24.0	82	24.8	4,552	12.5	25	5.6
40-49	78	17.8	63	17.3	15	20.0	67	20.3	6,112	16.7	40	8.9
50-59	57	13.0	44	12.1	13	17.3	63	19.1	9,545	26.1	99	22.0
60+	49	11.2	39	10.7	10	13.3	67	20.3	14,793	40.5	281	62.6
Borough of residence												
Bronx	106	24.1	88	24.2	18	24.0	109	33.0	11,797	32.3	172	38.3
Brooklyn	135	30.8	104	28.6	31	41.3	91	27.6	10,274	28.1	126	28.1
Manhattan	71	16.2	60	16.5	11	14.7	51	15.5	5,064	13.9	66	14.7
Queens	81	18.5	75	20.6	6	8.0	39	11.8	5,348	14.6	51	11.4
Staten Island	12	2.7	10	2.7	2	2.7	6	1.8	928	2.5	11	2.4
Outside NYC	23	5.2	17	4.7	6	8.0	32	9.7	3,071	8.4	16	3.6
Unknown	11	2.5	10	2.7	1	1.3	2	0.6	73	0.2	7	1.6
Neighborhood poverty level												
Low poverty	35	8.0	29	8.0	6	8.0	24	7.3	2,664	7.3	17	3.8
Medium poverty	167	38.0	141	38.7	26	34.7	105	31.8	12,448	34.1	142	31.6
High poverty	95	21.6	78	21.4	17	22.7	75	22.7	8,682	23.8	125	27.8
Very high poverty	107	24.4	88	24.2	19	25.3	92	27.9	9,350	25.6	141	31.4
Not available	35	8.0	28	7.7	7	9.3	34	10.3	3,411	9.3	24	5.3
Transmission category												
Injection drug use history (IDU)	8	1.8	7	1.9	1	1.3	28	8.5	4,794	13.1	118	26.3
Heterosexual contact	260	59.2	209	57.4	51	68.0	191	57.9	20,608	56.4	228	50.8
Transgender people with sexual contact	70	15.9	65	17.9	5	6.7	34	10.3	2,759	7.5	27	6.0
Perinatal	0	0.0	0	0.0	0	0.0	5	1.5	1,289	3.5	4	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	82	0.2	0	0.0
Unknown	101	23.0	83	22.8	18	24.0	72	21.8	7,023	19.2	72	16.0

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.1. Bronx, Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	N	%	100.0	100.0
Total	287	100.0	229	79.8	58	20.2	233	100.0	20,607	100.0	351	100.0
Race and ethnicity												
Black	121	42.2	92	40.2	29	50.0	101	43.3	9,069	44.0	179	51.0
Latino	145	50.5	122	53.3	23	39.7	113	48.5	10,017	48.6	150	42.7
White	9	3.1	8	3.5	1	1.7	9	3.9	1,168	5.7	17	4.8
Asian or Pacific Islander	7	2.4	4	1.7	3	5.2	3	1.3	198	1.0	2	0.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	38	0.2	2	0.6
Multiracial	5	1.7	3	1.3	2	3.4	7	3.0	95	0.5	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Age group (years)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	8	0.0	0	0.0
13-19	13	4.5	12	5.2	1	1.7	1	0.4	35	0.2	0	0.0
20-29	112	39.0	97	42.4	15	25.9	38	16.3	1,239	6.0	4	1.1
30-39	86	30.0	66	28.8	20	34.5	76	32.6	4,406	21.4	32	9.1
40-49	46	16.0	30	13.1	16	27.6	48	20.6	3,627	17.6	29	8.3
50-59	15	5.2	12	5.2	3	5.2	32	13.7	4,346	21.1	87	24.8
60+	14	4.9	11	4.8	3	5.2	38	16.3	6,946	33.7	199	56.7
Neighborhood poverty level												
Low poverty	2	0.7	2	0.9	0	0.0	1	0.4	140	0.7	3	0.9
Medium poverty	54	18.8	40	17.5	14	24.1	44	18.9	3,752	18.2	51	14.5
High poverty	72	25.1	56	24.5	16	27.6	59	25.3	4,718	22.9	54	15.4
Very high poverty	158	55.1	130	56.8	28	48.3	129	55.4	11,901	57.8	243	69.2
Not available	1	0.3	1	0.4	0	0.0	0	0.0	96	0.5	0	0.0
Transmission category												
Men who have sex with men (MSM)	153	53.3	129	56.3	24	41.4	112	48.1	10,458	50.7	100	28.5
Injection drug use history (IDU)	6	2.1	5	2.2	1	1.7	24	10.3	2,676	13.0	102	29.1
MSM-IDU	1	0.3	1	0.4	0	0.0	5	2.1	904	4.4	27	7.7
Heterosexual contact	15	5.2	14	6.1	1	1.7	16	6.9	2,014	9.8	47	13.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0
Perinatal	1	0.3	1	0.4	0	0.0	1	0.4	390	1.9	3	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	20	0.1	0	0.0
Unknown	111	38.7	79	34.5	32	55.2	75	32.2	4,133	20.1	72	20.5

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.2. Bronx, Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵		
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	106	100.0	88	83.0	18	17.0	109	100.0	11,799	100.0	172	100.0	
Race and ethnicity													
Black	54	50.9	44	50.0	10	55.6	55	50.5	6,095	51.7	92	53.5	
Latina	46	43.4	38	43.2	8	44.4	47	43.1	5,247	44.5	76	44.2	
White	4	3.8	4	4.5	0	0.0	6	5.5	340	2.9	3	1.7	
Asian or Pacific Islander	2	1.9	2	2.3	0	0.0	0	0.0	45	0.4	1	0.6	
Native American	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0	
Multiracial	0	0.0	0	0.0	0	0.0	1	0.9	33	0.3	0	0.0	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0	
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0	
13-19	4	3.8	4	4.5	0	0.0	0	0.0	24	0.2	0	0.0	
20-29	30	28.3	25	28.4	5	27.8	11	10.1	466	3.9	0	0.0	
30-39	31	29.2	26	29.5	5	27.8	23	21.1	1,531	13.0	12	7.0	
40-49	13	12.3	9	10.2	4	22.2	18	16.5	2,048	17.4	18	10.5	
50-59	13	12.3	11	12.5	2	11.1	27	24.8	3,184	27.0	38	22.1	
60+	15	14.2	13	14.8	2	11.1	30	27.5	4,544	38.5	104	60.5	
Neighborhood poverty level													
Low poverty	0	0.0	0	0.0	0	0.0	0	0.0	66	0.6	0	0.0	
Medium poverty	14	13.2	11	12.5	3	16.7	21	19.3	2,328	19.7	34	19.8	
High poverty	21	19.8	18	20.5	3	16.7	18	16.5	2,525	21.4	35	20.3	
Very high poverty	71	67.0	59	67.0	12	66.7	70	64.2	6,845	58.0	102	59.3	
Not available	0	0.0	0	0.0	0	0.0	0	0.0	35	0.3	1	0.6	
Transmission category													
Injection drug use history (IDU)	2	1.9	1	1.1	1	5.6	14	12.8	1,711	14.5	50	29.1	
Heterosexual contact	67	63.2	58	65.9	9	50.0	63	57.8	6,608	56.0	87	50.6	
Transgender people with sexual contact	11	10.4	10	11.4	1	5.6	10	9.2	953	8.1	10	5.8	
Perinatal	0	0.0	0	0.0	0	0.0	1	0.9	416	3.5	1	0.6	
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0	
Unknown	26	24.5	19	21.6	7	38.9	21	19.3	2,095	17.8	24	14.0	

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.3. Brooklyn, Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	366	100.0	280	76.5	86	23.5	213	100.0	21,759	100.0	260	100.0
Race and ethnicity												
Black	195	53.3	147	52.5	48	55.8	119	55.9	11,465	52.7	162	62.3
Latino	107	29.2	85	30.4	22	25.6	54	25.4	5,826	26.8	67	25.8
White	48	13.1	36	12.9	12	14.0	25	11.7	3,667	16.9	28	10.8
Asian or Pacific Islander	10	2.7	7	2.5	3	3.5	11	5.2	582	2.7	1	0.4
Native American	2	0.5	1	0.4	1	1.2	2	0.9	64	0.3	1	0.4
Multiracial	4	1.1	4	1.4	0	0.0	2	0.9	136	0.6	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	1	0.5	4	0.0	0	0.0
13-19	14	3.8	13	4.6	1	1.2	2	0.9	41	0.2	0	0.0
20-29	110	30.1	89	31.8	21	24.4	39	18.3	1,307	6.0	4	1.5
30-39	124	33.9	101	36.1	23	26.7	63	29.6	4,843	22.3	24	9.2
40-49	57	15.6	36	12.9	21	24.4	39	18.3	4,037	18.6	20	7.7
50-59	40	10.9	28	10.0	12	14.0	34	16.0	4,539	20.9	60	23.1
60+	21	5.7	13	4.6	8	9.3	35	16.4	6,988	32.1	152	58.5
Neighborhood poverty level												
Low poverty	14	3.8	11	3.9	3	3.5	7	3.3	931	4.3	8	3.1
Medium poverty	173	47.3	127	45.4	46	53.5	106	49.8	9,929	45.6	101	38.8
High poverty	139	38.0	110	39.3	29	33.7	79	37.1	8,315	38.2	114	43.8
Very high poverty	39	10.7	31	11.1	8	9.3	21	9.9	2,440	11.2	37	14.2
Not available	1	0.3	1	0.4	0	0.0	0	0.0	144	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	195	53.3	159	56.8	36	41.9	101	47.4	13,039	59.9	84	32.3
Injection drug use history (IDU)	5	1.4	2	0.7	3	3.5	10	4.7	1,827	8.4	48	18.5
MSM-IDU	4	1.1	4	1.4	0	0.0	5	2.3	680	3.1	15	5.8
Heterosexual contact	14	3.8	8	2.9	6	7.0	16	7.5	1,715	7.9	35	13.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	1.4	314	1.4	2	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
Unknown	148	40.4	107	38.2	41	47.7	78	36.6	4,152	19.1	76	29.2

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.4. Brooklyn, Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	135	100.0	104	77.0	31	23.0	92	100.0	10,281	100.0	126	100.0
Race and ethnicity												
Black	95	70.4	74	71.2	21	67.7	60	65.2	6,971	67.8	83	65.9
Latina	27	20.0	20	19.2	7	22.6	26	28.3	2,424	23.6	35	27.8
White	10	7.4	7	6.7	3	9.7	6	6.5	647	6.3	8	6.3
Asian or Pacific Islander	1	0.7	1	1.0	0	0.0	0	0.0	142	1.4	0	0.0
Native American	1	0.7	1	1.0	0	0.0	0	0.0	27	0.3	0	0.0
Multiracial	1	0.7	1	1.0	0	0.0	0	0.0	49	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	1	1.1	7	0.1	0	0.0
13-19	6	4.4	6	5.8	0	0.0	1	1.1	24	0.2	0	0.0
20-29	31	23.0	26	25.0	5	16.1	12	13.0	431	4.2	1	0.8
30-39	30	22.2	24	23.1	6	19.4	28	30.4	1,264	12.3	2	1.6
40-49	31	23.0	23	22.1	8	25.8	22	23.9	1,776	17.3	4	3.2
50-59	18	13.3	11	10.6	7	22.6	16	17.4	2,628	25.6	32	25.4
60+	19	14.1	14	13.5	5	16.1	12	13.0	4,151	40.4	87	69.0
Neighborhood poverty level												
Low poverty	8	5.9	4	3.8	4	12.9	4	4.3	423	4.1	4	3.2
Medium poverty	60	44.4	48	46.2	12	38.7	43	46.7	4,297	41.8	41	32.5
High poverty	45	33.3	35	33.7	10	32.3	34	37.0	4,091	39.8	55	43.7
Very high poverty	22	16.3	17	16.3	5	16.1	11	12.0	1,413	13.7	26	20.6
Not available	0	0.0	0	0.0	0	0.0	0	0.0	57	0.6	0	0.0
Transmission category												
Injection drug use history (IDU)	1	0.7	1	1.0	0	0.0	6	6.5	1,200	11.7	29	23.0
Heterosexual contact	95	70.4	68	65.4	27	87.1	59	64.1	5,870	57.1	75	59.5
Transgender people with sexual contact	12	8.9	12	11.5	0	0.0	9	9.8	640	6.2	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	3	3.3	369	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
Unknown	27	20.0	23	22.1	4	12.9	15	16.3	2,178	21.2	21	16.7

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.5. Manhattan, Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	N	%	100.0	100.0
Total	258	100.0	217	84.1	41	15.9	162	100.0	28,032	100.0	242	100.0
Race and ethnicity												
Black	101	39.1	85	39.2	16	39.0	68	42.0	7,378	26.3	87	36.0
Latino	99	38.4	84	38.7	15	36.6	57	35.2	8,351	29.8	88	36.4
White	38	14.7	35	16.1	3	7.3	25	15.4	11,018	39.3	57	23.6
Asian or Pacific Islander	17	6.6	10	4.6	7	17.1	11	6.8	909	3.2	7	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	59	0.2	0	0.0
Multiracial	3	1.2	3	1.4	0	0.0	1	0.6	187	0.7	3	1.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	130	0.5	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	1.2	3	1.4	0	0.0	0	0.0	20	0.1	0	0.0
20-29	88	34.1	80	36.9	8	19.5	18	11.1	923	3.3	4	1.7
30-39	91	35.3	83	38.2	8	19.5	48	29.6	4,247	15.2	15	6.2
40-49	37	14.3	25	11.5	12	29.3	36	22.2	4,804	17.1	22	9.1
50-59	24	9.3	16	7.4	8	19.5	31	19.1	6,641	23.7	42	17.4
60+	15	5.8	10	4.6	5	12.2	29	17.9	11,396	40.7	159	65.7
Neighborhood poverty level												
Low poverty	34	13.2	31	14.3	3	7.3	30	18.5	7,772	27.7	57	23.6
Medium poverty	107	41.5	90	41.5	17	41.5	56	34.6	11,433	40.8	95	39.3
High poverty	69	26.7	55	25.3	14	34.1	39	24.1	5,392	19.2	48	19.8
Very high poverty	47	18.2	40	18.4	7	17.1	35	21.6	2,875	10.3	42	17.4
Not available	1	0.4	1	0.5	0	0.0	2	1.2	560	2.0	0	0.0
Transmission category												
Men who have sex with men (MSM)	171	66.3	152	70.0	19	46.3	95	58.6	20,700	73.8	114	47.1
Injection drug use history (IDU)	4	1.6	1	0.5	3	7.3	10	6.2	1,793	6.4	44	18.2
MSM-IDU	2	0.8	2	0.9	0	0.0	7	4.3	1,002	3.6	23	9.5
Heterosexual contact	2	0.8	1	0.5	1	2.4	5	3.1	962	3.4	23	9.5
Transgender people with sexual contact	1	0.4	1	0.5	0	0.0	0	0.0	10	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	1.2	176	0.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.0	0	0.0
Unknown	78	30.2	60	27.6	18	43.9	43	26.5	3,375	12.0	37	15.3

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.6. Manhattan, Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	100.0	100.0	100.0	100.0
Total	71	100.0	60	84.5	11	15.5	51	100.0	5,067	100.0	66	100.0
Race and ethnicity												
Black	26	36.6	24	40.0	2	18.2	22	43.1	2,642	52.1	33	50.0
Latina	43	60.6	35	58.3	8	72.7	26	51.0	1,801	35.5	26	39.4
White	0	0.0	0	0.0	0	0.0	2	3.9	497	9.8	6	9.1
Asian or Pacific Islander	2	2.8	1	1.7	1	9.1	1	2.0	80	1.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	27	0.5	1	1.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.4	1	1.7	0	0.0	0	0.0	8	0.2	0	0.0
20-29	21	29.6	17	28.3	4	36.4	8	15.7	180	3.6	0	0.0
30-39	24	33.8	20	33.3	4	36.4	10	19.6	595	11.7	5	7.6
40-49	8	11.3	7	11.7	1	9.1	10	19.6	721	14.2	6	9.1
50-59	9	12.7	8	13.3	1	9.1	9	17.6	1,259	24.8	11	16.7
60+	8	11.3	7	11.7	1	9.1	14	27.5	2,301	45.4	44	66.7
Neighborhood poverty level												
Low poverty	6	8.5	5	8.3	1	9.1	9	17.6	640	12.6	3	4.5
Medium poverty	25	35.2	21	35.0	4	36.4	13	25.5	1,763	34.8	25	37.9
High poverty	25	35.2	21	35.0	4	36.4	17	33.3	1,465	28.9	25	37.9
Very high poverty	14	19.7	12	20.0	2	18.2	12	23.5	1,093	21.6	13	19.7
Not available	1	1.4	1	1.7	0	0.0	0	0.0	106	2.1	0	0.0
Transmission category												
Injection drug use history (IDU)	1	1.4	1	1.7	0	0.0	5	9.8	873	17.2	21	31.8
Heterosexual contact	36	50.7	31	51.7	5	45.5	24	47.1	2,466	48.7	25	37.9
Transgender people with sexual contact	18	25.4	15	25.0	3	27.3	8	15.7	511	10.1	6	9.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	161	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	16	22.5	13	21.7	3	27.3	14	27.5	1,043	20.6	14	21.2

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.7. Queens, Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		%		N		%
	N	%	N	%	N	%	136	100.0	15,669	100.0	95	100.0	
Total	283	100.0	230	81.3	53	18.7							
Race and ethnicity													
Black	72	25.4	62	27.0	10	18.9	31	22.8	4,526	28.9	42	44.2	
Latino	155	54.8	121	52.6	34	64.2	78	57.4	7,253	46.3	30	31.6	
White	12	4.2	11	4.8	1	1.9	11	8.1	2,553	16.3	16	16.8	
Asian or Pacific Islander	35	12.4	30	13.0	5	9.4	13	9.6	1,190	7.6	4	4.2	
Native American	0	0.0	0	0.0	0	0.0	0	0.0	48	0.3	1	1.1	
Multiracial	9	3.2	6	2.6	3	5.7	3	2.2	75	0.5	2	2.1	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0	
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0	
13-19	5	1.8	5	2.2	0	0.0	2	1.5	19	0.1	0	0.0	
20-29	100	35.3	88	38.3	12	22.6	27	19.9	874	5.6	4	4.2	
30-39	105	37.1	88	38.3	17	32.1	43	31.6	3,187	20.3	8	8.4	
40-49	42	14.8	29	12.6	13	24.5	32	23.5	2,960	18.9	5	5.3	
50-59	17	6.0	10	4.3	7	13.2	17	12.5	3,597	23.0	19	20.0	
60+	14	4.9	10	4.3	4	7.5	15	11.0	5,031	32.1	59	62.1	
Neighborhood poverty level													
Low poverty	53	18.7	42	18.3	11	20.8	28	20.6	3,452	22.0	24	25.3	
Medium poverty	212	74.9	173	75.2	39	73.6	101	74.3	11,166	71.3	59	62.1	
High poverty	18	6.4	15	6.5	3	5.7	7	5.1	928	5.9	12	12.6	
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
Not available	0	0.0	0	0.0	0	0.0	0	0.0	123	0.8	0	0.0	
Transmission category													
Men who have sex with men (MSM)	180	63.6	155	67.4	25	47.2	72	52.9	9,961	63.6	41	43.2	
Injection drug use history (IDU)	2	0.7	2	0.9	0	0.0	5	3.7	1,180	7.5	13	13.7	
MSM-IDU	4	1.4	3	1.3	1	1.9	3	2.2	408	2.6	5	5.3	
Heterosexual contact	8	2.8	5	2.2	3	5.7	9	6.6	1,258	8.0	11	11.6	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	170	1.1	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	1	1.1	
Unknown	89	31.4	65	28.3	24	45.3	46	33.8	2,673	17.1	24	25.3	

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.8. Queens, Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	39	100.0	5,350	100.0	51	100.0
Total	81	100.0	75	92.6	6	7.4						
Race and ethnicity												
Black	30	37.0	28	37.3	2	33.3	19	48.7	2,871	53.7	28	54.9
Latina	37	45.7	33	44.0	4	66.7	14	35.9	1,746	32.6	13	25.5
White	5	6.2	5	6.7	0	0.0	4	10.3	419	7.8	7	13.7
Asian or Pacific Islander	8	9.9	8	10.7	0	0.0	2	5.1	266	5.0	2	3.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	1	1.2	1	1.3	0	0.0	0	0.0	25	0.5	1	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	1	1.2	1	1.3	0	0.0	2	5.1	14	0.3	1	2.0
20-29	26	32.1	23	30.7	3	50.0	9	23.1	225	4.2	1	2.0
30-39	22	27.2	21	28.0	1	16.7	9	23.1	688	12.9	3	5.9
40-49	17	21.0	16	21.3	1	16.7	9	23.1	902	16.9	7	13.7
50-59	10	12.3	10	13.3	0	0.0	4	10.3	1,389	26.0	7	13.7
60+	5	6.2	4	5.3	1	16.7	6	15.4	2,130	39.8	32	62.7
Neighborhood poverty level												
Low poverty	19	23.5	18	24.0	1	16.7	9	23.1	1,311	24.5	8	15.7
Medium poverty	58	71.6	53	70.7	5	83.3	24	61.5	3,448	64.4	35	68.6
High poverty	4	4.9	4	5.3	0	0.0	6	15.4	524	9.8	8	15.7
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	67	1.3	0	0.0
Transmission category												
Injection drug use history (IDU)	1	1.2	1	1.3	0	0.0	1	2.6	540	10.1	11	21.6
Heterosexual contact	43	53.1	40	53.3	3	50.0	21	53.8	3,236	60.5	22	43.1
Transgender people with sexual contact	20	24.7	20	26.7	0	0.0	2	5.1	425	7.9	6	11.8
Perinatal	0	0.0	0	0.0	0	0.0	2	5.1	178	3.3	2	3.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	17	21.0	14	18.7	3	50.0	13	33.3	955	17.9	10	19.6

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.5.9. Staten Island, Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	19	100.0	1,678	100.0	33	100.0
Total	27	100.0	20	74.1	7	25.9						
Race and ethnicity⁶												
Black	7	25.9	7	35.0	0	0.0	4	21.1	585	34.9	13	39.4
Latino	13	48.1	7	35.0	6	85.7	10	52.6	518	30.9	12	36.4
White	3	11.1	3	15.0	0	0.0	4	21.1	507	30.2	6	18.2
Asian or Pacific Islander	1	3.7	1	5.0	0	0.0	0	0.0	47	2.8	1	3.0
Other or unknown	3	11.1	2	10.0	1	14.3	1	5.3	21	1.3	1	3.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	10	37.0	8	40.0	2	28.6	4	21.1	80	4.8	1	3.0
30-39	11	40.7	8	40.0	3	42.9	5	26.3	265	15.8	5	15.2
40-49	3	11.1	3	15.0	0	0.0	6	31.6	266	15.9	2	6.1
50-59	1	3.7	1	5.0	0	0.0	1	5.3	375	22.3	10	30.3
60+	2	7.4	0	0.0	2	28.6	3	15.8	690	41.1	15	45.5
Neighborhood poverty level												
Low poverty	8	29.6	6	30.0	2	28.6	6	31.6	439	26.2	5	15.2
Medium poverty	15	55.6	12	60.0	3	42.9	11	57.9	1,112	66.3	25	75.8
High poverty	4	14.8	2	10.0	2	28.6	2	10.5	116	6.9	3	9.1
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Transmission category												
Men who have sex with men (MSM)	18	66.7	13	65.0	5	71.4	11	57.9	850	50.7	11	33.3
Injection drug use history (IDU)	2	7.4	2	10.0	0	0.0	1	5.3	241	14.4	10	30.3
MSM-IDU	1	3.7	1	5.0	0	0.0	0	0.0	74	4.4	1	3.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	5.3	158	9.4	3	9.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	6	22.2	4	20.0	2	28.6	6	31.6	328	19.5	8	24.2

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. ⁶In order to protect privacy and confidentiality, race and ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race and ethnicity category includes Native American people, multiracial people, and people with an unknown race and ethnicity.

Table 1.5.10. Staten Island, Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	928	100.0	11	100.0
Total	12	100.0	10	83.3	2	16.7						
Race and ethnicity⁶												
Black	9	75.0	7	70.0	2	100.0	2	33.3	440	47.4	6	54.5
Latina	3	25.0	3	30.0	0	0.0	3	50.0	281	30.3	3	27.3
White	0	0.0	0	0.0	0	0.0	1	16.7	190	20.5	2	18.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	3	25.0	3	30.0	0	0.0	1	16.7	38	4.1	1	9.1
30-39	2	16.7	2	20.0	0	0.0	0	0.0	106	11.4	0	0.0
40-49	4	33.3	4	40.0	0	0.0	1	16.7	176	19.0	3	27.3
50-59	3	25.0	1	10.0	2	100.0	3	50.0	238	25.6	2	18.2
60+	0	0.0	0	0.0	0	0.0	1	16.7	367	39.5	5	45.5
Neighborhood poverty level												
Low poverty	2	16.7	2	20.0	0	0.0	2	33.3	225	24.2	2	18.2
Medium poverty	10	83.3	8	80.0	2	100.0	4	66.7	620	66.8	7	63.6
High poverty	0	0.0	0	0.0	0	0.0	0	0.0	81	8.7	2	18.2
Very high poverty	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Transmission category												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	120	12.9	2	18.2
Heterosexual contact	8	66.7	6	60.0	2	100.0	5	83.3	567	61.1	8	72.7
Transgender people with sexual contact	1	8.3	1	10.0	0	0.0	0	0.0	58	6.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	38	4.1	1	9.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	3	25.0	3	30.0	0	0.0	1	16.7	141	15.2	0	0.0

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV. ⁶In order to protect privacy and confidentiality, race and ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race and ethnicity category includes Native American people, multiracial people, and people with an unknown race and ethnicity.

Table 1.6.1. Men Who Have Sex With Men (MSM)¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

Total	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	100.0	100.0	100.0	100.0
Race and ethnicity												
Black	262	33.2	221	32.7	41	35.7	156	35.5	19,683	30.7	171	44.3
Latino	382	48.4	329	48.7	53	46.1	200	45.5	21,851	34.1	117	30.3
White	82	10.4	73	10.8	9	7.8	55	12.5	19,569	30.5	84	21.8
Asian or Pacific Islander	49	6.2	39	5.8	10	8.7	21	4.8	2,292	3.6	10	2.6
Native American	1	0.1	1	0.1	0	0.0	1	0.2	154	0.2	1	0.3
Multiracial	14	1.8	12	1.8	2	1.7	7	1.6	463	0.7	3	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	72	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	30	3.8	28	4.1	2	1.7	4	0.9	53	0.1	0	0.0
20-29	346	43.8	306	45.3	40	34.8	95	21.6	3,794	5.9	12	3.1
30-39	267	33.8	230	34.1	37	32.2	159	36.1	15,109	23.6	50	13.0
40-49	95	12.0	68	10.1	27	23.5	95	21.6	13,459	21.0	48	12.4
50-59	31	3.9	26	3.9	5	4.3	51	11.6	14,343	22.4	100	25.9
60+	21	2.7	17	2.5	4	3.5	36	8.2	17,326	27.0	176	45.6
Borough of residence												
Bronx	153	19.4	129	19.1	24	20.9	112	25.5	10,458	16.3	100	25.9
Brooklyn	195	24.7	159	23.6	36	31.3	101	23.0	13,039	20.3	84	21.8
Manhattan	171	21.6	152	22.5	19	16.5	95	21.6	20,700	32.3	114	29.5
Queens	180	22.8	155	23.0	25	21.7	72	16.4	9,961	15.5	41	10.6
Staten Island	18	2.3	13	1.9	5	4.3	11	2.5	850	1.3	11	2.8
Outside NYC	65	8.2	59	8.7	6	5.2	47	10.7	8,888	13.9	19	4.9
Unknown	8	1.0	8	1.2	0	0.0	2	0.5	188	0.3	17	4.4
Neighborhood poverty level												
Low poverty	67	8.5	58	8.6	9	7.8	42	9.5	9,249	14.4	56	14.5
Medium poverty	327	41.4	278	41.2	49	42.6	152	34.5	24,665	38.5	118	30.6
High poverty	192	24.3	162	24.0	30	26.1	95	21.6	11,969	18.7	81	21.0
Very high poverty	129	16.3	108	16.0	21	18.3	100	22.7	8,767	13.7	95	24.6
Not available	75	9.5	69	10.2	6	5.2	51	11.6	9,434	14.7	36	9.3

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.6.2. Injection Drug Use History (IDU), Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		Total		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	21	100.0	14	66.7	7	33.3	53	100.0	8,440	100.0	231	100.0
Race and ethnicity												
Black	8	38.1	6	42.9	2	28.6	22	41.5	3,287	38.9	96	41.6
Latino	12	57.1	7	50.0	5	71.4	23	43.4	4,075	48.3	112	48.5
White	0	0.0	0	0.0	0	0.0	5	9.4	992	11.8	18	7.8
Asian or Pacific Islander	1	4.8	1	7.1	0	0.0	3	5.7	56	0.7	2	0.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	1	0.4
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	2	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	14.3	2	14.3	1	14.3	1	1.9	18	0.2	0	0.0
30-39	10	47.6	7	50.0	3	42.9	6	11.3	104	1.2	4	1.7
40-49	5	23.8	4	28.6	1	14.3	7	13.2	354	4.2	8	3.5
50-59	3	14.3	1	7.1	2	28.6	13	24.5	1,342	15.9	42	18.2
60+	0	0.0	0	0.0	0	0.0	26	49.1	6,622	78.5	177	76.6
Borough of residence												
Bronx	6	28.6	5	35.7	1	14.3	24	45.3	2,676	31.7	102	44.2
Brooklyn	5	23.8	2	14.3	3	42.9	10	18.9	1,827	21.6	48	20.8
Manhattan	4	19.0	1	7.1	3	42.9	10	18.9	1,793	21.2	44	19.0
Queens	2	9.5	2	14.3	0	0.0	5	9.4	1,180	14.0	13	5.6
Staten Island	2	9.5	2	14.3	0	0.0	1	1.9	241	2.9	10	4.3
Outside NYC	1	4.8	1	7.1	0	0.0	3	5.7	710	8.4	6	2.6
Unknown	1	4.8	1	7.1	0	0.0	0	0.0	13	0.2	8	3.5
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	3	5.7	712	8.4	16	6.9
Medium poverty	10	47.6	6	42.9	4	57.1	13	24.5	2,662	31.5	64	27.7
High poverty	1	4.8	0	0.0	1	14.3	13	24.5	1,756	20.8	49	21.2
Very high poverty	8	38.1	6	42.9	2	28.6	21	39.6	2,372	28.1	88	38.1
Not available	2	9.5	2	14.3	0	0.0	3	5.7	938	11.1	14	6.1

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.6.3. Injection Drug Use History (IDU), Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N	
	N	%	N	%	N	%	100.0	100.0	100.0	100.0	100.0	100.0
Total	8	100.0	7	87.5	1	12.5	28	100.0	4,794	100.0	118	100.0
Race and ethnicity												
Black	3	37.5	3	42.9	0	0.0	12	42.9	2,276	47.5	49	41.5
Latina	2	25.0	1	14.3	1	100.0	12	42.9	1,904	39.7	56	47.5
White	3	37.5	3	42.9	0	0.0	4	14.3	570	11.9	11	9.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	1	0.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	12.5	1	14.3	0	0.0	0	0.0	17	0.4	0	0.0
30-39	2	25.0	1	14.3	1	100.0	4	14.3	115	2.4	2	1.7
40-49	3	37.5	3	42.9	0	0.0	6	21.4	337	7.0	8	6.8
50-59	2	25.0	2	28.6	0	0.0	5	17.9	1,163	24.3	32	27.1
60+	0	0.0	0	0.0	0	0.0	13	46.4	3,162	66.0	76	64.4
Borough of residence												
Bronx	2	25.0	1	14.3	1	100.0	14	50.0	1,711	35.7	50	42.4
Brooklyn	1	12.5	1	14.3	0	0.0	6	21.4	1,200	25.0	29	24.6
Manhattan	1	12.5	1	14.3	0	0.0	5	17.9	873	18.2	21	17.8
Queens	1	12.5	1	14.3	0	0.0	1	3.6	540	11.3	11	9.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	120	2.5	2	1.7
Outside NYC	2	25.0	2	28.6	0	0.0	2	7.1	341	7.1	3	2.5
Unknown	1	12.5	1	14.3	0	0.0	0	0.0	9	0.2	2	1.7
Neighborhood poverty level												
Low poverty	1	12.5	1	14.3	0	0.0	0	0.0	306	6.4	5	4.2
Medium poverty	1	12.5	1	14.3	0	0.0	5	17.9	1,443	30.1	37	31.4
High poverty	1	12.5	1	14.3	0	0.0	7	25.0	1,168	24.4	32	27.1
Very high poverty	2	25.0	1	14.3	1	100.0	14	50.0	1,469	30.6	38	32.2
Not available	3	37.5	3	42.9	0	0.0	2	7.1	408	8.5	6	5.1

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.6.4. Men Who Have Sex With Men and Inject Drugs (MSM-IDU)¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	13	100.0	12	92.3	1	7.7	23	100.0	3,439	100.0	78	100.0
Race and ethnicity												
Black	6	46.2	5	41.7	1	100.0	12	52.2	1,197	34.8	25	32.1
Latino	3	23.1	3	25.0	0	0.0	6	26.1	1,270	36.9	40	51.3
White	3	23.1	3	25.0	0	0.0	5	21.7	876	25.5	13	16.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	53	1.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	7.7	1	8.3	0	0.0	0	0.0	31	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	30.8	4	33.3	0	0.0	2	8.7	73	2.1	1	1.3
30-39	6	46.2	5	41.7	1	100.0	10	43.5	508	14.8	5	6.4
40-49	0	0.0	0	0.0	0	0.0	3	13.0	650	18.9	3	3.8
50-59	3	23.1	3	25.0	0	0.0	5	21.7	871	25.3	25	32.1
60+	0	0.0	0	0.0	0	0.0	3	13.0	1,337	38.9	44	56.4
Borough of residence												
Bronx	1	7.7	1	8.3	0	0.0	5	21.7	904	26.3	27	34.6
Brooklyn	4	30.8	4	33.3	0	0.0	5	21.7	680	19.8	15	19.2
Manhattan	2	15.4	2	16.7	0	0.0	7	30.4	1,002	29.1	23	29.5
Queens	4	30.8	3	25.0	1	100.0	3	13.0	408	11.9	5	6.4
Staten Island	1	7.7	1	8.3	0	0.0	0	0.0	74	2.2	1	1.3
Outside NYC	1	7.7	1	8.3	0	0.0	3	13.0	366	10.6	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	6	7.7
Neighborhood poverty level												
Low poverty	2	15.4	1	8.3	1	100.0	2	8.7	396	11.5	6	7.7
Medium poverty	5	38.5	5	41.7	0	0.0	8	34.8	1,224	35.6	26	33.3
High poverty	3	23.1	3	25.0	0	0.0	5	21.7	687	20.0	9	11.5
Very high poverty	2	15.4	2	16.7	0	0.0	5	21.7	744	21.6	30	38.5
Not available	1	7.7	1	8.3	0	0.0	3	13.0	388	11.3	7	9.0

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.6.5. Heterosexual Contact, Men¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	42	100.0	31	73.8	11	26.2	50	100.0	6,887	100.0	127	100.0
Race and ethnicity												
Black	21	50.0	16	51.6	5	45.5	28	56.0	3,680	53.4	74	58.3
Latino	15	35.7	10	32.3	5	45.5	17	34.0	2,366	34.4	40	31.5
White	3	7.1	2	6.5	1	9.1	2	4.0	563	8.2	9	7.1
Asian or Pacific Islander	3	7.1	3	9.7	0	0.0	2	4.0	234	3.4	3	2.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	22	0.3	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	1	2.0	17	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.4	1	3.2	0	0.0	0	0.0	3	0.0	0	0.0
20-29	12	28.6	8	25.8	4	36.4	5	10.0	85	1.2	1	0.8
30-39	10	23.8	9	29.0	1	9.1	8	16.0	414	6.0	7	5.5
40-49	6	14.3	3	9.7	3	27.3	13	26.0	848	12.3	7	5.5
50-59	8	19.0	6	19.4	2	18.2	11	22.0	2,037	29.6	37	29.1
60+	5	11.9	4	12.9	1	9.1	13	26.0	3,500	50.8	75	59.1
Borough of residence												
Bronx	15	35.7	14	45.2	1	9.1	16	32.0	2,014	29.2	47	37.0
Brooklyn	14	33.3	8	25.8	6	54.5	16	32.0	1,715	24.9	35	27.6
Manhattan	2	4.8	1	3.2	1	9.1	5	10.0	962	14.0	23	18.1
Queens	8	19.0	5	16.1	3	27.3	9	18.0	1,258	18.3	11	8.7
Staten Island	0	0.0	0	0.0	0	0.0	1	2.0	158	2.3	3	2.4
Outside NYC	2	4.8	2	6.5	0	0.0	2	4.0	772	11.2	4	3.1
Unknown	1	2.4	1	3.2	0	0.0	1	2.0	8	0.1	4	3.1
Neighborhood poverty level												
Low poverty	0	0.0	0	0.0	0	0.0	2	4.0	543	7.9	3	2.4
Medium poverty	19	45.2	13	41.9	6	54.5	18	36.0	2,442	35.5	46	36.2
High poverty	9	21.4	5	16.1	4	36.4	13	26.0	1,501	21.8	25	19.7
Very high poverty	11	26.2	10	32.3	1	9.1	14	28.0	1,586	23.0	45	35.4
Not available	3	7.1	3	9.7	0	0.0	3	6.0	815	11.8	8	6.3

¹Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

Table 1.6.6. Heterosexual Contact, Women¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

Total	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024			Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		N		N		N		
	N	%	N	%	N	%	191	100.0	20,608	100.0	228	100.0	
Race and ethnicity													
Black	141	54.2	109	52.2	32	62.7	109	57.1	12,014	58.3	143	62.7	
Latina	104	40.0	88	42.1	16	31.4	64	33.5	6,750	32.8	72	31.6	
White	9	3.5	6	2.9	3	5.9	14	7.3	1,329	6.4	11	4.8	
Asian or Pacific Islander	4	1.5	4	1.9	0	0.0	2	1.0	386	1.9	1	0.4	
Native American	1	0.4	1	0.5	0	0.0	0	0.0	45	0.2	0	0.0	
Multiracial	1	0.4	1	0.5	0	0.0	2	1.0	72	0.3	1	0.4	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0	
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
13-19	8	3.1	8	3.8	0	0.0	2	1.0	21	0.1	0	0.0	
20-29	69	26.5	55	26.3	14	27.5	30	15.7	510	2.5	0	0.0	
30-39	63	24.2	55	26.3	8	15.7	38	19.9	2,005	9.7	7	3.1	
40-49	49	18.8	37	17.7	12	23.5	43	22.5	3,901	18.9	21	9.2	
50-59	35	13.5	26	12.4	9	17.6	42	22.0	5,880	28.5	49	21.5	
60+	36	13.8	28	13.4	8	15.7	36	18.8	8,291	40.2	151	66.2	
Borough of residence													
Bronx	67	25.8	58	27.8	9	17.6	63	33.0	6,608	32.1	87	38.2	
Brooklyn	95	36.5	68	32.5	27	52.9	59	30.9	5,870	28.5	75	32.9	
Manhattan	36	13.8	31	14.8	5	9.8	24	12.6	2,466	12.0	25	11.0	
Queens	43	16.5	40	19.1	3	5.9	21	11.0	3,236	15.7	22	9.6	
Staten Island	8	3.1	6	2.9	2	3.9	5	2.6	567	2.8	8	3.5	
Outside NYC	10	3.8	5	2.4	5	9.8	19	9.9	1,841	8.9	8	3.5	
Unknown	1	0.4	1	0.5	0	0.0	0	0.0	20	0.1	3	1.3	
Neighborhood poverty level													
Low poverty	22	8.5	18	8.6	4	7.8	14	7.3	1,561	7.6	9	3.9	
Medium poverty	102	39.2	82	39.2	20	39.2	64	33.5	7,127	34.6	67	29.4	
High poverty	56	21.5	47	22.5	9	17.6	40	20.9	4,832	23.4	66	28.9	
Very high poverty	68	26.2	55	26.3	13	25.5	54	28.3	5,149	25.0	75	32.9	
Not available	12	4.6	7	3.3	5	9.8	19	9.9	1,939	9.4	11	4.8	

¹Women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

As reported to the NYC Health Department by March 31, 2025.

Table 1.6.7. Transgender People With Sexual Contact¹

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ²						New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ³		New AIDS Diagnoses ⁴		People With HIV as of 12/31/2024		Deaths ⁵	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	74	100.0	69	93.2	5	6.8	35	100.0	2,870	100.0	27	100.0
Gender												
Men	4	5.4	4	5.8	0	0.0	1	2.9	111	3.9	0	0.0
Women	70	94.6	65	94.2	5	100.0	34	97.1	2,759	96.1	27	100.0
Race and ethnicity												
Black	30	40.5	29	42.0	1	20.0	14	40.0	1,313	45.7	14	51.9
Latino	35	47.3	32	46.4	3	60.0	20	57.1	1,251	43.6	11	40.7
White	3	4.1	3	4.3	0	0.0	0	0.0	182	6.3	2	7.4
Asian or Pacific Islander	4	5.4	3	4.3	1	20.0	1	2.9	63	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	2	2.7	2	2.9	0	0.0	0	0.0	52	1.8	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	2.7	2	2.9	0	0.0	0	0.0	3	0.1	0	0.0
20-29	36	48.6	34	49.3	2	40.0	5	14.3	446	15.5	2	7.4
30-39	23	31.1	22	31.9	1	20.0	20	57.1	1,203	41.9	12	44.4
40-49	9	12.2	8	11.6	1	20.0	7	20.0	690	24.0	5	18.5
50-59	4	5.4	3	4.3	1	20.0	3	8.6	373	13.0	2	7.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	155	5.4	6	22.2
Borough of residence												
Bronx	12	16.2	11	15.9	1	20.0	10	28.6	978	34.1	10	37.0
Brooklyn	12	16.2	12	17.4	0	0.0	9	25.7	672	23.4	1	3.7
Manhattan	19	25.7	16	23.2	3	60.0	9	25.7	541	18.9	6	22.2
Queens	20	27.0	20	29.0	0	0.0	2	5.7	437	15.2	6	22.2
Staten Island	1	1.4	1	1.4	0	0.0	0	0.0	61	2.1	0	0.0
Outside NYC	6	8.1	5	7.2	1	20.0	4	11.4	173	6.0	2	7.4
Unknown	4	5.4	4	5.8	0	0.0	1	2.9	8	0.3	2	7.4
Neighborhood poverty level												
Low poverty	6	8.1	5	7.2	1	20.0	3	8.6	181	6.3	1	3.7
Medium poverty	29	39.2	28	40.6	1	20.0	10	28.6	1,019	35.5	11	40.7
High poverty	15	20.3	13	18.8	2	40.0	13	37.1	693	24.1	5	18.5
Very high poverty	14	18.9	14	20.3	0	0.0	4	11.4	787	27.4	6	22.2
Not available	10	13.5	9	13.0	1	20.0	5	14.3	190	6.6	4	14.8

¹As of December 31, 2024. ²Excludes people known to have been diagnosed outside NYC. ³HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ⁴Includes concurrent HIV/AIDS diagnoses. ⁵Includes deaths from any cause in people with HIV.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 7 100.0		N 955 100.0		N 20 100.0	
	N 9	% 100.0	N 8	% 88.9	N 1	% 11.1	N 6	% 85.7	N 663	% 69.4	N 14	% 70.0
Gender⁵												
Men	7	77.8	6	75.0	1	100.0	6	85.7	663	69.4	14	70.0
Women	2	22.2	2	25.0	0	0.0	1	14.3	292	30.6	6	30.0
Race and ethnicity⁶												
Black	3	33.3	3	37.5	0	0.0	5	71.4	339	35.5	13	65.0
Latino	5	55.6	4	50.0	1	100.0	2	28.6	444	46.5	5	25.0
White	0	0.0	0	0.0	0	0.0	0	0.0	147	15.4	2	10.0
Asian or Pacific Islander	1	11.1	1	12.5	0	0.0	0	0.0	17	1.8	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	33.3	3	37.5	0	0.0	0	0.0	3	0.3	0	0.0
20-29	2	22.2	2	25.0	0	0.0	0	0.0	51	5.3	0	0.0
30-39	1	11.1	0	0.0	1	100.0	3	42.9	163	17.1	1	5.0
40-49	1	11.1	1	12.5	0	0.0	1	14.3	155	16.2	0	0.0
50-59	1	11.1	1	12.5	0	0.0	1	14.3	217	22.7	2	10.0
60+	1	11.1	1	12.5	0	0.0	2	28.6	366	38.3	17	85.0
Transmission category												
Men who have sex with men (MSM)	6	66.7	5	62.5	1	100.0	2	28.6	411	43.0	4	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	14.3	112	11.7	6	30.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	1.7	1	5.0
Heterosexual contact	2	22.2	2	25.0	0	0.0	1	14.3	217	22.7	4	20.0
Transgender people with sexual contact	1	11.1	1	12.5	0	0.0	0	0.0	22	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	14.3	23	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	2	28.6	153	16.0	5	25.0

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.2. Northeast Bronx (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	100.0	%	100.0	%	100.0	%
Total	45	100.0	33	73.3	12	26.7	36	100.0	2,977	100.0	42	100.0
Gender⁵												
Men	35	77.8	26	78.8	9	75.0	21	58.3	1,726	58.0	22	52.4
Women	10	22.2	7	21.2	3	25.0	15	41.7	1,251	42.0	20	47.6
Race and ethnicity												
Black	27	60.0	18	54.5	9	75.0	26	72.2	1,891	63.5	25	59.5
Latino	14	31.1	13	39.4	1	8.3	6	16.7	927	31.1	14	33.3
White	1	2.2	1	3.0	0	0.0	2	5.6	109	3.7	3	7.1
Asian or Pacific Islander	1	2.2	0	0.0	1	8.3	1	2.8	28	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	2	4.4	1	3.0	1	8.3	1	2.8	12	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	1	2.2	1	3.0	0	0.0	0	0.0	5	0.2	0	0.0
20-29	15	33.3	12	36.4	3	25.0	6	16.7	174	5.8	0	0.0
30-39	15	33.3	13	39.4	2	16.7	4	11.1	529	17.8	2	4.8
40-49	3	6.7	3	9.1	0	0.0	5	13.9	535	18.0	3	7.1
50-59	5	11.1	0	0.0	5	41.7	12	33.3	675	22.7	12	28.6
60+	6	13.3	4	12.1	2	16.7	9	25.0	1,057	35.5	25	59.5
Transmission category												
Men who have sex with men (MSM)	13	28.9	11	33.3	2	16.7	8	22.2	860	28.9	5	11.9
Injection drug use history (IDU)	1	2.2	1	3.0	0	0.0	3	8.3	269	9.0	13	31.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	65	2.2	0	0.0
Heterosexual contact	7	15.6	6	18.2	1	8.3	10	27.8	1,016	34.1	15	35.7
Transgender people with sexual contact	2	4.4	2	6.1	0	0.0	0	0.0	67	2.3	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	94	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	22	48.9	13	39.4	9	75.0	15	41.7	605	20.3	8	19.0

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.3. Fordham - Bronx Park (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		Total		New AIDS Diagnoses ³		People With HIV as of 12/31/2024	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	79	100.0	63	79.7	16	20.3	70	100.0	6,409	100.0	77	100.0
Gender⁵												
Men	60	75.9	47	74.6	13	81.3	54	77.1	4,253	66.4	48	62.3
Women	19	24.1	16	25.4	3	18.8	16	22.9	2,156	33.6	29	37.7
Race and ethnicity												
Black	33	41.8	24	38.1	9	56.3	32	45.7	2,799	43.7	41	53.2
Latino	43	54.4	37	58.7	6	37.5	35	50.0	3,230	50.4	31	40.3
White	0	0.0	0	0.0	0	0.0	2	2.9	295	4.6	5	6.5
Asian or Pacific Islander	3	3.8	2	3.2	1	6.3	1	1.4	50	0.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	2.5	2	3.2	0	0.0	0	0.0	5	0.1	0	0.0
20-29	35	44.3	32	50.8	3	18.8	11	15.7	358	5.6	2	2.6
30-39	24	30.4	16	25.4	8	50.0	23	32.9	1,256	19.6	6	7.8
40-49	11	13.9	7	11.1	4	25.0	14	20.0	1,188	18.5	8	10.4
50-59	2	2.5	2	3.2	0	0.0	11	15.7	1,482	23.1	11	14.3
60+	5	6.3	4	6.3	1	6.3	11	15.7	2,118	33.0	50	64.9
Transmission category												
Men who have sex with men (MSM)	38	48.1	33	52.4	5	31.3	24	34.3	2,402	37.5	12	15.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	7	10.0	769	12.0	25	32.5
MSM-IDU	0	0.0	0	0.0	0	0.0	2	2.9	192	3.0	1	1.3
Heterosexual contact	12	15.2	12	19.0	0	0.0	7	10.0	1,546	24.1	23	29.9
Transgender people with sexual contact	3	3.8	2	3.2	1	6.3	6	8.6	223	3.5	3	3.9
Perinatal	0	0.0	0	0.0	0	0.0	1	1.4	115	1.8	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	26	32.9	16	25.4	10	62.5	23	32.9	1,154	18.0	12	15.6

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.4. Pelham - Throgs Neck (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	100.0	%	100.0	%	100.0	%
Total	46	100.0	34	73.9	12	26.1	49	100.0	4,541	100.0	56	100.0
Gender⁵												
Men	39	84.8	28	82.4	11	91.7	35	71.4	2,830	62.3	37	66.1
Women	7	15.2	6	17.6	1	8.3	14	28.6	1,711	37.7	19	33.9
Race and ethnicity												
Black	21	45.7	14	41.2	7	58.3	17	34.7	1,849	40.7	26	46.4
Latino	19	41.3	15	44.1	4	33.3	29	59.2	2,331	51.3	28	50.0
White	4	8.7	3	8.8	1	8.3	2	4.1	290	6.4	0	0.0
Asian or Pacific Islander	2	4.3	2	5.9	0	0.0	0	0.0	45	1.0	2	3.6
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.0	14	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	5	10.9	5	14.7	0	0.0	0	0.0	7	0.2	0	0.0
20-29	19	41.3	16	47.1	3	25.0	5	10.2	222	4.9	0	0.0
30-39	10	21.7	6	17.6	4	33.3	12	24.5	706	15.5	5	8.9
40-49	10	21.7	5	14.7	5	41.7	12	24.5	724	15.9	3	5.4
50-59	0	0.0	0	0.0	0	0.0	7	14.3	1,082	23.8	11	19.6
60+	2	4.3	2	5.9	0	0.0	13	26.5	1,798	39.6	37	66.1
Transmission category												
Men who have sex with men (MSM)	27	58.7	22	64.7	5	41.7	13	26.5	1,417	31.2	8	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	4	8.2	610	13.4	12	21.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	108	2.4	6	10.7
Heterosexual contact	5	10.9	4	11.8	1	8.3	15	30.6	1,247	27.5	15	26.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	2.0	79	1.7	1	1.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	141	3.1	2	3.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	14	30.4	8	23.5	6	50.0	16	32.7	931	20.5	12	21.4

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.5. Crotona - Tremont (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	100.0	%	100.0	%	100.0	%
Total	75	100.0	61	81.3	14	18.7	76	100.0	6,619	100.0	132	100.0
Gender⁵												
Men	52	69.3	43	70.5	9	64.3	47	61.8	4,159	62.8	93	70.5
Women	23	30.7	18	29.5	5	35.7	29	38.2	2,460	37.2	39	29.5
Race and ethnicity⁶												
Black	34	45.3	29	47.5	5	35.7	31	40.8	3,085	46.6	66	50.0
Latino	35	46.7	28	45.9	7	50.0	36	47.4	3,241	49.0	60	45.5
White	3	4.0	3	4.9	0	0.0	4	5.3	218	3.3	5	3.8
Asian or Pacific Islander	1	1.3	0	0.0	1	7.1	1	1.3	35	0.5	0	0.0
Other or unknown	2	2.7	1	1.6	1	7.1	4	5.3	40	0.6	1	0.8
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	2	2.7	2	3.3	0	0.0	0	0.0	16	0.2	0	0.0
20-29	23	30.7	19	31.1	4	28.6	10	13.2	332	5.0	2	1.5
30-39	23	30.7	21	34.4	2	14.3	31	40.8	1,258	19.0	9	6.8
40-49	17	22.7	10	16.4	7	50.0	14	18.4	1,220	18.4	10	7.6
50-59	7	9.3	7	11.5	0	0.0	12	15.8	1,537	23.2	35	26.5
60+	3	4.0	2	3.3	1	7.1	9	11.8	2,253	34.0	76	57.6
Transmission category												
Men who have sex with men (MSM)	22	29.3	19	31.1	3	21.4	21	27.6	2,049	31.0	31	23.5
Injection drug use history (IDU)	2	2.7	2	3.3	0	0.0	10	13.2	998	15.1	44	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	3	3.9	207	3.1	7	5.3
Heterosexual contact	19	25.3	15	24.6	4	28.6	18	23.7	1,784	27.0	27	20.5
Transgender people with sexual contact	2	2.7	2	3.3	0	0.0	2	2.6	229	3.5	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	163	2.5	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	30	40.0	23	37.7	7	50.0	22	28.9	1,186	17.9	21	15.9

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.6. High Bridge - Morrisania (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	86	100.0	73	84.9	13	15.1	58	100.0	6,644	100.0	120	100.0
Gender⁵												
Men	56	65.1	48	65.8	8	61.5	43	74.1	4,287	64.5	88	73.3
Women	30	34.9	25	34.2	5	38.5	15	25.9	2,357	35.5	32	26.7
Race and ethnicity												
Black	32	37.2	27	37.0	5	38.5	23	39.7	3,314	49.9	58	48.3
Latino	50	58.1	42	57.5	8	61.5	30	51.7	2,974	44.8	57	47.5
White	4	4.7	4	5.5	0	0.0	4	6.9	264	4.0	4	3.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	42	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	1	1.7	33	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Age group (years)												
0-12	1	1.2	1	1.4	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	2.3	1	1.4	1	7.7	1	1.7	15	0.2	0	0.0
20-29	33	38.4	27	37.0	6	46.2	12	20.7	311	4.7	0	0.0
30-39	27	31.4	21	28.8	6	46.2	18	31.0	1,190	17.9	11	9.2
40-49	11	12.8	11	15.1	0	0.0	9	15.5	1,152	17.3	15	12.5
50-59	6	7.0	6	8.2	0	0.0	11	19.0	1,572	23.7	29	24.2
60+	6	7.0	6	8.2	0	0.0	7	12.1	2,403	36.2	65	54.2
Transmission category												
Men who have sex with men (MSM)	28	32.6	22	30.1	6	46.2	32	55.2	2,039	30.7	30	25.0
Injection drug use history (IDU)	4	4.7	3	4.1	1	7.7	5	8.6	975	14.7	31	25.8
MSM-IDU	1	1.2	1	1.4	0	0.0	0	0.0	196	3.0	7	5.8
Heterosexual contact	25	29.1	21	28.8	4	30.8	14	24.1	1,720	25.9	28	23.3
Transgender people with sexual contact	3	3.5	3	4.1	0	0.0	0	0.0	189	2.8	2	1.7
Perinatal	1	1.2	1	1.4	0	0.0	0	0.0	147	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	24	27.9	22	30.1	2	15.4	7	12.1	1,369	20.6	22	18.3

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	46	100.0	4,143	100.0	75	100.0
Total	54	100.0	46	85.2	8	14.8						
Gender⁵												
Men	39	72.2	32	69.6	7	87.5	27	58.7	2,606	62.9	49	65.3
Women	15	27.8	14	30.4	1	12.5	19	41.3	1,537	37.1	26	34.7
Race and ethnicity												
Black	25	46.3	21	45.7	4	50.0	22	47.8	1,848	44.6	42	56.0
Latino	26	48.1	22	47.8	4	50.0	22	47.8	2,065	49.8	30	40.0
White	1	1.9	1	2.2	0	0.0	1	2.2	171	4.1	1	1.3
Asian or Pacific Islander	1	1.9	1	2.2	0	0.0	0	0.0	26	0.6	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	1	1.9	1	2.2	0	0.0	1	2.2	24	0.6	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	3.7	2	4.3	0	0.0	0	0.0	8	0.2	0	0.0
20-29	16	29.6	15	32.6	1	12.5	5	10.9	262	6.3	0	0.0
30-39	17	31.5	15	32.6	2	25.0	8	17.4	838	20.2	10	13.3
40-49	6	11.1	2	4.3	4	50.0	11	23.9	699	16.9	8	10.7
50-59	7	13.0	7	15.2	0	0.0	5	10.9	929	22.4	24	32.0
60+	6	11.1	5	10.9	1	12.5	17	37.0	1,407	34.0	33	44.0
Transmission category												
Men who have sex with men (MSM)	19	35.2	17	37.0	2	25.0	12	26.1	1,270	30.7	10	13.3
Injection drug use history (IDU)	1	1.9	0	0.0	1	12.5	8	17.4	605	14.6	20	26.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	118	2.8	5	6.7
Heterosexual contact	12	22.2	12	26.1	0	0.0	14	30.4	1,083	26.1	22	29.3
Transgender people with sexual contact	1	1.9	1	2.2	0	0.0	1	2.2	169	4.1	2	2.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	122	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Unknown	21	38.9	16	34.8	5	62.5	11	23.9	770	18.6	16	21.3

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.1. Greenpoint (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	4	100.0	920	100.0	6	100.0
Total	12	100.0	9	75.0	3	25.0						
Gender⁵												
Men	11	91.7	8	88.9	3	100.0						
Women	1	8.3	1	11.1	0	0.0						
Race and ethnicity												
Black	3	25.0	1	11.1	2	66.7						
Latino	4	33.3	4	44.4	0	0.0						
White	4	33.3	3	33.3	1	33.3						
Asian or Pacific Islander	1	8.3	1	11.1	0	0.0						
Native American	0	0.0	0	0.0	0	0.0						
Multiracial	0	0.0	0	0.0	0	0.0						
Unknown	0	0.0	0	0.0	0	0.0						
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0						
13-19	0	0.0	0	0.0	0	0.0						
20-29	3	25.0	2	22.2	1	33.3						
30-39	7	58.3	5	55.6	2	66.7						
40-49	1	8.3	1	11.1	0	0.0						
50-59	0	0.0	0	0.0	0	0.0						
60+	1	8.3	1	11.1	0	0.0						
Transmission category												
Men who have sex with men (MSM)	6	50.0	5	55.6	1	33.3						
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0						
MSM-IDU	0	0.0	0	0.0	0	0.0						
Heterosexual contact	1	8.3	1	11.1	0	0.0						
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0						
Perinatal	0	0.0	0	0.0	0	0.0						
Other	0	0.0	0	0.0	0	0.0						
Unknown	5	41.7	3	33.3	2	66.7						

The following ZIP codes are included in Greenpoint: 11211, 11222.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	28	100.0	24	85.7	4	14.3	21	100.0	2,765	100.0	30	100.0
Gender⁵												
Men	22	78.6	19	79.2	3	75.0	16	76.2	2,172	78.6	20	66.7
Women	6	21.4	5	20.8	1	25.0	5	23.8	593	21.4	10	33.3
Race and ethnicity												
Black	12	42.9	10	41.7	2	50.0	11	52.4	1,110	40.1	16	53.3
Latino	10	35.7	9	37.5	1	25.0	6	28.6	717	25.9	9	30.0
White	4	14.3	3	12.5	1	25.0	3	14.3	828	29.9	5	16.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	4.8	81	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	2	7.1	2	8.3	0	0.0	0	0.0	16	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	11	39.3	9	37.5	2	50.0	4	19.0	102	3.7	0	0.0
30-39	9	32.1	8	33.3	1	25.0	7	33.3	459	16.6	0	0.0
40-49	3	10.7	3	12.5	0	0.0	3	14.3	434	15.7	0	0.0
50-59	3	10.7	2	8.3	1	25.0	3	14.3	637	23.0	6	20.0
60+	2	7.1	2	8.3	0	0.0	4	19.0	1,128	40.8	24	80.0
Transmission category												
Men who have sex with men (MSM)	16	57.1	14	58.3	2	50.0	10	47.6	1,567	56.7	6	20.0
Injection drug use history (IDU)	1	3.6	0	0.0	1	25.0	2	9.5	265	9.6	8	26.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	60	2.2	0	0.0
Heterosexual contact	4	14.3	3	12.5	1	25.0	6	28.6	398	14.4	10	33.3
Transgender people with sexual contact	1	3.6	1	4.2	0	0.0	0	0.0	25	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	47	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	6	21.4	6	25.0	0	0.0	3	14.3	401	14.5	6	20.0

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024			Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴		
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	116	100.0	95	81.9	21	18.1	62	100.0	8,076	100.0	115	100.0	
Gender⁵													
Men	87	75.0	74	77.9	13	61.9	40	64.5	5,403	66.9	76	66.1	
Women	29	25.0	21	22.1	8	38.1	22	35.5	2,673	33.1	39	33.9	
Race and ethnicity													
Black	82	70.7	69	72.6	13	61.9	42	67.7	5,838	72.3	88	76.5	
Latino	21	18.1	16	16.8	5	23.8	15	24.2	1,493	18.5	22	19.1	
White	10	8.6	8	8.4	2	9.5	4	6.5	579	7.2	4	3.5	
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	89	1.1	0	0.0	
Native American	2	1.7	1	1.1	1	4.8	1	1.6	22	0.3	1	0.9	
Multiracial	1	0.9	1	1.1	0	0.0	0	0.0	47	0.6	0	0.0	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0	
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	1	1.6	2	0.0	0	0.0	
13-19	6	5.2	6	6.3	0	0.0	1	1.6	13	0.2	0	0.0	
20-29	39	33.6	34	35.8	5	23.8	10	16.1	479	5.9	2	1.7	
30-39	32	27.6	29	30.5	3	14.3	18	29.0	1,607	19.9	5	4.3	
40-49	16	13.8	12	12.6	4	19.0	8	12.9	1,446	17.9	7	6.1	
50-59	15	12.9	10	10.5	5	23.8	14	22.6	1,820	22.5	35	30.4	
60+	8	6.9	4	4.2	4	19.0	10	16.1	2,709	33.5	66	57.4	
Transmission category													
Men who have sex with men (MSM)	51	44.0	46	48.4	5	23.8	20	32.3	3,218	39.8	24	20.9	
Injection drug use history (IDU)	1	0.9	1	1.1	0	0.0	4	6.5	759	9.4	22	19.1	
MSM-IDU	1	0.9	1	1.1	0	0.0	1	1.6	183	2.3	3	2.6	
Heterosexual contact	21	18.1	14	14.7	7	33.3	16	25.8	1,978	24.5	38	33.0	
Transgender people with sexual contact	4	3.4	4	4.2	0	0.0	3	4.8	217	2.7	1	0.9	
Perinatal	0	0.0	0	0.0	0	0.0	2	3.2	180	2.2	1	0.9	
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.1	0	0.0	
Unknown	38	32.8	29	30.5	9	42.9	16	25.8	1,529	18.9	26	22.6	

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.4. East New York (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	34	100.0	3,824	100.0	61	100.0
Total	49	100.0	39	79.6	10	20.4						
Gender⁵												
Men	31	63.3	25	64.1	6	60.0	21	61.8	2,291	59.9	37	60.7
Women	18	36.7	14	35.9	4	40.0	13	38.2	1,533	40.1	24	39.3
Race and ethnicity⁶												
Black	30	61.2	22	56.4	8	80.0	24	70.6	2,327	60.9	44	72.1
Latino	17	34.7	15	38.5	2	20.0	10	29.4	1,261	33.0	15	24.6
White	0	0.0	0	0.0	0	0.0	0	0.0	146	3.8	2	3.3
Asian or Pacific Islander	1	2.0	1	2.6	0	0.0	0	0.0	51	1.3	0	0.0
Other or unknown	1	2.0	1	2.6	0	0.0	0	0.0	39	1.0	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	5	10.2	5	12.8	0	0.0	1	2.9	13	0.3	0	0.0
20-29	13	26.5	9	23.1	4	40.0	11	32.4	274	7.2	0	0.0
30-39	14	28.6	12	30.8	2	20.0	8	23.5	770	20.1	11	18.0
40-49	11	22.4	8	20.5	3	30.0	8	23.5	754	19.7	5	8.2
50-59	4	8.2	3	7.7	1	10.0	2	5.9	820	21.4	13	21.3
60+	2	4.1	2	5.1	0	0.0	4	11.8	1,192	31.2	32	52.5
Transmission category												
Men who have sex with men (MSM)	15	30.6	12	30.8	3	30.0	13	38.2	1,282	33.5	12	19.7
Injection drug use history (IDU)	1	2.0	0	0.0	1	10.0	2	5.9	347	9.1	10	16.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	2.9	68	1.8	2	3.3
Heterosexual contact	13	26.5	8	20.5	5	50.0	10	29.4	1,148	30.0	18	29.5
Transgender people with sexual contact	2	4.1	2	5.1	0	0.0	0	0.0	119	3.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.9	106	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	18	36.7	17	43.6	1	10.0	7	20.6	749	19.6	19	31.1

The following ZIP codes are included in East New York: 11207, 11208.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.5. Sunset Park (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 10 100.0		N 945 100.0		N 8 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	16	100.0	10	62.5	6	37.5			945	100.0	8	100.0
Gender⁵												
Men	14	87.5	8	80.0	6	100.0	10	100.0	734	77.7	5	62.5
Women	2	12.5	2	20.0	0	0.0	0	0.0	211	22.3	3	37.5
Race and ethnicity⁶												
Black	3	18.8	2	20.0	1	16.7	1	10.0	182	19.3	1	12.5
Latino	9	56.3	5	50.0	4	66.7	6	60.0	493	52.2	5	62.5
White	2	12.5	2	20.0	0	0.0	0	0.0	176	18.6	2	25.0
Asian or Pacific Islander	2	12.5	1	10.0	1	16.7	2	20.0	84	8.9	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	1	10.0	10	1.1	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
20-29	6	37.5	5	50.0	1	16.7	2	20.0	48	5.1	0	0.0
30-39	6	37.5	4	40.0	2	33.3	2	20.0	173	18.3	0	0.0
40-49	3	18.8	1	10.0	2	33.3	4	40.0	170	18.0	2	25.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	233	24.7	1	12.5
60+	1	6.3	0	0.0	1	16.7	2	20.0	318	33.7	5	62.5
Transmission category												
Men who have sex with men (MSM)	11	68.8	7	70.0	4	66.7	6	60.0	413	43.7	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	120	12.7	4	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	39	4.1	0	0.0
Heterosexual contact	1	6.3	1	10.0	0	0.0	0	0.0	189	20.0	1	12.5
Transgender people with sexual contact	2	12.5	2	20.0	0	0.0	0	0.0	11	1.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	2	12.5	0	0.0	2	33.3	4	40.0	158	16.7	1	12.5

The following ZIP codes are included in Sunset Park: 11220, 11232.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.6. Borough Park (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		Total		12/31/2024		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	30	100.0	25	83.3	5	16.7	17	100.0	1,292	100.0	8	100.0
Gender⁵												
Men	19	63.3	16	64.0	3	60.0	11	64.7	963	74.5	7	87.5
Women	11	36.7	9	36.0	2	40.0	6	35.3	329	25.5	1	12.5
Race and ethnicity												
Black	6	20.0	6	24.0	0	0.0	3	17.6	342	26.5	2	25.0
Latino	14	46.7	12	48.0	2	40.0	6	35.3	472	36.5	4	50.0
White	8	26.7	5	20.0	3	60.0	5	29.4	382	29.6	2	25.0
Asian or Pacific Islander	2	6.7	2	8.0	0	0.0	3	17.6	86	6.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
20-29	10	33.3	10	40.0	0	0.0	0	0.0	53	4.1	0	0.0
30-39	7	23.3	5	20.0	2	40.0	8	47.1	244	18.9	0	0.0
40-49	8	26.7	7	28.0	1	20.0	3	17.6	256	19.8	1	12.5
50-59	3	10.0	2	8.0	1	20.0	3	17.6	297	23.0	2	25.0
60+	2	6.7	1	4.0	1	20.0	3	17.6	439	34.0	5	62.5
Transmission category												
Men who have sex with men (MSM)	10	33.3	10	40.0	0	0.0	2	11.8	600	46.4	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	11.8	138	10.7	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	26	2.0	0	0.0
Heterosexual contact	10	33.3	8	32.0	2	40.0	3	17.6	250	19.3	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	22	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	15	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	10	33.3	7	28.0	3	60.0	10	58.8	240	18.6	0	0.0

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	100	100.0	72	72.0	28	28.0	68	100.0	6,048	100.0	64	100.0
Gender⁵												
Men	69	69.0	47	65.3	22	78.6	52	76.5	3,954	65.4	45	70.3
Women	31	31.0	25	34.7	6	21.4	16	23.5	2,094	34.6	19	29.7
Race and ethnicity												
Black	83	83.0	58	80.6	25	89.3	55	80.9	4,560	75.4	44	68.8
Latino	11	11.0	9	12.5	2	7.1	10	14.7	958	15.8	15	23.4
White	3	3.0	3	4.2	0	0.0	1	1.5	397	6.6	5	7.8
Asian or Pacific Islander	2	2.0	1	1.4	1	3.6	1	1.5	70	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	22	0.4	0	0.0
Multiracial	1	1.0	1	1.4	0	0.0	1	1.5	35	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	4	4.0	3	4.2	1	3.6	1	1.5	7	0.1	0	0.0
20-29	18	18.0	14	19.4	4	14.3	7	10.3	308	5.1	1	1.6
30-39	25	25.0	21	29.2	4	14.3	19	27.9	1,108	18.3	4	6.3
40-49	23	23.0	15	20.8	8	28.6	15	22.1	1,107	18.3	5	7.8
50-59	17	17.0	8	11.1	9	32.1	17	25.0	1,387	22.9	13	20.3
60+	13	13.0	11	15.3	2	7.1	9	13.2	2,128	35.2	41	64.1
Transmission category												
Men who have sex with men (MSM)	23	23.0	17	23.6	6	21.4	20	29.4	2,279	37.7	10	15.6
Injection drug use history (IDU)	1	1.0	1	1.4	0	0.0	1	1.5	429	7.1	9	14.1
MSM-IDU	0	0.0	0	0.0	0	0.0	3	4.4	115	1.9	3	4.7
Heterosexual contact	31	31.0	23	31.9	8	28.6	18	26.5	1,569	25.9	18	28.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	1.5	127	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.5	113	1.9	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	45	45.0	31	43.1	14	50.0	24	35.3	1,403	23.2	23	35.9

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	50	100.0	37	74.0	13	26.0	29	100.0	1,941	100.0	16	100.0
Gender⁵												
Men	34	68.0	28	75.7	6	46.2	14	48.3	1,061	54.7	9	56.3
Women	16	32.0	9	24.3	7	53.8	15	51.7	880	45.3	7	43.8
Race and ethnicity⁶												
Black	43	86.0	31	83.8	12	92.3	26	89.7	1,549	79.8	12	75.0
Latino	5	10.0	4	10.8	1	7.7	3	10.3	245	12.6	3	18.8
White	1	2.0	1	2.7	0	0.0	0	0.0	107	5.5	1	6.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	27	1.4	0	0.0
Other or unknown	1	2.0	1	2.7	0	0.0	0	0.0	13	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	1	3.4	3	0.2	0	0.0
13-19	2	4.0	2	5.4	0	0.0	0	0.0	9	0.5	0	0.0
20-29	14	28.0	12	32.4	2	15.4	4	13.8	107	5.5	1	6.3
30-39	14	28.0	9	24.3	5	38.5	9	31.0	306	15.8	0	0.0
40-49	8	16.0	6	16.2	2	15.4	5	17.2	322	16.6	0	0.0
50-59	7	14.0	6	16.2	1	7.7	3	10.3	447	23.0	3	18.8
60+	5	10.0	2	5.4	3	23.1	7	24.1	747	38.5	12	75.0
Transmission category												
Men who have sex with men (MSM)	12	24.0	11	29.7	1	7.7	4	13.8	469	24.2	3	18.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	128	6.6	4	25.0
MSM-IDU	1	2.0	1	2.7	0	0.0	0	0.0	16	0.8	2	12.5
Heterosexual contact	16	32.0	9	24.3	7	53.8	13	44.8	698	36.0	5	31.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	3.4	14	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	6.9	69	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	21	42.0	16	43.2	5	38.5	9	31.0	545	28.1	2	12.5

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 14 100.0		N 811 100.0		N 14 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	18	100.0	11	61.1	7	38.9						
Gender⁵												
Men	15	83.3	9	81.8	6	85.7	11	78.6	616	76.0	10	71.4
Women	3	16.7	2	18.2	1	14.3	3	21.4	195	24.0	4	28.6
Race and ethnicity⁶												
Black	1	5.6	1	9.1	0	0.0	0	0.0	101	12.5	2	14.3
Latino	8	44.4	4	36.4	4	57.1	5	35.7	276	34.0	4	28.6
White	9	50.0	6	54.5	3	42.9	8	57.1	358	44.1	8	57.1
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.1	70	8.6	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.6	1	9.1	0	0.0	0	0.0	3	0.4	0	0.0
20-29	5	27.8	3	27.3	2	28.6	3	21.4	31	3.8	0	0.0
30-39	8	44.4	5	45.5	3	42.9	5	35.7	131	16.2	2	14.3
40-49	2	11.1	0	0.0	2	28.6	3	21.4	155	19.1	0	0.0
50-59	1	5.6	1	9.1	0	0.0	2	14.3	194	23.9	2	14.3
60+	1	5.6	1	9.1	0	0.0	1	7.1	297	36.6	10	71.4
Transmission category												
Men who have sex with men (MSM)	8	44.4	5	45.5	3	42.9	6	42.9	401	49.4	2	14.3
Injection drug use history (IDU)	1	5.6	0	0.0	1	14.3	2	14.3	84	10.4	4	28.6
MSM-IDU	1	5.6	1	9.1	0	0.0	0	0.0	30	3.7	2	14.3
Heterosexual contact	3	16.7	1	9.1	2	28.6	4	28.6	137	16.9	3	21.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	27.8	4	36.4	1	14.3	2	14.3	134	16.5	3	21.4

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	15	100.0	1,454	100.0	16	100.0
Total	32	100.0	23	71.9	9	28.1						
Gender⁵												
Men	26	81.3	17	73.9	9	100.0	11	73.3	941	64.7	12	75.0
Women	6	18.8	6	26.1	0	0.0	4	26.7	513	35.3	4	25.0
Race and ethnicity												
Black	5	15.6	3	13.0	2	22.2	4	26.7	490	33.7	7	43.8
Latino	11	34.4	9	39.1	2	22.2	3	20.0	419	28.8	5	31.3
White	13	40.6	9	39.1	4	44.4	6	40.0	467	32.1	4	25.0
Asian or Pacific Islander	3	9.4	2	8.7	1	11.1	2	13.3	62	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.1	1	4.3	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	21.9	7	30.4	0	0.0	2	13.3	70	4.8	0	0.0
30-39	10	31.3	7	30.4	3	33.3	4	26.7	253	17.4	1	6.3
40-49	8	25.0	3	13.0	5	55.6	7	46.7	319	21.9	1	6.3
50-59	4	12.5	4	17.4	0	0.0	0	0.0	322	22.1	3	18.8
60+	2	6.3	1	4.3	1	11.1	2	13.3	489	33.6	11	68.8
Transmission category												
Men who have sex with men (MSM)	17	53.1	14	60.9	3	33.3	3	20.0	493	33.9	5	31.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	161	11.1	4	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	24	1.7	0	0.0
Heterosexual contact	2	6.3	2	8.7	0	0.0	1	6.7	383	26.3	4	25.0
Transgender people with sexual contact	1	3.1	1	4.3	0	0.0	2	13.3	29	2.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	12	37.5	6	26.1	6	66.7	9	60.0	330	22.7	3	18.8

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 31		N 3,787		N 48	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	49	100.0	38	77.6	11	22.4	31	100.0	3,787	100.0	48	100.0
Gender⁵												
Men	37	75.5	28	73.7	9	81.8	24	77.4	2,752	72.7	35	72.9
Women	12	24.5	10	26.3	2	18.2	7	22.6	1,035	27.3	13	27.1
Race and ethnicity⁶												
Black	22	44.9	18	47.4	4	36.4	11	35.5	1,677	44.3	29	60.4
Latino	23	46.9	17	44.7	6	54.5	15	48.4	1,476	39.0	16	33.3
White	4	8.2	3	7.9	1	9.1	3	9.7	513	13.5	2	4.2
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.2	81	2.1	1	2.1
Other or unknown	0	0.0	0	0.0	0	0.0	1	3.2	40	1.1	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	1	2.0	1	2.6	0	0.0	0	0.0	8	0.2	0	0.0
20-29	14	28.6	9	23.7	5	45.5	7	22.6	247	6.5	1	2.1
30-39	22	44.9	20	52.6	2	18.2	9	29.0	866	22.9	3	6.3
40-49	5	10.2	3	7.9	2	18.2	5	16.1	623	16.5	3	6.3
50-59	4	8.2	3	7.9	1	9.1	5	16.1	752	19.9	12	25.0
60+	3	6.1	2	5.3	1	9.1	5	16.1	1,290	34.1	29	60.4
Transmission category												
Men who have sex with men (MSM)	25	51.0	17	44.7	8	72.7	16	51.6	1,734	45.8	14	29.2
Injection drug use history (IDU)	1	2.0	1	2.6	0	0.0	3	9.7	449	11.9	10	20.8
MSM-IDU	1	2.0	1	2.6	0	0.0	0	0.0	95	2.5	2	4.2
Heterosexual contact	7	14.3	6	15.8	1	9.1	4	12.9	700	18.5	8	16.7
Transgender people with sexual contact	2	4.1	2	5.3	0	0.0	1	3.2	82	2.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	78	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	13	26.5	11	28.9	2	18.2	7	22.6	646	17.1	14	29.2

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.1. Washington Heights - Inwood (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	36	100.0	5,049	100.0	36	100.0
Total	85	100.0	74	87.1	11	12.9						
Gender⁵												
Men	68	80.0	59	79.7	9	81.8	30	83.3	4,199	83.2	27	75.0
Women	17	20.0	15	20.3	2	18.2	6	16.7	850	16.8	9	25.0
Race and ethnicity⁶												
Black	24	28.2	21	28.4	3	27.3	10	27.8	1,568	31.1	10	27.8
Latino	51	60.0	45	60.8	6	54.5	21	58.3	2,268	44.9	19	52.8
White	7	8.2	6	8.1	1	9.1	4	11.1	1,075	21.3	5	13.9
Asian or Pacific Islander	3	3.5	2	2.7	1	9.1	1	2.8	89	1.8	1	2.8
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	49	1.0	1	2.8
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.2	1	1.4	0	0.0	0	0.0	8	0.2	0	0.0
20-29	29	34.1	25	33.8	4	36.4	5	13.9	237	4.7	1	2.8
30-39	34	40.0	33	44.6	1	9.1	11	30.6	1,013	20.1	4	11.1
40-49	8	9.4	5	6.8	3	27.3	7	19.4	958	19.0	4	11.1
50-59	8	9.4	5	6.8	3	27.3	9	25.0	1,154	22.9	3	8.3
60+	5	5.9	5	6.8	0	0.0	4	11.1	1,679	33.3	24	66.7
Transmission category												
Men who have sex with men (MSM)	45	52.9	41	55.4	4	36.4	20	55.6	3,088	61.2	12	33.3
Injection drug use history (IDU)	1	1.2	0	0.0	1	9.1	4	11.1	315	6.2	8	22.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	130	2.6	1	2.8
Heterosexual contact	8	9.4	7	9.5	1	9.1	2	5.6	650	12.9	5	13.9
Transgender people with sexual contact	4	4.7	3	4.1	1	9.1	2	5.6	98	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	54	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	27	31.8	23	31.1	4	36.4	8	22.2	706	14.0	10	27.8

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	100.0	100.0	100.0	100.0	100.0	100.0
Total	60	100.0	47	78.3	13	21.7	46	100.0	5,069	100.0	67	100.0
Gender⁵												
Men	44	73.3	34	72.3	10	76.9	28	60.9	3,838	75.7	43	64.2
Women	16	26.7	13	27.7	3	23.1	18	39.1	1,231	24.3	24	35.8
Race and ethnicity												
Black	42	70.0	34	72.3	8	61.5	27	58.7	3,042	60.0	44	65.7
Latino	13	21.7	10	21.3	3	23.1	17	37.0	1,175	23.2	19	28.4
White	3	5.0	3	6.4	0	0.0	0	0.0	717	14.1	2	3.0
Asian or Pacific Islander	2	3.3	0	0.0	2	15.4	2	4.3	85	1.7	1	1.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	37	0.7	1	1.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	3.3	2	4.3	0	0.0	0	0.0	6	0.1	0	0.0
20-29	18	30.0	15	31.9	3	23.1	5	10.9	208	4.1	2	3.0
30-39	19	31.7	16	34.0	3	23.1	10	21.7	945	18.6	6	9.0
40-49	5	8.3	3	6.4	2	15.4	7	15.2	963	19.0	4	6.0
50-59	11	18.3	8	17.0	3	23.1	14	30.4	1,238	24.4	17	25.4
60+	5	8.3	3	6.4	2	15.4	10	21.7	1,706	33.7	38	56.7
Transmission category												
Men who have sex with men (MSM)	28	46.7	24	51.1	4	30.8	12	26.1	2,560	50.5	16	23.9
Injection drug use history (IDU)	1	1.7	0	0.0	1	7.7	3	6.5	475	9.4	12	17.9
MSM-IDU	1	1.7	1	2.1	0	0.0	3	6.5	142	2.8	5	7.5
Heterosexual contact	12	20.0	9	19.1	3	23.1	15	32.6	850	16.8	21	31.3
Transgender people with sexual contact	3	5.0	3	6.4	0	0.0	2	4.3	93	1.8	2	3.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.2	81	1.6	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	15	25.0	10	21.3	5	38.5	10	21.7	865	17.1	10	14.9

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.3. East Harlem (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	38	100.0	3,049	100.0	42	100.0
Total	51	100.0	43	84.3	8	15.7						
Gender⁵												
Men	37	72.5	31	72.1	6	75.0	30	78.9	2,206	72.4	34	81.0
Women	14	27.5	12	27.9	2	25.0	8	21.1	843	27.6	8	19.0
Race and ethnicity												
Black	21	41.2	19	44.2	2	25.0	18	47.4	1,326	43.5	19	45.2
Latino	27	52.9	22	51.2	5	62.5	14	36.8	1,232	40.4	20	47.6
White	0	0.0	0	0.0	0	0.0	3	7.9	422	13.8	2	4.8
Asian or Pacific Islander	3	5.9	2	4.7	1	12.5	2	5.3	46	1.5	1	2.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.6	15	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	18	35.3	16	37.2	2	25.0	5	13.2	139	4.6	1	2.4
30-39	18	35.3	16	37.2	2	25.0	9	23.7	513	16.8	5	11.9
40-49	9	17.6	7	16.3	2	25.0	10	26.3	464	15.2	2	4.8
50-59	4	7.8	3	7.0	1	12.5	5	13.2	722	23.7	6	14.3
60+	2	3.9	1	2.3	1	12.5	9	23.7	1,209	39.7	28	66.7
Transmission category												
Men who have sex with men (MSM)	23	45.1	20	46.5	3	37.5	17	44.7	1,275	41.8	10	23.8
Injection drug use history (IDU)	2	3.9	1	2.3	1	12.5	5	13.2	477	15.6	15	35.7
MSM-IDU	0	0.0	0	0.0	0	0.0	2	5.3	85	2.8	4	9.5
Heterosexual contact	6	11.8	5	11.6	1	12.5	3	7.9	583	19.1	5	11.9
Transgender people with sexual contact	3	5.9	3	7.0	0	0.0	0	0.0	47	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	85	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	17	33.3	14	32.6	3	37.5	11	28.9	495	16.2	8	19.0

The following ZIP codes are included in East Harlem: 10029, 10035.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.4. Upper West Side (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	20	100.0	17	85.0	3	15.0	11	100.0	3,194	100.0	35	100.0
Gender⁵												
Men	19	95.0	16	94.1	3	100.0	10	90.9	2,770	86.7	30	85.7
Women	1	5.0	1	5.9	0	0.0	1	9.1	424	13.3	5	14.3
Race and ethnicity												
Black	11	55.0	10	58.8	1	33.3	7	63.6	814	25.5	13	37.1
Latino	4	20.0	4	23.5	0	0.0	0	0.0	891	27.9	12	34.3
White	4	20.0	2	11.8	2	66.7	4	36.4	1,338	41.9	9	25.7
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	102	3.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	1	5.0	1	5.9	0	0.0	0	0.0	24	0.8	1	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.6	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	8	40.0	8	47.1	0	0.0	1	9.1	100	3.1	0	0.0
30-39	5	25.0	4	23.5	1	33.3	2	18.2	363	11.4	2	5.7
40-49	3	15.0	3	17.6	0	0.0	2	18.2	435	13.6	6	17.1
50-59	1	5.0	1	5.9	0	0.0	1	9.1	644	20.2	2	5.7
60+	3	15.0	1	5.9	2	66.7	5	45.5	1,651	51.7	25	71.4
Transmission category												
Men who have sex with men (MSM)	14	70.0	12	70.6	2	66.7	6	54.5	2,081	65.2	14	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	249	7.8	5	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	87	2.7	2	5.7
Heterosexual contact	1	5.0	1	5.9	0	0.0	1	9.1	285	8.9	7	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	9.1	54	1.7	1	2.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	5	25.0	4	23.5	1	33.3	3	27.3	404	12.6	6	17.1

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.5. Upper East Side (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	11	100.0	11	100.0	0	0.0	7	100.0	1,593	100.0	19	100.0
Gender⁵												
Men	10	90.9	10	90.9	0	0.0	5	71.4	1,397	87.7	17	89.5
Women	1	9.1	1	9.1	0	0.0	2	28.6	196	12.3	2	10.5
Race and ethnicity⁶												
Black	5	45.5	5	45.5	0	0.0	4	57.1	308	19.3	2	10.5
Latino	4	36.4	4	36.4	0	0.0	2	28.6	396	24.9	6	31.6
White	2	18.2	2	18.2	0	0.0	1	14.3	797	50.0	10	52.6
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	71	4.5	1	5.3
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	1.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	5	45.5	5	45.5	0	0.0	0	0.0	46	2.9	0	0.0
30-39	4	36.4	4	36.4	0	0.0	2	28.6	207	13.0	0	0.0
40-49	1	9.1	1	9.1	0	0.0	3	42.9	258	16.2	4	21.1
50-59	0	0.0	0	0.0	0	0.0	2	28.6	345	21.7	3	15.8
60+	1	9.1	1	9.1	0	0.0	0	0.0	736	46.2	12	63.2
Transmission category												
Men who have sex with men (MSM)	8	72.7	8	72.7	0	0.0	2	28.6	1,073	67.4	11	57.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	84	5.3	3	15.8
MSM-IDU	0	0.0	0	0.0	0	0.0	1	14.3	46	2.9	2	10.5
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	14.3	126	7.9	0	0.0
Transgender people with sexual contact	1	9.1	1	9.1	0	0.0	0	0.0	18	1.1	1	5.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	18.2	2	18.2	0	0.0	3	42.9	234	14.7	2	10.5

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.6. Chelsea - Clinton (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 35 100.0		N 7,250 100.0		N 47 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	55	100.0	47	85.5	8	14.5	35	100.0	7,250	100.0	47	100.0
Gender⁵												
Men	46	83.6	40	85.1	6	75.0	27	77.1	6,719	92.7	41	87.2
Women	9	16.4	7	14.9	2	25.0	8	22.9	531	7.3	6	12.8
Race and ethnicity⁶												
Black	10	18.2	8	17.0	2	25.0	11	31.4	1,254	17.3	18	38.3
Latino	24	43.6	19	40.4	5	62.5	16	45.7	1,915	26.4	12	25.5
White	13	23.6	13	27.7	0	0.0	4	11.4	3,706	51.1	15	31.9
Asian or Pacific Islander	6	10.9	5	10.6	1	12.5	4	11.4	274	3.8	1	2.1
Other or unknown	2	3.6	2	4.3	0	0.0	0	0.0	101	1.4	1	2.1
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
20-29	21	38.2	19	40.4	2	25.0	7	20.0	210	2.9	0	0.0
30-39	17	30.9	16	34.0	1	12.5	11	31.4	1,030	14.2	2	4.3
40-49	10	18.2	6	12.8	4	50.0	10	28.6	1,371	18.9	4	8.5
50-59	3	5.5	2	4.3	1	12.5	4	11.4	1,835	25.3	12	25.5
60+	4	7.3	4	8.5	0	0.0	3	8.6	2,800	38.6	29	61.7
Transmission category												
Men who have sex with men (MSM)	32	58.2	30	63.8	2	25.0	15	42.9	5,641	77.8	24	51.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	314	4.3	8	17.0
MSM-IDU	1	1.8	1	2.1	0	0.0	0	0.0	236	3.3	5	10.6
Heterosexual contact	7	12.7	6	12.8	1	12.5	5	14.3	301	4.2	2	4.3
Transgender people with sexual contact	1	1.8	1	2.1	0	0.0	1	2.9	124	1.7	1	2.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	14	25.5	9	19.1	5	62.5	14	40.0	601	8.3	7	14.9

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024			Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴		
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	17	100.0	15	88.2	2	11.8	16	100.0	2,092	100.0	15	100.0	
Gender⁵													
Men	14	82.4	12	80.0	2	100.0	12	75.0	1,906	91.1	15	100.0	
Women	3	17.6	3	20.0	0	0.0	4	25.0	186	8.9	0	0.0	
Race and ethnicity													
Black	7	41.2	6	40.0	1	50.0	7	43.8	437	20.9	3	20.0	
Latino	6	35.3	6	40.0	0	0.0	4	25.0	524	25.0	6	40.0	
White	2	11.8	2	13.3	0	0.0	4	25.0	1,013	48.4	6	40.0	
Asian or Pacific Islander	2	11.8	1	6.7	1	50.0	1	6.3	87	4.2	0	0.0	
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0	
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.6	0	0.0	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0	
Age group (years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0	
20-29	3	17.6	3	20.0	0	0.0	1	6.3	48	2.3	0	0.0	
30-39	9	52.9	7	46.7	2	100.0	6	37.5	229	10.9	1	6.7	
40-49	5	29.4	5	33.3	0	0.0	1	6.3	299	14.3	0	0.0	
50-59	0	0.0	0	0.0	0	0.0	3	18.8	511	24.4	2	13.3	
60+	0	0.0	0	0.0	0	0.0	5	31.3	1,004	48.0	12	80.0	
Transmission category													
Men who have sex with men (MSM)	6	35.3	5	33.3	1	50.0	7	43.8	1,393	66.6	8	53.3	
Injection drug use history (IDU)	1	5.9	1	6.7	0	0.0	1	6.3	152	7.3	2	13.3	
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	99	4.7	1	6.7	
Heterosexual contact	1	5.9	1	6.7	0	0.0	2	12.5	118	5.6	1	6.7	
Transgender people with sexual contact	1	5.9	1	6.7	0	0.0	1	6.3	28	1.3	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0	
Unknown	8	47.1	7	46.7	1	50.0	5	31.3	291	13.9	3	20.0	

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.8. Greenwich Village - Soho (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 7 100.0		N 1,595 100.0		N 14 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	5	100.0	3	60.0	2	40.0	7	100.0	1,595	100.0	14	100.0
Gender⁵												
Men	3	60.0	2	66.7	1	50.0	6	85.7	1,512	94.8	13	92.9
Women	2	40.0	1	33.3	1	50.0	1	14.3	83	5.2	1	7.1
Race and ethnicity⁶												
Black	0	0.0	0	0.0	0	0.0	0	0.0	269	16.9	2	14.3
Latino	2	40.0	1	33.3	1	50.0	2	28.6	345	21.6	1	7.1
White	1	20.0	1	33.3	0	0.0	4	57.1	907	56.9	10	71.4
Asian or Pacific Islander	2	40.0	1	33.3	1	50.0	1	14.3	61	3.8	1	7.1
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	1	20.0	1	33.3	0	0.0	0	0.0	21	1.3	0	0.0
30-39	3	60.0	2	66.7	1	50.0	2	28.6	130	8.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	14.3	203	12.7	1	7.1
50-59	0	0.0	0	0.0	0	0.0	0	0.0	400	25.1	3	21.4
60+	1	20.0	0	0.0	1	50.0	4	57.1	840	52.7	10	71.4
Transmission category												
Men who have sex with men (MSM)	2	40.0	1	33.3	1	50.0	5	71.4	1,155	72.4	10	71.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	114	7.1	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	46	2.9	1	7.1
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	61	3.8	0	0.0
Transgender people with sexual contact	2	40.0	1	33.3	1	50.0	1	14.3	20	1.3	1	7.1
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	1	20.0	1	33.3	0	0.0	1	14.3	195	12.2	2	14.3

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.9. Union Square - Lower East Side (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		Total		100.0		N 32 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	20	100.0	15	75.0	5	25.0	10	100.0	2,951	100.0	32	100.0
Gender⁵												
Men	13	65.0	9	60.0	4	80.0	8	80.0	2,423	82.1	21	65.6
Women	7	35.0	6	40.0	1	20.0	2	20.0	528	17.9	11	34.4
Race and ethnicity												
Black	6	30.0	5	33.3	1	20.0	3	30.0	618	20.9	9	28.1
Latino	10	50.0	7	46.7	3	60.0	4	40.0	1,051	35.6	18	56.3
White	3	15.0	3	20.0	0	0.0	2	20.0	1,110	37.6	4	12.5
Asian or Pacific Islander	1	5.0	0	0.0	1	20.0	1	10.0	137	4.6	1	3.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
20-29	5	25.0	4	26.7	1	20.0	1	10.0	73	2.5	0	0.0
30-39	5	25.0	4	26.7	1	20.0	3	30.0	334	11.3	0	0.0
40-49	3	15.0	1	6.7	2	40.0	3	30.0	389	13.2	3	9.4
50-59	6	30.0	5	33.3	1	20.0	1	10.0	711	24.1	5	15.6
60+	1	5.0	1	6.7	0	0.0	2	20.0	1,441	48.8	24	75.0
Transmission category												
Men who have sex with men (MSM)	9	45.0	7	46.7	2	40.0	6	60.0	1,755	59.5	9	28.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	328	11.1	11	34.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	101	3.4	2	6.3
Heterosexual contact	2	10.0	2	13.3	0	0.0	0	0.0	359	12.2	7	21.9
Transgender people with sexual contact	4	20.0	3	20.0	1	20.0	1	10.0	43	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	22	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	5	25.0	3	20.0	2	40.0	2	20.0	338	11.5	3	9.4

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.9.10. Lower Manhattan (Manhattan)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 6 100.0		N 616 100.0		N 1 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	3	100.0	3	100.0	0	0.0	5	83.3	526	85.4	1	100.0
Gender⁵												
Men	3	100.0	3	100.0	0	0.0	5	83.3	526	85.4	1	100.0
Women	0	0.0	0	0.0	0	0.0	1	16.7	90	14.6	0	0.0
Race and ethnicity⁶												
Black	1	33.3	1	33.3	0	0.0	3	50.0	143	23.2	0	0.0
Latino	0	0.0	0	0.0	0	0.0	2	33.3	165	26.8	1	100.0
White	2	66.7	2	66.7	0	0.0	1	16.7	275	44.6	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	24	3.9	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	1.5	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	33.3	1	33.3	0	0.0	1	16.7	19	3.1	0	0.0
30-39	1	33.3	1	33.3	0	0.0	2	33.3	71	11.5	0	0.0
40-49	1	33.3	1	33.3	0	0.0	1	16.7	115	18.7	0	0.0
50-59	0	0.0	0	0.0	0	0.0	1	16.7	196	31.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	16.7	215	34.9	1	100.0
Transmission category												
Men who have sex with men (MSM)	3	100.0	3	100.0	0	0.0	3	50.0	410	66.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	16.7	32	5.2	1	100.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	16.7	19	3.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	55	8.9	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	16.7	5	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	86	14.0	0	0.0

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.1. Long Island City - Astoria (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	35	100.0	30	85.7	5	14.3	19	100.0	2,748	100.0	12	100.0
Gender⁵												
Men	28	80.0	23	76.7	5	100.0	18	94.7	2,387	86.9	11	91.7
Women	7	20.0	7	23.3	0	0.0	1	5.3	361	13.1	1	8.3
Race and ethnicity⁶												
Black	5	14.3	4	13.3	1	20.0	6	31.6	459	16.7	4	33.3
Latino	18	51.4	14	46.7	4	80.0	9	47.4	1,196	43.5	0	0.0
White	6	17.1	6	20.0	0	0.0	3	15.8	906	33.0	6	50.0
Asian or Pacific Islander	4	11.4	4	13.3	0	0.0	1	5.3	161	5.9	2	16.7
Other or unknown	2	5.7	2	6.7	0	0.0	0	0.0	26	0.9	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.9	1	3.3	0	0.0	1	5.3	3	0.1	0	0.0
20-29	11	31.4	11	36.7	0	0.0	1	5.3	113	4.1	0	0.0
30-39	12	34.3	9	30.0	3	60.0	7	36.8	572	20.8	0	0.0
40-49	5	14.3	4	13.3	1	20.0	4	21.1	668	24.3	1	8.3
50-59	3	8.6	3	10.0	0	0.0	1	5.3	663	24.1	4	33.3
60+	3	8.6	2	6.7	1	20.0	5	26.3	729	26.5	7	58.3
Transmission category												
Men who have sex with men (MSM)	19	54.3	18	60.0	1	20.0	10	52.6	1,915	69.7	7	58.3
Injection drug use history (IDU)	1	2.9	1	3.3	0	0.0	1	5.3	110	4.0	1	8.3
MSM-IDU	1	2.9	1	3.3	0	0.0	0	0.0	64	2.3	1	8.3
Heterosexual contact	3	8.6	3	10.0	0	0.0	2	10.5	279	10.2	0	0.0
Transgender people with sexual contact	3	8.6	3	10.0	0	0.0	0	0.0	48	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.3	23	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	8	22.9	4	13.3	4	80.0	5	26.3	308	11.2	3	25.0

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.2. West Queens (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024			Deaths ⁴		
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N		N	
	N	%	N	%	N	%	132	100.0	63	100.0	6,405	100.0	28	100.0
Total														
Gender⁵														
Men	114	86.4	87	83.7	27	96.4			58	92.1	5,275	82.4	22	78.6
Women	18	13.6	17	16.3	1	3.6			5	7.9	1,130	17.6	6	21.4
Race and ethnicity														
Black	15	11.4	13	12.5	2	7.1			10	15.9	1,471	23.0	6	21.4
Latino	98	74.2	73	70.2	25	89.3			48	76.2	3,847	60.1	15	53.6
White	2	1.5	2	1.9	0	0.0			2	3.2	617	9.6	5	17.9
Asian or Pacific Islander	15	11.4	15	14.4	0	0.0			2	3.2	437	6.8	1	3.6
Native American	0	0.0	0	0.0	0	0.0			0	0.0	8	0.1	0	0.0
Multiracial	2	1.5	1	1.0	1	3.6			1	1.6	20	0.3	1	3.6
Unknown	0	0.0	0	0.0	0	0.0			0	0.0	5	0.1	0	0.0
Age group (years)														
0-12	0	0.0	0	0.0	0	0.0			0	0.0	1	0.0	0	0.0
13-19	2	1.5	2	1.9	0	0.0			1	1.6	7	0.1	0	0.0
20-29	52	39.4	41	39.4	11	39.3			21	33.3	340	5.3	1	3.6
30-39	40	30.3	34	32.7	6	21.4			16	25.4	1,208	18.9	2	7.1
40-49	21	15.9	14	13.5	7	25.0			14	22.2	1,212	18.9	2	7.1
50-59	9	6.8	5	4.8	4	14.3			10	15.9	1,593	24.9	5	17.9
60+	8	6.1	8	7.7	0	0.0			1	1.6	2,044	31.9	18	64.3
Transmission category														
Men who have sex with men (MSM)	78	59.1	62	59.6	16	57.1			35	55.6	3,343	52.2	9	32.1
Injection drug use history (IDU)	2	1.5	2	1.9	0	0.0			1	1.6	691	10.8	3	10.7
MSM-IDU	1	0.8	1	1.0	0	0.0			0	0.0	159	2.5	0	0.0
Heterosexual contact	9	6.8	7	6.7	2	7.1			7	11.1	966	15.1	9	32.1
Transgender people with sexual contact	7	5.3	7	6.7	0	0.0			0	0.0	186	2.9	1	3.6
Perinatal	0	0.0	0	0.0	0	0.0			0	0.0	55	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0			0	0.0	6	0.1	0	0.0
Unknown	35	26.5	25	24.0	10	35.7			20	31.7	999	15.6	6	21.4

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.3. Flushing - Clearview (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		Total		100.0		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	12	100.0	9	75.0	3	25.0	13	100.0	955	100.0	6	100.0
Gender⁵												
Men	9	75.0	7	77.8	2	66.7	10	76.9	746	78.1	4	66.7
Women	3	25.0	2	22.2	1	33.3	3	23.1	209	21.9	2	33.3
Race and ethnicity												
Black	2	16.7	1	11.1	1	33.3	2	15.4	143	15.0	3	50.0
Latino	4	33.3	3	33.3	1	33.3	5	38.5	389	40.7	1	16.7
White	0	0.0	0	0.0	0	0.0	3	23.1	178	18.6	1	16.7
Asian or Pacific Islander	6	50.0	5	55.6	1	33.3	3	23.1	230	24.1	1	16.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.7	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	2	16.7	1	11.1	1	33.3	2	15.4	56	5.9	0	0.0
30-39	6	50.0	6	66.7	0	0.0	4	30.8	208	21.8	1	16.7
40-49	1	8.3	1	11.1	0	0.0	2	15.4	141	14.8	2	33.3
50-59	1	8.3	0	0.0	1	33.3	2	15.4	213	22.3	1	16.7
60+	2	16.7	1	11.1	1	33.3	3	23.1	337	35.3	2	33.3
Transmission category												
Men who have sex with men (MSM)	4	33.3	4	44.4	0	0.0	6	46.2	487	51.0	2	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	7.7	68	7.1	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	1.7	0	0.0
Heterosexual contact	3	25.0	2	22.2	1	33.3	2	15.4	187	19.6	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	14	1.5	1	16.7
Perinatal	0	0.0	0	0.0	0	0.0	1	7.7	14	1.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	5	41.7	3	33.3	2	66.7	3	23.1	168	17.6	2	33.3

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.4. Bayside - Little Neck (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024			Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴		
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	2	100.0	2	100.0	0	0.0	1	100.0	170	100.0	1	100.0	
Gender⁵													
Men	1	50.0	1	50.0	0	0.0	1	100.0	133	78.2	1	100.0	
Women	1	50.0	1	50.0	0	0.0	0	0.0	37	21.8	0	0.0	
Race and ethnicity⁶													
Black	0	0.0	0	0.0	0	0.0	0	0.0	26	15.3	0	0.0	
Latino	1	50.0	1	50.0	0	0.0	1	100.0	52	30.6	1	100.0	
White	0	0.0	0	0.0	0	0.0	0	0.0	73	42.9	0	0.0	
Asian or Pacific Islander	1	50.0	1	50.0	0	0.0	0	0.0	17	10.0	0	0.0	
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0	
Age group (Years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
20-29	1	50.0	1	50.0	0	0.0	0	0.0	6	3.5	0	0.0	
30-39	0	0.0	0	0.0	0	0.0	1	100.0	29	17.1	0	0.0	
40-49	1	50.0	1	50.0	0	0.0	0	0.0	24	14.1	0	0.0	
50-59	0	0.0	0	0.0	0	0.0	0	0.0	33	19.4	0	0.0	
60+	0	0.0	0	0.0	0	0.0	0	0.0	78	45.9	1	100.0	
Transmission category													
Men who have sex with men (MSM)	1	50.0	1	50.0	0	0.0	1	100.0	81	47.6	1	100.0	
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	12	7.1	0	0.0	
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.9	0	0.0	
Heterosexual contact	1	50.0	1	50.0	0	0.0	0	0.0	37	21.8	0	0.0	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	1.8	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	0	0.0	
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	30	17.6	0	0.0	

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.5. Ridgewood - Forest Hills (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	30	100.0	26	86.7	4	13.3	12	100.0	1,596	100.0	8	100.0
Gender⁵												
Men	21	70.0	18	69.2	3	75.0	9	75.0	1,271	79.6	5	62.5
Women	9	30.0	8	30.8	1	25.0	3	25.0	325	20.4	3	37.5
Race and ethnicity⁶												
Black	5	16.7	5	19.2	0	0.0	1	8.3	232	14.5	1	12.5
Latino	19	63.3	16	61.5	3	75.0	6	50.0	830	52.0	2	25.0
White	4	13.3	4	15.4	0	0.0	4	33.3	429	26.9	5	62.5
Asian or Pacific Islander	2	6.7	1	3.8	1	25.0	1	8.3	94	5.9	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.3	1	3.8	0	0.0	0	0.0	3	0.2	0	0.0
20-29	11	36.7	9	34.6	2	50.0	3	25.0	88	5.5	0	0.0
30-39	12	40.0	12	46.2	0	0.0	3	25.0	320	20.1	1	12.5
40-49	5	16.7	3	11.5	2	50.0	5	41.7	283	17.7	1	12.5
50-59	1	3.3	1	3.8	0	0.0	0	0.0	362	22.7	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	8.3	539	33.8	6	75.0
Transmission category												
Men who have sex with men (MSM)	16	53.3	15	57.7	1	25.0	5	41.7	927	58.1	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	85	5.3	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	35	2.2	0	0.0
Heterosexual contact	6	20.0	4	15.4	2	50.0	4	33.3	282	17.7	1	12.5
Transgender people with sexual contact	4	13.3	4	15.4	0	0.0	0	0.0	25	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	4	13.3	3	11.5	1	25.0	3	25.0	210	13.2	2	25.0

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.6. Fresh Meadows (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N 3 100.0		N 346 100.0		N 4 100.0	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	6	100.0	5	83.3	1	16.7						
Gender⁵												
Men	4	66.7	3	60.0	1	100.0	2	66.7	218	63.0	2	50.0
Women	2	33.3	2	40.0	0	0.0	1	33.3	128	37.0	2	50.0
Race and ethnicity⁶												
Black	3	50.0	2	40.0	1	100.0	1	33.3	140	40.5	2	50.0
Latino	3	50.0	3	60.0	0	0.0	2	66.7	124	35.8	2	50.0
White	0	0.0	0	0.0	0	0.0	0	0.0	49	14.2	0	0.0
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	32	9.2	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
20-29	2	33.3	2	40.0	0	0.0	1	33.3	27	7.8	0	0.0
30-39	3	50.0	3	60.0	0	0.0	0	0.0	72	20.8	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	33.3	45	13.0	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	76	22.0	1	25.0
60+	1	16.7	0	0.0	1	100.0	1	33.3	125	36.1	3	75.0
Transmission category												
Men who have sex with men (MSM)	3	50.0	3	60.0	0	0.0	0	0.0	128	37.0	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	26	7.5	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	1	25.0
Heterosexual contact	1	16.7	1	20.0	0	0.0	0	0.0	97	28.0	1	25.0
Transgender people with sexual contact	1	16.7	1	20.0	0	0.0	1	33.3	8	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	1	16.7	0	0.0	1	100.0	2	66.7	72	20.8	1	25.0

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.7. Southwest Queens (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		Total		New AIDS Diagnoses ³		People With HIV as of 12/31/2024	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	41	100.0	34	82.9	7	17.1	17	100.0	2,258	100.0	15	100.0
Gender⁵												
Men	35	85.4	29	85.3	6	85.7	14	82.4	1,640	72.6	9	60.0
Women	6	14.6	5	14.7	1	14.3	3	17.6	618	27.4	6	40.0
Race and ethnicity												
Black	6	14.6	4	11.8	2	28.6	4	23.5	546	24.2	6	40.0
Latino	20	48.8	18	52.9	2	28.6	6	35.3	1,119	49.6	5	33.3
White	3	7.3	3	8.8	0	0.0	1	5.9	308	13.6	1	6.7
Asian or Pacific Islander	8	19.5	6	17.6	2	28.6	5	29.4	255	11.3	2	13.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.7	1	6.7
Multiracial	4	9.8	3	8.8	1	14.3	1	5.9	12	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.4	1	2.9	0	0.0	0	0.0	4	0.2	0	0.0
20-29	7	17.1	7	20.6	0	0.0	3	17.6	114	5.0	2	13.3
30-39	19	46.3	15	44.1	4	57.1	7	41.2	425	18.8	2	13.3
40-49	8	19.5	8	23.5	0	0.0	2	11.8	417	18.5	2	13.3
50-59	4	9.8	3	8.8	1	14.3	2	11.8	561	24.8	1	6.7
60+	2	4.9	0	0.0	2	28.6	3	17.6	737	32.6	8	53.3
Transmission category												
Men who have sex with men (MSM)	20	48.8	18	52.9	2	28.6	6	35.3	1,026	45.4	3	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.9	157	7.0	1	6.7
MSM-IDU	0	0.0	0	0.0	0	0.0	1	5.9	31	1.4	2	13.3
Heterosexual contact	5	12.2	5	14.7	0	0.0	2	11.8	539	23.9	3	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	52	2.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	44	1.9	1	6.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	16	39.0	11	32.4	5	71.4	7	41.2	405	17.9	5	33.3

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.8. Jamaica (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		Total		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	62	100.0	57	91.9	5	8.1	25	100.0	3,552	100.0	34	100.0
Gender⁵												
Men	41	66.1	38	66.7	3	60.0	13	52.0	2,250	63.3	16	47.1
Women	21	33.9	19	33.3	2	40.0	12	48.0	1,302	36.7	18	52.9
Race and ethnicity												
Black	34	54.8	31	54.4	3	60.0	15	60.0	2,378	66.9	23	67.6
Latino	21	33.9	20	35.1	1	20.0	7	28.0	815	22.9	8	23.5
White	2	3.2	1	1.8	1	20.0	1	4.0	184	5.2	2	5.9
Asian or Pacific Islander	5	8.1	5	8.8	0	0.0	2	8.0	140	3.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	17	0.5	1	2.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Age group (years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.6	1	1.8	0	0.0	1	4.0	11	0.3	1	2.9
20-29	21	33.9	20	35.1	1	20.0	2	8.0	209	5.9	2	5.9
30-39	22	35.5	20	35.1	2	40.0	8	32.0	619	17.4	2	5.9
40-49	12	19.4	10	17.5	2	40.0	8	32.0	591	16.6	2	5.9
50-59	4	6.5	4	7.0	0	0.0	3	12.0	771	21.7	3	8.8
60+	2	3.2	2	3.5	0	0.0	3	12.0	1,351	38.0	24	70.6
Transmission category												
Men who have sex with men (MSM)	25	40.3	22	38.6	3	60.0	6	24.0	1,242	35.0	5	14.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	277	7.8	9	26.5
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.0	47	1.3	0	0.0
Heterosexual contact	14	22.6	13	22.8	1	20.0	5	20.0	1,049	29.5	8	23.5
Transgender people with sexual contact	4	6.5	4	7.0	0	0.0	1	4.0	72	2.0	4	11.8
Perinatal	0	0.0	0	0.0	0	0.0	1	4.0	90	2.5	1	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	1	2.9
Unknown	19	30.6	18	31.6	1	20.0	11	44.0	769	21.6	6	17.6

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.9. Southeast Queens (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	9	100.0	1,457	100.0	12	100.0
Total	25	100.0	22	88.0	3	12.0						
Gender⁵												
Men	15	60.0	12	54.5	3	100.0	5	55.6	827	56.8	9	75.0
Women	10	40.0	10	45.5	0	0.0	4	44.4	630	43.2	3	25.0
Race and ethnicity⁶												
Black	22	88.0	20	90.9	2	66.7	5	55.6	1,098	75.4	9	75.0
Latino	1	4.0	1	4.5	0	0.0	3	33.3	195	13.4	3	25.0
White	0	0.0	0	0.0	0	0.0	0	0.0	84	5.8	0	0.0
Asian or Pacific Islander	2	8.0	1	4.5	1	33.3	1	11.1	69	4.7	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
20-29	12	48.0	12	54.5	0	0.0	2	22.2	71	4.9	0	0.0
30-39	6	24.0	5	22.7	1	33.3	3	33.3	210	14.4	0	0.0
40-49	4	16.0	2	9.1	2	66.7	3	33.3	251	17.2	2	16.7
50-59	2	8.0	2	9.1	0	0.0	1	11.1	355	24.4	4	33.3
60+	1	4.0	1	4.5	0	0.0	0	0.0	567	38.9	6	50.0
Transmission category												
Men who have sex with men (MSM)	10	40.0	8	36.4	2	66.7	3	33.3	353	24.2	5	41.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	106	7.3	2	16.7
MSM-IDU	1	4.0	0	0.0	1	33.3	1	11.1	20	1.4	0	0.0
Heterosexual contact	5	20.0	5	22.7	0	0.0	4	44.4	575	39.5	3	25.0
Transgender people with sexual contact	1	4.0	1	4.5	0	0.0	0	0.0	14	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	40	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	8	32.0	8	36.4	0	0.0	1	11.1	344	23.6	2	16.7

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.10.10. Rockaway (Queens)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	13	100.0	1,351	100.0	26	100.0
Total	19	100.0	16	84.2	3	15.8						
Gender⁵												
Men	15	78.9	12	75.0	3	100.0	6	46.2	808	59.8	16	61.5
Women	4	21.1	4	25.0	0	0.0	7	53.8	543	40.2	10	38.5
Race and ethnicity⁶												
Black	10	52.6	10	62.5	0	0.0	6	46.2	833	61.7	16	61.5
Latino	7	36.8	5	31.3	2	66.7	5	38.5	362	26.8	6	23.1
White	0	0.0	0	0.0	0	0.0	1	7.7	121	9.0	3	11.5
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	18	1.3	0	0.0
Other or unknown	2	10.5	1	6.3	1	33.3	1	7.7	17	1.3	1	3.8
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	7.7	2	0.1	0	0.0
20-29	7	36.8	7	43.8	0	0.0	1	7.7	75	5.6	0	0.0
30-39	7	36.8	5	31.3	2	66.7	3	23.1	208	15.4	3	11.5
40-49	2	10.5	2	12.5	0	0.0	2	15.4	215	15.9	0	0.0
50-59	3	15.8	2	12.5	1	33.3	2	15.4	301	22.3	7	26.9
60+	0	0.0	0	0.0	0	0.0	4	30.8	550	40.7	16	61.5
Transmission category												
Men who have sex with men (MSM)	4	21.1	4	25.0	0	0.0	0	0.0	421	31.2	5	19.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	15.4	148	11.0	5	19.2
MSM-IDU	1	5.3	1	6.3	0	0.0	0	0.0	26	1.9	1	3.8
Heterosexual contact	4	21.1	4	25.0	0	0.0	4	30.8	444	32.9	8	30.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	39	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	10	52.6	7	43.8	3	100.0	7	53.8	254	18.8	7	26.9

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.11.1. Port Richmond (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	6	100.0	604	100.0	14	100.0
Total	17	100.0	12	70.6	5	29.4						
Gender⁵												
Men	13	76.5	9	75.0	4	80.0	3	50.0	339	56.1	10	71.4
Women	4	23.5	3	25.0	1	20.0	3	50.0	265	43.9	4	28.6
Race and ethnicity⁶												
Black	9	52.9	8	66.7	1	20.0	1	16.7	305	50.5	7	50.0
Latino	7	41.2	3	25.0	4	80.0	5	83.3	204	33.8	5	35.7
White	1	5.9	1	8.3	0	0.0	0	0.0	80	13.2	2	14.3
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	1.7	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	23.5	3	25.0	1	20.0	0	0.0	35	5.8	0	0.0
30-39	5	29.4	3	25.0	2	40.0	2	33.3	89	14.7	1	7.1
40-49	6	35.3	6	50.0	0	0.0	1	16.7	133	22.0	2	14.3
50-59	1	5.9	0	0.0	1	20.0	1	16.7	122	20.2	2	14.3
60+	1	5.9	0	0.0	1	20.0	2	33.3	224	37.1	9	64.3
Transmission category												
Men who have sex with men (MSM)	8	47.1	5	41.7	3	60.0	2	33.3	173	28.6	3	21.4
Injection drug use history (IDU)	2	11.8	2	16.7	0	0.0	0	0.0	87	14.4	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	2.6	0	0.0
Heterosexual contact	3	17.6	2	16.7	1	20.0	3	50.0	200	33.1	3	21.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	3.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	23.5	3	25.0	1	20.0	1	16.7	95	15.7	4	28.6

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.11.2. Stapleton - St. George (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		N		N		N	
	N	%	N	%	N	%	14	100.0	1,267	100.0	22	100.0
Total	16	100.0	12	75.0	4	25.0						
Gender⁵												
Men	9	56.3	6	50.0	3	75.0	12	85.7	834	65.8	16	72.7
Women	7	43.8	6	50.0	1	25.0	2	14.3	433	34.2	6	27.3
Race and ethnicity⁶												
Black	6	37.5	5	41.7	1	25.0	4	28.6	588	46.4	11	50.0
Latino	6	37.5	4	33.3	2	50.0	7	50.0	369	29.1	8	36.4
White	1	6.3	1	8.3	0	0.0	2	14.3	275	21.7	2	9.1
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	24	1.9	0	0.0
Other or unknown	3	18.8	2	16.7	1	25.0	1	7.1	11	0.9	1	4.5
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	43.8	6	50.0	1	25.0	5	35.7	48	3.8	2	9.1
30-39	5	31.3	4	33.3	1	25.0	3	21.4	194	15.3	4	18.2
40-49	1	6.3	1	8.3	0	0.0	2	14.3	197	15.5	2	9.1
50-59	2	12.5	1	8.3	1	25.0	2	14.3	312	24.6	6	27.3
60+	1	6.3	0	0.0	1	25.0	2	14.3	516	40.7	8	36.4
Transmission category												
Men who have sex with men (MSM)	6	37.5	4	33.3	2	50.0	7	50.0	443	35.0	4	18.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	7.1	177	14.0	5	22.7
MSM-IDU	1	6.3	1	8.3	0	0.0	0	0.0	39	3.1	1	4.5
Heterosexual contact	4	25.0	3	25.0	1	25.0	2	14.3	337	26.6	7	31.8
Transgender people with sexual contact	1	6.3	1	8.3	0	0.0	0	0.0	31	2.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.2	1	4.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	25.0	3	25.0	1	25.0	4	28.6	212	16.7	4	18.2

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.11.3. Willowbrook (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024			Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴		
	N	%	N	%	N	%	N	%	N	%	N	%	
Total	2	100.0	2	100.0	0	0.0	1	100.0	250	100.0	3	100.0	
Gender⁵													
Men	1	50.0	1	50.0	0	0.0	1	100.0	172	68.8	3	100.0	
Women	1	50.0	1	50.0	0	0.0	0	0.0	78	31.2	0	0.0	
Race and ethnicity⁶													
Black	0	0.0	0	0.0	0	0.0	1	100.0	63	25.2	0	0.0	
Latino	2	100.0	2	100.0	0	0.0	0	0.0	81	32.4	1	33.3	
White	0	0.0	0	0.0	0	0.0	0	0.0	92	36.8	2	66.7	
Asian or Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	4.4	0	0.0	
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	1.2	0	0.0	
Age group (Years)													
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
20-29	0	0.0	0	0.0	0	0.0	0	0.0	14	5.6	0	0.0	
30-39	2	100.0	2	100.0	0	0.0	0	0.0	37	14.8	0	0.0	
40-49	0	0.0	0	0.0	0	0.0	1	100.0	43	17.2	1	33.3	
50-59	0	0.0	0	0.0	0	0.0	0	0.0	58	23.2	1	33.3	
60+	0	0.0	0	0.0	0	0.0	0	0.0	98	39.2	1	33.3	
Transmission category													
Men who have sex with men (MSM)	1	50.0	1	50.0	0	0.0	0	0.0	94	37.6	2	66.7	
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	26	10.4	1	33.3	
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	7	2.8	0	0.0	
Heterosexual contact	1	50.0	1	50.0	0	0.0	0	0.0	60	24.0	0	0.0	
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	2.8	0	0.0	
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	6	2.4	0	0.0	
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	
Unknown	0	0.0	0	0.0	0	0.0	1	100.0	49	19.6	0	0.0	

The following ZIP code is included in Willowbrook: 10314.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 1.11.4. South Beach - Tottenville (Staten Island)

New HIV and AIDS Diagnoses and Deaths From January 1, 2024, to December 31, 2024; and People Diagnosed With HIV, Reported in NYC and Presumed To Be Living as of December 31, 2024

	New HIV Diagnoses ¹						New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	Total		Without AIDS		Concurrent With AIDS Diagnoses ²		New AIDS Diagnoses ³		People With HIV as of 12/31/2024		Deaths ⁴	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	4	100.0	4	100.0	0	0.0	3	75.0	324	68.4	4	80.0
Gender⁵							1	25.0	150	31.6	1	20.0
Men	4	100.0	4	100.0	0	0.0	3	75.0	324	68.4	4	80.0
Women	0	0.0	0	0.0	0	0.0	1	25.0	150	31.6	1	20.0
Race and ethnicity⁶												
Black	1	25.0	1	25.0	0	0.0	0	0.0	67	14.1	1	20.0
Latino	1	25.0	1	25.0	0	0.0	1	25.0	140	29.5	1	20.0
White	1	25.0	1	25.0	0	0.0	3	75.0	247	52.1	2	40.0
Asian or Pacific Islander	1	25.0	1	25.0	0	0.0	0	0.0	15	3.2	1	20.0
Other or unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	1.1	0	0.0
Age group (Years)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
20-29	2	50.0	2	50.0	0	0.0	0	0.0	21	4.4	0	0.0
30-39	1	25.0	1	25.0	0	0.0	0	0.0	52	11.0	0	0.0
40-49	0	0.0	0	0.0	0	0.0	3	75.0	68	14.3	0	0.0
50-59	1	25.0	1	25.0	0	0.0	1	25.0	118	24.9	3	60.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	211	44.5	2	40.0
Transmission category												
Men who have sex with men (MSM)	3	75.0	3	75.0	0	0.0	2	50.0	140	29.5	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	68	14.3	2	40.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	12	2.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	25.0	128	27.0	1	20.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	16	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.6	0	0.0
Unknown	1	25.0	1	25.0	0	0.0	1	25.0	103	21.7	0	0.0

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

¹Excludes people known to have been diagnosed outside NYC. ²HIV diagnosed concurrently with AIDS (within 31 days of HIV diagnosis). ³Includes concurrent HIV/AIDS diagnoses. ⁴Includes deaths from any cause in people with HIV. ⁵Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities. ⁶In order to protect privacy and confidentiality, race or ethnicity categories have been combined due to the presence of a table cell representing 1 to 5 people with an underlying denominator of ≤500 people or a cell with a denominator of ≤100 people, as per corresponding year intercensal population estimates. The 'Other or unknown' race or ethnicity category includes Native American, Multiracial, and unknown groups.

As reported to the NYC Health Department by March 31, 2025.

Table 2.1. Rate of New HIV Diagnoses, Prevalence of People With HIV, and Age-Adjusted Death Rate Among People With HIV in NYC, 2024
Overall and by Gender, Age, and Race or Ethnicity

	HIV Diagnoses per 100,000 People ^{1,2}	People With HIV as a Percent of Population ^{2,3}	Age-Adjusted Death Rate per 1,000 People With HIV ⁴	2023 New York City Population ⁵
Total	20.1	1.5	7.1	8,258,035
Gender⁶				
Men	31.3	2.2	6.6	3,961,410
Women	9.7	0.8	7.9	4,296,625
Race and ethnicity				
Black	40.5	2.9	8.7	1,790,095
Latino	29.4	1.9	7.0	2,347,049
White	4.9	0.8	4.1	2,635,166
Asian or Pacific Islander	6.4	0.3	4.5	1,300,591
Native American	14.7*	1.4	10.4*	20,388
Multiracial	16.4	0.4	13.1	164,746
Age group (years)				
0 - 12	<0.1*	<0.1	0.0 *	1,180,839
13 - 19	7.5	<0.1	4.3*	627,268
20 - 29	47.0	0.5	3.0	1,157,000
30 - 39	41.1	1.6	4.9	1,309,568
40 - 49	25.3	2.1	5.3	1,029,523
50 - 59	14.9	2.8	10.1	1,021,399
60+	6.0	2.3	18.4	1,932,438

*Rate based on a numerator of ten or fewer people, interpret with caution.

¹HIV diagnoses includes diagnoses of HIV without AIDS and HIV concurrent with AIDS and excludes diagnoses among people residing outside of New York City at the time of diagnosis. ²Rates calculated using NYC Health Department 2023 population estimates, modified from US Census Bureau intercensal population estimates. ³People with HIV excludes people believed to be residing outside of New York City at the end of the calendar year. ⁴Age-adjusted to the standard 2000 U.S. population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator. ⁵Population from NYC Health Department intercensal estimates. ⁶Men includes transgender men and people assigned male sex at birth whose gender is categorized under additional gender identities, and women includes transgender women and people assigned female sex at birth whose gender is categorized under additional gender identities.

As reported to the NYC Health Department by March 31, 2025.

Table 2.2. Rate of New HIV Diagnoses, Prevalence of People with HIV, and Age-Adjusted Death Rate Among**People With HIV in NYC, 2024****Overall and by Borough and United Hospital Fund Neighborhood of Residence**

	HIV Diagnoses per 100,000 People ^{1,2}	People With HIV as a Percent of Population ^{2,3}	Age-Adjusted Death Rate per 1,000 People With HIV ⁴	2023 New York City Population ⁵
Total	20.1	1.5	7.1	8,258,035
Bronx⁶	29.0	2.4	9.4	1,356,476
Crotona - Tremont	36.5	3.2	11.7	205,424
Fordham - Bronx Park	32.3	2.6	8.0	244,924
High Bridge - Morrisania	41.8	3.2	9.8	205,614
Hunts Point - Mott Haven	38.9	3.0	10.2	138,738
Kingsbridge - Riverdale	10.2*	1.1	12.0	87,951
Northeast Bronx	23.0	1.5	7.3	195,305
Pelham - Throgs Neck	16.1	1.6	8.1	285,128
Brooklyn⁶	19.6	1.3	6.9	2,561,225
Bedford Stuyvesant - Crown Heights	34.4	2.4	8.2	337,687
Bensonhurst - Bay Ridge	9.0	0.4	9.3	199,759
Borough Park	9.2	0.4	4.2*	324,573
Canarsie - Flatlands	25.4	1.0	4.6	197,083
Coney Island - Sheepshead Bay	11.4	0.5	6.6	281,917
Downtown - Heights - Park Slope	10.7	1.1	4.8	261,392
East Flatbush - Flatbush	34.9	2.1	6.5	286,696
East New York	25.2	2.0	9.5	194,343
Greenpoint	8.3	0.6	5.9*	144,351
Sunset Park	13.8	0.8	6.0*	115,999
Williamsburg - Bushwick	22.5	1.7	6.9	217,426
Manhattan⁶	20.6	2.1	5.7	1,597,451
Central Harlem - Morningside Heights	33.3	2.8	8.4	180,078
Chelsea - Clinton	35.2	4.6	3.7	156,295
East Harlem	46.5	2.8	8.7	109,634
Gramercy Park - Murray Hill	12.8	1.6	3.6	132,699
Greenwich Village - Soho	6.3*	2.0	3.9	78,779
Lower Manhattan	4.8*	1.0	0.5*	62,114
Union Square - Lower East Side	10.8	1.6	5.2	184,777
Upper East Side	5.3	0.8	7.2	207,537
Upper West Side	8.9	1.4	7.0	225,608
Washington Heights - Inwood	34.1	2.0	5.0	249,151
Queens⁶	16.2	0.9	7.1	2,252,196
Bayside - Little Neck	2.3*	0.2	2.9*	88,801
Flushing - Clearview	4.8	0.4	6.4*	247,925
Fresh Meadows	6.1*	0.4	4.0*	98,175
Jamaica	19.8	1.1	13.7	313,876
Long Island City - Astoria	17.7	1.4	2.2	197,763
Ridgewood - Forest Hills	11.9	0.6	3.0*	252,339
Rockaway	14.6	1.0	8.5	129,760
Southeast Queens	11.9	0.7	4.3	209,571
Southwest Queens	15.1	0.8	6.5	272,416
West Queens	29.6	1.4	3.4	445,740
Staten Island⁶	7.9	0.5	13.6	490,687
Port Richmond	23.6	0.8	14.7	71,971
South Beach - Tottenville	2.0*	0.2	5.4*	195,623
Stapleton - St. George	12.5	1.0	16.5	127,982
Willowbrook	2.1*	0.3	12.1*	95,111

*Rate based on a numerator of ten or fewer people, interpret with caution.

1HIV diagnoses includes diagnoses of HIV without AIDS and HIV concurrent with AIDS and excludes diagnoses among people residing outside of New York City at the time of diagnosis. 2Rates calculated using NYC Health Department 2023 population estimates, modified from US Census Bureau intercensal population estimates. 3People with HIV excludes people believed to be residing outside of New York City at the end of the calendar year. 4Age-adjusted to the standard 2000 U.S. population. People newly diagnosed with HIV at death were excluded from the numerator. 5Population from NYC Health Department intercensal estimates. 6Borough-level data include people residing in unknown UHF neighborhoods.

As reported to the NYC Health Department by March 31, 2025.