

Table 3. Unique patients with drug-related hospitalizations¹ by drug type, age-adjusted rates (AAR)² per 100,000 residents, New York City, 2009

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2009 (Data Update: April and July 2014)

Drug type	2009		
	Unique Patients		
	N	%	AAR
Any drug	36,098	100%	552.8
Drug dependence	18,811	52%	288.5
Drug abuse	20,401	57%	312.5
Drug poisoning	3,022	8%	46.8
Drug induced mental disorder	4,622	13%	71.8
Opioids	13,338	37%	204.2
Opioid dependence	11,030	31%	168.7
Opioid abuse	2,867	8%	44.0
Opioid poisoning	728	2%	11.1
Cocaine	14,468	40%	225.3
Cocaine dependence	5,846	16%	91.4
Cocaine abuse	10,204	28%	158.8
Cocaine poisoning	174	0%	2.7

¹ NYC residents ages 15-84 discharged from a NYC hospital. Excludes detox and rehab discharges, self-inflicted injury, injury purposely inflicted by other persons, and injury undetermined whether accidentally or purposely inflicted (based on ICD-9 E-codes).

² Rates are calculated using intercensal New York City population denominators updated December 2014. Rates are age-adjusted to the US 2000 Standard Population.