

Current Infectious Disease Outbreaks for New York City Providers November 15, 2025

Remember to take travel histories for consideration of diseases not endemic to New York City (NYC). An asterisk (*) near the disease name denotes a disease that has been newly added since the previous outbreak list was posted.

Disease	Last Update	Cases	Confirmed	Deaths	Notes "-" = Not specified
			New '	York Cit	E y
Nothing to report					
			Unite	d State	S
Dengue	Sep 25	3,216	3,216	0	In 2025 as of September 25, a total of 3,216 dengue cases have been reported in the continental US and territories, including 2,488; 250; 47; and 89 in Puerto Rico, Florida, US Virgin Islands , and California , respectively. Forty-seven autochthonous cases have been reported in Florida (Brevard, Miami-Dade, Hillsborough, and Pasco Counties). Reference 1 Reference 2
Measles	Nov 7	1,723	1,503	3	In 2025 as of November 7, a total of 1,723 confirmed measles cases have been reported by 43 jurisdictions. Ninety-two percent of cases were unvaccinated or with unknown vaccination status. There have been three deaths. Eighty-six percent (1,380) of confirmed cases have been associated with measles outbreaks. Currently, there are outbreaks in Utah (Southwest Utah), Arizona (Mojave County), and South Carolina. Reference
Infant botulism	Nov 14	23	23	0	As of November 14, 2025, a total of 23 suspected or confirmed cases of infant botulism have been identified in 13 states. None have died. All cases were fed ByHeart Whole Nutrition infant formula. Reference

			Ca	nada	
Measles	Nov 10	5,162	4,800	2	Canada is experiencing a large measles outbreak and has lost its measles elimination status. As of November 10, a total of 5,162 cases have been reported in Canada in 2025. Most recent cases have occurred in Manitoba, Saskatchewan, Alberta, and British Columbia. There have been two deaths. Fewer cases have been reported over the past ten weeks. Reference
	Car	ibbean, Co	entral Am	erica, a	and South America
Dengue (See map, p. 21)	Nov 1	4,118,308	1,599,096	2,041 (0.05%)	In 2024, PAHO reported an historic increase in dengue cases in the Region of Americas, where 80% of global cases were reported. In 2025 as of November 1, already >4,110,000 cases have been reported, including: Argentina (16,049), Bolivia (31,845), Brazil (3,568,287), Colombia (111,156), Costa Rica (4,593), Dominican Republic (1,635), Ecuador (35,775), El Salvador (5,338), Grenada (163), Guadeloupe (4,790), Guatemala (39.506), Guyana (60,158), Honduras (14,860), Saint Martin (204), Jamaica (441), Martinique (1,100), Mexico (120,760), Nicaragua (5,702), Panama (16,785), Paraguay (26,425), Peru (36,981), Puerto Rico (2,750), Saint Barthélemy, and US Virgin Islands. Reference
Measles	Oct 31	27,473	5,594	_	In 2025 as of October 31, a total of 27,473 measles cases have been reported in Mexico, Central America, and South America, including: Argentina (144), Bolivia (2,217), Brazil (3,289), Chile (110), Colombia (1,259), Costa Rica (42), Cuba (1,569), Dominican Republic (163), El Salvador (961), Ecuador (411), Guatemala (231), Haiti (262), Honduras (362), Mexico (12,080), Nicaragua (64), Panama (60), Paraguay (1,558), Peru (618), and Venezuela (1,624). Reference
Chikungunya (See map, p. 22)	Nov 1	>264,000	>107,000	116 (0.05%)	As of November 1, the following countries have reported chikungunya cases in 2025: Bolivia (5,577), Brazil (236.230), Argentina (2,666), Peru , and Paraguay Most countries have not reported cases to PAHO. Reference

Oropouche Virus	Oct 4	13,015	13,015	5 (0.04%)	In 2025 as of October 4, there have been 13,015 confirmed cases of Oropouche virus (OROV) reported, including: Brazil (11,978), Colombia (21), Cuba (36), Guyana (1), Panama (640), Peru (330), Uruguay (4), and Venezuela (5). Incidence at this time of year is low. In 2024, a total of 16,239 confirmed cases of OROV were reported in the Americas. Reference 1
Zika	Oct 25	>24,900	1,600	0	In 2025 as of October 25, more than 24,900 Zika cases have been reported, mostly in Brazil; 1,600 were confirmed. Cases have been reported in Argentina, Bolivia, Brazil (22,831), Colombia, Costa Rica, El Salvador, Guatemala, Honduras, and Peru. Most countries have not reported cases to PAHO. In 2024, >40,000 were officially reported, mostly from Brazil. Reference
Argentina					
Chikungunya	Oct 4	2,666	18	0	In 2025 as of October 10, a total of 2,666 cases of chikungunya have been reported in Argentina. Reference
Bolivia					
Chikungunya	Oct 25	5,577	3,959	4 (0.07%)	In Bolivia as of October 25, a total of 5,577 chikungunya cases have been reported in 2025. Many cases have been in the department of Santa Cruz. Reference 1 Reference 2
Brazil					
Dengue	Nov 8	3,568,287	1,391,008	1,713 (0.05%)	As of November 8, a total of 3,568,287 dengue cases have been reported in Brazil in 2025. There was a historic surge in dengue cases in Brazil in 2024, with >10,000,000 cases reported. Public health emergencies were declared in Acre, Minas Gerais, Goiás, and the Federal District. Reference
Yellow fever	Jun 16	115	115	45 (39%)	In 2025 as of June 25, a total of 115 confirmed cases of yellow have been reported in São Paulo (55), Pará (45), Minas Gerais (10), and Tocantins (1). One hundred were male (90%), and all had histories of exposure in wild or wooded areas. Reference

_	•			1	,
Oropouche	Oct 4	11,978	11,978	5	As of October 4, a total of 11,978 cases of
Virus				(0.04%)	Oropouche virus (OROV) have already been
					reported in Brazil in 2025, though incidence is
					low this time of year. In 2024, a total of
					13,785 cases of Oropouche virus (OROV)
					infection were confirmed in Brazil. Most of
					the cases detected were in the northern
					states of Brazil. The Amazon region is
					considered endemic and accounts for 53% of
					the cases, but autochthonous transmission
					also were identified in these states in 2025:
					Amapá, Bahia, Espírito Santo, Piauí, Santa
					Catarina, Rondônia, Pernambuco, Minas
					Gerais, Rio de Janeiro, Ceará, Alagoras,
					Sergipe, Maranhão, Paraiba, and Mato
					Grosso. Reference
Chikungunya	Nov 1	236,230	102,632	114	As of November 1, a total of 236,230 cases of
				(0.04%)	chikungunya have been reported in Brazil in
					2025. Seventy-seven percent of cases were
					reported in Mata Grosso, Minas Gerais, Mata
					Grosso do Sul, São Paulo, and Parána States.
					Reference I Reference 2
Colombia					Neterence 1 Neterence 2
Yellow fever	May 25	74	74	21 (420/)	In 2025 as of May 25, a total of 74 vallous
reliow level	May 25	/4	/4	31 (42%)	In 2025 as of May 25, a total of 74 yellow
					fever cases were reported in Colombia, 65 in
					the department of Tolima . Cases also were
					reported in Caldas , Calcas , Meta , and
					Putumayo . All had exposure in high-risk,
					outdoor areas and were unvaccinated.
					Reference
Leishmaniasis	Jun 14	2,903	-	_	As of June 14, a total of 2,903 cases of
					leishmaniasis have been reported in 2025 in
					Colombia. The following departments have
					been affected: Boyacá , Cesar , Santander ,
					Caldas, Caquetá, Bolívar, Antioquia,
					Putumayo, Guaviare, Risaralda, Tolima,
					1
Honduras					Cundinamarca, and Chocó. Reference
New World	Oct 9	199	199		In 2025 as of October 9, a total of 199 cases
	OCI 9	199	199	_	of human New World screwworm infections
screwworm					
					have been confirmed in Honduras. The most
					affected department has been Francisco
i a					
					Morazán. <u>Reference</u>

Mexico					
Measles	Oct 31	12,080	5,019	-	As of October 31, a total of 12,080 suspected and 5,019 confirmed cases of measles have been reported in Mexico in 2025. Ninety-three percent of cases were Chihuahua state; 25 states are affected. In Chihuahua, there here have been epidemiologic links identified with the Texas and New Mexico measles outbreaks. Reference 1 Reference 2
Panama					
Oropouche virus	Oct 25	640	640	-	In 2025 as of October 25, the Ministry of Health reported 640 cases of Oropouche virus. The virus has been identified primarily in Darién, East Panama, Metro Panama, Los Santos, Herrera, North Panama, Veraguas, West Panama, and Coclé. CDC issued a Level 2 Travel Notice for Darién Province. Reference 1 Reference 2
Peru					
Yellow fever	May 25	38	38	13 (34.2%)	As of May 25, a total of 38 yellow fever cases, including 13 deaths, were reported in Peru, including the departments of Amazonas (24), Huánuco (1), Junín (3), Loreto (2), and San Martín (8). Thirty-one (88%) were males. All were unvaccinated and had exposure in wild and/or wooded areas. Reference
Oropouche virus	Sep 20	330	330	0	As of September 20, Peru has reported 330 Oropouche cases in 2025. Incidence has been low at this time of year. Reference
*Leptospirosis	Nov 11	316	134	1	In 2025, a total of 316 leptospirosis cases were identified in Peru as of November 11. Cases were in the Piura Regional Health Directorate on the northwest coast. Reference
Puerto Rico					
Dengue	Oct 11	2,750	2,092	2	As of October 11, a total of 2,750 cases of dengue have been reported in Puerto Rico in 2025. There is concern that large case counts in winter 2024-2025 portend for a large outbreak in 2025. Reference

			Eu	ırope	
Measles	Sep 30	-	-	-	Cases of measles in Europe have been low since the summer. Reference
Dengue	Nov 12	35	35	-	As of November 12, there have been 35 cases of locally acquired dengue reported in 2025 in France (29), Italy (4), and Portugal (2). Reference
Crimean-Congo Hemorrhagic Fever	Oct 8	5	5		In 2025 as of October 8, there have been five cases of Crimean-Congo hemorrhagic fever in Spain (3) and Greece (2). <u>Reference</u>
West Nile Virus	Nov 5	1,096	989	95 (8.7%)	In 2025 as of November 5, a total of 1,096 cases of locally acquired West Nile virus (WNV) have been reported in 14 countries: Albania (3), Bulgaria (1), Croatia (4), France (59), Germany (2), Greece (95), Hungary (13), Italy (773), Kosovo (1), North Macedonia (2), Romania (49), Serbia (62), Spain (31), and Turkey (1). Transmission season is coming to an end. Reference
Czechia					
Hepatitis A	Sep 30	1,776	1,776		As of September 30, the cases of hepatitis A infection in Czechia has nearly doubled since July 2025. A total of 1,776 cases have been reported. Reference 1 Reference 2
England					
Measles	Oct 23	811	-		In 2025 as of October 23, a total of 811 cases of measles have been reported in England, largely in London and the Northwest. Reference 1 Reference 2
France					
Chikungunya	Nov 12	776	383		As of November 12, a total of 776 cases of autochthonous cases of chikungunya reported in southern France and Corsica. Reference
Dengue	Oct 8	28	28		As of October 8, a total of 28 locally acquired case of dengue have been reported in France in 2025. Recent clusters were identified in Aubagne and Rocques . Reference
Greece					
Crimean-Congo Hemorrhagic Fever	Oct 8	2	2	1	As of October 8, a total of two Crimean- Congo hemorrhagic fever (CCHF) have been reported in the Thessaly Region of Greece in 2025, including one health care provider. These are first cases of CCHF in Greece since 2008. Reference

Italy					
Chikungunya	Nov 12	384	384	0	As of November, there have been 384 cases of autochthonous chikungunya reported in Italy in 2025, and especially in Carpi, San Prospero, and Soliera. Reference
Romania			_		
Measles	Oct 31	8,433	-	8	In 2025 as of October 31, Romania has reported 8,433 measles cases in 2025. There has been a decreasing trend in recent months. Reference
Spain					
Crimean-Congo Hemorrhagic Fever	Oct 8	3	3	-	In 2025 as of October 8, a total of three cases of Crimean-Congo hemorrhagic fever (CCHF) were reported in Spain. Most CCHF cases have occurred in Province Salamanca. Sixteen cases of autochthonous CCHF cases were reported in Spain from 2016-2024. Reference
Ukraine					
Tuberculosis	Aug 31	1,084	1,084	-	In 2025 as of August 31, Ukraine has reported 1.084 cases of tuberculosis, of whom 195 had drug-resistant infections. Reference
		Arabia	n Peninsu	ıla and M	iddle East
Iraq		1			
Crimean-Congo hemorrhagic fever	Sep 1	231	-	36 (16%)	As of September 1, at total of 231 cases of Crimean-Congo hemorrhagic fever have been reported in Iraq, including 36 deaths. Cases have occurred in Samarra, Dhi Qar, Eastern Baghdad, Muthanna, and Maysan. Reference 1 Reference 2
Iran					
Dengue	Sep 27	497	497	-	As of September 27, a total of 497 cases of dengue were reported in Iran in 2025. Most were from the southern city of Chabahar on the Gulf of Oman coast. Reference

Israel					
Measles	Nov 10	-	1,935	9 (0.4%)	As of November 10, a total of 1,935
					measles cases were reported in Israel,
					including nine deaths. Affected cities:
					Jerusalem, Beit Shemesh, Bnei Brak,
					Harish, Modi'in Illit, Nof Hagalil, Kiryat Gat,
					Ashdod, Tzfat (Safed), Netivot, Mateh
					Binyamin Regional Council, and Tekoa.
					Reference
Polio (cVDPV1)	Aug 4	-	-	-	On August 4, 2025, Israel informed WHO
					of nine environmental samples in 2025
					that have been positive or cVDPV1.
					Samples were from Jerusalem and Central
					Israel.
					Reference
Saudi Arabia					
MERS-CoA	Nov 3	12	11	3 (25%)	Between March 1 and November 3, a total
				, ,	of 12 MERS-CoV infections were reported
					in Saudi Arabia in 2025; three died. Seven
					of the cases were part of a nosocomial
					cluster. Cases were from Hail (1) and
					Riyadh (9) Provinces. Before this cluster of
					cases, MERS incidence had dropped to its
					lowest level since 2014. Reference
Yemen					
Measles	Sep 15	27,341	-	-	As of September 15, a total of 27,341
					cases of measles have been reported by
					Yemen in 2025. Reference
Polio (cVDPD2)	Aug 13	16	16	0	In 2025 as of August 13, a total of 16 cases
					of polio due to cVDPV2 have been
					reported in Yemen. <u>Reference</u>
*Cholera	Oct 13	84,532	-	230 (0.27%)	As of October 13, a total of 84,532 cases
		,		,	of cholera were reported in Yemen,
					including 230 deaths. Reference
			_	Asia	
			,	1314	
Dengue	Nov 2	>484,000			Dengue is endemic throughout Asia. In
Dengue	INOV Z	/ 4 04,000	-	_	2025 as of November 2, more than 484,000
(Soo man n 21)					,
(See map, p. 21)					cases were reported in Afghanistan
					(1,737), Bangladesh (72,364), Cambodia
					(53,397), China (9,007), India, Indonesia
					(122,110), Laos (10,782), Malaysia
					(46,983), Maldives, Nepal (5,323),
					Singapore (3,682), Sri Lanka (41,946), and
					Thailand (47,981), and Vietnam (146,601).
					Reference 1 Reference 2

				I	
Measles	Sep 30	>85,000	-	_	As of September 30, more than 85,000 cases of measles have been reported in Asia in 2025, including Afghanistan (7,037), Bangladesh (5), Cambodia (3,434), China (1,577), India (14,419), Indonesia (12,995), Japan (330), Kyrygzstan (2,970), Kazakhstan (2,569), Laos (1,987) Malaysia (732), Mongolia (12,824), Nepal (101), Pakistan (17,318), Philippines (4,011), Singapore (15), South Korea (69), Tajikistan (2,284), Thailand (336), and Vietnam (151). Reference
Cholera (See map, p. 22)	Oct 13	>160,000	-	-	In 2025 as of October 13, a total of >160,000 cholera cases have been reported in Asia, including in Afghanistan (143,068), Pakistan (14,760), and Bangladesh (67), India (1,389), Myanmar (2,259), Nepal (1,801) and the Philippines (1,268). Reference
Chikungunya (See map, p. 22)	Sep 30	>51,000	-	-	As of September 30, over 51,000 chikungunya cases were reported in Asia from China, India, Mauritius, Sri Lanka and Pakistan in 2025. Reference
Afghanistan					
Polio (WPV1)	Nove 11	9	9	_	As of November 11, there have been nine cases of polio (WPV1) diagnosed in Afghanistan in 2025, compared with 25 in 2024. Most recent cases were in Paktika. Reference
Cholera	Oct 13	143,068	-	68 (0.05%)	As of October 13, a total of 143,068 suspected cases of cholera were reported in Afghanistan. Reference
Bangladesh					
Dengue	Nov 2	72,364	-	286 (0.4%)	In 2025 as of November 2, a total of 72,364 dengue cases have been reported by the General Directorate of Health Services; 215 have died. Most cases have been in Barishal and Chattogram divisions. Reference
Chikungunya	Sep 2	732	400	-	In 2025 as of September 2, a total of 732 cases of chikungunya have been reported in Bangladesh. Reference
Nipah virus	Aug 29	4	4	4 (100%)	As of August 29, and total of 4 cases of Nipah virus have been reported in Bangladesh in 2025. Cases were in Barisal, Dhaka, and Rajshahi regions. Reference

Cambodia					
Avian Influenza A(H5N1) China	Nov 15	17	17	6 (35.3%)	As of November 15, a total of 17 cases of avian influenza (H5N1) were reported in Cambodia; six died. Case were reported in Siem Reap, Takeo, Kampong Cham, Kampong Speu, Kratie, Prey Veng, Phnom Penh, and Svey Rieng provinces. All had exposure to sick poultry, mostly in backyards. Reference I Reference 2
Avian Influenza A(H9N2)	Oct 13	19	19	-	In 2025 as of October 13, a total of 19 cases of avian influenza A(H9N2) have been reported in China. There have been no signs of human-to-human transmission. Most recent cases have occurred in Anhui , Hunan , and Sichuan provinces. Reference 1 Reference 2
Chikungunya	Sep 30	16,452	16,452	-	Since July 2025 and As of September 30, a total of 16,452 cases of chikungunya have been reported in China, largely in Guangdong and Guanxi Provinces. Reference
India					
Nipah	Jul 12	4	4	2 (50%)	As of July 12, a total of four cases of Nipah virus infection were reported in Malappuram and Palakkad districts, state of Kerala. Reference 1 Reference 2
Indonesia					
Dengue	Aug 31	118,021	-	-	In 2025 as of August 31, a total of 118,021 dengue cases have been reported by Indonesia. Reference
Japan					
Pertussis	Oct 22	>80,000	-	-	As of October 22, a total of >80,000 cases of pertussis have been reported in Japan in 2025, compared with ~4,000 cases in 2024. All 47 prefectures have reported cases, and especially in Tokyo. Widespread macrolide resistance has been noted. Reference
Kazakhstan					
Crimean-Congo hemorrhagic fever	Oct 13	34	12	-	As of October 13, a total of 34 cases of Crimean-Congo hemorrhagic fever have been reported in the southern province of Kyzylorda, along the Uzbekistan border. Reference 1 Reference 2

Nepal					
*Japanese encephalitis	Nov 8		164	31 (18.9%)	In 2025 as of November 8, a total of 164 cases of Japanese encephalitis have been reported in Nepal.
Pakistan					
Polio (WPV1)	Nov 11	30	30	_	As of November 11, a total of 30 cases of human wild-type polio (WPV1) have been reported in Pakistan in 2025. In 2024, a total of 68 WPV1 cases were reported. Recent cases have been reported in Balochistan, Punjab, Islamabad, Sindh, Khyber Pakhtunkhwa, and Lakkimarwat provinces. Reference
Crimean-Congo hemorrhagic fever	Sep 26	6	6		As of September 26, six cases of Crimean- Congo hemorrhagic fever were reported in Pakistan in 2025 – most recently in a Karachi butcher. <u>Reference</u>
Philippines					
Dengue	Aug 26	123,291	-	493 (0.01%)	As of July 1, a total of 123,291 dengue cases had been reported in the Philippines in 2025. In Quezon City by August 26, more than 8,000 malaria cases had been reported for the year. Reference 1 Reference 2 Reference 3
Leptospirosis	Sep 4	4,859	-	-	As of September 4, and since June 2025, a total of 4,859 leptospirosis cases have been reported in the Philippines, including 535 cases in Quezon City. Reference
Sri Lanka					
Dengue	Oct 26	41,946	-	-	In 2025 as of October 26, a total of 41,946 dengue cases have been reported in Sri Lanka. Reference
			Australia	and Paci	fic
Samoa		<u>, </u>			
Dengue	Oct 7	14,435	4,259	7 (0.2%)	Since April 17, 2025, as of October 7, a total of 4,259 confirmed dengue cases have been reported by the Samoan Ministry of Health. Ninety-one percent have been on Upolu Island . Reference 1 Reference 2
Vanuatu	T	T			
Pertussis	Oct 8	348	348	3 (0.8%)	As of October 8, a total of 348 pertussis cases were reported in Vanuatu, including three deaths. Cases have occurred on Tanna, Efate, Nguna, Erromango and Futuna. Reference

			А	frica	
Мрох	Nov 6	124,992	39,254	753(0.6%)	In 2025 as of November 6, a total of 124,992 suspected cases of mpox have been reported in Africa; 39,254 have been confirmed. Confirmed cases have been reported in Angola, Burundi (1,548), Cameroon, CAR, Congo, Cote d'Ivoire, DRC (19,980), Ethiopia, Gambia, Ghana), Guinea (917), Kenya (628), Liberia (895), Malawi, Morocco, Nigeria (381), Rwanda, Sierra Leone (5,442), South Africa, and South Sudan, Tanzania, Togo, Uganda (6,953), and Zambia. Mpox clade I was confirmed in Burundi, CAR, DRC, Ethiopia, Kenya, Malawi, Mozambique, Republic of Congo, Rwanda, South Sudan, Tanzania, Uganda, and Zambia. Clade Ib had been confirmed in Kenya, Tanzania, Uganda, and Zambia. Clade IIb was confirmed in Guinea, Liberia, Nigeria, Sierra Leone and Togo. Reference 1 Reference 2
Measles	Nov 6	140,741	11,061	1,110 (0.8%)	Measles is endemic in Africa. In 2025 as of November 6, a total of 140,741 cases of measles have been reported. Most reported cases were from Morocco (44,372). Suspect cases have also been reported in Cameroon (2,430), Chad, DRC (64,266), Ethiopia (4,429), Guinea (6,228), Kenya, Malawi, Mali, Mauritania, Mozambique, Namibia, Nigeria, Rwanda, Senegal, Somalia (8,945), South Africa (1,588), Sudan (3,275), Uganda, and Zambia. Reference
Dengue (See map, p. 21)	Nov 6	39,721	3,464	113 (0.3%)	As of November 6, a total of 39,721 cases of suspected dengue have been reported in Africa in 2025; 3,464 were confirmed. Cases have occurred in Burkina Faso (866), Cape Verde (335), Comoros (1,320), Mali (3,419), Mauritius (59), Mauritania (1,604), Nigeria (178), Senegal (408), and Sudan (35,150). Reference

		200 074	0.455	6.000	
Cholera	Nov 2	289,374	9,457	6,889 (2.3%)	In 2025 as of November 6, totals of 289,374 and 9,457 suspected and
(Caa waa a 22)				(2.370)	•
(See map, p. 22)					confirmed cases of cholera, respectively,
					have been reported in Africa in 2025. They
					have included confirmed cases in Angola
					(32,954), Burundi (2,247), Chad (2,909),
					Congo, Cote d'Ivoire, DRC (59,961),
					Ethiopia (7,863), Ghana (2,870), Kenya,
					1 - 1 - 1
					Malawi, Mozambique (4,556), Namibia,
					Niger, Nigeria (21,302), Rwanda, Somalia
					(8,179), South Sudan (76,781), Sudan
					(71,373), Tanzania (4,063), Togo, Uganda,
					Zambia, and Zimbabwe. Reference
Polio (cVDPV1)	Oct 27	127	127	-	In 2025 as of October 3, there have been
(cVDPV2) and					two cases of acute flaccid paralysis due to
(cVDPV3)					cVDPV1, in Algeria and DRC , reported in
(605.05)					Africa. One hundred seventeen cases of
(Coo mon n 24)					
(See map, p. 24)					polio (cVDPV2) have been reported in
					Angola (12), Benin (3), Burkina Faso (1),
					CAR (1), Chad (18), DRC (1), Djibouti (1),
					Ethiopia (41), Niger (3), Nigeria (37), and
					Sudan (2). Five cases of polio (cVDPV3)
					have been reported in Cameroon (1),
					Guinea (2), and Chad (2). Reference
Angola					Guilled (2), and chad (2). <u>Neverthee</u>
			T	T	
Cholera	Nov 6	32 954	937	1 858 (2.6%)	In 2025 as of November 6, a total of 32,954
Cholera	Nov 6	32,954	937	858 (2.6%)	In 2025 as of November 6, a total of 32,954
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39%
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39%
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North,
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all
Cholera	Nov 6	32,954	937	858 (2.6%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1
	Nov 6		937		cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1
Botswana		2,223	937	11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria
Botswana			937		cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-
Botswana			937		cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected.
Botswana Malaria			-		cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-
Botswana Malaria Burkina Faso	Jun 7	2,223	-	11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference
Botswana Malaria					cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue
Botswana Malaria Burkina Faso	Jun 7	2,223		11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue cases have been reported in Burkina Faso.
Botswana Malaria Burkina Faso	Jun 7	2,223		11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue
Botswana Malaria Burkina Faso	Jun 7	2,223		11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue cases have been reported in Burkina Faso.
Botswana Malaria Burkina Faso	Jun 7	2,223		11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue cases have been reported in Burkina Faso. In 2024, there were 110,257 dengue cases reported, including 102 deaths. All 13
Botswana Malaria Burkina Faso	Jun 7	2,223		11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue cases have been reported in Burkina Faso. In 2024, there were 110,257 dengue cases reported, including 102 deaths. All 13 regions were affected, but the Center
Botswana Malaria Burkina Faso	Jun 7	2,223		11 (0.5%)	cases of cholera have been reported in Angola, including 937 confirmed. Children aged less than 15 years accounted for 39% of cases and 33% of deaths. Five provinces account for 88% of all cases and for all deaths: Bengo, Benguela, Cuanza North, Icolo e Bengo, and Luanda. Reference 1 Reference 2 In 2025 as of June, a total of 2,223 malaria cases were reported in Botswana. Twenty-four of 27 districts have been affected. Reference In 2025 as of Sep 10, a total of 866 dengue cases have been reported in Burkina Faso. In 2024, there were 110,257 dengue cases reported, including 102 deaths. All 13

Burundi					
Мрох	Nov 6	4,828	1,585	0	In 2025 as of November 6, a total of 4,828 and 1,585 suspected and confirmed cases of mpox, respectively, have been reported in Burundi. Forty-six of 49 health districts have been affected. In 2024, there were 2,861 confirmed cases due to mpox Clade Ib, which was the largest number of Clade Ib cases outside the DRC. The Northern Bujumbura Zone reported 66% of cases. Reference
Cholera	Nov 6	-	2,247	10(0.44%)	In 2025 as of November 6, a total of 2,247 confirmed cases of cholera were reported in Burundi. Three of eighteen provinces have been affected. Reference
Cameroon					
Measles	Sep 10	2,641	2,045	4 (0.2%)	In 2025 as of November 6, a total of 2,641 cases of measles have been reported in all 10 regions of Cameroon. In 2024, a total of 2,507 cases of measles were reported. Reference
Cape Verde			L		
Dengue	Sep 10	335	-	-	In 2025 as of September 10, a total of 335 cases of dengue have been reported in Cape Verde. There are no further details. Reference
Chad			L		
Cholera	Oct 10	2,909	102	157 (5.4%)	As of November 6, a total of 2,909 cases of cholera had been reported in Chad since an outbreak was detected on July 13, 2025, including 57 confirmed. Two of 23 provinces have been affected. Reference
Diphtheria	Oct 10	1,779	-	0	In 2025 as of October 10, a total of 1,779 diphtheria cases have been reported in Chad. Reference
Congo					
Cholera	Oct 10	791	66	66 (8.8%)	As of October 10, a total of 791 cases of cholera have been identified since the outbreak was reported on July 21, 2025. Reference

Ebola virus Oct 19 64 53 43 (67.2%) On October 19, the last p	
Ebold Virus	atient with Ebola
disease virus disease (EVD) was d	
the 42-day countdown pe	eriod began. A
total of 64 cases of suspe	_
confirmed EVD were repo	
53 deaths. Cases occurred	
area of the Bulape health	district in Kasai
province. Reference	
Measles Nov 6 64,256 – 944 As of November 6, the DF	RC has reported
(1.5%) 64,256 measles cases in 2	•
recently affected province	
North Kivu, South Kivu, F	
Tshuapa, Maniema, and	·
is a protracted outbreak t	• ,
January 2023. Reference	_
Mpox Nov 6 - 19,980 97 (0.5%) As of October 10, a total of	
confirmed mpox cases we	
the DRC in 2025, including	•
(0.6%). In 2024, a total of	_
mpox were reported, incl	-
deaths (CFR 2.7%). High t	•
occurred in Sud-Kivu, Sar	
Sud-Ubangi, Tshopo prov	
Kinshasa. It is unclear how	•
cases are due to clades Ia	•
of clade Ib transmission is	·
Sud-Kivu. Reference 1 Re	eference 2
Cholera Nov 6 59,961 - 1,777 (3%) In 2025 as of November 6	
59,961 suspected cases o	•
reported in the DRC. Urba	an areas in
Kinshasa have been espec	
The most impacted provi	nces have been
Tshopo, Nord Kivu, Kinsh	asa, Sud-Kivu,
and Maï-Ndombe. Refere	ence 1 Reference
<u>2</u>	
Ethiopia	
Measles Sep 10 4,429 — 22 (0.6%) As of September 10, Ethic	ppia has reported
4,429 cases of measles in	2025. In 2024,
there were 28,421 cases r	eported,
including 220 deaths. At le	east 11 of 17
districts were affected. Th	nis is a protracted
outbreak that began in Au	ıgust 2021.
Reference 1 Reference 2	

			1		,
Polio (cVDPV2)	Oct 3	41	41	0	As of October 3, a total 0f 41 cases of polio (cVDPV2) have been reported in Ethiopia in 2025. Cases were from Oromiya, Dire Dawa, Somali, Southern Nations, and Nationalities People's Region. In 2024, there were 42 cases of polio (cVDPV2) reported in Ethiopia, compared with one case in 2023. Reference
Cholera	Nov 6	7,863	74 (0.9%)	73 (0.9%)	In 2025 as of November 6, a total of 7,863 cases of cholera have been reported in Ethiopia since an outbreak started in January. Five of twelve regions have been affected. Reference
*Marburg virus disease	Nov 14	8	8	-	On November 13, WHO reported an outbreak of hemorrhagic fever in southern Ethiopia that has been identified as Marburg virus disease. As of this date, eight persons have been affected. Reference 1 Reference 2
Gambia					
*Rift Valley fever	Nov 5	-	1	-	As of November 5, one case of Rift Valley fever (RVF) has been identified near the Senegalese border. There are RVF outbreaks currently in Senegal and Mauritania. Reference
Ghana					
Cholera	Sep 10	2,870		14 (0.5%)	In 2025 as of September 10, a total of 2,870 cases of cholera have been reported in Ghana. Five of 16 regions have reported cases: Ashanti, Central, Eastern, Greater Accra, and Western. Reference 1 Reference 2
Мрох	Nov 6	3,744	795	3 (0.4%)	In 2025 as of November 6, a total of 3,744 mpox cases have been identified in all 16 regions of Ghana; 692 were confirmed. Clade II was isolated from sequenced specimens. Reference
Guinea					
Мрох	Oct 10	2,540	1,059	4 (0.2%)	In 2025 as of October 10, a total of 2,540 cases of mpox (clade IIb), including 1,059 confirmed, have been reported in Guinea. Reference
Diphtheria	Oct 10	330	-	71 (21.5%)	In 2025 as of October 10, a total of 330 diphtheria cases were reported in Guinea. Reference

Kenya					
Мрох	Nov 6	-	733	9 (1.2%)	As of November 6, a total of 733 confirmed cases of mpox have been reported by Kenya since the outbreak was identified in 2025. Most affected counties: Busia, Mombasa, Nakuru , and Makueni . The outbreak appears to be accelerating. Sequencing of isolated identified clade lb. Reference 1 Reference 2
Leishmaniasis	Oct 6	1,378	1,069	46 (3.3%)	Through June 1, Kenya reported 1,378 cases of visceral leishmaniasis in 2025; 1,069 were confirmed. Most cases occurred in Turkana , Wajir and West Pokot counties, with cases also reported in Marsabit, Mandera and Samburu counties. Reference 1 Reference 2
Liberia					
Мрох	Nov 6	1,962	1,185	6 (0.5%)	In 2025 as of November 6, a total of 1,962 cases of mpox, including 1,185 confirmed, have been identified in all 15 counties in Liberia. Clade IIb has been isolated from clinical specimens. Reference
Mali				•	
Dengue	Nov 6	3,419	745	0	In 2025 as of November 6, a total of 3,419 and 745 suspected and confirmed cases of dengue, respectively, have been reported in Mali. Cases have been reported in all regions. In 2024, a total of 9,541 cases were reported. The Bamako region accounted for 90% of cases. Reference 1 Reference 2
Diphtheria	Oct 27	404	34	29 (7.2%)	In 2025 as of October 27, a total of 404 diphtheria cases were reported in Mali, including 34 confirmed. The most affected health district has been Youwarou . Reference
Malawi					
Мрох	Nov 6	658	138	1 (0.75%)	As of November 6, a total of 658 mpox cases, including 138 confirmed, have been identified in central Malawi. Sequencing has identified Clade Ib. Affected districts have been Lilongwe, Ntcheu, Nkhatabay, Blantyre, Mangochi, Salima, and Likoma. Reference 1 Reference 2
Mauritius			1		
Chikungunya	Aug 20	-	1,661	-	As of Aug 20, a total of 1,661 chikungunya cases have been reported on the islands of Mauritius. Reference
	•			•	

Mauritania					
Rift Valley fever	Nov 2	194	44	14 (13.5%)	In 2025 as of November 2, a total of 194 cases of Rift Valley fever were reported in Mauritania, including 44 confirmed; 13 of 15 regions have been affected, most of which are in the south near the Senegal border. Reference 1 Reference 2
Diphtheria	Oct 27	527	12	29 (5.5%)	As of October 27, a total of 527 diphtheria cases were reported in Mauritania. The most affected provinces have been Assaba , Hodh Ech Charqui , and Hodh el Garbi . Reference
Mayotte					
Malaria	Aug 13	66	12	-	As of July 31, a total of 12 cases of locally acquired faliciparum malaria have been reported on the island of Mayotte. These are the first autochthonous cases since 2020. Reference 1 Reference 2
Morocco					
Measles	Sep 10	44,372	-	95 (0.2%)	As of September 10, there have been 44,372 measles cases in Morocco in 2025, including 95 deaths. All 12 regions of the country have been affected. This is a protracted outbreak that began in October 2023 and may be due to decreasing childhood vaccination. Reference
Mozambique					
Cholera	Nov 6	4,566	-	45 (1%)	In 2025 as of November 6, a total of 4,566 cases of cholera have been reported in Mozambique in two provinces: Nampula and Zambezia . In 2024, a total of 8,486 cholera cases were reported. Reference 1 Reference 2
Мрох	Nov 6	1,729	89	0	As of November 6, a total of 1,729 suspected mpox cases have been reported in Mozambique since an outbreak was detected in July 2025. One of seven provinces has been affected. Reference
Namibia					
Malaria	Aug 15	>95,000	-	154 (0.2%)	In 2025 as of August 15, more than 95,000 cases of malaria were reported in Namibia. The most affected districts have been Katima Mulilo, Nkurenkuru, Andara, Outapi and Rundu. Reference 1 Reference 2

Nigeria					
Lassa Fever	Oct 26	8,367 1,465	955 381	176 (18.4%) 5 (1.3%)	In 2025 as of October 26, a total of 8,367 suspected cases of Lassa fever cases were reported in Nigeria; 955 have been confirmed with 176 deaths (18.4%). Eightynine percent of cases were from five states: Edo, Ondo, Bauchi, Taraba, and Ebonyi. The predominant age group is 21-30 years. Reference In 2025 as of November 6, a total of 1,465
МРОХ	NOV 0	1,403	361	3 (1.3%)	suspected cases of mpox have been reported in Nigeria; 381were confirmed. Cases have been reported in 36 states and the federal capital territory. In 2024 as of October 13, Nigeria reported 1,180 cases of mpox (Clade IIb). Reference
Polio (cVDPV2)	Oct 27	37	37	0	In 2025 as of October 27, a total of 37 cases of polio (cVDPV2) have been reported in Nigeria, most recently in Sokoto . Reference
Diphtheria	Oct 10	13,384		540 (4.1%)	In 2025 as of October 10, a total of 13,384 diphtheria cases have been reported in Nigeria. Reference
Rwanda					
Мрох	Nov 6	-	46	0	As of November 6, a total of 46 confirmed mpox cases have been reported in Rwanda in 2025. Cases are due to clade lb. Reference
Senegal					
Rift Valley fever	Nov 6	3,268	331	28 (0.9%)	As of November 6, a total of 3,268 cases of Rift Valley fever were reported in Senegal, including 331 confirmed; 28 have died. The affected regions are largely in the northern part of country near Mauritania. Reference 1 Reference 2
Dengue	Nov 6		408	0	In 2025 as of November 6, a total of 408 confirmed cases of dengue were reported in Senegal. Twenty-one of 47 districts have been affected. Reference
Sierra Leone					
Мрох	Nov 6	7,092	5,442	60 (1.1%)	In 2025 as of November 6, a total of 7,092 mpox cases have been reported, including 5,442 confirmed. The Western Area Urban and Western Area Rural account for 95% of cases. Eight sequenced samples identified Clade IIb. Reference

Somalia					
Cholera	Nov 6	8,179	-	9 (0.1%)	In 2025 as of November 6, a total of 8,179 cases of cholera have been reported from four of six states in Somalia. Children <5 years of age accounted for 61% of cases. Reference 1 Reference 2
Diphtheria	Oct 10	1,566	-	86 (5.4%)	In 2025 as of October 10, a total of 1,566 cases of diphtheria were reported in Somalia. Reference
South Africa					
Diphtheria	Oct 27	80	79	16 (21.4%)	As of October 27, South Africa has reported 77 cases of diphtheria in 2025. The outbreak started in January 2024. Three of nine provinces have been affected: Gauteng, Kwa Zulu Natal, Limpopo, Mpumalanga, and Western Cape. Reference 1 Reference 2
South Sudan					
Cholera	Nov 6	76,781		1,251 (1.6%)	As of November 6, South Sudan has reported 76,781 cholera cases in 2025. Cases have been reported in 9 of 10 states. Ninety-one percent of cases have been in Unity, Jonglei, Northern Bahr el Ghazal, Central Equatoria, and Upper Nile states. Reference 1 Reference 2
Sudan					
Cholera	Nov 6	71,373	-	1,996 (2.8%)	In 2025 as of November 6, a total of 71,373 cases of cholera have been reported from 12 states in Sudan. The cases have occurred within a sustained and complex humanitarian crisis. Reference
Dengue	Nov 6	35,150	-	101 (0.3%)	In 2025 as of October 10, a total of 21,650 cases of dengue have been reported in Sudan. Cases have been reported in 10 of 12 states. Reference
Tanzania	1			1	
Cholera	Sep 10	4,063	-	45 (1.1%)	In 2025 as of September 10, a total of 4,063 cases of cholera were reported from seven of 31 regions. Reference

Uganda	Uganda						
Мрох	Nov 6	•	6,953	43 (0.6%)	As of November 6, a total of 6,953 confirmed mpox cases have been reported in Uganda in 2025. Cases have been identified in 120 of 146 districts. Most affected districts have been Kampala, Wakiso, Mbarara, Mukono, Masaka, and Hoima. Clade Ib has been identified in all sequenced specimens. Reference		
Zambia							
Мрох	Oct 10	-	258	3 (1.6%)	In 2025 as October 10, a total of 258 confirmed cases of mpox have been reported in Zambia. The most affected of nine provinces have been Copperbelt, Muchinga, Lusaka, Western, Central, and Northwestern. Clade Ib has been identified in sequenced specimens. Reference 1 Reference 2		

<u>Supplementary Figures for Reference</u> – See next page

3-month dengue virus disease case notification rate per 100 000 population, August – October 2025, ECDC

EU outermost regions reporting
cases and not visible in the main
map extent

Guadelsupe and Sant Martin
French Guiang
Naturalization
Naturalization
Naturalization

Figure 1. Three-month dengue virus disease case notification rate per 100 000 population, August-October 2025

Gase numbers are addicated from both official public health authorities and non-official sources, such as news media, and depending on the source, subchithonous and non-autochthonous cases may be included Administrative boundaries: © Euro-Geographics
The boundaries or Euro-Geographics
The boundaries and names shawn on this may do not imply official endorsement or acceptance by the European Union, ECDC. Map produced on 13 November 2025

Source: ECDC

<u>3-month chikungunya virus disease case notification rate per 100 000 population, August - October 2025, ECDC</u>

Figure 1. Three-month Chikungunya virus disease case notification rate per 100 000 population, August-October 2025

Source: ECDC

Geographical distribution of cholera cases reported worldwide from August 2025 to October 2025, ECDC





Figure 9. Geographical distribution of cholera cases reported worldwide from August to October 2025

Administrative boundaries: ©EuroGeographics ©UN-FAO. The boundaries and names shown on this map do not imply official endorsement or acceptance by the European Union. Map produced by ECDC on 04 November 202

Source: ECDC

WHO World Malaria Report 2023




WHO: World Health Organization.

^a Malaysia has a significant number of indigenous malaria cases caused by *Plasmodium knowlesi* infection.

^b Countries with zero indigenous cases for at least 3 consecutive years are considered to have eliminated malaria. In 2022, Malaysia reported zero indigenous cases caused by human Plasmodium species* for the fifth consecutive year and Cabo Verde reported zero indigenous cases for the fourth year. Belize was certified malaria free in 2023, following 4 years of zero malaria cases.

CDC. Global Polio



Polio THN

AMERICAS

1. French Guiana

AFRICA

- 2. Algeria 3. Angola 4. Benin
- 5. Burkina Faso 6. Cameroon 7. Chad 8. Côte d'Ivoire

- 9. Dem. Rep. of the Congo
- 10. Egypt 11. Equatorial Guinea 12. Ethiopia 13. The Gambia

- 21. Nigeria

- 14. Ghana
- 15. Guinea
- 16. Kenya
- 17. Liberia
- 18. Mali
- 19. Mozambique 20. Niger

- 22. Senegal
- 23. Sierra Leone 24. Somalia
- 25. South Sudan

- 26. Sudan 27. Uganda 28. Zimbabwe

EASTERN

MEDITERRANEAN

- 29. Afghanistan
- 30. Djibouti 31. Pakistan
- 32. Gaza
- 33. Israel 34. Yemen

EUROPE

- 35. Finland
- 36. Germany
- 37. Poland
- 38. Spain 39. United Kingdom

SOUTH-EAST

ASIA

40. Indonesia

WESTERN PACIFIC

41. Papua New Guinea

Poliovirus detected within the last 12 months