

Note: Code Status column: ACTIVE<sup>1</sup>= Currently available in the United States. INACTIVE= No longer used in United States. Inactive codes may be used to report historical vaccinations of known formulation, otherwise, use NOS for unknown formulation (see footnote 2). This list may not include all brand names available and does not imply endorsement of any products.

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufact- urer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
<b>DTaP/DT/Td/ Tdap</b>	DTaP	Infanrix®	SKB	ACTIVE	20	90700	diphtheria, tetanus toxoids and acellular pertussis vaccine (DTaP), for use in individuals < 7 years, for intramuscular use	Y
	DTaP, 5 pertussis antigens	DAPTACEL®	PMC	ACTIVE	106	90700	diphtheria, tetanus toxoids and acellular pertussis vaccine (DTaP), 5 pertussis antigens	Y
	Tdap	ADACEL™ Boostrix™	PMC SKB	ACTIVE	115	90715	tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), for use in individuals 7 years or older, for intramuscular use	Y
	Td (adult), <b>5 Lf</b> tetanus toxoid, preservative free, adsorbed	TENIVAC® Decavac (inactive) generic	PMC	ACTIVE	113	90714	tetanus and diphtheria toxoids, adsorbed, preservative free, for adult use ( <b>5 Lf of tetanus toxoid</b> and 2 Lf of diphtheria toxoid), for use in individuals >= 7 yrs, for intramuscular use	Y
	Td (adult), <b>2 Lf</b> tetanus toxoid, preservative free, adsorbed	TDVAX generic	MBL GRF MSD AKORN	ACTIVE	09	90718	tetanus and diphtheria toxoids, adsorbed, preservative free, for adult use ( <b>2 Lf of tetanus toxoid</b> and 2 Lf of diphtheria toxoid), for use in individuals >= 7 yrs, for intramuscular use	Y
	Td(adult), NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	139		Td(adult) unspecified formulation	N
	DT	generic	PMC	ACTIVE	28	90702	diphtheria and tetanus toxoids, adsorbed for pediatric use, < 7 yrs.	N
	DTaP, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	107	90700	diphtheria, tetanus toxoids and acellular pertussis vaccine, formulation not known	N
	DTP	Tri-Immunol®		INACTIVE	01	90701	diphtheria, tetanus toxoids and pertussis vaccine	N
<b>DTaP-HepB-IPV</b>	DTaP-HepB-IPV	Pediarix®	SKB	ACTIVE	110	90723	DTaP-hepatitis B and poliovirus vaccine	Y
<b>DTaP-IPV/Hib</b>	DTaP-IPV/Hib	Pentacel®	PMC	ACTIVE	120	90698	DTaP-IPV and <i>Haemophilus influenzae</i> type b conjugate vaccine	Y
<b>DTaP-IPV</b>	DTaP-IPV	Kinrix™ Quadracel™	SKB PMC	ACTIVE	130	90696	DTaP-IPV, 4 to 6 yrs.	Y
<b>DTaP-Hib</b>	DTaP-Hib	TriHIBit®	PMC	INACTIVE	50	90721	DTaP- <i>Haemophilus influenzae</i> type b conjugate vaccine	N
<b>DTP-Hib</b>	DTP-Hib	Tetramune®; ACTHib/DTP®		INACTIVE	22	90720	DTP- <i>Haemophilus influenzae</i> type b conjugate vaccine	N
<b>Hep A</b>	Hep A, ped/adol	Havrix® VAQTA®	SKB MSD	ACTIVE	83	90633	hepatitis A vaccine, pediatric/adolescent dosage	Y
	Hep A, adult	Havrix® VAQTA®	SKB MSD	ACTIVE	52	90632	hepatitis A vaccine, adult dosage >= 18 years, 2-dose series	N
	Hep A, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	85		hepatitis A vaccine, formulation not known	N
	Hep A, pediatric, NOS <sup>2</sup>			Do not use this code, use code 85	31		hepatitis A vaccine, pediatric dosage, formulation not known	N
	Hep A, ped/adol, 3 dose	Havrix®; VAQTA®		INACTIVE	84	90634	hepatitis A vaccine, pediatric/adolescent dosage, 3-dose schedule	N
<b>HepA HepB</b>	Hep A Hep B	Twinrix®	SKB	ACTIVE	104	90636	hepatitis A and hepatitis B (Hep A-HepB), adult dosage >= 18 years, intramuscular use	N
<b>Hep B</b>	Hep B Peds <20 yrs	ENGERIX-B®; RECOMBIVAX HB®	SKB MSD	ACTIVE	08	90744	hepatitis B vaccine, pediatric/adolescent dosage, 3-dose schedule	Y

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
	Hep B- adult	RECOMBIVAX HB®; ENGERIX-B®; RECOMBIVAX HB®.	MSD SKB MSD	ACTIVE	43	90743 90746 90746	hepatitis B vaccine, 11-15 years, 2-dose schedule hepatitis B vaccine, adult >20 years, 3-dose schedule hepatitis B vaccine, 11-15 years, 2-dose schedule	N
	HepB-CpG, adjuvanted, Adult	HEPLISAV-B™	DVX	ACTIVE	189	90739	hepatitis B, recombinant, <b>adjuvanted</b> , adult dosage (2 dose schedule), for intramuscular use, => 18 yrs, 2-dose	N
	Hep B-dialysis	ENGERIX-B®	SKB	ACTIVE	43	90747	hepatitis B vaccine, adult >20 years, <b>4</b> -dose schedule	N
		RECOMBIVAX DIALYSIS®	MSD	ACTIVE	44	90740	hepatitis B vaccine, adult >20 years, <b>3</b> -dose schedule	N
	Hep B, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	45		hepatitis B vaccine, formulation not known	N
	Hep B			INACTIVE	42	90745	hepatitis B vaccine, adolescent/high-risk infant dosage	N
<b>HepB-Hib</b>	HepB-Hib	COMVAX®	MSD	INACTIVE	51	90748	Haemophilus influenzae type b conjugate and Hepatitis B vaccine	N
<b>Hib</b>	Hib-PRP-OMP	PedvaxHIB®	MSD	ACTIVE	49	90647	Haemophilus influenzae type b vaccine, PRP-OMP conjugate	Y
	Hib-PRP-T	ActHIB® HIBERIX	PMC SKB	ACTIVE	48	90648	Haemophilus influenzae type b vaccine, PRP-T conjugate	Y
	Hib, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	17		Haemophilus influenzae type b vaccine, conjugate, formulation not known	N
	Meningococcal CY-HIB PRP	MenHibrx®	SKB	INACTIVE	148	90644	meningococcal conjugate vaccine, serogroups C & Y and Hemophilus influenza B vaccine (Hib-MenCY), 4 dose schedule, when administered to children 2-15 months, for intramuscular use	N
	Hib-HbOC	HibTiter®		INACTIVE	47	90645	Haemophilus influenzae type b vaccine, HbOC conjugate	N
	Hib-PRP-D	ProHIBit®		INACTIVE	46	90646	Haemophilus influenzae type b vaccine, PRP-D conjugate	N
<b>Human Papillomavirus</b>	HPV9	Gardasil™9 (HPV9)	MSD	ACTIVE	165	90651	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (HPV), female/male ages 9-26 yrs.,	Y
	HPV, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	137		human papillomavirus, formulation not known	N
	HPV, quadrivalent	Gardasil™ (HPV4)	MSD	INACTIVE	62	90649	Human Papillomavirus (Types 6,11,16 and 18), quadrivalent vaccine, female/male ages 9-26 yrs., for intramuscular use	N
	HPV, bivalent	CERVARIX® (HPV2)	SKB	INACTIVE	118	90650	human papillomavirus (Types 16 and 18), bivalent vaccine, women ages 10-25 yrs., for intramuscular use	N
<b>Influenza</b>	Influenza, injectable, quadrivalent (IIV4) preservative free, pediatric	Afluria® Quadrivalent (6-35 mos) Fluzone® Quadrivalent (6-35 mos)	PMC	ACTIVE	161	90685	Influenza virus vaccine, quadrivalent, split virus, preservative free, 0.25 mL dosage when administered to children 6 through 35 months of age, for intramuscular use	Y not all brands

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
	Influenza, injectable, quadrivalent (IIV4), preservative free	Afluria® Quadrivalent (≥3yrs) Fluarix® Quadrivalent (≥6 mos) Fluzone® Quadrivalent (≥6 mos) FluLaval® Quadrivalent (≥6 mos)	SEQ SKB PMC SKB	ACTIVE	150	90686	Influenza, inactivated virus vaccine, seasonal, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage when administered to individuals for intramuscular use. Age varies by product.	Y not all brands
	Influenza, injectable, quadrivalent (IIV4)	Fluzone® Quadrivalent (6-35 mos) FluLaval® Quadrivalent (≥6 mos) Afluria® Quadrivalent (≥3yrs)	PMC SKB SEQ	ACTIVE	158	90687 90688	Influenza virus vaccine, quadrivalent, split virus, 0.25 mL dosage when administered to children 6-35 months of age, for intramuscular use  Influenza virus vaccine, quadrivalent, split virus, 0.5 mL dosage when administered to individuals for intramuscular use. Age varies by product.	Y not all brands
	Influenza, injectable, MDCK, quadrivalent, (cclIV4), preservative free	Flucelvax® Quadrivalent (≥4 yrs)	SEQ	ACTIVE	171	90674	Influenza virus vaccine, quadrivalent (cclIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use, for individuals ≥4 years of age	N
	Influenza, injectable, MDCK, quadrivalent, (cclIV4)	Flucelvax® Quadrivalent (≥4 yrs)	SEQ	ACTIVE	186	90756	Influenza virus vaccine, quadrivalent (cclIV4), derived from cell cultures, subunit, antibiotic free, 0.5 mL dosage, for intramuscular use, for individuals ≥4 years of age	N
	Influenza, recombinant, quadrivalent (RIV4), injectable, preservative free	FLUBlok® (≥18 yrs)	PSC	ACTIVE	185	90682	Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use, for ≥ 18 years	N
	Influenza, live, intranasal, quadrivalent (LAIV <sub>4</sub> )	Flumist® Quadrivalent	MED	ACTIVE	149	90672	Influenza live virus vaccine, seasonal, quadrivalent, for intranasal use, for individuals 2 through 49 years of age	Y
	Influenza, intradermal, quadrivalent (IIV4, ID), preservative free	Fluzone® Intradermal (≥18 yrs)	PMC	ACTIVE	166	90630	Influenza virus vaccine, quadrivalent, split virus, preservative-free, for intradermal use, for use in individuals 18 to ≤64 years of age.	N
	Influenza, virus vaccine, (IIV3), injectable, preservative free	Afluria® (≥ 5 yrs)	SEQ, CSL	ACTIVE	140	90655 90656	Influenza virus vaccine, split virus, preservative-free, 0.25 mL dosage, for use in individuals 4 years of age and above (varies by product), for intramuscular use  Influenza virus vaccine, split virus, preservative-free, 0.5 mL dosage, for use in individuals 4 years of age and above (varies by product), for intramuscular use	N

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
	Influenza, virus vaccine, (IIV3), injectable	Afluria® (≥ 5 yrs) Fluvirin® (≥ 4 yrs)	CSL SEQ	ACTIVE	141	90657 90658	Influenza virus vaccine, split virus, preservative-free, 0.25 mL dosage, for use in individuals 4 years of age and above (varies by product), for intramuscular use  Influenza virus vaccine, split virus, preservative-free, 0.5 mL dosage, for use in individuals 4 years of age and above (varies by product), for intramuscular use	N
	Influenza, trivalent, adjuvanted (IIV3)	FluAd® (>= 65 yrs)	SEQ	ACTIVE	168	90653	Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use	N
	Influenza, recombinant, injectable, (RIV4), preservative free	FLUBlok® (≥ 18 yrs)	PSC	ACTIVE	155	90673	Influenza, inactivated cell culture vaccine, seasonal, quadrivalent, injectable, preservative free, for individuals >18 years of age, for intramuscular use	N
	Influenza, recombinant, injectable, (RIV3), preservative free	FLUBlok® (≥ 18 yrs)	PSC	ACTIVE	155	90673	Influenza, inactivated cell culture vaccine, seasonal, trivalent, injectable, preservative free, for individuals >18 years of age, for intramuscular use	N
	Influenza, high-dose (IIV3, IM) preservative-free	Fluzone® High-Dose (≥ 65 yrs)	PMC	ACTIVE	135	90662	Influenza virus vaccine, split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use, for use in individuals ≥65 years of age.	N
	Influenza, seasonal, intradermal (IIV3, ID) preservative free	Fluzone® Intradermal	PMC	ACTIVE	144	90654	influenza virus vaccine, split virus, preservative-free, for intradermal use, for use in individuals 18 to ≤64 years of age.	N
	Influenza, injectable, MDCK, trivalent, (ccIIV3), preservative free	Flucelvax®	NOV	INACTIVE	153	90661	Influenza, injectable, Madin Darby Canine Kidney, preservative free, for individuals ≥18 years	N
	Influenza, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	88		influenza virus vaccine, formulation not known	N
	Influenza, live, intranasal (LAIV3, IN) preservative-free	FluMist®	MED	INACTIVE	111	90660	influenza virus vaccine, live, attenuated, preservative-free, for intranasal use, for use in individuals 2 to ≤49 years of age.	N
	Influenza nasal, unspecified formulation			UNSPECIFIED FORMULATION / HISTORY	151		This code should only be used for historical records where the formulation of nasal flu vaccine is not known.	N
	Influenza-split	Fluzone-split®; Fluvirin®		INACTIVE	15		influenza virus vaccine, split virus, preservative-free, 6-35 months of age, 0.25mL dosage  influenza virus vaccine, split virus, months of age, 0.25mL dosage, for intramuscular use  influenza virus vaccine, split virus, preservative free, ≥3 yrs. of age, 0.5mL dosage  influenza virus vaccine, split virus, ≥3 yrs. of age, 0.5mL dosage, for intramuscular use	N
	H1N1-09, Nasal			INACTIVE	125	90663	Novel influenza-H1N1-09, live virus for nasal administration	N
	H1N1-09, Preservative Free			INACTIVE	126	90663	Novel influenza-H1N1-09, preservative-free, injectable	N
	H1N1-09, Injectable			INACTIVE	127	90663	Novel influenza-H1N1-09, injectable	N
	H1N1-09, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	128		Novel influenza-H1N1-09, formulation not known	N
<b>MMR/ Measles/ Rubella</b>	MMR	MMR II®	MSD	ACTIVE	03	90707	measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use	<b>Y</b>

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
	MMRV	ProQuad®	MSD	ACTIVE	94	90710	measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use	Y
	Measles	ATTENUVAX®	MSD	INACTIVE	05	90705	measles virus vaccine, live, for subcutaneous use	N
	Measles and Rubella	M-R VAX II®		INACTIVE	04	90708	measles and rubella virus vaccine, live, for subcutaneous use	N
	Mumps	MUMPSVAX®	MSD	INACTIVE	07	90704	mumps virus vaccine, live, for subcutaneous use	N
	Rubella	Meruvax II®	MSD	INACTIVE	06	90706	rubella virus vaccine, live, for subcutaneous use	N
	Rubella/Mumps	Biavax®		INACTIVE	38		rubella and mumps virus vaccine	N
<b>Meningococcal</b>	<b>MenACWY</b> (previous name: Meningococcal conjugate)	<b>Menactra®</b> MCV4	PMC	ACTIVE	114	90734	meningococcal polysaccharide (A,C,Y,W-135) diphtheria toxoid conjugate vaccine (MCV4P; 9 mo.-55 yrs.), for intramuscular use	Y
	<b>MenACWY</b> (previous name Meningococcal conjugate)	<b>Menveo®</b> MCV4O	SKB	ACTIVE	136	90734	meningococcal oligosaccharide (A, C, Y, W-135) diphtheria toxoid conjugate vaccine (MCV4O; 2 mo.-55 yrs.), for intramuscular use	Y
	MenACWY Conjugate, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	147		1) MenACWY-Conjugate NOS – use only for conjugate products (Menveo or Menactra)	N
	MenACWY, NOS <sup>2</sup> (previous name: Meningococcal, NOS <sup>2</sup> )			UNSPECIFIED FORMULATION / HISTORY	108		meningococcal, NOS- use for conjugate or polysaccharide products (Menactra, Menveo, or Menomune)	N
	Meningococcal polysaccharide	Menomune® (MPSV4)	PMC	INACTIVE	32	90733	meningococcal polysaccharide quadrivalent (A, C, Y, W-135) vaccine (MPSV4; ≥2 yrs.), for subcutaneous use	N
	Mening B, OMV	BEXSERO	SKB	ACTIVE	163	90620	Meningococcal recombinant protein and outer membrane vesicle vaccine, serogroup B, 2 dose schedule, for intramuscular	Y
	Mening B, Recomb	TRUMENBA	PFR	ACTIVE	162	90621	Meningococcal recombinant lipoprotein vaccine, serogroup B, MenB-FHbp, 2 or 3 dose schedule, for intramuscular use	Y
	Meningococcal B, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	164		Meningococcal B, unspecified formulation	N
	Meningococcal C conjugate			INACTIVE	103		Meningococcal C conjugate vaccine	N
	Meningococcal, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	167		Meningococcal NOS – use when the type and serogroups contained in the meningitis vaccine given are unknown	N
<b>Pneumococcal</b>	Pneumococcal conjugate	Prevnar 13® (PCV-13)	PFR	ACTIVE	133	90670	pneumococcal conjugate vaccine, 13 valent	Y
	Pneumococcal polysaccharide	Pneumovax 23®	MSD	ACTIVE	33	90732	pneumococcal vaccine, polysaccharide, ≥2 yrs, for subcutaneous or intramuscular use	Y
	Pneumococcal, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	109		pneumococcal vaccine, formulation not known	N
	Pneumococcal conjugate, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	152		pneumococcal conjugate vaccine, formulation not known	N
	Pneumococcal conjugate	Prevnar® (PCV-7)	WAL	INACTIVE	100	90669	pneumococcal conjugate vaccine, 7 valent	N
<b>Polio</b>	IPV (e-IPV)	IPOL®	PMC	ACTIVE	10	90713	poliovirus vaccine, inactivated, for subcutaneous or intramuscular use	Y
	Polio, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	89		poliovirus vaccine, formulation not known	N
	OPV	Orimune®		INACTIVE	02	90712	poliovirus vaccine, live, oral	N
<b>Rotavirus</b>	Rotavirus, pentavalent	RotaTeq® (RV5)	MSD	ACTIVE	116	90680	rotavirus vaccine, pentavalent, live, oral, 3-dose schedule	Y

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufacturer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
	Rotavirus, monovalent	Rotarix® (RV1)	SKB	ACTIVE	119	90681	rotavirus vaccine, human, attenuated, live, oral, 2-dose schedule	Y
	Rotavirus, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	122		rotavirus vaccine, formulation not known	N
	Rotavirus, tetravalent	Rotashield©		INACTIVE	74		rotavirus vaccine, tetravalent, live, oral, 3 dose schedule	N
<b>Varicella</b>	Varicella	Varivax®	MSD	ACTIVE	21	90716	varicella virus vaccine	Y
<b>Other</b>	Adenovirus, type 4			INACTIVE	54	90476	Adenovirus, type 4, live, oral	N
	Adenovirus, type 7			INACTIVE	55	90477	Adenovirus, type 7, live, oral	N
	Adenovirus, type 4 and type 7		BRR	ACTIVE	143	90476 90477	Adenovirus, type 4 and type 7, live, oral	N
	Adenovirus, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	82		Adenovirus, formulation not known.	N
	Anthrax		MIP	ACTIVE	24	90581	Anthrax vaccine, for subcutaneous use	N
	BCG	MYCOBAX Tice strain®	PMC OTC	ACTIVE	19	90728 90585	Bacillus Calmette-Guerin vaccine	N
	Botulinum antitoxin		CNJ	ACTIVE	27	90287	Botulinum antitoxin, any route	N
	Cholera, unspecified		PAX	ACTIVE	26		Cholera vaccine for injectable use	
	Cholera, live attenuated	Vaxchora®	PAX	ACTIVE	174	90725	Cholera vaccine, live, adult dosage, 1 dose, for oral use	N
	CMVIG		SEQ	ACTIVE	29	90291	Cytomegalovirus immune globulin (CMV-IGIV), human, for intravenous use	N
	Diphtheria Antitoxin			ACTIVE	12	90296	diphtheria antitoxin	N
	HBIG	BayHepB®; HepaGam B; Nabi-HB	CNJ; GRF; BTP	ACTIVE	30	90371	hepatitis B immune globulin	N
	IG			ACTIVE	86	90281	Immune globulin (IG), human, for intramuscular use	N
	IGIV			ACTIVE	87	90283	Immune globulin (IGIV), human, for intravenous use	N
	IG, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	14		immune globulin, formulation not known	N
	Japanese Encephalitis IM	Ixiaro®	VAL	ACTIVE	134	90738	Japanese encephalitis virus vaccine, inactivated, for intramuscular use	N
	Japanese Encephalitis SC	JE-Vax		INACTIVE	39		Japanese encephalitis virus vaccine, inactivated, for subcutaneous use	N
	Japanese Encephalitis, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	129		Japanese encephalitis virus vaccine, formulation not known	N
	Plague Vaccine			INACTIVE	23	90727	plague vaccine, for intramuscular use	N
	RIG	Imogam® HyperRab®	PMC GRF	ACTIVE	34	90375 90376	rabies immune globulin (RIG); rabies immune globulin (RIG-HT; Rig-HIT)	N
	Rabies-intradermal injection	Imovax Rabies I.D.® RabAvert®	PMC CHI	ACTIVE	40	90676	rabies vaccine, for intradermal injection	N
	Rabies-intramuscular injection	Imovax® IM RabAvert®	PMC NOV	ACTIVE	175 176	90675	rabies IM Diploid cell culture, for intramuscular injection rabies IM Fibroblast culture, for intramuscular injection	N
	Rabies, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	90		rabies, unspecified formulation	N
	RSV IGIV	Respigam®		INACTIVE	71	90379	respiratory syncytial virus immune globulin, intravenous	N
	RSV-MAb	SYNAGIS®	MED	ACTIVE	93	90378	respiratory syncytial virus monoclonal antibody (palivizumab), IM	N
	TIG	HyperTET®	GRF	ACTIVE	13	90389	tetanus immune globulin	N
	Tetanus Toxoid	generic	PMC	INACTIVE	35	90703	tetanus toxoid, for intramuscular use	N

VACCINE GROUPS	NAME	PRODUCT NAMES	Manufact-urer Code	CODE STATUS: ACTIVE <sup>1</sup> / INACTIVE or UNSPECIFIED <sup>2</sup>	CIR CODE	CPT CODE	DESCRIPTION	NYC VFC
	Typhoid, live oral Ty21	PaxVax	PAX	ACTIVE	25	90690	typhoid vaccine, live, oral	N
	Typhoid	Typhim Vi®	PMC	ACTIVE	101	90691	typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intramuscular use	N
	Typhoid, NOS <sup>2</sup>			UNSPECIFIED FORMULATION / HISTORY	91		typhoid vaccine, formulation not known	N
	Typhoid, parenteral			INACTIVE	41	90692	typhoid vaccine, heat- and phenol-inactivated (H-P), for subcutaneous or intradermal use	N
	Vaccinia (Smallpox)		PMC	ACTIVE	75		vaccinia smallpox vaccine	N
	Vaccinia immune globulin			ACTIVE	79	90393	vaccinia immune globulin, human, for intramuscular use	N
	Yellow Fever	Stamaril	PMC	ACTIVE	183	none	yellow fever vaccine-alternative formulation	
	Yellow Fever	YF-VAX	PMC	ACTIVE	37	90717	yellow fever vaccine, live, for subcutaneous use	N
	VZIG	generic VariZIG™		ACTIVE	36	90396	varicella zoster immune globulin	N
	Zoster (shingles), subunit	Shingrix	SKB	ACTIVE	187	90750	Zoster (shingles) vaccine (HZV), recombinant, sub-unit, adjuvanted, for intramuscular use	N
	Zoster (shingles), live	Zostavax®	MSD	ACTIVE	121	90736	herpes Zoster (shingles) vaccine, >= 50 years of age, for subcutaneous use	N
	Zoster (shingles), unspecified formulation			ACTIVE	188		herpes Zoster (shingles) vaccine, >= 50 years of age, for subcutaneous use	N

<sup>1</sup>ACTIVE= Currently available in the United States. INACTIVE= No longer used in United States. Inactive codes may be used to report historical vaccinations of known formulation, otherwise, use NOS for unknown formulation (see footnote 1).

<sup>2</sup> NOS=not otherwise specified. This CVX code is intended to allow reporting of vaccinations where the formulation is not known. For example, this may occur if a historic record of a vaccination is recorded from a vaccination card.

Sources: 1. CDC. For a complete, updated list of product names, NDC, CVX, CPT, MVX codes and additional notes: <http://www.cdc.gov/vaccines/programs/iis/code-sets.html>; Availability, all codes, names subject to change.