

Table of Contents for CHS 2017 Public Use Codebook

HEALTH STATUS	
ACCESS/HEALTH INSURANCE	
HEALTH CARE DISCRIMINATION	
CARDIOVASCULAR HEALTH	
DIABETES	
ASTHMA	
MENTAL HEALTH	10
NUTRITION	13
FOOD INSECURITY	10
PHYSICAL ACTIVITY	1′
TOBACCO AND SECOND HAND SMOKING	19
DEMOGRAPHICS	24
NEIGHBORHOODS	34
IMMUNIZATIONS	30
INTERNATIONAL TRAVEL	
CANCER SCREENING	38
HIV TESTING	
SEXUAL BEHAVIOR	4
ALCOHOL	
HOUSING, ENVIRONMENT, AND NOISE	4
JUSTICE INVOLVEMENT	50
ADMINISTRATIVE	52

^{*}CHS 2017 Nesting Variable = STRATA

^{*}CHS 2017 Survey Weight = wt18_dual *CHS 2017 Long Survey Weight = wt18_dual_q1

HEALTH STATUS							
Recoded Variable	Question	Raw Name	Source	Frequencies (un	weighted)	Prior years	NOTES
generalhealth	Would you say that in	health1	Q1.1	1=Excellent	1,582	2002-2016: generalhealth	
	general your health is:			2=Very good	2,647		
	excellent, very good			3=Good	3,114		
				4=Fair	1,986		
				5=Poor	642		
				.d=Don't know	25		
				.r= Refused	9		

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
insuredgateway17	Do you have any kind of health insurance coverage, including private health insurance or government plans such as Medicare or Medicaid?	access66	Q2.1	1=Yes 2=No .d=Don't know .r=Refused	9,057 915 22 11	2002: 2003 spg: healthcover 2003 fall: healthcover 2004-06: insuredgateway 2007: insuredgateway07 2008: insuredgateway08 2009: insuredgateway09 2010: insuredgateway10 2011: insuredgateway11 2012: insuredgateway12 2013: insuredgateway13 2014: insuredgateway14 2015: insuredgateway15 2016: insuredgateway16	Question wording changed in 2016
insure17	What type of health insurance do you use to pay for your doctor or hospital bills? Is it insurance through	access42	Q2.2	1=Employer 2=Self-purchase 3=Medicare 4=Medicaid/Family Health+ 5=Milit/CHAMPUS/Tricare 6=COBRA/Other 7=Uninsured .d=Don't know .r=Refused .=Missing	3,632 597 2,111 2,304 54 219 915 111 29 33	2002: insure02 2003: insure03 2004: insure04 2005: insure05 2006: insure06 2007: insure07 2008: insure08 2009: insure09 2010: insure10 2011: insure11 2012: insure12 2013: insure13 2014: insure14 2015: insure15 2016: insure16	Question wording and response options for health insurance coverage have changed over time
insured	Any type of health insurance?		insure17	1=Yes 2=No .d=Don't know .r=Refused .=Missing	8,917 915 111 29 33	2002-2016: insured	Based on insure17; question wording and response options changed over time

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
insure5	Type of health insurance coverage		insure16	1=Private 2=Medicare 3=Medicaid 4=Others 5=Uninsured .d=Don't know .r=Refused .= Missing	4,229 2,111 2,304 273 915 111 29 33	2002-2016: insure5	Variable used on EQ.
pcp17	Do you have one person or more than one person you think of as your personal doctor or health care provider?	access45	Q2.3	1=Yes 2=No .d=Don't know .r=Refused	8,730 1,221 50 4	2002-04: pcp 2005: pcp05 2006: pcp06 2007: pcp07 2008: pcp08 2009: pcp09 2010: 2011: pcp11 2012: pcp12 2013: pcp13 2014: pcp14 2015: pcp15 2016: pcp16	Question wording and response options changed over time
didntgetcare17	Was there a time in the past 12 months when you needed medical care but did NOT get it? Medical care includes doctor's visits, tests, procedures, prescription medication and hospitalizations.	access36	Q2.4	1=Yes 2=No .d=Don't know .r=Refused	1,011 8,945 45 4	2002: neededcare 2003: 2004: 2005: didntgetcare 2006: 2007: didntgetcare07 2008: 2009: didntgetcare09 2010: didntgetcare10 2011: didntgetcare11 2012: didntgetcare12 2013: didntgetcare13 2014: didntgetcare14 2015: didntgetcare15 2016: didntgetcare16	Question wording and response options changed over time. Question wording for CHS 2006 (didntgetcare06) not directly comparable to other years.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	nted)	Prior years	NOTES
discriminationtreatment	Now, thinking of your experiences trying to get health care in the past 12 months, have you felt you were hassled, made to feel inferior, or discriminated against for any reason?	discrim1	Q2.5	1=Yes 2=No 3=(VOL.) Did not seek health care treatment in the past 12 months .d=Don't know .r=Refused	542 9,354 73 31 5	2002-2015: 2016: discriminationtreatment	
discrimreasonrace_ new	Felt any discrimination because of race /ethnicity, or skin color while trying to get health care treatment (in the past 12 months)	discrim2, discrim12	Q2.5b Q2.5c	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	101 371 4 0 9,529	2002-2015: 2016: discrimreasonrace_ new	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ited)	Prior years	NOTES
toldhighbp17	Have you ever been	press10	Q3.1	1=Yes	3,483	2002: toldhighbp02	Question wording
	told by a doctor, nurse			2=No	6,488	2003:	differs from 2002, 2005
	or other health			.d=Don't know	21	2004:	
	professional that you			.r=Refused	13	2005: toldhighbp05	
	have hypertension, also					2006: toldhighbp06	
	called high blood					2007: toldhighbp07	
	pressure?					2008: toldhighbp08	
						2009: toldhighbp09	
						2010: toldhighbp10	
						2011: toldhighbp11	
						2012: toldhighbp12	
						2013: toldhighbp13	
						2014: toldhighbp14	
						2015: toldhighbp15	
						2016: toldhighbp16	
toldprescription17	Have you ever been	press14	Q3.2;	1=Yes	3,110	2002-2004:	Question wording
	told by a doctor, nurse		press10	2=No	371	2005: toldprescription	modified over time
	or other health			.d=Don't know	2	2006: toldprescription	
	professional that you			.r=Refused	0	2007: toldprescription07	Denominator is persons
	need to take medicine			. =Missing/Not asked	6,522	2008:	ever told high BP
	for your high blood					2009: toldprescription09	
	pressure?					2010: toldprescription10	
						2011: toldprescription11	
						2012: toldprescription12	
						2013:	
						2014: toldprescription14	
						2015: toldprescription15	
						2016: toldprescription16	

CARDIOVASCULA	AR HEALTH						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ited)	Prior years	NOTES
takingmeds17	Are you currently taking medication for your high blood pressure? AMONG THOSE TOLD HBP AND TOLD TO TAKE MEDS	press8	Q3.3; press14	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	2,773 331 5 1 6,895	2002-2004: 2005: takingmeds05 2006: takingmeds06 2007: takingmeds07 2008: 2009: takingmeds09 2010: takingmeds10 2011: takingmeds11 2012: takingmeds12 2013: 2014: takingmeds14 2015: takingmeds15 2016: takingmeds16	Denominator is persons with high BP told they needed meds for high BP. CHS 08 BP meds question is not comparable to other yrs
checkedbp	During the past 30 days, have you checked your blood pressure at home or another place in your community like a pharmacy?	press17	Q3.4	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	2,026 1,450 7 0 6,522	2002-2005: 2006: checkedbp 2007-2008: 2009: checkedbp 2010-2016:	Question wording modified over time. Denominator is persons ever told high BP

DIABETES							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
diabetes17	Have you ever been told	diabet10	Q4.1	1= Yes	1,462	2002-04: diabetes	Women who had
	by a doctor, nurse or other			2= No	8,524	2005:	diabetes only while
	health professional that			.d= Don't know	11	2006: diabetes	pregnant are included in
	you have diabetes?			.r=Refused	8	2007: diabetes07	'no' category
						2008: diabetes08	
						2009: diabetes09	
						2010: diabetes10	
						2011:diabetes11	
						2012:diabetes12	
						2013: diabetes13	
						2014: diabetes14	
						2015: diabetes15	
						2016: diabetes16	

ASTHMA							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
imputed_ everasthma	Have you ever been told by a doctor, nurse or other health professional that you had asthma?	asthma1	Q4.2	1= Yes 2= No	1,450 8,555	2002-04: asthma1 2005: 2006-14: everasthma 2015: 2016: everasthma	Question wording modified over time. Missing values were imputed.
imputed_ currentasthma17	In the last 12 months, have you had an episode of asthma or an asthma attack? (Asked of those ever told asthma)	asthma1; asthma9	Q4.3	1= Yes 2= No	487 9,518	2002-04: currentasthma 2005: 2006: currentasthma 2007: currentasthma07 2008: currentasthma08 2009: currentasthma10 2010: currentasthma10 2011: currentasthma11 2012: currentasthma12 2013: currentasthma13 2014: currentasthma14 2015: 2016: currentasthma16	Question wording modified over time. Not comparable to 2015. Comparable to other years Missing values were imputed.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood63	Over the last 2 weeks, how often have you been bothered by: little interest or pleasure in doing things?	mood63	Q5.1	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	7,510 1,306 386 621 145 37	2002-2015: 2016: mood63	
mood64	Over the last 2 weeks, how often have you been bothered by: feeling down, depressed or hopeless?	mood64	Q5.2	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	7,482 1,535 391 492 77 28	2002-2015: 2016: mood64	
mood54	Over the last 2 weeks, how often have you been bothered by: trouble falling or staying asleep, or sleeping too much?	mood54	Q5.3	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	6,323 1,894 530 1,137 101 20	2002-2015: 2016: mood54	
mood55	Over the last 2 weeks, how often have you been bothered by: feeling tired or having little energy?	mood55	Q5.4	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	5,187 2,846 696 1,131 127 18	2002-2015: 2016: mood55	
mood56	Over the last 2 weeks, how often have you been bothered by: poor appetite or overeating?	mood56	Q5.5	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	7,849 1,137 364 559 89 7	2002-2015: 2016: mood56	
mood57	Over the last 2 weeks, how often have you been bothered by: feeling bad about yourself – or that you are a failure or have let yourself or your family down?	mood57	Q5.6	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	8,283 1,014 272 340 71 25	2002-2015: 2016: mood57	
mood58	Over the last 2 weeks, how often have you been bothered by: trouble concentrating on things, such as reading the newspaper or watching TV?	mood58	Q5.7	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	8,129 1,081 278 415 87 15	2002-2015: 2016: mood58	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood59	Over the last 2 weeks, how often have you been bothered by: moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual?	mood59	Q5.8	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	8,759 660 212 261 96 17	2002-2015: 2016: mood59	
phq8score	Patient Health Questionnaire depression scale – based on last 2 weeks		Q5.1- Q5.8	0-24 .d= Don't know .r= Refused . = Missing/Not asked	9,415 2 5 583	2002-2015: 2016: phq8score	
currdepress	Current depression (last 2 weeks)		Q5.1- Q5.8	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	909 8,506 2 5 583	2002-2015: 2016: currdepress	
mood61	In the past 12 months, have you taken a prescription medication for a mental health problem? Among those with current depression.	mood61	Q5.9	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	310 593 6 0 9,096	2002-2015: 2016: mood61	Among those with current depression.
mood62	In the past 12 months, have you received any counseling for a mental health problem? Among those with current depression.	mood62	Q5.10	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	301 606 2 0 9,096	2002-2015: 2016: mood62	Among those with current depression.
mhtreat17	Received counseling or prescription medication for a mental health problem in last 12 months. Among adults with current depression.	mood61, mood62	Q5.9, Q5.10	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	380 523 0 0 9,102	2002-2015: 2016: mhtreat16	Among those with current depression. Not comparable to prior years when asked among those with NSPD.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood11	Was there a time in the past 12 months when you needed treatment for a mental health problem but did not get it?	mood11	Q5.11	1= Yes 2= No .d=Don't know .r=Refused	339 9,630 25 11	2002: 2003: mood11 2004: 2005: mood11 2006: mood11 2007-2012: 2013: mood11 2014: 2015: mood11 2016: mood11	Among all adults Note: In 2003 only asked among those with nspd

NUTRITION							
Recoded variable	Question	Raw Name	Source	Frequencies (unweig	hted)	Prior years	NOTES
nutrition46	About how many cups of fruit did you eat yesterday? One cup of fruit would equal one large orange, 8 large strawberries, or 1 medium pear.	nutrition46	Q9.1	0 – 50 .d= Don't know .r=Refused	9,871 119 15	2002-2016:	Continuous
nutrition47	About how many cups of vegetables did you eat yesterday? One cup of vegetables would equal 12 baby carrots, 1 large raw tomato, or 1 large ear of corn.	nutrition47	Q9.2	0 – 50 .d= Don't know .r=Refused	9,834 153 18	2002-2016:	Continuous
fruitveg17	Total servings of fruit and/or vegetables eaten yesterday did you eat yesterday?		nutrition 46, nutrition 47	1= None 2= 1-4 servings 3= ≥5 servings .d=Don't know .r=Refused .=Missing	1,057 7,417 1,277 44 5 205	2002: fruitveg 2003: 2004: fruitveg 2005-2007: 2008-2016: fruitveg	Categorical. Asked differently in 2017
nsodaperday17	How often do you drink sugar sweetened soda? Do not include diet soda or seltzer. Standardized to per day (continuous)	nutrition14	Q9.2	0 – 16 .d=Don't know .r=Refused . = Missing/outliers	9,940 56 9 0	2002-06: 2007: nsodaperday07 2008: nsodaperday08 2009: nsodaperday09 2010: nsodaperday10 2011: nsodaperday11 2012: nsodaperday12 2013: nsodaperday13 2014: nsodaperday14 2015: nsodaperday15 2016: nsodaperday16	Response options in 2005 not directly comparable to '07-'17
avgsodaperday17	Average number of sodas per day		nsodape rday17	1= None 2= <1 (more than none) 3= One 4= >1 .d=Don't know .r=Refused . = Missing	6,465 2,391 536 548 56 9	2002-2006: 2007: avgsodaperday07 2008: avgsodaperday08 2009: avgsodaperday09 2010: avgsodaperday10 2011: avgsodaperday11 2012: avgsodaperday12 2013: avgsodaperday13 2014: avgsodaperday14 2015: avgsodaperday15 2016: avgsodaperday16	Response options in 2005 not directly comparable to '07-'17

NUTRITION							
Recoded variable	Question	Raw Name	Source	Frequencies (unweighted))	Prior years	NOTES
twoplussoda	Drink two or more sodas per day		nsodape rday17	2 = <2 sodas 9, .d=Don't know .r=Refused . = Missing	541 ,399 56 9	2002-2004: 2005: twoplussoda 2006: 2007-2016: twoplussoda	Recommend twoplussoda for comparing '05 v '07-'17
nsugardrinkperday17	How often do you drink other sweetened drinks like sweetened iced tea, sports drinks, fruit punch or other fruit-flavored drinks? Do not include diet soda, sugar free drinks, or 100% juice. Standardized to per day (continuous)	nutrition15	Q9.3	.d=Don't know .r=Refused . = Missing	,904 93 8 0	2002-2006: 2007: nsugardrinkperday 2008: nsugardrinkperday08 2009: nsugardrinkperday09 2010: nsugardrinkperday10 2011: nsugardrinkperday11 2012: nsugardrinkperday12 2013: nsugardrinkperday13 2014: nsugardrinkperday14 2015: nsugardrinkperday15 2016: nsugardrinkperday16	
avgsugarperday17	Average number of other sugar- sweetened beverages per day		nsugard rinkperd ay17	2= <1 (more than none) 3= One 4= >1 .d=Don't know .r=Refused . = Missing	,227 ,320 757 600 93 8 0	2002-2006: 2007: avgsugarperday07 2008: avgsugarperday08 2009: avgsugarperday09 2010: avgsugarperday10 2011: avgsugarperday11 2012: avgsugarperday12 2013: avgsugarperday13 2014: avgsugarperday14 2015: avgsugarperday15 2016: avgsugarperday16	Response options in 2005 not directly comparable to '07- '17
nsodasugarperday17	Number of soda and other sugar sweetened beverages consumed. Standardized to per day (continuous)		nsodape rday17, nsugard rinkperd ay17	0 – 21 9, .d=Don't know .r=Refused . = Missing	,922 16 0 67	2002-2006: 2007: nsugardrinkperday 2008: nsugardrinkperday08 2009: nsugardrinkperday09 2010: nsugardrinkperday10 2011: nsugardrinkperday11 2012: nsugardrinkperday12 2013: nsugardrinkperday13 2014: nsugardrinkperday14 2015: nsugardrinkperday15 2016: nsugardrinkperday16	

NUTRITION Recoded variable **Ouestion** Raw Name Source **Frequencies (unweighted) Prior years NOTES** 2002-2006: -avgsodasugarperday17 Average number of sodas plus nsodasug Response options 1= None 4,894 sweetened drinks per day ardrinkp 2 = < 1 (more than 2007: avgsodasugarperday07 in 2005 not directly 2,916 erday17 2008: avgsodasugarperday08 comparable to '07-(categorical) none) 2009: avgsodasugarperday09 3= One 629 '16 2010: avgsodasugarperday10 4= >1 1,83 2011: avgsodasugarperday11 .d=Don't know 16 2012: avgsodasugarperday12 .r=Refused 2013: avgsodasugarperday13 . = Missing67 2014: avgsodasugarperday14 2015: avgsodasugarperday15 2016: avgsodasugarperday16 ssb Consumes one or more sugar nsodasug 1=Yes 2,112 2002-2006: -*sweetened beverages (soda + other* ardrinkp 2=No 7,810 2007-2016 ssb erday17 sweetened drinks) on average per .d=Don't know 16 day .r=Refused 0 . = Missing67 How many glasses of plain water nutrition48 1=None 248 New in 2017 drinkwater Q9.5 2002-2016: --2=1-4 glasses did you drink yesterday? Plain 4,806 water includes tap water, bottled 3=5-8 glasses 3,817 plain water, plain seltzer water, and 4=9+ glasses 964 water from a drinking fountain or .d=Don't know 162 8 water cooler? .r=Refused

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
imputed_	In last the last six months, which of	foodin1	Q10.2	1=Had enough, wanted	7,006	2002-16:	New in 2017
foodinsecure	the following best describes the			to eat			
	food eaten in your household -1)			2=Had enough, not	2,100		Imputed for first
	you had enough of the kinds of food			always wanted			30 replicates of
	you wanted to eat, 2) you had			3=Sometimes not	673		the phone
	enough but not always the kinds of			enough	226		samples and
	food you wanted to eat, 3)			4=Often not enough			missing data
	sometimes there was not enough to						
	eat, or 4) often there was not						
	enough to eat.						

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
exercise17	During the past 30 days, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?	activity1	Q11.1	1= Yes 2= No .d= Don't know .r= Refused	7,343 2,657 3 2	2002-04: exercise 2005: exercise05 2006-07: 2008: exercise 2009: exercise09 2010: exercise10 2011: exercise11 2012: exercise12 2013: exercise13 2014: exercise14 2015: exercise15 2016: exercise16	
cyclingfreq	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City? Would you say once a week or more, several times a month, at least once a month, a few times a year, or never?	activity57	Q11.2	1=Once a week or more 2=Several times a month 3=At least once a month 4=A few times a year 5=Never 6=[Vol] physically unable .d=Don't know .r=Refused .=Missing/not asked	679 349 277 678 7,828 173 16 5	2002-2011: 2012-2014: cyclingfreq 2015: 2016: cyclingfreq	
cycling17	In the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City? Would you say once a week or more, several times a month, at least once a month, a few times a year, or never?	actvity57	Q11.2	1= Several times a month 2=At least once a month 3=A few times a year 4=[Vol] physically unable 5= Never .d= Don't know .r=Refused .=Missing/not asked	1,028 277 678 173 7,828 16 5	2002-06: 2007: cycling 2008: 2009: cycling09 2010: cycling10 2011: cycling11 2012: cycling12 2013: cycling13 2014: cycling14 2015: 2016: cycling16	2007-2011 response options differ.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
PA08_3R_q1	Meets national physical activity guidelines – 150 minutes of moderate or equivalent exercise per week- 3 levels. Asked in Version 1 only.		Q11.4- Q11.7	1=Inactive 2=Insufficiently active 3=Sufficiently active .=Missing	1,012 1,100 2,573 5,320	2002-05: 2006-07: PA08_3R 2008-9: 2010: PA08_3R 2011: 2012: PA08_3R 2013: 2014: 2015: PA08_3R_w2 2016: PA08_3R_q1	ASKED IN VERSION 1 ONLY. Version 1. Analysis of 201 question requir special survey weight — wt18_dual_q1 Not comparable to PAGA08_13 or PAGA08_14

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 var	riables report	ed since fall '03 must be combined w/ C	CHS 2003 for smoking analyses)
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	hted)	Prior years	NOTES
smoker	Have you smoked at least 100 cigarettes in your entire life? Do you now smoke cigarettes: everyday, some days, or not at all?		Q7.1; Q7.2	1= Never 2= Current 3= Former .d= Don't know .r= Refused	6,482 1,273 2,215 30 5	2002-2016: smoker	
everyday	Smoke every day vs some days		Q7.2	1= Yes, every day 2= No, some days .d= Don't know .r= Refused . = Missing/Not asked	809 464 3 0 8,729	2002-2016: everyday	Denominator persons who smoked at least 100 cigarettes (smoke1=1)
numberperdaya	# cigs smoked/day every & someday smokers, continuous (imputed for missing & adjusted for days smoked)	smoke3, smoke72, smoke89	Q7.3, Q7.3a, Q7.3b	0 – 40 . = Missing/Not asked	1,273 8,732	2002: numberperdaya 2003: numberperdaya 2003 fall: numberperdaya 2004: numberperdaya 2005: 2006: numberperdaya 2007: 2008: numberperdaya 2009: numberperdaya 2010: numberperdaya 2011: numberperdaya 2011: numberperdaya 2013: numberperdaya 2014: numberperdaya 2015: numberperdaya 2016: numberperdaya	numberperdaya imputes for missing values of smoke3, smoke72, and smoke89 and adjusts for days smoked. Weighted mean # of days smoked from CHS 2014 was used to calculate days smoked for some day smokers. Numberperdaya sums to total every and some day smokers. Question wording and response options changed over time

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 var	riables report	ed since fall '03 must be combined w/ C	HS 2003 for smoking analyses)
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	hted)	Prior years	NOTES
cpd17a	# cigs smoked/day every & someday smokers, categorical (imputed for missing & adjusted for days smoked)		numberper daya	1= <10 cigs 2= 10 - <21 cigs 3= 21+ cigs . = Missing/Not asked	771 461 41 8,732	2002: cpd02a 2003: cpd03a 2003 fall: cpd03a 2004: cpd04a 2005: 2006: cpd06a 2007: 2008: cpd08a 2009: cpd09a 2010: cpd10a 2011: cpd11a 2012: cpd12a 2013: cpd13a 2014: cpd14a 2015: cpd15a 2016: cpd16a	cpd17a is categorical VERSION of numberperdaya. See above for description. cpd replaces 'cigarettes' vars in all yrs available
everydaycpda	# cigs smoked/day among every day smokers ONLY (imputed for missing)		numberper daya	1= <10 2= 10 - <21 3= 21+ . = Missing/Not asked	319 451 39 9,916	2002-2003: everydaycpda 2003 fall: everydaycpda 2004-2007: everydaycpda 2007: 2008-2016: everydaycpda	everydaycpda is categorical VERSION of numberperdaya for EVERY DAY SMOKERS. Only every day were asked cpd in '05; use everydaycpda for cpd trend analyses.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	nted)	Prior years	NOTES
heavysmoker17a	Heavy smoker(>10 cig/day) (imputed for missing cigs & adjusted for days smoked)		numberper daya	1 = Yes (>10 cigs) 2 = No (≤10 cigs) . = Missing/Not asked	283 990 8,732	2002: heavysmoker02a 2003: heavysmoker03a 2003fall: heavysmoker03a 2004: heavysmoker04a 2005: 2006: heavysmoker06a 2007: 2008: heavysmoker08a 2009: heavysmoker09a 2010: heavysmoker10a 2011: heavysmoker11a 2012: heavysmoker12a 2013: heavysmoker13a 2014: heavysmoker14a 2015: heavysmoker15a 2016: heavysmoker16a	Heavysmoker16a is dichotomous VERSION of numberperdaya. See above for description. HeavysmokerYY'a' (NOT heavysmoker) should be used in multi-yr analyses.
smokecat	Type of smoker		everyday, heavysmok er16a	1 = Non-daily smoker 2 = Light daily smoker 3 = Heavy daily smoker 4 = Non-smoker . = missing	464 536 273 8,697 35	2002-2004: smokecat 2005: 2006: smokecat 2007: 2008-2016: smokecat	
smoke5a	About how long has it been since you last smoked cigarettes regularly? (continuous, in months)	smoke90	Q7.4	0 -960 .d= Don't know .=Missing	2,126 0 7,879	2002-2003: Fall 2003: smoke5a 2004-2013: smoke5a 2014-2015: 2016: smoke5a	In months
smoke5	About how long has it been since you last smoked cigarettes regularly? (categories)		smoke5a	1=Within past month 2=More than 1-3 months 3=More than 3-6 months 4=More than 6-12 months 5=More than 1-5 yrs 6=More than 5-10 yrs 7=More than 10 yrs .d= Don't know .=Missing/not asked	20 32 48 106 311 339 1,269 0 7,880	2002-2013: smoke5 2014-2015: 2016: smoke5	Data collected differently in 2002- 2003

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 var	(Fall '03 variables reported since fall '03 must be combined w/ CHS 2003 for smoking analyses)				
Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	hted)	Prior years	NOTES		
sourcelastcig	Was the last cigarette you smoked from a carton, a pack, a single or loosie, bummed, or did you roll your own?	smoke39	Q7.5; smoker	1=Carton 2=Pack 3=Single/loosie 4=Bummed 5=Roll own .d= Don't know .r= Refused . = Missing/Not asked	105 895 159 58 52 3 1 8,732	2002: 2003: smoke39 2003 fall: smoke39 2005: smoke39 2006-10: sourcelastcig 2011: 2012-2016: sourcelastcig	Denominator is current smokers		
cost20cigarettes	Cost of 20 cigarettes (pack)	smoke40, smoke41, smoke42	Q7.6a, Q7.6b, Q7.6c	\$0.10-\$20 .d= Don't know .r= Refused . = Missing/Not asked	1,057 25 5 8,918	2002: 2003-2006: cost20cigarettes 2007: 2008-2010: cost20cigarettes 2011-2012: 2013-2016: cost20cigarettes			
cigpurchase17	Where did you buy the last cigarette you smoked? Was it in your neighborhood, in another part of New York City, or outside of New York City?	smoke128	Q7.7	1=In your neighborhood 2=In another part of New York City 3=Outside of NYC .d= Don't know .r= Refused . = Missing/Not asked	771 160 156 11 8 8,899	2002-2010: cigpurchase 2011: 2012-2015: cigpurchase 2016:	Question wording and response options have changed over time.		
advisequitsmoke	During the last 12 months has a doctor, nurse or other health professional advised you to quit smoking?	smoke110	Q7.8, smoke1, smoke2, smoke5a	1 = Yes 2 = No .d=Don't know . = Missing/Not asked	981 413 10 8,601	2002-2009: 2010: advisequitsmoke 2011: advisequitsmoke 2012: advisequitsmoke 2013-2015: 2016: advicequitsmoke	NOTE: eligible population differs than 06,04,03 spring/fall Among current smokers and former smokers quit <12 months		
smokeecig12m	In the past 12 months, have you tried an electronic cigarette, also known as an e-cigarette?	smoke121	Q7.9	1=Yes 2=No 3=[VOL-Don't know what an e-cig is] .d= Don't know .r= Refused .= Missing /Not asked	560 9,413 26 4 2	2002-2013: 2014: smokeecig12m 2015: smokeecig12m_w1 2016: smokeecig12m			

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 variables reported since fall '03 must be combined w/ CHS 2003 for smoking analyses)				
Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	ghted)	Prior years	NOTES	
smokeecig30days	In the past 30 days, did you smoke an e-cigarette every day, some days, or not at all?	smoke122	Q7.10	1=Every day 2= Some days 3=Not at all .d= Don't know .r= Refused .= Missing /Not asked	51 169 339 1 0 9,445	2002-2013: 2014: smokeecig30days 2015: smokeecig30days_w1 2016: smokeecig30days	Among those who smoked an e- cigarette in the past 12 months	
ecighelpquit	In the past 12 months, have you used an electronic cigarette to help you either cut back or quit smoking regular cigarettes?	smoke124	Q7.11	1= Yes 2=No .d=Don't know .r=Refused .= Missing /Not asked	216 126 1 0 9,662	2002-2015: 2016: ecighelpquit	Among current smokers current and quit <12 months	
smokehookah12m	In the past 12 months, have you smoked a hookah, also called a water pipe?	smoke125	Q7.12	1=Yes 2=No 3=[VOL-Don't know what a hookah is] .d= Don't know .r= Refused .= Missing /Not asked	604 9,320 66 12 3 0	2002-2015: 2016: smokehookah12m_q1	Unlike CHS 2016, question was asked among all respondents	
smellcigsmoke	How often do you smell cigarette smoke in your home that comes from another home or apartment or from outside?	smoke118	Q7.13	1=Everyday 2=A few times per week 3=A few times per month 4=A few times per year 5=Never .d= Don't know .r= Refused .= Missing /Not asked	1,015 1,257 800 672 6,166 87 8	2002-2012: 2013-2014: smellcigsmoke 2015: 2016: smellcigsmoke_q1	Unlike CHS 2016, question was asked among all respondents	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
agegroup	What is your age? We	demog1,	Q8.1,	1=18-24yrs	712	2002-16: agegroup	
	are only asking this			2=25-44 yrs	3,189		
	information to make	demog158	Q8.1a	3=45-64 yrs	3,458		
	sure we have talked to			4=65+ yrs	2,620		
	enough people in each			.d=Don't know	4		
	age group. Can you just			.r=Refused	22		
	tell me if you are:						
ngegroup5	What is your age? We	demog1,	Q8.1,	1=18-24yrs	712	2002-10:	Response option 25-29
	are only asking this			2=25-29 yrs	716	2011-2016: agegroup5	new in 2011
	information to make	demog158	Q8.1a	3=30-44 yrs	2,473		
	sure we have talked to			4=45-64 yrs	3,458		
	enough people in each			5=65+ yrs	2,620		
	age group. Can you just			.d=Don't know	4		
	tell me if you are:			.r=Refused	22		
nge18_64	See above	See above	See above	1=18-24 yrs	712	2002-16: age18_64	
_				2=25-44 yrs	3,189		
				3=45-64 yrs	3,458		
				. =Missing/not	2,646		
				applicable			
age21up	See above	See above	See above	1= 21-44 yrs	3,636	2002-16:age21up	
				2= 45-64 yrs	3,458		
				3 = 65 + yrs	2,620		
				.= Missing/not	291		
				applicable			
age25up	See above	See above	See above	1=25-44 yrs	3,189	2002-16: age25up	
				2=45-64 yrs	3,458		
				3=65+ yrs	2,620		
				. =Missing/not	738		
				applicable			
nge40new	See above	See above	See above	1=40-44 yrs	818	2002-16: age40new	Use age40new NOT
-				2=45-64 yrs	3,458		age40up for
				3=65+ yrs	2,620		mammography
				. =Missing/not	3,109		screening variables
				applicable	•		
nge45up	See above	See above	See above	1=45-64 yrs	3,458	2002-16: age45up	
				2=65+ yrs	2,620		
				. =Missing/not	3,927		
				applicable	- 7-		

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
age50up	See above	See above	See above	1=50-64 yrs 2=65+ yrs . =Missing/not applicable	2,567 2,620 4,818	2002-16: age50up	
sex	On your original birth certificate, was your sex assigned as male or female?	demog160, demog159	Q8.2	1=Male 2=Female .=Missing	4,352 5,645 8	2002-16: sex	Respondents who said "Don't Know" or "Refused" to Q8.2 but identified as a transgendered woman were assigned as female; those responding as a transgendered man were assigned as male. Respondents identifying as transgendered but whose sex is unknown had sex classified as missing.
newgenderid	How do you describe yourself? Combines sex at birth and gender identity questions		Q8.2, Q8.4, Q8.3d	1=Cisgender Man 2= Cisgender Woman 3=Transgender Man 4=Transgender Woman 5=Gender non- conforming man 6= Gender non- conforming woman 7= Something else - man 8= Something else - woman 9= Another gender identity .d=Don't know .r=Refused .=missing/not asked	4,333 5,624 12 9 5 6 3 3 3 0 4 3	2002-2016:	New in 2017. Includes discordant responses in the sex at birth and how do you identify yourself questions. Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
newrace	Are you Hispanic or Latino? Some people, aside from being Hispanic, also consider themselves to be a member of a racial group. Which one or more of the following would you say is your race?		Q8.4, Q8.4a, Q8.4b	1=White Non-Hispanic 2=Black Non-Hispanic 3=Hispanic 4=Asian/PI Non-Hispanic 5=Other Non-Hispanic	3,445 2,269 2,818 1,218 255	2002-16: newrace	Race is assigned for missing observations In 2017, "Middle Eastern or North African" was included as one of the race question options and recoded in "newrace" to White **Use newrace for analyses that include race/ethnicity**
demog55	Please tell me which group best represents your Hispanic or Latino origin or ancestry	demog55	Q8.4a	1= Puerto Rican 2=Cuban/Cuban- American 3=Dominican/ Dominican-American 4=Mexican/Mexican- Amer 5= Central/ South Amer 6=Other Latin Amer 7=Other Hispanic 9=[VOL] Spanish .d=Don't know .r=Refused .= Missing/not asked	714 50 963 296 604 33 77 25 17 11 7,215	2003-16: demog55	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov
demog135r	Please tell me which group best represents your Asian heritage or ancestry	demog135; demog135vr	Q8.6	1=Chinese 2=Asian Indian 3=Filipino 4=Korean 5=Japanese 6=Vietnamese 7=Something else (specify) .d=Don't know .r=Refused .=Missing/not asked	695 261 29 56 30 12 55 11 7	2002-2011: 2013-2016: demog135r	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov Also see asianancestry. Note the small numbers in some groups.

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
asianancestry	Please tell me which group best represents your Asian heritage or ancestry	demog135; demog135vr	Q8.6	1=East Asian 2=South Asian 3=Southeast Asian 4=Other .d=Don't know .r=Refused .= Missing/not asked	795 264 48 31 11 7 8,849	2002-2011: 2013-2015: asianancestry	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov If more refined groups are of interest, use demog135r and demog135vr. Regions defined per: http://en.wikipedia.org/wiki/United Nations geoscheme Due to the way newrace is coded, there are a few responses for asianancestry among those whose newrace is Hispanic or other. Asianancestry is based on self-reported responses to heritage and in some cases will not be the same as respondents self-reported
bthregion17	Where were you born?	demog129, demog136 demog136vr	Q8.7, Q8.7a,	Region frequencies not reported due to length .d=Don't know .r=Refused	9,917 10 78	2002-03: bthregion 2004: bthregion04 2005: bthregion05 2006: bthregion06 2007: bthregion07 2008: bthregion08 2009: bthregion09 2010: bthregion10 2011: bthregion11 2012: bthregion12 2013: bthregion13 2014: bthregion14 2015: bthregion15 2016: bthregion16	birth country. Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
countrybirth17	See bthregion17	n/a	bthregion17	Country frequencies not reported due to length .d=Don't know .r=Refused .=Missing	9,787 10 78 130	2002-03: countrybirth 2004: countrybirth04 2005: countrybirth05 2006: countrybirth06 2007: countrybirth07 2008: countrybirth08 2009: countrybirth09 2010: countrybirth10 2011: countrybirth11 2012: countrybirth12 2013: countrybirth13 2014: countrybirth14 2015: countrybirth15 2016: countrybirth16	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov
bthregion2	Where were you born?	n/a	bthregion17	1=Northern Europe 2=Western Europe 3=Southern Europe 4=Eastern Europe 5=Eastern Asia 6=South Central Asia 7=South Eastern Asia 8=Western Asia 9=Eastern Africa 10=Middle Africa 11=Northern Africa 12=Southern Africa 13=Western Africa 14=Australia and New Zealand 15=Elsewhere Oceana 16=Caribbean 17=Central America 18=South America 19=Northern America - not including U.S. 20=United States d=Don't know .r=Refused	80 94 85 415 709 294 56 84 14 5 33 5 103 8 0 1,501 431 575 40 5,353 42 78	2002-2016: bthregion2	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov Top coded from bthregion17
usborn	Where were you born? Please tell me the country	n/a	bthregion17, demog129	1=US born 2=Foreign born .d=Don't know .r=Refused	5,353 4,593 8 51	2002-16: usborn	Puerto Rico and the US Territories are classified as US born

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
maritalstatus17	Are you: Married, Divorced, Widowed, Separated, Never married, OR A member of an unmarried couple living together?	demog145	Q8.9	1=Married 2=Divorced 3=Widowed 4=Separated 5=Never married 6=Member of unmarried couple living together or partnered .d=Don't know .r=Refused	3,867 1,268 925 493 2,904 476	2002-06: maritalstatus 2007: maritalstatus07 2008: maritalstatus08 2009: maritalstatus09 2010: maritalstatus10 2011: maritalstatus11 2012: maritalstatus12 2013: maritalstatus13 2014: maritalstatus14 2015: maritalstatus15 2016: maritalstatus16	Starting in 2007 added to demog114=6, "member of unmarried couple LIVING TOGETHER"
sexualid17	Now I'll read a list of terms people sometimes use to describe themselves — gay or lesbian; straight, that is not gay; bisexual; something else As I read the list again, please stop me when I get to the term that best describes how you think of yourself: Do you not understand the words, are you not sure yet, or do you mean something else? What do you mean by something else?	demog147, demog171, demog148, demog148vr	Q8.10 Q8.10a Q8.10b	1=Gay/Lesbian 2=Straight, that is not Gay/Lesbian 3=Bisexual 4=Something else .d=Don't know .r=Refused .=Missing	321 9,066 153 6 258 132 69	2002: 2003-14: sexualid 2015: sexualid15 2016: sequalid16	Question wording differs in CHS 2003. Use caution when comparing to later years Response options changed since 2015.
education	What is the highest grade or year of school you completed?	demog17	Q8.11	1=Less than HS 2=High school grad 3=Some college 4=College graduate .d=Don't know .r=Refused	1,575 2,239 2,002 4,133 28 28	2002-16: education	demog17 contains more detailed education categories

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	D)	Prior years	NOTES
child	Presence of children in household		children17	1=Yes 2=No .d=Don't know .r=Refused	3,313 6,647 10 35	2002-16: child	Top coded from children17
numadults2	Total adults in household		numadults	1 2 3 4 5 6 7+	3,356 3,842 1,547 833 262 106 59	2002-16: numadults2	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov
hhsize	Total household adults plus children (continuous)		numadults, demog154	1 2 3 4 5 6 7+	2,770 2,606 1,744 1,481 741 357 306	2002-06:householdsize 2007: householdsize07 2008: householdsize08 2009: householdsize09 2010: householdsize10 2011: householdsize11 2012: householdsize12 2013: householdsize13 2014: householdsize14 2015: householdsize15 2016: householdsize16	Top coded from householdsize17
employment17	Are you currently: Employed for wages or salary, Self-employed, unemployed for 1 year or more, unemployed for less than 1 year, A Homemaker, A Student, Retired, Unable to work?	demog119	Q8.13	1=Employed for wages/salary 2=Self-employed 3=Unempl for 1+yrs 4=Unempl for <1 yr 5=Homemaker 6=Student 7=Retired 8=Unable to work .d=Don't know .r=Refused	4,783 902 310 309 445 373 2,084 754 19 26	2002-04: employment 2005: employment05 2006: employment06 2007: employment07 2008: employment08 2009: employment09 2010: employment10 2011: employment11 2012: employment12 2013: employment13 2014: employment14 2015: employment15 2016: employment16	The response order for Q8.13 differs from the order of responses in formatted frequencies. Employment12 was renumbered so that response options would be consistent with order in prior years
emp3	Employment status – three categories	demog119, employment17	Q8.13	1=Employed 2=Unemployed 3=Not in labor force .d=Don't know .r=Refused	5,685 619 3,656 19 26	2002-2016: emp3	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
imputed_ povertygroup	Household annual income from all sources; imputed for those with missing data for povertygroup	Q8_18_12, demog68, RQ8_18_12, rdemog68	Q8.18, Q8.18a, rq8z18, rq8z18a	1= <100% FPL 2=100 - <200% FPL 3=200 - <400% FPL 4=400 - <600% FPL 5= ≥600% FPL	2,491 1,892 1,919 1,889 1,814	2002-12: 2013: imputed_povertygroup 2014: imputed_povertygroup 2015: imputed_povertygroup 2016: imputed_povertygroup	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.18 and Q8.18a. FLAG_IMPUTED_POVERT YGROUP7 indicates whether value was imputed for a given observation If newpovgrps was used to compare income in '02/'03, to later years use imputed_povertygroup instead
imputed_pov200	Household annual income from all sources <200% FPL; imputed		Q8.18, Q8.18a, rq8z18,	1= <200% FPL 2= ≥200% FPL	4,383 5,622	2002-2012: 2013: imputed_pov200	**For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.18
	for those with missing data for pov200		rq8z18a			2014: imputed_pov200 2015: imputed_pov200 2016: imputed_pov200	and Q8.18a FLAG_IMPUTED_ POV200 indicates whether value was imputed for a given observation Not a collapse of imputed_povertygroup **For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
imputed_ povgroup3	3-category household annual income from all sources		imputed_ povertygroup7	1= <200% FPL 2=200 - 399% FPL 3= ≥400% FPL	4,383 1,919 3,703	2002-2012: 2013: imputed_povgroup3 2014: imputed_povgroup3 2015: imputed_povgroup3 2016: imputed_povgroup3	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.18 and Q8.18a FLAG_IMPUTED_POVGROUP3 indicates whether a value was imputed for a given observation **For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves
bmi	About how tall are you without shoes? About how much do you weigh without shoes?	demog120, demog127;	Q8.15; Q8.16	6.92 – 91.30 kg/in ² . = Missing	9,609 396	2002-16: bmi	Body Mass Index (BMI) based on self-reported height and weight.
weight17in4	See bmi		weightin4; probableweig ht17; demog48; demog131	1= Under: bmi<18.5 2=Normal: 18.5\(\section\) bmi<25 3=Overwt: 25\(\section\) bmi<30 4=Obese: 30\(\section\) bmi<100 .=Missing	255 3,565 3,349 2,633 203	2002- 2004: 2005: weight05in4 2006: weight06in4 2007: weight07in4 2008: weight08in4 2009: weight09in4 2010: weight10in4 2011: weight11in4 2012: weight12in4 2013: weight13in4 2014: weight14in4 2015: weight15in4 2016: weight16in4	Includes responses to follow up questions on wt, ht
weight17in5	See bmi		weightin4; probableweight 17	1= Under: <18.5 2=Normal: 18.5≤bmi<25 3=Overwt: 25≤bmi<30 4=Obese:30≤bmi<35 5=Very obese: 35≤bmi<100 .=Missing	255 3,565 3,349 1,649 968 219	2002-10: 2011: weight11in5 2012: weight12in5 2013: weight13in5 2014: weight14in5 2015: weight15in5 2016: weight16in5	Added very obese. Includes responses to follow up questions on wt, ht

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	•	Prior years	NOTES
weightall	See bmi		weightin3; probableweight 17; demog48-51; demog100- 103; demog36- 39; demog131; demog133	1=Und/norm: bmi<25 2=Overwt: 25 <a href="mailto:bbmi<100">bbmi<100 3=Obese: 30 <a href="mailto:bbmi<100">bbmi<100 . =Missing	3,824 3,349 2,645 187	2002-16: weightall	**Weightall should be used for analyses using 3-category weight ** Include responses to follow up questions on wt, ht

NEIGHBORHO	ODS						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	Prior years	NOTES
uhf34	34 United Hospital Fund neighborhoods – few neighborhoods are combined due to the survey design categorized 1 to 34		uhf	1-34 . = Missing	9,974 31	2002: uhf33* 2003-16: uhf34	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov *UHF34 not available in CHS 2002 (uhf33 available) UHFs were not assigned to cell respondents when information was missing.
borough	Borough of residence based on uhf assignment		uhf42; respbo ro	1=Bronx 2=Brooklyn 3=Manhattan 4=Queens 5=Staten Island	1,845 3,332 1,714 2,548 566	2002-16: borough	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov Borough is based first on responses from UHF (from orgzip or qzip1). For cell respondents with missing UHF, self-reported borough is used. NOTE there are some cases where borough based on UHF does not match self-reported borough
dphonew06	District Public Health Offices in New York City		uhf	1=South Bronx 2=East/Cen Harlem 3=North/Cen Bklyn 4=All other areas .=Missing	733 361 1,030 7,850 31	2002: 2003: 2004: 2005: 2006-16: dphonew06	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov DPHO areas were expanded Sept. 2005, therefore dphonew06 (CHS 06-09) not directly comparable to dpho (CHS 02- 05). May consider manually recoding DPHO variable to get a consistent geographic area. For explanation of missing values, see note on 'uhf' variable.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	1)	Prior years	NOTES
imputed_neighpov group4_1216	Neighborhood poverty; percent of zip code population living below 100% FPL per American Community Survey, 2012-2016		fixzip	1= 0 - <10% (low pov) 2=10 - <20% 3=20 - <30% 4=30 - <100% (very hi)	1,625 3,607 2,824 1,949	2002-04: neighpovgroup4_2000 2005-09: neighpovgroup4_0711 2010: neighpovgroup4_0711 2011-2012: neighpovgroup4_0711 2013: neighpovgroup4_0812 2014: neighpovgroup4_0913 2015: neighpovgroup4_1014 2016: imputed_neighpovgroup4_ 1115	Standard Agency area-based poverty measure, based on % of population in respondent's zip code living below 100% FPL per American Community Survey 2012-2016, with imputation of missing cases. The score was generated from an average of 10 imputed datasets. Updated definition where zip codes with zero poverty denominator or missing zip cod were imputed. Respondents with missing zip code were imputed.

CHS 2017 Analytic Codebook - PUBLIC USE DATASET

IMMUNIZATIONS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	<u>(l</u>	Prior years	NOTES
fluvaccineshot	During the past 12 months, have you had a flu shot in your arm or a flu vaccine that was sprayed in your nose?	immuniz10	Q12.1	1=Yes 2=No .d=Don't know .r=Refused	4,780 5,160 62 3	2002-2005: flushot 2006-2016: fluvaccineshot	Question wording changed over time

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	Prior years	NOTES
travel_q1	In the past 12 months, have you traveled to another country or a U.S. territory, such as Puerto Rico or U.S. Virgin Islands?	intravel1	Q13.1	1=Yes 1,45. 2=No 3,53 .d=Don't know .r=Refused .=Missing/not asked 5,01	7 3 1 0	New in 2017. Weight variable: wt18_dual_q1
wheretravel_q1	To what country or territory did you travel?	intravel2	Q13.2	Country frequencies not reported due to length 8888=Multiple countries .=Missing/not asked 8,55	3	Available with a Data Use Agreement. Please contact EpiDataRequest@l ealth.nyc.gov Among those who traveled outside the country in the past 12 months. New in 2017. Weight variable: wt18_dual_q1
visittravel_q1	Was your MAIN reason for traveling to visit friends or relatives?	intravel3	Q13.3	.r=Refused .=Missing/not asked 8,54)) 1 1	New in 2017. Weight variable: wt18_dual_q1
reasontravel3_q1	What was the main reason you traveled?	intravel4	Q13.4	1=Vacation 61 2=Work 8 3=Other 6 .d=Don't Know .r=Refused .=Missing/not asked 9,24	2 1 1 1	New in 2017. Weight variable: wt18_dual_q1 Among those who did not travel to visit friends or relatives.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweight	ed)	Prior years	NOTES
evercolon17	Colonoscopy is an exam in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had a colonoscopy?	sigmoid7	Q14.2; age50up	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	3,964 1,207 11 5 4,818	2002: 2003: evercolon03 2004: evercolon04 2005: evercolon05 2006: evercolon06 2007: evercolon07 2008: evercolon08 2009: evercolon09 2010: evercolon10 2011: evercolon11 2012: evercolon12 2013: evercolon13 2014: evercolon14 2015: evercolon15 2016: evercolon16	Denominator is adults 50+ yrs Question wording modified from '03; using caution when comparing '03 vs. '08 Age-adjustment weight: age50up
colonoscopy10yr17	When was your most recent colonoscopy performed?	sigmoid11	Q14.4; sigmoid7; age50up; sigmoid11	1=Less than10 yrs ago 2=Never or >10yr .d=Don't know .r=Refused . = Missing/Not asked	3,658 1,468 54 7 4,818	2002: colonoscopy10yr 2003: colonoscopy10yr 2004: colonoscopy10yr 2005: colonoscopy10yr05i 2006: colonoscopy10yr07 2007: colonoscopy10yr07 2008: colonoscopy10yr09 2010: colonoscopy10yr09 2010: colonoscopy10yr10 2011: colonoscopy10yr11 2012: colonoscopy10yr11 2013: colonoscopy10yr13 2014: colonoscopy10yr14 2015: colonoscopy10yr15 2016: colonoscopy10yr16	Denominator is persons 50+ yrs Age-adjustment weight: age50up

CANCER SCREEN	ING						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweight	ed)	Prior years	NOTES
evercolon17_45	See evercolon16	sigmoid7	demog1; sigmoid7; age45up	1=Yes 2=No .d=Don't know .r=Refused . = Missing/Not asked	4,270 1,789 13 6 3,927	2002-2006: 2007: evercolon07_45 2008: evercolon08_45 2009: evercolon09_45 2010: evercolon10_45 2011: evercolon11_45 2012: evercolon12_45 2013: evercolon13_45 2014: evercolon14_45 2015: evercolon15_45 2016: evercolon16_45	Denominator is persons 45+ yrs Age-adjustment weight: age45up
colonoscopy10yr_45	See colonoscopy10yr16	sigmoid11	demog1 sigmoid7; age45up	1=≤10 yrs ago 2=Never or >10yrs .d=Don't know .r= Refused . = Missing/Not asked	3,932 2,079 58 9 3,927	2002-2006: 2007-2016: colonoscopy10yr_45	Denominator is persons 45+ yrs Age-adjustment weight: age45up
imputed_paptestall 17	A Pap smear is a test for cancer of the cervix. How long ago was your last pap smear?	female3, female11	Q14.2a	1=Yes 2=No .= not asked	5,012 608 4,385	2002: paptestall 2003: 2004-2010: paptestall 2011: 2012: paptestall12_w2 2013-2016:	Denominator is women. Imputed for first 90 replicates of samples and missing
imputed_timepaptest 17	How long has it been since your last pap smear?	female10, female3, female11	Q14.2b	1=<12 mo ago 2=1 yr to <2 yrs ago 3=2 yrs to <3 yrs ago 4=3 yrs to <5 yrs ago 5=5+ yrs ago . = Missing/Not asked	2,477 1,169 483 308 575 4,993	2002: timepaptest 2003: 2004: timepaptest 2005: timepaptest05 2006: timpaptest06 2007: timepaptest07 2008: timepaptest08 2009: timepaptest09 2010: timepaptest10 2011: 2012: timepaptest12_w2 2013-2016:	Denominator is women ever had pap smear. Question wording has changed over time. Response options in '05-'12 differ from earlier yrs. Compare/combine with caution. Imputed for first 90 replicates of samples and missing

Recoded Variable	Question	Raw Name	Source	Frequency (unweig	ghted)	Prior years	NOTES
hiv12months17	Have you had an HIV test in the last 12 months?	hiv18	Q15.1	1=Yes 2=No .d=Don't know .r=Refused	3,178 6,598 217 12	2002: 2003: hiv6 2004: 2005: hiv12months05 2006: hiv12months07 2008: hiv12months08 2009: hiv12months09 2010: hiv12months10 2011: hiv12months11 2012: hiv12months12 2013: hiv12months13 2014: hiv12months14 2015: hiv12months15 2016: hiv12months15	Question wording differs in '05/'06 v. '07-'09
everhivtest17	Have you ever had an HIV test?	hiv19	Q15.2; hiv18	1=Yes 2=No .d=Don't know .r=Refused	6,314 3,386 298 7	2002-04: 2005: everhivtest05 2006: 2007: everhivtest07 2008: everhivtest08 2009: everhivtest09 2010: everhivtest10 2011: everhivtest11 2012: everhivtest12 2013: everhivtest13 2014: everhivtest14 2015: everhivtest15 2016: everhivtest16	Question wording change over time and response coding/level changed. In 2002 and 2004 question restricted to 18-64 year olds.

SEXUAL BEHAVIO	JK						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
sexbehav_active17	Sexual behavior, past 12 months	sex21, sex32 sex40, sex43	Q16.1f, Q16.2f, Q16.1m, Q16.2m	1=Homosexual 2 2=Bisexual 3=Heterosexual 5,5 4=Incomplete info	236 79 598 24 068	2002: 2003: sexbehav_active 2004: sexbehav_active 2005: sexbehav_active 2006: sexbehav_active 2007: sexbehav_active07 2008: sexbehav_active08 2009: sexbehav_active09 2010: sexbehav_active10 2011: sexbehav_active11 2012: sexbehav_active12 2013: sexbehav_active13 2014: sexbehav_active14 2015: sexbehav_active14	Denominator is all sexually active
sexuallyactive17	Sexually active in past 12 months		sexbehav_active17	2=No 3,2 .=Missing 8	248 320	2002: 2003: sexuallyactive 2004: sexuallyactive 2005: sexuallyactive 2006: sexuallyactive06 2007: sexuallyactive07 2008: sexuallyactive08 2009: sexuallyactive09 2010: sexuallyactive10 2011: sexuallyactive11 2012: sexuallyactive12 2013: sexuallyactive13 2014: sexuallyactive14 2015: sexuallyactive15 2016: sexuallyactive16	Question wording modified across years In 2002 question restricted to 18- 64yrs
imputed_sexpartner	Number of male and female sex partners in the past 12 months		sex21, sex43, sex32, sex40	2=One 5,3 3=Two 4	557 334 481 633	2002: 2003-2016: sexpartner	Question wording modified across years In 2002 question restricted to 18-64yrs Missing values were imputed.

	T	T	T	1			T
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
WSW	Women who have sex with	sex32, sex21	Q16.7f	1=Yes	126	2002:	WSW:
	women, past 12 months		Q16.1f	2=No	2,816	2003-2016: wsw	denominator is
			demog72	. =Missing/Not asked	7,063		sexually active
							women
							In 2002 question
							restricted to 18-
							64yrs
wswexclusive	Women who have sex with	sex32,	Q16.7f	1=Yes	74	2002:	Denominator is
	women, exclusively in	sex21	Q16.1f	2=No	2,875	2003-2016: wswexclusive	sexually active
	past 12 months		demog72	. =Missing/Not asked	7,056		women
							In 2002 question
							restricted to 18-
							64yrs
msm	Men who have sex with	sex43, sex40	Q16.2m	1=Yes	193	2002:	MSM: denominator
	men, past 12 months		Q16.1m	2=No	2,782	2003-2016: msm	is sexually active
			demog72	. =Missing/Not asked	7,030		men
							In 2002 question
							restricted to 18-
		40	01.50	4 77	1.52	2002	64yrs
msmexclusive	Men who have sex with	sex43,	Q16.2m,	1=Yes	162	2002: 2003-2016: msmexclusive	Question wording
	men, exclusively in past	sex40	Q16.1m	2=No	2,822	2003-2016: Insiliexclusive	modified across
	12 months		demog72	. =Missing/Not asked	7,021		years
							Denominator is
							sexually active
							men
							In 2002 question
							restricted to 18-
							64yrs

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
condom17	The last time you had sex, did you use a condom? Among all sexually active	sex60, sex98, sex45, sex46	Q16.2f Q16.3m, Q16.4m, Q16.5m	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	1,692 4,108 21 38 4,146	2002: 2003: condom03 2004: condomNOToral 2005: condom05 2006: condom06 2007: 2008: condom09 2010: condom10 2011: condom11 2012: condom12 2013: condom13 2014: condom14 2015: condom15 2016: condom16	Among those sexually active in last 12 months. In 2007 condom use question was not asked of MSM exclusive so condomuse07 not directly comparable to any other years In 2002 question restricted to 18-64yrs
condomusetrend	The last time you had sex, did you use a condom? Among sexually active 18-64 year olds who had sex with 1 or more partners of opposite sex in past 12 months		sex60, sex45, sex46, sex98; msmexclusive, wswexclusive	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	1,528 3,356 15 30 5,076	2002-2016: condomusetrend	Denominator is persons 18-64 yrs who had sex with ≥1 partner of opposite sex in past 12 months
analsex	In the past 12 months, have you had anal sex?	sex61, sex68	Q16.5f, sex21; Q16.8m, sex40, sex43	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	447 5,331 27 54 4,146	2002-2006: 2007: analsex 2008: 2009-2015: analsex	Denominator is WSM and MSWM
analsexcondomuse17	In the past 12 months, when you have had anal sex have you or your partner used a condom?	sex92, sex93	Q16.6f (sex92), Q16.9m (sex93)	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	155 287 3 2 9,558	2002-2014: 2015: analsexcondomuse15 2016: analsexcondomuse16	Denominator is those report anal sex Response options changed

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
otherbcnotcondom	The last time you had vaginal sex, did you or your partner use any other method of birth control besides condoms to	sex94, sex99	Q16.3f, Q16.6m	1=Yes 2=No 3=[VOL] Never had vaginal sex .d=Don't know	992 2980 4	2002-2016:	Question asked differently in 2016 Denominator is women 18-45 and
	prevent a pregnancy?			.r=Refused .=Missing/Not asked	23 5,970		men 18-65 with at least one opposite sex partner
bthcntrltype17	Type of birth control used at last vaginal sex (EXCLUDES condoms)		otherbc1_17, otherbc2_17, otherbc3_17, otherbc4_17, otherbc5_17, otherbc6_17, otherbc7_17	1=No contraception 2=Pill only 3=Pill + other methods (incl. shots, vaginal ring, patch, IUD/Implace, EC) 4= Shots, vaginal ring, or patch 5=IUD or implant 6=EC 7=Other 8=Sterilization .=Missing/not asked.	2,980 457 6 96 248 22 60 80 6,056	2002-2012: 2013-2014: bthcontroltype 2015: 2016: bthcntrltype	Denominator is women 18-45 and men 18-65 with at least one opposite sex partner Categories DO NOT include condom use Not comparable to 2013, 2014
bthcontrollastsex17	Any birth control at last sex (includes condom use)		condom17, otherbcnotcon dom, bthcontroltype 17	1=Yes 2=No .=Missing/Not asked	2,078 1,905 6,022	2002-2012: 2013-2014: bthcontrollastsex 2015: 2016: bthcontrollastsex16	Denominator is women 18-45 and men 18-65 with at least one opposite sex partner Includes condom use Comparable to 2013, 2014
everheardofprep	Have you heard of PrEP (Pre-Exposure Prophylaxis)?	sex96, sex102	Q16.8f, sex21, sex32, Q16.10m, sex40, sex43	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	1,545 4,363 25 4 4,068	2002-2015: 2016: everheardofprep	

SEXUAL BEHAVIO	OR .						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
everusedprep17	Have you ever used PrEP	sex96,	Q16.9f, sex96,	1=Yes	49	2002-2015:	Question wording
	to prevent yourself from	sex101	Q16.11m,	2=No	1,494	2016: everusedprep	changed in 2017.
	becoming infected with		Sex102	.d=Don't know	2		
	HIV?			.r=Refused	0		
				. =Missing/Not asked	8,460		

Recoded Variable	Question	Raw Name	Source	Frequencies (unwe	ighted)	Prior years	NOTES
drinker	Consumed at least one alcohol drink in past 30 days	drink9	Q17.1	1=Yes 2=No .d=Don't know .r=Refused	5,408 4,520 61 16	2002-05: drinker 2006: 2007-16: drinker	Values for none, no drinks have changed over time
daysalc30	A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. During the past 30 days, how many days per week or per month did you have at least 1 drink of any alcoholic beverage? STANDARDIZED TO PER MONTH	drink9	Q17.1	0 – 30.1 .d=Don't know .r=Refused	9,928 61 16	2002-05: daysalc30 2006: 2007-16: daysalc30	Continuous measure standardized to days per month
averagedrink17	On the days when you drank, about how many drinks did you drink on average? Standardized to average number of drinks per day in last 30 days)	drink5	Q17.2; drink9	0 – 26.7 .d=Don't know .r=Refused . = Missing	9,871 51 6 77	2002-04: averagedrink 2005: averagedrink05 2006: 2007: averagedrink07 2008: averagedrink08 2009: averagedrink09 2010: averagedrink10 2011: averagedrink11 2012: averagedrink12 2013: averagedrink13 2014: averagedrink14 2015: averagedrink15 2016: averagedrink16	

Recoded Variable	Question	Raw Name	Source	Frequencies (unwe	eighted)	Prior years	NOTES
heavydrink17 Heavy men ha day or	Heavy drinking defined as men having >2 drinks per day or women having >1 drink per day		averagedrink17; drinker; sex	1=Yes 2=No .=Missing	496 9,367 142	2002-04: heavydrink 2005: heavydrink05 2006: 2007: heavydrink07 2008: heavydrink08 2009: heavydrink10 2010: heavydrink11 2011: heavydrink11 2012: heavydrink12 2013: heavydrink13 2014: heavydrink14 2015: heavydrink15 2016: heavydrink16	
bingenew	During the past 30 days had [men: 5 or more drinks on one occasion] [women: 4 or more drinks on one occasion]	drink10	Q17.3; drinker	1=Yes 2=No .d=Don't know .r=Refused	1,400 8,473 112 20	2002-2010: not comparable 2011-2016: bingenew	Change to question in 201 among women asked 4 or more drinks on one occasion.

HOUSING, ENVIRO	NMENT, AND NOISE						
Recoded Variable	Question	Raw Name	Source	Frequency (unweighte	ed)	Prior years	NOTES
homeownership17	Is this home or apartment owned or rented?	housing32	Q6.1	1=Owned 2=Rented 3=[VOL] Occupied with no rent .d=Don't know .r=Refused	3,196 6,667 70 22 50	2002-2004: 2005: housing3 2006-2008: 2009: homeownership09 2010-2012: 2013: homeownership13 2014: homeownership14 2015-2016:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc. gov Question wording and response options changed over time
lowinchousing17	Are you: a public housing resident, receive rental assistance such as Section 8, rent-controlled or rent-stabilized, or neither?	housing51	Q6.3	1=Public housing resident 2=Rental assistance 3= Rent-controlled/ rent-stabilized 4=Neither .d=Don't know .r=Refused .= Missing/not asked	897 672 1,421 3,595 203 21 3,196	2002-2014: 2015: lowinchousing 2016: lowinchousing_q1	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc. gov Asked among non-home owners. Question wording and response options have changed over time.
howlong17new	How long have you lived in your home or apartment?	housing52y, housing52m	Q6.4	1=<1 year 2=1-<4 years 3=4+ years .= Missing/not asked	635 1,892 7,380 98	2002-2004: 2005: housing1, housing2 2006-2016:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov Question wording has changed since last asked in 2005.

HOUSING, ENVIRONMENT, AND NOISE								
Recoded Variable	Question	Raw Name	Source	Frequency (unweighted	d)	Prior years	NOTES	
whereliving17	Where were you living 2 years ago?	housing53	Q6.5	1=Different home, same neighborhood 2=Different neighborhood, same borough 3=Different borough 4=Outside of NYC .d=Don't know .r=Refused .=Missing/not asked	329 364 227 290 13 6 8,776	2002-2014: 2015: whereliving 2016:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nycgov Question wording and response options have changed over time. Asked among people who lived in current home or apartment less than 2 years	
imputed_helpneighbors 17_cat	People in your neighborhood are willing to help their neighbors.	neighb2	Q19.4	1=Strongly Agree 2=Somewhat Agree 3=Neither Agree nor Disagree 4=Somewhat disagree 5=Strongly Disagree	4,033 3,899 924 646 503	2002-2014: 2015: helpneighbors 2016: helpneighbors	Question wording changed in 2017. Missing values were imputed.	
imputed_neighborg	Suppose that because of budget cuts the fire station closest to your home was going to be closed down by the city. How likely is it that people in your neighborhood would organize to try and do something to keep the fire station open?		Q19.3	1=Very likely 2=Somewhat likely 3=Neither likely nor unlikely 4=Somewhat unlikely 5=Very unlikely	4,731 2,677 617 997 983	2002-2016:	New in 2017 Missing values were imputed.	
imputed_adultslookup	There are adults in your neighborhood that children can look up to.	neighb3	Q19.5	1=Strongly Agree 2=Somewhat Agree 3=Neither Agree nor Disagree 4=Somewhat disagree 5=Strongly Disagree	4,377 3,277 1,131 700 520	2002-2016:	New in 2017 Missing values were imputed.	

JUSTICE INVOLVE	MENT						
Recoded Variable	Question	Raw Name	Source	Frequency (unweig	ghted)	Prior years	NOTES
timeprison	Have you ever in your life, spent any amount of time in a juvenile or adult correctional facility, jail, prison, or detention center OR have you ever been under probation or parole supervision?	justice1	Q21.1	1=Yes 2=No .d=Don't know .r=Refused	762 9,191 21 31	2002-2016:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc. gov New in 2017
familyprison	Has an immediate family member such as a spouse or partner, child, sibling, or parent ever spent any amount of time in a juvenile or adult correctional facility, jail, prison, or detention center OR ever been under probation or parole supervision?	justice2	Q21.2	1=Yes 2=No .d=Don't know .r=Refused	1,206 8,662 88 49	2002-2016:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc. gov New in 2017

ADMINISTRATIVE								
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES	
survey	Survey number		BES	18	10,005	2002-2016: survey		
strata	Stratification/nesting variable for analysis		ABT/SBRI	1-44	10,005	2002-16:strata	Strata is defined differently in 2002; 2003 2008; 2009-2015 and 2016, but this variable should be used for all years of the survey as defined in each year	
cid	Unique identifier across all years of CHS		BES	continuous	10,005	2002-16: cid		
qxvers	identifies which VERSION of the questionnaire the respondent received		ABT/SBRI	1=Long VERSION (Version 1) 2=Short VERSION	4,995 5,010		Respondents were randomly selected to receive the long VERSION. Questions in the long version have "_q1" suffix.	
wt18_dual	Survey weight for analysis of CHS 2017 data		ABT/SBRI	[58.7-6219.5]	10,005			
wt18_dual_q1	Survey weight for analysis of CHS 2017 questions only asked in long questionnaire		ABT/SBRI	[74-14,734]	10,005		Restrict analysis to qxvers=1	