

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	25	1.5
		2	13 years old	72	2.9
		3	14 years old	518	22.6
		4	15 years old	534	25.4
		5	16 years old	577	24.0
		6	17 years old	495	18.3
		7	18 years old or older	127	5.3
		Missing	15		
18-18	Q2	What is your sex?			
		1	Female	1,164	47.6
		2	Male	1,167	52.4
		Missing	32		
19-19	Q3	In what grade are you?			
		1	9th grade	654	29.6
		2	10th grade	545	26.5
		3	11th grade	541	22.4
		4	12th grade	587	21.3
		Ungraded or other grade	5	0.2	
		Missing	31		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,399	58.1
		2	No	896	41.9
		Missing	68		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.1
		G	1	0.0
		F	10	0.8
		E	231	14.0
		D	162	9.4
		DE	3	0.1
		C	867	55.7
		C F	1	0.1
		C E	26	1.0
		CD	11	0.5
		CDE	2	0.1
		B	245	8.4
		B E	8	0.7
		B D	3	0.1
		BC	7	0.3
		BC E	2	0.1
		A	101	6.6
		A E	2	0.2
		A D	2	0.1
		A C	16	1.0
		A C H	1	0.0
		A C E	2	0.2
		A CD	3	0.1
		A CDE	1	0.0
		AB	1	0.1
		AB DE	1	0.1
		ABC E	1	0.0
		ABCDE	3	0.2
			648	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,121	89.4
		2 1 day	68	3.4
		3 2 or 3 days	51	2.4
		4 4 or 5 days	21	0.9
		5 6 or more days	79	3.8
		Missing	23	
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	2,199	92.9
		2 1 day	47	2.5
		3 2 or 3 days	26	1.4
		4 4 or 5 days	22	1.3
		5 6 or more days	38	1.9
		Missing	31	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,103	89.9
		2 1 day	100	4.7
		3 2 or 3 days	57	2.7
		4 4 or 5 days	15	0.8
		5 6 or more days	40	1.8
		Missing	48	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	2,148	90.6
		2	1 time	87	4.2
		3	2 or 3 times	43	1.7
		4	4 or 5 times	18	1.0
		5	6 or 7 times	18	1.0
		6	8 or 9 times	6	0.4
		7	10 or 11 times	4	0.1
		8	12 or more times	24	0.9
		Missing	15		
48-48	Q17	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,793	74.4
		2	1 time	243	10.9
		3	2 or 3 times	177	8.1
		4	4 or 5 times	47	2.6
		5	6 or 7 times	24	1.2
		6	8 or 9 times	12	0.6
		7	10 or 11 times	8	0.3
		8	12 or more times	37	1.9
		Missing	22		
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?			
		1	0 times	2,035	89.2
		2	1 time	104	4.9
		3	2 or 3 times	59	2.7
		4	4 or 5 times	31	1.9
		5	6 or more times	25	1.3
		Missing	109		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	1,084	51.6
		2	0 times	948	45.4
		3	1 time	27	1.4
		4	2 or 3 times	13	0.7
		5	4 or 5 times	5	0.3
		6	6 or more times	14	0.7
			Missing	272	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	1,079	49.9
		2	0 times	951	44.2
		3	1 time	42	2.3
		4	2 or 3 times	38	1.9
		5	4 or 5 times	12	0.6
		6	6 or more times	22	1.2
			Missing	219	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	357	17.5
		2	No	1,933	82.5
		Missing	73		
55-55	Q24	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	323	15.4
		2	No	1,954	84.6
		Missing	86		
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	760	34.5
		2	No	1,505	65.5
		Missing	98		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	332	15.3
		2 No	1,938	84.7
		Missing	93	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,655	88.2
		2 1 time	79	4.7
		3 2 or 3 times	64	4.3
		4 4 or 5 times	24	1.6
		5 6 or more times	18	1.2
		Missing	523	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,664	90.3
		2 Yes	55	3.3
		3 No	108	6.4
		Missing	536	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	194	9.9
		2 No	1,888	90.1
		Missing	281	
62-62	Q31	How old were you when you first tried cigarette smoking, even one or two puffs?		
		1 I have never tried cigarette smoking, not even one or two puffs	1,879	87.7
		2 8 years old or younger	67	3.9
		3 9 or 10 years old	33	1.6
		4 11 or 12 years old	35	1.9
		5 13 or 14 years old	50	2.5
		6 15 or 16 years old	40	1.9
		7 17 years old or older	10	0.5
		Missing	249	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	2,123	96.1
		2	1 or 2 days	21	1.4
		3	3 to 5 days	13	0.6
		4	6 to 9 days	11	0.7
		5	10 to 19 days	8	0.4
		6	20 to 29 days	6	0.4
		7	All 30 days	10	0.4
			Missing	171	
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	2,107	96.1
		2	Less than 1 cigarette per day	23	1.4
		3	1 cigarette per day	9	0.6
		4	2 to 5 cigarettes per day	15	0.8
		5	6 to 10 cigarettes per day	7	0.5
		6	11 to 20 cigarettes per day	6	0.4
		7	More than 20 cigarettes per day	7	0.3
			Missing	189	
65-65	Q34	Have you ever used an electronic vapor product?			
		1	Yes	798	37.2
		2	No	1,357	62.8
		Missing	208		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,768	85.3
		2	1 or 2 days	140	6.8
		3	3 to 5 days	55	2.9
		4	6 to 9 days	36	2.0
		5	10 to 19 days	34	1.5
		6	20 to 29 days	9	0.5
		7	All 30 days	23	1.1
			Missing	298	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
67-67	Q36	During the past 30 days, how did you usually get your own electronic vapor products?			
		1	I did not use any electronic vapor products during the past 30 days	1,723	85.3
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	71	3.9
		3	I got them on the Internet	20	1.2
		4	I gave someone else money to buy them for me	28	1.7
		5	I borrowed them from someone else	106	4.8
		6	A person who can legally buy these products gave them to me	19	0.8
		7	I took them from a store or another person	14	0.7
		8	I got them some other way	32	1.7
		Missing	350		
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	2,038	91.1
		2	1 or 2 days	52	3.3
		3	3 to 5 days	37	2.3
		4	6 to 9 days	25	1.7
		5	10 to 19 days	15	0.8
		6	20 to 29 days	6	0.4
		7	All 30 days	9	0.4
		Missing	181		
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	1,172	56.0
		2	8 years old or younger	175	9.1
		3	9 or 10 years old	101	4.8
		4	11 or 12 years old	151	7.5
		5	13 or 14 years old	249	11.2
		6	15 or 16 years old	199	9.9
		7	17 years old or older	34	1.5
		Missing	282		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,658	78.9
		2	1 or 2 days	253	12.7
		3	3 to 5 days	89	4.3
		4	6 to 9 days	40	2.4
		5	10 to 19 days	20	1.0
		6	20 to 29 days	5	0.3
		7	All 30 days	10	0.5
			Missing	288	
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
		1	0 days	1,899	90.7
		2	1 day	89	4.2
		3	2 days	57	3.0
		4	3 to 5 days	23	1.0
		5	6 to 9 days	6	0.5
		6	10 to 19 days	3	0.2
		7	20 or more days	7	0.4
			Missing	279	
77-77	Q46	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,484	69.6
		2	8 years old or younger	58	3.6
		3	9 or 10 years old	35	2.2
		4	11 or 12 years old	56	3.4
		5	13 or 14 years old	222	10.6
		6	15 or 16 years old	205	9.0
		7	17 years old or older	38	1.6
			Missing	265	
78-78	Q47	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,755	81.4
		2	1 or 2 times	137	6.5
		3	3 to 9 times	109	5.5
		4	10 to 19 times	57	3.0
		5	20 to 39 times	34	1.5
		6	40 or more times	42	2.1
	Missing	229			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During your life, how many times have you used synthetic marijuana?		
		1 0 times	1,941	88.5
		2 1 or 2 times	108	6.2
		3 3 to 9 times	48	2.9
		4 10 to 19 times	24	1.1
		5 20 to 39 times	16	0.7
		6 40 or more times	12	0.5
		Missing	214	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,046	93.1
		2 1 or 2 times	36	2.2
		3 3 to 9 times	28	1.9
		4 10 to 19 times	18	1.1
		5 20 to 39 times	16	0.9
		6 40 or more times	16	0.8
		Missing	203	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,021	92.2
		2 1 or 2 times	49	3.2
		3 3 to 9 times	27	1.7
		4 10 to 19 times	24	1.7
		5 20 to 39 times	13	0.8
		6 40 or more times	12	0.4
		Missing	217	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?		
		1 0 times	2,020	92.5
		2 1 or 2 times	49	3.5
		3 3 to 9 times	30	1.9
		4 10 to 19 times	19	1.1
		5 20 to 39 times	5	0.3
		6 40 or more times	15	0.7
		Missing	225	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,007	94.2
		2 1 time	48	3.0
		3 2 or more times	45	2.8
		Missing	263	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	502	30.8
		2 No	1,172	69.2
		Missing	689	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,164	68.3
		2 11 years old or younger	31	1.9
		3 12 years old	33	2.5
		4 13 years old	72	4.6
		5 14 years old	121	7.2
		6 15 years old	119	6.8
		7 16 years old	89	5.8
		8 17 years old or older	49	2.9
		Missing	685	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,155	68.8
		2 1 person	251	15.7
		3 2 people	94	5.5
		4 3 people	55	3.4
		5 4 people	35	2.1
		6 5 people	17	1.4
		7 6 or more people	51	3.1
Missing	705			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	1,143	68.7
		2	I have had sexual intercourse, but not during the past 3 months	159	10.2
		3	1 person	265	16.1
		4	2 people	29	1.9
		5	3 people	23	1.5
		6	4 people	8	0.6
		7	5 people	7	0.5
		8	6 or more people	7	0.5
		Missing	722		
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	1,149	69.3
		2	Yes	78	5.2
		3	No	412	25.5
		Missing	724		
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,147	70.6
		2	Yes	265	17.0
		3	No	197	12.4
		Missing	754		
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,139	70.0
		2	No method was used to prevent pregnancy	90	6.5
		3	Birth control pills	62	3.8
		4	Condoms	213	13.3
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	20	1.0
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	35	2.2
		7	Withdrawal or some other method	31	1.7
		8	Not sure	19	1.4
		Missing	754		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	953	52.1
		2 Females	430	24.3
		3 Males	289	17.3
		4 Females and males	98	6.3
		Missing	593	
97-97	Q66	Which of the following best describes you?		
		1 Heterosexual (straight)	1,865	80.5
		2 Gay or lesbian	73	3.8
		3 Bisexual	231	10.1
		4 Not sure	129	5.6
		Missing	65	
100-100	Q69	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	616	32.7
		2 1 to 3 times during the past 7 days	736	36.2
		3 4 to 6 times during the past 7 days	237	11.8
		4 1 time per day	119	6.2
		5 2 times per day	96	5.2
		6 3 times per day	55	2.9
		7 4 or more times per day	94	5.2
		Missing	410	
101-101	Q70	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	469	26.9
		2 1 to 3 times during the past 7 days	705	35.0
		3 4 to 6 times during the past 7 days	329	15.7
		4 1 time per day	144	7.3
		5 2 times per day	120	6.2
		6 3 times per day	62	3.4
		7 4 or more times per day	107	5.6
		Missing	427	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
106-106	Q75	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	622	33.6
		2 1 to 3 times during the past 7 days	779	38.1
		3 4 to 6 times during the past 7 days	246	13.2
		4 1 time per day	79	4.6
		5 2 times per day	81	4.4
		6 3 times per day	47	2.6
		7 4 or more times per day	64	3.5
		Missing	445	
109-109	Q78	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	482	28.7
		2 1 day	211	12.0
		3 2 days	235	11.6
		4 3 days	261	12.9
		5 4 days	184	8.7
		6 5 days	194	8.8
		7 6 days	86	4.2
		8 7 days	253	13.1
Missing	457			
110-110	Q79	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	689	36.8
		2 Less than 1 hour per day	317	17.4
		3 1 hour per day	205	10.8
		4 2 hours per day	236	12.3
		5 3 hours per day	210	11.2
		6 4 hours per day	83	4.0
		7 5 or more hours per day	136	7.5
Missing	487			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
111-111	Q80	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	450	26.0
		2	Less than 1 hour per day	197	11.3
		3	1 hour per day	191	10.2
		4	2 hours per day	222	11.6
		5	3 hours per day	184	9.5
		6	4 hours per day	187	9.7
		7	5 or more hours per day	433	21.7
		Missing	499		
112-112	Q81	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	225	15.5
		2	1 day	85	5.4
		3	2 days	450	22.3
		4	3 days	620	30.8
		5	4 days	134	5.3
		6	5 days	356	20.7
		Missing	493		
115-115	Q84	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	478	27.8
		2	No	1,103	60.0
		3	Not sure	230	12.2
		Missing	552		
116-116	Q85	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?			
		1	Yes	361	21.4
		2	No	1,254	69.0
		3	Not sure	171	9.7
		Missing	577		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	1,207	66.3
		2	Between 12 and 24 months ago	269	14.6
		3	More than 24 months ago	117	6.9
		4	Never	61	3.6
		5	Not sure	144	8.6
		Missing	565		
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	511	29.9
		2	No	1,135	63.3
		3	Not sure	113	6.8
		Missing	604		
119-119	Q88	On an average school night, how many hours of sleep do you get?			
		1	4 or less hours	340	21.5
		2	5 hours	263	15.5
		3	6 hours	424	22.1
		4	7 hours	414	21.7
		5	8 hours	234	12.8
		6	9 hours	79	4.4
		7	10 or more hours	31	1.9
		Missing	578		
121-121	Q90	What borough of New York do you live in?			
		1	Bronx	2,002	86.3
		2	Brooklyn	43	2.0
		3	Manhattan	137	6.4
		4	Queens	134	4.6
		5	Staten Island	11	0.7
		Missing	36		
122-122	Q91	How often do the people in your home speak a language other than English?			
		1	Never	342	17.7
		2	Rarely	199	8.5
		3	Sometimes	441	18.3
		4	Most of the time	625	25.5
		5	Always	720	30.0
		Missing	36		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
123-123	Q92	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	2,175	94.2
		2 Yes, I am transgender	33	1.2
		3 I am not sure if I am transgender	39	2.1
		4 I do not know what this question is asking	58	2.4
		Missing	58	
124-124	Q93	What was your sex assigned at birth?		
		1 Female	1,203	50.6
		2 Male	1,104	49.4
		Missing	56	
125-125	Q94	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	359	17.2
		2 Mostly feminine	396	16.4
		3 Somewhat feminine	231	9.5
		4 Equally feminine and masculine	336	15.0
		5 Somewhat masculine	151	7.6
		6 Mostly masculine	343	14.7
		7 Very masculine	434	19.7
		Missing	113	
126-126	Q95	During the past 12 months, how many times did you witness someone being physically hurt on purpose?		
		1 0 times	1,232	54.5
		2 1 time	389	17.3
		3 2 or more times	624	28.2
		Missing	118	
127-127	Q96	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,878	81.0
		2 1 time	196	9.3
		3 2 or 3 times	117	5.2
		4 4 or 5 times	43	2.2
		5 6 or more times	56	2.4
		Missing	73	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	2,089	93.5
		2	I bought them in a store such as a convenience store, supermarket, or gas station	30	2.0
		3	I bought them on the Internet	25	1.6
		4	I bummed them	19	1.2
		5	Someone gave them to me or bought them for me	13	0.7
		6	I stole them	6	0.3
		7	I got them some other way	13	0.8
		Missing	168		
129-129	Q98	Menthol cigarettes are cigarettes that taste like mint. Are the cigarettes you usually smoke menthol?			
		1	I do not smoke cigarettes	1,986	88.8
		2	Yes	74	4.2
		3	No	137	7.0
		Missing	166		
130-130	Q99	How old were you when you tried an electronic vapor product for the first time?			
		1	I have never tried an electronic vapor product	1,463	66.7
		2	8 years old or younger	75	4.2
		3	9 or 10 years old	36	1.8
		4	11 or 12 years old	81	4.1
		5	13 or 14 years old	260	11.6
		6	15 or 16 years old	246	9.9
		7	17 years old or older	40	1.6
		Missing	162		
131-131	Q100	Which flavor of electronic vapor products do you typically use?			
		1	I do not use electronic vapor products	1,659	77.4
		2	Tobacco or no flavor	43	2.5
		3	Mint or menthol	147	6.4
		4	Chocolate, candy, fruit, or cinnamon	275	12.4
		5	Alcohol or other flavor	26	1.2
		Missing	213		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
132-132	Q101	How harmful is using an electronic vapor product compared to smoking regular cigarettes?		
		1 I do not know enough about electronic vapor products to answer	1,278	59.9
		2 Using electronic vapor products is less harmful than smoking regular cigarettes	244	11.0
		3 Using electronic vapor products is more harmful than smoking regular cigarettes	280	13.0
		4 Using electronic vapor products and smoking regular cigarettes are equally harmful	377	16.1
		Missing	184	
133-133	Q102	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,843	84.3
		2 1 or 2 times	143	8.1
		3 3 to 9 times	74	4.0
		4 10 to 19 times	31	1.6
		5 20 to 39 times	17	0.9
		6 40 or more times	20	1.0
		Missing	235	
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,989	91.6
		2 1 or 2 times	54	3.3
		3 3 to 9 times	42	2.8
		4 10 to 19 times	17	1.2
		5 20 to 39 times	10	0.5
		6 40 or more times	14	0.6
		Missing	237	
135-135	Q104	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,987	91.7
		2 1 or 2 times	54	3.5
		3 3 to 9 times	42	2.6
		4 10 to 19 times	18	1.2
		5 20 to 39 times	8	0.6
		6 40 or more times	13	0.6
		Missing	241	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
136-136	Q105	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,984	92.1
		2	1 or 2 times	41	2.7
		3	3 to 9 times	35	2.4
		4	10 to 19 times	24	1.2
		5	20 to 39 times	12	0.9
		6	40 or more times	14	0.6
			Missing	253	
137-137	Q106	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,165	65.2
		2	No method was used to prevent pregnancy	137	8.9
		3	Birth control pills	45	2.8
		4	Condoms	345	18.8
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	11	0.5
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	16	1.0
		7	Withdrawal or some other method	26	1.6
		8	Not sure	19	1.3
	Missing	599			
138-138	Q107	What is the primary reason you or your partner did not use a condom the last time you had sexual intercourse?			
		1	I have never had sexual intercourse	1,137	65.7
		2	My partner or I used a condom the last time I had sexual intercourse	274	16.3
		3	We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant)	112	5.7
		4	My partner did not want to use a condom	23	1.9
		5	I do not like the way a condom feels	53	3.3
		6	I did not expect to have sex at that time	58	3.7
		7	Some other reason	56	3.5
	Missing	650			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
---------------	---------------	-------------------------	----------------------	---------------------

139-139	Q108	The last time you used birth control, from where did you or your partner get it?		
---------	------	--	--	--

DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

140-140	Q109	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,123	67.1
		2 Yes	69	4.7
		3 No	417	25.0
		4 Not sure	51	3.2
		Missing	703	
141-141	Q110	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	31	2.5
		2 No	1,631	93.1
		3 Not sure	69	4.4
		Missing	632	
142-142	Q111	Did you receive sex education in your middle school health education class?		
		1 I did not have a health education class in middle school	432	22.9
		2 Yes	1,143	56.8
		3 No	273	13.7
		4 Not sure	123	6.6
		Missing	392	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
143-143	Q112	Did you receive sex education in your high school health education class?			
		1	I did not have a health education class in high school	335	19.5
		2	Yes	1,144	56.3
		3	No	337	17.7
		4	Not sure	144	6.6
		Missing	403		
144-144	Q113	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?			
		1	I did not eat vegetables during the past 7 days	521	29.0
		2	1 to 3 times during the past 7 days	690	35.6
		3	4 to 6 times during the past 7 days	322	15.2
		4	1 time per day	153	7.8
		5	2 times per day	108	5.4
		6	3 times per day	53	2.8
		7	4 or more times per day	84	4.3
		Missing	432		
145-145	Q114	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	563	31.9
		2	1 to 3 times during the past 7 days	775	38.6
		3	4 to 6 times during the past 7 days	263	13.2
		4	1 time per day	110	5.8
		5	2 times per day	84	4.3
		6	3 times per day	40	2.4
		7	4 or more times per day	70	3.8
		Missing	458		
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	260	15.5
		2	At least once a month	169	10.5
		3	A few times a year	388	20.4
		4	Never	1,014	53.6
		Missing	532		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
147-147	Q116	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	1,362	75.1
		2 No	336	19.2
		3 Not sure	97	5.7
		Missing	568	
148-148	Q117	Has a dentist, doctor, or nurse ever told you that you have a dental cavity or decayed teeth?		
		1 Yes	742	42.1
		2 No	885	49.0
		3 Not sure	161	8.9
		Missing	575	
149-149	Q118	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	683	38.5
		2 Yes	256	15.4
		3 No	745	42.5
		4 Not sure	65	3.6
Missing	614			
150-150	Q119	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,574	86.0
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	106	7.6
		3 In a foster or group home	46	3.1
		4 In a shelter or emergency housing	25	1.7
		5 In a motel or hotel	7	0.8
		6 In a car, park, campground, or other public place	3	0.1
		7 I did not have a usual place to sleep	6	0.3
		8 Somewhere else	5	0.4
Missing	591			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
151-151	Q120	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?			
		1	Yes	215	16.2
		2	No	1,448	83.8
			Missing	700	
152-152	Q121	During the past 12 months, how often did you worry that food at home would run out before your family got money to buy more?			
		1	Often	189	13.9
		2	Sometimes	327	19.8
		3	Never	1,199	66.3
			Missing	648	
153-153	Q122	During the past 12 months, how often did the food that your family bought run out and there was no money to buy more?			
		1	Often	144	11.5
		2	Sometimes	252	15.9
		3	Never	1,299	72.6
			Missing	668	
154-154	Q123	Has either of your parents spent time in jail or prison?			
		1	Yes	372	25.2
		2	No	1,121	64.8
		3	Not sure	159	10.0
			Missing	711	
155-155	Q124	Have you ever been arrested?			
		1	Yes	212	16.0
		2	No	1,466	84.0
			Missing	685	
156-156	Q125	Do you agree or disagree that you feel close to people at your school?			
		1	Strongly agree	402	24.9
		2	Agree	756	41.2
		3	Not sure	362	20.8
		4	Disagree	122	7.2
		5	Strongly disagree	87	5.9
			Missing	634	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	1,044	61.3
		2 No	376	23.3
		3 Not sure	258	15.4
		Missing	685	
158-158	Q127	During the past two years, have you had your eyes examined by an eye doctor?		
		1 No, I have not had my eyes examined by an eye doctor during the past two years	408	27.7
		2 Yes, I have had my eyes examined by an eye doctor during the past two years	1,170	64.8
		3 Not sure	138	7.5
		Missing	647	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	219	10.6
		2 No	2,121	89.4
		Missing	23	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	133	7.1
		2 No	2,199	92.9
		Missing	31	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	212	10.1
		2 No	2,103	89.9
		Missing	48	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	200	9.4
		2 No	2,148	90.6
		Missing	15	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	548	25.6
		2 No	1,793	74.4
		Missing	22	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes	219	10.8
		2 No	2,035	89.2
		Missing	109	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	59	6.2
		2 No	948	93.8
		Missing	1,356	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	114	11.9
		2 No	951	88.1
		Missing	1,298	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	357	17.5
		2 No	1,933	82.5
		Missing	73	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	323	15.4
		2 No	1,954	84.6
		Missing	86	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	760	34.5
		2 No	1,505	65.5
		Missing	98	
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	332	15.3
		2 No	1,938	84.7
		Missing	93	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	185	11.8
		2 No	1,655	88.2
		Missing	523	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	55	3.3
		2 No	1,772	96.7
		Missing	536	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	194	9.9
		2 No	1,888	90.1
		Missing	281	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	135	7.4
		2 No	1,979	92.6
		Missing	249	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	69	3.9
		2 No	2,123	96.1
		Missing	171	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	13	17.5
		2 No	52	82.5
		Missing	2,298	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	798	37.2
		2 No	1,357	62.8
		Missing	208	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	297	14.7
		2	No	1,768	85.3
			Missing	298	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)			
		1	Yes	62	24.9
		2	No	203	75.1
			Missing	2,098	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	144	8.9
		2	No	2,038	91.1
			Missing	181	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	427	21.4
		2	No	1,654	78.6
			Missing	282	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	417	21.1
		2	No	1,658	78.9
			Missing	288	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	185	9.3
		2 No	1,899	90.7
		Missing	279	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	149	9.2
		2 No	1,949	90.8
		Missing	265	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	379	18.6
		2 No	1,755	81.4
		Missing	229	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	208	11.5
		2 No	1,941	88.5
		Missing	214	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	114	6.9
		2 No	2,046	93.1
		Missing	203	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	125	7.8
		2 No	2,021	92.2
		Missing	217	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	118	7.5
		2 No	2,020	92.5
		Missing	225	
233-233	QN56	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	93	5.8
		2 No	2,007	94.2
		Missing	263	
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	502	30.8
		2 No	1,172	69.2
		Missing	689	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	64	4.5
		2 No	1,614	95.5
		Missing	685	
237-237	QN60	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	103	6.6
		2 No	1,555	93.4
		Missing	705	
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	339	21.1
		2 No	1,302	78.9
		Missing	722	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	59	19.9
		2 No Missing	266 2,038	80.1
240-240	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	165	53.5
		2 No Missing	142 2,056	46.5
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	51	16.4
		2 No Missing	261 2,051	83.6
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	616	32.7
		2 No Missing	1,337 410	67.3
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	469	26.9
		2 No Missing	1,467 427	73.1
252-252	QN75	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	622	33.6
		2 No Missing	1,296 445	66.4

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	533	26.1
		2 No	1,373	73.9
		Missing	457	
256-256	QN79	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	429	22.7
		2 No	1,447	77.3
		Missing	487	
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	804	41.0
		2 No	1,060	59.0
		Missing	499	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,645	84.5
		2 No	225	15.5
		Missing	493	
261-261	QN84	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	478	27.8
		2 No	1,333	72.2
		Missing	552	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	361	21.4
		2 No	1,425	78.6
		Missing	577	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,207	66.3
		2 No	591	33.7
		Missing	565	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	511	29.9
		2 No	1,248	70.1
		Missing	604	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	344	19.1
		2 No	1,441	80.9
		Missing	578	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,190	93.6
		2 No	137	6.4
		Missing	36	
268-268	QN91	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	1,345	55.5
		2 No	982	44.5
		Missing	36	
269-269	QN92	Percentage of students who are transgender		
		1 Yes	33	1.2
		2 No	2,272	98.8
		Missing	58	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who reported that their sex assigned at birth was female		
		1 Yes	1,203	50.6
		2 No	1,104	49.4
		Missing	56	
271-271	QN94	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	336	15.0
		2 No	1,914	85.0
		Missing	113	
272-272	QN95	Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey)		
		1 Yes	1,013	45.5
		2 No	1,232	54.5
		Missing	118	
273-273	QN96	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	412	19.0
		2 No	1,878	81.0
		Missing	73	
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	30	30.0
		2 No	76	70.0
		Missing	2,257	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
275-275	QN98	Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes)		
		1 Yes	74	37.9
		2 No	137	62.1
		Missing	2,152	
276-276	QN99	Percentage of students who tried an electronic vapor product for the first time at age 12 or younger (among students who ever tried an electronic vapor product)		
		1 Yes	192	30.6
		2 No	546	69.4
		Missing	1,625	
277-277	QN100	Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products)		
		1 Yes	448	88.8
		2 No	43	11.2
		Missing	1,872	
278-278	QN101	Percentage of students who report that using an electronic vapor product is less harmful than smoking regular cigarettes		
		1 Yes	244	11.0
		2 No	1,935	89.0
		Missing	184	
279-279	QN102	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	285	15.7
		2 No	1,843	84.3
		Missing	235	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	137	8.4
		2 No	1,989	91.6
			237	
281-281	QN104	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	135	8.3
		2 No	1,987	91.7
			241	
282-282	QN105	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	126	7.9
		2 No	1,984	92.1
			253	
283-283	QN106	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	137	25.4
		2 No	462	74.6
			1,764	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse)		
		1 Yes	112	16.7
		2 No	464	83.3
		Missing	1,787	
285-285	QN108	Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control)		
		DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
286-286	QN109	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	69	14.2
		2 No	468	85.8
		Missing	1,826	
287-287	QN110	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	31	2.5
		2 No	1,700	97.5
		Missing	632	
288-288	QN111	Percentage of students who did not receive sex education in their middle school health education class		
		1 Yes	273	13.7
		2 No	1,698	86.3
		Missing	392	
289-289	QN112	Percentage of students who did not receive sex education in their high school health education class		
		1 Yes	337	17.7
		2 No	1,623	82.3
		Missing	403	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
290-290	QN113	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	398	20.2
		2 No	1,533	79.8
		Missing	432	
291-291	QN114	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,342	68.1
		2 No	563	31.9
		Missing	458	
292-292	QN115	Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey)		
		1 Yes	1,014	53.6
		2 No	817	46.4
		Missing	532	
293-293	QN116	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,362	75.1
		2 No	433	24.9
		Missing	568	
294-294	QN117	Percentage of students who had been told by a dentist, doctor, or nurse that they had a dental cavity or decayed teeth		
		1 Yes	742	42.1
		2 No	1,046	57.9
		Missing	575	
295-295	QN118	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	256	25.1
		2 No	810	74.9
		Missing	1,297	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
296-296	QN119	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	106	7.6
		2 No Missing	1,666 591	92.4
297-297	QN120	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	215	16.2
		2 No Missing	1,448 700	83.8
298-298	QN121	Percentage of students who often or sometimes worried that food at home would run out before their family got money to buy more (during the 12 months before the survey)		
		1 Yes	516	33.7
		2 No Missing	1,199 648	66.3
299-299	QN122	Percentage of students who reported that often or sometimes the food that their family bought run out and there was no money to buy more (during the 12 months before the survey)		
		1 Yes	396	27.4
		2 No Missing	1,299 668	72.6
300-300	QN123	Percentage of students who reported that either of their parents has spent time in jail or prison		
		1 Yes	372	25.2
		2 No Missing	1,280 711	74.8
301-301	QN124	Percentage of students who have ever been arrested		
		1 Yes	212	16.0
		2 No Missing	1,466 685	84.0

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
302-302	QN125	Percentage of students who strongly agree or agree that they feel close to people at their school		
		1 Yes	1,158	66.1
		2 No	571	33.9
		Missing	634	
303-303	QN126	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	1,044	61.3
		2 No	634	38.7
		Missing	685	
304-304	QN127	Percentage of students who have not had their eyes examined by an eye doctor (during the two years before the survey)		
		1 Yes	408	27.7
		2 No	1,308	72.3
		Missing	647	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	16	0.8
		2 No	2,176	99.2
		Missing	171	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	10	0.4
		2 No	2,182	99.6
		Missing	171	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	32	1.6
		2 No	2,033	98.4
		Missing	298	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	23	1.1
		2 No	2,042	98.9
		Missing	298	
354-354	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	171	10.5
		2 No	1,975	89.5
		Missing	217	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	335	17.0
		2 No	1,736	83.0
		Missing	292	
358-358	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	16	4.6
		2 No	296	95.4
		Missing	2,051	
359-359	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	93	29.1
		2 No	219	70.9
		Missing	2,051	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	22	8.5
		2 No	274	91.5
			2,067	
361-361	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	60	21.8
		2 No	252	78.2
			2,051	
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	236	14.4
		2 No	1,688	85.6
			439	
363-363	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	912	46.9
		2 No	1,012	53.1
			439	
364-364	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	441	23.3
		2 No	1,483	76.7
			439	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
369-369	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	271	15.1
		2	No	1,647	84.9
			Missing	445	
370-370	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	192	10.6
		2	No	1,726	89.4
			Missing	445	
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	482	28.7
		2	No	1,424	71.3
			Missing	457	
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	253	13.1
		2	No	1,653	86.9
			Missing	457	
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)			
		1	Yes	356	20.7
		2	No	1,514	79.3
			Missing	493	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
377-377	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	61	3.6
		2 No	1,737	96.4
		Missing	565	
384-384	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	313	16.2
		2 No	1,673	83.8
		Missing	377	
385-385	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	388	19.9
		2 No	1,598	80.1
		Missing	377	
386-395	WEIGHT			
396-398	STRATUM			
399-404	PSU			
407-411	BMIPCT			
412-413	RACEETH8			
		1 Am Indian/Alaska Native	23	1.1
		2 Asian	213	5.1
		3 Black or African American	491	28.1
		4 Native Hawaiian/Other PI	15	0.5
		5 White	74	4.6
		6 Hispanic/Latino	572	23.0
		7 Multiple - Hispanic	818	35.9
		8 Multiple - Non-Hispanic	38	1.7
		Missing	119	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
414-416	Q6ORIG			
	DATA NOT AVAILABLE.			
417-419	Q7ORIG			
	DATA NOT AVAILABLE.			
450-459	SSWEIGHT	Sub-site Weight		
	DATA NOT AVAILABLE.			
460-460	S2	Sub-site - S2		
		0	2,133	97.9
		1	230	2.1
	DATA NOT AVAILABLE.			
461-461	S3	Sub-site - S3		
		1	2,363	100.0
	DATA NOT AVAILABLE.			
462-462	S4	Sub-site - S4		
		0	2,363	100.0
	DATA NOT AVAILABLE.			
463-463	S5	Sub-site - S5		
		0	2,363	100.0
	DATA NOT AVAILABLE.			
464-464	S6	Sub-site - S6		
		0	2,363	100.0
	DATA NOT AVAILABLE.			
465-465	S7	Sub-site - S7		
		0	2,363	100.0
	DATA NOT AVAILABLE.			
466-466	S8	Sub-site - S8		
		0	1,331	53.2
		1	1,032	46.8
	DATA NOT AVAILABLE.			
467-467	S9	Sub-site - S9		
		0	2,363	100.0
	DATA NOT AVAILABLE.			
468-468	S10	Sub-site - S10		
		0	2,363	100.0
	DATA NOT AVAILABLE.			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Bronx

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5			
		1 White	74	4.6
		2 Black	491	28.1
		3 Hispanic	1,390	58.9
		4 Asian	213	5.1
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	76	3.3
		Missing	119	
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	192	45.9
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	73	14.6
		3 EC only (any EC without condoms)	8	1.9
		4 Dual: condoms and HBC/LARC excluding exclusive EC	29	7.4
		5 Dual: condoms and EC (may include withdrawal)	23	5.4
		6 Withdrawal only	24	4.9
		7 No contraception	75	19.9
		Missing	1,939	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	192	45.9
		2 HBC/LARC only (any HBC/LARC without condoms)	81	16.6
		3 Dual: condoms and HBC/LARC (may include withdrawal)	52	12.7
		4 Withdrawal only	24	4.9
		5 No contraception	75	19.9
		Missing	1,939	