

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	7	0.3
		2	13 years old	74	2.6
		3	14 years old	623	22.8
		4	15 years old	757	27.0
		5	16 years old	609	21.9
		6	17 years old	523	21.3
		7	18 years old or older	114	4.2
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	1,267	48.4
		2	Male	1,434	51.6
			Missing	12	
19-19	Q3	In what grade are you?			
		1	9th grade	839	29.3
		2	10th grade	747	27.5
		3	11th grade	579	22.0
		4	12th grade	520	20.8
		5	Ungraded or other grade	10	0.4
		Missing	18		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	913	22.2
		2	No	1,727	77.8
			Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	4	0.2
		G	1	0.0
		F	2	0.1
		E	213	17.3
		D	97	2.0
		DE	1	0.0
		C	1,366	60.0
		C E	23	0.3
		CD	17	0.3
		CDE	2	0.1
		B	220	16.4
		B E	3	0.0
		B D	2	0.1
		B DE	1	0.0
		BC	21	0.2
		BC E	2	0.1
		BCD	2	0.0
		A	93	2.1
		A G	1	0.0
		A E	1	0.0
		A D	4	0.0
		A C	31	0.5
		A C E	1	0.0
		AB	2	0.0
		ABCDE	3	0.2
			600	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	964	35.9
		2 Never wore a helmet	1,425	53.2
		3 Rarely wore a helmet	153	5.3
		4 Sometimes wore a helmet	70	3.1
		5 Most of the time wore a helmet	36	1.4
		6 Always wore a helmet	20	1.1
		Missing	45	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	2,507	96.3
		2 1 time	27	1.3
		3 2 or 3 times	19	0.8
		4 4 or 5 times	16	0.4
		5 6 or more times	24	1.1
		Missing	120	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,347	90.4
		2 1 day	102	3.7
		3 2 or 3 days	66	2.1
		4 4 or 5 days	22	0.6
		5 6 or more days	99	3.0
		Missing	77	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	2,564	98.0
		2 1 day	32	0.8
		3 2 or 3 days	18	0.5
		4 4 or 5 days	4	0.2
		5 6 or more days	25	0.5
		Missing	70	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,529	96.4
		2 1 day	41	1.3
		3 2 or 3 days	18	0.7
		4 4 or 5 days	9	0.3
		5 6 or more days	43	1.4
		Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,340	89.7
		2 1 day	218	6.0
		3 2 or 3 days	73	2.3
		4 4 or 5 days	15	0.5
		5 6 or more days	48	1.4
		Missing	19	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,467	92.8
		2 1 time	94	3.1
		3 2 or 3 times	54	1.6
		4 4 or 5 times	25	0.7
		5 6 or 7 times	13	0.5
		6 8 or 9 times	2	0.1
		7 10 or 11 times	3	0.1
		8 12 or more times	34	1.1
		Missing	21	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,792	68.6
		2 1 time	371	13.4
		3 2 or 3 times	277	10.5
		4 4 or 5 times	98	3.4
		5 6 or 7 times	36	1.2
		6 8 or 9 times	25	0.5
		7 10 or 11 times	9	0.6
		8 12 or more times	67	2.0
		Missing	38	
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	307	11.7
		2 No	2,334	88.3
		Missing	72	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	179	6.7
		2 No	2,475	93.3
		Missing	59	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	321	12.2
		2 No	2,328	87.8
		Missing	64	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	285	12.1
		2 No	2,393	87.9
		Missing	35	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	735	28.0
		2 No	1,907	72.0
		Missing	71	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	316	12.2
		2 No	2,350	87.8
		Missing	47	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,898	90.5
		2 1 time	133	6.0
		3 2 or 3 times	45	2.1
		4 4 or 5 times	16	0.9
		5 6 or more times	22	0.5
		Missing	599	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,842	90.8
		2 Yes	60	3.0
		3 No	143	6.2
		Missing	668	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	693	27.9
		2 No	1,917	72.1
		Missing	103	
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	2,398	93.1
		2 1 or 2 days	68	2.4
		3 3 to 5 days	18	0.7
		4 6 to 9 days	15	0.6
		5 10 to 19 days	17	0.7
		6 20 to 29 days	10	0.5
		7 All 30 days	30	1.9
		Missing	157	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	2,341	93.1
		2 Less than 1 cigarette per day	63	2.4
		3 1 cigarette per day	30	1.2
		4 2 to 5 cigarettes per day	31	1.4
		5 6 to 10 cigarettes per day	17	1.1
		6 11 to 20 cigarettes per day	6	0.4
		7 More than 20 cigarettes per day	9	0.3
		Missing	216	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	2,149	85.8
		2 Yes	154	6.7
		3 No	198	7.4
		Missing	212	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	2,536	96.5
		2 1 or 2 days	38	1.7
		3 3 to 5 days	18	0.7
		4 6 to 9 days	6	0.2
		5 10 to 19 days	6	0.2
		6 20 to 29 days	1	0.1
		7 All 30 days	17	0.6
		Missing	91	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	1,067	43.6
		2 8 years old or younger	179	7.7
		3 9 or 10 years old	168	5.6
		4 11 or 12 years old	280	11.1
		5 13 or 14 years old	501	18.6
		6 15 or 16 years old	292	10.9
		7 17 years old or older	57	2.5
		Missing	169	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,643	70.3
		2 1 or 2 days	429	17.2
		3 3 to 5 days	164	6.8
		4 6 to 9 days	63	2.7
		5 10 to 19 days	36	1.7
		6 20 to 29 days	7	0.3
		7 All 30 days	24	1.0
		Missing	347	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	2,238	88.8
		2 1 day	132	4.8
		3 2 days	77	3.3
		4 3 to 5 days	45	1.5
		5 6 to 9 days	13	0.7
		6 10 to 19 days	4	0.3
		7 20 or more days	16	0.7
		Missing	188	
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,606	70.6
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	97	3.7
		3 I bought it at a restaurant, bar, or club	23	1.2
		4 I bought it at a public event such as a concert or sporting event	20	0.9
		5 I gave someone else money to buy it for me	78	3.1
		6 Someone gave it to me	236	9.5
		7 I took it from a store or family member	117	4.6
		8 I got it some other way	147	6.4
		Missing	389	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	1,769	71.1
		2 8 years old or younger	56	2.1
		3 9 or 10 years old	42	1.0
		4 11 or 12 years old	124	4.4
		5 13 or 14 years old	318	11.2
		6 15 or 16 years old	214	8.6
		7 17 years old or older	36	1.5
		Missing	154	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	2,064	82.5
		2 1 or 2 times	146	5.0
		3 3 to 9 times	129	5.6
		4 10 to 19 times	68	3.0
		5 20 to 39 times	33	1.1
		6 40 or more times	86	2.8
		Missing	187	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	2,477	96.2
		2 1 or 2 times	39	1.7
		3 3 to 9 times	21	0.9
		4 10 to 19 times	11	0.4
		5 20 to 39 times	8	0.3
		6 40 or more times	18	0.5
		Missing	139	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	2,307	90.0
		2 1 or 2 times	123	4.7
		3 3 to 9 times	62	2.5
		4 10 to 19 times	34	1.3
		5 20 to 39 times	18	0.8
		6 40 or more times	24	0.8
		Missing	145	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	2,478	96.9
		2 1 or 2 times	28	1.3
		3 3 to 9 times	18	0.6
		4 10 to 19 times	11	0.4
		5 20 to 39 times	8	0.3
		6 40 or more times	15	0.5
		Missing	155	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	2,482	97.0
		2 1 or 2 times	30	1.3
		3 3 to 9 times	18	0.8
		4 10 to 19 times	9	0.4
		5 20 to 39 times	9	0.2
		6 40 or more times	12	0.4
	Missing	153		
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	2,436	96.2
		2 1 or 2 times	54	1.6
		3 3 to 9 times	17	0.5
		4 10 to 19 times	18	0.7
		5 20 to 39 times	10	0.2
		6 40 or more times	14	0.7
	Missing	164		
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	2,474	97.8
		2 1 time	33	1.4
		3 2 or more times	25	0.8
	Missing	181		
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	991	38.5
		2 No	1,189	61.5
	Missing	533		
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	1,188	61.4
		2 11 years old or younger	126	4.5
		3 12 years old	109	3.4
		4 13 years old	207	7.0
		5 14 years old	257	10.4
		6 15 years old	164	7.2
		7 16 years old	100	4.9
		8 17 years old or older	36	1.3
	Missing	526		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Borough of Brooklyn High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	1,177	61.8
		2 1 person	289	11.0
		3 2 people	178	7.0
		4 3 people	133	5.0
		5 4 people	86	4.1
		6 5 people	78	3.3
		7 6 or more people	218	7.9
		Missing	554	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	1,168	61.5
		2 I have had sexual intercourse, but not during the past 3 months	302	11.1
		3 1 person	427	17.0
		4 2 people	112	5.0
		5 3 people	56	2.2
		6 4 people	24	1.1
		7 5 people	24	0.5
		8 6 or more people	35	1.6
		Missing	565	
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	1,170	61.8
		2 Yes	130	5.6
		3 No	833	32.7
		Missing	580	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	1,164	62.5
		2 Yes	676	27.9
		3 No	247	9.6
		Missing	626	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,163	62.6
		2 No method was used to prevent pregnancy	128	5.0
		3 Birth control pills	52	2.8
		4 Condoms	600	24.7
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	24	0.7
		6 Withdrawal	59	2.3
		7 Some other method	26	1.0
		8 Not sure	27	0.9
		Missing	634	
98-98	Q67	How do you describe your weight?		
		1 Very underweight	136	6.1
		2 Slightly underweight	291	13.2
		3 About the right weight	1,282	52.3
		4 Slightly overweight	560	23.8
		5 Very overweight	111	4.6
		Missing	333	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	1,043	44.2
		2 Gain weight	511	20.8
		3 Stay the same weight	435	18.1
		4 I am not trying to do anything about my weight	375	16.9
		Missing	349	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	123	5.0
		2 No	2,171	95.0
		Missing	419	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	495	22.0
		2 1 to 3 times during the past 7 days	767	34.6
		3 4 to 6 times during the past 7 days	370	14.4
		4 1 time per day	109	5.7
		5 2 times per day	172	6.5
		6 3 times per day	137	5.8
		7 4 or more times per day	260	11.0
		Missing	403	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	494	18.6
		2 1 to 3 times during the past 7 days	899	38.0
		3 4 to 6 times during the past 7 days	345	15.1
		4 1 time per day	169	8.5
		5 2 times per day	188	9.5
		6 3 times per day	72	3.1
		7 4 or more times per day	165	7.2
		Missing	381	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	541	26.7
		2 1 to 3 times during the past 7 days	879	40.3
		3 4 to 6 times during the past 7 days	332	13.0
		4 1 time per day	161	6.8
		5 2 times per day	128	4.9
		6 3 times per day	86	3.2
		7 4 or more times per day	146	5.1
		Missing	440	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	411	18.7
		2 1 day	231	10.1
		3 2 days	263	10.7
		4 3 days	257	12.4
		5 4 days	189	9.0
		6 5 days	269	13.7
		7 6 days	102	4.9
		8 7 days	427	20.4
		Missing	564	
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	345	18.4
		2 Less than 1 hour per day	254	15.1
		3 1 hour per day	191	10.6
		4 2 hours per day	342	15.9
		5 3 hours per day	331	15.3
		6 4 hours per day	239	10.2
		7 5 or more hours per day	419	14.6
		Missing	592	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	305	14.1
		2 Less than 1 hour per day	229	12.3
		3 1 hour per day	248	12.2
		4 2 hours per day	327	16.1
		5 3 hours per day	307	13.5
		6 4 hours per day	228	10.3
		7 5 or more hours per day	464	21.5
		Missing	605	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	429	22.9
		2 1 day	84	3.5
		3 2 days	386	10.1
		4 3 days	217	8.0
		5 4 days	171	7.3
		6 5 days	769	48.2
		Missing	657	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	1,167	55.3
		2 1 team	549	29.4
		3 2 teams	222	10.0
		4 3 or more teams	123	5.3
		Missing	652	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	506	21.7
		2 No	1,402	71.9
		3 Not sure	123	6.5
		Missing	682	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	31	1.1
		2 Brooklyn	2,445	91.3
		3 Manhattan	42	1.4
		4 Queens	166	5.5
		5 Staten Island	19	0.7
		Missing	10	
119-119	Q88	How long have you been going to this school?		
		1 Less than 1 year	793	30.2
		2 1 year	286	12.1
		3 2 years	509	19.6
		4 3 years	528	21.5
		5 4 years	419	13.4
		6 5 or more years	156	3.2
		Missing	22	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
120-120	Q89	How long have you lived in the United States?			
		1	Less than 1 year	55	1.7
		2	1 to 3 years	119	6.0
		3	4 to 6 years	141	6.0
		4	More than 6 years but not my whole life	402	17.0
		5	I have always lived in the United States	1,966	69.3
		Missing	30		
121-121	Q90	How often do the people in your home speak a language other than English?			
		1	Never	819	26.9
		2	Rarely	274	8.9
		3	Sometimes	505	19.6
		4	Most of the time	503	22.8
		5	Always	596	21.8
		Missing	16		
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	2,196	81.4
		2	1 time	267	10.9
		3	2 or 3 times	125	4.1
		4	4 or 5 times	36	1.5
		5	6 or more times	59	2.1
		Missing	30		
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?			
		1	I did not need help during the past 12 months	1,377	53.4
		2	Yes	431	15.4
		3	No	862	31.2
		Missing	43		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
124-124	Q93	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,965	72.8
		2	Less than 1 month ago	86	2.9
		3	1 to 3 months ago	72	3.1
		4	4 to 6 months ago	61	2.9
		5	7 to 12 months ago	84	3.7
		6	13 or more months ago	363	14.6
		Missing	82		
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	2,352	90.8
		2	I bought them in a store such as a convenience store, supermarket, or gas station	60	2.0
		3	I bought them on the Internet	11	0.5
		4	I bummed them	10	0.6
		5	Someone gave them to me or bought them for me	93	4.6
		6	I stole them	8	0.3
		7	I got them some other way	35	1.2
		Missing	144		
126-126	Q95	Does anyone who lives with you now smoke cigarettes?			
		1	Yes	902	35.8
		2	No	1,694	64.2
		Missing	117		
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?			
		1	0 students	675	21.8
		2	1 student	333	13.8
		3	2 students	313	12.5
		4	3 students	257	11.2
		5	4 students	218	9.4
		6	5 students	211	8.6
		7	6 or 7 students	166	6.7
		8	8 to 10 students	425	15.9
		Missing	115		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	203	7.3
		2 Approve	306	11.0
		3 Neither approve nor disapprove	827	32.7
		4 Disapprove	574	23.1
		5 Strongly disapprove	637	25.9
		Missing	166	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	1,711	68.7
		2 I do not have a usual type	93	4.0
		3 Beer	83	3.4
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	133	5.1
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	31	1.4
		6 Wine	43	2.3
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	357	11.9
		8 Some other type	76	3.2
		Missing	186	
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	2,357	92.9
		2 1 time	64	2.6
		3 2 or 3 times	42	1.5
		4 4 or 5 times	24	0.7
		5 6 or 7 times	12	0.6
		6 8 or 9 times	12	0.7
		7 10 or 11 times	3	0.1
		8 12 or more times	21	0.8
		Missing	178	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	2,439	95.4
		2 1 time	42	1.7
		3 2 or 3 times	25	1.4
		4 4 or 5 times	12	0.4
		5 6 or 7 times	11	0.4
		6 8 or 9 times	6	0.2
		7 10 or 11 times	2	0.1
		8 12 or more times	14	0.4
	Missing	162		
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	1,812	78.6
		2 1 to 3 times	378	13.2
		3 4 to 7 times	122	4.0
		4 8 or more times	117	4.2
	Missing	284		
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	1,302	61.2
		2 I have had sexual intercourse, but not during the past 3 months	250	8.9
		3 Never	110	4.0
		4 Rarely	63	2.3
		5 Sometimes	75	3.4
		6 Most of the time	111	3.8
		7 Always	452	16.5
	Missing	350		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	1,264	61.2
		2 Depo-Provera (injectable birth control)	56	2.0
		3 The Ring (Nuva Ring?)	42	1.4
		4 The Patch (Ortho-Evra?)	28	1.1
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	10	0.2
		6 Emergency Contraception (EC) or the Morning After Pill	35	1.5
		7 None of these methods	658	24.8
		8 Not sure	209	7.7
		Missing	411	
135-135	Q104	The last time you used birth control, from where did you or your partner get it?  DATA NOT DISPLAYED. Please send an e-mail to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	779	32.3
		2 6th grade or earlier	338	15.0
		3 7th grade	311	11.7
		4 8th grade	387	17.5
		5 9th grade	271	12.0
		6 10th grade	59	2.5
		7 11th or 12th grade	42	1.4
		8 Not sure	200	7.6
		Missing	326	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	148	5.3
		2 No	2,114	90.9
		3 Not sure	84	3.8
		Missing	367	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,053	50.6
		2 Females	720	27.3
		3 Males	435	18.0
		4 Females and males	109	4.1
		Missing	396	
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	2,024	85.8
		2 Gay or lesbian	78	2.9
		3 Bisexual	177	6.6
		4 Not sure	96	4.6
		Missing	338	
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	432	15.1
		2 1 to 3 times during the past 7 days	806	33.7
		3 4 to 6 times during the past 7 days	428	19.6
		4 1 time per day	273	12.9
		5 2 times per day	166	8.4
		6 3 times per day	79	4.4
		7 4 or more times per day	133	5.9
		Missing	396	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	439	21.3
		2 1 to 3 times during the past 7 days	805	37.0
		3 4 to 6 times during the past 7 days	395	17.5
		4 1 time per day	164	7.6
		5 2 times per day	165	6.0
		6 3 times per day	107	3.7
		7 4 or more times per day	209	6.8
		Missing	429	
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	327	12.4
		2 Whole milk	881	38.9
		3 2% milk or reduced fat milk	398	17.8
		4 1% milk or low-fat milk	271	11.5
		5 Skim milk or non-fat milk	70	3.8
		6 Soy milk	71	3.6
		7 Not sure	240	12.1
		Missing	455	
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	588	22.3
		2 I ride a bike all the way to school	38	2.0
		3 I use public transportation, such as a subway or city bus	1,302	64.8
		4 I ride a school bus	36	2.0
		5 I drive or ride in a car or other private vehicle	181	8.9
		Missing	568	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	1,113	57.3
		2 Less than 10 minutes	277	10.8
		3 10 to 20 minutes	421	17.1
		4 21 to 29 minutes	118	5.6
		5 30 or more minutes	188	9.1
		Missing	596	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	747	33.0
		2 I walk to the bus stop or subway station	1,236	65.2
		3 I ride a bike to the bus stop or subway station	31	1.8
		Missing	699	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	652	29.0
		2 Less than 10 minutes	892	46.8
		3 10 to 20 minutes	325	16.8
		4 21 to 29 minutes	61	2.7
		5 30 or more minutes	92	4.7
		Missing	691	
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	372	17.9
		2 At least once a month	190	9.0
		3 A few times a year	505	23.5
		4 Never	1,107	49.6
		Missing	539	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	589	28.7
		2 1 day	251	10.8
		3 2 days	294	12.7
		4 3 days	241	10.4
		5 4 days	176	6.9
		6 5 days	234	13.6
		7 6 days	77	4.1
		8 7 days	262	12.8
		Missing	589	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	442	22.1
		2 Less than 10 minutes	298	13.0
		3 10 to 20 minutes	384	18.7
		4 21 to 30 minutes	341	17.1
		5 31 to 40 minutes	240	12.3
		6 41 to 50 minutes	234	11.0
		7 51 to 60 minutes	89	3.4
		8 More than 60 minutes	64	2.4
		Missing	621	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	123	6.3
		2 Yes	1,475	75.8
		3 No	384	17.8
		Missing	731	
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	464	21.7
		2 No	1,354	66.6
		3 Not sure	215	11.7
		Missing	680	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	821	42.6
		2 Yes	293	13.6
		3 No	840	40.3
		4 Not sure	70	3.5
		Missing	689	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	1,201	58.3
		2 1 day	366	18.4
		3 2 to 5 days	267	13.2
		4 6 to 10 days	56	2.5
		5 11 to 15 days	35	1.6
		6 16 to 29 days	30	1.4
		7 All 30 days	84	4.6
		Missing	674	
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	1,426	72.8
		2 1 day	323	14.6
		3 2 to 5 days	178	7.6
		4 6 to 10 days	50	2.3
		5 11 to 15 days	9	0.3
		6 16 to 29 days	14	0.6
		7 All 30 days	32	1.8
		Missing	681	
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	1,681	82.6
		2 1 room	224	11.9
		3 2 or more rooms	100	5.5
		Missing	708	
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school? <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</a>		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	770	39.1
		2 1 time per week	229	13.6
		3 2 times per week	198	10.7
		4 3 times per week	195	8.9
		5 4 times per week	146	7.2
		6 5 times per week	163	6.8
		7 6 times per week	67	3.3
		8 7 or more times per week	271	10.3
		Missing	674	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	1,578	91.2
		2 No	126	8.8
		Missing	1,009	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	86	3.7
		2 No	2,507	96.3
		Missing	120	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	289	9.6
		2 No	2,347	90.4
		Missing	77	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	79	2.0
		2 No	2,564	98.0
		Missing	70	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	111	3.6
		2 No	2,529	96.4
		Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	354	10.3
		2 No	2,340	89.7
		Missing	19	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	225	7.2
		2 No	2,467	92.8
		Missing	21	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	883	31.4
		2 No	1,792	68.6
		Missing	38	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	307	11.7
		2 No	2,334	88.3
		Missing	72	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	179	6.7
		2 No	2,475	93.3
		Missing	59	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	321	12.2
		2 No	2,328	87.8
		Missing	64	
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	285	12.1
		2 No	2,393	87.9
		Missing	35	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	735	28.0
		2 No	1,907	72.0
		Missing	71	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	316	12.2
		2 No	2,350	87.8
		Missing	47	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	216	9.5
		2 No	1,898	90.5
		Missing	599	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	60	3.0
		2 No	1,985	97.0
		Missing	668	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	693	27.9
		2 No	1,917	72.1
		Missing	103	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	158	6.9
		2 No	2,398	93.1
		Missing	157	
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	15	11.2
		2 No	140	88.8
		Missing	2,558	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	80	49.1
		2 No	69	50.9
		Missing	2,564	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	86	3.5
		2 No	2,536	96.5
		Missing	91	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	627	24.3
		2 No	1,917	75.7
		Missing	169	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	723	29.7
		2 No	1,643	70.3
		Missing	347	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	287	11.2
		2 No	2,238	88.8
		Missing	188	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	236	32.9
		2 No	465	67.1
		Missing	2,012	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	222	7.5
		2 No	2,337	92.5
		Missing	154	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	462	17.5
		2 No	2,064	82.5
		Missing	187	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	97	3.8
		2 No	2,477	96.2
		Missing	139	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	261	10.0
		2 No	2,307	90.0
		Missing	145	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	80	3.1
		2 No	2,478	96.9
		Missing	155	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	78	3.0
		2 No	2,482	97.0
		Missing	153	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	113	3.8
		2 No	2,436	96.2
		Missing	164	
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	58	2.2
		2 No	2,474	97.8
		Missing	181	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	991	38.5
		2 No	1,189	61.5
		Missing	533	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	235	7.9
		2 No	1,952	92.1
		Missing	526	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	382	15.3
		2 No	1,777	84.7
		Missing	554	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	678	27.5
		2 No	1,470	72.5
		Missing	565	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	99	15.8
		2 No	560	84.2
		Missing	2,054	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	448	73.3
		2 No	178	26.7
		Missing	2,087	
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	40	8.0
		2 No	582	92.0
		Missing	2,091	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	671	28.4
		2 No	1,709	71.6
		Missing	333	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	1,043	44.2
		2 No	1,321	55.8
		Missing	349	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	123	5.0
		2 No	2,171	95.0
		Missing	419	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	1,815	78.0
		2 No	495	22.0
		Missing	403	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	1,838	81.4
		2 No	494	18.6
		Missing	381	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	521	20.0
		2 No	1,752	80.0
		Missing	440	
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	798	39.0
		2 No	1,351	61.0
		Missing	564	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	989	40.0
		2 No	1,132	60.0
		Missing	592	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	999	45.3
		2 No	1,109	54.7
		Missing	605	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	1,627	77.1
		2 No	429	22.9
		Missing	657	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	894	44.7
		2 No	1,167	55.3
		Missing	652	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	506	21.7
		2 No	1,525	78.3
		Missing	682	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,661	98.6
		2 No	42	1.4
		Missing	10	
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	793	30.2
		2 No	1,898	69.8
		Missing	22	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	55	1.7
		2 No	2,628	98.3
		Missing	30	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	1,099	44.6
		2 No	1,598	55.4
		Missing	16	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	487	18.6
		2 No	2,196	81.4
		Missing	30	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	431	15.4
		2 No	2,239	84.6
		Missing	43	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	303	12.7
		2 No	2,328	87.3
		Missing	82	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	60	2.0
		2 No	2,509	98.0
		Missing	144	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	902	35.8
		2 No	1,694	64.2
		Missing	117	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	1,590	64.4
		2 No	1,008	35.6
		Missing	115	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	1,211	49.0
		2 No	1,336	51.0
		Missing	166	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	357	43.5
		2 No	366	56.5
		Missing	1,990	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	178	7.1
		2 No	2,357	92.9
		Missing	178	
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	112	4.6
		2 No	2,439	95.4
		Missing	162	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days 1 Yes 2 No Missing	617 1,812 284	21.4 78.6
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months 1 Yes 2 No Missing	452 359 1,902	55.1 44.9
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse 1 Yes 2 No Missing	10 2,292 411	0.2 99.8
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school) <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods 1 Yes 2 No Missing	1,408 979 326	60.1 39.9
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times 1 Yes 2 No Missing	148 2,198 367	5.3 94.7

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	109	4.1
		2 No	2,208	95.9
		Missing	396	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	255	9.5
		2 No	2,120	90.5
		Missing	338	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	651	31.6
		2 No	1,666	68.4
		Missing	396	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	645	24.2
		2 No	1,639	75.8
		Missing	429	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	341	15.3
		2 No	1,917	84.7
		Missing	455	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	626	24.3
		2 No	1,519	75.7
		Missing	568	
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	306	14.8
		2 No	1,811	85.2
		Missing	596	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	1,267	67.0
		2 No	747	33.0
		Missing	699	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	478	24.2
		2 No	1,544	75.8
		Missing	691	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	1,067	50.4
		2 No	1,107	49.6
		Missing	539	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	990	47.7
		2 No	1,134	52.3
		Missing	589	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	968	46.2
		2 No	1,124	53.8
		Missing	621	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	1,475	75.8
		2 No	507	24.2
		Missing	731	
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	464	21.7
		2 No	1,569	78.3
		Missing	680	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	293	13.6
		2 No	1,731	86.4
		Missing	689	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	838	41.7
		2 No	1,201	58.3
		Missing	674	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	606	27.2
		2 No	1,426	72.8
		Missing	681	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	324	17.4
		2 No	1,681	82.6
		Missing	708	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school <a href="mailto:epidatarequest@health.nyc.gov">DATA NOT DISPLAYED. Please send an e-mail to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</a>		
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	1,040	47.3
		2 No	999	52.7
		Missing	674	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	40	2.4
		2 No	2,516	97.6
		Missing	157	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	19	1.7
		2 No	603	98.3
		Missing	2,091	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	59	9.6
		2 No	563	90.4
		Missing	2,091	
354-354	QNDDUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	22	4.8
		2 No	590	95.2
		Missing	2,101	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	769	32.9
		2 No	1,522	67.1
		Missing	422	
359-359	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	769	48.2
		2 No	1,287	51.8
		Missing	657	
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	411	18.7
		2 No	1,738	81.3
		Missing	564	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Borough of Brooklyn High School Survey  
Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	427	20.4
		2 No	1,722	79.6
		Missing	564	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	402	16.4
		2 No	1,965	83.6
		Missing	346	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	337	12.8
		2 No	2,030	87.2
		Missing	346	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH	1 Am Indian/Alaska Native	41	0.2
		2 Asian	192	13.6
		3 Black or African American	1,173	49.5
		4 Native Hawaiian/other PI	35	0.2
		5 White	149	13.6
		6 Hispanic/Latino	519	11.6
		7 Multiple - Hispanic	389	11.1
		8 Multiple - non-Hispanic	75	0.3
		Missing	140	