

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	12	0.5
		2	13 years old	94	3.8
		3	14 years old	621	23.4
		4	15 years old	751	25.5
		5	16 years old	654	23.1
		6	17 years old	578	19.0
		7	18 years old or older	158	4.7
		Missing	22		
18-18	Q2	What is your sex?			
		1	Female	1,480	47.2
		2	Male	1,375	52.8
			Missing	35	
19-19	Q3	In what grade are you?			
		1	9th grade	751	28.4
		2	10th grade	825	26.9
		3	11th grade	583	22.3
		4	12th grade	680	21.9
		5	Ungraded or other grade	9	0.5
		Missing	42		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,057	26.9
		2	No	1,727	73.1
		Missing	106		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	4	0.2
		F	8	0.3
		FGH	1	0.0
		E	472	20.6
		D	132	3.1
		DE	3	0.0
		C	1,073	50.7
		C E	21	0.3
		CD	11	0.4
		B	417	19.8
		B E	22	0.3
		B D	10	0.3
		B DE	1	0.0
		BC	14	0.2
		BC E	2	0.1
		BCD	1	0.0
		A	100	2.5
		A E	2	0.1
		A D	2	0.1
		A DE	1	0.0
		A C	22	0.5
		A C E	7	0.2
		A CD	3	0.0
		A CDE	3	0.1
		AB	1	0.0
		ABC	3	0.0
		ABCDEF	1	0.1
		ABCDEFGH	1	0.0
			552	
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	2,236	80.9
		2 0 days	366	12.5
		3 1 or 2 days	60	2.1
		4 3 to 5 days	23	0.9
		5 6 to 9 days	19	0.9
		6 10 to 19 days	12	0.4
		7 20 to 29 days	9	0.3
		8 All 30 days	53	2.1
		Missing	112	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,568	91.8
		2 1 day	70	2.4
		3 2 or 3 days	58	2.1
		4 4 or 5 days	21	0.9
		5 6 or more days	82	2.8
		Missing	91	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,703	96.1
		2 1 day	29	1.3
		3 2 or 3 days	21	0.8
		4 4 or 5 days	10	0.4
		5 6 or more days	35	1.3
		Missing	92	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	2,709	96.1
		2 1 day	43	1.2
		3 2 or 3 days	30	0.9
		4 4 or 5 days	20	0.6
		5 6 or more days	38	1.1
		Missing	50	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,574	90.8
		2 1 day	104	3.7
		3 2 or 3 days	88	3.2
		4 4 or 5 days	27	0.8
		5 6 or more days	42	1.4
		Missing	55	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,610	91.4
		2 1 time	96	3.5
		3 2 or 3 times	62	2.2
		4 4 or 5 times	21	1.1
		5 6 or 7 times	14	0.5
		6 8 or 9 times	9	0.5
		7 10 or 11 times	4	0.0
		8 12 or more times	23	0.7
		Missing	51	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	2,074	74.5
		2 1 time	313	10.6
		3 2 or 3 times	239	8.3
		4 4 or 5 times	72	2.7
		5 6 or 7 times	37	1.3
		6 8 or 9 times	22	0.5
		7 10 or 11 times	9	0.4
		8 12 or more times	55	1.8
		Missing	69	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	1,184	45.7
		2 0 times	1,265	45.6
		3 1 time	90	3.6
		4 2 or 3 times	71	2.6
		5 4 or 5 times	28	1.0
		6 6 or more times	40	1.6
		Missing	212	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	1,176	45.4
		2 0 times	1,319	48.4
		3 1 time	81	2.7
		4 2 or 3 times	43	1.4
		5 4 or 5 times	23	0.8
		6 6 or more times	30	1.2
		Missing	218	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	423	15.3
		2 No	2,357	84.7
		Missing	110	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	402	14.5
		2 No	2,399	85.5
		Missing	89	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	894	32.3
		2 No	1,827	67.7
		Missing	169	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
 Brooklyn
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	443	16.2
		2 No	2,314	83.8
		Missing	133	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,988	88.7
		2 1 time	150	5.9
		3 2 or 3 times	78	3.1
		4 4 or 5 times	19	0.9
		5 6 or more times	31	1.3
		Missing	624	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,944	89.3
		2 Yes	85	3.1
		3 No	171	7.6
		Missing	690	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	425	14.4
		2 No	2,266	85.6
		Missing	199	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	2,553	95.6
		2 1 or 2 days	60	2.1
		3 3 to 5 days	22	0.9
		4 6 to 9 days	13	0.5
		5 10 to 19 days	13	0.3
		6 20 to 29 days	7	0.2
		7 All 30 days	14	0.5
Missing	208			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	2,513	95.5
		2 Less than 1 cigarette per day	49	1.6
		3 1 cigarette per day	27	1.0
		4 2 to 5 cigarettes per day	29	1.0
		5 6 to 10 cigarettes per day	12	0.4
		6 11 to 20 cigarettes per day	4	0.2
		7 More than 20 cigarettes per day	9	0.3
	Missing	247		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?		
		1 0 days	2,250	84.6
		2 1 or 2 days	195	7.2
		3 3 to 5 days	85	2.9
		4 6 to 9 days	56	1.5
		5 10 to 19 days	46	1.5
		6 20 to 29 days	19	0.6
		7 All 30 days	49	1.7
	Missing	190		
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1 0 days	2,585	96.1
		2 1 or 2 days	41	1.5
		3 3 to 5 days	18	0.6
		4 6 to 9 days	19	0.6
		5 10 to 19 days	6	0.1
		6 20 to 29 days	7	0.4
		7 All 30 days	19	0.8
	Missing	195		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	2,512	94.1
		2	1 or 2 days	70	2.8
		3	3 to 5 days	39	1.4
		4	6 to 9 days	14	0.4
		5	10 to 19 days	13	0.3
		6	20 to 29 days	10	0.4
		7	All 30 days	12	0.5
		Missing	220		
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	1,365	56.4
		2	8 years old or younger	177	6.7
		3	9 or 10 years old	140	5.5
		4	11 or 12 years old	193	7.0
		5	13 or 14 years old	340	11.9
		6	15 or 16 years old	278	10.7
		7	17 years old or older	47	1.8
		Missing	350		
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,948	83.9
		2	1 or 2 days	223	8.7
		3	3 to 5 days	87	3.4
		4	6 to 9 days	43	1.9
		5	10 to 19 days	33	1.2
		6	20 to 29 days	11	0.4
		7	All 30 days	15	0.5
		Missing	530		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,918	83.5
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	55	2.0
		3	I bought it at a restaurant, bar, or club	23	1.0
		4	I bought it at a public event such as a concert or sporting event	10	0.4
		5	I gave someone else money to buy it for me	33	1.0
		6	Someone gave it to me	127	5.0
		7	I took it from a store or family member	78	3.2
		8	I got it some other way	95	3.9
		Missing	551		
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
		1	0 days	2,301	96.3
		2	1 day	36	1.1
		3	2 days	16	0.7
		4	3 to 5 days	29	1.0
		5	6 to 9 days	13	0.5
		6	10 to 19 days	6	0.1
		7	20 or more days	6	0.3
		Missing	483		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
		1	I did not drink alcohol during the past 30 days	1,903	85.9
		2	1 or 2 drinks	181	8.3
		3	3 drinks	26	1.0
		4	4 drinks	28	1.2
		5	5 drinks	29	0.9
		6	6 or 7 drinks	33	1.2
		7	8 or 9 drinks	6	0.2
		8	10 or more drinks	31	1.2
		Missing	653		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
78-78	Q47	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,866	73.5
		2	8 years old or younger	54	2.4
		3	9 or 10 years old	47	1.4
		4	11 or 12 years old	93	3.5
		5	13 or 14 years old	273	9.4
		6	15 or 16 years old	217	8.9
		7	17 years old or older	34	0.9
		Missing	306		
79-79	Q48	During the past 30 days, how many times did you use marijuana?			
		1	0 times	2,156	84.3
		2	1 or 2 times	160	6.6
		3	3 to 9 times	105	3.6
		4	10 to 19 times	53	2.1
		5	20 to 39 times	39	1.6
		6	40 or more times	61	1.8
		Missing	316		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	2,491	96.0
		2	1 or 2 times	59	2.3
		3	3 to 9 times	17	0.6
		4	10 to 19 times	15	0.4
		5	20 to 39 times	8	0.3
		6	40 or more times	12	0.4
		Missing	288		
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	2,467	96.0
		2	1 or 2 times	46	1.8
		3	3 to 9 times	24	0.8
		4	10 to 19 times	19	0.6
		5	20 to 39 times	7	0.2
		6	40 or more times	14	0.6
		Missing	313		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	2,405	94.2
		2	1 or 2 times	68	2.3
		3	3 to 9 times	42	1.6
		4	10 to 19 times	20	0.8
		5	20 to 39 times	11	0.4
		6	40 or more times	18	0.8
	Missing	326			
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	2,448	96.6
		2	1 time	55	2.0
		3	2 or more times	34	1.4
	Missing	353			
90-90	Q59	Have you ever had sexual intercourse?			
		1	Yes	562	26.1
		2	No	1,467	73.9
	Missing	861			
91-91	Q60	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	1,467	74.1
		2	11 years old or younger	51	2.7
		3	12 years old	46	2.3
		4	13 years old	88	3.6
		5	14 years old	125	4.5
		6	15 years old	111	5.4
		7	16 years old	91	5.2
		8	17 years old or older	43	2.1
	Missing	868			
92-92	Q61	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	1,446	74.5
		2	1 person	227	10.9
		3	2 people	86	3.8
		4	3 people	73	3.7
		5	4 people	51	2.6
		6	5 people	20	0.9
		7	6 or more people	86	3.6
	Missing	901			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	1,431	74.5
		2	I have had sexual intercourse, but not during the past 3 months	180	9.4
		3	1 person	253	11.9
		4	2 people	49	1.9
		5	3 people	22	1.0
		6	4 people	5	0.2
		7	5 people	6	0.2
		8	6 or more people	17	0.9
		Missing	927		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	1,429	74.9
		2	Yes	69	3.4
		3	No	445	21.6
		Missing	947		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,418	75.9
		2	Yes	291	14.7
		3	No	188	9.4
		Missing	993		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,407	75.2
		2	No method was used to prevent pregnancy	123	6.2
		3	Birth control pills	45	2.2
		4	Condoms	248	12.6
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	19	0.9
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	16	0.9
		7	Withdrawal or some other method	24	1.3
		8	Not sure	15	0.6
		Missing	993		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,291	60.2
		2 Females	471	21.7
		3 Males	314	12.4
		4 Females and males	125	5.7
		Missing	689	
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	2,024	73.7
		2 Gay or lesbian	96	3.2
		3 Bisexual	211	6.2
		4 Not sure	492	17.0
		Missing	67	
98-98	Q67a	Which of the following best describes you?		
		1 Heterosexual (straight)	2,024	73.7
		2 Gay or lesbian	96	3.2
		3 Bisexual	211	6.2
		4 Not sure	120	4.4
		5 I do not describe myself in any of these ways	300	10.0
		6 I do not know what these answer options mean	72	2.6
		Missing	67	
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	727	32.7
		2 1 to 3 times during the past 7 days	764	34.6
		3 4 to 6 times during the past 7 days	321	13.8
		4 1 time per day	118	5.7
		5 2 times per day	111	5.0
		6 3 times per day	70	2.4
		7 4 or more times per day	125	5.7
		Missing	654	
102-102	Q71	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	448	19.2
		2 1 to 3 times during the past 7 days	816	35.5
		3 4 to 6 times during the past 7 days	386	17.2
		4 1 time per day	204	8.6
		5 2 times per day	206	9.8
		6 3 times per day	77	3.1
		7 4 or more times per day	145	6.6
		Missing	608	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	817	38.2
		2 1 to 3 times during the past 7 days	833	36.3
		3 4 to 6 times during the past 7 days	214	9.7
		4 1 time per day	126	5.5
		5 2 times per day	90	4.2
		6 3 times per day	62	2.4
		7 4 or more times per day	91	3.7
	Missing	657		
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	775	34.1
		2 1 to 3 glasses during the past 7 days	704	31.6
		3 4 to 6 glasses during the past 7 days	248	12.1
		4 1 glass per day	220	10.6
		5 2 glasses per day	111	5.5
		6 3 glasses per day	47	2.2
		7 4 or more glasses per day	84	4.0
	Missing	701		
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	336	15.1
		2 1 day	232	9.8
		3 2 days	251	12.4
		4 3 days	189	8.9
		5 4 days	144	6.6
		6 5 days	155	7.3
		7 6 days	107	5.1
		8 7 days	749	34.9
	Missing	727		
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	392	19.1
		2 1 day	196	8.3
		3 2 days	265	11.5
		4 3 days	272	11.9
		5 4 days	237	12.1
		6 5 days	234	11.7
		7 6 days	118	6.3
		8 7 days	412	19.1
	Missing	764		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	701	33.5
		2 Less than 1 hour per day	350	17.6
		3 1 hour per day	251	11.1
		4 2 hours per day	327	15.6
		5 3 hours per day	220	9.1
		6 4 hours per day	113	5.2
		7 5 or more hours per day	178	7.9
		Missing	750	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	531	24.1
		2 Less than 1 hour per day	237	11.8
		3 1 hour per day	202	8.5
		4 2 hours per day	255	12.5
		5 3 hours per day	257	12.3
		6 4 hours per day	167	8.0
		7 5 or more hours per day	462	22.9
		Missing	779	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	352	19.0
		2 1 day	98	4.2
		3 2 days	285	13.7
		4 3 days	368	18.0
		5 4 days	314	14.6
		6 5 days	658	30.5
		Missing	815	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	357	17.3
		2 No	1,337	65.1
		3 Not sure	339	17.7
		Missing	857	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,309	66.3
		2 Between 12 and 24 months ago	256	13.5
		3 More than 24 months ago	126	6.4
		4 Never	42	2.5
		5 Not sure	232	11.4
	Missing	925		
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	458	22.7
		2 No	1,402	70.5
		3 Not sure	144	6.8
	Missing	886		
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	306	15.4
		2 5 hours	291	14.7
		3 6 hours	445	22.4
		4 7 hours	495	24.8
		5 8 hours	343	16.8
		6 9 hours	87	4.3
		7 10 or more hours	39	1.7
	Missing	884		
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	69	3.1
		2 Brooklyn	2,530	89.7
		3 Manhattan	45	2.0
		4 Queens	179	4.0
		5 Staten Island	37	1.3
	Missing	30		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,965	70.8
		2 Less than 1 year	94	3.1
		3 1 to 3 years	210	7.0
		4 4 to 6 years	159	5.1
		5 More than 6 years but not my whole life	413	13.9
		Missing	49	
123-123	Q92	Was either of your parents born outside of the United States?		
		1 Yes	1,922	68.9
		2 No	652	23.3
		3 Not sure	215	7.8
		Missing	101	
124-124	Q93	How often do the people in your home speak a language other than English?		
		1 Never	688	26.3
		2 Rarely	260	9.6
		3 Sometimes	509	17.3
		4 Most of the time	654	22.3
		5 Always	752	24.5
		Missing	27	
125-125	Q94	What sex is on your birth certificate?		
		1 Female	1,493	48.3
		2 Male	1,300	49.8
		3 Not sure	56	1.9
		Missing	41	
126-126	Q95	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	2,595	91.9
		2 Yes, I am transgender	47	1.7
		3 I am not sure if I am transgender	68	2.4
		4 I do not know what this question is asking	118	4.1
		Missing	62	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
127-127	Q96	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?			
		1	Very feminine	538	17.2
		2	Mostly feminine	468	16.5
		3	Somewhat feminine	258	9.8
		4	Equally feminine and masculine	419	15.2
		5	Somewhat masculine	176	7.4
		6	Mostly masculine	337	13.1
		7	Very masculine	501	20.7
		Missing	193		
128-128	Q97	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	2,329	84.4
		2	1 time	224	7.1
		3	2 or 3 times	136	4.5
		4	4 or 5 times	48	1.1
		5	6 or more times	81	2.9
		Missing	72		
129-129	Q98	During the past 12 months, did you get help from a counselor, social worker or therapist at school for an emotional or personal issue that you could not face alone?			
		1	Yes	517	18.0
		2	No	2,063	76.3
		3	Not sure	171	5.7
		Missing	139		
130-130	Q99	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	125	4.1
		2	No	2,486	95.9
		Missing	279		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
 Brooklyn
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
131-131	Q100	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	2,180	87.1
		2	Less than 1 month ago	52	1.9
		3	1 to 3 months ago	49	1.6
		4	4 to 6 months ago	47	1.8
		5	7 to 12 months ago	40	1.7
		6	13 or more months ago	159	5.9
			Missing	363	
132-132	Q101	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	2,539	95.4
		2	I bought them in a store such as a convenience store, supermarket, or gas station	37	1.2
		3	I bought them on the Internet	17	0.7
		4	I bummed them	17	0.6
		5	Someone gave them to me or bought them for me	33	0.9
		6	I stole them	14	0.3
		7	I got them some other way	19	0.8
	Missing	214			
133-133	Q102	Which tobacco or nicotine product did you try first?			
		1	I have never tried any tobacco or nicotine product	1,888	78.0
		2	Cigarettes	144	5.5
		3	Cigars, cigarillos, or little cigars	38	1.6
		4	Electronic cigarettes or e-cigarettes	110	4.5
		5	Chewing tobacco, snuff, dip, or snus	20	0.6
		6	Hookah or shisha tobacco	196	6.6
		7	Some other tobacco or nicotine product	30	1.1
		8	Not sure	54	1.9
	Missing	410			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?			
		1	0 times	2,418	94.7
		2	1 or 2 times	70	2.7
		3	3 to 9 times	31	1.1
		4	10 to 19 times	12	0.5
		5	20 to 39 times	9	0.3
		6	40 or more times	15	0.7
		Missing	335		
135-135	Q104	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	2,322	91.3
		2	1 or 2 times	90	3.9
		3	3 to 9 times	58	2.2
		4	10 to 19 times	28	1.2
		5	20 to 39 times	17	0.4
		6	40 or more times	18	1.1
		Missing	357		
136-136	Q105	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	2,407	94.9
		2	1 or 2 times	60	2.6
		3	3 to 9 times	29	0.9
		4	10 to 19 times	16	0.7
		5	20 to 39 times	11	0.3
		6	40 or more times	14	0.6
		Missing	353		
137-137	Q106	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	2,388	93.7
		2	1 or 2 times	70	3.5
		3	3 to 9 times	40	1.7
		4	10 to 19 times	17	0.5
		5	20 to 39 times	6	0.1
		6	40 or more times	12	0.6
		Missing	357		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,482	70.6
		2 No method was used to prevent pregnancy	163	6.5
		3 Birth control pills	37	1.7
		4 Condoms	403	17.4
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	10	0.3
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	15	0.7
		7 Withdrawal or some other method	35	1.8
		8 Not sure	17	0.8
	Missing	728		
139-139	Q108	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	1,435	70.7
		2 I have had sexual intercourse, but not during the past 3 months	176	8.9
		3 Never	126	5.5
		4 Rarely	56	2.4
		5 Sometimes	67	2.8
		6 Most of the time	62	2.6
		7 Always	164	7.2
	Missing	804		
140-140	Q109	The last time you used birth control, not including condoms, from where did you or your partner get it?		

DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
141-141	Q110	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?			
		1	I have never had sexual intercourse	1,412	72.0
		2	Yes	105	4.8
		3	No	435	20.2
		4	Not sure	60	3.0
		Missing	878		
142-142	Q111	During the past 12 months, have you been pregnant or gotten someone pregnant?			
		1	Yes	47	1.8
		2	No	1,951	93.9
		3	Not sure	93	4.3
		Missing	799		
143-143	Q112	In what grade were you first taught about sexual health in school?			
		1	I have never been taught about sexual health in school	299	11.8
		2	6th grade or earlier	718	33.7
		3	7th grade	465	20.6
		4	8th grade	357	15.5
		5	9th grade	204	7.0
		6	10th grade	103	2.9
		7	11th or 12th grade	45	1.6
		8	Not sure	160	7.0
		Missing	539		
144-144	Q113	In what class were you first taught about sexual health in school?			
		1	I have never been taught about sexual health in school	272	10.9
		2	Health Education	1,182	50.7
		3	Science	336	16.7
		4	Living Environment	112	4.2
		5	Physical Education	126	5.1
		6	Advisory	43	1.2
		7	Some other class	76	3.4
		8	Not sure	182	7.9
		Missing	561		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	443	18.8
		2 1 to 3 times during the past 7 days	747	32.8
		3 4 to 6 times during the past 7 days	411	17.0
		4 1 time per day	264	12.7
		5 2 times per day	184	8.6
		6 3 times per day	80	4.0
		7 4 or more times per day	132	6.0
	Missing	629		
146-146	Q115	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	175	7.7
		2 1 to 3 times during the past 7 days	267	11.6
		3 4 to 6 times during the past 7 days	292	13.2
		4 1 time per day	134	6.4
		5 2 times per day	256	11.8
		6 3 times per day	319	14.0
		7 4 or more times per day	779	35.3
	Missing	668		
147-147	Q116	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	703	32.6
		2 1 to 3 times during the past 7 days	924	41.5
		3 4 to 6 times during the past 7 days	244	10.7
		4 1 time per day	125	5.8
		5 2 times per day	96	4.2
		6 3 times per day	40	1.3
		7 4 or more times per day	80	3.8
	Missing	678		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	Q117	What kind of milk do you usually drink?		
		1 I do not drink milk	411	18.1
		2 Plain whole milk	625	29.7
		3 Plain 2% milk or reduced fat milk	351	17.2
		4 Plain 1% milk or low-fat milk	219	10.2
		5 Plain Skim milk or non-fat milk	58	2.5
		6 Chocolate milk	92	3.6
		7 Other milk (such as soy, almond, or rice milk)	185	8.4
		8 Not sure	233	10.3
	Missing	716		
149-149	Q118	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	565	24.7
		2 I ride a bike all the way to school	67	3.3
		3 I use public transportation, such as a subway or city bus	1,203	59.3
		4 I ride a school bus	38	1.7
		5 I drive or ride in a car or other private vehicle	212	11.0
	Missing	805		
150-150	Q119	Have you ever received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?		
		1 Yes	685	33.9
		2 No	594	28.3
		3 Not sure	732	37.8
	Missing	879		
151-151	Q120	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	894	44.3
		2 No	936	47.5
		3 Not sure	181	8.3
	Missing	879		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	864	44.0
		2 Yes	323	15.5
		3 No	717	37.4
		4 Not sure	78	3.2
		Missing	908	
153-153	Q122	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,810	89.9
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	109	5.8
		3 In a foster or group home	36	2.0
		4 In a shelter or emergency housing	21	1.0
		5 In a motel or hotel	6	0.3
		6 In a car, park, campground, or other public place	3	0.1
		7 I did not have a usual place to sleep	7	0.5
		8 Somewhere else	10	0.5
		Missing	888	
154-154	Q123	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	186	8.8
		2 No	1,732	91.2
		Missing	972	
155-155	Q124	Has your mother ever served time in jail or prison?		
		1 Yes	164	7.7
		2 No	1,724	87.6
		3 Not sure	78	4.7
		Missing	924	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Has your father ever served time in jail or prison?		
		1 Yes	357	17.2
		2 No	1,426	72.8
		3 Not sure	178	10.0
		Missing	929	
157-157	Q126	Have you ever gone to the nurse or clinic at this school?		
		1 Yes	1,027	52.4
		2 No	880	47.6
		Missing	983	
158-158	Q127	How would you describe your swimming ability?		
		1 I do not know how to swim	653	31.7
		2 I can swim a little and can float in shallow water	341	17.8
		3 I can swim somewhat well but cannot swim the entire length of a pool	401	19.8
		4 I can swim the entire length of a pool	572	30.8
Missing	923			
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	176	34.9
		2 No	366	65.1
		Missing	2,348	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	231	8.2
		2 No	2,568	91.8
		Missing	91	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	95	3.9
		2 No	2,703	96.1
		Missing	92	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	131	3.9
		2 No	2,709	96.1
		Missing	50	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	261	9.2
		2 No	2,574	90.8
		Missing	55	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	229	8.6
		2 No	2,610	91.4
		Missing	51	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	747	25.5
		2 No	2,074	74.5
		Missing	69	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	229	16.0
		2 No	1,265	84.0
			Missing	1,396
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	177	11.2
		2 No	1,319	88.8
			Missing	1,394
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	423	15.3
		2 No	2,357	84.7
			Missing	110
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	402	14.5
		2 No	2,399	85.5
			Missing	89
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	894	32.3
		2 No	1,827	67.7
			Missing	169

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	443	16.2
		2 No	2,314	83.8
		Missing	133	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	278	11.3
		2 No	1,988	88.7
		Missing	624	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	85	3.1
		2 No	2,115	96.9
		Missing	690	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	425	14.4
		2 No	2,266	85.6
		Missing	199	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	129	4.4
		2 No	2,553	95.6
		Missing	208	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	12	10.0
		2 No	113	90.0
		Missing	2,765	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	450	15.4
		2 No	2,250	84.6
		Missing	190	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	110	3.9
		2 No	2,585	96.1
		Missing	195	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	158	5.9
		2 No	2,512	94.1
		Missing	220	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	510	19.2
		2 No	2,030	80.8
		Missing	350	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	412	16.1
		2 No	1,948	83.9
		Missing	530	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)			
		1	Yes	122	30.5
		2	No	279	69.5
			Missing	2,489	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)			
		1	Yes	106	3.7
		2	No	2,301	96.3
			Missing	483	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)			
		1	Yes	31	1.2
		2	No	2,206	98.8
			Missing	653	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years			
		1	Yes	194	7.2
		2	No	2,390	92.8
			Missing	306	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
		1	Yes	418	15.7
		2	No	2,156	84.3
			Missing	316	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)			
		1	Yes	111	4.0
		2	No	2,491	96.0
			Missing	288	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
 Brooklyn
 Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	110	4.0
		2 No	2,467	96.0
		Missing	313	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	159	5.8
		2 No	2,405	94.2
		Missing	326	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	89	3.4
		2 No	2,448	96.6
		Missing	353	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	562	26.1
		2 No	1,467	73.9
		Missing	861	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	97	5.0
		2 No	1,925	95.0
		Missing	868	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	157	7.2
		2 No	1,832	92.8
		Missing	901	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	352	16.1
		2 No	1,611	83.9
		Missing	927	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	49	15.5
		2 No	286	84.5
		Missing	2,555	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	182	58.5
		2 No	126	41.5
		Missing	2,582	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	35	10.4
		2 No	279	89.6
		Missing	2,576	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	727	32.7
		2 No	1,509	67.3
		Missing	654	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	448	19.2
		2 No	1,834	80.8
		Missing	608	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	817	38.2
		2 No	1,416	61.8
		Missing	657	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	775	34.1
		2 No	1,414	65.9
		Missing	701	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	336	15.1
		2 No	1,827	84.9
		Missing	727	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	764	37.1
		2 No	1,362	62.9
		Missing	764	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	511	22.2
		2 No	1,629	77.8
		Missing	750	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	886	43.2
		2 No	1,225	56.8
		Missing	779	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,723	81.0
		2 No	352	19.0
		Missing	815	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	357	17.3
		2 No	1,676	82.7
		Missing	857	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,309	66.3
		2 No	656	33.7
		Missing	925	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	458	22.7
		2 No	1,546	77.3
		Missing	886	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	469	22.8
		2 No	1,537	77.2
		Missing	884	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	2,815	98.0
		2 No	45	2.0
		Missing	30	
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	94	3.1
		2 No	2,747	96.9
		Missing	49	
269-269	QN92	Percentage of students who reported that either one of their parents was born outside of the United States		
		1 Yes	1,922	68.9
		2 No	867	31.1
		Missing	101	
270-270	QN93	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	1,406	46.9
		2 No	1,457	53.1
		Missing	27	
271-271	QN94	Percentage of students who reported the sex that is on their birth certificate		
		1 Yes	2,793	98.1
		2 No	56	1.9
		Missing	41	
272-272	QN95	Percentage of students who are transgender		
		1 Yes	47	1.7
		2 No	2,781	98.3
		Missing	62	
273-273	QN96	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	419	15.2
		2 No	2,278	84.8
		Missing	193	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Brooklyn
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	489	15.6
		2 No	2,329	84.4
		Missing	72	
275-275	QN98	Percentage of students who got help from a counselor, social worker or therapist at school for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	517	18.0
		2 No	2,234	82.0
		Missing	139	
276-276	QN99	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	125	4.1
		2 No	2,486	95.9
		Missing	279	
277-277	QN100	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	188	7.0
		2 No	2,339	93.0
		Missing	363	
278-278	QN101	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	37	25.9
		2 No	100	74.1
		Missing	2,753	
279-279	QN102	Percentage of students who first tried cigarettes (among students who have ever tried any tobacco or nicotine product)		
		1 Yes	144	25.0
		2 No	448	75.0
		Missing	2,298	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	137	5.3
		2 No	2,418	94.7
		Missing	335	
281-281	QN104	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	211	8.7
		2 No	2,322	91.3
		Missing	357	
282-282	QN105	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	130	5.1
		2 No	2,407	94.9
		Missing	353	
283-283	QN106	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	145	6.3
		2 No	2,388	93.7
		Missing	357	
284-284	QN107	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	163	22.2
		2 No	517	77.8
		Missing	2,210	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	164	35.1
		2 No	311	64.9
			Missing	2,415
286-286	QN109	Percentage of students who reported that the last time they used birth control, not including condoms, they or their partner got it from school-based health center, school nurse or school doctor (among students who have used birth control)		
		DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.		
287-287	QN110	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	105	17.1
		2 No	495	82.9
			Missing	2,290
288-288	QN111	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	47	1.8
		2 No	2,044	98.2
			Missing	799
289-289	QN112	Percentage of students who were ever taught about sexual health in school		
		1 Yes	2,052	88.2
		2 No	299	11.8
			Missing	539
290-290	QN113	Percentage of students who were first taught about sexual health in Health Education class in school (among students who had been taught about sexual health in school)		
		1 Yes	1,182	56.9
		2 No	875	43.1
			Missing	833

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	660	31.4
		2 No	1,601	68.6
		Missing	629	
292-292	QN115	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	175	7.7
		2 No	2,047	92.3
		Missing	668	
293-293	QN116	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,509	67.4
		2 No	703	32.6
		Missing	678	
294-294	QN117	Percentage of students who usually drink plain 1% or low-fat milk or skim or non-fat milk		
		1 Yes	277	12.7
		2 No	1,897	87.3
		Missing	716	
295-295	QN118	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	632	28.0
		2 No	1,453	72.0
		Missing	805	
296-296	QN119	Percentage of students who have received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)		
		1 Yes	685	33.9
		2 No	1,326	66.1
		Missing	879	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who reported that the last time they had seen a doctor or nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	894	44.3
		2 No	1,117	55.7
		Missing	879	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	323	27.6
		2 No	795	72.4
		Missing	1,772	
299-299	QN122	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	109	5.8
		2 No	1,893	94.2
		Missing	888	
300-300	QN123	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	186	8.8
		2 No	1,732	91.2
		Missing	972	
301-301	QN124	Percentage of students who reported their mother had ever served time in jail or prison		
		1 Yes	164	7.7
		2 No	1,802	92.3
		Missing	924	
302-302	QN125	Percentage of students who reported their father had ever served time in jail or prison		
		1 Yes	357	17.2
		2 No	1,604	82.8
		Missing	929	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
303-303	QN126	Percentage of students who have ever gone to the nurse or clinic at the school		
		1 Yes	1,027	52.4
		2 No	880	47.6
		Missing	983	
304-304	QN127	Percentage of students who do not know how to swim		
		1 Yes	653	31.7
		2 No	1,314	68.3
		Missing	923	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	21	0.6
		2 No	2,661	99.4
		Missing	208	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	14	0.5
		2 No	2,668	99.5
		Missing	208	
352-352	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	221	8.0
		2 No	2,415	92.0
		Missing	254	
353-353	QNTOB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	253	8.9
		2 No	2,394	91.1
		Missing	243	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
354-354	QNTOB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)			
		1	Yes	557	19.2
		2	No	2,096	80.8
			Missing	237	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	13	4.6
		2	No	301	95.4
			Missing	2,576	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	10	3.3
		2	No	304	96.7
			Missing	2,576	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	58	18.2
		2	No	256	81.8
			Missing	2,576	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	17	5.9
		2	No	283	94.1
		Missing	2,590		
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)			
		1	Yes	78	25.2
		2	No	236	74.8
		Missing	2,576		
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	210	9.0
		2	No	1,997	91.0
		Missing	683		
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	1,165	53.2
		2	No	1,042	46.8
		Missing	683		
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	609	28.0
		2	No	1,598	72.0
		Missing	683		
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	394	17.4
		2	No	1,813	82.6
		Missing	683		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	369	15.7
		2	No	1,864	84.3
			Missing	657	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	243	10.2
		2	No	1,990	89.8
			Missing	657	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	153	6.0
		2	No	2,080	94.0
			Missing	657	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	462	22.3
		2	No	1,727	77.7
			Missing	701	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	242	11.7
		2	No	1,947	88.3
			Missing	701	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	131	6.2
		2 No	2,058	93.8
		Missing	701	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	749	34.9
		2 No	1,414	65.1
		Missing	727	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	392	19.1
		2 No	1,734	80.9
		Missing	764	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	412	19.1
		2 No	1,714	80.9
		Missing	764	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	658	30.5
		2 No	1,417	69.5
		Missing	815	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	42	2.5
		2 No	1,923	97.5
		Missing	925	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
382-382	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,488	67.5
		2 No	734	32.5
		Missing	668	
383-383	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,354	61.1
		2 No	868	38.9
		Missing	668	
384-384	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	1,098	49.3
		2 No	1,124	50.7
		Missing	668	
385-385	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	334	13.0
		2 No	2,062	87.0
		Missing	494	
386-386	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	409	16.0
		2 No	1,987	84.0
		Missing	494	
387-396	WEIGHT	Overall Analysis Weight		
397-399	STRATUM	Sampling Strata		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Brooklyn
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
400-405	PSU	Primary Sampling Unit		
409-413	BMIPCT	Body Mass Index Percentile		
414-415	RACEETH8	1 Am Indian/Alaska Native 2 Asian 3 Black or African American 4 Native Hawaiian/Other PI 5 White 6 Hispanic/Latino 7 Multiple - Hispanic 8 Multiple - Non-Hispanic Missing	31 370 810 28 340 456 590 91 174	0.3 16.8 39.0 0.3 15.4 11.2 15.9 1.1
416-418	Q6ORIG	Original unedited student height DATA NOT AVAILABLE.		
419-421	Q7ORIG	Original unedited student weight DATA NOT AVAILABLE.		
450-459	SSWEIGHT	Sub-site Analysis Weight		
460-460	S2	Sub-site - S2 0 1	2,355 535	91.7 8.3
		DATA NOT AVAILABLE.		
461-461	S3	Sub-site - S3 0	2,890	100.0
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
462-462	S4	Sub-site - S4 1	2,890	100.0
		DATA NOT AVAILABLE.		
463-463	S5	Sub-site - S5 0	2,890	100.0
		DATA NOT AVAILABLE.		
464-464	S6	Sub-site - S6 0	2,890	100.0
		DATA NOT AVAILABLE.		
465-465	S7	Sub-site - S7 0	2,890	100.0
		DATA NOT AVAILABLE.		
466-466	S9	Sub-site - S9 0 1	1,828 1,062	86.3 13.7
		DATA NOT AVAILABLE.		
467-467	S10	Sub-site - S10 0	2,890	100.0
		DATA NOT AVAILABLE.		
	S8	Sub-site - S8 0	2,890	100.0
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	340	15.4
		2 Black	810	39.0
		3 Hispanic	1,046	27.1
		4 Asian	370	16.8
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	150	1.7
		Missing	174	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Brooklyn

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	203	46.2
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	46	10.4
		3 EC only (any EC without condoms)	13	2.4
		4 Dual: condoms and HBC/LARC excluding exclusive EC	24	5.5
		5 Dual: condoms and EC (may include withdrawal)	32	7.5
		6 Withdrawal only	17	5.1
		7 No contraception	100	23.0
		Missing	2,455	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	203	46.2
		2 HBC/LARC only (any HBC/LARC without condoms)	59	12.8
		3 Dual: condoms and HBC/LARC (may include withdrawal)	56	12.9
		4 Withdrawal only	17	5.1
		5 No contraception	100	23.0
		Missing	2,455	