

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	NQ1 (Q1)	How old are you?			
		1	12 years old or younger	24	0.6
		2	13 years old	67	2.0
		3	14 years old	820	23.2
		4	15 years old	1,173	24.5
		5	16 years old	931	24.7
		6	17 years old	736	19.6
		7	18 years old or older	177	5.4
		Missing	16		
18-18	NQ2 (Q2)	What is your sex?			
		1	Female	1,948	49.0
		2	Male	1,928	51.0
		Missing	68		
19-19	NQ3 (Q3)	In what grade are you?			
		1	9th grade	948	27.6
		2	10th grade	1,239	25.6
		3	11th grade	907	23.7
		4	12th grade	794	22.7
		5	Ungraded or other grade	18	0.4
		Missing	38		
20-20	NQ4 (Q4)	Are you Hispanic or Latino?			
		1	Yes	1,826	39.4
		2	No	2,030	60.6
		Missing	88		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	NQ5 (Q5)	What is your race?		
		H	6	0.1
		G	1,184	25.3
		GH	1	0.0
		F	450	17.2
		FG	27	0.7
		E	40	1.1
		EF	1	0.0
		D	122	1.6
		D G	1	0.0
		D F	4	0.1
		D FG	1	0.0
		C	1,051	34.7
		C G	35	0.6
		C F	25	0.4
		C FG	2	0.1
		C E	11	0.2
		CD	6	0.2
		CD G	2	0.0
		CDF	1	0.0
		B	592	15.1
		B G	12	0.2
		B F	16	0.2
		B FG	1	0.0
		B E	6	0.0
		B E G	1	0.0
		B EF	3	0.1
		B D	5	0.0
		BC	25	0.3
		BC G	2	0.0
		BC F	2	0.0
		A	70	1.2
		A G	7	0.2
		A FG	3	0.1
		A E	3	0.1
		AC	9	0.1
		AC G	2	0.0
		AC F	2	0.0
		ACEG	1	0.0
		ACEF	1	0.0
		AB	7	0.1
		AB G	2	0.0
		ABC	2	0.0
		ABC F	1	0.0
		ABCDEF	1	0.0

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

ABCDEFGH

1
197

0.0

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	NQ6 (Q6)	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	NQ7 (Q7)	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
43-43	NQ12 (Q12)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	3,791	96.7
		2 1 day	41	1.0
		3 2 or 3 days	29	0.9
		4 4 or 5 days	12	0.4
		5 6 or more days	43	1.1
		Missing	28	
45-45	NQ14 (Q14)	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	3,481	87.0
		2 1 day	197	6.4
		3 2 or 3 days	128	3.2
		4 4 or 5 days	45	1.7
		5 6 or more days	64	1.7
		Missing	29	
46-46	NQ15 (Q15)	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	3,684	94.1
		2 1 time	87	2.4
		3 2 or 3 times	59	1.9
		4 4 or 5 times	20	0.7
		5 6 or 7 times	8	0.2
		6 8 or 9 times	4	0.2
		7 10 or 11 times	1	0.0
		8 12 or more times	28	0.6
		Missing	53	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	NQ16 (Q16)	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	3,294	83.0
		2 1 time	252	8.4
		3 2 or 3 times	188	5.0
		4 4 or 5 times	47	1.2
		5 6 or 7 times	25	0.7
		6 8 or 9 times	10	0.4
		7 10 or 11 times	9	0.1
		8 12 or more times	30	1.2
	Missing	89		
48-48	NQ17 (Q17)	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	3,686	94.5
		2 1 time	108	3.8
		3 2 or 3 times	40	1.1
		4 4 or 5 times	10	0.2
		5 6 or 7 times	3	0.1
		6 8 or 9 times	0	0.0
		7 10 or 11 times	1	0.0
		8 12 or more times	8	0.2
	Missing	88		
51-51	NQ20 (Q20)	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?		
		1 0 times	3,500	92.0
		2 1 time	141	3.1
		3 2 or 3 times	108	3.1
		4 4 or 5 times	24	0.7
		5 6 or more times	39	1.0
	Missing	132		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
52-52	NQ21 (Q21)	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	2,235	62.8
		2	0 times	1,259	34.0
		3	1 time	56	1.4
		4	2 or 3 times	37	1.2
		5	4 or 5 times	11	0.3
		6	6 or more times	12	0.2
		Missing	334		
53-53	NQ22 (Q22)	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	2,219	61.3
		2	0 times	1,319	35.8
		3	1 time	47	1.4
		4	2 or 3 times	39	1.0
		5	4 or 5 times	13	0.3
		6	6 or more times	17	0.3
		Missing	290		
54-54	NQ23 (Q23)	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	405	10.7
		2	No	3,474	89.3
		Missing	65		
55-55	Q24 (Q24)	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	490	13.4
		2	No	3,370	86.6
		Missing	84		
56-56	NQ25 (Q25)	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	1,507	38.2
		2	No	2,337	61.8
		Missing	100		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	NQ26 (Q26)	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	625	15.6
		2 No	3,176	84.4
		Missing	143	
59-59	NQ28 (Q28)	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	2,934	90.8
		2 1 time	182	5.4
		3 2 or 3 times	90	2.5
		4 4 or 5 times	21	0.6
		5 6 or more times	27	0.8
		Missing	690	
60-60	NQ29 (Q29)	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	2,913	91.3
		2 Yes	91	2.5
		3 No	209	6.2
		Missing	731	
61-61	NQ30 (Q30)	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	336	9.5
		2 No	3,285	90.5
		Missing	323	
62-62	NQ31 (Q31)	How old were you when you first tried cigarette smoking, even one or two puffs?		
		1 I have never tried cigarette smoking, not even one or two puffs	3,292	89.4
		2 8 years old or younger	82	2.6
		3 9 or 10 years old	23	0.6
		4 11 or 12 years old	61	1.2
		5 13 or 14 years old	123	3.3
		6 15 or 16 years old	73	2.1
		7 17 years old or older	13	0.7
		Missing	277	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
63-63	NQ32 (Q32)	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	3,696	97.8
		2	1 or 2 days	30	1.1
		3	3 to 5 days	12	0.4
		4	6 to 9 days	13	0.3
		5	10 to 19 days	7	0.1
		6	20 to 29 days	3	0.1
		7	All 30 days	6	0.1
	Missing		177		
64-64	NQ33 (Q33)	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	3,650	97.6
		2	Less than 1 cigarette per day	29	1.0
		3	1 cigarette per day	17	0.8
		4	2 to 5 cigarettes per day	14	0.4
		5	6 to 10 cigarettes per day	4	0.0
		6	11 to 20 cigarettes per day	3	0.1
		7	More than 20 cigarettes per day	4	0.1
	Missing		223		
66-66	NQ35 (Q35)	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	3,209	88.9
		2	1 or 2 days	169	4.2
		3	3 to 5 days	82	2.3
		4	6 to 9 days	60	1.7
		5	10 to 19 days	53	1.3
		6	20 to 29 days	29	0.7
		7	All 30 days	44	1.0
	Missing		298		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
67-67	NQ36 (Q36)	During the past 30 days, how did you usually get your electronic vapor products?			
		1	I did not use any electronic vapor products during the past 30 days	3,178	88.8
		2	I got or bought them from a friend, family member, or someone else	175	4.7
		3	I bought them myself in a vape shop or tobacco shop	94	2.6
		4	I bought them myself in a convenience store, supermarket, discount store, or gas station	53	1.2
		5	I bought them myself at a mall or shopping center kiosk or stand	10	0.3
		6	I bought them myself on the Internet, such as from a product website, vape store website, or other website like eBay, Amazon, Facebook Marketplace, or Craigslist	6	0.2
		7	I took them from a store or another person	22	0.7
		8	I got them in some other way	74	1.6
		Missing	332		
68-68	NQ37 (Q37)	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus?			
		1	0 days	3,663	97.4
		2	1 or 2 days	36	1.2
		3	3 to 5 days	20	0.4
		4	6 to 9 days	19	0.6
		5	10 to 19 days	11	0.3
		6	20 to 29 days	2	0.0
		7	All 30 days	7	0.2
		Missing	186		
69-69	NQ38 (Q38)	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	3,652	97.0
		2	1 or 2 days	32	1.1
		3	3 to 5 days	21	0.7
		4	6 to 9 days	16	0.6
		5	10 to 19 days	7	0.1
		6	20 to 29 days	9	0.2
		7	All 30 days	8	0.3
		Missing	199		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
71-71	NQ40 (Q40)	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	2,346	64.7
		2	8 years old or younger	224	6.5
		3	9 or 10 years old	163	4.7
		4	11 or 12 years old	194	5.1
		5	13 or 14 years old	335	8.9
		6	15 or 16 years old	303	8.2
		7	17 years old or older	61	2.1
		Missing	318		
72-72	NQ41 (Q41)	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	3,111	86.7
		2	1 or 2 days	327	8.8
		3	3 to 5 days	100	2.4
		4	6 to 9 days	39	1.4
		5	10 to 19 days	15	0.4
		6	20 to 29 days	12	0.4
		7	All 30 days	5	0.1
		Missing	335		
73-73	NQ42 (Q42)	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
		1	0 days	3,443	94.7
		2	1 day	102	2.6
		3	2 days	54	1.4
		4	3 to 5 days	28	0.9
		5	6 to 9 days	10	0.2
		6	10 to 19 days	3	0.1
		7	20 or more days	6	0.2
		Missing	298		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
77-77	NQ46 (Q46)	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	2,940	81.0
		2	8 years old or younger	41	1.1
		3	9 or 10 years old	29	1.0
		4	11 or 12 years old	87	2.5
		5	13 or 14 years old	286	7.8
		6	15 or 16 years old	228	5.9
		7	17 years old or older	29	0.8
		Missing	304		
78-78	NQ47 (Q47)	During the past 30 days, how many times did you use marijuana?			
		1	0 times	3,192	88.3
		2	1 or 2 times	177	4.8
		3	3 to 9 times	106	2.9
		4	10 to 19 times	52	1.6
		5	20 to 39 times	42	1.3
		6	40 or more times	43	1.2
		Missing	332		
79-79	NQ48 (Q48)	During your life, how many times have you used synthetic marijuana?			
		1	0 times	3,511	95.6
		2	1 or 2 times	63	1.7
		3	3 to 9 times	44	1.1
		4	10 to 19 times	27	0.8
		5	20 to 39 times	9	0.3
		6	40 or more times	18	0.6
		Missing	272		
81-81	NQ50 (Q50)	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	3,526	97.3
		2	1 or 2 times	30	0.8
		3	3 to 9 times	22	0.8
		4	10 to 19 times	15	0.4
		5	20 to 39 times	9	0.5
		6	40 or more times	8	0.2
		Missing	334		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
83-83	NQ52 (Q52)	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	3,577	97.5
		2	1 or 2 times	28	1.0
		3	3 to 9 times	15	0.5
		4	10 to 19 times	13	0.5
		5	20 to 39 times	8	0.4
		6	40 or more times	8	0.1
	Missing		295		
84-84	NQ53 (Q53)	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?			
		1	0 times	3,536	97.1
		2	1 or 2 times	36	1.4
		3	3 to 9 times	28	0.8
		4	10 to 19 times	19	0.4
		5	20 to 39 times	6	0.2
		6	40 or more times	7	0.2
	Missing		312		
85-85	NQ54 (Q54)	During your life, how many times have you used ecstasy (also called MDMA or Molly)?			
		1	0 times	3,493	96.8
		2	1 or 2 times	41	1.3
		3	3 to 9 times	31	1.1
		4	10 to 19 times	18	0.6
		5	20 to 39 times	11	0.2
		6	40 or more times	6	0.1
	Missing		344		
86-86	NQ55 (Q55)	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	3,563	98.1
		2	1 time	27	1.1
		3	2 or more times	23	0.8
	Missing		331		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
88-88	NQ57 (Q57)	Have you ever had sexual intercourse?		
		1 Yes	564	18.5
		2 No	2,455	81.5
		Missing	925	
89-89	NQ58 (Q58)	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	2,445	81.1
		2 11 years old or younger	46	1.6
		3 12 years old	30	1.3
		4 13 years old	61	1.5
		5 14 years old	148	4.8
		6 15 years old	138	4.4
		7 16 years old	106	3.8
		8 17 years old or older	40	1.5
Missing	930			
90-90	NQ59 (Q59)	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	2,426	81.7
		2 1 person	294	9.9
		3 2 people	101	3.5
		4 3 people	61	2.1
		5 4 people	33	0.8
		6 5 people	22	0.8
		7 6 or more people	38	1.2
Missing	969			
91-91	NQ60 (Q60)	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	2,424	81.6
		2 I have had sexual intercourse, but not during the past 3 months	216	7.1
		3 1 person	284	9.4
		4 2 people	35	1.2
		5 3 people	6	0.2
		6 4 people	6	0.3
		7 5 people	4	0.1
		8 6 or more people	3	0.0
Missing	966			

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
92-92	NQ61 (Q61)	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	2,400	81.9
		2	Yes	80	2.5
		3	No	462	15.7
			Missing	1,002	
93-93	NQ62 (Q62)	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	2,414	81.8
		2	Yes	308	10.5
		3	No	236	7.7
			Missing	986	
94-94	NQ63 (Q63)	The last time you had sexual intercourse with an opposite-sex partner, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse with an opposite-sex partner	2,811	86.3
		2	No method was used to prevent pregnancy	94	3.0
		3	Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	61	2.1
		4	Condoms	201	5.6
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	14	0.4
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	9	0.3
		7	Withdrawal or some other method	49	1.4
		8	Not sure	23	0.9
	Missing	682			
95-95	NQ64 (Q64)	During your life, with whom have you had sexual contact?			
		1	I have never had sexual contact	2,144	70.9
		2	Females	423	14.4
		3	Males	333	10.6
		4	Females and males	129	4.1
	Missing	915			

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
96-96	NQ65 (Q65)	Which of the following best describes you?			
		1	Heterosexual (straight)	2,758	72.5
		2	Gay or lesbian	124	3.9
		3	Bisexual	453	11.3
		4	I describe my sexual identity some other way	190	4.4
		5	I am not sure about my sexual identity (questioning)	219	5.3
		6	I do not know what this question is asking	109	2.6
		Missing	91		
100-100	NQ69 (Q69)	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	598	18.4
		2	1 to 3 times during the past 7 days	1,264	37.9
		3	4 to 6 times during the past 7 days	602	18.5
		4	1 time per day	250	7.2
		5	2 times per day	263	7.0
		6	3 times per day	151	5.1
		7	4 or more times per day	180	5.9
		Missing	636		
105-105	NQ74 (Q74)	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	1,078	34.0
		2	1 to 3 times during the past 7 days	1,401	42.4
		3	4 to 6 times during the past 7 days	369	11.1
		4	1 time per day	160	4.8
		5	2 times per day	113	3.9
		6	3 times per day	39	1.1
		7	4 or more times per day	71	2.7
		Missing	713		
108-108	NQ77 (Q77)	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	720	22.9
		2	1 day	309	9.4
		3	2 days	417	12.5
		4	3 days	377	12.4
		5	4 days	292	10.4
		6	5 days	445	13.5
		7	6 days	152	4.7
		8	7 days	444	14.1
		Missing	788		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
109-109	NQ78 (Q78)	On an average school day, how many hours do you spend in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media (also called "screen time")?			
		1	Less than 1 hour per day	226	8.1
		2	1 hour per day	156	4.9
		3	2 hours per day	330	9.7
		4	3 hours per day	506	16.8
		5	4 hours per day	495	15.2
		6	5 or more hours per day	1,443	45.2
		Missing	788		
113-113	NQ82 (Q82)	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	319	11.9
		2	No	2,257	76.7
		3	Not sure	346	11.4
		Missing	1,022		
114-114	NQ83 (Q83)	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?			
		1	Yes	267	9.5
		2	No	2,477	84.4
		3	Not sure	192	6.1
		Missing	1,008		
115-115	NQ84 (Q84)	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	1,874	62.2
		2	Between 12 and 24 months ago	457	14.8
		3	More than 24 months ago	257	11.0
		4	Never	85	2.6
		5	Not sure	267	9.5
		Missing	1,004		
117-117	NQ86 (Q86)	On an average school night, how many hours of sleep do you get?			
		1	4 or less hours	381	15.0
		2	5 hours	478	17.6
		3	6 hours	656	21.9
		4	7 hours	666	21.5
		5	8 hours	512	17.8
		6	9 hours	116	4.3
		7	10 or more hours	42	2.0
		Missing	1,093		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
118-118	NQ87 (Q87)	During the past 30 days, where did you usually sleep?			
		1	In my parent's or guardian's home	2,651	92.9
		2	In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	114	3.7
		3	In a shelter or emergency housing	39	1.5
		4	In a motel or hotel	17	0.9
		5	In a car, park, campground, or other public place	10	0.5
		6	I do not have a usual place to sleep	10	0.3
		7	Somewhere else	7	0.4
		Missing	1,096		
119-119	NQ88 (Q88)	Which of the following best describes your Hispanic or Latino heritage or culture?			
		1	I am not Hispanic or Latino	1,951	58.8
		2	Colombian	62	1.4
		3	Cuban	31	0.7
		4	Dominican	470	11.6
		5	Ecuadorian	156	3.9
		6	Mexican	488	10.3
		7	Puerto Rican	355	8.5
		8	Other Hispanic or Latino	262	4.8
		Missing	169		
120-120	NQ89 (Q89)	Which of the following best describes your Asian heritage or culture?			
		1	I am not Asian	2,920	78.8
		2	Asian Indian	99	2.4
		3	Bangladeshi	161	4.6
		4	Chinese	310	7.1
		5	Filipino	67	1.4
		6	Korean	30	1.2
		7	Vietnamese	14	0.4
		8	Other Asian	179	4.1
		Missing	164		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
121-121	NQ90 (Q90)	How often do the people in your home speak a language other than English?			
		1	Never	725	23.5
		2	Rarely	307	7.8
		3	Sometimes	677	17.2
		4	Most of the time	1,008	23.0
		5	Always	1,149	28.5
		Missing	78		
122-122	NQ91 (Q91)	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?			
		1	No, I am not transgender	3,630	92.8
		2	Yes, I am transgender	107	3.0
		3	I am not sure if I am transgender	87	2.2
		4	I do not know what this question is asking	79	2.1
		Missing	41		
123-123	NQ92 (Q92)	Some people are born with bodies that do not fit the medical definition of male or female. For example, a person might be born appearing to be male on the outside but might have female anatomy on the inside. This is called intersex. Are you intersex? DATA NOT DISPLAYED.			
124-124	NQ93 (Q93)	During the past 12 months, how many times did you witness someone being physically hurt on purpose?			
		1	0 times	2,224	60.9
		2	1 time	586	14.7
		3	2 or more times	1,014	24.4
		Missing	120		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	NQ94 (Q94)	During your life, how often have you felt that you were treated badly or unfairly because of your race or ethnicity?		
		1 Never	1,828	49.8
		2 Rarely	1,070	27.2
		3 Sometimes	783	17.6
		4 Most of the time	148	3.8
		5 Always	48	1.5
		Missing	67	
126-126	NQ95 (Q95)	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	3,139	80.9
		2 1 time	240	6.5
		3 2 or 3 times	261	6.5
		4 4 or 5 times	82	2.2
		5 6 or more times	159	3.9
		Missing	63	
127-127	NQ96 (Q96)	Menthol cigarettes are cigarettes that taste like mint. Are the cigarettes you usually smoke menthol?		
		1 I do not smoke cigarettes	3,560	93.4
		2 Yes	70	2.0
		3 No	180	4.6
		Missing	134	
128-128	NQ97 (Q97)	How old were you when you tried an electronic vapor product for the first time?		
		1 I have never tried an electronic vapor product	2,731	72.3
		2 8 years old or younger	51	1.4
		3 9 or 10 years old	55	1.6
		4 11 or 12 years old	204	4.7
		5 13 or 14 years old	449	11.4
		6 15 or 16 years old	279	7.4
		7 17 years old or older	43	1.2
		Missing	132	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
129-129	NQ98 (Q98)	Which flavor of electronic vapor products do you typically use?		
		1 I do not use electronic vapor products	3,154	84.8
		2 Tobacco or no flavor	54	1.4
		3 Mint or menthol	93	2.4
		4 Chocolate, candy, fruit, or cinnamon	416	10.4
		5 Alcohol or other flavor	36	1.0
		Missing	191	
130-130	NQ99 (Q99)	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	3,322	91.3
		2 1 or 2 times	162	4.2
		3 3 to 9 times	96	2.6
		4 10 to 19 times	34	0.9
		5 20 to 39 times	19	0.5
		6 40 or more times	17	0.5
		Missing	294	
131-131	NQ100 (Q100)	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	3,485	96.6
		2 1 or 2 times	46	1.8
		3 3 to 9 times	33	0.7
		4 10 to 19 times	22	0.6
		5 20 to 39 times	2	0.0
		6 40 or more times	8	0.3
		Missing	348	
132-132	NQ101 (Q101)	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	3,445	95.6
		2 1 or 2 times	61	2.3
		3 3 to 9 times	30	1.0
		4 10 to 19 times	16	0.5
		5 20 to 39 times	10	0.3
		6 40 or more times	7	0.2
		Missing	375	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
133-133	NQ102 (Q102)	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	2,722	81.0
		2 No method was used to prevent pregnancy	184	5.2
		3 Birth control pills (Do not count emergency contraception such as Plan B or the "morning after" pill.)	77	2.8
		4 Condoms	300	8.0
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	16	0.5
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	3	0.1
		7 Withdrawal or some other method	42	1.5
		8 Not sure	25	0.9
		Missing	575	
134-134	NQ103 (Q103)	What is the primary reason you or your partner did not use a condom the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	2,699	81.6
		2 My partner or I used a condom the last time I had sexual intercourse	318	9.4
		3 We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant)	71	1.9
		4 My partner did not want to use a condom	37	1.0
		5 I do not like the way a condom feels	47	1.5
		6 I did not expect to have sex at that time	84	3.1
		7 Some other reason	64	1.6
		Missing	624	
135-135	NQ104	The last time you used birth control, from where did you or your partner get it?		

DATA NOT DISPLAYED. Please send an email to epidatrequest@health.nyc.gov with requests for data related to school-based health centers.

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
136-136	NQ105 (Q105)	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	2,672	81.7
		2 Yes	106	3.0
		3 No	444	13.5
		4 Not sure	54	1.7
		Missing	668	
137-137	NQ106 (Q106)	Did you receive sex education in your high school health education class?		
		1 I did not have a health education class in high school	912	26.7
		2 Yes	1,426	43.3
		3 No	628	17.6
		4 Not sure	408	12.4
		Missing	570	
138-138	NQ107 (Q107)	Did you receive sex education in your middle school health education class?		
		1 I did not have a health education class in middle school	627	18.2
		2 Yes	1,803	53.1
		3 No	616	18.8
		4 Not sure	314	9.8
		Missing	584	
139-139	NQ108 (Q108)	During the past 30 days, did you try to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals?		
		1 Yes	853	26.0
		2 No	2,207	66.0
		3 Not sure	245	7.9
		Missing	639	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
140-140	NQ109 (Q109)	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	524	16.5
		2 1 to 3 times during the past 7 days	1,222	37.9
		3 4 to 6 times during the past 7 days	694	20.4
		4 1 time per day	309	9.1
		5 2 times per day	260	7.2
		6 3 times per day	102	3.6
		7 4 or more times per day	156	5.3
		Missing	677	
141-141	NQ110 (Q110)	During the past 7 days, how many times did you eat processed meats, such as sausage, bacon, hot dogs, or cold cuts?		
		1 I did not eat processed meats during the past 7 days	645	20.7
		2 1 to 3 times during the past 7 days	1,333	40.9
		3 4 to 6 times during the past 7 days	642	19.5
		4 1 time per day	228	7.5
		5 2 times per day	179	5.3
		6 3 times per day	79	2.5
		7 4 or more times per day	116	3.7
		Missing	722	
142-142	NQ111 (Q111)	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	884	28.7
		2 1 to 3 times during the past 7 days	1,384	43.8
		3 4 to 6 times during the past 7 days	462	14.0
		4 1 time per day	188	5.0
		5 2 times per day	125	3.5
		6 3 times per day	68	2.4
		7 4 or more times per day	77	2.7
		Missing	756	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
143-143	NQ112 (Q112)	In an average week when you are in school in person or remotely, on how many days do you participate in a physical education (PE) class?			
		1	0 days	711	22.6
		2	1 day	163	6.4
		3	2 days	429	12.5
		4	3 days	399	13.1
		5	4 days	155	6.2
		6	5 days	1,224	39.0
		Missing	863		
144-144	NQ113 (Q113)	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	411	14.0
		2	At least once a month	236	7.5
		3	A few times a year	673	21.3
		4	Never	1,707	57.1
		Missing	917		
145-145	NQ114 (Q114)	During the COVID-19 pandemic, how often did you feel so sad, depressed, or hopeless that you had little interest or took little pleasure in doing things?			
		1	Never	830	28.7
		2	Rarely	584	19.4
		3	Sometimes	825	25.5
		4	Most of the time	553	18.7
		5	Always	267	7.8
		Missing	885		
146-146	NQ115 (Q115)	During the COVID-19 pandemic, how often did a parent or other adult in your home swear at you, insult you, or put you down?			
		1	Never	1,512	52.7
		2	Rarely	637	19.7
		3	Sometimes	531	16.1
		4	Most of the time	223	7.3
		5	Always	125	4.3
		Missing	916		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
147-147	NQ116 (Q116)	During the COVID-19 pandemic, how often did you go hungry because there was not enough food in your home?			
		1	Never	2,114	70.4
		2	Rarely	537	17.3
		3	Sometimes	240	8.6
		4	Most of the time	77	2.8
		5	Always	29	0.9
		Missing	947		
148-148	NQ117 (Q117)	During the COVID-19 pandemic, how often were you able to spend time with family, friends, or other groups, such as clubs or religious groups, by using a computer, phone, or other device?			
		1	Never	488	17.0
		2	Rarely	619	19.6
		3	Sometimes	756	25.2
		4	Most of the time	647	21.1
		5	Always	490	17.1
		Missing	944		
149-149	NQ118 (Q118)	Have you ever been taught about AIDS or HIV infection in school?			
		1	Yes	2,158	70.4
		2	No	569	19.4
		3	Not sure	236	10.2
		Missing	981		
150-150	NQ119 (Q119)	During the past 12 months, did you have a toothache that made you change what you ate or drank, kept you from sleeping, made you go to the dentist, or made you miss school?			
		1	Yes	558	19.5
		2	No	2,225	80.5
		Missing	1,161		
151-151	NQ120 (Q120)	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	660	22.5
		2	No	2,053	72.4
		3	Not sure	157	5.2
		Missing	1,074		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	NQ121 (Q121)	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	1,170	39.9
		2 Yes	469	17.1
		3 No	1,089	38.5
		4 Not sure	126	4.5
		Missing	1,090	
153-153	NQ122 (Q122)	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	177	7.6
		2 No	2,609	92.4
		Missing	1,158	
154-154	NQ123 (Q123)	During the past 12 months, did you get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 Yes	479	17.9
		2 No	2,153	77.9
		3 Not sure	115	4.2
		Missing	1,197	
155-155	NQ124 (Q124)	Has either of your parents ever spent time in jail or prison?		
		1 Yes, my mother	155	6.4
		2 Yes, my father	341	13.2
		3 Yes, both parents	70	2.6
		4 No, neither of my parents	1,970	69.1
		5 Not sure	254	8.8
		Missing	1,154	
156-156	NQ125 (Q125)	Have you ever been arrested?		
		1 Yes	140	5.9
		2 No	2,546	94.1
		Missing	1,258	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	NQ126 (Q126)	Do you agree or disagree that you feel close to people at your school?		
		1 Strongly agree	426	17.7
		2 Agree	1,138	41.0
		3 Not sure	697	23.6
		4 Disagree	295	11.0
		5 Strongly disagree	214	6.7
		Missing	1,174	
158-158	NQ127 (Q127)	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	1,558	58.6
		2 No	684	24.2
		3 Not sure	513	17.2
		Missing	1,189	
159-159	NQ128 (Q128)	When was the last time you saw an eye doctor (such as an optometrist or ophthalmologist) for an eye exam?		
		1 During the past 12 months	1,325	44.4
		2 Between 1 and 2 years ago	535	19.7
		3 More than 2 years ago	371	16.4
		4 Never	199	8.2
		5 Not sure	331	11.3
		Missing	1,183	
189-189	QN12	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	125	3.3
		2 No	3,791	96.7
		Missing	28	
191-191	QN14	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	434	13.0
		2 No	3,481	87.0
		Missing	29	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	207	5.9
		2 No	3,684	94.1
			Missing	53
193-193	QN16	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	561	17.0
		2 No	3,294	83.0
			Missing	89
194-194	QN17	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	170	5.5
		2 No	3,686	94.5
			Missing	88
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey)		
		1 Yes	312	8.0
		2 No	3,500	92.0
			Missing	132
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to do, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	116	8.5
		2 No	1,259	91.5
			Missing	2,569

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	116	7.7
		2	No	1,319	92.3
			Missing	2,509	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	405	10.7
		2	No	3,474	89.3
			Missing	65	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)			
		1	Yes	490	13.4
		2	No	3,370	86.6
			Missing	84	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
		1	Yes	1,507	38.2
		2	No	2,337	61.8
			Missing	100	
203-203	QN26	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	625	15.6
		2	No	3,176	84.4
			Missing	143	
205-205	QN28	Percentage of students who actually attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	320	9.2
		2	No	2,934	90.8
			Missing	690	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	91	2.5
		2 No	3,122	97.5
			731	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	336	9.5
		2 No	3,285	90.5
			323	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	166	4.5
		2 No	3,501	95.5
			277	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	71	2.2
		2 No	3,696	97.8
			177	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	6	6.1
		2 No	62	93.9
			3,876	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], on at least 1 day during the 30 days before the survey)		
		1 Yes	437	11.1
		2 No	3,209	88.9
			298	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Percentage of students who usually got their electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station (including e-cigarettes, vapes, vape pens, e-cigars, e-hookahs, hookah pens, and mods [such as JUUL, SMOK, Suorin, Vuse, and blu], during the 30 days before the survey, among students who currently used electronic vapor products)		
		1 Yes	49	9.7
		2 No	376	90.3
		Missing	3,519	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	95	2.6
		2 No	3,663	97.4
		Missing	186	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	93	3.0
		2 No	3,652	97.0
		Missing	199	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	581	16.2
		2 No	3,045	83.8
		Missing	318	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	498	13.3
		2 No	3,111	86.7
		Missing	335	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row if they were female or five or more drinks of alcohol in a row if they were male, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	203	5.3
		2 No	3,443	94.7
		Missing	298	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	157	4.5
		2 No	3,483	95.5
		Missing	304	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	420	11.7
		2 No	3,192	88.3
		Missing	332	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	161	4.4
		2 No	3,511	95.6
		Missing	272	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	84	2.7
		2 No	3,526	97.3
		Missing	334	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	72	2.5
		2 No	3,577	97.5
		Missing	295	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	96	2.9
		2 No	3,536	97.1
		Missing	312	
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA" or "Molly," one or more times during their life)		
		1 Yes	107	3.2
		2 No	3,493	96.8
		Missing	344	
232-232	QN55	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	50	1.9
		2 No	3,563	98.1
		Missing	331	
234-234	QN57	Percentage of students who ever had sexual intercourse		
		1 Yes	564	18.5
		2 No	2,455	81.5
		Missing	925	
235-235	QN58	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	76	2.9
		2 No	2,938	97.1
		Missing	930	
236-236	QN59	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	93	2.8
		2 No	2,882	97.2
		Missing	969	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	338	11.3
		2 No	2,640	88.7
			966	
238-238	QN61	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	50	12.3
		2 No	277	87.7
			3,617	
239-239	QN62	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	186	59.0
		2 No	141	41.0
			3,617	
240-240	QN63	Percentage of students who used birth control pills before last sexual intercourse with opposite-sex partner (to prevent pregnancy, not counting emergency contraception such as Plan B or the "morning after" pill, among students who were currently sexually active)		
		1 Yes	44	21.4
		2 No	224	78.6
			3,676	
246-246	QN69	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	598	18.4
		2 No	2,710	81.6
			636	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
251-251	QN74	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, one or more times during the 7 days before the survey)		
		1 Yes	1,078	34.0
		2 No	2,153	66.0
		Missing	713	
254-254	QN77	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,041	32.3
		2 No	2,115	67.7
		Missing	788	
255-255	QN78	Percentage of students who spent 3 or more hours per day on screen time (in front of a TV, computer, smart phone, or other electronic device watching shows or videos, playing games, accessing the Internet, or using social media, not counting time spent doing schoolwork, on an average school day)		
		1 Yes	2,444	77.3
		2 No	712	22.7
		Missing	788	
259-259	QN82	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	319	11.9
		2 No	2,603	88.1
		Missing	1,022	
260-260	QN83	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)		
		1 Yes	267	9.5
		2 No	2,669	90.5
		Missing	1,008	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
261-261	QN84	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	1,874	62.2
		2 No	1,066	37.8
		Missing	1,004	
263-263	QN86	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	670	24.1
		2 No	2,181	75.9
		Missing	1,093	
264-264	QN87	Percentage of students who usually did not sleep in their parent's or guardian's home (during the 30 days before the survey)		
		1 Yes	190	6.8
		2 No	2,658	93.2
		Missing	1,096	
265-265	QN88	Percentage of students who describe their heritage or culture as Hispanic or Latino		
The denominator for this question use the raceeth10 variable		1 Yes	1,824	41.2
		2 No	1,951	58.8
		Missing	169	
266-266	QN89	Percentage of students who describe their heritage or culture as Asian		
The denominator for this question use the raceeth10 variable		1 Yes	860	21.2
		2 No	2,920	78.8
		Missing	164	
267-267	QN90	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	2,157	51.5
		2 No	1,709	48.5
		Missing	78	
268-268	QN91	Percentage of students who are transgender		
		1 Yes	107	3.0
		2 No	3,796	97.0
		Missing	41	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
269-269	QN92	Percentage of students who are intersex		
		DATA NOT DISPLAYED.		
270-270	QN93	Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey)		
		1 Yes	1,600	39.1
		2 No	2,224	60.9
		Missing	120	
271-271	QN94	Percentage of students who most of the time or always felt that they were treated badly or unfairly because of their race or ethnicity (during their life)		
		1 Yes	196	5.3
		2 No	3,681	94.7
		Missing	67	
272-272	QN95	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	742	19.1
		2 No	3,139	80.9
		Missing	63	
273-273	QN96	Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes)		
		1 Yes	70	30.6
		2 No	180	69.4
		Missing	3,694	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who tried an electronic vapor product for the first time before age 13 years (among students who ever tried an electronic vapor product)		
		1 Yes	310	27.9
		2 No	771	72.1
		Missing	2,863	
275-275	QN98	Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products)		
		1 Yes	545	91.0
		2 No	54	9.0
		Missing	3,345	
276-276	QN99	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	328	8.7
		2 No	3,322	91.3
		Missing	294	
277-277	QN100	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	111	3.4
		2 No	3,485	96.6
		Missing	348	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
278-278	QN101	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)			
		1	Yes	124	4.4
		2	No	3,445	95.6
			Missing	375	
279-279	QN102	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)			
		1	Yes	184	27.3
		2	No	463	72.7
			Missing	3,297	
280-280	QN103	Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse)			
		1	Yes	71	10.2
		2	No	550	89.8
			Missing	3,323	
281-281	QN104	Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control) DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.			
282-282	QN105	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)			
		1	Yes	106	16.6
		2	No	498	83.4
			Missing	3,340	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
283-283	QN106	Percentage of students who did not receive sex education in their high school health education class		
		1 Yes	628	17.6
		2 No	2,746	82.4
		Missing	570	
284-284	QN107	Percentage of students who did not receive sex education in their middle school health education class		
		1 Yes	616	18.8
		2 No	2,744	81.2
		Missing	584	
285-285	QN108	Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals (during the 30 days before the survey)		
		1 Yes	853	26.0
		2 No	2,452	74.0
		Missing	639	
286-286	QN109	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	827	25.1
		2 No	2,440	74.9
		Missing	677	
287-287	QN110	Percentage of students who ate processed meats one or more times per day (such as sausage, bacon, hot dogs, or cold cuts, during the 7 days before the survey)		
		1 Yes	602	18.9
		2 No	2,620	81.1
		Missing	722	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
288-288	QN111	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey)			
		1	Yes	2,304	71.3
		2	No	884	28.7
			Missing	756	
289-289	QN112	Percentage of students who participated in a physical education (PE) class on one or more days (in an average week when they are in school in person or remotely)			
		1	Yes	2,370	77.4
		2	No	711	22.6
			Missing	863	
290-290	QN113	Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey)			
		1	Yes	1,707	57.1
		2	No	1,320	42.9
			Missing	917	
291-291	QN114	Percentage of students who most of the time or always felt so sad, depressed, or hopeless that they had little interest or took little interest in doing things during the COVID-19 pandemic			
		1	Yes	820	26.5
		2	No	2,239	73.5
			Missing	885	
292-292	QN115	Percentage of students who reported that a parent or other adult in their home most of the time or always swore at them, insulted them, or put them down during the COVID-19 pandemic			
		1	Yes	348	11.6
		2	No	2,680	88.4
			Missing	916	
293-293	QN116	Percentage of students who most of the time or always went hungry because there was not enough food in their home during the COVID-19 pandemic			
		1	Yes	106	3.7
		2	No	2,891	96.3
			Missing	947	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
294-294	QN117	Percentage of students who never or rarely were able to spend time with family, friends, or other groups by using a computer, phone, or other device during the COVID-19 pandemic (such as clubs or religious groups and not counting attending school online)		
		1 Yes	1,107	36.6
		2 No	1,893	63.4
		Missing	944	
295-295	QN118	Percentage of students who have been taught about AIDS or HIV infection in school		
No includes "no" and "not sure"		1 Yes	2,158	70.4
		2 No	805	29.6
		Missing	981	
296-296	QN119	Percentage of students who had a toothache that made them change what they ate or drank, kept them from sleeping, made them go to the dentist, or made them miss school (during the 12 months before the survey)		
		1 Yes	558	19.5
		2 No	2,225	80.5
		Missing	1,161	
297-297	QN120	Percentage of students who have ever been told by a doctor or a nurse that they have asthma		
No includes "no" and "not sure"		1 Yes	660	22.5
		2 No	2,210	77.5
		Missing	1,074	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
No includes "no" and "not sure"		1 Yes	469	28.5
		2 No	1,215	71.5
		Missing	2,260	
299-299	QN122	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	177	7.6
		2 No	2,609	92.4
		Missing	1,158	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
300-300	QN123	Percentage of students who got help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
	No includes "no" and "not sure"			
		1 Yes	479	17.9
		2 No	2,268	82.1
		Missing	1,197	
301-301	QN124	Percentage of students who reported that either or both of their parents had ever spent time in jail or prison		
	No includes "no" and "not sure"			
		1 Yes	566	22.2
		2 No	2,224	77.8
		Missing	1,154	
302-302	QN125	Percentage of students who have ever been arrested		
		1 Yes	140	5.9
		2 No	2,546	94.1
		Missing	1,258	
303-303	QN126	Percentage of students who strongly agree or agree that they feel close to people at their school		
		1 Yes	1,564	58.7
		2 No	1,206	41.3
		Missing	1,174	
304-304	QN127	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
	No includes "no" and "not sure"			
		1 Yes	1,558	58.6
		2 No	1,197	41.4
		Missing	1,189	
305-305	QN128	Percentage of students who have never seen an eye doctor for an eye exam (such as an optometrist or ophthalmologist)		
		1 Yes	199	8.2
		2 No	2,562	91.8
		Missing	1,183	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	9	0.2
		2 No	3,758	99.8
		Missing	177	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	6	0.1
		2 No	3,761	99.9
			177	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	73	1.7
		2 No	3,573	98.3
			298	
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	44	1.0
		2 No	3,602	99.0
			298	
354-354	QNFRSKL	Percentage of students who currently used smokeless tobacco frequently (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on 20 or more days during the 30 days before the survey)		
		1 Yes	9	0.2
		2 No	3,749	99.8
			186	
355-355	QNDAYSKL	Percentage of students who currently used smokeless tobacco daily (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on all 30 days during the 30 days before the survey)		
		1 Yes	7	0.2
		2 No	3,751	99.8
			186	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
356-356	QNFRCGR	Percentage of students who currently smoked cigars frequently (cigars, cigarillos, or little cigars, on 20 or more days during the 30 days before the survey)		
		1 Yes	17	0.5
		2 No	3,728	99.5
			199	
357-357	QNDAYCGR	Percentage of students who currently smoked cigars daily (cigars, cigarillos, or little cigars, on all 30 days during the 30 days before the survey)		
		1 Yes	8	0.3
		2 No	3,737	99.7
			199	
358-358	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	92	3.1
		2 No	3,543	96.9
			309	
359-359	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	104	3.4
		2 No	3,509	96.6
			331	
360-360	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	408	11.1
		2 No	3,067	88.9
			469	
361-361	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	405	10.7
		2 No	3,164	89.3
			375	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
362-362	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	10	4.2
		2	No	258	95.8
			Missing	3,676	
363-363	QNOTHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	61	28.3
		2	No	207	71.7
			Missing	3,676	
364-364	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD, or implant, or a shot, or patch, or birth control ring before last sexual intercourse with an opposite-sex partner (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	26	12.3
		2	No	256	87.7
			Missing	3,662	
365-365	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner (among students who were currently sexually active)			
		1	Yes	50	15.6
		2	No	218	84.4
			Missing	3,676	
373-373	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	383	12.5
		2	No	2,848	87.5
			Missing	713	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
374-374	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	223	7.7
		2 No	3,008	92.3
		Missing	713	
378-378	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	720	22.9
		2 No	2,436	77.1
		Missing	788	
379-379	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	444	14.1
		2 No	2,712	85.9
		Missing	788	
381-381	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	85	2.6
		2 No	2,855	97.4
		Missing	1,004	
388-388	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	579	19.2
		2 No	2,716	80.8
		Missing	649	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
389-389	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	580	15.8
		2 No	2,715	84.2
		Missing	649	
390-399	WEIGHT			
400-402	STRATUM			
403-408	PSU			
409-413	BMIPCT			
414-415	RACEETH10			
		1 Am Indian/Alaska Native	33	0.4
		2 Asian	571	14.5
		3 Black or African American	779	28.2
		4 Mideast/N African	102	1.1
		5 Native Hawaiian/Other PI	14	0.2
		6 White	249	12.5
		7 Other race not listed	136	2.0
		8 Hispanic/Latino	128	2.7
		9 Multiple - Hispanic	1,692	37.0
		10 Multiple - non-Hispanic	116	1.4
		Missing	124	
416-418	Q6ORIG	DATA NOT AVAILABLE.		
419-421	Q7ORIG	DATA NOT AVAILABLE.		
450-459	SSWEIGHT	Sub-site Weight		
		DATA NOT AVAILABLE.	0	
460-460	S2	Sub-site - S2		
		0	2,863	98.3
		1	1,081	1.7
		DATA NOT AVAILABLE.		

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5	Race/Ethnicity in 5 categories- comparable to previous years		
		1 White	351	13.6
		2 Black	779	28.2
		3 Hispanic	1820	39.7
		4 Asian	571	14.6
		5 Other (am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple	299	4.0
		Missing	124	
	BCCAT7	Contraception at last sex- 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	177	44.2
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	38	10.5
		3 EC only (any EC without condoms)	13	2.6
		4 Dual: condoms and HBC/LARC excluding exclusive EC	35	9.8
		5 Dual: condoms and EC (may include withdrawal)	29	8.4
		6 Withdrawal only	27	6.8
		7 No contraception	67	17.6
		Missing	3558	
	BCCAT5	Contraception at last sex- 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	177	44.2
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	51	13.1
		3 Dual: condoms and EC (may include withdrawal)	64	18.2
		4 Withdrawal only	27	6.8
		5 No contraception	67	17.6
		Missing	3558	

2021 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	Borough	Borough Code of School		
		1 Bronx	582	17.6
		2 Brooklyn	1171	29.9
		3 Manhattan	632	20.0
		4 Queens	1037	25.9
		5 Staten Island	522	6.6
