

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
1-3	SITE	Site Code		
17-17	Q1	How old are you?		
		1 12 years old or younger	14	0.1
		2 13 years old	17	0.2
		3 14 years old	1,251	15.6
		4 15 years old	2,264	27.4
		5 16 years old	2,500	26.0
		6 17 years old	2,057	19.5
		7 18 years old or older	957	11.2
		Missing	20	
18-18	Q2	What is your sex?		
		1 Female	4,711	51.4
		2 Male	4,342	48.6
		Missing	27	
19-19	Q3	In what grade are you?		
		1 9th grade	2,629	33.3
		2 10th grade	2,361	29.1
		3 11th grade	2,389	19.7
		4 12th grade	1,611	17.8
		5 Ungraded or other grade	21	0.2
		Missing	69	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	3,964	33.5
		2 No	4,990	66.5
		Missing	126	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	9	0.1
		G	3	0.0
		F	13	0.2
		E	1,590	21.0
		D	670	6.6
		DE	9	0.1
		C	2,873	49.7
		C G	1	0.0
		C E	59	0.4
		CD	29	0.2
		CDE	5	0.0
		B	857	17.6
		B E	13	0.2
		B D	14	0.1
		B DE	2	0.1
		BC	29	0.3
		BC E	4	0.1
		BCDE	1	0.0
		A	192	1.7
		A E	14	0.2
		A D	6	0.0
		A C	70	0.6
		A C E	21	0.3
		A CD	6	0.1
		A CDE	1	0.0
		AB	9	0.1
		AB E	1	0.0
		ABC	5	0.1
		ABC E	4	0.0
		ABCDE	3	0.0
		ABCDEFGH	2	0.0
			2,565	0.0
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	3,627	40.0
		2 Never wore a helmet	4,376	47.7
		3 Rarely wore a helmet	469	5.5
		4 Sometimes wore a helmet	248	2.8
		5 Most of the time wore a helmet	142	1.8
		6 Always wore a helmet	165	2.2
	Missing	53		
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	447	4.7
		2 Rarely	710	7.7
		3 Sometimes	1,598	18.4
		4 Most of the time	2,349	26.1
		5 Always	3,945	43.1
	Missing	31		
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	8,524	97.2
		2 1 time	105	0.9
		3 2 or 3 times	70	0.6
		4 4 or 5 times	19	0.2
		5 6 or more times	110	1.1
	Missing	252		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	7,862	88.3
		2 1 day	300	3.3
		3 2 or 3 days	279	2.9
		4 4 or 5 days	118	1.3
		5 6 or more days	369	4.2
	Missing	152		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	8,713	96.9
		2 1 day	113	1.1
		3 2 or 3 days	58	0.7
		4 4 or 5 days	24	0.4
		5 6 or more days	73	1.0
		Missing	99	
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	8,503	95.6
		2 1 day	112	0.9
		3 2 or 3 days	108	1.4
		4 4 or 5 days	47	0.6
		5 6 or more days	156	1.5
		Missing	154	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	8,366	92.5
		2 1 day	338	3.5
		3 2 or 3 days	183	1.9
		4 4 or 5 days	54	0.5
		5 6 or more days	115	1.5
		Missing	24	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	8,415	93.2
		2 1 time	338	3.6
		3 2 or 3 times	138	1.6
		4 4 or 5 times	43	0.4
		5 6 or 7 times	18	0.1
		6 8 or 9 times	22	0.2
		7 10 or 11 times	7	0.1
		8 12 or more times	69	0.8
		Missing	30	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q17	During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?		
		1 0 times	6,934	77.2
		2 1 time	1,192	13.0
		3 2 or 3 times	591	6.8
		4 4 or 5 times	123	1.2
		5 6 or 7 times	44	0.5
		6 8 or 9 times	18	0.2
		7 10 or 11 times	9	0.1
		8 12 or more times	92	1.1
	Missing	77		
49-49	Q18	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	5,875	66.5
		2 1 time	1,242	14.0
		3 2 or 3 times	1,016	10.8
		4 4 or 5 times	286	3.5
		5 6 or 7 times	139	1.5
		6 8 or 9 times	71	0.9
		7 10 or 11 times	26	0.2
		8 12 or more times	210	2.7
	Missing	215		
50-50	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
		1 0 times	8,544	96.0
		2 1 time	293	3.0
		3 2 or 3 times	67	0.5
		4 4 or 5 times	19	0.2
		5 6 or more times	24	0.3
	Missing	133		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	7,787	87.5
		2 1 time	695	7.8
		3 2 or 3 times	266	2.8
		4 4 or 5 times	45	0.7
		5 6 or 7 times	23	0.3
		6 8 or 9 times	10	0.1
		7 10 or 11 times	3	0.0
		8 12 or more times	49	0.7
	Missing	202		
52-52	Q21	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	1,035	11.2
		2 No	7,960	88.8
		Missing	85	
53-53	Q22	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	706	8.3
		2 No	8,293	91.7
		Missing	81	
54-54	Q23	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	2,752	30.2
		2 No	6,145	69.8
		Missing	183	
55-55	Q24	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,135	11.8
		2 No	7,891	88.2
		Missing	54	
56-56	Q25	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	1,030	11.0
		2 No	7,974	89.0
		Missing	76	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	6,766	92.5
		2 1 time	377	4.8
		3 2 or 3 times	155	1.8
		4 4 or 5 times	32	0.2
		5 6 or more times	49	0.7
		Missing	1,701	
58-58	Q27	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	6,788	92.5
		2 Yes	163	2.1
		3 No	457	5.4
		Missing	1,672	
59-59	Q28	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	3,741	43.5
		2 No	4,834	56.5
		Missing	505	
60-60	Q29	How old were you when you smoked a whole cigarette for the first time?		
		1 I have never smoked a whole cigarette	6,052	73.2
		2 8 years old or younger	192	2.4
		3 9 or 10 years old	161	2.1
		4 11 or 12 years old	383	4.2
		5 13 or 14 years old	877	10.6
		6 15 or 16 years old	558	6.2
		7 17 years old or older	101	1.3
		Missing	756	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	7,859	91.5
		2 1 or 2 days	246	2.7
		3 3 to 5 days	122	1.4
		4 6 to 9 days	75	0.7
		5 10 to 19 days	84	1.0
		6 20 to 29 days	70	0.9
		7 All 30 days	175	1.8
	Missing	449		
62-62	Q31	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	7,775	91.4
		2 Less than 1 cigarette per day	197	2.1
		3 1 cigarette per day	182	2.1
		4 2 to 5 cigarettes per day	278	3.1
		5 6 to 10 cigarettes per day	61	0.6
		6 11 to 20 cigarettes per day	32	0.3
		7 More than 20 cigarettes per day	29	0.3
	Missing	526		
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes on school property?		
		1 0 days	8,431	96.3
		2 1 or 2 days	148	1.5
		3 3 to 5 days	43	0.5
		4 6 to 9 days	24	0.2
		5 10 to 19 days	53	0.6
		6 20 to 29 days	23	0.3
		7 All 30 days	75	0.6
	Missing	283		
65-65	Q34	Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?		
		1 Yes	499	5.7
		2 No	8,056	94.3
	Missing	525		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
66-66	Q35	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	7,167	85.6
		2 Yes	694	7.8
		3 No	552	6.5
		Missing	667	
67-67	Q36	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	8,697	97.8
		2 1 or 2 days	85	0.8
		3 3 to 5 days	39	0.6
		4 6 to 9 days	26	0.2
		5 10 to 19 days	19	0.2
		6 20 to 29 days	7	0.1
		7 All 30 days	27	0.3
		Missing	180	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	8,473	95.5
		2 1 or 2 days	229	2.2
		3 3 to 5 days	83	0.9
		4 6 to 9 days	54	0.4
		5 10 to 19 days	41	0.3
		6 20 to 29 days	24	0.3
		7 All 30 days	40	0.4
		Missing	136	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	3,230	38.3
		2 8 years old or younger	646	7.8
		3 9 or 10 years old	505	5.9
		4 11 or 12 years old	957	10.7
		5 13 or 14 years old	1,949	21.4
		6 15 or 16 years old	1,304	13.1
		7 17 years old or older	254	2.9
		Missing	235	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	5,137	66.5
		2 1 or 2 days	1,638	18.9
		3 3 to 5 days	721	7.9
		4 6 to 9 days	329	3.3
		5 10 to 19 days	204	2.2
		6 20 to 29 days	57	0.5
		7 All 30 days	64	0.7
		Missing	930	
73-73	Q42	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	7,273	85.2
		2 1 day	646	6.9
		3 2 days	360	3.4
		4 3 to 5 days	281	2.6
		5 6 to 9 days	113	0.9
		6 10 to 19 days	51	0.4
		7 20 or more days	44	0.6
		Missing	312	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	5,114	65.8
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	416	4.6
		3 I bought it at a restaurant, bar, or club	159	2.1
		4 I bought it at a public event such as a concert or sporting event	51	0.4
		5 I gave someone else money to buy it for me	466	4.4
		6 Someone gave it to me	941	9.8
		7 I took it from a store or family member	430	5.5
		8 I got it some other way	613	7.4
		Missing	890	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q44	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
		1 0 days	8,205	95.2
		2 1 or 2 days	338	3.2
		3 3 to 5 days	73	0.7
		4 6 to 9 days	21	0.2
		5 10 to 19 days	20	0.2
		6 20 to 29 days	8	0.1
		7 All 30 days	30	0.4
		Missing	385	
76-76	Q45	During your life, how many times have you used marijuana?		
		1 0 times	6,306	73.7
		2 1 or 2 times	760	8.2
		3 3 to 9 times	558	6.0
		4 10 to 19 times	267	3.0
		5 20 to 39 times	244	2.6
		6 40 to 99 times	209	2.1
		7 100 or more times	364	4.4
		Missing	372	
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	6,287	73.5
		2 8 years old or younger	90	1.1
		3 9 or 10 years old	96	1.0
		4 11 or 12 years old	278	3.4
		5 13 or 14 years old	1,024	11.5
		6 15 or 16 years old	805	8.0
		7 17 years old or older	144	1.6
		Missing	356	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	7,537	87.6
		2 1 or 2 times	492	5.5
		3 3 to 9 times	292	2.9
		4 10 to 19 times	123	1.5
		5 20 to 39 times	92	0.8
		6 40 or more times	161	1.7
		Missing	383	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana on school property?		
		1 0 times	8,548	97.3
		2 1 or 2 times	139	1.5
		3 3 to 9 times	43	0.3
		4 10 to 19 times	23	0.3
		5 20 to 39 times	13	0.2
		6 40 or more times	34	0.3
	Missing	280		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	8,560	96.8
		2 1 or 2 times	129	1.4
		3 3 to 9 times	62	0.7
		4 10 to 19 times	48	0.4
		5 20 to 39 times	26	0.4
		6 40 or more times	47	0.3
	Missing	208		
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	8,064	91.3
		2 1 or 2 times	397	4.5
		3 3 to 9 times	160	2.1
		4 10 to 19 times	78	0.9
		5 20 to 39 times	42	0.4
		6 40 or more times	71	0.8
	Missing	268		
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	8,727	98.7
		2 1 or 2 times	49	0.4
		3 3 to 9 times	27	0.2
		4 10 to 19 times	16	0.2
		5 20 to 39 times	11	0.1
		6 40 or more times	35	0.4
	Missing	215		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	8,648	98.2
		2 1 or 2 times	79	0.8
		3 3 to 9 times	35	0.3
		4 10 to 19 times	31	0.2
		5 20 to 39 times	14	0.1
		6 40 or more times	36	0.4
		Missing	237	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	8,530	97.5
		2 1 or 2 times	128	1.3
		3 3 to 9 times	59	0.5
		4 10 to 19 times	23	0.2
		5 20 to 39 times	10	0.2
		6 40 or more times	37	0.4
		Missing	293	
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	8,647	97.9
		2 1 or 2 times	93	1.0
		3 3 to 9 times	50	0.4
		4 10 to 19 times	21	0.2
		5 20 to 39 times	15	0.1
		6 40 or more times	27	0.3
		Missing	227	
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	8,671	98.3
		2 1 time	87	1.0
		3 2 or more times	70	0.7
		Missing	252	
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	2,047	23.3
		2 No	6,717	76.7
		Missing	316	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	3,790	46.1
		2 No	4,195	53.9
		Missing	1,095	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	4,177	53.7
		2 11 years old or younger	359	5.5
		3 12 years old	289	3.9
		4 13 years old	612	7.7
		5 14 years old	901	10.7
		6 15 years old	861	9.8
		7 16 years old	568	6.4
		8 17 years old or older	205	2.3
		Missing	1,108	
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	4,164	54.0
		2 1 person	1,267	15.2
		3 2 people	774	9.4
		4 3 people	477	5.6
		5 4 people	319	4.1
		6 5 people	219	2.3
		7 6 or more people	686	9.4
		Missing	1,174	
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	4,168	53.8
		2 I have had sexual intercourse, but not during the past 3 months	1,145	14.5
		3 1 person	1,910	23.1
		4 2 people	368	4.4
		5 3 people	153	1.5
		6 4 people	66	0.8
		7 5 people	32	0.4
		8 6 or more people	96	1.4
		Missing	1,142	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	4,147	53.7
		2 Yes	538	6.6
		3 No	3,233	39.7
		Missing	1,162	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	4,155	54.6
		2 Yes	2,714	33.7
		3 No	940	11.8
		Missing	1,271	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	4,152	54.6
		2 No method was used to prevent pregnancy	556	7.3
		3 Birth control pills	188	2.4
		4 Condoms	2,361	29.5
		5 Depo-Provera (injectable birth control)	53	0.6
		6 Withdrawal	227	2.5
		7 Some other method	123	1.3
		8 Not sure	130	1.8
Missing	1,290			
96-96	Q65	How do you describe your weight?		
		1 Very underweight	265	3.2
		2 Slightly underweight	1,156	13.8
		3 About the right weight	4,790	55.7
		4 Slightly overweight	2,053	23.5
		5 Very overweight	364	3.8
Missing	452			
97-97	Q66	Which of the following are you trying to do about your weight?		
		1 Lose weight	3,870	43.1
		2 Gain weight	1,737	20.2
		3 Stay the same weight	1,719	21.4
		4 I am not trying to do anything about my weight	1,269	15.2
		Missing	485	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
98-98	Q67	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
		1 Yes	5,115	59.8
		2 No	3,442	40.2
		Missing	523	
99-99	Q68	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
		1 Yes	3,187	35.9
		2 No	5,375	64.1
		Missing	518	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	432	5.1
		2 No	8,037	94.9
		Missing	611	
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	1,578	18.6
		2 1 to 3 times during the past 7 days	2,999	34.8
		3 4 to 6 times during the past 7 days	1,408	17.0
		4 1 time per day	579	7.1
		5 2 times per day	679	7.6
		6 3 times per day	488	5.2
		7 4 or more times per day	816	9.8
Missing	533			
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,493	16.9
		2 1 to 3 times during the past 7 days	3,505	39.3
		3 4 to 6 times during the past 7 days	1,450	18.3
		4 1 time per day	747	8.9
		5 2 times per day	642	7.9
		6 3 times per day	292	3.8
		7 4 or more times per day	398	4.8
Missing	553			

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	1,682	20.6
		2 1 to 3 times during the past 7 days	2,967	36.2
		3 4 to 6 times during the past 7 days	1,603	19.7
		4 1 time per day	680	7.6
		5 2 times per day	570	6.3
		6 3 times per day	372	4.1
		7 4 or more times per day	535	5.6
		Missing	671	
110-110	Q79	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	2,289	26.4
		2 1 to 3 glasses during the past 7 days	2,601	31.1
		3 4 to 6 glasses during the past 7 days	1,173	14.4
		4 1 glass per day	1,015	12.9
		5 2 glasses per day	705	8.5
		6 3 glasses per day	300	3.2
		7 4 or more glasses per day	279	3.5
		Missing	718	
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	1,504	18.1
		2 1 day	768	9.0
		3 2 days	903	11.2
		4 3 days	1,008	12.4
		5 4 days	783	10.1
		6 5 days	1,018	12.7
		7 6 days	407	5.3
		8 7 days	1,686	21.1
		Missing	1,003	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
112-112	Q81	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	688	9.0
		2 Less than 1 hour per day	1,052	12.9
		3 1 hour per day	916	10.7
		4 2 hours per day	1,534	19.0
		5 3 hours per day	1,436	16.2
		6 4 hours per day	1,010	13.0
		7 5 or more hours per day	1,529	19.2
		Missing	915	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,388	16.9
		2 Less than 1 hour per day	1,320	17.0
		3 1 hour per day	1,102	14.0
		4 2 hours per day	1,337	16.7
		5 3 hours per day	1,049	12.6
		6 4 hours per day	725	8.5
		7 5 or more hours per day	1,206	14.2
		Missing	953	
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	1,451	21.1
		2 1 day	608	4.6
		3 2 days	821	9.7
		4 3 days	850	10.3
		5 4 days	795	12.0
		6 5 days	3,385	42.3
		Missing	1,170	
115-115	Q84	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	4,383	57.9
		2 1 team	2,067	24.4
		3 2 teams	930	11.1
		4 3 or more teams	566	6.7
		Missing	1,134	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	Q85	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	6,954	88.0
		2 No	705	8.9
		3 Not sure	243	3.1
		Missing	1,178	
117-117	Q86	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	1,873	22.1
		2 No	5,724	73.7
		3 Not sure	320	4.2
		Missing	1,163	
119-119	Q88	How long have you lived in the US?		
		1 Less than one year	115	1.5
		2 1 to 3 years	488	6.3
		3 4 to 6 years	555	7.6
		4 7 or more years	7,821	84.6
		Missing	101	
120-120	Q89	What borough of New York do you live in?		
		1 Bronx	2,181	19.1
		2 Brooklyn	2,127	35.2
		3 Manhattan	1,282	10.8
		4 Queens	1,736	27.0
		5 Staten Island	1,701	8.0
		Missing	53	
121-121	Q90	How often do the people in your home speak a language other than English?		
		1 Never	2,519	29.7
		2 Rarely	802	7.8
		3 Sometimes	1,659	18.6
		4 Most of the time	2,018	22.4
		5 Always	1,960	21.4
		Missing	122	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	7,821	89.2
		2 I bought them in a store such as a convenience store, supermarket, or gas station	306	3.2
		3 I bought them on the Internet	23	0.2
		4 I bummed them	90	1.0
		5 Someone gave them to me or bought them for me	393	4.3
		6 I stole them	45	0.5
		7 I got them some other way	142	1.5
		Missing	260	
123-123	Q92	If you bummed, stole, or were given cigarettes during the past 30 days, how old was the person you got them from?		
		1 I did not bum, steal, or get cigarettes from anyone during the past 30 days	8,013	91.2
		2 17 years old or younger	377	3.8
		3 18 to 20 years old	262	2.7
		4 21 years old or older	201	2.4
		Missing	227	
124-124	Q93	Do you think you will be smoking five years from now?		
		1 Yes	876	9.5
		2 No	8,037	90.5
		Missing	167	
125-125	Q94	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	6,221	73.3
		2 1 to 3 times	1,337	14.6
		3 4 to 7 times	547	6.0
		4 8 or more times	548	6.1
		Missing	427	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	The last time you had sexual intercourse, how old was your partner?		
		1 I have never had sexual intercourse	4,387	52.9
		2 12 years old or younger	104	1.5
		3 13 to 14 years old	405	4.5
		4 15 to 17 years old	2,303	25.9
		5 18 to 20 years old	952	10.9
		6 21 to 24 years old	218	2.5
		7 25 years old or older	85	1.1
		8 Not sure	59	0.7
		Missing	567	
127-127	Q96	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	3,506	42.8
		2 Females	2,529	28.2
		3 Males	2,188	25.1
		4 Females and males	345	3.9
		Missing	512	
128-128	Q97	Which of the following best describes you?		
		1 Heterosexual or straight	7,900	91.7
		2 Gay or lesbian	119	1.3
		3 Bisexual	359	3.6
		4 Not sure	252	3.4
		Missing	450	
129-129	Q98	How many times have you been pregnant or gotten someone pregnant?		
		1 0 times	7,953	93.4
		2 1 time	391	4.3
		3 2 or more times	106	1.4
		4 Not sure	81	0.9
		Missing	549	
130-130	Q99	Have you ever heard of emergency contraceptive pills, sometimes called morning after pills or Plan B?		
		1 Yes	4,358	48.4
		2 No	4,209	51.6
		Missing	513	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	1,455	15.7
		2 1 to 3 times during the past 7 days	3,054	35.2
		3 4 to 6 times during the past 7 days	1,623	20.6
		4 1 time per day	1,179	14.4
		5 2 times per day	595	7.5
		6 3 times per day	222	2.7
		7 4 or more times per day	333	3.8
	Missing	619		
132-132	Q101	During the past 7 days, how many times did you eat french fries, fried potatoes, or potato chips?		
		1 I did not eat french fries, fried potatoes, or potato chips during the past 7 days	1,223	14.9
		2 1 to 3 times during the past 7 days	4,351	51.7
		3 4 to 6 times during the past 7 days	1,611	18.1
		4 1 time per day	601	7.0
		5 2 times per day	319	3.6
		6 3 times per day	131	1.6
		7 4 or more times per day	247	3.0
	Missing	597		
133-133	Q102	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	1,361	17.3
		2 1 to 3 times during the past 7 days	3,213	38.4
		3 4 to 6 times during the past 7 days	1,615	19.7
		4 1 time per day	717	7.9
		5 2 times per day	520	5.8
		6 3 times per day	345	4.3
		7 4 or more times per day	566	6.6
	Missing	743		

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	When you drink milk, what kind of milk do you usually drink?		
		1 I do not drink milk	1,074	12.5
		2 Whole milk	3,274	38.8
		3 2% milk or reduced fat milk	1,476	18.0
		4 1% milk or low-fat milk	1,013	12.0
		5 Skim milk or non-fat milk	374	4.6
		6 Soy milk	281	3.5
		7 Not sure	799	10.5
		Missing	789	
135-135	Q104	During the last week you were in school, on how many days did you walk or bike to school or walk or bike to public transportation to get to school?		
		1 0 days	2,101	24.7
		2 1 day	341	3.5
		3 2 days	297	3.3
		4 3 days	318	3.9
		5 4 days	307	3.2
		6 5 or more days	4,834	61.4
		Missing	882	
136-136	Q105	If you regularly walk or bike to school or walk or bike to public transportation to get to school, which do you do the most of?		
		1 I do not regularly walk or bike to school or walk or bike to public transportation to get to school	2,097	24.5
		2 I mostly walk to school	1,904	19.2
		3 I mostly bike to school	72	0.8
		4 I mostly walk to public transportation to get to school	3,958	54.1
		5 I mostly bike to public transportation to get to school	95	1.4
		Missing	954	
137-137	Q106	How long does it usually take you to walk or bike to school?		
		1 I do not walk or bike to school	3,214	41.5
		2 10 minutes or less	1,815	20.8
		3 11 to 20 minutes	1,456	15.7
		4 21 to 30 minutes	823	10.0
		5 31 to 59 minutes	484	7.5
		6 60 minutes or more	319	4.6
		Missing	969	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	1,409	19.8
		2 Less than 10 minutes	1,192	12.6
		3 10 to 20 minutes	1,424	15.8
		4 21 to 30 minutes	1,339	16.8
		5 31 to 40 minutes	1,072	14.1
		6 41 to 50 minutes	1,014	13.4
		7 51 to 60 minutes	234	2.5
		8 More than 60 minutes	367	5.1
		Missing	1,029	
139-139	Q108	When was the last time you had a check up (preventive health examination or complete physical) at a clinic or doctor's office?		
		1 During the past year	5,706	70.7
		2 1 to 2 years ago	1,145	15.3
		3 More than 2 years ago	263	3.3
		4 Not sure	859	10.6
		Missing	1,107	
140-140	Q109	During your last check up, did your doctor or nurse discuss ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs)?		
		1 Yes	3,094	35.3
		2 No	4,277	57.9
		3 Not sure	527	6.8
		Missing	1,182	
141-141	Q110	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	3,810	48.9
		2 Yes	1,048	12.8
		3 No	2,862	34.8
		4 Not sure	238	3.5
		Missing	1,122	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
142-142	Q111	Do you agree or disagree that you feel connected to at least one teacher or other adult in this school you can talk to if you have a problem?		
		1 Strongly agree	2,113	27.4
		2 Agree	2,411	29.6
		3 Not sure	1,551	20.3
		4 Disagree	895	11.3
		5 Strongly disagree	964	11.4
		Missing	1,146	
143-143	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	4,845	88.7
		2 No	555	11.3
		Missing	3,680	
144-144	QN9	Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		
		1 Yes	1,157	12.5
		2 No	7,892	87.5
		Missing	31	
146-146	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	304	2.8
		2 No	8,524	97.2
		Missing	252	
147-147	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	1,066	11.7
		2 No	7,862	88.3
		Missing	152	
148-148	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	268	3.1
		2 No	8,713	96.9
		Missing	99	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	423	4.4
		2 No	8,503	95.6
		Missing	154	
150-150	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	690	7.5
		2 No	8,366	92.5
		Missing	24	
151-151	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	635	6.8
		2 No	8,415	93.2
		Missing	30	
152-152	QN17	Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months		
		1 Yes	2,069	22.8
		2 No	6,934	77.2
		Missing	77	
153-153	QN18	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	2,990	33.5
		2 No	5,875	66.5
		Missing	215	
154-154	QN19	Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse		
		1 Yes	403	4.0
		2 No	8,544	96.0
		Missing	133	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
155-155	QN20	Percentage of students who were in a physical fight on school property one or more times during the past 12 months		
		1 Yes	1,091	12.5
		2 No	7,787	87.5
		Missing	202	
156-156	QN21	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	1,035	11.2
		2 No	7,960	88.8
		Missing	85	
157-157	QN22	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	706	8.3
		2 No	8,293	91.7
		Missing	81	
158-158	QN23	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	2,752	30.2
		2 No	6,145	69.8
		Missing	183	
159-159	QN24	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	1,135	11.8
		2 No	7,891	88.2
		Missing	54	
160-160	QN25	Percentage of students who made a plan about how they would attempt suicide during the past 12 months		
		1 Yes	1,030	11.0
		2 No	7,974	89.0
		Missing	76	
161-161	QN26	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	613	7.5
		2 No	6,766	92.5
		Missing	1,701	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
162-162	QN27	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	163	2.1
		2 No	7,245	97.9
		Missing	1,672	
163-163	QN28	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	3,741	43.5
		2 No	4,834	56.5
		Missing	505	
164-164	QN29	Percentage of students who smoked a whole cigarette for the first time before age 13 years		
		1 Yes	736	8.6
		2 No	7,588	91.4
		Missing	756	
165-165	QN30	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	772	8.5
		2 No	7,859	91.5
		Missing	449	
166-166	QN31	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	59	7.2
		2 No	703	92.8
		Missing	8,318	
168-168	QN33	Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		
		1 Yes	366	3.7
		2 No	8,431	96.3
		Missing	283	
169-169	QN34	Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days		
		1 Yes	499	5.7
		2 No	8,056	94.3
		Missing	525	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
170-170	QN35	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	446	59.5
		2 No	284	40.5
		Missing	8,350	
171-171	QN36	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	203	2.2
		2 No	8,697	97.8
		Missing	180	
173-173	QN38	Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days		
		1 Yes	471	4.5
		2 No	8,473	95.5
		Missing	136	
175-175	QN40	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	2,108	24.4
		2 No	6,737	75.6
		Missing	235	
176-176	QN41	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	3,013	33.5
		2 No	5,137	66.5
		Missing	930	
177-177	QN42	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	1,495	14.8
		2 No	7,273	85.2
		Missing	312	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
178-178	QN43	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank by buying it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station during the past 30 days		
		1 Yes	395	13.6
		2 No	2,577	86.4
		Missing	6,108	
179-179	QN44	Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		
		1 Yes	490	4.8
		2 No	8,205	95.2
		Missing	385	
180-180	QN45	Percentage of students who used marijuana one or more times during their life		
		1 Yes	2,402	26.3
		2 No	6,306	73.7
		Missing	372	
181-181	QN46	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	464	5.5
		2 No	8,260	94.5
		Missing	356	
182-182	QN47	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	1,160	12.4
		2 No	7,537	87.6
		Missing	383	
183-183	QN48	Percentage of students who used marijuana on school property one or more times during the past 30 days		
		1 Yes	252	2.7
		2 No	8,548	97.3
		Missing	280	
184-184	QN49	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	312	3.2
		2 No	8,560	96.8
		Missing	208	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
186-186	QN51	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	748	8.7
		2 No	8,064	91.3
		Missing	268	
187-187	QN52	Percentage of students who used heroin one or more times during their life		
		1 Yes	138	1.3
		2 No	8,727	98.7
		Missing	215	
188-188	QN53	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	195	1.8
		2 No	8,648	98.2
		Missing	237	
189-189	QN54	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	257	2.5
		2 No	8,530	97.5
		Missing	293	
190-190	QN55	Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life		
		1 Yes	206	2.1
		2 No	8,647	97.9
		Missing	227	
191-191	QN56	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	157	1.7
		2 No	8,671	98.3
		Missing	252	
192-192	QN57	Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		
		1 Yes	2,047	23.3
		2 No	6,717	76.7
		Missing	316	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	3,790	46.1
		2 No	4,195	53.9
		Missing	1,095	
194-194	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	648	9.4
		2 No	7,324	90.6
		Missing	1,108	
195-195	QN60	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	1,224	15.8
		2 No	6,682	84.2
		Missing	1,174	
196-196	QN61	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	2,625	31.7
		2 No	5,313	68.3
		Missing	1,142	
197-197	QN62	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	370	13.4
		2 No	2,230	86.6
		Missing	6,480	
198-198	QN63	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	1,787	71.5
		2 No	736	28.5
		Missing	6,557	
199-199	QN64	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	151	6.3
		2 No	2,362	93.7
		Missing	6,567	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
200-200	QN65	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	2,417	27.3
		2 No	6,211	72.7
		Missing	452	
201-201	QN66	Percentage of students who were trying to lose weight		
		1 Yes	3,870	43.1
		2 No	4,725	56.9
		Missing	485	
202-202	QN67	Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	5,115	59.8
		2 No	3,442	40.2
		Missing	523	
203-203	QN68	Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	3,187	35.9
		2 No	5,375	64.1
		Missing	518	
206-206	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	432	5.1
		2 No	8,037	94.9
		Missing	611	
207-207	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	6,969	81.4
		2 No	1,578	18.6
		Missing	533	
208-208	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	7,034	83.1
		2 No	1,493	16.9
		Missing	553	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	2,157	23.5
		2 No	6,252	76.5
		Missing	671	
214-214	QN79	Percentage of students who drank three or more glasses per day of milk during the past seven days		
		1 Yes	579	6.7
		2 No	7,783	93.3
		Missing	718	
215-215	QN80	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	3,111	39.2
		2 No	4,966	60.8
		Missing	1,003	
216-216	QN81	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	3,975	48.4
		2 No	4,190	51.6
		Missing	915	
217-217	QN82	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	2,980	35.4
		2 No	5,147	64.6
		Missing	953	
218-218	QN83	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	6,459	78.9
		2 No	1,451	21.1
		Missing	1,170	
219-219	QN84	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	3,563	42.1
		2 No	4,383	57.9
		Missing	1,134	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN85	Percentage of students who had ever been taught in school about AIDS or HIV infection		
		1 Yes	6,954	88.0
		2 No	948	12.0
		Missing	1,178	
221-221	QN86	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	1,873	22.1
		2 No	6,044	77.9
		Missing	1,163	
223-223	QN88	Percentage of students who have lived in the U.S. less than one year		
		1 Yes	115	1.5
		2 No	8,864	98.5
		Missing	101	
224-224	QN89	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	7,745	89.2
		2 No	1,282	10.8
		Missing	53	
225-225	QN90	Percentage of students whose people in their home most of the time or always speak a language other than English		
		1 Yes	3,978	43.9
		2 No	4,980	56.1
		Missing	122	
226-226	QN91	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	306	3.2
		2 No	8,514	96.8
		Missing	260	
227-227	QN92	Percentage of students who bummed or stole from, or were given cigarettes by a person 18 years old or older during the past 30 days		
		1 Yes	463	5.1
		2 No	8,390	94.9
		Missing	227	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN93	Percentage of students who think they will be smoking five years from now		
		1 Yes	876	9.5
		2 No	8,037	90.5
		Missing	167	
229-229	QN94	Percentage of students who had sexual intercourse one or more times during the past 30 days		
		1 Yes	2,432	26.7
		2 No	6,221	73.3
		Missing	427	
230-230	QN95	Percentage of students whose last sexual intercourse partner was 18 years old or older		
		1 Yes	1,255	14.5
		2 No	7,258	85.5
		Missing	567	
231-231	QN96	Percentage of students who have had sexual contact with females and males during their life		
		1 Yes	345	3.9
		2 No	8,223	96.1
		Missing	512	
232-232	QN97	Percentage of students who describe themselves as gay, lesbian, or bisexual		
		1 Yes	478	4.9
		2 No	8,152	95.1
		Missing	450	
233-233	QN98	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	497	5.8
		2 No	8,034	94.2
		Missing	549	
234-234	QN99	Percentage of students who have ever heard of emergency contraceptive pills, sometimes called morning after pills or Plan B		
		1 Yes	4,358	48.4
		2 No	4,209	51.6
		Missing	513	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN100	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	2,329	28.5
		2 No	6,132	71.5
		Missing	619	
236-236	QN101	Percentage of students who ate french fries, fried potatoes, or potato chips one or more times per day during the past seven days		
		1 Yes	1,298	15.2
		2 No	7,185	84.8
		Missing	597	
237-237	QN102	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	2,148	24.6
		2 No	6,189	75.4
		Missing	743	
238-238	QN103	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	1,387	16.6
		2 No	6,904	83.4
		Missing	789	
239-239	QN104	Percentage of students who walked or biked to school or walked or biked to public transportation to get to school on one or more days during the last week they were in school		
		1 Yes	6,097	75.3
		2 No	2,101	24.7
		Missing	882	
240-240	QN105	Percentage of students who mostly walk or bike to school		
		1 Yes	1,976	19.9
		2 No	6,150	80.1
		Missing	954	
241-241	QN106	Percentage of students who usually walk or bike to school for more than 20 minutes		
		1 Yes	1,626	22.1
		2 No	6,485	77.9
		Missing	969	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
242-242	QN107	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	4,026	51.9
		2 No	4,025	48.1
		Missing	1,029	
243-243	QN108	Percentage of students who last had a check up (preventive health examination or complete physical) at a clinic or doctor's office during the past year		
		1 Yes	5,706	70.7
		2 No	2,267	29.3
		Missing	1,107	
244-244	QN109	Percentage of students whose doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) during their last check up		
		1 Yes	3,094	35.3
		2 No	4,804	64.7
		Missing	1,182	
245-245	QN110	Percentage of students who had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	1,048	12.8
		2 No	6,910	87.2
		Missing	1,122	
246-246	QN111	Percentage of students who strongly agree or agree that they feel connected to at least one teacher or other adult in this school they can talk to if they have a problem		
		1 Yes	4,524	57.1
		2 No	3,410	42.9
		Missing	1,146	
248-248	QNFRDIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	245	2.7
		2 No	8,386	97.3
		Missing	449	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
249-249	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	3,385	42.3
		2 No	4,525	57.7
		Missing	1,170	
250-250	QNANYTOB	Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	941	10.3
		2 No	7,536	89.7
		Missing	603	
251-251	QNROVWGT (revised)	Percentage of students who were at risk of becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [CLASSIFIED AS "OVERWEIGHT" STARTING WITH 2009 YRBS]		
		1 Yes	1,397	15.9
		2 No	7,074	84.1
		Missing	609	
252-252	QNOVWGT (revised)	Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex) [CLASSIFIED AS "OBESE" STARTING WITH 2009 YRBS]		
		1 Yes	1,020	11.2
		2 No	7,451	88.8
		Missing	609	
358-369	Weight	Weight		
370-374	PSU	Primary Sampling Unit		
375-378	Stratum	Stratum		
379-383	BMIPct	Percentile for body mass index, by age and sex		
384-385	RaceEth	Race/Ethnicity		
		1 Am Indian / Alaska Native	73	0.4
		2 Asian	798	13.5
		3 Black or African American	2,327	35.6
		4 Native Hawaiian/other PI	165	1.1
		5 White	1,255	13.8
		6 Hispanic/Latino	2,332	20.8
		7 Multiple - Hispanic	1,613	13.3
		8 Multiple - non-Hispanic	189	1.3
		Missing	328	