

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	NQ1 (Q1)	How old are you?			
		1	12 years old or younger	58	0.6
		2	13 years old	270	3.1
		3	14 years old	2,189	23.2
		4	15 years old	2,715	26.1
		5	16 years old	2,316	22.8
		6	17 years old	2,078	19.5
		7	18 years old or older	512	4.7
		Missing	53		
18-18	NQ2 (Q2)	What is your sex?			
		1	Female	5,184	48.8
		2	Male	4,893	51.2
		Missing	114		
19-19	NQ3 (Q3)	In what grade are you?			
		1	9th grade	2,625	28.4
		2	10th grade	2,883	26.7
		3	11th grade	2,181	22.8
		4	12th grade	2,349	21.5
		5	Ungraded or other grade	39	0.5
		Missing	114		
20-20	NQ4 (Q4)	Are you Hispanic or Latino?			
		1	Yes	4,472	38.3
		2	No	5,407	61.7
		Missing	312		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5 (Q5)	What is your race?		
		H	14	0.2
		G	6	0.1
		F	31	0.4
		FGH	1	0.0
		E	1,894	24.1
		E H	2	0.0
		D	565	5.1
		DE	7	0.0
		C	3,107	41.8
		C H	1	0.0
		C F	1	0.0
		C E	127	0.9
		C E H	1	0.0
		CD	54	0.4
		CDE	6	0.1
		B	1,339	21.0
		B E	61	0.3
		B D	21	0.1
		B DE	3	0.0
		BC	58	0.3
		BC E	9	0.1
		BCD	3	0.0
		A	407	3.7
		A E	20	0.2
		A D	8	0.1
		A DE	3	0.0
		A C	76	0.5
		A C E	24	0.2
		A CD	7	0.1
		A CDE	5	0.0
		AB	10	0.1
		AB E	1	0.0
		ABC	3	0.0
		ABC E	5	0.0
		ABCD	1	0.0
		ABCDE	10	0.1
		ABCDEF	1	0.0
		ABCDEFGH	1	0.0
			2,298	
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	NQ6 (Q6)	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	NQ7 (Q7)	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
42-42	NQ11 (Q16)	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	7,943	81.2
		2 0 days	1,244	12.4
		3 1 or 2 days	186	2.1
		4 3 to 5 days	85	0.9
		5 6 to 9 days	53	0.6
		6 10 to 19 days	36	0.4
		7 20 to 29 days	35	0.4
		8 All 30 days	192	2.0
		Missing	417	
43-43	NQ12 (Q17)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	9,001	91.8
		2 1 day	230	2.5
		3 2 or 3 days	176	1.8
		4 4 or 5 days	68	0.8
		5 6 or more days	303	3.1
		Missing	413	
44-44	NQ13 (Q18)	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	9,473	96.7
		2 1 day	84	1.1
		3 2 or 3 days	49	0.5
		4 4 or 5 days	30	0.4
		5 6 or more days	138	1.4
		Missing	417	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	NQ14 (Q20)	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	9,487	95.7
		2 1 day	131	1.3
		3 2 or 3 days	91	0.9
		4 4 or 5 days	59	0.6
		5 6 or more days	141	1.5
		Missing	282	
46-46	NQ15 (Q19)	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	9,051	91.4
		2 1 day	393	3.9
		3 2 or 3 days	236	2.4
		4 4 or 5 days	78	0.8
		5 6 or more days	142	1.5
		Missing	291	
47-47	NQ16 (Q21)	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	9,197	92.3
		2 1 time	309	3.3
		3 2 or 3 times	186	1.9
		4 4 or 5 times	70	0.9
		5 6 or 7 times	38	0.4
		6 8 or 9 times	18	0.2
		7 10 or 11 times	11	0.1
		8 12 or more times	85	0.8
Missing	277			
48-48	NQ17 (Q22)	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	7,439	75.6
		2 1 time	1,004	10.0
		3 2 or 3 times	783	7.8
		4 4 or 5 times	250	2.7
		5 6 or 7 times	106	1.1
		6 8 or 9 times	64	0.5
		7 10 or 11 times	25	0.3
		8 12 or more times	195	2.0
Missing	325			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	NQ21 (Q23)	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	4,310	46.9
		2 0 times	4,341	44.9
		3 1 time	327	3.6
		4 2 or 3 times	239	2.6
		5 4 or 5 times	59	0.6
		6 6 or more times	136	1.4
		Missing	779	
53-53	NQ22 (Q24)	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	4,297	46.8
		2 0 times	4,579	47.9
		3 1 time	248	2.6
		4 2 or 3 times	112	1.1
		5 4 or 5 times	52	0.5
		6 6 or more times	108	1.1
		Missing	795	
54-54	NQ23 (Q25)	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	1,506	15.5
		2 No	8,357	84.5
		Missing	328	
55-55	NQ24 (Q26)	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	1,319	13.3
		2 No	8,631	86.7
		Missing	241	
56-56	NQ25 (Q28)	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	3,078	31.6
		2 No	6,503	68.4
		Missing	610	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	NQ26 (Q29)	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,557	16.2
		2 No	8,136	83.8
		Missing	498	
59-59	NQ28 (Q30)	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	7,230	89.0
		2 1 time	495	6.2
		3 2 or 3 times	237	3.0
		4 4 or 5 times	58	0.8
		5 6 or more times	77	0.9
		Missing	2,094	
60-60	NQ29 (Q31)	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	7,130	90.0
		2 Yes	285	3.4
		3 No	504	6.6
		Missing	2,272	
61-61	NQ30 (Q33)	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	1,428	15.0
		2 No	8,193	85.0
		Missing	570	
63-63	NQ32 (Q36)	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	9,092	95.0
		2 1 or 2 days	184	2.1
		3 3 to 5 days	85	1.0
		4 6 to 9 days	50	0.6
		5 10 to 19 days	49	0.5
		6 20 to 29 days	20	0.2
		7 All 30 days	58	0.6
		Missing	653	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
64-64	NQ33 (Q37)	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	8,948	95.0
		2	Less than 1 cigarette per day	163	1.8
		3	1 cigarette per day	97	1.1
		4	2 to 5 cigarettes per day	95	1.1
		5	6 to 10 cigarettes per day	32	0.3
		6	11 to 20 cigarettes per day	14	0.2
		7	More than 20 cigarettes per day	43	0.5
		Missing	799		
66-66	NQ35 (Q39)	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	7,932	82.7
		2	1 or 2 days	767	8.3
		3	3 to 5 days	294	3.0
		4	6 to 9 days	191	1.9
		5	10 to 19 days	160	1.6
		6	20 to 29 days	67	0.7
		7	All 30 days	185	1.9
		Missing	595		
68-68	NQ37 (Q41)	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?			
		1	0 days	9,205	96.0
		2	1 or 2 days	144	1.6
		3	3 to 5 days	76	0.8
		4	6 to 9 days	58	0.6
		5	10 to 19 days	26	0.2
		6	20 to 29 days	19	0.2
		7	All 30 days	57	0.6
		Missing	606		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
69-69	NQ38 (Q42)	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	8,991	94.2
		2 1 or 2 days	221	2.3
		3 3 to 5 days	120	1.3
		4 6 to 9 days	62	0.7
		5 10 to 19 days	39	0.4
		6 20 to 29 days	38	0.4
		7 All 30 days	64	0.7
	Missing	656		
72-72	NQ41 (Q43)	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	4,835	54.7
		2 8 years old or younger	541	5.8
		3 9 or 10 years old	444	5.0
		4 11 or 12 years old	607	6.8
		5 13 or 14 years old	1,302	13.7
		6 15 or 16 years old	1,126	11.9
		7 17 years old or older	182	2.1
	Missing	1,154		
73-73	NQ42 (Q44)	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	6,922	82.1
		2 1 or 2 days	906	10.2
		3 3 to 5 days	328	3.7
		4 6 to 9 days	171	1.9
		5 10 to 19 days	88	0.9
		6 20 to 29 days	44	0.5
		7 All 30 days	60	0.7
	Missing	1,672		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	NQ43 (Q45)	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	6,822	81.6
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	192	2.2
		3 I bought it at a restaurant, bar, or club	80	1.0
		4 I bought it at a public event such as a concert or sporting event	45	0.6
		5 I gave someone else money to buy it for me	116	1.3
		6 Someone gave it to me	534	5.8
		7 I took it from a store or family member	301	3.5
		8 I got it some other way	344	4.0
		Missing	1,757	
75-75	NQ44 (Q46)	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?		
		1 0 days	8,143	95.0
		2 1 day	181	1.8
		3 2 days	91	1.0
		4 3 to 5 days	95	1.1
		5 6 to 9 days	49	0.6
		6 10 to 19 days	20	0.2
		7 20 or more days	32	0.3
		Missing	1,580	
76-76	NQ45 (Q47)	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?		
		1 I did not drink alcohol during the past 30 days	6,788	84.4
		2 1 or 2 drinks	675	8.3
		3 3 drinks	109	1.2
		4 4 drinks	120	1.4
		5 5 drinks	118	1.2
		6 6 or 7 drinks	127	1.4
		7 8 or 9 drinks	51	0.6
		8 10 or more drinks	128	1.4
		Missing	2,075	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	NQ47 (Q48)	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	6,632	72.3
		2 8 years old or younger	177	2.2
		3 9 or 10 years old	140	1.4
		4 11 or 12 years old	299	3.2
		5 13 or 14 years old	1,011	10.6
		6 15 or 16 years old	862	9.2
		7 17 years old or older	133	1.2
	Missing	937		
79-79	NQ48 (Q49)	During the past 30 days, how many times did you use marijuana?		
		1 0 times	7,627	83.8
		2 1 or 2 times	571	6.3
		3 3 to 9 times	410	4.2
		4 10 to 19 times	200	2.1
		5 20 to 39 times	130	1.4
		6 40 or more times	217	2.2
	Missing	1,036		
80-80	NQ49 (Q50)	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	8,936	95.9
		2 1 or 2 times	173	1.9
		3 3 to 9 times	69	0.7
		4 10 to 19 times	37	0.3
		5 20 to 39 times	28	0.3
		6 40 or more times	67	0.7
	Missing	881		
82-82	NQ51 (Q51)	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	8,901	96.1
		2 1 or 2 times	124	1.5
		3 3 to 9 times	84	0.8
		4 10 to 19 times	45	0.6
		5 20 to 39 times	30	0.3
		6 40 or more times	61	0.7
	Missing	946		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
85-85	NQ54 (Q53)	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	8,676	94.6
		2	1 or 2 times	232	2.4
		3	3 to 9 times	117	1.3
		4	10 to 19 times	61	0.7
		5	20 to 39 times	35	0.3
		6	40 or more times	55	0.7
	Missing	1,015			
88-88	NQ57 (Q54)	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	8,822	97.3
		2	1 time	135	1.5
		3	2 or more times	113	1.2
	Missing	1,121			
90-90	NQ59 (Q58)	Have you ever had sexual intercourse?			
		1	Yes	2,118	26.8
		2	No	5,390	73.2
	Missing	2,683			
91-91	NQ60 (Q59)	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	5,358	73.3
		2	11 years old or younger	175	2.4
		3	12 years old	122	1.7
		4	13 years old	272	3.4
		5	14 years old	523	6.1
		6	15 years old	490	6.1
		7	16 years old	376	5.2
		8	17 years old or older	142	1.8
	Missing	2,733			
92-92	NQ61 (Q61)	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	5,293	73.6
		2	1 person	907	11.5
		3	2 people	398	4.9
		4	3 people	253	3.5
		5	4 people	146	1.9
		6	5 people	81	1.0
		7	6 or more people	274	3.6
	Missing	2,839			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	NQ62 (Q63)	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	5,245	73.5
		2 I have had sexual intercourse, but not during the past 3 months	662	8.8
		3 1 person	1,050	13.4
		4 2 people	173	2.2
		5 3 people	59	0.7
		6 4 people	26	0.4
		7 5 people	18	0.2
		8 6 or more people	52	0.8
		Missing	2,906	
94-94	NQ63 (Q65)	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	5,233	74.0
		2 Yes	286	3.9
		3 No	1,709	22.1
		Missing	2,963	
95-95	NQ64 (Q66)	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	5,213	75.6
		2 Yes	1,107	15.1
		3 No	729	9.3
		Missing	3,142	
96-96	NQ65 (Q67)	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	5,178	75.0
		2 No method was used to prevent pregnancy	436	5.9
		3 Birth control pills	210	2.8
		4 Condoms	939	12.8
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	75	0.9
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	78	0.9
		7 Withdrawal or some other method	86	1.2
		8 Not sure	49	0.6
		Missing	3,140	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	NQ66 (Q62)	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	4,612	58.7
		2 Females	1,751	21.9
		3 Males	1,265	14.7
		4 Females and males Missing	397 2,166	4.8
98-98	NQ67 (Q15)	Which of the following best describes you?		
		1 Heterosexual (straight)	7,340	74.7
		2 Gay or lesbian	309	3.0
		3 Bisexual	792	7.4
		4 Not sure Missing	1,419 331	14.9
98-98	NQ67a (Q15)	Which of the following best describes you?		
		1 Heterosexual (straight)	7,340	74.7
		2 Gay or lesbian	309	3.0
		3 Bisexual	792	7.4
		4 Not sure	367	3.7
		5 I do not describe myself in any of these ways	854	8.9
		6 I do not know what these answer options mean Missing	198 331	2.3
101-101	NQ70 (Q73)	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,580	31.5
		2 1 to 3 times during the past 7 days	2,923	35.7
		3 4 to 6 times during the past 7 days	1,068	12.9
		4 1 time per day	440	5.9
		5 2 times per day	453	5.5
		6 3 times per day	268	3.1
		7 4 or more times per day Missing	456 2,003	5.4
102-102	NQ71 (Q74)	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,632	19.1
		2 1 to 3 times during the past 7 days	3,086	36.9
		3 4 to 6 times during the past 7 days	1,404	17.0
		4 1 time per day	713	8.9
		5 2 times per day	676	8.6
		6 3 times per day	307	3.4
		7 4 or more times per day Missing	472 1,901	6.0

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
107-107	NQ76 (Q77)	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,763	34.5
		2 1 to 3 times during the past 7 days	3,277	39.9
		3 4 to 6 times during the past 7 days	837	10.6
		4 1 time per day	431	5.3
		5 2 times per day	324	3.9
		6 3 times per day	199	2.4
		7 4 or more times per day	298	3.3
	Missing	2,062		
108-108	NQ77 (Q79)	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	2,798	34.1
		2 1 to 3 glasses during the past 7 days	2,532	31.2
		3 4 to 6 glasses during the past 7 days	923	12.0
		4 1 glass per day	808	10.8
		5 2 glasses per day	461	5.9
		6 3 glasses per day	179	2.4
		7 4 or more glasses per day	271	3.7
	Missing	2,219		
109-109	NQ78 (Q81)	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	1,230	15.0
		2 1 day	750	9.0
		3 2 days	900	11.2
		4 3 days	744	9.7
		5 4 days	603	7.5
		6 5 days	590	7.6
		7 6 days	436	5.4
8 7 days	2,635	34.6		
	Missing	2,303		
110-110	NQ79 (Q82)	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	1,432	18.4
		2 1 day	668	8.4
		3 2 days	933	11.8
		4 3 days	964	12.3
		5 4 days	773	10.0
		6 5 days	913	12.2
		7 6 days	441	6.1
8 7 days	1,618	20.8		
	Missing	2,449		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	NQ80 (Q83)	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	2,525	33.0
		2 Less than 1 hour per day	1,352	17.8
		3 1 hour per day	916	11.6
		4 2 hours per day	1,182	14.9
		5 3 hours per day	821	10.5
		6 4 hours per day	417	4.9
		7 5 or more hours per day	591	7.2
	Missing	2,387		
112-112	NQ81 (Q84)	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,872	23.7
		2 Less than 1 hour per day	801	
		3 1 hour per day	742	10.5
		4 2 hours per day	980	9.3
		5 3 hours per day	919	12.8
		6 4 hours per day	685	12.2
		7 5 or more hours per day	1,718	9.2
	Missing	2,474	22.4	
113-113	NQ82 (Q85)	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	1,037	13.9
		2 1 day	352	4.5
		3 2 days	1,355	17.5
		4 3 days	1,663	22.2
		5 4 days	613	7.5
		6 5 days	2,560	34.4
	Missing	2,611		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
116-116	NQ85 (Q87)	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	1,411	18.0
		2 No	4,825	65.2
		3 Not sure	1,195	16.9
		Missing	2,760	
117-117	NQ86 (Q98)	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	5,053	69.4
		2 Between 12 and 24 months ago	894	12.8
		3 More than 24 months ago	403	5.7
		4 Never	159	2.1
		5 Not sure	747	10.1
Missing	2,935			
118-118	NQ87 (Q90)	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	1,808	23.9
		2 No	5,062	69.8
		3 Not sure	462	6.3
		Missing	2,859	
119-119	NQ88 (Q92)	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	1,036	14.1
		2 5 hours	1,113	14.9
		3 6 hours	1,701	23.1
		4 7 hours	1,852	25.3
		5 8 hours	1,247	16.7
		6 9 hours	316	4.2
		7 10 or more hours	127	1.7
Missing	2,799			
121-121	NQ90 (Q8)	What borough of New York do you live in?		
		1 Bronx	2,783	23.1
		2 Brooklyn	2,991	30.4
		3 Manhattan	1,172	9.3
		4 Queens	1,925	30.0
		5 Staten Island	1,222	7.3
Missing	98			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	NQ91 (Q9)	How long have you lived in the United States?		
		1 I have always lived in the United States	7,346	72.2
		2 Less than 1 year	230	2.2
		3 1 to 3 years	506	5.8
		4 4 to 6 years	493	5.0
		5 More than 6 years but not my whole life	1,462	14.8
		Missing	154	
123-123	NQ92 (Q10)	Was either of your parents born outside of the United States?		
		1 Yes	6,585	68.6
		2 No	2,568	24.3
		3 Not sure	710	7.1
		Missing	328	
124-124	NQ93 (Q11)	How often do the people in your home speak a language other than English?		
		1 Never	2,245	22.8
		2 Rarely	934	9.4
		3 Sometimes	1,920	18.5
		4 Most of the time	2,401	23.6
		5 Always	2,614	25.6
		Missing	77	
125-125	NQ94 (Q12)	What sex is on your birth certificate?		
		1 Female	5,204	49.1
		2 Male	4,677	49.0
		3 Not sure	176	1.9
		Missing	134	
126-126	NQ95 (Q13)	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	9,231	93.5
		2 Yes, I am transgender	150	1.5
		3 I am not sure if I am transgender	188	1.9
		4 I do not know what this question is asking	302	3.1
		Missing	320	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	NQ96 (Q14)	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	1,778	17.4
		2 Mostly feminine	1,698	17.1
		3 Somewhat feminine	872	9.2
		4 Equally feminine and masculine	1,362	14.5
		5 Somewhat masculine	660	7.5
		6 Mostly masculine	1,244	13.3
		7 Very masculine	1,852	20.9
		Missing	725	
128-128	NQ97 (Q27)	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	8,135	83.0
		2 1 time	779	7.7
		3 2 or 3 times	488	4.9
		4 4 or 5 times	165	1.4
		5 6 or more times	281	3.0
		Missing	343	
129-129	NQ98 (Q32)	During the past 12 months, did you get help from a counselor, social worker or therapist at school for an emotional or personal issue that you could not face alone?		
		1 Yes	1,798	18.0
		2 No	7,258	76.3
		3 Not sure	561	5.7
		Missing	574	
130-130	NQ99 (Q34)	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	481	5.2
		2 No	8,832	94.8
		Missing	878	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	NQ100 (Q35)	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	7,907	86.9
		2 Less than 1 month ago	172	1.9
		3 1 to 3 months ago	155	1.8
		4 4 to 6 months ago	148	1.6
		5 7 to 12 months ago	148	1.8
		6 13 or more months ago	560	6.1
		Missing	1,101	
132-132	NQ101 (Q38)	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	9,040	94.9
		2 I bought them in a store such as a convenience store, supermarket, or gas station	128	1.6
		3 I bought them on the Internet	45	0.5
		4 I bummed them	52	0.6
		5 Someone gave them to me or bought them for me	124	1.2
		6 I stole them	50	0.4
		7 I got them some other way	67	0.8
Missing	685			
133-133	NQ102 (Q40)	Which tobacco or nicotine product did you try first?		
		1 I have never tried any tobacco or nicotine product	6,636	75.1
		2 Cigarettes	469	5.1
		3 Cigars, cigarillos, or little cigars	129	1.5
		4 Electronic cigarettes or e-cigarettes	380	4.5
		5 Chewing tobacco, snuff, dip, or snus	45	0.5
		6 Hookah or shisha tobacco	933	9.9
		7 Some other tobacco or nicotine product	123	1.4
		8 Not sure	196	2.2
Missing	1,280			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	NQ103 (Q52)	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	8,772	95.4
		2 1 or 2 times	174	1.9
		3 3 to 9 times	96	1.1
		4 10 to 19 times	52	0.5
		5 20 to 39 times	29	0.4
		6 40 or more times	58	0.7
	Missing	1,010		
135-135	NQ104 (Q55)	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	8,376	92.2
		2 1 or 2 times	303	3.6
		3 3 to 9 times	186	2.1
		4 10 to 19 times	89	0.9
		5 20 to 39 times	44	0.4
		6 40 or more times	61	0.8
	Missing	1,132		
136-136	NQ105 (Q56)	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	8,645	94.9
		2 1 or 2 times	214	2.6
		3 3 to 9 times	93	1.1
		4 10 to 19 times	59	0.6
		5 20 to 39 times	27	0.3
		6 40 or more times	45	0.6
	Missing	1,108		
137-137	NQ106 (Q57)	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	8,574	94.2
		2 1 or 2 times	240	3.0
		3 3 to 9 times	124	1.4
		4 10 to 19 times	62	0.6
		5 20 to 39 times	23	0.2
		6 40 or more times	42	0.5
	Missing	1,126		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	NQ107 (Q60)	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	5,383	69.9
		2 No method was used to prevent pregnancy	501	5.7
		3 Birth control pills	182	2.1
		4 Condoms	1,548	19.2
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	34	0.4
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	45	0.5
		7 Withdrawal or some other method	113	1.4
		8 Not sure	63	0.8
	Missing	2,322		
139-139	NQ108 (Q64)	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	5,238	70.0
		2 I have had sexual intercourse, but not during the past 3 months	643	8.1
		3 Never	454	5.6
		4 Rarely	218	2.7
		5 Sometimes	224	2.8
		6 Most of the time	262	3.4
		7 Always	597	7.5
	Missing	2,555		
140-140	NQ109 (Q68)	The last time you used birth control, not including condoms, from where did you or your partner get it?		

DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	NQ110 (Q69)	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	5,151	71.3
		2 Yes	317	3.9
		3 No	1,663	21.3
		4 Not sure	248	3.4
		Missing	2,812	
142-142	NQ111 (Q70)	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	151	1.8
		2 No	7,138	94.2
		3 Not sure	314	4.0
		Missing	2,588	
143-143	NQ112 (Q71)	In what grade were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	1,021	11.7
		2 6th grade or earlier	2,566	31.1
		3 7th grade	1,602	18.6
		4 8th grade	1,384	16.5
		5 9th grade	844	9.0
		6 10th grade	353	4.0
		7 11th or 12th grade	191	2.3
8 Not sure	577	6.8		
		Missing	1,653	
144-144	NQ113 (Q72)	In what class were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	963	11.3
		2 Health Education	4,322	51.3
		3 Science	1,037	13.5
		4 Living Environment	422	4.5
		5 Physical Education	437	5.1
		6 Advisory	253	2.6
		7 Some other class	404	4.4
8 Not sure	627	7.4		
		Missing	1,726	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	NQ114 (Q75)	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	1,628	19.1
		2 1 to 3 times during the past 7 days	2,853	34.2
		3 4 to 6 times during the past 7 days	1,459	17.6
		4 1 time per day	923	11.7
		5 2 times per day	659	8.7
		6 3 times per day	233	3.0
		7 4 or more times per day	459	5.7
		Missing	1,977	
146-146	NQ115 (Q76)	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	503	6.2
		2 1 to 3 times during the past 7 days	928	11.9
		3 4 to 6 times during the past 7 days	1,020	12.7
		4 1 time per day	504	6.4
		5 2 times per day	922	11.8
		6 3 times per day	1,171	14.5
		7 4 or more times per day	3,063	36.6
		Missing	2,080	
147-147	NQ116 (Q78)	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	2,470	30.9
		2 1 to 3 times during the past 7 days	3,395	42.0
		3 4 to 6 times during the past 7 days	944	11.9
		4 1 time per day	486	5.9
		5 2 times per day	330	4.3
		6 3 times per day	169	1.8
		7 4 or more times per day	253	3.2
		Missing	2,144	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	NQ117 (Q80)	What kind of milk do you usually drink?		
		1 I do not drink milk	1,316	16.3
		2 Plain whole milk	2,230	28.1
		3 Plain 2% milk or reduced fat milk	1,392	18.2
		4 Plain 1% milk or low-fat milk	853	10.8
		5 Plain Skim milk or non-fat milk	211	2.6
		6 Chocolate milk	379	4.6
		7 Other milk (such as soy, almond, or rice milk)	721	8.8
		8 Not sure	833	10.6
	Missing	2,256		
149-149	NQ118 (Q86)	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	1,685	21.4
		2 I ride a bike all the way to school	251	3.4
		3 I use public transportation, such as a subway or city bus	4,478	60.0
		4 I ride a school bus	213	2.7
		5 I drive or ride in a car or other private vehicle	982	12.5
	Missing	2,582		
150-150	NQ119 (Q88)	Have you ever received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?		
		1 Yes	2,633	35.4
		2 No	2,137	28.6
		3 Not sure	2,603	36.0
	Missing	2,818		
151-151	NQ120 (Q89)	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	3,874	50.9
		2 No	2,924	41.4
		3 Not sure	554	7.7
	Missing	2,839		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	NQ121 (Q91)	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	3,123	42.9
		2 Yes	1,209	16.1
		3 No	2,682	37.2
		4 Not sure	287	3.8
		Missing	2,890	
153-153	NQ122 (Q93)	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	6,697	90.6
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	349	4.8
		3 In a foster or group home	120	1.8
		4 In a shelter or emergency housing	72	0.9
		5 In a motel or hotel	24	0.5
		6 In a car, park, campground, or other public place	25	0.3
		7 I did not have a usual place to sleep	26	0.4
		8 Somewhere else	39	0.6
		Missing	2,839	
154-154	NQ123 (Q94)	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	671	9.2
		2 No	6,416	90.8
		Missing	3,104	
155-155	NQ124 (Q95)	Has your mother ever served time in jail or prison?		
		1 Yes	514	7.2
		2 No	6,303	88.7
		3 Not sure	288	4.0
		Missing	3,086	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	NQ125 (Q96)	Has your father ever served time in jail or prison?		
		1 Yes	1,219	16.4
		2 No	5,195	74.1
		3 Not sure Missing	673 3,104	9.5
157-157	NQ126 (Q97)	Have you ever gone to the nurse or clinic at this school?		
		1 Yes	4,176	56.9
		2 No Missing	2,890 3,125	43.1
158-158	NQ127 (Q99)	How would you describe your swimming ability?		
		1 I do not know how to swim	2,007	27.5
		2 I can swim a little and can float in shallow water	1,198	17.1
		3 I can swim somewhat well but cannot swim the entire length of a pool	1,529	20.7
		4 I can swim the entire length of a pool Missing	2,537 2,920	34.7
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	587	33.8
		2 No Missing	1,244 8,360	66.2
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	777	8.2
		2 No Missing	9,001 413	91.8

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	301	3.3
		2 No	9,473	96.7
		Missing	417	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	422	4.3
		2 No	9,487	95.7
		Missing	282	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	849	8.6
		2 No	9,051	91.4
		Missing	291	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	717	7.7
		2 No	9,197	92.3
		Missing	277	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	2,427	24.4
		2 No	7,439	75.6
		Missing	325	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	761	15.4
		2	No	4,341	84.6
			Missing	5,089	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	520	10.0
		2	No	4,579	90.0
			Missing	5,092	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	1,506	15.5
		2	No	8,357	84.5
			Missing	328	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)			
		1	Yes	1,319	13.3
		2	No	8,631	86.7
			Missing	241	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
		1	Yes	3,078	31.6
		2	No	6,503	68.4
			Missing	610	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	1,557	16.2
		2 No	8,136	83.8
		Missing	498	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	867	11.0
		2 No	7,230	89.0
		Missing	2,094	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	285	3.4
		2 No	7,634	96.6
		Missing	2,272	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	1,428	15.0
		2 No	8,193	85.0
		Missing	570	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	446	5.0
		2 No	9,092	95.0
		Missing	653	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	54	12.9
		2 No	377	87.1
		Missing	9,760	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	1,664	17.3
		2	No	7,932	82.7
			Missing	595	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)			
		1	Yes	380	4.0
		2	No	9,205	96.0
			Missing	606	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	544	5.8
		2	No	8,991	94.2
			Missing	656	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	1,592	17.6
		2	No	7,445	82.4
			Missing	1,154	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	1,597	17.9
		2	No	6,922	82.1
			Missing	1,672	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	517	31.8
		2 No	1,030	68.2
		Missing	8,644	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	468	5.0
		2 No	8,143	95.0
		Missing	1,580	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)		
		1 Yes	128	1.4
		2 No	7,988	98.6
		Missing	2,075	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	616	6.7
		2 No	8,638	93.3
		Missing	937	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	1,528	16.2
		2 No	7,627	83.8
		Missing	1,036	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	374	4.1
		2 No	8,936	95.9
		Missing	881	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	344	3.9
		2 No	8,901	96.1
		Missing	946	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	500	5.4
		2 No	8,676	94.6
		Missing	1,015	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	248	2.7
		2 No	8,822	97.3
		Missing	1,121	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	2,118	26.8
		2 No	5,390	73.2
		Missing	2,683	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	297	4.1
		2 No	7,161	95.9
		Missing	2,733	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	501	6.5
		2 No	6,851	93.5
		Missing	2,839	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	1,378	17.7
		2 No	5,907	82.3
		Missing	2,906	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	202	16.3
		2 No	1,119	83.7
		Missing	8,870	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	675	57.4
		2 No	535	42.6
		Missing	8,981	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	172	13.8
		2 No	1,058	86.2
		Missing	8,961	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	2,580	31.5
		2 No	5,608	68.5
		Missing	2,003	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	1,632	19.1
		2 No	6,658	80.9
		Missing	1,901	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	2,763	34.5
		2 No	5,366	65.5
		Missing	2,062	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	2,798	34.1
		2 No	5,174	65.9
		Missing	2,219	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	1,230	15.0
		2 No	6,658	85.0
		Missing	2,303	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	2,972	39.1
		2 No	4,770	60.9
		Missing	2,449	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	1,829	22.6
		2 No	5,975	77.4
		Missing	2,387	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)			
		1	Yes	3,322	43.7
		2	No	4,395	56.3
			Missing	2,474	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)			
		1	Yes	6,543	86.1
		2	No	1,037	13.9
			Missing	2,611	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)			
		1	Yes	1,411	18.0
		2	No	6,020	82.0
			Missing	2,760	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)			
		1	Yes	5,053	69.4
		2	No	2,203	30.6
			Missing	2,935	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma			
		1	Yes	1,808	23.9
		2	No	5,524	76.1
			Missing	2,859	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)			
		1	Yes	1,690	22.6
		2	No	5,702	77.4
			Missing	2,799	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	8,921	90.7
		2 No	1,172	9.3
		Missing	98	
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	230	2.2
		2 No	9,807	97.8
		Missing	154	
269-269	QN92	Percentage of students who reported that either one of their parents was born outside of the United States		
		1 Yes	6,585	68.6
		2 No	3,278	31.4
		Missing	328	
270-270	QN93	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	5,015	49.3
		2 No	5,099	50.7
		Missing	77	
271-271	QN94	Percentage of students who reported the sex that is on their birth certificate		
		1 Yes	9,881	98.1
		2 No	176	1.9
		Missing	134	
272-272	QN95	Percentage of students who are transgender		
		1 Yes	150	1.5
		2 No	9,721	98.5
		Missing	320	
273-273	QN96	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	1,362	14.5
		2 No	8,104	85.5
		Missing	725	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
274-274	QN97	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)			
		1	Yes	1,713	17.0
		2	No	8,135	83.0
			Missing	343	
275-275	QN98	Percentage of students who got help from a counselor, social worker or therapist at school for an emotional or personal issue that they could not face alone (during the 12 months before the survey)			
		1	Yes	1,798	18.0
		2	No	7,819	82.0
			Missing	574	
276-276	QN99	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)			
		1	Yes	481	5.2
		2	No	8,832	94.8
			Missing	878	
277-277	QN100	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey			
		1	Yes	623	7.1
		2	No	8,467	92.9
			Missing	1,101	
278-278	QN101	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)			
		1	Yes	128	30.6
		2	No	338	69.4
			Missing	9,725	
279-279	QN102	Percentage of students who first tried cigarettes (among students who have ever tried any tobacco or nicotine product)			
		1	Yes	469	20.6
		2	No	1,806	79.4
			Missing	7,916	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	409	4.6
		2 No	8,772	95.4
		Missing	1,010	
281-281	QN104	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	683	7.8
		2 No	8,376	92.2
		Missing	1,132	
282-282	QN105	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	438	5.1
		2 No	8,645	94.9
		Missing	1,108	
283-283	QN106	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	491	5.8
		2 No	8,574	94.2
		Missing	1,126	
284-284	QN107	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	501	19.1
		2 No	1,985	80.9
		Missing	7,705	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	597	34.2
		2 No	1,158	65.8
		Missing	8,436	
286-286	QN109	Percentage of students who reported that the last time they used birth control, not including condoms, they or their partner got it from school-based health center, school nurse or school doctor (among students who have used birth control)		
DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
287-287	QN110	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	317	13.7
		2 No	1,911	86.3
		Missing	7,963	
288-288	QN111	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	151	1.8
		2 No	7,452	98.2
		Missing	2,588	
289-289	QN112	Percentage of students who were ever taught about sexual health in school		
		1 Yes	7,517	88.3
		2 No	1,021	11.7
		Missing	1,653	
290-290	QN113	Percentage of students who were first taught about sexual health in Health Education class in school (among students who had been taught about sexual health in school)		
		1 Yes	4,322	57.9
		2 No	3,180	42.1
		Missing	2,689	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
291-291	QN114	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)			
		1	Yes	2,274	29.1
		2	No	5,940	70.9
			Missing	1,977	
292-292	QN115	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)			
		1	Yes	503	6.2
		2	No	7,608	93.8
			Missing	2,080	
293-293	QN116	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)			
		1	Yes	5,577	69.1
		2	No	2,470	30.9
			Missing	2,144	
294-294	QN117	Percentage of students who usually drink plain 1% or low-fat milk or skim or non-fat milk			
		1	Yes	1,064	13.4
		2	No	6,871	86.6
			Missing	2,256	
295-295	QN118	Percentage of students who usually walk or bike all the way to school in an average week when they are in school			
		1	Yes	1,936	24.8
		2	No	5,673	75.2
			Missing	2,582	
296-296	QN119	Percentage of students who have received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)			
		1	Yes	2,633	35.4
		2	No	4,740	64.6
			Missing	2,818	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who reported that the last time they had seen a doctor or nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	3,874	50.9
		2 No	3,478	49.1
		Missing	2,839	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	1,209	28.2
		2 No	2,969	71.8
		Missing	6,013	
299-299	QN122	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	349	4.8
		2 No	7,003	95.2
		Missing	2,839	
300-300	QN123	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	671	9.2
		2 No	6,416	90.8
		Missing	3,104	
301-301	QN124	Percentage of students who reported their mother had ever served time in jail or prison		
		1 Yes	514	7.2
		2 No	6,591	92.8
		Missing	3,086	
302-302	QN125	Percentage of students who reported their father had ever served time in jail or prison		
		1 Yes	1,219	16.4
		2 No	5,868	83.6
		Missing	3,104	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
303-303	QN126	Percentage of students who have ever gone to the nurse or clinic at the school		
		1 Yes	4,176	56.9
		2 No	2,890	43.1
		Missing	3,125	
304-304	QN127	Percentage of students who do not know how to swim		
		1 Yes	2,007	27.5
		2 No	5,264	72.5
		Missing	2,920	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	78	0.8
		2 No	9,460	99.2
		Missing	653	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	58	0.6
		2 No	9,480	99.4
		Missing	653	
352-352	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	752	8.3
		2 No	8,650	91.7
		Missing	789	
353-353	QNTOB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	879	9.5
		2 No	8,554	90.5
		Missing	758	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNTOB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	2,016	21.4
		2 No	7,415	78.6
		Missing	760	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	61	4.3
		2 No	1,169	95.7
		Missing	8,961	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active))		
		1 Yes	61	4.3
		2 No	1,169	95.7
		Missing	8,961	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	294	22.4
		2 No	936	77.6
		Missing	8,961	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
358-358	QNQUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	73	6.3
		2	No	1,115	93.7
			Missing	9,003	
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)			
		1	Yes	291	24.1
		2	No	939	75.9
			Missing	8,961	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	773	9.4
		2	No	7,300	90.6
			Missing	2,118	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	4,135	52.4
		2	No	3,938	47.6
			Missing	2,118	
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	2,172	27.3
		2	No	5,901	72.7
			Missing	2,118	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)			
		1	Yes	1,401	17.4
		2	No	6,672	82.6
			Missing	2,118	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	1,252	14.9
		2	No	6,877	85.1
			Missing	2,062	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	821	9.6
		2	No	7,308	90.4
			Missing	2,062	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	497	5.7
		2	No	7,632	94.3
			Missing	2,062	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	1,719	22.8
		2	No	6,253	77.2
			Missing	2,219	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	911	12.0
		2	No	7,061	88.0
			Missing	2,219	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	450	6.1
		2 No	7,522	93.9
		Missing	2,219	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	2,635	34.6
		2 No	5,253	65.4
		Missing	2,303	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,432	18.4
		2 No	6,310	81.6
		Missing	2,449	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	1,618	20.8
		2 No	6,124	79.2
		Missing	2,449	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	2,560	34.4
		2 No	5,020	65.6
		Missing	2,611	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	159	2.1
		2 No	7,097	97.9
		Missing	2,935	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
382-382	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	5,660	69.3
		2 No	2,451	30.7
		Missing	2,080	
383-383	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	5,156	62.9
		2 No	2,955	37.1
		Missing	2,080	
384-384	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	4,234	51.1
		2 No	3,877	48.9
		Missing	2,080	
385-385	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	1,178	13.5
		2 No	7,379	86.5
		Missing	1,634	
386-386	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	1,474	16.4
		2 No	7,083	83.6
		Missing	1,634	
387-396	WEIGHT	Overall Analysis Weight		
397-399	STRATUM	Sampling Strata		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
400-405	PSU	Primary Sampling Unit		
409-413	BMIPCT	Body Mass Index Percentile		
414-415	RACEETH8			
		1 Am Indian/Alaska Native	121	0.6
		2 Asian	1,212	16.5
		3 Black or African American	2,227	28.1
		4 Native Hawaiian/Other PI	117	0.5
		5 White	1,227	14.2
		6 Hispanic/Latino	1,984	17.7
		7 Multiple - Hispanic	2,454	21.2
		8 Multiple - Non-Hispanic	318	1.2
		Missing	531	
416-418	Q6ORIG	Original unedited student height		
		DATA NOT AVAILABLE.		
419-421	Q7ORIG	Original unedited student weight		
		DATA NOT AVAILABLE.		
450-459	SSWEIGHT	Sub-site Analysis Weight		
460-460	S2	Sub-site - S2		
		0	8,965	94.4
		1	1,226	5.6
		DATA NOT AVAILABLE.		
461-461	S3	Sub-site - S3		
		0	8,043	81.7
		1	2,148	18.3
		DATA NOT AVAILABLE.		
462-462	S4	Sub-site - S4		
		0	7,301	71.9
		1	2,890	28.1
		DATA NOT AVAILABLE.		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
463-463	S5	Sub-site - S5		
		0	7,795	80.2
		1	2,396	19.8
DATA NOT AVAILABLE.				
464-464	S6	Sub-site - S6		
		0	8,647	72.8
		1	1,544	27.2
DATA NOT AVAILABLE.				
465-465	S7	Sub-site - S7		
		0	8,978	93.4
		1	1,213	6.6
DATA NOT AVAILABLE.				
466-466	S9	Sub-site - S9		
		0	9,129	96.1
		1	1,062	3.9
DATA NOT AVAILABLE.				
467-467	S10	Sub-site - S10		
		0	9,152	96.9
		1	1,039	3.1
DATA NOT AVAILABLE.				
	S8	Sub-site - S8		
		0	9,259	91.1
		1	932	8.9
DATA NOT AVAILABLE.				

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	1,227	14.2
		2 Black	2,227	28.1
		3 Hispanic	4,438	38.9
		4 Asian	1,212	16.5
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	556	2.3
		Missing	531	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name (Question Number)	Question Code and Label	Unweighted Frequency	Weighted Percentage
	BCCAT7	Contraception at last sex - 7 categories		
	1	Condom only (any condom use without HBC/LARC or EC)	835	50.4
	2	HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	225	12.2
	3	EC only (any EC without condoms)	47	2.6
	4	Dual: condoms and HBC/LARC excluding exclusive EC	91	5.6
	5	Dual: condoms and EC (may include withdrawal)	96	5.5
	6	Withdrawal only	60	3.6
	7	No contraception	341	20.1
		Missing	8,496	
	BCCAT5	Contraception at last sex - 5 categories		
	1	Condom only (any condom use without HBC/LARC or EC)	835	50.4
	2	HBC/LARC only (any HBC/LARC without condoms)	272	14.8
	3	Dual: condoms and HBC/LARC (may include withdrawal)	187	11.1
	4	Withdrawal only	60	3.6
	5	No contraception	341	20.1
		Missing	8,496	