

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
17-17	Q1	How old are you?			
		1	12 years old or younger	9	0.4
		2	13 years old	51	2.5
		3	14 years old	522	24.0
		4	15 years old	638	25.8
		5	16 years old	595	23.9
		6	17 years old	476	19.4
		7	18 years old or older	97	4.0
		Missing	8		
18-18	Q2	What is your sex?			
		1	Female	1,382	54.8
		2	Male	987	45.2
		Missing	27		
19-19	Q3	In what grade are you?			
		1	9th grade	613	28.2
		2	10th grade	676	26.8
		3	11th grade	549	23.0
		4	12th grade	527	21.6
		Ungraded or other grade	8	0.4	
		Missing	23		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	1,253	44.0
		2	No	1,097	56.0
		Missing	46		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
21-28	Q5	What is your race?		
		H	4	0.3
		G	3	0.2
		F	9	0.5
		E	384	25.0
		E H	2	0.1
		D	133	5.5
		DE	1	0.0
		C	769	40.8
		C F	1	0.0
		C E	50	1.7
		CD	18	0.6
		CDE	2	0.1
		B	258	18.7
		B E	11	0.4
		B D	3	0.1
		BC	15	0.4
		BC E	4	0.1
		BCD	2	0.0
		A	93	3.7
		A E	6	0.3
		A D	1	0.1
		A C	22	0.7
		A C E	8	0.2
		A CD	2	0.0
		A CDE	1	0.0
		AB	1	0.0
		AB E	1	0.0
		ABC E	3	0.1
		ABCDE	4	0.2
			585	

**DATA NOT AVAILABLE.**

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	1,972	85.3
		2 0 days	223	10.1
		3 1 or 2 days	28	1.8
		4 3 to 5 days	12	0.5
		5 6 to 9 days	7	0.3
		6 10 to 19 days	6	0.3
		7 20 to 29 days	4	0.2
		8 All 30 days	41	1.5
		Missing	103	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	2,183	93.1
		2 1 day	45	2.1
		3 2 or 3 days	28	1.3
		4 4 or 5 days	12	0.4
		5 6 or more days	75	3.2
		Missing	53	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	2,276	97.5
		2 1 day	14	0.6
		3 2 or 3 days	7	0.2
		4 4 or 5 days	8	0.3
		5 6 or more days	38	1.4
		Missing	53	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	2,285	96.9
		2 1 day	26	1.0
		3 2 or 3 days	19	0.7
		4 4 or 5 days	6	0.2
		5 6 or more days	29	1.2
		Missing	31	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	2,195	93.0
		2 1 day	101	4.0
		3 2 or 3 days	37	1.4
		4 4 or 5 days	10	0.5
		5 6 or more days	23	1.0
		Missing	30	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	2,233	94.4
		2 1 time	54	2.3
		3 2 or 3 times	35	1.6
		4 4 or 5 times	14	0.6
		5 6 or 7 times	8	0.3
		6 8 or 9 times	0	0.0
		7 10 or 11 times	3	0.2
		8 12 or more times	15	0.6
Missing	34			
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,832	78.6
		2 1 time	236	9.2
		3 2 or 3 times	164	7.0
		4 4 or 5 times	53	2.5
		5 6 or 7 times	13	0.6
		6 8 or 9 times	10	0.3
		7 10 or 11 times	3	0.0
		8 12 or more times	40	1.7
Missing	45			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	1,038	49.1
		2	0 times	1,048	43.4
		3	1 time	79	3.9
		4	2 or 3 times	54	2.3
		5	4 or 5 times	8	0.3
		6	6 or more times	24	0.9
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	1,034	48.9
		2	0 times	1,119	47.8
		3	1 time	42	1.4
		4	2 or 3 times	22	0.7
		5	4 or 5 times	10	0.2
		6	6 or more times	21	0.9
54-54	Q23	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	360	15.8
		2	No	1,982	84.2
55-55	Q24	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	299	13.8
		2	No	2,059	86.2
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	755	32.7
		2	No	1,546	67.3
		Missing	95		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	366	16.4
		2 No	1,963	83.6
		Missing	67	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,812	90.7
		2 1 time	114	5.8
		3 2 or 3 times	49	2.5
		4 4 or 5 times	11	0.5
		5 6 or more times	13	0.6
		Missing	397	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,799	91.2
		2 Yes	70	3.2
		3 No	104	5.6
		Missing	423	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	313	14.3
		2 No	1,975	85.7
		Missing	108	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	2,177	95.0
		2 1 or 2 days	40	2.2
		3 3 to 5 days	20	1.3
		4 6 to 9 days	10	0.4
		5 10 to 19 days	11	0.5
		6 20 to 29 days	2	0.1
		7 All 30 days	11	0.6
	Missing	125		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	2,148	95.2
		2 Less than 1 cigarette per day	38	2.0
		3 1 cigarette per day	21	1.3
		4 2 to 5 cigarettes per day	13	0.6
		5 6 to 10 cigarettes per day	8	0.4
		6 11 to 20 cigarettes per day	0	0.0
		7 More than 20 cigarettes per day	11	0.5
	Missing	157		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?		
		1 0 days	1,897	82.1
		2 1 or 2 days	189	9.0
		3 3 to 5 days	75	3.4
		4 6 to 9 days	46	2.1
		5 10 to 19 days	37	1.8
		6 20 to 29 days	8	0.3
		7 All 30 days	28	1.3
	Missing	116		
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1 0 days	2,204	97.3
		2 1 or 2 days	29	1.2
		3 3 to 5 days	10	0.4
		4 6 to 9 days	9	0.4
		5 10 to 19 days	6	0.2
		6 20 to 29 days	3	0.1
		7 All 30 days	13	0.4
	Missing	122		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	2,160	95.6
		2	1 or 2 days	43	1.9
		3	3 to 5 days	26	1.0
		4	6 to 9 days	10	0.4
		5	10 to 19 days	8	0.2
		6	20 to 29 days	10	0.4
		7	All 30 days	12	0.5
		Missing	127		
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	1,133	52.3
		2	8 years old or younger	128	6.3
		3	9 or 10 years old	93	4.4
		4	11 or 12 years old	158	7.7
		5	13 or 14 years old	321	14.5
		6	15 or 16 years old	285	12.8
		7	17 years old or older	40	2.1
		Missing	238		
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,638	79.8
		2	1 or 2 days	253	12.4
		3	3 to 5 days	77	4.1
		4	6 to 9 days	41	1.9
		5	10 to 19 days	20	0.9
		6	20 to 29 days	13	0.6
		7	All 30 days	10	0.3
		Missing	344		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,621	79.5
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	44	2.3
		3	I bought it at a restaurant, bar, or club	16	0.8
		4	I bought it at a public event such as a concert or sporting event	9	0.5
		5	I gave someone else money to buy it for me	20	0.9
		6	Someone gave it to me	158	7.4
		7	I took it from a store or family member	79	4.1
		8	I got it some other way	88	4.5
		Missing	361		
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
		1	0 days	1,953	94.3
		2	1 day	55	2.5
		3	2 days	23	1.2
		4	3 to 5 days	23	1.0
		5	6 to 9 days	13	0.7
		6	10 to 19 days	4	0.1
		7	20 or more days	7	0.3
		Missing	318		
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
		1	I did not drink alcohol during the past 30 days	1,613	81.7
		2	1 or 2 drinks	188	10.0
		3	3 drinks	31	1.4
		4	4 drinks	31	1.5
		5	5 drinks	32	1.3
		6	6 or 7 drinks	32	1.8
		7	8 or 9 drinks	16	0.7
		8	10 or more drinks	33	1.5
		Missing	420		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
78-78	Q47	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	1,534	71.3
		2	8 years old or younger	31	1.5
		3	9 or 10 years old	20	0.8
		4	11 or 12 years old	70	2.8
		5	13 or 14 years old	280	11.6
		6	15 or 16 years old	242	10.9
		7	17 years old or older	28	1.1
		Missing	191		
79-79	Q48	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,787	82.6
		2	1 or 2 times	168	7.6
		3	3 to 9 times	116	5.1
		4	10 to 19 times	36	1.6
		5	20 to 39 times	27	1.3
		6	40 or more times	47	1.8
		Missing	215		
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	2,140	96.4
		2	1 or 2 times	37	1.6
		3	3 to 9 times	17	0.8
		4	10 to 19 times	8	0.4
		5	20 to 39 times	4	0.1
		6	40 or more times	13	0.7
		Missing	177		
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	2,144	97.4
		2	1 or 2 times	22	1.0
		3	3 to 9 times	23	0.8
		4	10 to 19 times	4	0.2
		5	20 to 39 times	5	0.3
		6	40 or more times	10	0.3
		Missing	188		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	2,094	95.7
		2	1 or 2 times	43	1.9
		3	3 to 9 times	23	1.1
		4	10 to 19 times	15	0.6
		5	20 to 39 times	10	0.4
		6	40 or more times	8	0.2
		Missing	203		
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	2,132	98.2
		2	1 time	19	0.9
		3	2 or more times	23	0.9
		Missing	222		
90-90	Q59	Have you ever had sexual intercourse?			
		1	Yes	526	25.8
		2	No	1,318	74.2
		Missing	552		
91-91	Q60	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	1,305	74.3
		2	11 years old or younger	36	2.0
		3	12 years old	19	0.8
		4	13 years old	54	3.0
		5	14 years old	149	6.6
		6	15 years old	143	6.7
		7	16 years old	90	4.8
		8	17 years old or older	34	1.8
		Missing	566		
92-92	Q61	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	1,296	74.3
		2	1 person	238	11.2
		3	2 people	115	6.1
		4	3 people	61	3.3
		5	4 people	32	1.3
		6	5 people	18	0.7
		7	6 or more people	54	3.2
		Missing	582		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	1,285	74.3
		2	I have had sexual intercourse, but not during the past 3 months	162	8.3
		3	1 person	279	13.9
		4	2 people	40	1.7
		5	3 people	13	0.7
		6	4 people	7	0.6
		7	5 people	5	0.2
		8	6 or more people	8	0.3
		Missing	597		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	1,281	75.1
		2	Yes	68	3.5
		3	No	434	21.4
		Missing	613		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	1,280	76.8
		2	Yes	274	13.9
		3	No	187	9.2
		Missing	655		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	1,271	76.2
		2	No method was used to prevent pregnancy	104	5.2
		3	Birth control pills	56	3.0
		4	Condoms	228	11.2
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	32	1.5
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	19	1.1
		7	Withdrawal or some other method	23	1.3
		8	Not sure	9	0.5
		Missing	654		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
97-97	Q66	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	1,116	59.9
		2 Females	390	18.9
		3 Males	342	16.2
		4 Females and males	105	4.9
		Missing	443	
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	1,779	75.2
		2 Gay or lesbian	87	4.1
		3 Bisexual	214	8.4
		4 Not sure	268	12.4
		Missing	48	
98-98	Q67a	Which of the following best describes you?		
		1 Heterosexual (straight)	1,779	75.2
		2 Gay or lesbian	87	4.1
		3 Bisexual	214	8.4
		4 Not sure	90	4.4
		5 I do not describe myself in any of these ways	151	6.9
		6 I do not know what these answer options mean	27	1.1
		Missing	48	
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	596	31.0
		2 1 to 3 times during the past 7 days	734	37.9
		3 4 to 6 times during the past 7 days	246	12.8
		4 1 time per day	103	5.3
		5 2 times per day	100	4.7
		6 3 times per day	60	3.0
		7 4 or more times per day	116	5.3
		Missing	441	
102-102	Q71	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	382	18.6
		2 1 to 3 times during the past 7 days	737	37.0
		3 4 to 6 times during the past 7 days	339	17.0
		4 1 time per day	182	10.9
		5 2 times per day	144	7.1
		6 3 times per day	76	3.8
		7 4 or more times per day	108	5.7
		Missing	428	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	634	33.8
		2 1 to 3 times during the past 7 days	839	43.9
		3 4 to 6 times during the past 7 days	192	9.8
		4 1 time per day	97	5.0
		5 2 times per day	73	3.3
		6 3 times per day	39	1.9
		7 4 or more times per day	55	2.3
	Missing	467		
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	743	39.4
		2 1 to 3 glasses during the past 7 days	592	29.8
		3 4 to 6 glasses during the past 7 days	197	10.4
		4 1 glass per day	167	9.7
		5 2 glasses per day	99	5.2
		6 3 glasses per day	37	2.3
		7 4 or more glasses per day	55	3.3
	Missing	506		
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	269	13.1
		2 1 day	165	8.7
		3 2 days	199	11.2
		4 3 days	180	9.3
		5 4 days	163	8.9
		6 5 days	155	8.5
		7 6 days	124	6.6
		8 7 days	605	33.8
	Missing	536		
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	344	17.5
		2 1 day	152	7.7
		3 2 days	258	14.3
		4 3 days	231	13.1
		5 4 days	162	8.7
		6 5 days	201	11.4
		7 6 days	112	7.1
		8 7 days	364	20.1
	Missing	572		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	602	33.4
		2 Less than 1 hour per day	324	17.4
		3 1 hour per day	222	12.4
		4 2 hours per day	288	15.5
		5 3 hours per day	199	10.6
		6 4 hours per day	104	4.8
		7 5 or more hours per day	114	5.8
		Missing	543	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	477	25.0
		2 Less than 1 hour per day	184	10.3
		3 1 hour per day	184	9.6
		4 2 hours per day	260	16.2
		5 3 hours per day	214	12.8
		6 4 hours per day	143	7.9
		7 5 or more hours per day	356	18.3
		Missing	578	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	196	11.3
		2 1 day	99	6.7
		3 2 days	539	29.3
		4 3 days	513	27.5
		5 4 days	66	2.0
		6 5 days	374	23.2
		Missing	609	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	347	18.3
		2 No	1,143	66.2
		3 Not sure	258	15.4
		Missing	648	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	1,244	73.4
		2 Between 12 and 24 months ago	189	10.4
		3 More than 24 months ago	90	5.5
		4 Never	32	1.8
		5 Not sure	150	8.9
Missing	691			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	452	26.2
		2 No	1,183	68.8
		3 Not sure	88	5.1
Missing	673			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	217	13.2
		2 5 hours	279	16.7
		3 6 hours	402	23.0
		4 7 hours	452	25.9
		5 8 hours	304	16.8
		6 9 hours	62	3.4
		7 10 or more hours	19	0.9
Missing	661			
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	735	25.0
		2 Brooklyn	346	20.9
		3 Manhattan	1,029	38.6
		4 Queens	235	13.7
		5 Staten Island	31	1.8
Missing	20			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,820	77.3
		2 Less than 1 year	30	1.3
		3 1 to 3 years	53	2.1
		4 4 to 6 years	86	3.4
		5 More than 6 years but not my whole life	375	15.8
		Missing	32	
123-123	Q92	Was either of your parents born outside of the United States?		
		1 Yes	1,553	67.8
		2 No	652	27.2
		3 Not sure	134	5.0
		Missing	57	
124-124	Q93	How often do the people in your home speak a language other than English?		
		1 Never	481	21.9
		2 Rarely	211	9.6
		3 Sometimes	463	17.4
		4 Most of the time	581	24.3
		5 Always	645	26.8
	Missing	15		
125-125	Q94	What sex is on your birth certificate?		
		1 Female	1,372	54.6
		2 Male	964	43.9
		3 Not sure	34	1.5
		Missing	26	
126-126	Q95	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	2,240	95.0
		2 Yes, I am transgender	26	1.2
		3 I am not sure if I am transgender	41	1.7
		4 I do not know what this question is asking	54	2.0
		Missing	35	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
127-127	Q96	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?			
		1	Very feminine	431	17.4
		2	Mostly feminine	490	21.7
		3	Somewhat feminine	238	9.4
		4	Equally feminine and masculine	342	15.0
		5	Somewhat masculine	153	7.2
		6	Mostly masculine	281	13.4
		7	Very masculine	355	16.0
		Missing	106		
128-128	Q97	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	1,937	82.8
		2	1 time	185	7.7
		3	2 or 3 times	122	4.8
		4	4 or 5 times	43	1.8
		5	6 or more times	62	2.9
		Missing	47		
129-129	Q98	During the past 12 months, did you get help from a counselor, social worker or therapist at school for an emotional or personal issue that you could not face alone?			
		1	Yes	488	21.0
		2	No	1,693	73.6
		3	Not sure	123	5.3
		Missing	92		
130-130	Q99	Have you ever tried smoking menthol cigarettes, even one or two puffs?			
		1	Yes	118	6.0
		2	No	2,110	94.0
		Missing	168		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
131-131	Q100	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,906	86.6
		2	Less than 1 month ago	36	1.6
		3	1 to 3 months ago	34	1.6
		4	4 to 6 months ago	32	1.7
		5	7 to 12 months ago	41	2.0
		6	13 or more months ago	131	6.5
			Missing	216	
132-132	Q101	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	2,162	94.5
		2	I bought them in a store such as a convenience store, supermarket, or gas station	26	1.4
		3	I bought them on the Internet	5	0.3
		4	I bummed them	18	1.2
		5	Someone gave them to me or bought them for me	32	1.5
		6	I stole them	13	0.6
		7	I got them some other way	10	0.5
	Missing	130			
133-133	Q102	Which tobacco or nicotine product did you try first?			
		1	I have never tried any tobacco or nicotine product	1,557	72.5
		2	Cigarettes	107	5.6
		3	Cigars, cigarillos, or little cigars	25	1.0
		4	Electronic cigarettes or e-cigarettes	95	5.2
		5	Chewing tobacco, snuff, dip, or snus	9	0.5
		6	Hookah or shisha tobacco	302	12.5
		7	Some other tobacco or nicotine product	24	1.4
		8	Not sure	32	1.4
	Missing	245			

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?			
		1	0 times	2,115	97.1
		2	1 or 2 times	28	1.1
		3	3 to 9 times	21	1.0
		4	10 to 19 times	9	0.3
		5	20 to 39 times	5	0.2
		6	40 or more times	10	0.3
		Missing	208		
135-135	Q104	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	2,008	92.6
		2	1 or 2 times	70	3.4
		3	3 to 9 times	48	2.2
		4	10 to 19 times	18	0.8
		5	20 to 39 times	10	0.6
		6	40 or more times	10	0.5
		Missing	232		
136-136	Q105	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	2,076	95.8
		2	1 or 2 times	54	2.4
		3	3 to 9 times	17	1.0
		4	10 to 19 times	12	0.4
		5	20 to 39 times	3	0.1
		6	40 or more times	7	0.3
		Missing	227		
137-137	Q106	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	2,061	95.3
		2	1 or 2 times	52	2.7
		3	3 to 9 times	28	1.1
		4	10 to 19 times	8	0.4
		5	20 to 39 times	4	0.2
		6	40 or more times	8	0.4
		Missing	235		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	1,298	71.4
		2 No method was used to prevent pregnancy	118	5.0
		3 Birth control pills	47	2.3
		4 Condoms	375	19.0
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	8	0.4
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	7	0.2
		7 Withdrawal or some other method	25	1.1
		8 Not sure	10	0.6
	Missing	508		
139-139	Q108	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	1,270	71.7
		2 I have had sexual intercourse, but not during the past 3 months	162	7.9
		3 Never	97	4.8
		4 Rarely	49	2.1
		5 Sometimes	53	2.6
		6 Most of the time	65	3.2
		7 Always	147	7.8
	Missing	553		
140-140	Q109	The last time you used birth control, not including condoms, from where did you or your partner get it?		

**DATA NOT DISPLAYED.** Please send an email to [epidatarequest@health.nyc.gov](mailto:epidatarequest@health.nyc.gov) with requests for data related to school-based health centers.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	1,247	73.0
		2 Yes	61	2.5
		3 No	418	21.7
		4 Not sure	55	2.8
		Missing	615	
142-142	Q111	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	36	1.8
		2 No	1,722	95.3
		3 Not sure	58	2.9
		Missing	580	
143-143	Q112	In what grade were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	227	11.3
		2 6th grade or earlier	674	32.7
		3 7th grade	367	17.1
		4 8th grade	343	17.0
		5 9th grade	218	10.7
		6 10th grade	66	4.4
		7 11th or 12th grade	32	1.4
		8 Not sure	110	5.5
		Missing	359	
144-144	Q113	In what class were you first taught about sexual health in school?		
		1 I have never been taught about sexual health in school	224	11.2
		2 Health Education	1,055	52.8
		3 Science	194	9.5
		4 Living Environment	98	4.5
		5 Physical Education	86	4.6
		6 Advisory	110	5.7
		7 Some other class	125	5.6
		8 Not sure	125	6.2
		Missing	379	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	381	17.1
		2 1 to 3 times during the past 7 days	675	32.2
		3 4 to 6 times during the past 7 days	339	17.9
		4 1 time per day	235	13.9
		5 2 times per day	165	10.1
		6 3 times per day	48	2.8
		7 4 or more times per day	108	5.9
	Missing	445		
146-146	Q115	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	89	4.2
		2 1 to 3 times during the past 7 days	186	9.1
		3 4 to 6 times during the past 7 days	236	12.0
		4 1 time per day	122	7.1
		5 2 times per day	212	12.2
		6 3 times per day	298	15.7
		7 4 or more times per day	785	39.8
	Missing	468		
147-147	Q116	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	622	32.8
		2 1 to 3 times during the past 7 days	801	42.5
		3 4 to 6 times during the past 7 days	213	11.5
		4 1 time per day	122	6.1
		5 2 times per day	72	3.9
		6 3 times per day	29	1.0
		7 4 or more times per day	52	2.2
	Missing	485		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Manhattan  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	Q117	What kind of milk do you usually drink?		
		1 I do not drink milk	309	16.6
		2 Plain whole milk	519	27.9
		3 Plain 2% milk or reduced fat milk	331	17.5
		4 Plain 1% milk or low-fat milk	222	11.7
		5 Plain Skim milk or non-fat milk	54	3.1
		6 Chocolate milk	65	3.0
		7 Other milk (such as soy, almond, or rice milk)	196	10.4
		8 Not sure	182	9.7
	Missing	518		
149-149	Q118	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	371	18.0
		2 I ride a bike all the way to school	48	2.2
		3 I use public transportation, such as a subway or city bus	1,292	76.2
		4 I ride a school bus	21	0.9
		5 I drive or ride in a car or other private vehicle	57	2.7
	Missing	607		
150-150	Q119	Have you ever received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?		
		1 Yes	726	42.1
		2 No	466	25.9
		3 Not sure	548	31.9
	Missing	656		
151-151	Q120	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	1,108	59.9
		2 No	527	34.5
		3 Not sure	95	5.7
	Missing	666		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	738	43.5
		2 Yes	273	16.8
		3 No	646	36.1
		4 Not sure	62	3.5
		Missing	677	
153-153	Q122	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,604	93.2
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	67	3.4
		3 In a foster or group home	20	1.0
		4 In a shelter or emergency housing	14	0.8
		5 In a motel or hotel	5	0.3
		6 In a car, park, campground, or other public place	8	0.6
		7 I did not have a usual place to sleep	2	0.1
		8 Somewhere else	8	0.6
		Missing	668	
154-154	Q123	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	137	7.6
		2 No	1,538	92.4
		Missing	721	
155-155	Q124	Has your mother ever served time in jail or prison?		
		1 Yes	97	5.7
		2 No	1,529	91.1
		3 Not sure	62	3.2
		Missing	708	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
156-156	Q125	Has your father ever served time in jail or prison?		
		1 Yes	297	15.3
		2 No	1,217	74.5
		3 Not sure	179	10.2
		Missing	703	
157-157	Q126	Have you ever gone to the nurse or clinic at this school?		
		1 Yes	1,030	58.5
		2 No	649	41.5
		Missing	717	
158-158	Q127	How would you describe your swimming ability?		
		1 I do not know how to swim	407	20.6
		2 I can swim a little and can float in shallow water	279	17.1
		3 I can swim somewhat well but cannot swim the entire length of a pool	384	21.2
		4 I can swim the entire length of a pool	636	41.2
		Missing	690	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	98	30.8
		2 No	223	69.2
		Missing	2,075	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	160	6.9
		2 No	2,183	93.1
		Missing	53	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	67	2.5
		2 No	2,276	97.5
		Missing	53	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	80	3.1
		2 No	2,285	96.9
		Missing	31	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	171	7.0
		2 No	2,195	93.0
		Missing	30	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	129	5.6
		2 No	2,233	94.4
		Missing	34	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	519	21.4
		2 No	1,832	78.6
		Missing	45	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	165	14.7
		2	No	1,048	85.3
			Missing	1,183	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	95	6.4
		2	No	1,119	93.6
			Missing	1,182	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	360	15.8
		2	No	1,982	84.2
			Missing	54	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)			
		1	Yes	299	13.8
		2	No	2,059	86.2
			Missing	38	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for $\geq 2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
		1	Yes	755	32.7
		2	No	1,546	67.3
			Missing	95	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	366	16.4
		2 No	1,963	83.6
		Missing	67	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	187	9.3
		2 No	1,812	90.7
		Missing	397	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	70	3.2
		2 No	1,903	96.8
		Missing	423	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	313	14.3
		2 No	1,975	85.7
		Missing	108	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	94	5.0
		2 No	2,177	95.0
		Missing	125	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	11	10.8
		2 No	79	89.2
		Missing	2,306	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	383	17.9
		2	No	1,897	82.1
			Missing	116	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)			
		1	Yes	70	2.7
		2	No	2,204	97.3
			Missing	122	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	109	4.4
		2	No	2,160	95.6
			Missing	127	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	379	18.4
		2	No	1,779	81.6
			Missing	238	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	414	20.2
		2	No	1,638	79.8
			Missing	344	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Manhattan  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)			
		1	Yes	154	36.2
		2	No	249	63.8
			Missing	1,993	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)			
		1	Yes	125	5.7
		2	No	1,953	94.3
			Missing	318	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)			
		1	Yes	33	1.5
		2	No	1,943	98.5
			Missing	420	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years			
		1	Yes	121	5.1
		2	No	2,084	94.9
			Missing	191	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
		1	Yes	394	17.4
		2	No	1,787	82.6
			Missing	215	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)			
		1	Yes	79	3.6
		2	No	2,140	96.4
			Missing	177	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	64	2.6
		2 No	2,144	97.4
		Missing	188	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	99	4.3
		2 No	2,094	95.7
		Missing	203	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	42	1.8
		2 No	2,132	98.2
		Missing	222	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	526	25.8
		2 No	1,318	74.2
		Missing	552	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	55	2.8
		2 No	1,775	97.2
		Missing	566	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	104	5.1
		2 No	1,710	94.9
		Missing	582	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey  
Manhattan  
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	352	17.3
		2 No	1,447	82.7
		Missing	597	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	47	14.3
		2 No	293	85.7
		Missing	2,056	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	176	58.0
		2 No	139	42.0
		Missing	2,081	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	46	15.9
		2 No	274	84.1
		Missing	2,076	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	596	31.0
		2 No	1,359	69.0
		Missing	441	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	382	18.6
		2 No	1,586	81.4
		Missing	428	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	634	33.8
		2 No	1,295	66.2
		Missing	467	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	743	39.4
		2 No	1,147	60.6
		Missing	506	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	269	13.1
		2 No	1,591	86.9
		Missing	536	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	677	38.6
		2 No	1,147	61.4
		Missing	572	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	417	21.3
		2 No	1,436	78.7
		Missing	543	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)			
		1	Yes	713	39.0
		2	No	1,105	61.0
			Missing	578	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)			
		1	Yes	1,591	88.7
		2	No	196	11.3
			Missing	609	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)			
		1	Yes	347	18.3
		2	No	1,401	81.7
			Missing	648	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)			
		1	Yes	1,244	73.4
		2	No	461	26.6
			Missing	691	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma			
		1	Yes	452	26.2
		2	No	1,271	73.8
			Missing	673	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)			
		1	Yes	385	21.1
		2	No	1,350	78.9
			Missing	661	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,347	61.4
		2 No	1,029	38.6
		Missing	20	
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	30	1.3
		2 No	2,334	98.7
		Missing	32	
269-269	QN92	Percentage of students who reported that either one of their parents was born outside of the United States		
		1 Yes	1,553	67.8
		2 No	786	32.2
		Missing	57	
270-270	QN93	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	1,226	51.1
		2 No	1,155	48.9
		Missing	15	
271-271	QN94	Percentage of students who reported the sex that is on their birth certificate		
		1 Yes	2,336	98.5
		2 No	34	1.5
		Missing	26	
272-272	QN95	Percentage of students who are transgender		
		1 Yes	26	1.2
		2 No	2,335	98.8
		Missing	35	
273-273	QN96	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	342	15.0
		2 No	1,948	85.0
		Missing	106	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Manhattan  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	412	17.2
		2 No	1,937	82.8
		Missing	47	
275-275	QN98	Percentage of students who got help from a counselor, social worker or therapist at school for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	488	21.0
		2 No	1,816	79.0
		Missing	92	
276-276	QN99	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	118	6.0
		2 No	2,110	94.0
		Missing	168	
277-277	QN100	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	143	6.9
		2 No	2,037	93.1
		Missing	216	
278-278	QN101	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	26	25.7
		2 No	78	74.3
		Missing	2,292	
279-279	QN102	Percentage of students who first tried cigarettes (among students who have ever tried any tobacco or nicotine product)		
		1 Yes	107	20.4
		2 No	487	79.6
		Missing	1,802	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	73	2.9
		2 No	2,115	97.1
		Missing	208	
281-281	QN104	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	156	7.4
		2 No	2,008	92.6
		Missing	232	
282-282	QN105	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	93	4.2
		2 No	2,076	95.8
		Missing	227	
283-283	QN106	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	100	4.7
		2 No	2,061	95.3
		Missing	235	
284-284	QN107	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	118	17.5
		2 No	472	82.5
		Missing	1,806	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	147	38.1
		2 No	264	61.9
		Missing	1,985	
286-286	QN109	Percentage of students who reported that the last time they used birth control, not including condoms, they or their partner got it from school-based health center, school nurse or school doctor (among students who have used birth control)		
		<b>DATA NOT DISPLAYED.</b> Please send an email to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
287-287	QN110	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	61	9.1
		2 No	473	90.9
		Missing	1,862	
288-288	QN111	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	36	1.8
		2 No	1,780	98.2
		Missing	580	
289-289	QN112	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,810	88.7
		2 No	227	11.3
		Missing	359	
290-290	QN113	Percentage of students who were first taught about sexual health in Health Education class in school (among students who had been taught about sexual health in school)		
		1 Yes	1,055	59.4
		2 No	738	40.6
		Missing	603	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
291-291	QN114	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	556	32.8
		2 No	1,395	67.2
		Missing	445	
292-292	QN115	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	89	4.2
		2 No	1,839	95.8
		Missing	468	
293-293	QN116	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	1,289	67.2
		2 No	622	32.8
		Missing	485	
294-294	QN117	Percentage of students who usually drink plain 1% or low-fat milk or skim or non-fat milk		
		1 Yes	276	14.8
		2 No	1,602	85.2
		Missing	518	
295-295	QN118	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	419	20.2
		2 No	1,370	79.8
		Missing	607	
296-296	QN119	Percentage of students who have received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)		
		1 Yes	726	42.1
		2 No	1,014	57.9
		Missing	656	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
297-297	QN120	Percentage of students who reported that the last time they had seen a doctor or nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	1,108	59.9
		2 No	622	40.1
		Missing	666	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	273	29.8
		2 No	708	70.2
		Missing	1,415	
299-299	QN122	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	67	3.4
		2 No	1,661	96.6
		Missing	668	
300-300	QN123	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	137	7.6
		2 No	1,538	92.4
		Missing	721	
301-301	QN124	Percentage of students who reported their mother had ever served time in jail or prison		
		1 Yes	97	5.7
		2 No	1,591	94.3
		Missing	708	
302-302	QN125	Percentage of students who reported their father had ever served time in jail or prison		
		1 Yes	297	15.3
		2 No	1,396	84.7
		Missing	703	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
303-303	QN126	Percentage of students who have ever gone to the nurse or clinic at the school		
		1 Yes	1,030	58.5
		2 No	649	41.5
		Missing	717	
304-304	QN127	Percentage of students who do not know how to swim		
		1 Yes	407	20.6
		2 No	1,299	79.4
		Missing	690	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	13	0.6
		2 No	2,258	99.4
		Missing	125	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	11	0.6
		2 No	2,260	99.4
		Missing	125	
352-352	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	151	7.2
		2 No	2,086	92.8
		Missing	159	
353-353	QNTOB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	177	8.1
		2 No	2,067	91.9
		Missing	152	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
354-354	QNTOB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)			
		1	Yes	453	21.2
		2	No	1,793	78.8
			Missing	150	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	27	7.1
		2	No	293	92.9
			Missing	2,076	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	16	5.1
		2	No	304	94.9
			Missing	2,076	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)			
		1	Yes	89	28.1
		2	No	231	71.9
			Missing	2,076	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	25	10.5
		2 No	285	89.5
		Missing	2,086	
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	66	22.0
		2 No	254	78.0
		Missing	2,076	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	180	9.0
		2 No	1,747	91.0
		Missing	469	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	975	52.7
		2 No	952	47.3
		Missing	469	
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	504	26.0
		2 No	1,423	74.0
		Missing	469	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	334	17.0
		2 No	1,593	83.0
		Missing	469	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	264	12.5
		2	No	1,665	87.5
			Missing	467	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	167	7.5
		2	No	1,762	92.5
			Missing	467	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	94	4.2
		2	No	1,835	95.8
			Missing	467	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	358	20.5
		2	No	1,532	79.5
			Missing	506	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	191	10.7
		2	No	1,699	89.3
			Missing	506	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	92	5.6
		2 No	1,798	94.4
		Missing	506	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	605	33.8
		2 No	1,255	66.2
		Missing	536	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	344	17.5
		2 No	1,480	82.5
		Missing	572	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	364	20.1
		2 No	1,460	79.9
		Missing	572	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	374	23.2
		2 No	1,413	76.8
		Missing	609	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	32	1.8
		2 No	1,673	98.2
		Missing	691	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
382-382	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1            Yes	1,417	74.7
		2            No Missing	511 468	25.3
383-383	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1            Yes	1,295	67.6
		2            No Missing	633 468	32.4
384-384	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1            Yes	1,083	55.4
		2            No Missing	845 468	44.6
385-385	QNOBESE	Percentage of students who had obesity ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1            Yes	251	11.7
		2            No Missing	1,810 335	88.3
386-386	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1            Yes	366	16.0
		2            No Missing	1,695 335	84.0
387-396	WEIGHT	Overall Analysis Weight		
397-399	STRATUM	Sampling Strata		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
400-405	PSU	Primary Sampling Unit		
409-413	BMIPCT	Body Mass Index Percentile		
414-415	RACEETH8	1 Am Indian/Alaska Native 2 Asian 3 Black or African American 4 Native Hawaiian/Other PI 5 White 6 Hispanic/Latino 7 Multiple - Hispanic 8 Multiple - Non-Hispanic Missing	11 233 503 19 216 537 706 84 87	0.2 14.4 25.4 0.4 13.5 20.0 24.4 1.7
416-418	Q6ORIG	Original unedited student height		
		<b>DATA NOT AVAILABLE.</b>		
419-421	Q7ORIG	Original unedited student weight		
		<b>DATA NOT AVAILABLE.</b>		
450-459	SSWEIGHT	Sub-site Analysis Weight		
460-460	S2	Sub-site - S2		
		0	2,248	96.1
		1	148	3.9
		<b>DATA NOT AVAILABLE.</b>		
461-461	S3	Sub-site - S3		
		0	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey  
Manhattan  
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
462-462	S4	Sub-site - S4 0	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		
463-463	S5	Sub-site - S5 1	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		
464-464	S6	Sub-site - S6 0	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		
465-465	S7	Sub-site - S7 0	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		
466-466	S9	Sub-site - S9 0	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		
467-467	S10	Sub-site - S10 0 1	1,357 1,039	84.2 15.8
		<b>DATA NOT AVAILABLE.</b>		
	S8	Sub-site - S8 0	2,396	100.0
		<b>DATA NOT AVAILABLE.</b>		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Manhattan**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	216	13.5
		2 Black	503	25.4
		3 Hispanic	1,243	44.4
		4 Asian	233	14.4
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	144	2.3
		Missing	87	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Manhattan

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	206	47.4
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	65	14.3
		3 EC only (any EC without condoms)	12	1.8
		4 Dual: condoms and HBC/LARC excluding exclusive EC	31	9.5
		5 Dual: condoms and EC (may include withdrawal)	18	3.7
		6 Withdrawal only	18	4.8
		7 No contraception	77	18.4
		Missing	1,969	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	206	47.4
		2 HBC/LARC only (any HBC/LARC without condoms)	77	16.2
		3 Dual: condoms and HBC/LARC (may include withdrawal)	49	13.2
		4 Withdrawal only	18	4.8
		5 No contraception	77	18.4
		Missing	1,969	