

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	12	0.7
		2	13 years old	56	3.4
		3	14 years old	329	22.2
		4	15 years old	367	26.3
		5	16 years old	325	22.5
		6	17 years old	354	19.8
		7	18 years old or older	93	5.0
		Missing	8		
18-18	Q2	What is your sex?			
		1	Female	738	47.5
		2	Male	787	52.5
		Missing	19		
19-19	Q3	In what grade are you?			
		1	9th grade	430	28.6
		2	10th grade	350	25.7
		3	11th grade	322	23.0
		4	12th grade	420	22.0
		Ungraded or other grade	12	0.7	
		Missing	10		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	564	36.5
		2	No	930	63.5
		Missing	50		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.1
		F	5	0.4
		E	195	23.2
		D	91	4.8
		C	386	30.6
		C E	19	0.8
		CD	7	0.3
		CDE	1	0.1
		B	355	33.2
		B E	8	0.2
		B D	4	0.1
		BC	14	0.5
		BC E	1	0.0
		A	96	4.6
		A E	1	0.1
		A D	2	0.0
		A C	7	0.2
		A C E	5	0.3
		A CD	1	0.1
		AB	2	0.1
		ABC E	1	0.0
		ABCDE	3	0.2
			338	
<b>DATA NOT AVAILABLE.</b>				
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	1,155	79.5
		2	0 days	220	13.2
		3	1 or 2 days	36	2.3
		4	3 to 5 days	19	1.0
		5	6 to 9 days	12	0.8
		6	10 to 19 days	8	0.6
		7	20 to 29 days	8	0.6
		8	All 30 days	32	2.0
		Missing	54		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	1,366	91.3
		2	1 day	46	3.2
		3	2 or 3 days	26	1.7
		4	4 or 5 days	9	0.8
		5	6 or more days	42	3.0
		Missing	55		
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,444	96.7
		2	1 day	15	1.2
		3	2 or 3 days	6	0.4
		4	4 or 5 days	5	0.5
		5	6 or more days	18	1.3
		Missing	56		
45-45	Q14	During the past 12 months, on how many days did you carry a gun?			
		1	0 days	1,446	94.7
		2	1 day	22	1.4
		3	2 or 3 days	14	1.0
		4	4 or 5 days	15	0.9
		5	6 or more days	28	2.1
		Missing	19		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,381	91.6
		2	1 day	59	3.5
		3	2 or 3 days	35	2.0
		4	4 or 5 days	20	1.2
		5	6 or more days	25	1.7
			Missing	24	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,403	92.1
		2	1 time	52	3.5
		3	2 or 3 times	29	1.9
		4	4 or 5 times	18	1.1
		5	6 or 7 times	7	0.5
		6	8 or 9 times	3	0.1
		7	10 or 11 times	2	0.1
		8	12 or more times	14	0.9
	Missing	16			
48-48	Q17	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,157	77.1
		2	1 time	153	9.8
		3	2 or 3 times	118	6.9
		4	4 or 5 times	33	2.5
		5	6 or 7 times	15	1.1
		6	8 or 9 times	8	0.5
		7	10 or 11 times	8	0.5
		8	12 or more times	25	1.7
	Missing	27			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	682	48.6
		2 0 times	644	43.3
		3 1 time	46	3.2
		4 2 or 3 times	40	2.8
		5 4 or 5 times	8	0.4
		6 6 or more times	26	1.7
		Missing	98	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	683	48.6
		2 0 times	688	46.0
		3 1 time	36	2.7
		4 2 or 3 times	17	1.1
		5 4 or 5 times	9	0.6
		6 6 or more times	16	1.0
		Missing	95	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	224	14.9
		2 No	1,265	85.1
		Missing	55	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	182	11.3
		2 No	1,325	88.7
		Missing	37	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	447	30.0
		2 No	1,016	70.0
		Missing	81	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	256	16.0
		2 No	1,234	84.0
		Missing	54	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,063	87.4
		2 1 time	83	7.3
		3 2 or 3 times	45	3.6
		4 4 or 5 times	11	0.9
		5 6 or more times	13	0.7
		Missing	329	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,050	89.1
		2 Yes	53	4.0
		3 No	82	6.9
		Missing	359	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	271	17.9
		2 No	1,191	82.1
		Missing	82	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,362	93.9
		2 1 or 2 days	35	2.5
		3 3 to 5 days	12	0.7
		4 6 to 9 days	15	1.2
		5 10 to 19 days	9	0.7
		6 20 to 29 days	6	0.2
		7 All 30 days	13	0.8
		Missing	92	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,343	93.9
		2 Less than 1 cigarette per day	32	2.2
		3 1 cigarette per day	17	1.1
		4 2 to 5 cigarettes per day	22	1.4
		5 6 to 10 cigarettes per day	5	0.3
		6 11 to 20 cigarettes per day	5	0.3
		7 More than 20 cigarettes per day	10	0.7
	Missing	110		
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?		
		1 0 days	1,192	82.2
		2 1 or 2 days	118	8.7
		3 3 to 5 days	39	2.8
		4 6 to 9 days	27	1.9
		5 10 to 19 days	25	1.6
		6 20 to 29 days	10	0.8
		7 All 30 days	30	2.0
	Missing	103		
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1 0 days	1,377	95.9
		2 1 or 2 days	22	1.6
		3 3 to 5 days	17	1.0
		4 6 to 9 days	8	0.6
		5 10 to 19 days	5	0.4
		6 20 to 29 days	3	0.1
		7 All 30 days	9	0.4
	Missing	103		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,339	93.5
		2	1 or 2 days	35	2.0
		3	3 to 5 days	16	1.3
		4	6 to 9 days	20	1.4
		5	10 to 19 days	7	0.5
		6	20 to 29 days	7	0.5
		7	All 30 days	13	0.9
		Missing	107		
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	724	55.6
		2	8 years old or younger	75	4.6
		3	9 or 10 years old	82	5.3
		4	11 or 12 years old	87	6.4
		5	13 or 14 years old	180	13.4
		6	15 or 16 years old	175	12.4
		7	17 years old or older	35	2.3
		Missing	186		
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,047	82.5
		2	1 or 2 days	129	10.1
		3	3 to 5 days	49	3.4
		4	6 to 9 days	24	1.7
		5	10 to 19 days	11	0.7
		6	20 to 29 days	8	0.7
		7	All 30 days	12	0.9
		Missing	264		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,034	81.9
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	31	2.4
		3	I bought it at a restaurant, bar, or club	13	0.9
		4	I bought it at a public event such as a concert or sporting event	11	0.9
		5	I gave someone else money to buy it for me	20	1.7
		6	Someone gave it to me	64	4.8
		7	I took it from a store or family member	55	3.7
		8	I got it some other way	45	3.5
	Missing	271			
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?			
		1	0 days	1,209	94.8
		2	1 day	27	2.0
		3	2 days	14	0.8
		4	3 to 5 days	16	1.3
		5	6 to 9 days	7	0.4
		6	10 to 19 days	7	0.5
		7	20 or more days	5	0.3
	Missing	259			
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?			
		1	I did not drink alcohol during the past 30 days	1,032	85.3
		2	1 or 2 drinks	90	7.3
		3	3 drinks	11	0.9
		4	4 drinks	17	1.6
		5	5 drinks	18	1.3
		6	6 or 7 drinks	21	1.4
		7	8 or 9 drinks	8	0.6
		8	10 or more drinks	22	1.4
	Missing	325			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	983	71.6
		2 8 years old or younger	26	2.2
		3 9 or 10 years old	25	1.6
		4 11 or 12 years old	54	3.5
		5 13 or 14 years old	177	12.3
		6 15 or 16 years old	112	7.5
		7 17 years old or older	22	1.2
		Missing	145	
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,147	84.4
		2 1 or 2 times	91	6.2
		3 3 to 9 times	62	4.0
		4 10 to 19 times	31	2.0
		5 20 to 39 times	15	1.1
		6 40 or more times	30	2.3
		Missing	168	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,348	96.0
		2 1 or 2 times	33	2.1
		3 3 to 9 times	9	0.6
		4 10 to 19 times	4	0.3
		5 20 to 39 times	2	0.3
		6 40 or more times	13	0.8
		Missing	135	
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,339	95.7
		2 1 or 2 times	21	1.5
		3 3 to 9 times	9	0.5
		4 10 to 19 times	11	1.0
		5 20 to 39 times	4	0.2
		6 40 or more times	11	1.1
		Missing	149	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,304	94.1
		2	1 or 2 times	44	2.7
		3	3 to 9 times	19	1.4
		4	10 to 19 times	13	0.9
		5	20 to 39 times	4	0.2
		6	40 or more times	8	0.7
		Missing	152		
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	1,331	97.5
		2	1 time	18	1.4
		3	2 or more times	16	1.1
		Missing	179		
90-90	Q59	Have you ever had sexual intercourse?			
		1	Yes	308	25.2
		2	No	809	74.8
		Missing	427		
91-91	Q60	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	805	74.7
		2	11 years old or younger	26	2.2
		3	12 years old	18	1.7
		4	13 years old	39	3.2
		5	14 years old	82	6.7
		6	15 years old	73	5.7
		7	16 years old	55	4.6
		8	17 years old or older	17	1.3
		Missing	429		
92-92	Q61	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	787	75.1
		2	1 person	125	10.9
		3	2 people	57	4.2
		4	3 people	42	3.6
		5	4 people	20	1.8
		6	5 people	13	1.2
		7	6 or more people	43	3.2
		Missing	457		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	787	75.1
		2	I have had sexual intercourse, but not during the past 3 months	93	8.1
		3	1 person	152	12.5
		4	2 people	29	2.5
		5	3 people	8	0.4
		6	4 people	3	0.3
		7	5 people	3	0.2
		8	6 or more people	10	0.9
		Missing	459		
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	781	75.4
		2	Yes	54	4.4
		3	No	240	20.2
		Missing	469		
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	779	77.4
		2	Yes	178	15.6
		3	No	87	7.0
		Missing	500		
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	776	76.7
		2	No method was used to prevent pregnancy	62	5.4
		3	Birth control pills	29	2.5
		4	Condoms	154	13.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	5	0.4
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	6	0.2
		7	Withdrawal or some other method	9	0.7
		8	Not sure	7	0.5
		Missing	496		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	699	59.9
		2 Females	279	22.5
		3 Males	174	13.9
		4 Females and males	48	3.7
		Missing	344	
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	1,111	74.3
		2 Gay or lesbian	37	2.1
		3 Bisexual	114	7.2
		4 Not sure	244	16.4
		Missing	38	
98-98	Q67a	Which of the following best describes you?		
		1 Heterosexual (straight)	1,111	74.3
		2 Gay or lesbian	37	2.1
		3 Bisexual	114	7.2
		4 Not sure	56	3.4
		5 I do not describe myself in any of these ways	145	9.5
		6 I do not know what these answer options mean	43	3.4
		Missing	38	
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	379	30.9
		2 1 to 3 times during the past 7 days	451	36.0
		3 4 to 6 times during the past 7 days	151	11.4
		4 1 time per day	91	8.2
		5 2 times per day	71	5.5
		6 3 times per day	36	2.8
		7 4 or more times per day	68	5.3
		Missing	297	
102-102	Q71	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	217	17.0
		2 1 to 3 times during the past 7 days	495	39.0
		3 4 to 6 times during the past 7 days	210	16.5
		4 1 time per day	111	9.3
		5 2 times per day	104	9.2
		6 3 times per day	40	2.8
		7 4 or more times per day	72	6.2
		Missing	295	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	388	32.4
		2	1 to 3 times during the past 7 days	514	41.4
		3	4 to 6 times during the past 7 days	147	12.0
		4	1 time per day	63	5.1
		5	2 times per day	47	3.7
		6	3 times per day	27	2.2
		7	4 or more times per day	44	3.2
		Missing	314		
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?			
		1	I did not drink milk during the past 7 days	355	29.0
		2	1 to 3 glasses during the past 7 days	391	32.1
		3	4 to 6 glasses during the past 7 days	158	13.3
		4	1 glass per day	143	12.7
		5	2 glasses per day	76	6.1
		6	3 glasses per day	29	2.3
		7	4 or more glasses per day	51	4.4
		Missing	341		
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	183	14.6
		2	1 day	106	8.1
		3	2 days	117	8.9
		4	3 days	129	11.2
		5	4 days	92	7.3
		6	5 days	94	7.9
		7	6 days	65	5.4
		8	7 days	413	36.6
		Missing	345		
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	210	16.7
		2	1 day	97	8.7
		3	2 days	123	11.0
		4	3 days	148	12.5
		5	4 days	113	9.0
		6	5 days	155	13.9
		7	6 days	47	4.7
		8	7 days	273	23.5
		Missing	378		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	370	33.0
		2 Less than 1 hour per day	210	18.8
		3 1 hour per day	146	12.2
		4 2 hours per day	175	13.9
		5 3 hours per day	136	12.2
		6 4 hours per day	61	4.1
		7 5 or more hours per day	74	5.7
	Missing	372		
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	284	23.6
		2 Less than 1 hour per day	120	9.7
		3 1 hour per day	115	9.5
		4 2 hours per day	146	11.7
		5 3 hours per day	128	11.6
		6 4 hours per day	123	11.1
		7 5 or more hours per day	254	22.8
	Missing	374		
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	142	11.3
		2 1 day	32	2.5
		3 2 days	123	11.2
		4 3 days	265	22.7
		5 4 days	43	3.9
		6 5 days	541	48.3
	Missing	398		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	188	14.8
		2 No	741	67.0
		3 Not sure	195	18.2
		Missing	420	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	770	71.0
		2 Between 12 and 24 months ago	148	13.4
		3 More than 24 months ago	59	5.1
		4 Never	23	1.4
		5 Not sure	104	9.2
Missing	440			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	247	21.4
		2 No	770	71.3
		3 Not sure	84	7.3
Missing	443			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	148	13.3
		2 5 hours	168	14.4
		3 6 hours	284	24.4
		4 7 hours	285	26.1
		5 8 hours	175	16.2
		6 9 hours	38	3.6
		7 10 or more hours	25	2.2
Missing	421			
121-121	Q90	What borough of New York do you live in?		
		1 Bronx	23	1.5
		2 Brooklyn	53	2.6
		3 Manhattan	23	1.7
		4 Queens	1,419	93.5
		5 Staten Island	10	0.7
Missing	16			

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
122-122	Q91	How long have you lived in the United States?		
		1 I have always lived in the United States	1,032	68.1
		2 Less than 1 year	39	1.8
		3 1 to 3 years	123	8.7
		4 4 to 6 years	98	6.1
		5 More than 6 years but not my whole life	227	15.4
		Missing	25	
123-123	Q92	Was either of your parents born outside of the United States?		
		1 Yes	1,085	74.4
		2 No	282	18.3
		3 Not sure	115	7.3
		Missing	62	
124-124	Q93	How often do the people in your home speak a language other than English?		
		1 Never	353	20.9
		2 Rarely	130	8.7
		3 Sometimes	277	18.9
		4 Most of the time	348	24.4
		5 Always	424	27.1
	Missing	12		
125-125	Q94	What sex is on your birth certificate?		
		1 Female	737	47.2
		2 Male	757	50.7
		3 Not sure	27	2.1
	Missing	23		
126-126	Q95	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	1,413	93.9
		2 Yes, I am transgender	23	1.5
		3 I am not sure if I am transgender	25	1.4
		4 I do not know what this question is asking	46	3.3
	Missing	37		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
127-127	Q96	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	251	16.9
		2 Mostly feminine	236	15.9
		3 Somewhat feminine	129	9.2
		4 Equally feminine and masculine	223	15.0
		5 Somewhat masculine	104	7.9
		6 Mostly masculine	183	12.6
		7 Very masculine	317	22.5
	Missing	101		
128-128	Q97	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,245	81.6
		2 1 time	133	8.6
		3 2 or 3 times	82	5.6
		4 4 or 5 times	17	1.1
		5 6 or more times	44	3.1
	Missing	23		
129-129	Q98	During the past 12 months, did you get help from a counselor, social worker or therapist at school for an emotional or personal issue that you could not face alone?		
		1 Yes	227	14.8
		2 No	1,158	79.4
		3 Not sure	90	5.8
	Missing	69		
130-130	Q99	Have you ever tried smoking menthol cigarettes, even one or two puffs?		
		1 Yes	91	6.4
		2 No	1,298	93.6
	Missing	155		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
131-131	Q100	How many months ago did you try cigarette smoking for the first time?			
		1	I have never tried cigarette smoking	1,156	85.5
		2	Less than 1 month ago	27	1.9
		3	1 to 3 months ago	33	2.6
		4	4 to 6 months ago	17	1.2
		5	7 to 12 months ago	22	1.9
		6	13 or more months ago	106	6.9
			Missing	183	
132-132	Q101	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,347	94.0
		2	I bought them in a store such as a convenience store, supermarket, or gas station	30	2.4
		3	I bought them on the Internet	8	0.5
		4	I bummed them	6	0.5
		5	Someone gave them to me or bought them for me	21	1.4
		6	I stole them	5	0.2
		7	I got them some other way	17	1.0
	Missing	110			
133-133	Q102	Which tobacco or nicotine product did you try first?			
		1	I have never tried any tobacco or nicotine product	957	73.7
		2	Cigarettes	79	5.0
		3	Cigars, cigarillos, or little cigars	19	1.5
		4	Electronic cigarettes or e-cigarettes	58	4.9
		5	Chewing tobacco, snuff, dip, or snus	1	0.1
		6	Hookah or shisha tobacco	142	10.6
		7	Some other tobacco or nicotine product	20	1.5
		8	Not sure	37	2.8
	Missing	231			

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?			
		1	0 times	1,316	94.9
		2	1 or 2 times	30	2.0
		3	3 to 9 times	18	1.3
		4	10 to 19 times	5	0.2
		5	20 to 39 times	7	0.6
		6	40 or more times	10	0.9
		Missing	158		
135-135	Q104	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,272	93.0
		2	1 or 2 times	48	3.7
		3	3 to 9 times	27	2.0
		4	10 to 19 times	11	0.7
		5	20 to 39 times	2	0.1
		6	40 or more times	10	0.6
		Missing	174		
136-136	Q105	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,304	94.5
		2	1 or 2 times	36	2.9
		3	3 to 9 times	21	1.5
		4	10 to 19 times	8	0.5
		5	20 to 39 times	3	0.3
		6	40 or more times	4	0.4
		Missing	168		
137-137	Q106	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,292	94.1
		2	1 or 2 times	48	3.3
		3	3 to 9 times	21	1.5
		4	10 to 19 times	11	0.7
		5	20 to 39 times	2	0.1
		6	40 or more times	4	0.3
		Missing	166		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	829	71.8
		2 No method was used to prevent pregnancy	66	5.0
		3 Birth control pills	25	1.7
		4 Condoms	243	19.4
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	4	0.4
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	5	0.4
		7 Withdrawal or some other method	10	0.6
		8 Not sure	10	0.7
	Missing	352		
139-139	Q108	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	799	71.8
		2 I have had sexual intercourse, but not during the past 3 months	91	7.4
		3 Never	62	4.9
		4 Rarely	25	2.1
		5 Sometimes	29	2.2
		6 Most of the time	52	4.3
		7 Always	90	7.3
	Missing	396		
140-140	Q109	The last time you used birth control, not including condoms, from where did you or your partner get it?		

**DATA NOT DISPLAYED.** Please send an email to [epidatarequest@health.nyc.gov](mailto:epidatarequest@health.nyc.gov) with requests for data related to school-based health centers.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
141-141	Q110	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?			
		1	I have never had sexual intercourse	787	73.2
		2	Yes	50	3.8
		3	No	229	19.6
		4	Not sure	40	3.4
		Missing	438		
142-142	Q111	During the past 12 months, have you been pregnant or gotten someone pregnant?			
		1	Yes	21	1.6
		2	No	1,075	94.7
		3	Not sure	46	3.7
		Missing	402		
143-143	Q112	In what grade were you first taught about sexual health in school?			
		1	I have never been taught about sexual health in school	155	11.3
		2	6th grade or earlier	390	30.5
		3	7th grade	222	17.5
		4	8th grade	215	16.9
		5	9th grade	94	7.5
		6	10th grade	47	4.1
		7	11th or 12th grade	63	4.5
		8	Not sure	97	7.8
		Missing	261		
144-144	Q113	In what class were you first taught about sexual health in school?			
		1	I have never been taught about sexual health in school	140	11.1
		2	Health Education	635	50.7
		3	Science	178	14.9
		4	Living Environment	54	3.8
		5	Physical Education	86	6.2
		6	Advisory	23	1.7
		7	Some other class	49	3.4
		8	Not sure	106	8.2
		Missing	273		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	213	17.3
		2 1 to 3 times during the past 7 days	452	35.9
		3 4 to 6 times during the past 7 days	233	18.9
		4 1 time per day	129	10.5
		5 2 times per day	107	9.3
		6 3 times per day	34	2.6
		7 4 or more times per day	73	5.6
	Missing	303		
146-146	Q115	During the past 7 days, how many times did you drink a bottle or glass of plain water?		
		1 I did not drink water during the past 7 days	59	4.8
		2 1 to 3 times during the past 7 days	164	13.9
		3 4 to 6 times during the past 7 days	165	13.2
		4 1 time per day	80	6.5
		5 2 times per day	143	12.0
		6 3 times per day	172	14.6
		7 4 or more times per day	438	35.0
	Missing	323		
147-147	Q116	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?		
		1 I did not drink other sugar-sweetened drinks during the past 7 days	321	28.0
		2 1 to 3 times during the past 7 days	543	43.3
		3 4 to 6 times during the past 7 days	162	13.2
		4 1 time per day	70	5.3
		5 2 times per day	55	5.1
		6 3 times per day	25	1.9
		7 4 or more times per day	39	3.3
	Missing	329		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
148-148	Q117	What kind of milk do you usually drink?		
		1 I do not drink milk	158	12.9
		2 Plain whole milk	331	27.4
		3 Plain 2% milk or reduced fat milk	234	20.5
		4 Plain 1% milk or low-fat milk	136	11.0
		5 Plain Skim milk or non-fat milk	31	2.7
		6 Chocolate milk	69	5.5
		7 Other milk (such as soy, almond, or rice milk)	111	8.8
		8 Not sure	124	11.3
	Missing	350		
149-149	Q118	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	238	20.4
		2 I ride a bike all the way to school	48	4.3
		3 I use public transportation, such as a subway or city bus	659	56.4
		4 I ride a school bus	27	2.5
		5 I drive or ride in a car or other private vehicle	181	16.4
	Missing	391		
150-150	Q119	Have you ever received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?		
		1 Yes	361	31.5
		2 No	343	30.0
		3 Not sure	411	38.5
	Missing	429		
151-151	Q120	The last time you saw a doctor or nurse, did they ask you about your sexual history, such as if you have had sex, the number of sex partners you have had, or the gender of your sex partners?		
		1 Yes	544	47.8
		2 No	470	43.3
		3 Not sure	97	8.9
	Missing	433		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	444	41.5
		2 Yes	177	15.0
		3 No	425	39.1
		4 Not sure	47	4.5
		Missing	451	
153-153	Q122	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,003	89.9
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	59	5.0
		3 In a foster or group home	26	2.2
		4 In a shelter or emergency housing	7	0.6
		5 In a motel or hotel	8	1.0
		6 In a car, park, campground, or other public place	3	0.1
		7 I did not have a usual place to sleep	4	0.3
		8 Somewhere else	5	0.8
		Missing	429	
154-154	Q123	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	113	10.0
		2 No	960	90.0
		Missing	471	
155-155	Q124	Has your mother ever served time in jail or prison?		
		1 Yes	79	6.7
		2 No	977	90.1
		3 Not sure	41	3.3
		Missing	447	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
156-156	Q125	Has your father ever served time in jail or prison?		
		1 Yes	175	15.4
		2 No	818	76.6
		3 Not sure	93	8.1
		Missing	458	
157-157	Q126	Have you ever gone to the nurse or clinic at this school?		
		1 Yes	625	55.6
		2 No	441	44.4
		Missing	478	
158-158	Q127	How would you describe your swimming ability?		
		1 I do not know how to swim	346	29.7
		2 I can swim a little and can float in shallow water	212	18.2
		3 I can swim somewhat well but cannot swim the entire length of a pool	229	20.8
		4 I can swim the entire length of a pool	324	31.4
		Missing	433	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	115	35.8
		2 No	220	64.2
		Missing	1,209	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	123	8.7
		2 No	1,366	91.3
		Missing	55	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	44	3.3
		2 No	1,444	96.7
		Missing	56	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	79	5.3
		2 No	1,446	94.7
		Missing	19	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	139	8.4
		2 No	1,381	91.6
		Missing	24	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	125	7.9
		2 No	1,403	92.1
		Missing	16	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	360	22.9
		2 No	1,157	77.1
		Missing	27	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	120	15.7
		2	No	644	84.3
			Missing	780	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	78	10.5
		2	No	688	89.5
			Missing	778	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	224	14.9
		2	No	1,265	85.1
			Missing	55	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)			
		1	Yes	182	11.3
		2	No	1,325	88.7
			Missing	37	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for $\geq 2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
		1	Yes	447	30.0
		2	No	1,016	70.0
			Missing	81	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	256	16.0
		2 No	1,234	84.0
		Missing	54	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	152	12.6
		2 No	1,063	87.4
		Missing	329	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	53	4.0
		2 No	1,132	96.0
		Missing	359	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	271	17.9
		2 No	1,191	82.1
		Missing	82	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	90	6.1
		2 No	1,362	93.9
		Missing	92	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	13	15.4
		2 No	75	84.6
		Missing	1,456	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)			
		1	Yes	249	17.8
		2	No	1,192	82.2
			Missing	103	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)			
		1	Yes	64	4.1
		2	No	1,377	95.9
			Missing	103	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	98	6.5
		2	No	1,339	93.5
			Missing	107	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	244	16.3
		2	No	1,114	83.7
			Missing	186	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	233	17.5
		2	No	1,047	82.5
			Missing	264	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	62	27.4
		2 No	163	72.6
		Missing	1,319	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	76	5.2
		2 No	1,209	94.8
		Missing	259	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)		
		1 Yes	22	1.4
		2 No	1,197	98.6
		Missing	325	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	105	7.4
		2 No	1,294	92.6
		Missing	145	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	229	15.6
		2 No	1,147	84.4
		Missing	168	
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	61	4.0
		2 No	1,348	96.0
		Missing	135	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	56	4.3
		2 No	1,339	95.7
		Missing	149	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	88	5.9
		2 No	1,304	94.1
		Missing	152	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	34	2.5
		2 No	1,331	97.5
		Missing	179	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	308	25.2
		2 No	809	74.8
		Missing	427	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	44	3.9
		2 No	1,071	96.1
		Missing	429	
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	76	6.2
		2 No	1,011	93.8
		Missing	457	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	205	16.8
		2 No	880	83.2
		Missing	459	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	39	19.4
		2 No	160	80.6
		Missing	1,345	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	116	65.2
		2 No	63	34.8
		Missing	1,365	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	22	12.8
		2 No	160	87.2
		Missing	1,362	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	379	30.9
		2 No	868	69.1
		Missing	297	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	217	17.0
		2 No	1,032	83.0
		Missing	295	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	388	32.4
		2 No	842	67.6
		Missing	314	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	355	29.0
		2 No	848	71.0
		Missing	341	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	183	14.6
		2 No	1,016	85.4
		Missing	345	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	475	42.1
		2 No	691	57.9
		Missing	378	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	271	22.1
		2 No	901	77.9
		Missing	372	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	505	45.5
		2 No	665	54.5
		Missing	374	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	1,004	88.7
		2 No	142	11.3
		Missing	398	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	188	14.8
		2 No	936	85.2
		Missing	420	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	770	71.0
		2 No	334	29.0
		Missing	440	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	247	21.4
		2 No	854	78.6
		Missing	443	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	238	22.0
		2 No	885	78.0
		Missing	421	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,505	98.3
		2 No	23	1.7
		Missing	16	
268-268	QN91	Percentage of students who have lived in the United States less than one year		
		1 Yes	39	1.8
		2 No	1,480	98.2
		Missing	25	
269-269	QN92	Percentage of students who reported that either one of their parents was born outside of the United States		
		1 Yes	1,085	74.4
		2 No	397	25.6
		Missing	62	
270-270	QN93	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	772	51.5
		2 No	760	48.5
		Missing	12	
271-271	QN94	Percentage of students who reported the sex that is on their birth certificate		
		1 Yes	1,494	97.9
		2 No	27	2.1
		Missing	23	
272-272	QN95	Percentage of students who are transgender		
		1 Yes	23	1.5
		2 No	1,484	98.5
		Missing	37	
273-273	QN96	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	223	15.0
		2 No	1,220	85.0
		Missing	101	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
274-274	QN97	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	276	18.4
		2 No	1,245	81.6
		Missing	23	
275-275	QN98	Percentage of students who got help from a counselor, social worker or therapist at school for an emotional or personal issue that they could not face alone (during the 12 months before the survey)		
		1 Yes	227	14.8
		2 No	1,248	85.2
		Missing	69	
276-276	QN99	Percentage of students who have ever tried smoking menthol cigarettes (even one or two puffs)		
		1 Yes	91	6.4
		2 No	1,298	93.6
		Missing	155	
277-277	QN100	Percentage of students who tried cigarette smoking for the first time during the 12 months before the survey		
		1 Yes	99	7.6
		2 No	1,262	92.4
		Missing	183	
278-278	QN101	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)		
		1 Yes	30	39.5
		2 No	57	60.5
		Missing	1,457	
279-279	QN102	Percentage of students who first tried cigarettes (among students who have ever tried any tobacco or nicotine product)		
		1 Yes	79	19.1
		2 No	277	80.9
		Missing	1,188	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	70	5.1
		2 No	1,316	94.9
		Missing	158	
281-281	QN104	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	98	7.0
		2 No	1,272	93.0
		Missing	174	
282-282	QN105	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	72	5.5
		2 No	1,304	94.5
		Missing	168	
283-283	QN106	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	86	5.9
		2 No	1,292	94.1
		Missing	166	
284-284	QN107	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	66	17.8
		2 No	297	82.2
		Missing	1,181	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
285-285	QN108	Percentage of students who always used a condom when they had sexual intercourse (during the 3 months before the survey, among students who have had sexual intercourse and who have had sexual intercourse during the 3 months before the survey)		
		1 Yes	90	35.1
		2 No	168	64.9
		Missing	1,286	
286-286	QN109	Percentage of students who reported that the last time they used birth control, not including condoms, they or their partner got it from school-based health center, school nurse or school doctor (among students who have used birth control)		
		<b>DATA NOT DISPLAYED.</b> Please send an email to <a href="mailto:epidatarequest@health.nyc.gov">epidatarequest@health.nyc.gov</a> with requests for data related to school-based health centers.		
287-287	QN110	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	50	14.1
		2 No	269	85.9
		Missing	1,225	
288-288	QN111	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	21	1.6
		2 No	1,121	98.4
		Missing	402	
289-289	QN112	Percentage of students who were ever taught about sexual health in school		
		1 Yes	1,128	88.7
		2 No	155	11.3
		Missing	261	
290-290	QN113	Percentage of students who were first taught about sexual health in Health Education class in school (among students who had been taught about sexual health in school)		
		1 Yes	635	57.0
		2 No	496	43.0
		Missing	413	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	343	27.9
		2 No	898	72.1
		Missing	303	
292-292	QN115	Percentage of students who did not drink a bottle or glass of plain water (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	59	4.8
		2 No	1,162	95.2
		Missing	323	
293-293	QN116	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar free drinks, one or more times during the 7 days before the survey)		
		1 Yes	894	72.0
		2 No	321	28.0
		Missing	329	
294-294	QN117	Percentage of students who usually drink plain 1% or low-fat milk or skim or non-fat milk		
		1 Yes	167	13.6
		2 No	1,027	86.4
		Missing	350	
295-295	QN118	Percentage of students who usually walk or bike all the way to school in an average week when they are in school		
		1 Yes	286	24.8
		2 No	867	75.2
		Missing	391	
296-296	QN119	Percentage of students who have received the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)		
		1 Yes	361	31.5
		2 No	754	68.5
		Missing	429	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
297-297	QN120	Percentage of students who reported that the last time they had seen a doctor or nurse, they had been asked about their sexual history (such as if they had had sex, the number of sex partners they had had, or the gender of their sex partners)		
		1 Yes	544	47.8
		2 No	567	52.2
		Missing	433	
298-298	QN121	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	177	25.6
		2 No	472	74.4
		Missing	895	
299-299	QN122	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	59	5.0
		2 No	1,056	95.0
		Missing	429	
300-300	QN123	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	113	10.0
		2 No	960	90.0
		Missing	471	
301-301	QN124	Percentage of students who reported their mother had ever served time in jail or prison		
		1 Yes	79	6.7
		2 No	1,018	93.3
		Missing	447	
302-302	QN125	Percentage of students who reported their father had ever served time in jail or prison		
		1 Yes	175	15.4
		2 No	911	84.6
		Missing	458	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
303-303	QN126	Percentage of students who have ever gone to the nurse or clinic at the school			
		1	Yes	625	55.6
		2	No	441	44.4
			Missing	478	
304-304	QN127	Percentage of students who do not know how to swim			
		1	Yes	346	29.7
		2	No	765	70.3
			Missing	433	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)			
		1	Yes	19	1.0
		2	No	1,433	99.0
			Missing	92	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)			
		1	Yes	13	0.8
		2	No	1,439	99.2
			Missing	92	
352-352	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	140	9.8
		2	No	1,282	90.2
			Missing	122	
353-353	QNTOB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	158	10.8
		2	No	1,268	89.2
			Missing	118	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
354-354	QNTOB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	314	22.7
		2 No	1,102	77.3
		Missing	128	
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	5	2.5
		2 No	177	97.5
		Missing	1,362	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	6	1.5
		2 No	176	98.5
		Missing	1,362	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	33	16.9
		2 No	149	83.1
		Missing	1,362	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	11	5.5
		2 No	165	94.5
		Missing	1,368	
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	41	23.7
		2 No	141	76.3
		Missing	1,362	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	116	9.4
		2 No	1,109	90.6
		Missing	319	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	631	53.0
		2 No	594	47.0
		Missing	319	
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	324	27.3
		2 No	901	72.7
		Missing	319	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	208	17.3
		2 No	1,017	82.7
		Missing	319	

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	181	14.2
		2	No	1,049	85.8
			Missing	314	
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	118	9.1
		2	No	1,112	90.9
			Missing	314	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	71	5.4
		2	No	1,159	94.6
			Missing	314	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	299	25.6
		2	No	904	74.4
			Missing	341	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	156	12.9
		2	No	1,047	87.1
			Missing	341	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>	
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	80	6.8
		2	No	1,123	93.2
			Missing	341	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	413	36.6
		2	No	786	63.4
			Missing	345	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	210	16.7
		2	No	956	83.3
			Missing	378	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	273	23.5
		2	No	893	76.5
			Missing	378	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)			
		1	Yes	541	48.3
		2	No	605	51.7
			Missing	398	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)			
		1	Yes	23	1.4
		2	No	1,081	98.6
			Missing	440	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
382-382	QNWATER1	Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	833	68.1
		2 No	388	31.9
		Missing	323	
383-383	QNWATER2	Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	753	61.5
		2 No	468	38.5
		Missing	323	
384-384	QNWATER3	Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)		
		1 Yes	610	49.6
		2 No	611	50.4
		Missing	323	
385-385	QNOBESE	Percentage of students who had obesity ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	172	12.9
		2 No	1,127	87.1
		Missing	245	
386-386	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	213	15.6
		2 No	1,086	84.4
		Missing	245	
387-396	WEIGHT	Overall Analysis Weight		
397-399	STRATUM	Sampling Strata		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
400-405	PSU	Primary Sampling Unit		
409-413	BMIPCT	Body Mass Index Percentile		
414-415	RACEETH8	1 Am Indian/Alaska Native 2 Asian 3 Black or African American 4 Native Hawaiian/Other PI 5 White 6 Hispanic/Latino 7 Multiple - Hispanic 8 Multiple - Non-Hispanic Missing	55 332 315 32 97 271 288 51 103	1.2 26.1 21.2 0.6 12.2 18.7 18.8 1.2
416-418	Q6ORIG	Original unedited student height		
		<b>DATA NOT AVAILABLE.</b>		
419-421	Q7ORIG	Original unedited student weight		
		<b>DATA NOT AVAILABLE.</b>		
450-459	SSWEIGHT	Sub-site Analysis Weight		
460-460	S2	Sub-site - S2		
		0	1,296	95.7
		1	248	4.3
		<b>DATA NOT AVAILABLE.</b>		
461-461	S3	Sub-site - S3		
		0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
462-462	S4	Sub-site - S4 0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		
463-463	S5	Sub-site - S5 0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		
464-464	S6	Sub-site - S6 1	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		
465-465	S7	Sub-site - S7 0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		
466-466	S9	Sub-site - S9 0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		
467-467	S10	Sub-site - S10 0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		
	S8	Sub-site - S8 0	1,544	100.0
		<b>DATA NOT AVAILABLE.</b>		

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Queens

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
	RACE5	Race/Ethnicity in 5 categories - comparable to previous years		
		1 White	97	12.2
		2 Black	315	21.2
		3 Hispanic	559	37.5
		4 Asian	332	26.1
		5 Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	138	3.0
		Missing	103	

**2017 YOUTH RISK BEHAVIOR SURVEY RESULTS**

**New York City High School Survey**

**Queens**

**Codebook**

<b>Data Location</b>	<b>Variable Name</b>	<b>Question Code and Label</b>	<b>Unweighted Frequency</b>	<b>Weighted Percentage</b>
	BCCAT7	Contraception at last sex - 7 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	136	59.0
		2 HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	22	8.2
		3 EC only (any EC without condoms)	9	4.0
		4 Dual: condoms and HBC/LARC excluding exclusive EC	10	4.0
		5 Dual: condoms and EC (may include withdrawal)	15	5.2
		6 Withdrawal only	4	1.1
		7 No contraception	45	18.5
		Missing	1,303	
	BCCAT5	Contraception at last sex - 5 categories		
		1 Condom only (any condom use without HBC/LARC or EC)	136	59.0
		2 HBC/LARC only (any HBC/LARC without condoms)	31	12.2
		3 Dual: condoms and HBC/LARC (may include withdrawal)	25	9.2
		4 Withdrawal only	4	1.1
		5 No contraception	45	18.5
		Missing	1,303	