

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	17	1.6
		2	13 years old	32	3.2
		3	14 years old	226	21.6
		4	15 years old	397	27.7
		5	16 years old	380	22.7
		6	17 years old	343	20.1
		7	18 years old or older	50	3.1
		Missing	3		
18-18	Q2	What is your sex?			
		1	Female	717	48.9
		2	Male	702	51.1
		Missing	29		
19-19	Q3	In what grade are you?			
		1	9th grade	238	26.7
		2	10th grade	395	25.5
		3	11th grade	398	24.3
		4	12th grade	376	22.4
		Ungraded or other grade	14	1.0	
		Missing	27		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	522	28.1
		2	No	882	71.9
		Missing	44		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	6	0.5
		F	5	0.4
		E	557	53.5
		D	75	4.8
		C	282	22.3
		C E	24	1.5
		CD	7	0.6
		CDE	1	0.1
		B	171	9.1
		B E	9	0.8
		B D	2	0.1
		BC	3	0.2
		BC E	6	0.4
		BCD	1	0.1
		BCDE	1	0.1
		A	58	4.4
		A C	8	0.8
		A C E	4	0.2
		AB E	1	0.1
ABCDE	1	0.0		
			226	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,284	90.7
		2 1 day	54	3.6
		3 2 or 3 days	22	1.2
		4 4 or 5 days	19	1.2
		5 6 or more days	52	3.3
	Missing	17		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	1,318	92.3
		2 1 day	34	2.4
		3 2 or 3 days	29	1.9
		4 4 or 5 days	13	0.6
		5 6 or more days	38	2.8
		Missing	16	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,231	86.9
		2 1 day	82	6.0
		3 2 or 3 days	54	3.5
		4 4 or 5 days	21	1.2
		5 6 or more days	31	2.4
		Missing	29	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,275	87.4
		2 1 time	59	5.6
		3 2 or 3 times	43	2.7
		4 4 or 5 times	23	1.6
		5 6 or 7 times	10	0.6
		6 8 or 9 times	7	0.6
		7 10 or 11 times	2	0.1
		8 12 or more times	20	1.4
		Missing	9	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,117	76.8
		2 1 time	135	10.1
		3 2 or 3 times	100	6.8
		4 4 or 5 times	27	2.1
		5 6 or 7 times	19	1.2
		6 8 or 9 times	10	0.7
		7 10 or 11 times	8	0.4
		8 12 or more times	23	1.9
		Missing	9	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?			
		1	0 times	1,189	86.5
		2	1 time	93	7.0
		3	2 or 3 times	42	2.8
		4	4 or 5 times	22	1.4
		5	6 or more times	33	2.3
			Missing	69	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	727	59.7
		2	0 times	467	35.7
		3	1 time	37	2.3
		4	2 or 3 times	17	1.0
		5	4 or 5 times	4	0.2
		6	6 or more times	13	1.1
	Missing	183			
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	721	57.9
		2	0 times	474	34.9
		3	1 time	40	3.0
		4	2 or 3 times	23	1.6
		5	4 or 5 times	15	0.9
		6	6 or more times	21	1.7
	Missing	154			
54-54	Q23	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	272	22.4
		2	No	1,114	77.6
		Missing	62		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	246	17.8
		2 No	1,136	82.2
		Missing	66	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	516	36.2
		2 No	865	63.8
		Missing	67	
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	225	16.4
		2 No	1,144	83.6
		Missing	79	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,033	89.8
		2 1 time	60	5.6
		3 2 or 3 times	31	2.3
		4 4 or 5 times	21	1.4
		5 6 or more times	9	0.8
		Missing	294	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,057	90.3
		2 Yes	49	3.8
		3 No	65	5.9
		Missing	277	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	177	13.7
		2 No	1,053	86.3
		Missing	218	
62-62	Q31	How old were you when you first tried cigarette smoking, even one or two puffs?		
		1 I have never tried cigarette smoking, not even one or two puffs	1,056	83.9
		2 8 years old or younger	40	3.2
		3 9 or 10 years old	31	2.5
		4 11 or 12 years old	36	2.8
		5 13 or 14 years old	40	2.6
		6 15 or 16 years old	53	4.1
		7 17 years old or older	11	0.9
		Missing	181	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,270	96.1
		2 1 or 2 days	12	1.0
		3 3 to 5 days	12	0.9
		4 6 to 9 days	5	0.4
		5 10 to 19 days	7	0.5
		6 20 to 29 days	4	0.2
		7 All 30 days	9	0.9
Missing	129			
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,263	96.1
		2 Less than 1 cigarette per day	12	0.9
		3 1 cigarette per day	9	0.6
		4 2 to 5 cigarettes per day	8	0.7
		5 6 to 10 cigarettes per day	6	0.5
		6 11 to 20 cigarettes per day	5	0.3
		7 More than 20 cigarettes per day	7	0.7
Missing	138			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
65-65	Q34	Have you ever used an electronic vapor product?		
		1 Yes	547	41.0
		2 No	742	59.0
		Missing	159	
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?		
		1 0 days	1,005	80.1
		2 1 or 2 days	95	6.6
		3 3 to 5 days	43	3.1
		4 6 to 9 days	32	2.0
		5 10 to 19 days	32	2.5
		6 20 to 29 days	18	1.3
		7 All 30 days	52	4.4
		Missing	171	
67-67	Q36	During the past 30 days, how did you usually get your own electronic vapor products?		
		1 I did not use any electronic vapor products during the past 30 days	985	80.1
		2 I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	78	5.3
		3 I got them on the Internet	21	1.5
		4 I gave someone else money to buy them for me	38	3.0
		5 I borrowed them from someone else	75	5.8
		6 A person who can legally buy these products gave them to me	16	1.2
		7 I took them from a store or another person	9	0.9
		8 I got them some other way	31	2.2
Missing	195			
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,230	90.4
		2 1 or 2 days	60	4.4
		3 3 to 5 days	29	1.7
		4 6 to 9 days	15	1.0
		5 10 to 19 days	15	1.1
		6 20 to 29 days	11	0.8
		7 All 30 days	8	0.6
		Missing	80	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	707	56.4
		2	8 years old or younger	81	6.3
		3	9 or 10 years old	63	5.2
		4	11 or 12 years old	90	6.7
		5	13 or 14 years old	156	12.5
		6	15 or 16 years old	156	11.1
		7	17 years old or older	27	1.8
			Missing	168	
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	997	79.4
		2	1 or 2 days	156	11.2
		3	3 to 5 days	57	4.5
		4	6 to 9 days	29	1.8
		5	10 to 19 days	20	1.5
		6	20 to 29 days	10	0.9
		7	All 30 days	8	0.7
			Missing	171	
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
		1	0 days	1,141	90.4
		2	1 day	61	4.0
		3	2 days	37	2.8
		4	3 to 5 days	23	1.5
		5	6 to 9 days	5	0.3
		6	10 to 19 days	3	0.2
		7	20 or more days	8	0.8
			Missing	170	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
77-77	Q46	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	941	74.4
		2 8 years old or younger	35	2.7
		3 9 or 10 years old	40	3.0
		4 11 or 12 years old	46	3.1
		5 13 or 14 years old	133	8.7
		6 15 or 16 years old	109	7.0
		7 17 years old or older	19	1.1
		Missing	125	
78-78	Q47	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,068	82.8
		2 1 or 2 times	88	5.6
		3 3 to 9 times	59	4.2
		4 10 to 19 times	36	2.7
		5 20 to 39 times	24	1.8
		6 40 or more times	53	2.9
		Missing	120	
79-79	Q48	During your life, how many times have you used synthetic marijuana?		
		1 0 times	1,172	86.8
		2 1 or 2 times	69	5.1
		3 3 to 9 times	44	3.1
		4 10 to 19 times	32	2.7
		5 20 to 39 times	14	0.8
		6 40 or more times	17	1.5
		Missing	100	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,249	92.6
		2 1 or 2 times	36	2.5
		3 3 to 9 times	28	2.4
		4 10 to 19 times	16	1.1
		5 20 to 39 times	7	0.5
		6 40 or more times	11	0.9
		Missing	101	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,218	90.7
		2 1 or 2 times	47	4.2
		3 3 to 9 times	31	2.5
		4 10 to 19 times	19	1.3
		5 20 to 39 times	13	0.7
		6 40 or more times	8	0.6
		Missing	112	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?		
		1 0 times	1,234	92.5
		2 1 or 2 times	32	2.6
		3 3 to 9 times	27	2.3
		4 10 to 19 times	17	1.1
		5 20 to 39 times	5	0.5
		6 40 or more times	13	1.1
		Missing	120	
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,216	93.7
		2 1 time	47	3.7
		3 2 or more times	33	2.6
		Missing	152	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	233	19.7
		2 No	767	80.3
		Missing	448	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	758	79.4
		2 11 years old or younger	19	1.7
		3 12 years old	10	0.9
		4 13 years old	31	2.6
		5 14 years old	67	5.5
		6 15 years old	55	4.9
		7 16 years old	45	3.6
		8 17 years old or older	15	1.4
Missing	448			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	754	79.5
		2 1 person	113	10.4
		3 2 people	53	4.1
		4 3 people	19	1.5
		5 4 people	12	1.3
		6 5 people	9	0.8
		7 6 or more people	26	2.4
		Missing	462	
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	746	79.8
		2 I have had sexual intercourse, but not during the past 3 months	71	6.2
		3 1 person	122	10.3
		4 2 people	12	1.4
		5 3 people	8	0.5
		6 4 people	5	0.5
		7 5 people	5	0.6
		8 6 or more people	8	0.8
Missing	471			
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	749	80.4
		2 Yes	46	4.0
		3 No	175	15.6
Missing	478			
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	748	81.3
		2 Yes	105	10.0
		3 No	102	8.6
Missing	493			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	739	81.1
		2 No method was used to prevent pregnancy	51	4.8
		3 Birth control pills	35	3.6
		4 Condoms	87	7.7
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	8	0.5
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	6	0.4
		7 Withdrawal or some other method	18	1.2
		8 Not sure	10	0.7
	Missing	494		
96-96	Q65	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	618	62.1
		2 Females	204	17.5
		3 Males	174	15.0
		4 Females and males	62	5.4
	Missing	390		
97-97	Q66	Which of the following best describes you?		
		1 Heterosexual (straight)	1,110	81.4
		2 Gay or lesbian	38	2.8
		3 Bisexual	137	8.0
		4 Not sure	114	7.7
	Missing	49		
100-100	Q69	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	421	37.9
		2 1 to 3 times during the past 7 days	417	34.2
		3 4 to 6 times during the past 7 days	144	11.8
		4 1 time per day	78	6.3
		5 2 times per day	62	5.2
		6 3 times per day	21	1.6
		7 4 or more times per day	37	2.9
	Missing	268		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
101-101	Q70	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	267	24.2
		2 1 to 3 times during the past 7 days	396	33.0
		3 4 to 6 times during the past 7 days	246	20.6
		4 1 time per day	94	7.9
		5 2 times per day	84	7.0
		6 3 times per day	36	3.0
		7 4 or more times per day	51	4.3
		Missing	274	
106-106	Q75	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	452	40.0
		2 1 to 3 times during the past 7 days	430	36.1
		3 4 to 6 times during the past 7 days	131	11.0
		4 1 time per day	71	6.4
		5 2 times per day	32	2.4
		6 3 times per day	15	1.3
		7 4 or more times per day	33	2.9
		Missing	284	
109-109	Q78	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	275	24.5
		2 1 day	132	11.0
		3 2 days	122	9.9
		4 3 days	134	12.1
		5 4 days	93	8.1
		6 5 days	146	12.5
		7 6 days	47	4.2
		8 7 days	194	17.7
Missing	305			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	407	34.2
		2 Less than 1 hour per day	220	20.4
		3 1 hour per day	143	12.8
		4 2 hours per day	151	13.5
		5 3 hours per day	105	9.2
		6 4 hours per day	50	4.1
		7 5 or more hours per day	62	5.7
		Missing	310	
111-111	Q80	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	299	26.0
		2 Less than 1 hour per day	118	10.2
		3 1 hour per day	140	11.9
		4 2 hours per day	116	10.6
		5 3 hours per day	122	11.3
		6 4 hours per day	98	8.4
		7 5 or more hours per day	235	21.6
		Missing	320	
112-112	Q81	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	186	18.6
		2 1 day	59	5.1
		3 2 days	44	4.2
		4 3 days	83	8.5
		5 4 days	71	6.1
		6 5 days	686	57.4
		Missing	319	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
115-115	Q84	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	243	21.4
		2 No	711	65.0
		3 Not sure	126	13.6
		Missing	368	
116-116	Q85	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?		
		1 Yes	211	19.8
		2 No	756	71.2
		3 Not sure	96	9.0
		Missing	385	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	754	70.6
		2 Between 12 and 24 months ago	163	15.5
		3 More than 24 months ago	69	6.2
		4 Never	33	3.0
		5 Not sure	63	4.8
Missing	366			
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	285	27.7
		2 No	698	65.5
		3 Not sure	67	6.8
Missing	398			
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	225	20.7
		2 5 hours	190	16.6
		3 6 hours	265	24.3
		4 7 hours	215	20.9
		5 8 hours	136	12.8
		6 9 hours	28	2.5
		7 10 or more hours	23	2.2
Missing	366			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
121-121	Q90	What borough of New York do you live in?			
		1	Bronx	29	2.1
		2	Brooklyn	61	3.9
		3	Manhattan	13	0.8
		4	Queens	10	0.6
		5	Staten Island	1,298	92.6
		Missing	37		
122-122	Q91	How often do the people in your home speak a language other than English?			
		1	Never	398	32.8
		2	Rarely	118	9.3
		3	Sometimes	281	18.7
		4	Most of the time	304	20.7
		5	Always	311	18.4
		Missing	36		
123-123	Q92	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?			
		1	No, I am not transgender	1,274	91.4
		2	Yes, I am transgender	31	2.4
		3	I am not sure if I am transgender	35	2.7
		4	I do not know what this question is asking	54	3.6
		Missing	54		
124-124	Q93	What was your sex assigned at birth?			
		1	Female	742	51.3
		2	Male	660	48.7
		Missing	46		
125-125	Q94	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?			
		1	Very feminine	253	18.1
		2	Mostly feminine	265	18.2
		3	Somewhat feminine	107	7.0
		4	Equally feminine and masculine	206	13.5
		5	Somewhat masculine	83	5.5
		6	Mostly masculine	195	15.0
		7	Very masculine	291	22.7
		Missing	48		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
126-126	Q95	During the past 12 months, how many times did you witness someone being physically hurt on purpose?		
		1 0 times	691	49.9
		2 1 time	231	17.7
		3 2 or more times	453	32.4
		Missing	73	
127-127	Q96	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,133	81.7
		2 1 time	121	8.1
		3 2 or 3 times	78	4.8
		4 4 or 5 times	38	2.2
		5 6 or more times	40	3.2
		Missing	38	
128-128	Q97	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	1,265	94.0
		2 I bought them in a store such as a convenience store, supermarket, or gas station	20	1.4
		3 I bought them on the Internet	19	1.2
		4 I bummed them	11	1.0
		5 Someone gave them to me or bought them for me	16	1.3
		6 I stole them	7	0.4
		7 I got them some other way	7	0.6
Missing	103			
129-129	Q98	Menthol cigarettes are cigarettes that taste like mint. Are the cigarettes you usually smoke menthol?		
		1 I do not smoke cigarettes	1,179	88.1
		2 Yes	68	5.6
		3 No	86	6.3
		Missing	115	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
130-130	Q99	How old were you when you tried an electronic vapor product for the first time?			
		1	I have never tried an electronic vapor product	803	61.2
		2	8 years old or younger	46	3.5
		3	9 or 10 years old	35	2.9
		4	11 or 12 years old	62	4.1
		5	13 or 14 years old	178	13.2
		6	15 or 16 years old	194	13.5
		7	17 years old or older	32	1.7
		Missing	98		
131-131	Q100	Which flavor of electronic vapor products do you typically use?			
		1	I do not use electronic vapor products	975	75.2
		2	Tobacco or no flavor	39	3.1
		3	Mint or menthol	56	3.8
		4	Chocolate, candy, fruit, or cinnamon	221	16.3
		5	Alcohol or other flavor	21	1.6
		Missing	136		
132-132	Q101	How harmful is using an electronic vapor product compared to smoking regular cigarettes?			
		1	I do not know enough about electronic vapor products to answer	673	49.9
		2	Using electronic vapor products is less harmful than smoking regular cigarettes	182	13.0
		3	Using electronic vapor products is more harmful than smoking regular cigarettes	153	11.5
		4	Using electronic vapor products and smoking regular cigarettes are equally harmful	353	25.6
		Missing	87		
133-133	Q102	During the past 12 months, how many times have you taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	1,162	87.9
		2	1 or 2 times	67	5.1
		3	3 to 9 times	46	2.8
		4	10 to 19 times	29	2.2
		5	20 to 39 times	14	0.8
		6	40 or more times	13	1.1
		Missing	117		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	During your life, how many times have you used ecstasy (also called MDMA, "Molly," "E," or "X")?		
		1 0 times	1,203	91.4
		2 1 or 2 times	44	3.2
		3 3 to 9 times	28	2.4
		4 10 to 19 times	20	1.6
		5 20 to 39 times	6	0.3
		6 40 or more times	13	1.0
		Missing	134	
135-135	Q104	During the past 12 months, how many times have you taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,202	92.3
		2 1 or 2 times	42	3.1
		3 3 to 9 times	24	1.6
		4 10 to 19 times	22	1.7
		5 20 to 39 times	3	0.3
		6 40 or more times	16	1.1
		Missing	139	
136-136	Q105	During the past 12 months, how many times have you taken a prescription stimulant without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,200	91.6
		2 1 or 2 times	39	3.0
		3 3 to 9 times	29	2.1
		4 10 to 19 times	18	1.3
		5 20 to 39 times	8	0.8
		6 40 or more times	13	1.1
		Missing	141	
137-137	Q106	The first time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	770	75.7
		2 No method was used to prevent pregnancy	82	6.3
		3 Birth control pills	36	3.4
		4 Condoms	145	11.2
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	10	0.8
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	7	0.7
		7 Withdrawal or some other method	6	0.4
		8 Not sure	13	1.5
Missing	379			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
138-138	Q107	What is the primary reason you or your partner did not use a condom the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	746	76.3
		2 My partner or I used a condom the last time I had sexual intercourse	115	10.0
		3 We did not need a condom because we used another method to prevent pregnancy (such as birth control pills, a shot, patch, or birth control ring, or an IUD or implant)	49	4.3
		4 My partner did not want to use a condom	24	2.1
		5 I do not like the way a condom feels	37	2.7
		6 I did not expect to have sex at that time	22	1.4
		7 Some other reason	34	3.2
		Missing	421	
139-139	Q108	The last time you used birth control, from where did you or your partner get it?		
<p>DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.</p>				
140-140	Q109	Did you or your partner use Emergency Contraception (the "Morning-After Pill") after the last time you had sexual intercourse?		
		1 I have never had sexual intercourse	736	77.9
		2 Yes	40	3.8
		3 No	185	15.5
		4 Not sure	36	2.8
		Missing	451	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
141-141	Q110	During the past 12 months, have you been pregnant or gotten someone pregnant?			
		1	Yes	26	2.4
		2	No	948	92.5
		3	Not sure	61	5.1
			Missing	413	
142-142	Q111	Did you receive sex education in your middle school health education class?			
		1	I did not have a health education class in middle school	256	21.7
		2	Yes	654	54.5
		3	No	161	14.3
		4	Not sure	112	9.5
		Missing	265		
143-143	Q112	Did you receive sex education in your high school health education class?			
		1	I did not have a health education class in high school	262	23.0
		2	Yes	601	45.8
		3	No	230	22.5
		4	Not sure	103	8.6
		Missing	252		
144-144	Q113	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?			
		1	I did not eat vegetables during the past 7 days	281	24.2
		2	1 to 3 times during the past 7 days	387	33.8
		3	4 to 6 times during the past 7 days	226	19.4
		4	1 time per day	120	9.6
		5	2 times per day	78	6.4
		6	3 times per day	36	3.0
		7	4 or more times per day	43	3.7
		Missing	277		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
145-145	Q114	During the past 7 days, how many times did you drink other sugar-sweetened drinks such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas?			
		1	I did not drink other sugar-sweetened drinks during the past 7 days	379	33.2
		2	1 to 3 times during the past 7 days	433	37.7
		3	4 to 6 times during the past 7 days	175	15.1
		4	1 time per day	52	4.8
		5	2 times per day	40	3.9
		6	3 times per day	29	2.2
		7	4 or more times per day	37	3.1
		Missing	303		
146-146	Q115	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?			
		1	Several times a month	187	18.8
		2	At least once a month	116	10.9
		3	A few times a year	261	23.1
		4	Never	526	47.3
		Missing	358		
147-147	Q116	Have you ever been taught about AIDS or HIV infection in school?			
		1	Yes	852	78.8
		2	No	153	14.3
		3	Not sure	59	6.9
		Missing	384		
148-148	Q117	Has a dentist, doctor, or nurse ever told you that you have a dental cavity or decayed teeth?			
		1	Yes	515	48.9
		2	No	478	44.4
		3	Not sure	72	6.7
		Missing	383		
149-149	Q118	During the past 12 months, have you had an episode of asthma or an asthma attack?			
		1	I have never had asthma	475	45.9
		2	Yes	170	14.6
		3	No	360	34.3
		4	Not sure	55	5.2
		Missing	388		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
150-150	Q119	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	910	84.7
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian could not afford housing	78	6.6
		3 In a foster or group home	41	3.9
		4 In a shelter or emergency housing	18	1.7
		5 In a motel or hotel	14	1.6
		6 In a car, park, campground, or other public place	8	0.7
		7 I did not have a usual place to sleep	5	0.4
		8 Somewhere else	4	0.4
		Missing	370	
151-151	Q120	During the past 12 months, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	130	14.3
		2 No	843	85.7
			Missing	475
152-152	Q121	During the past 12 months, how often did you worry that food at home would run out before your family got money to buy more?		
		1 Often	141	14.1
		2 Sometimes	190	19.0
		3 Never	702	66.9
			Missing	415
153-153	Q122	During the past 12 months, how often did the food that your family bought run out and there was no money to buy more?		
		1 Often	124	12.5
		2 Sometimes	136	12.9
		3 Never	773	74.5
			Missing	415

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Staten Island
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
154-154	Q123	Has either of your parents spent time in jail or prison?		
		1 Yes	199	20.8
		2 No	690	69.6
		3 Not sure	97	9.6
		Missing	462	
155-155	Q124	Have you ever been arrested?		
		1 Yes	153	16.0
		2 No	836	84.0
		Missing	459	
156-156	Q125	Do you agree or disagree that you feel close to people at your school?		
		1 Strongly agree	242	24.5
		2 Agree	447	43.4
		3 Not sure	188	16.9
		4 Disagree	92	9.2
		5 Strongly disagree	68	6.0
		Missing	411	
157-157	Q126	Is there at least one teacher or other adult in your school that you can talk to if you have a problem?		
		1 Yes	610	64.2
		2 No	235	22.2
		3 Not sure	155	13.6
		Missing	448	
158-158	Q127	During the past two years, have you had your eyes examined by an eye doctor?		
		1 No, I have not had my eyes examined by an eye doctor during the past two years	280	27.8
		2 Yes, I have had my eyes examined by an eye doctor during the past two years	650	64.6
		3 Not sure	75	7.6
		Missing	443	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	147	9.3
		2 No	1,284	90.7
		Missing	17	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	114	7.7
		2 No	1,318	92.3
		Missing	16	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	188	13.1
		2 No	1,231	86.9
		Missing	29	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	164	12.6
		2 No	1,275	87.4
		Missing	9	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	322	23.2
		2 No	1,117	76.8
		Missing	9	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)			
		1	Yes	190	13.5
		2	No	1,189	86.5
			Missing	69	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	71	11.5
		2	No	467	88.5
			Missing	910	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	99	17.0
		2	No	474	83.0
			Missing	875	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	272	22.4
		2	No	1,114	77.6
			Missing	62	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	246	17.8
		2 No	1,136	82.2
		Missing	66	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for ≥ 2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	516	36.2
		2 No	865	63.8
		Missing	67	
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	225	16.4
		2 No	1,144	83.6
		Missing	79	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	121	10.2
		2 No	1,033	89.8
		Missing	294	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	49	3.8
		2 No	1,122	96.2
		Missing	277	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	177	13.7
		2 No	1,053	86.3
		Missing	218	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	107	8.5
		2 No	1,160	91.5
		Missing	181	
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	49	3.9
		2 No	1,270	96.1
		Missing	129	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	10	24.7
		2 No	35	75.3
		Missing	1,403	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	547	41.0
		2 No	742	59.0
		Missing	159	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	272	19.9
		2 No	1,005	80.1
		Missing	171	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)			
		1	Yes	75	27.6
		2	No	174	72.4
			Missing	1,199	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)			
		1	Yes	138	9.6
		2	No	1,230	90.4
			Missing	80	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)			
		1	Yes	234	18.2
		2	No	1,046	81.8
			Missing	168	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)			
		1	Yes	280	20.6
		2	No	997	79.4
			Missing	171	
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)			
		1	Yes	137	9.6
		2	No	1,141	90.4
			Missing	170	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years			
		1	Yes	121	8.8
		2	No	1,202	91.2
			Missing	125	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	260	17.2
		2 No	1,068	82.8
		Missing	120	
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	176	13.2
		2 No	1,172	86.8
		Missing	100	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	98	7.4
		2 No	1,249	92.6
		Missing	101	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	118	9.3
		2 No	1,218	90.7
		Missing	112	
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	94	7.5
		2 No	1,234	92.5
		Missing	120	
233-233	QN56	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	80	6.3
		2 No	1,216	93.7
		Missing	152	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	233	19.7
		2 No	767	80.3
		Missing	448	
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	29	2.6
		2 No	971	97.4
		Missing	448	
237-237	QN60	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	47	4.5
		2 No	939	95.5
		Missing	462	
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	160	14.0
		2 No	817	86.0
		Missing	471	
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	37	21.5
		2 No	114	78.5
		Missing	1,297	
240-240	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	65	48.6
		2 No	75	51.4
		Missing	1,308	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	26	20.6
		2 No	114	79.4
			Missing	1,308
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	421	37.9
		2 No	759	62.1
			Missing	268
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	267	24.2
		2 No	907	75.8
			Missing	274
252-252	QN75	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	452	40.0
		2 No	712	60.0
			Missing	284
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	387	34.4
		2 No	756	65.6
			Missing	305
256-256	QN79	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	217	19.0
		2 No	921	81.0
			Missing	310

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)			
		1	Yes	455	41.3
		2	No	673	58.7
			Missing	320	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)			
		1	Yes	943	81.4
		2	No	186	18.6
			Missing	319	
261-261	QN84	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)			
		1	Yes	243	21.4
		2	No	837	78.6
			Missing	368	
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)			
		1	Yes	211	19.8
		2	No	852	80.2
			Missing	385	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)			
		1	Yes	754	70.6
		2	No	328	29.4
			Missing	366	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma			
		1	Yes	285	27.7
		2	No	765	72.3
			Missing	398	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	187	17.5
		2 No	895	82.5
		Missing	366	
267-267	QN90	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	1,398	99.2
		2 No	13	0.8
		Missing	37	
268-268	QN91	Percentage of students who reported in their home people most of the time or always speak a language other than English		
		1 Yes	615	39.2
		2 No	797	60.8
		Missing	36	
269-269	QN92	Percentage of students who are transgender		
		1 Yes	31	2.4
		2 No	1,363	97.6
		Missing	54	
270-270	QN93	Percentage of students who reported that their sex assigned at birth was female		
		1 Yes	742	51.3
		2 No	660	48.7
		Missing	46	
271-271	QN94	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	206	13.5
		2 No	1,194	86.5
		Missing	48	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
272-272	QN95	Percentage of students who witnessed someone being physically hurt on purpose (counting things such as being hit, slammed into something, or injured with an object or weapon, one or more times during the 12 months before the survey)			
		1	Yes	684	50.1
		2	No	691	49.9
			Missing	73	
273-273	QN96	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)			
		1	Yes	277	18.3
		2	No	1,133	81.7
			Missing	38	
274-274	QN97	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station (among students who smoked during the 30 days before the survey)			
		1	Yes	20	23.7
		2	No	60	76.3
			Missing	1,368	
275-275	QN98	Percentage of students who usually smoke menthol cigarettes (among students who smoke cigarettes)			
		1	Yes	68	47.1
		2	No	86	52.9
			Missing	1,294	
276-276	QN99	Percentage of students who tried an electronic vapor product for the first time at age 12 or younger (among students who ever tried an electronic vapor product)			
		1	Yes	143	27.1
		2	No	404	72.9
			Missing	901	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
277-277	QN100	Percentage of students who typically use a flavored electronic vapor product other than tobacco flavor and no flavor (mint or menthol, chocolate, candy, fruit or cinnamon, alcohol or other flavor, among students who use electronic vapor products)		
		1 Yes	298	87.5
		2 No	39	12.5
			Missing	1,111
278-278	QN101	Percentage of students who report that using an electronic vapor product is less harmful than smoking regular cigarettes		
		1 Yes	182	13.0
		2 No	1,179	87.0
			Missing	87
279-279	QN102	Percentage of students who have taken a prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during the 12 months before the survey)		
		1 Yes	169	12.1
		2 No	1,162	87.9
			Missing	117
280-280	QN103	Percentage of students who have ever used ecstasy (also called MDMA, "Molly," "E," or "X," one or more times during their life)		
		1 Yes	111	8.6
		2 No	1,203	91.4
			Missing	134
281-281	QN104	Percentage of students who have taken a prescription benzodiazepine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Xanax, Valium, Klonopin, or Ativan, one or more times during the 12 months before the survey)		
		1 Yes	107	7.7
		2 No	1,202	92.3
			Missing	139

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
282-282	QN105	Percentage of students who have taken a prescription stimulant without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as Adderall, Ritalin, Concerta, or Vyvanse, one or more times during the 12 months before the survey)		
		1 Yes	107	8.4
		2 No Missing	1,200 141	91.6
283-283	QN106	Percentage of students who did not use a method to prevent pregnancy the first time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	82	26.0
		2 No Missing	217 1,149	74.0
284-284	QN107	Percentage of students who reported their primary reason for not using a condom the last time they had sexual intercourse was that they did not need a condom because they used another method to prevent pregnancy (such as birth control pills, a shot, a patch, or birth control ring, or an IUD or implant, among students who have had sexual intercourse)		
		1 Yes	49	18.1
		2 No Missing	232 1,167	81.9
285-285	QN108	Percentage of students who reported they or their partner got the birth control they last used from a school-based health center or condom availability program or from school nurse or doctor (among students who have ever used birth control)		
DATA NOT DISPLAYED. Please send an email to epidatarequest@health.nyc.gov with requests for data related to school-based health centers.				
286-286	QN109	Percentage of students who used or whose partner used Emergency Contraception (the "Morning-After Pill") after the last time they had sexual intercourse (among students who have had sexual intercourse)		
		1 Yes	40	17.0
		2 No Missing	221 1,187	83.0

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
287-287	QN110	Percentage of students who have been pregnant or gotten someone pregnant (during the 12 months before the survey)		
		1 Yes	26	2.4
		2 No	1,009	97.6
		Missing	413	
288-288	QN111	Percentage of students who did not receive sex education in their middle school health education class		
		1 Yes	161	14.3
		2 No	1,022	85.7
		Missing	265	
289-289	QN112	Percentage of students who did not receive sex education in their high school health education class		
		1 Yes	230	22.5
		2 No	966	77.5
		Missing	252	
290-290	QN113	Percentage of students who ate vegetables one or more times per day (such as green salad, carrots, green beans, or other vegetables, not counting potatoes, during the 7 days before the survey)		
		1 Yes	277	22.6
		2 No	894	77.4
		Missing	277	
291-291	QN114	Percentage of students who drank other sugar-sweetened drinks (such as sports drinks, energy drinks, fruit punch, fruit-flavored drinks, or sugar-sweetened teas, not including diet or sugar-free drinks, one or more times during the 7 days before the survey)		
		1 Yes	766	66.8
		2 No	379	33.2
		Missing	303	
292-292	QN115	Percentage of students who have never ridden a bicycle in one of the five boroughs of New York City (during the 12 months before the survey)		
		1 Yes	526	47.3
		2 No	564	52.7
		Missing	358	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
293-293	QN116	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	852	78.8
		2 No	212	21.2
		Missing	384	
294-294	QN117	Percentage of students who had been told by a dentist, doctor, or nurse that they had a dental cavity or decayed teeth		
		1 Yes	515	48.9
		2 No	550	51.1
		Missing	383	
295-295	QN118	Percentage of students who had an episode of asthma or an asthma attack (among students who have had asthma, during the 12 months before the survey)		
		1 Yes	170	27.1
		2 No	415	72.9
		Missing	863	
296-296	QN119	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian could not afford housing (during the 30 days before the survey)		
		1 Yes	78	6.6
		2 No	1,000	93.4
		Missing	370	
297-297	QN120	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 12 months before the survey)		
		1 Yes	130	14.3
		2 No	843	85.7
		Missing	475	
298-298	QN121	Percentage of students who often or sometimes worried that food at home would run out before their family got money to buy more (during the 12 months before the survey)		
		1 Yes	331	33.1
		2 No	702	66.9
		Missing	415	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
299-299	QN122	Percentage of students who reported that often or sometimes the food that their family bought run out and there was no money to buy more (during the 12 months before the survey)		
		1 Yes	260	25.5
		2 No	773	74.5
		Missing	415	
300-300	QN123	Percentage of students who reported that either of their parents has spent time in jail or prison		
		1 Yes	199	20.8
		2 No	787	79.2
		Missing	462	
301-301	QN124	Percentage of students who have ever been arrested		
		1 Yes	153	16.0
		2 No	836	84.0
		Missing	459	
302-302	QN125	Percentage of students who strongly agree or agree that they feel close to people at their school		
		1 Yes	689	67.9
		2 No	348	32.1
		Missing	411	
303-303	QN126	Percentage of students who reported there is at least one teacher or other adult in their school that they can talk to if they have a problem		
		1 Yes	610	64.2
		2 No	390	35.8
		Missing	448	
304-304	QN127	Percentage of students who have not had their eyes examined by an eye doctor (during the two years before the survey)		
		1 Yes	280	27.8
		2 No	725	72.2
		Missing	443	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	13	1.1
		2 No	1,306	98.9
		Missing	129	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	9	0.9
		2 No	1,310	99.1
		Missing	129	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	70	5.7
		2 No	1,207	94.3
		Missing	171	
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	52	4.4
		2 No	1,225	95.6
		Missing	171	
354-354	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	156	11.4
		2 No	1,187	88.6
		Missing	105	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	291	21.6
		2 No	987	78.4
		Missing	170	
358-358	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	2	0.9
		2 No	138	99.1
		Missing	1,308	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	32	23.9
		2 No	108	76.1
		Missing	1,308	
360-360	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	8	7.9
		2 No	125	92.1
		Missing	1,315	
361-361	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	36	27.7
		2 No	104	72.3
		Missing	1,308	
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	144	13.5
		2 No	1,023	86.5
		Missing	281	
363-363	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	550	45.4
		2 No	617	54.6
		Missing	281	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	260	21.7
		2 No	907	78.3
		Missing	281	
369-369	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	151	12.9
		2 No	1,013	87.1
		Missing	284	
370-370	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	80	6.5
		2 No	1,084	93.5
		Missing	284	
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	275	24.5
		2 No	868	75.5
		Missing	305	
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	194	17.7
		2 No	949	82.3
		Missing	305	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Staten Island

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	686	57.4
		2 No	443	42.6
		Missing	319	
377-377	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	33	3.0
		2 No	1,049	97.0
		Missing	366	
384-384	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	178	14.3
		2 No	1,023	85.7
		Missing	247	
385-385	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	214	16.8
		2 No	987	83.2
		Missing	247	
386-395	WEIGHT			
396-398	STRATUM			
399-404	PSU			
407-411	BMIPCT			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
412-413	RACEETH8	1	Am Indian/Alaska Native	18	1.8
		2	Asian	146	7.2
		3	Black or African American	202	16.4
		4	Native Hawaiian/Other PI	12	0.9
		5	White	439	42.3
		6	Hispanic/Latino	192	8.9
		7	Multiple - Hispanic	327	19.5
		8	Multiple - Non-Hispanic	44	3.1
				Missing	68
414-416	Q6ORIG	DATA NOT AVAILABLE.			
417-419	Q7ORIG	DATA NOT AVAILABLE.			
450-459	SSWEIGHT	Sub-site Weight	DATA NOT AVAILABLE.		
460-460	S2	Sub-site - S2			
		0	1,007	84.9	
		1	441	15.1	
DATA NOT AVAILABLE.					
461-461	S3	Sub-site - S3			
		0	1,448	100.0	
DATA NOT AVAILABLE.					
462-462	S4	Sub-site - S4			
		0	1,448	100.0	
DATA NOT AVAILABLE.					
463-463	S5	Sub-site - S5			
		0	1,448	100.0	
DATA NOT AVAILABLE.					
464-464	S6	Sub-site - S6			
		0	1,448	100.0	
DATA NOT AVAILABLE.					
465-465	S7	Sub-site - S7			
		1	1,448	100.0	
DATA NOT AVAILABLE.					

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey
Staten Island
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
466-466	S8	Sub-site - S8 0	1,448	100.0
DATA NOT AVAILABLE.				
467-467	S9	Sub-site - S9 0	1,448	100.0
DATA NOT AVAILABLE.				
468-468	S10	Sub-site - S10 0	1,448	100.0
DATA NOT AVAILABLE.				
RACE5				
	1	White	439	42.3
	2	Black	202	16.4
	3	Hispanic	519	28.4
	4	Asian	146	7.2
	5	Other (Am Indian/Alaska Native, Native Hawaiian/ Other PI, Multiple)	74	5.7
		Missing	68	
BCCAT7				
	Contraception at last sex - 7 categories			
	1	Condom only (any condom use without HBC/LARC or EC)	71	37.4
	2	HBC/LARC only (any HBC/LARC without condoms excluding exclusive EC)	30	15.2
	3	EC only (any EC without condoms)	4	1.9
	4	Dual: condoms and HBC/LARC excluding exclusive EC	11	6.2
	5	Dual: condoms and EC (may include withdrawal)	12	8.1
	6	Withdrawal only	13	5.6
	7	No contraception	47	25.5
		Missing	1,260	
BCCAT5				
	Contraception at last sex - 5 categories			
	1	Condom only (any condom use without HBC/LARC or EC)	71	37.4
	2	HBC/LARC only (any HBC/LARC without condoms)	34	17.1
	3	Dual: condoms and HBC/LARC (may include withdrawal)	23	14.3
	4	Withdrawal only	13	5.6
	5	No contraception	47	25.5
		Missing	1,260	