

TUBERCULOSIS AND OTHER RESPIRATORY DISEASES
IN NEW YORK CITY, 1966

**TUBERCULOSIS AND OTHER RESPIRATORY DISEASES
IN NEW YORK CITY, 1966**

Complete Set of Data Sheets

**New York Tuberculosis and Health Association
15 East 26 Street, New York, N. Y. 10010**

TUBERCULOSIS MORBIDITY AND MORTALITY, CITY OF NEW YORK, 1965 AND 1966

A-New Cases of Tuberculosis Reported in Each Borough

Boroughs	Number of New Cases			Case Rate per 100,000 Pop.		
	1965	1966	Change 1965-1966	1965	1966	Change 1965-1966
Manhattan	1647	1395	-252 = - 15.3%	96.9	80.9	-16.0 = -16.5%
Bronx	661	646	- 15 = - 2.3%	45.6	44.2	- 1.4 = - 3.1%
Brooklyn	1388	1132	-256 = - 18.4%	52.8	42.9	- 9.9 = -18.8%
Queens	473	443	- 30 = - 6.3%	24.5	22.1	- 2.4 = - 9.8%
Richmond	73	47	- 26 = - 35.6%	29.2	18.1	-11.1 = -38.0%
New York City	4242	3663	-579 = - 13.6%	53.3	45.6	- 7.7 = -14.4%

B-Mortality From All Forms of Tuberculosis, By Boroughs

Boroughs	Deaths Within City			Death Rate per 100,000 Pop.		
	1965	1966	Change 1965-1966	1965	1966	Change 1965-1966
Manhattan	199	185	- 14 = - 7.0%	11.7	10.7	- 1.0 = - 8.5%
Bronx	82	61	- 21 = - 25.6%	5.7	4.2	- 1.5 = - 26.3%
Brooklyn	193	185	- 8 = - 4.1%	7.3	7.0	- 0.3 = - 4.1%
Queens	69	67	- 2 = - 2.9%	3.6	3.4	- 0.2 = - 5.5%
Richmond	9	7	- 2 = - 22.2%	3.6	2.7	- 0.9 = - 25.0%
N.Y. City Residents	552	505	- 47 = - 8.5%	6.9	6.3	- 0.6 = - 8.7%
Total Recorded†	592	537	- 55 = - 9.3%	7.4	6.7	- 0.7 = - 9.5%

†Including non-residents (1965=25, 1966=15) and persons with unknown addresses (1965=15, 1966=17).

C-Cases of Active Tuberculosis on Health District Rosters By Type of Current Care as of December 31, 1966

Classification	New York City	Manhattan	Bronx	Brooklyn	Queens	Richmond
Institutions in city	1942	815	376	543	191	17
Out of town in sanatoria	395	212	38	100	41	4
Total Hospitalized	2337	1027	414	643	232	21
Health Department clinics	1566	528	433	418	179	-8
Other clinics	371	151	65	102	53	--
Total attending clinics	1937	679	498	520	232	8
Private physicians	323	80	50	102	83	8
"Pending"†	394	256	23	80	33	2
Out of town, not in hospital .	9	5	--	4	--	--
No medical or clinic care	28	14	8	3	3	--
Total in Register	5028	2061	993	1352	583	39

†Type of care not confirmed, unassigned or in process of change of care.
POPULATION: Estimated July 1, 1966: New York City, 8,040,000
Manhattan, 1,725,000; Bronx, 1,460,000; Brooklyn, 2,640,000;
Queens, 1,955,000; Richmond, 260,000.

TUBERCULOSIS MORBIDITY AND MORTALITY, 1966
Tri-State New York Metropolitan Region

State County	New Cases			Tuberculosis Deaths All Forms		Estimated Population 1966
	Total New Cases Reported	Active and Probably Active		Number	Rate*	
NEW YORK						
New York (Manhattan) ..	1,512	1,395	80.9	185	10.7	1,725,000
Bronx	678	646	44.2	61	4.2	1,460,000
Kings (Brooklyn)	1,238	1,132	42.9	185	7.0	2,640,000
Queens	494	443	22.7	67	3.4	1,955,000
Richmond	56	47	18.1	7	2.7	260,000
New York City	3,978	3,663	45.6	537†	6.7	8,040,000
Dutchess	39	39	20.3	4	2.1	192,549
Nassau	172	172	12.1	30	2.1	1,419,688
Orange	35	35	17.1	9	4.4	204,482
Putnam	5	5	11.3	--	0.0	44,232
Rockland	27	27	15.2	3	1.7	177,633
Suffolk	154	154	16.5	14	1.5	935,651
Westchester	135	135	15.7	16	1.9	858,359
CONNECTICUT						
Fairfield	188	125	16.7	26	3.5	746,500
NEW JERSEY						
Bergen	312	61	6.9	18	2.0	889,320
Essex	487	380	39.8	66	6.9	954,310
Hudson	315	200	32.9	54	8.9	608,380
Middlesex	121	87	15.8	14	2.5	549,850
Monmouth	125	102	23.7	16	3.7	430,170
Morris	50	36	10.5	3	0.9	341,610
Passaic	249	148	32.7	16	3.5	452,420
Somerset	31	12	6.3	5	2.6	189,050
Union	211	138	26.4	15	2.7	563,700
Tri-State Region**	6,634	5,519	31.4	846	4.8	17,597,904

*Per 100,000 Population. †Deaths for New York City counties are of residents who died in city, total for the city includes residents, plus 32 non-residents and persons with unknown address. **22 counties. Based on reports by courtesy of authorities of respective areas.